CITATION REPORT List of articles citing

Multi-tract percutaneous nephrolithotomy for large complete staghorn calculi

DOI: 10.1159/000089168 Urologia Internationalis, 2005, 75, 327-32.

Source: https://exaly.com/paper-pdf/39501940/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
119	Impact of percutaneous access point number and location on complication and success rates in percutaneous nephrolithotomy. <i>Urologia Internationalis</i> , 2006 , 77, 340-6	1.9	67
118	How do increasing stone surface area and stone configuration affect overall outcome of percutaneous nephrolithotomy?. 2007 , 21, 34-43		50
117	Minimally invasive percutaneous nephrolithotomy for staghorn calculi: a novel single session approach via multiple 14-18Fr tracts. 2007 , 17, 124-8		25
116	Advances in percutaneous nephrostolithotomy. 2007 , 34, 383-95		38
115	Pathophysiology and management of infectious staghorn calculi. 2007, 34, 363-74		53
114	A Comparative Study between Standard and Tubeless Percutaneous Nephrolithotomy. 2007, 48, 45		4
113	Complications in percutaneous nephrolithotomy. 2007 , 51, 899-906; discussion 906		592
112	Supracostal access for percutaneous nephrolithotomy: less morbid, more effective. 2008 , 40, 263-7		30
111	Results of treatment of renal calculi with lower-pole fluoroscopically guided percutaneous nephrolithotomy. 2008 , 15, 399-402		9
110	Aggressive approach to staghorn calculi-safety and efficacy of multiple tracts percutaneous nephrolithotomy. 2008 , 71, 1039-42		61
109	[Percutaneous surgery in urolithiasis: Specific considerations about percutaneous access]. 2008 , 18, 89	1-6	3
108	Does the metabolic syndrome or its components affect the outcome of percutaneous nephrolithotomy?. 2008 , 22, 35-40		46
107	Concurrent urinary tract infection and stone disease: pathogenesis, diagnosis and management. 2008 , 5, 668-75		27
106	Management of the staghorn calculus: multiple-tract versus single-tract percutaneous nephrolithotomy. 2008 , 18, 220-3		43
105	Management of staghorn calculus: single puncture with judicious use of the flexible nephroscope. 2008 , 18, 224-8		27
104	Use of Kuntz laser carrier and Sachse urethrotome sheath in percutaneous nephrolithotomy: a point of technique. 2009 , 23, 917-20		
103	Chinese minimally invasive percutaneous nephrolithotomy: the Guangzhou experience. 2009 , 23, 1693	-7	62

(2011-2009)

102	Diagnosis and management or postpercutaneous nephrolithotomy residual stone fragments. 2009 , 23, 1751-5	42
101	Renal functional effects of multiple-tract percutaneous access. 2009 , 23, 1951-6	26
100	Developments in technique and technology: the effect on the results of percutaneous nephrolithotomy for staghorn calculi. 2009 , 104, 542-8; discussion 548	65
99	Multiperc versus single perc with flexible instrumentation for staghorn calculi. 2009 , 23, 1675-8	33
98	Preoperative percutaneous stone surgery in patients receiving anticoagulant therapy. 2009 , 23, 1563-5	6
97	Percutaneous nephrolithotomy for management of upper urinary tract calculi in patients with autosomal dominant polycystic kidney disease. 2009 , 74, 273-7	20
96	Tratamiento de los claulos coraliformes por ciruga abierta. 2009 , 41, 1-11	
95	Tratamiento de los cltulos coraliformes por ciruga abierta. 2009 , 9, 1-11	
94	Percutaneous management of staghorn calculi in horseshoe kidneys: a multi-institutional experience. 2010 , 24, 531-6	33
93	Factors affecting blood loss during percutaneous nephrolithotomy using balloon dilation in a large contemporary series. 2010 , 24, 207-11	30
92	Renal access by urologist or radiologist during percutaneous nephrolithotomy. 2010 , 24, 1733-7	40
91	Safety and efficacy of a superior caliceal puncture in pediatric percutaneous nephrolithotomy. 2010 , 24, 1725-8	14
90	A Review and Illustration of Contemporary Percutaneous Nephrolithotomy Practice Using Intracorporeal Techniques through Single Punctures for Complex Stone Burden in a UK Tertiary Referral Centre. 2010 , 3, 144-150	
89	Comparison of supracostal versus infracostal percutaneous nephrolithotomy using the novel prone-flexed patient position. 2011 , 25, 947-54	23
88	Ultrasound-guided minimally invasive percutaneous nephrolithotomy in flank position for management of complex renal calculi. 2011 , 77, 40-4	14
87	Multicenter analysis of postoperative CT findings after percutaneous nephrolithotomy: defining complication rates. 2011 , 78, 291-4	27
86	Complicanze della nefrolitotrissia percutanea. 2011 , 23, 38-43	
85	Supine versus prone position in percutaneous nephrolithotomy for kidney calculi: a meta-analysis. 2011 , 43, 67-77	73

84	Efficacy and outcome of percutaneous nephrolithotomy in patients with calculus nephropathy. 2011 , 39, 111-5	6
83	Minimally invasive percutaneous nephrolithotomy with multiple mini tracts in a single session in treating staghorn calculi. 2011 , 39, 117-22	75
82	Infection-Related Kidney Stones. 2011 , 9, 218-228	
81	Residual fragments after percutaneous nephrolithotomy. 2012 , 29, 230-5	5
80	Percutaneous nephrolithotomy monotherapy for staghorn: paradigm shift for 'staghorn morphometry' based clinical classification. 2012 , 22, 148-53	11
79	Number of tracts or stone size: which influences outcome of percutaneous nephrolithotomy for staghorn renal stones?. <i>Urologia Internationalis</i> , 2012 , 89, 103-6	11
78	A randomized controlled study to analyze the safety and efficacy of percutaneous nephrolithotripsy and retrograde intrarenal surgery in the management of renal stones more than 2 cm in diameter. 2012 , 26, 52-7	100
77	High- vs low-power holmium laser lithotripsy: a prospective, randomized study in patients undergoing multitract minipercutaneous nephrolithotomy. 2012 , 79, 293-7	11
76	Nephrostomy tube placement after percutaneous nephrolithotomy: critical evaluation through a prospective randomized study. 2012 , 79, 771-6	28
75	Management of Residual Stone Fragments. 2012 , 662-674	2
74	Staghorn morphometry: a new tool for clinical classification and prediction model for percutaneous nephrolithotomy monotherapy. 2012 , 26, 6-14	60
73	Chinese minimally invasive percutaneous nephrolithotomy for intrarenal stones in patients with solitary kidney: a single-center experience. 2012 , 7, e40577	8
72	Percutaneous nephrolithotomy in polycystic kidney disease: is it safe and effective?. 2012 , 44, 725-30	15
71	Stereotactic localisation system: a modified puncture technique for percutaneous nephrolithotomy. 2012 , 40, 395-401	11
70	Incidence, prevention, and management of complications following percutaneous nephrolitholapaxy. 2012 , 61, 146-58	213
69	Tubeless percutaneous nephrolithotomy is effective and safe in short- and long-term urinary drainage. 2013 , 41, 341-6	5
68	Evolution of Evidence-Based Outcomes for Percutaneous Nephrolithotomy. 2013 , 31-45	
67	Small bore catheter drainage of pleural injury after percutaneous nephrolithotomy: feasibility and outcome from single large institution series. 2013 , 150127063130004	

(2015-2013)

66	Minimally invasive percutaneous nephrolithotomy for simple and complex renal caliceal stones: a comparative analysis of more than 10,000 cases. 2013 , 27, 1203-8	58
65	Blood transfusion, embolisation and nephrectomy after percutaneous nephrolithotomy (PCNL). 2013 , 111, 628-32	58
64	Percutaneous nephrolithotomy under local infiltration anesthesia: a single-center experience of 2000 Chinese cases. 2013 , 82, 1020-5	18
63	Septic Complications During Percutaneous Nephrolithotomy (PCNL). 2013 , 55-62	
62	Percutaneous Nephrolithotomy (PCNL) in the Treatment of Stones Within Horseshoe Kidneys and in Patients with Autosomal Dominant Polycystic Kidney Disease. 2013 , 115-121	
61	Laparoscopic anatrophic nephrolithotomy for management of staghorn renal calculi. 2013, 23, 306-10	11
60	Small-bore catheter drainage of pleural injury after percutaneous nephrolithotomy: feasibility and outcome from a single large institution series. 2013 , 27, 1440-3	4
59	Percutaneous nephrolithotomya versatile technique for both simple and complex renal stone. 2013 , 39, 99-103	
58	Supine Percutaneous Nephrolithotomy and ECIRS. 2014,	13
57	Endoscopic combined intrarenal surgery for large calculi: simultaneous use of flexible ureteroscopy and mini-percutaneous nephrolithotomy overcomes the disadvantageous of percutaneous nephrolithotomy monotherapy. 2014 , 28, 28-33	72
56	Standard-tract combined with mini-tract in percutaneous nephrolithotomy for renal staghorn calculi. <i>Urologia Internationalis</i> , 2014 , 92, 422-6	12
55	Postpercutaneous nephrolithotomy bleeding: aetiology and management. 2014 , 24, 189-94	25
54	Minimizing complications in endourological surgery. 2014 , 11, 455-466	2
53	Multiple tracts percutaneous nephrolithotomy assisted by LithoClast master in one session for staghorn calculi: report of 117 cases. 2014 , 42, 165-9	9
52	Developments in the technique of endoscopic combined intrarenal surgery in the prone split-leg position. 2014 , 84, 565-70	29
51	Effect of multiple access tracts during percutaneous nephrolithotomy on renal function: evaluation of risk factors for renal function deterioration. 2014 , 28, 775-9	25
50	Renal struvite stonespathogenesis, microbiology, and management strategies. 2014 , 11, 333-41	121
49	Fluoroscopy guided percutaneous renal access in prone position. 2015 , 3, 245-64	20

48	Standard percutaneous nephrolithotomy alone versus in combination with intraoperative anterograde flexible nephroscopy for staghorn stones: A retrospective study. 2015 , 31, 568-71		4
47	Percutaneous-based management of Staghorn calculi in solitary kidney: combined mini percutaneous nephrolithotomy versus retrograde intrarenal surgery. <i>Urologia Internationalis</i> , 2015 , 1. 94, 70-3	9	12
46	Percutaneous Nephrolithotomy: Current Clinical Opinions and Anesthesiologists Perspective. 2016 , 2016, 9036872		14
45	Comparison of 1-stage With 2-stage Multiple-tracts Mini-percutaneous Nephrolithotomy for the Treatment of Staghorn Stones: A Matched Cohorts Analysis. 2016 , 87, 46-51		12
44	Multi-tract percutaneous nephrolithotomy combined with EMS lithotripsy for bilateral complex renal stones: our experience. <i>BMC Urology</i> , 2017 , 17, 15	2	5
43	A prospective and randomised trial comparing fluoroscopic, total ultrasonographic, and combined guidance for renal access in mini-percutaneous nephrolithotomy. 2017 , 119, 612-618		35
42	Presentation of a method at the Exploration Stage according to IDEAL: Percutaneous nephrolithotomy (PCNL) under local infiltrative anesthesia is a feasible and effective method - retrospective analysis of 439 patients. 2017 , 14, 302-309		8
41	Single lower calyceal percutaneous tract combined with flexible nephroscopy: A valuable treatment paradigm for staghorn stones. 2018 , 12, E21-E24		1
40	Management of staghorn renal stones. 2018 , 40, 357-362		25
39	Application of Prepuncture on the Double-tract Percutaneous Nephrolithotomy Under Ultrasound Guidance for Renal Staghorn Calculi: First Experience. 2018 , 114, 56-59		3
38	Prone percutaneous nephrolithotomy: its advantages and our technique for puncture. 2018 , 7, 950-959		6
37	Hemorrhagic Complications Associated with Percutaneous Nephrolithotomy. 2018, 397-408		
36	Renal function changes after percutaneous nephrolithotomy in patients with renal calculi with a solitary kidney compared to bilateral kidneys. 2018 , 122, 633-638		7
35	Updates in endourological management of urolithiasis. 2019 , 26, 172-183		10
34	Mini-percutaneous nephrolithotomy for pediatric complex renal calculus disease: one-stage or two-stage?. 2019 , 51, 201-206		4
33	Multitract percutaneous nephrolithotomy in staghorn calculus. 2020 , 7, 94-101		4
32	A Comparison of Perioperative Stone-Free Rates and Complications Following Unilateral, Single-Access Percutaneous Nephrolithotomy by Access Location in 767 Patients. 2020 , 142, 70-75		1
31	Acute Kidney Injury Post-Percutaneous Nephrolithotomy (PNL): Prospective Outcomes from a University Teaching Hospital. 2021 , 10,		O

(2020-2021)

30	Technical aspects to maximize the hyperaccuracy three-dimensional (HA3D) computed tomography reconstruction for kidney stones surgery: a pilot study. 2021 , 49, 559-566		2
29	Comparison of the safety and efficacy between the prone split-leg and Galdakao-modified supine Valdivia positions during endoscopic combined intrarenal surgery: A multi-institutional analysis. 2021 , 28, 1129-1135		1
28	Minimally Invasive Percutaneous Nephrolithotomy: The Chinese Approach. 2012, 433-437		1
27	Multiple-tract percutaneous nephrolithotomy as a day surgery for the treatment of complex renal stones: an initial experience. 2021 , 39, 921-927		3
26	Percutaneous Approaches to the Upper Urinary Tract Collecting System. 2012 , 1324-1356.e6		14
25	Contemporary role of multi-tract percutaneous nephrolithotomy in the treatment of complex renal calculi. 2020 , 7, 102-109		3
24	Complications associated with percutaneous nephrolithotomy. 2012 , 1, 223-8		36
23	Prospective evaluation of complications using the modified Clavien grading system, and of success rates of percutaneous nephrolithotomy using Guy's Stone Score: A single-center experience. 2012 , 28, 392-8		244
22	Supracostal percutaneous nephrolithotomy: A prospective comparative study. 2016 , 32, 45-9		7
21	Lower pole calculi larger than one centimeter: Retrograde intrarenal surgery. 2008 , 24, 551-4		2
20	Factors predicting infectious complications following percutaneous nephrolithotomy. 2016 , 8, 434-438		17
19	Prone PNL: Is It Still the Gold Standard? Review and Results. 2014 , 89-97		
18	Renal parenchyma injury after percutaneous nephrolithotomy tract dilatations in pig and cadaveric kidney models. <i>Central European Journal of Urology</i> , 2017 , 70, 69-75	0.9	6
17	Percutaneous Nephrolithotomy in Obese Patients, Is There Any Challenge?. <i>Open Journal of Urology</i> , 2018 , 08, 49-58	0.2	
16	Bu yu k Koraliform BBrek Talarlili Tedavisinde Multitrakt Perku tan Nefrolitotripsi ve Sandvill Tedavi Ylitemlerinin Balirlive Komplikasyon Oranlar[Allidan Karlalilmas[] <i>Yeni lioloji</i> <i>Dergisi</i> , 72-80	0	
15	Single- versus Multiple-Tract Percutaneous Nephrolithotomy in the Surgical Management of Staghorn Stones or Complex Caliceal Calculi: A Systematic Review and Meta-analysis. <i>BioMed Research International</i> , 2020 , 2020, 8817070	3	2
14	Upper-pole infra-costal access for supine percutaneous nephrolithotomy: Advantage or risk?. <i>Hellenic Urology</i> , 2020 , 32, 148	0.1	
13	Tubeless PCNL in Macrotract for Multiple and Staghorn Calculus with More Than One Tract- A Single Centre Experience and Literature Review. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2020 , 9, 1295-1299	0.1	

12	Multitract percutaneous nephrolithotomy in the management of staghorn stones. <i>African Journal of Urology</i> , 2020 , 26,	1	
11	Complications in Mini PCNL. 2022 , 305-322		
10	Failed Access and Secondary Puncture. 2022 , 247-254		
9	Application of a new position in endoscopic combined intrarenal surgery: modified prone split-leg position <i>BMC Urology</i> , 2022 , 22, 38	2.2	О
8	Comparative assessment of multiple-tract vs single-tract percutaneous nephrolithotomy. <i>Asian Journal of Endoscopic Surgery</i> ,	1.4	
7	Comparison of mini endoscopic combined intrarenal surgery and multitract minimally invasive percutaneous nephrolithotomy specifically for kidney staghorn stones: a single-centre experience. <i>BMC Urology</i> , 2022 , 22,	2.2	
6	Is There Still a Place for Percutaneous Nephrolithotomy in Current Times?. 2022, 11, 5157		1
5	Yerli Poplasyon ve Mlteciler AraslPerklan Nefrolitotomi Sonularlili ve Etkileyen Olasl Faktilerin DeBrlendirilmesi.		О
4	The efficacy and safety of one-stage endoscopy combined with intrarenal surgery (mininephrostomy tract) in the prone split-leg position for complex renal calculi. Publish Ahead of Print,		О
3	Nonpapillary prone endoscopic combined intrarenal surgery: effectiveness, safety and tips, and tricks.		O
2	Endoscopic combined intrarenal surgery in the prone split-leg position versus Galdakao-modified supine Valdivia position for the management of partial staghorn calculi. 2022 , 22,		О
1	Initial Experience of Simultaneous Combined use of Percutaneous Nephrolithotomy and Flexible Ureteroscopy in Complex Renal Calculi: A Novel Surgical Technique of Ihrough-Through Approach. 15	55335062	2311658