

CITATION REPORT

List of articles citing

Recommendations from gynaecological (GYN) GEC ESTRO working group (II): concepts and terms in 3D image-based treatment planning in cervix cancer brachytherapy-3D dose volume parameters and aspects of 3D image-based anatomy, radiation physics, radiol

DOI: 10.1016/j.radonc.2005.11.014

Radiotherapy and Oncology, 2006, 78, 67-77.

Source: <https://exaly.com/paper-pdf/39689782/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1283	In response to Dr. Narayan et al. 2005 , 63, 646-647		
1282	Intercomparison of treatment concepts for MR image assisted brachytherapy of cervical carcinoma based on GYN GEC-ESTRO recommendations. <i>Radiotherapy and Oncology</i> , 2006 , 78, 185-93	5.3	74
1281	3D conformal HDR-brachy- and external beam therapy plus simultaneous cisplatin for high-risk cervical cancer: clinical experience with 3 year follow-up. <i>Radiotherapy and Oncology</i> , 2006 , 79, 80-6	5.3	54
1280	Geometric stability of intracavitary pulsed dose rate brachytherapy monitored by in vivo rectal dosimetry. <i>Radiotherapy and Oncology</i> , 2006 , 79, 87-93	5.3	26
1279	A dosimetric analysis of interstitial intensity modulated implants for pelvic recurrences, base of tongue and orbita tumors with specific references to the ICRU-58. <i>Radiotherapy and Oncology</i> , 2006 , 79, 298-303	5.3	12
1278	Bridging gaps in translational radiation oncology. <i>Radiotherapy and Oncology</i> , 2006 , 80, 109-11	5.3	2
1277	Uncertainties when using only one MRI-based treatment plan for subsequent high-dose-rate tandem and ring applications in brachytherapy of cervix cancer. <i>Radiotherapy and Oncology</i> , 2006 , 81, 269-75	5.3	64
1276	[Innovation in gynaecological brachytherapy: new technologies, pulse dose-rate brachytherapy, image, definition of new volumes of interest and their impact on dosimetry: application in a clinical research programme "STIC"]. 2006 , 10, 402-9		10
1275	Comparative assessment of doses to tumor, rectum, and bladder as evaluated by orthogonal radiographs vs. computer enhanced computed tomography-based intracavitary brachytherapy in cervical cancer. <i>Brachytherapy</i> , 2006 , 5, 223-9	2.4	42
1274	A pre-optimised dosimetry system using a rigid applicator for intracavitary treatment of cervical carcinoma. 2006 , 18, 612-20		
1273	Systematic evaluation of MRI findings in different stages of treatment of cervical cancer: potential of MRI on delineation of target, pathoanatomic structures, and organs at risk. 2006 , 64, 1380-8		106
1272	The Vienna applicator for combined intracavitary and interstitial brachytherapy of cervical cancer: design, application, treatment planning, and dosimetric results. 2006 , 65, 624-30		236
1271	The Vienna applicator for combined intracavitary and interstitial brachytherapy of cervical cancer: clinical feasibility and preliminary results. 2006 , 66, 83-90		207
1270	Brachytherapy vs. IMRT for irradiation of the vaginal vault: in regard to Aydogan et al. (<i>Int J Radiat Oncol Biol Phys</i> 2006;65:266-273). 2006 , 66, 956; author reply 956-7		1
1269	3D-gestützte Brachytherapie und neuere Entwicklungen in der externen Radiotherapie beim Zervixkarzinom. 2006 , 12, 908-916		
1268	Aktueller Stellenwert von MRT, CT und PET in der Diagnostik des Zervixkarzinoms. 2006 , 12, 854-868		2
1267	Innovative technologies in radiation therapy: brachytherapy. 2006 , 16, 209-17		19

1266	Current controversies in high-dose-rate versus low-dose-rate brachytherapy for cervical cancer. 2006 , 107, 908-15		58
1265	Radiobiological modelling of dose-gradient effects in low dose rate, high dose rate and pulsed brachytherapy. 2006 , 51, 4399-411		12
1264	Comparison of 2D vs. 3D dosimetry for Rotte 'Y' applicator high dose rate brachytherapy for medically inoperable endometrial cancer. 2006 , 5, 521-7		20
1263	Multimodality therapy for locally advanced cervical carcinoma: state of the art and future directions. 2007 , 25, 2952-65		182
1262	[Brachytherapy in France in 2002: results of the ESTRO-PCBE questionnaire]. 2007 , 11, 146-9		7
1261	[Pulse dose-rate brachytherapy and treatment of uterine cervix cancer: impact of a 3D or a 2D dosimetric support]. 2007 , 11, 188-96		1
1260	Tumour and target volumes in permanent prostate brachytherapy: a supplement to the ESTRO/EAU/EORTC recommendations on prostate brachytherapy. <i>Radiotherapy and Oncology</i> , 2007 , 83, 3-10	5-3	219
1259	Prostate brachytherapy in Europe: growth, practice and guidelines. <i>Radiotherapy and Oncology</i> , 2007 , 83, 1-2	5-3	8
1258	Clinical impact of MRI assisted dose volume adaptation and dose escalation in brachytherapy of locally advanced cervix cancer. <i>Radiotherapy and Oncology</i> , 2007 , 83, 148-55	5-3	402
1257	Accuracy of volume and DVH parameters determined with different brachytherapy treatment planning systems. <i>Radiotherapy and Oncology</i> , 2007 , 84, 290-7	5-3	50
1256	The current place of radiation therapy in cervical cancer [Focus on image-based brachytherapy]. 2007 , 5, 420-422		
1255	ANÁLISIS DOSIMÉTRICO EN BRAQUITERAPIA GINECOLÓGICA DE ALTA TASA DE DOSIS. 2007 , 72,		
1254	7 Brachytherapy. 2007 , 113-137		4
1253	The variance of bladder and rectal doses calculated from orthogonal and simple stereo films in cervix high-dose-rate brachytherapy. <i>Brachytherapy</i> , 2007 , 6, 304-10	2-4	
1252	Uncertainties in assessment of the vaginal dose for intracavitary brachytherapy of cervical cancer using a tandem-ring applicator. 2007 , 67, 1451-9		43
1251	Computed tomography-based high-dose-rate intracavitary brachytherapy for uterine cervical cancer: preliminary demonstration of correlation between dose-volume parameters and rectal mucosal changes observed by flexible sigmoidoscopy. 2007 , 68, 1446-54		101
1250	Treatment planning for MRI assisted brachytherapy of gynecologic malignancies based on total dose constraints. 2007 , 69, 619-27		72
1249	Inverse planning approach for 3-D MRI-based pulse-dose rate intracavitary brachytherapy in cervix cancer. 2007 , 69, 955-61		53

1248	Classical tandem-source dwelling covering the entire uterus: essential in modern intracavitary radiotherapy for cervical cancer?. 2007 , 25, 386-92		5
1247	Image-based three-dimensional treatment planning of intracavitary brachytherapy for cancer of the cervix: dose-volume histograms of the bladder, rectum, sigmoid colon, and small bowel. <i>Brachytherapy</i> , 2007 , 6, 187-94	2.4	52
1246	A dosimetric comparison of two high-dose-rate brachytherapy planning systems in cervix cancer: standardized template planning vs. computerized treatment planning. <i>Brachytherapy</i> , 2008 , 7, 254-9	2.4	5
1245	Molecular profiling of uterine cervix carcinoma: an overview with a special focus on rationally designed target-based anticancer agents. 2008 , 27, 737-50		10
1244	Comparison of tumor regression rate of uterine cervical squamous cell carcinoma during external beam and intracavitary radiotherapy. 2008 , 26, 526-32		2
1243	CT imaging for gynecological HDR: tools and tricks. 2008 , 33, 310-4		
1242	Inverse planning simulated annealing for magnetic resonance imaging-based intracavitary high-dose-rate brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2008 , 7, 242-7	2.4	20
1241	Point vs. volumetric bladder and rectal doses in combined intracavitary-interstitial high-dose-rate brachytherapy: correlation and comparison with published Vienna applicator data. <i>Brachytherapy</i> , 2008 , 7, 336-42	2.4	26
1240	Image-guided adaptive brachytherapy for cervix carcinoma. 2008 , 20, 426-32		42
1239	Effect of bladder distension on dose distribution of intracavitary brachytherapy for cervical cancer: three-dimensional computed tomography plan evaluation. 2008 , 70, 464-8		32
1238	MRI-guided 3D optimization significantly improves DVH parameters of pulsed-dose-rate brachytherapy in locally advanced cervical cancer. 2008 , 71, 756-64		172
1237	Conventional high-dose-rate brachytherapy with concomitant complementary IMRT boost: a novel approach for improving cervical tumor dose coverage. 2008 , 71, 765-71		15
1236	Prospective clinical trial of bladder filling and three-dimensional dosimetry in high-dose-rate vaginal cuff brachytherapy. 2008 , 72, 843-8		30
1235	Combined intensity-modulated radiation therapy and brachytherapy in the treatment of cervical cancer. 2008 , 71, 618-24		30
1234	Image-guided radiotherapy for cervix cancer: high-tech external beam therapy versus high-tech brachytherapy. 2008 , 71, 1272-8		112
1233	Preoperative concurrent radiation therapy and chemotherapy for bulky stage IB2, IIA, and IIB carcinoma of the uterine cervix with proximal parametrial invasion. 2008 , 72, 1508-15		33
1232	Brachytherapy for cancer of the cervix: an Australian and New Zealand survey of current treatment techniques. 2008 , 52, 588-97		10
1231	[Brachytherapy at the Institut Gustave-Roussy: personalized vaginal mould applicator: technical modification and improvement]. 2008 , 12, 822-6		22

1230	[Preliminary results of a French prospective-multicentric study of 3D pulsed dose-rate brachytherapy for cervix carcinoma]. 2008 , 12, 527-31		11
1229	[Implementation of GEC-ESTRO recommendations on 3-D based image brachytherapy]. 2008 , 12, 522-6		3
1228	Potential of dose optimisation in MRI-based PDR brachytherapy of cervix carcinoma. <i>Radiotherapy and Oncology</i> , 2008 , 88, 217-26	5.3	100
1227	Consequences of random and systematic reconstruction uncertainties in 3D image based brachytherapy in cervical cancer. <i>Radiotherapy and Oncology</i> , 2008 , 89, 156-63	5.3	91
1226	Inter- and intraobserver variation in HR-CTV contouring: intercomparison of transverse and paratransverse image orientation in 3D-MRI assisted cervix cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2008 , 89, 164-71	5.3	69
1225	IRM en curiethérapie gynécologique : impact sur la dosimétrie et sur le contrôle local des patientes porteuses d'un cancer du col utérin. 2008 , 18, 30-34		
1224	3D MRI-based brachytherapy for cervical cancer. 2008 , 3, 351-358		1
1223	A dose planning study on applicator guided stereotactic IMRT boost in combination with 3D MRI based brachytherapy in locally advanced cervical cancer. 2008 , 47, 1337-43		33
1222	Present status and future of high-precision image guided adaptive brachytherapy for cervix carcinoma. 2008 , 47, 1325-36		87
1221	Radiotherapy planning. 39-54		
1220	Megavoltage computed tomography image-based low-dose rate intracavitary brachytherapy planning for cervical carcinoma. 2009 , 8, 123-30		2
1219	Technical aspects of the integration of three-dimensional treatment planning dose parameters (GEC-ESTRO Working Group) into pre-implant planning for LDR gynecological interstitial brachytherapy. 2009 , 8, 181-6		
1218	[Pretreatment diagnostic evaluation of cervical cancer]. 2009 , 181, 433-40		3
1217	Optimisation techniques in vaginal cuff brachytherapy. 2009 , 82, 936-40		4
1216	Registration of cervical MRI using multifeature mutual information. 2009 , 28, 1412-21		65
1215	Cervical cancer state-of-the-clinical-science meeting on pretreatment evaluation and prognostic factors, September 27-28, 2007: proceedings and recommendations. <i>Gynecologic Oncology</i> , 2009 , 114, 145-50	4.9	14
1214	Management of early and locally advanced cervical cancer. 2009 , 36, 155-69		47
1213	Current status and perspectives of brachytherapy for cervical cancer. <i>International Journal of Clinical Oncology</i> , 2009 , 14, 25-30	4.2	13

1212	Definitive Radiotherapie und Radiochemotherapie der Vulva und Vagina. 2009 , 15, 54-63		3
1211	Dose-volume histogram parameters and local tumor control in magnetic resonance image-guided cervical cancer brachytherapy. 2009 , 75, 56-63		181
1210	Correlation between dosimetric parameters and late rectal and urinary toxicities in patients treated with high-dose-rate brachytherapy used as monotherapy for prostate cancer. 2009 , 75, 1003-7		32
1209	Technical feasibility of transperineal MR-guided prostate interventions in a low-field open MRI unit: canine study. 2009 , 15, 315-22		7
1208	MRI assessment of cervical cancer for adaptive radiotherapy. 2009 , 185, 282-7		60
1207	Brachytherapie des Zervixkarzinoms. 2009 , 42, 941-948		
1206	Clinical impact of computed tomography-based image-guided brachytherapy for cervix cancer using the tandem-ring applicator - the Addenbrooke's experience. 2009 , 21, 175-82		89
1205	Single magnetic resonance imaging vs magnetic resonance imaging/computed tomography planning in cervical cancer brachytherapy. 2009 , 21, 483-7		29
1204	Physics contributions and clinical outcome with 3D-MRI-based pulsed-dose-rate intracavitary brachytherapy in cervical cancer patients. 2009 , 74, 133-9		119
1203	Magnetic resonance imaging-guided intracavitary brachytherapy for cancer of the cervix. 2009 , 74, 1157-64		49
1202	Conformal brachytherapy planning for cervical cancer using transabdominal ultrasound. 2009 , 75, 64-70		62
1201	Comparative study of LDR (Manchester system) and HDR image-guided conformal brachytherapy of cervical cancer: patterns of failure, late complications, and survival. 2009 , 74, 1529-35		43
1200	Correlation of point B and lymph node dose in 3D-planned high-dose-rate cervical cancer brachytherapy. 2009 , 75, 803-9		25
1199	Geometrical sparing factors for the rectum and bladder in the prediction of grade 2 and higher complications after high-dose-rate brachytherapy for cervical cancer. 2009 , 75, 1335-43		7
1198	High-dose rate brachytherapy using inverse planning simulated annealing for locoregionally advanced cervical cancer: a clinical report with 2-year follow-up. 2009 , 75, 1329-34		22
1197	Single versus customized treatment planning for image-guided high-dose-rate brachytherapy for cervical cancer: dosimetric comparison and predicting factor for organs at risk overdose with single plan approach. 2009 , 75, 309-14		8
1196	Image-guided intracavitary high-dose-rate brachytherapy for cervix cancer: A single institutional experience with three-dimensional CT-based planning. <i>Brachytherapy</i> , 2009 , 8, 240-247	2.4	23
1195	High-dose-rate interstitial brachytherapy for previously untreated cervical carcinoma. <i>Brachytherapy</i> , 2009 , 8, 234-239	2.4	20

1194	Critical discussion of different dose-volume parameters for rectum and urethra in prostate brachytherapy. <i>Brachytherapy</i> , 2009 , 8, 353-60	2.4	7
1193	Counterpoint: the dose rate argument--Does size matter after all?. <i>Brachytherapy</i> , 2009 , 8, 273-5	2.4	1
1192	Point: why choose pulsed-dose-rate brachytherapy for treating gynecologic cancers?. <i>Brachytherapy</i> , 2009 , 8, 269-72	2.4	5
1191	[Three-dimensional brachytherapy optimization techniques in the treatment of patients with cervix cancer]. 2009 , 13, 520-4		8
1190	The evolution of brachytherapy treatment planning. <i>Medical Physics</i> , 2009 , 36, 2136-53	4.4	131
1189	Development of prototype shielded cervical intracavitary brachytherapy applicators compatible with CT and MR imaging. <i>Medical Physics</i> , 2009 , 36, 5515-24	4.4	16
1188	Radiotherapy and Brachytherapy. 2009 ,		3
1187	Applicator reconstruction in MRI 3D image-based dose planning of brachytherapy for cervical cancer. <i>Radiotherapy and Oncology</i> , 2009 , 91, 187-93	5.3	98
1186	Exclusive MRI-based tandem and colpostats reconstruction in gynaecological brachytherapy treatment planning. <i>Radiotherapy and Oncology</i> , 2009 , 91, 181-6	5.3	32
1185	Inter-observer comparison of target delineation for MRI-assisted cervical cancer brachytherapy: application of the GYN GEC-ESTRO recommendations. <i>Radiotherapy and Oncology</i> , 2009 , 91, 166-72	5.3	86
1184	GEC-ESTRO recommendations for brachytherapy for head and neck squamous cell carcinomas. <i>Radiotherapy and Oncology</i> , 2009 , 91, 150-6	5.3	170
1183	Correlation of dose-volume parameters, endoscopic and clinical rectal side effects in cervix cancer patients treated with definitive radiotherapy including MRI-based brachytherapy. <i>Radiotherapy and Oncology</i> , 2009 , 91, 173-80	5.3	100
1182	Image-guided brachytherapy sets benchmarks in advanced radiotherapy. <i>Radiotherapy and Oncology</i> , 2009 , 91, 141-6	5.3	11
1181	Applicator reconstruction and applicator shifts in 3D MR-based PDR brachytherapy of cervical cancer. <i>Radiotherapy and Oncology</i> , 2009 , 93, 341-6	5.3	62
1180	DVH parameters and outcome for patients with early-stage cervical cancer treated with preoperative MRI-based low dose rate brachytherapy followed by surgery. <i>Radiotherapy and Oncology</i> , 2009 , 93, 316-21	5.3	46
1179	Sigmoid dose using 3D imaging in cervical-cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2009 , 93, 307-10	5.3	31
1178	Dose-effect relationship for local control of cervical cancer by magnetic resonance image-guided brachytherapy. <i>Radiotherapy and Oncology</i> , 2009 , 93, 311-5	5.3	200
1177	Direct reconstruction of the Vienna applicator on MR images. <i>Radiotherapy and Oncology</i> , 2009 , 93, 347-51	5.3	42

1176	MRI-guided treatment-planning optimisation in intracavitary or combined intracavitary/interstitial PDR brachytherapy using tandem ovoid applicators in locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2009 , 93, 322-30	5.3	95
1175	New inverse planning technology for image-guided cervical cancer brachytherapy: description and evaluation within a clinical frame. <i>Radiotherapy and Oncology</i> , 2009 , 93, 331-40	5.3	35
1174	Combined external and intracavitary irradiation in treatment of advanced cervical carcinomas: Predictive factors for local tumor control and early recurrences. 2009 , 36,		0
1173	Traitement des cancers du col de stade pr̄coce. 2010 , 5, 1-13		
1172	Gynaecological Malignancies. 2010 , 171-182		1
1171	Comparison of computed tomography and magnetic resonance imaging in cervical cancer brachytherapy target and normal tissue contouring. 2010 , 20, 47-53		50
1170	Current advancement in radiation therapy for uterine cervical cancer. <i>Journal of Radiation Research</i> , 2010 , 51, 1-8	2.4	34
1169	Does the entire uterus need to be treated in cancer of the cervix? Role of adaptive brachytherapy. 2010 , 76, 704-12		19
1168	Cone beam CT-based three-dimensional planning in high-dose-rate brachytherapy for cervical cancer. 2010 , 77, 1092-7		8
1167	3D CT-based volumetric dose assessment of 2D plans using GEC-ESTRO guidelines for cervical cancer brachytherapy. <i>Brachytherapy</i> , 2010 , 9, 55-60	2.4	18
1166	Variability of marker-based rectal dose evaluation in HDR cervical brachytherapy. 2010 , 35, 269-73		1
1165	Computed tomography-based three-dimensional dosimetry of intracavitary brachytherapy for cervical cancer. 2010 , 28, 740-5		2
1164	Consensus on 3D treatment planning in gynaecologic brachytherapy of the Radiation Oncology Spanish Society (SEOR) Brachytherapy Group. 2010 , 12, 181-7		4
1163	Tratamiento del c̄ncer de cuello uterino en estadio precoz. 2010 , 46, 1-14		
1162	Adaptive management of cervical cancer radiotherapy. 2010 , 20, 121-9		83
1161	Delivery of brachytherapy for cervical cancer: organisational and technical advice to facilitate high-quality care. 2010 , 22, 605-14		5
1160	Brachytherapy for cervix cancer: time for change. 2010 , 22, 602-4		
1159	Influence of different Fletcher-Suit applicator geometries on sagittal dose distribution. 2010 , 26, 49-54		3

1158	Three-dimensional imaging in gynecologic brachytherapy: a survey of the American Brachytherapy Society. 2010 , 76, 104-9		151
1157	Effects of bladder distension on organs at risk in 3D image-based planning of intracavitary brachytherapy for cervical cancer. 2010 , 76, 485-9		35
1156	Late effects after radiotherapy for locally advanced cervical cancer: comparison of two brachytherapy schedules and effect of dose delivered weekly. 2010 , 76, 713-8		10
1155	Radiation dose-volume effects of the urinary bladder. 2010 , 76, S116-22		269
1154	A dose-volume analysis of magnetic resonance imaging-aided high-dose-rate image-based interstitial brachytherapy for uterine cervical cancer. 2010 , 77, 765-72		37
1153	Rectal dose and source strength of the high-dose-rate iridium-192 both affect late rectal bleeding after intracavitary radiation therapy for uterine cervical carcinoma. 2010 , 77, 758-64		15
1152	Use of transrectal ultrasound for high dose rate interstitial brachytherapy for patients of carcinoma of uterine cervix. <i>Journal of Gynecologic Oncology</i> , 2010 , 21, 12-7	4	38
1151	2D to 3D Evaluation of Organs at Risk Doses in Intracavitary Brachytherapy for Cervical Cancer. 2010 , 2, 37-43		11
1150	Patterns of care study for brachytherapy: results of the questionnaire for the years 2002 and 2007 in The Netherlands. 2010 , 2, 145-152		4
1149	A detailed dosimetric comparison between manual and inverse plans in HDR intracavitary/interstitial cervical cancer brachytherapy. 2010 , 2, 163-170		18
1148	High dose three-dimensional conformal boost using the real-time tumor tracking radiotherapy system in cervical cancer patients unable to receive intracavitary brachytherapy. 2010 , 51, 93-9		8
1147	Prognostic factors and morbidities after completion surgery in patients undergoing initial chemoradiation therapy for locally advanced cervical cancer. 2010 , 15, 405-15		64
1146	Image-guided brachytherapy for cervix cancer: from Manchester to Melbourne. 2010 , 10, 41-6		17
1145	CT-based 3D dose-volume parameter of the rectum and late rectal complication in patients with cervical cancer treated with high-dose-rate intracavitary brachytherapy. <i>Journal of Radiation Research</i> , 2010 , 51, 215-21	2.4	44
1144	Interactive multiobjective optimization for anatomy-based three-dimensional HDR brachytherapy. 2010 , 55, 4703-19		25
1143	Handbook of Evidence-Based Radiation Oncology. 2010 ,		32
1142	[Postoperative morbidity after completion surgery following homogeneous chemoradiation therapy in locally advanced cervical cancer]. 2010 , 39, 624-31		3
1141	[Economic assessment of pulsed dose-rate (PDR) brachytherapy with optimized dose distribution for cervix carcinoma]. 2010 , 14, 161-8		2

1140	The use of magnetic resonance imaging for image-guided brachytherapy. 2010 , 54, 137-41		18
1139	Use of 3D imaging and awareness of GEC-ESTRO recommendations for cervix cancer brachytherapy throughout Australia and New Zealand. 2010 , 54, 383-7		22
1138	Three-dimensional image-based planning for cervix brachytherapy with bilateral hip prostheses: a solution using MVCT with helical tomotherapy. <i>Brachytherapy</i> , 2010 , 9, 278-81	2.4	3
1137	Variation of treatment planning parameters (D90 HR-CTV, D 2cc for OAR) for cervical cancer tandem ring brachytherapy in a multicentre setting: comparison of standard planning and 3D image guided optimisation based on a joint protocol for dose-volume constraints. <i>Radiotherapy and Oncology</i> , 2010 , 94, 339-45	5.3	48
1136	Applicator reconstruction for HDR cervix treatment planning using images from 0.35 T open MR scanner. <i>Radiotherapy and Oncology</i> , 2010 , 94, 346-52	5.3	36
1135	Determining DVH parameters for combined external beam and brachytherapy treatment: 3D biological dose adding for patients with cervical cancer. <i>Radiotherapy and Oncology</i> , 2010 , 94, 248-53	5.3	37
1134	The use of probability maps to deal with the uncertainties in prostate cancer delineation. <i>Radiotherapy and Oncology</i> , 2010 , 94, 168-72	5.3	16
1133	From point A to the sculpted pear: MR image guidance significantly improves tumour dose and sparing of organs at risk in brachytherapy of cervical cancer. <i>Radiotherapy and Oncology</i> , 2010 , 94, 173-80	5.3	173
1132	MRI-based low dose-rate brachytherapy experience in locally advanced cervical cancer patients initially treated by concomitant chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2010 , 96, 161-5	5.3	53
1131	Dose volume parameter D2cc does not correlate with vaginal side effects in individual patients with cervical cancer treated within a defined treatment protocol with very high brachytherapy doses. <i>Radiotherapy and Oncology</i> , 2010 , 97, 76-9	5.3	39
1130	Recommendations from Gynaecological (GYN) GEC-ESTRO Working Group: considerations and pitfalls in commissioning and applicator reconstruction in 3D image-based treatment planning of cervix cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2010 , 96, 153-60	5.3	210
1129	Comparison of DVH parameters and loading patterns of standard loading, manual and inverse optimization for intracavitary brachytherapy on a subset of tandem/ovoid cases. <i>Radiotherapy and Oncology</i> , 2010 , 97, 501-6	5.3	28
1128	PTV margins should not be used to compensate for uncertainties in 3D image guided intracavitary brachytherapy. <i>Radiotherapy and Oncology</i> , 2010 , 97, 495-500	5.3	34
1127	Patterns of care for brachytherapy in Europe: updated results. <i>Radiotherapy and Oncology</i> , 2010 , 97, 514-20	5.3	70
1126	3D CT-based high-dose-rate brachytherapy for cervical cancer: clinical impact on late rectal bleeding and local control. <i>Radiotherapy and Oncology</i> , 2010 , 97, 507-13	5.3	99
1125	Methods of Cancer Diagnosis, Therapy, and Prognosis. 2010 ,		
1124	Apparent diffusion coefficients in GEC ESTRO target volumes for image guided adaptive brachytherapy of locally advanced cervical cancer. 2010 , 49, 978-83		34
1123	Gynecologic Radiation Therapy. 2011 ,		8

1122	Re-irradiation: New Frontiers. 2011,		3
1121	A consensus-based guideline defining clinical target volume for primary disease in external beam radiotherapy for intact uterine cervical cancer. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 1119-26	2.8	43
1120	Image-guided brachytherapy for cervical cancer: a Canadian Brachytherapy Group survey. <i>Brachytherapy</i> , 2011 , 10, 345-51	2.4	38
1119	An early report on outcomes from computed tomographic-based high-dose-rate brachytherapy for locally advanced cervix cancer: A single institution experience. 2011 , 1, 173-81		5
1118	The Role of Functional Imaging in Radiotherapy Planning and Management for Gynecologic Malignancies. 2011 , 6, 195-205		
1117	Adaptive Contouring of the Target Volume and Organs at Risk. 2011 , 99-118		3
1116	Overview of brachytherapy resources in Latin America: a patterns-of-care survey. <i>Brachytherapy</i> , 2011 , 10, 363-8	2.4	19
1115	Concomitant chemoradiotherapy with high dose rate brachytherapy as a definitive treatment modality for locally advanced cervical cancerPeer review under responsibility of Alexandria University Faculty of MedicineView all notesAvailable online 12 June 2011View all notes. 2011 , 47, 15-24		1
1114	[Survival and prognostic factors after completion surgery in patients undergoing initial chemoradiation therapy for locally advanced cervical cancer]. 2011 , 39, 274-80		7
1113	Clinical Aspects of Treatment Planning. 2011 , 119-130		2
1112	In vivo diode dosimetry vs. computerized tomography and digitally reconstructed radiographs for critical organ dose calculation in high-dose-rate brachytherapy of cervical cancer. <i>Brachytherapy</i> , 2011 , 10, 498-502	2.4	5
1111	A comparison of ICRU point doses and volumetric doses of organs at risk (OARs) in brachytherapy for cervical cancer. 2011 , 55, 304-10		13
1110	Tumor volume discrepancies between FDG-PET and MRI for cervical cancer. <i>Radiotherapy and Oncology</i> , 2011 , 98, 139-42	5.3	31
1109	The effect of alternative biological modelling parameters (Θ/λ and half time of repair $T_{1/2}$) on reported EQD2 values in the treatment of advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2011 , 101, 337-42	5.3	17
1108	Advancing radiation oncology through scientific publication--100 volumes of Radiotherapy and Oncology. <i>Radiotherapy and Oncology</i> , 2011 , 100, 1-6	5.3	5
1107	Clinical outcome of protocol based image (MRI) guided adaptive brachytherapy combined with 3D conformal radiotherapy with or without chemotherapy in patients with locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2011 , 100, 116-23	5.3	546
1106	Local recurrences in cervical cancer patients in the setting of image-guided brachytherapy: a comparison of spatial dose distribution within a matched-pair analysis. <i>Radiotherapy and Oncology</i> , 2011 , 100, 468-72	5.3	46
1105	Image and laparoscopic guided interstitial brachytherapy for locally advanced primary or recurrent gynaecological cancer using the adaptive GEC ESTRO target concept. <i>Radiotherapy and Oncology</i> , 2011 , 100, 473-9	5.3	49

1104	Image guided, adaptive, accelerated, high dose brachytherapy as model for advanced small volume radiotherapy. <i>Radiotherapy and Oncology</i> , 2011 , 100, 333-43	5-3	23
1103	Change in T2-fat saturation MRI correlates with outcome in cervical cancer patients. 2011 , 81, e707-12		6
1102	ACR Appropriateness Criteria [®] on Advanced Cervical Cancer Expert Panel on Radiation Oncology-Gynecology. 2011 , 81, 609-14		54
1101	Reporting and validation of gynaecological Groupe Europeen de Curietherapie European Society for Therapeutic Radiology and Oncology (ESTRO) brachytherapy recommendations for MR image-based dose volume parameters and clinical outcome with high dose-rate brachytherapy in		31
1100	High-dose-rate interstitial brachytherapy with computed tomography-based treatment planning for patients with locally advanced uterine cervical carcinoma. <i>Journal of Radiation Research</i> , 2011 , 52, 490-5	2.4	12
1099	Intracavitary combined with CT-guided interstitial brachytherapy for locally advanced uterine cervical cancer: introduction of the technique and a case presentation. <i>Journal of Radiation Research</i> , 2011 , 52, 54-8	2.4	32
1098	Clinical Applications of High-Dose-Rate Brachytherapy. 2011 , 461-484		
1097	CT-Image Guided Brachytherapy. 2011 ,		
1096	Principles and Clinical Applications of Pulsed Dose Rate Brachytherapy. 2011 , 435-459		
1095	Comparison of apparent diffusion coefficient maps to T2-weighted images for target delineation in cervix cancer brachytherapy. 2011 , 3, 193-8		16
1094	Biological equivalence between LDR and PDR in cervical cancer: multifactor analysis using the linear-quadratic model. 2011 , 3, 134-41		4
1093	Biological effective doses in the intracavitary high dose rate brachytherapy of cervical cancer. 2011 , 3, 188-92		3
1092	Preliminary results of conformal computed tomography (CT)-based intracavitary brachytherapy (ICBT) for locally advanced cervical cancer: a single institution's experience. <i>Journal of Radiation Research</i> , 2011 , 52, 634-40	2.4	12
1091	Technological advances in radiotherapy for cervical cancer. 2011 , 23, 512-8		7
1090	Technical note: cone beam CT imaging for 3D image guided brachytherapy for gynecological HDR brachytherapy. <i>Medical Physics</i> , 2011 , 38, 2762-7	4.4	4
1089	Commissioning of Varian ring & tandem HDR applicators: reproducibility and interobserver variability of dwell position offsets. <i>Journal of Applied Clinical Medical Physics</i> , 2011 , 12, 3447	2-3	5
1088	Implementation of image-guided brachytherapy for cervix cancer in the UK: progress update. 2011 , 23, 681-4		41
1087	Three-dimensional high dose rate intracavitary image-guided brachytherapy for the treatment of cervical cancer using a hybrid magnetic resonance imaging/computed tomography approach: feasibility and early results. 2011 , 23, 685-90		52

1086	Exploring the potential of mixed-source brachytherapy for the treatment of cervical cancer using high-dose rate 192Ir and/or 50 kV electronic sources. <i>Brachytherapy</i> , 2011 , 10, 141-6	2.4	1
1085	Daily computed tomography measurement of needle applicator displacement during high-dose-rate interstitial brachytherapy for previously untreated uterine cervical cancer. <i>Brachytherapy</i> , 2011 , 10, 318-24	2.4	21
1084	Current opinion in cervix carcinoma. 2011 , 13, 378-84		13
1083	International Conference on Advances in Radiation Oncology (ICARO): outcomes of an IAEA meeting. 2011 , 6, 11		19
1082	Dose-volume histogram parameters and late side effects in magnetic resonance image-guided adaptive cervical cancer brachytherapy. 2011 , 79, 356-62		139
1081	Parametrial boost using midline shielding results in an unpredictable dose to tumor and organs at risk in combined external beam radiotherapy and brachytherapy for locally advanced cervical cancer. 2011 , 79, 1572-9		45
1080	Dose-volume histogram parameters and late side effects in magnetic resonance image-guided adaptive cervical cancer brachytherapy: in regard to Georg et al. (<i>Int J Radiat Oncol Biol Phys</i> 2011;79:356-362). 2011 , 81, 315; author reply 315-6		
1079	In Response to Dr. Wei and Colleagues. 2011 , 81, 315-316		
1078	Magnetic resonance image-based dose volume parameters and clinical outcome with high dose rate brachytherapy in cervical cancers--a validation of GYN GEC-ESTRO brachytherapy recommendations. 2011 , 23, 376-7		10
1077	Imaging technologies for high dose rate brachytherapy for cervical cancer: a systematic review. 2011 , 23, 460-75		8
1076	Joint Leeds/Mount Vernon Brachytherapy Course. 2011 , 23, 377		
1075	Dosimetric analysis of 3D image-guided HDR brachytherapy planning for the treatment of cervical cancer: is point A-based dose prescription still valid in image-guided brachytherapy?. 2011 , 36, 166-70		19
1074	Helical tomotherapy delivery of an IMRT boost in lieu of interstitial brachytherapy in the setting of gynecologic malignancy: feasibility and dosimetric comparison. 2011 , 36, 206-12		8
1073	Analysis of morbidity and clinical implications of laparoscopic para-aortic lymphadenectomy in a continuous series of 98 patients with advanced-stage cervical cancer and negative PET-CT imaging in the para-aortic area. 2011 , 16, 1021-7		61
1072	Col /Vagin. 2011 , 577-587		
1071	MRI-based pre-planning in patients with cervical cancer treated with three-dimensional brachytherapy. 2011 , 84, 850-6		15
1070	Pulsed brachytherapy: a modelled consideration of repair parameter uncertainties and their influence on treatment duration extension and daytime-only "block-schemes". 2011 , 84, 449-56		2
1069	Can point doses predict volumetric dose to rectum and bladder: a CT-based planning study in high dose rate intracavitary brachytherapy of cervical carcinoma?. 2011 , 84, 441-8		7

1068	Basic Principles in Gynecologic Radiotherapy. 2012 , 659-680.e3		3
1067	Adaptive brachytherapy of cervical cancer, comparison of conventional point A and CT based individual treatment planning. 2012 , 51, 345-54		11
1066	The departmental impact of magnetic resonance imaging in the management of cervical cancer brachytherapy: a discussion paper. 2012 , 11, 201-208		1
1065	Endometrial recurrence in the proximal vagina: brachytherapy volume delineation with 18FDG PET-CT. 2012 , 11, 189-194		
1064	ACR Appropriateness Criteria—definitive therapy for early-stage cervical cancer. 2012 , 35, 399-405		14
1063	Results of the GYNECO 02 study, an FNCLCC phase III trial comparing hysterectomy with no hysterectomy in patients with a (clinical and radiological) complete response after chemoradiation therapy for stage IB2 or II cervical cancer. 2012 , 17, 64-71		77
1062	Comparison of 3D MRI with high sampling efficiency and 2D multiplanar MRI for contouring in cervix cancer brachytherapy. 2012 , 46, 242-51		19
1061	Commissioning a CT-compatible LDR tandem and ovoid applicator using Monte Carlo calculation and 3D dosimetry. <i>Medical Physics</i> , 2012 , 39, 4515-23	4.4	8
1060	Dose escalation in brachytherapy for cervical cancer: impact on (or increased need for) MRI-guided plan optimisation. 2012 , 85, e1249-55		6
1059	Correlation between bladder volume and irradiated dose of small bowel in CT-based planning of intracavitary brachytherapy for cervical cancer. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 302-8	2.8	15
1058	Fanconi anemia and vaginal squamous cell carcinoma. 2012 , 4, e4		2
1057	Bladder dose accumulation based on a biomechanical deformable image registration algorithm in volumetric modulated arc therapy for prostate cancer. 2012 , 57, 7089-100		50
1056	Comparison of dose-volume analysis between standard Manchester plan and magnetic resonance image-based plan of intracavitary brachytherapy for uterine cervical cancer. <i>Journal of Radiation Research</i> , 2012 , 53, 791-7	2.4	6
1055	[PAIR-gynaecology: multi/interdisciplinary for gynecologic cancer research. Problems needed to be resolved]. 2012 , 99, 479-98		1
1054	Radiochromic film dosimetry of rectal inhomogeneity and applicator attenuation in high dose rate brachytherapy of uterine cervix. <i>Journal of Applied Clinical Medical Physics</i> , 2012 , 13, 3654	2.3	11
1053	Feasibility and acute toxicity of Concurrent Chemoradiotherapy (CCRT) with high-dose rate intracavitary brachytherapy (HDR-ICBT) and 40-mg/m ² weekly cisplatin for Japanese patients with cervical cancer: results of a Multi-Institutional Phase 2 Study (JGOG1066). 2012 , 22, 1420-6		12
1052	The future of Radiation Oncology: Considerations of Young Medical Doctor. 2012 , 17, 288-93		8
1051	Cancer of the cervix uteri. 2012 , 119 Suppl 2, S100-9		54

1050	Principles of radiation therapy in low-resource and well-developed settings, with particular reference to cervical cancer. 2012 , 119 Suppl 2, S155-9		5
1049	Split-field helical tomotherapy with or without chemotherapy for definitive treatment of cervical cancer. 2012 , 82, 263-9		8
1048	Dose effect relationship for late side effects of the rectum and urinary bladder in magnetic resonance image-guided adaptive cervix cancer brachytherapy. 2012 , 82, 653-7		163
1047	Treatment of locally advanced vaginal cancer with radiochemotherapy and magnetic resonance image-guided adaptive brachytherapy: dose-volume parameters and first clinical results. 2012 , 82, 1880-8		46
1046	Clinical use of the Utrecht applicator for combined intracavitary/interstitial brachytherapy treatment in locally advanced cervical cancer. 2012 , 82, 1424-30		101
1045	Image-based 3D treatment planning for vaginal cylinder brachytherapy: dosimetric effects of bladder filling on organs at risk. 2012 , 83, 980-5		22
1044	MRI-based preplanning using CT and MRI data fusion in patients with cervical cancer treated with 3D-based brachytherapy: feasibility and accuracy study. 2012 , 84, 146-52		14
1043	Predictors of toxicity after image-guided high-dose-rate interstitial brachytherapy for gynecologic cancer. 2012 , 84, 1192-7		42
1042	¹⁸ F-fluorodeoxyglucose positron emission tomography/computed tomography guided conformal brachytherapy for cervical cancer. 2012 , 84, e29-34		14
1041	Trans-abdominal ultrasound (US) and magnetic resonance imaging (MRI) correlation for conformal intracavitary brachytherapy in carcinoma of the uterine cervix. <i>Radiotherapy and Oncology</i> , 2012 , 102, 130-4	5-3	43
1040	Image-guided radiotherapy: has it influenced patient outcomes?. 2012 , 22, 50-61		101
1039	Point: Parametrial irradiation in locally advanced cervix cancer can be achieved effectively with a variety of external beam techniques. <i>Brachytherapy</i> , 2012 , 11, 77-9; discussion 85-6	2-4	3
1038	American Brachytherapy Society consensus guidelines for interstitial brachytherapy for vaginal cancer. <i>Brachytherapy</i> , 2012 , 11, 68-75	2-4	117
1037	Counterpoint: Time to retire the parametrial boost. <i>Brachytherapy</i> , 2012 , 11, 80-3; discussion 84	2-4	19
1036	The dosimetric impact of heterogeneity corrections in high-dose-rate ¹⁹² Ir brachytherapy for cervical cancer: Investigation of both conventional Point-A and volume-optimized plans. <i>Brachytherapy</i> , 2012 , 11, 515-20	2-4	21
1035	Recommendations from Gynaecological (GYN) GEC-ESTRO Working Group (IV): Basic principles and parameters for MR imaging within the frame of image based adaptive cervix cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2012 , 103, 113-22	5-3	271
1034	Impact of 3D image-based PDR brachytherapy on outcome of patients treated for cervix carcinoma in France: results of the French STIC prospective study. <i>Radiotherapy and Oncology</i> , 2012 , 103, 305-13	5-3	238
1033	Impact of dosimetric and clinical parameters on clinical side effects in cervix cancer patients treated with 3D pulse-dose-rate intracavitary brachytherapy. <i>Radiotherapy and Oncology</i> , 2012 , 103, 314-21	5-3	19

1032	[Laparoscopic para-aortic lymphadenectomy in advanced cervical cancer: morbidity and impact on therapy]. 2012 , 40, 153-7		3
1031	Comparative dosimetric and radiobiological assessment among a nonstandard RapidArc, standard RapidArc, classical intensity-modulated radiotherapy, and 3D brachytherapy for the treatment of the vaginal vault in patients affected by gynecologic cancer. 2012 , 37, 347-52		12
1030	3-T MR-guided brachytherapy for gynecologic malignancies. 2012 , 30, 1279-90		63
1029	High-precision MRI-guided adaptive brachytherapy for cervical carcinoma. 2012 , 28, 501-8		2
1028	A review of recent developments in image-guided radiation therapy in cervix cancer. 2012 , 14, 519-26		17
1027	Current principles for radiotherapy in cervical cancer. 2012 , 29, 2919-22		8
1026	The role of imaging in the management of non-metastatic cervical cancer. 2012 , 29, 3389-93		2
1025	In vivo dosimetry for gynaecological brachytherapy using a novel position sensitive radiation detector: feasibility study. <i>Medical Physics</i> , 2012 , 39, 1925-35	4.4	22
1024	Target volume changes through high-dose-rate brachytherapy for cervical cancer when evaluated on high resolution (3.0 Tesla) magnetic resonance imaging. 2012 , 2, e101-e106		9
1023	Inverse-planned gynecologic high-dose-rate interstitial brachytherapy: clinical outcomes and dose--volume histogram analysis. <i>Brachytherapy</i> , 2012 , 11, 181-91	2.4	26
1022	CT or MRI for image-based brachytherapy in cervical cancer. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 309-13	2.8	23
1021	Comparison of intracavitary brachytherapy and stereotactic body radiotherapy dose distribution for cervical cancer. <i>Brachytherapy</i> , 2012 , 11, 125-9	2.4	35
1020	Advances in the use of radiation for gynecologic cancers. 2012 , 26, 157-68		2
1019	American Brachytherapy Society consensus guidelines for locally advanced carcinoma of the cervix. Part III: low-dose-rate and pulsed-dose-rate brachytherapy. <i>Brachytherapy</i> , 2012 , 11, 53-7	2.4	58
1018	American Brachytherapy Society consensus guidelines for locally advanced carcinoma of the cervix. Part I: general principles. <i>Brachytherapy</i> , 2012 , 11, 33-46	2.4	297
1017	Preliminary results of MRI-guided brachytherapy in cervical carcinoma: the Chiangmai University experience. <i>Journal of Radiation Research</i> , 2012 , 53, 313-8	2.4	6
1016	A survey of quality control practices for high dose rate (HDR) and pulsed dose rate (PDR) brachytherapy in the United Kingdom. 2012 , 4, 232-40		12
1015	Dosimetric impact of point A definition on high-dose-rate brachytherapy for cervical cancer: evaluations on conventional point A and MRI-guided, conformal plans. 2012 , 4, 241-6		24

1014	A comparison of dose distribution from Manchester-style and Fletcher-style intracavitary brachytherapy applicator systems in cervical cancer. 2012 , 4, 213-8		6
1013	Dosimetria comparativa de braquiterapia de próstata com sementes de I-125 e Pd-103 via SISCODES/MCNP. 2012 , 45, 267-272		4
1012	Radiation sigmoiditis mimicking sigmoid colon cancer after radiation therapy for cervical cancer: the implications of three-dimensional image-based brachytherapy planning. <i>Journal of Gynecologic Oncology</i> , 2012 , 23, 197-200	4	3
1011	A novel method for vaginal cylinder treatment planning: a seamless transition to 3D brachytherapy. 2012 , 4, 92-100		1
1010	Biological effective dose evaluation and assessment of rectal and bladder complications for cervical cancer treated with radiotherapy and surgery. 2012 , 4, 205-12		9
1009	Treatment planning study of the 3D dosimetric differences between Co-60 and Ir-192 sources in high dose rate (HDR) brachytherapy for cervix cancer. 2012 , 4, 52-9		19
1008	Non isocentric film-based intracavitary brachytherapy planning in cervical cancer: a retrospective dosimetric analysis with CT planning. 2012 , 4, 129-34		9
1007	A proposed protocol on HDR cylinder treatments: proof of avoidance of re-planning of CT based fractionated treatment, using a critical, statistical and graphical analysis of clinical data. 2012 , 4, 146-51		1
1006	Phase II study of concurrent chemoradiotherapy with high-dose-rate intracavitary brachytherapy in patients with locally advanced uterine cervical cancer: efficacy and toxicity of a low cumulative radiation dose schedule. <i>Gynecologic Oncology</i> , 2012 , 126, 211-6	4.9	86
1005	Patterns of care for brachytherapy in Europe: updated results for Spain. 2012 , 14, 36-42		5
1004	Brachytherapy-emulating robotic radiosurgery in patients with cervical carcinoma. 2013 , 8, 109		35
1003	A prospective observational study with dose volume parameters predicting rectosigmoidoscopic findings and late rectosigmoid bleeding in patients with uterine cervical cancer treated by definitive radiotherapy. 2013 , 8, 28		10
1002	In vivo dosimetry in brachytherapy. <i>Medical Physics</i> , 2013 , 40, 070902	4.4	112
1001	Direct reconstruction and associated uncertainties of 192Ir source dwell positions in ring applicators using gafchromic film in the treatment planning of HDR brachytherapy cervix patients. 2013 , 58, 3207-25		19
1000	Laparoscopic radical hysterectomy after preoperative brachytherapy for stage IB1 cervical cancer: feasibility, results, and surgical implications in a large bicentric study of 162 consecutive cases. 2013 , 20, 872-80		20
999	Time course of late rectal- and urinary bladder side effects after MRI-guided adaptive brachytherapy for cervical cancer. 2013 , 189, 535-40		30
998	Adaptive image guided brachytherapy for cervical cancer: a combined MRI-/CT-planning technique with MRI only at first fraction. <i>Radiotherapy and Oncology</i> , 2013 , 107, 75-81	5.3	70
997	Dosimetric comparison of 3-dimensional planning techniques using an intravaginal multichannel balloon applicator for high-dose-rate gynecologic brachytherapy. 2013 , 87, 840-6		18

996	Urethral dosimetry and toxicity with high-dose-rate interstitial brachytherapy for vaginal cancer. <i>Brachytherapy</i> , 2013 , 12, 248-53	2.4	18
995	Single line source with and without vaginal loading and the impact on target coverage and organ at risk doses for cervix cancer Stages IB, II, and IIIB: treatment planning simulation in patients treated with MRI-guided adaptive brachytherapy in a multicentre study (EMBRACE). <i>Brachytherapy</i> , 2013 , 12, 317-23	2.4	12
994	Simple DVH parameter addition as compared to deformable registration for bladder dose accumulation in cervix cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2013 , 107, 52-7	5.3	53
993	Critical structure movement in cervix brachytherapy. <i>Radiotherapy and Oncology</i> , 2013 , 107, 39-45	5.3	32
992	Interstitial preoperative high-dose-rate brachytherapy for early stage cervical cancer: dose-volume histogram parameters, pathologic response and early clinical outcome. <i>Brachytherapy</i> , 2013 , 12, 148-55	2.4	17
991	Multicentre treatment planning study of MRI-guided brachytherapy for cervical cancer: comparison between tandem-ovoid applicator users. <i>Radiotherapy and Oncology</i> , 2013 , 107, 82-7	5.3	16
990	MR guided applicator reconstruction for brachytherapy of cervical cancer using the novel titanium Rotterdam applicator. <i>Radiotherapy and Oncology</i> , 2013 , 107, 88-92	5.3	20
989	A prospective trial of real-time magnetic resonance-guided catheter placement in interstitial gynecologic brachytherapy. <i>Brachytherapy</i> , 2013 , 12, 240-7	2.4	58
988	The significance of tumoral ERCC1 status in patients with locally advanced cervical cancer treated with chemoradiation therapy: a multicenter clinicopathologic analysis. 2013 , 85, 721-7		12
987	Image-guided brachytherapy for gynecologic surgeons. 2013 , 22, 495-509		
986	The implementation of the Gynaecological Groupe Européen de Curiethérapie - European Society for Therapeutic Radiology and Oncology radiobiology considerations in the conversion of low dose rate to pulsed dose rate treatment schedules for gynaecological brachytherapy. 2013 , 25, 265-71		2
985	Outcome of 6 fractions of 5.3 Gray HDR brachytherapy in combination with external beam radiotherapy for treatment of cervical cancer. <i>Gynecologic Oncology</i> , 2013 , 131, 93-8	4.9	2
984	Monte Carlo dosimetry of high dose rate gynecologic interstitial brachytherapy. <i>Radiotherapy and Oncology</i> , 2013 , 109, 425-9	5.3	9
983	Dosimetric comparison of optimization methods for multichannel intracavitary brachytherapy for superficial vaginal tumors. <i>Brachytherapy</i> , 2013 , 12, 637-44	2.4	7
982	Dosimetric impact of interfraction catheter movement and organ motion on MRI/CT guided HDR interstitial brachytherapy for gynecologic cancer. <i>Radiotherapy and Oncology</i> , 2013 , 107, 112-6	5.3	23
981	Validation of mathematical models for the prediction of organs-at-risk dosimetric metrics in high-dose-rate gynecologic interstitial brachytherapy. <i>Medical Physics</i> , 2013 , 40, 101711	4.4	4
980	[Contribution of 3D imaging in brachytherapy: which kind of imaging for which localization?]. 2013 , 17, 93-7		2
979	Functional imaging to predict tumor response in locally advanced cervical cancer. 2013 , 15, 549-58		35

978	[Laparoscopic radical hysterectomy after initial brachytherapy for stage IB1 cervical cancer: feasibility and results]. 2013 , 41, 571-7		2
977	Image-guided therapy system for interstitial gynecologic brachytherapy in a multimodality operating suite. 2013 , 2, 395		8
976	Equivalence of Gyn GEC-ESTRO guidelines for image guided cervical brachytherapy with EUD-based dose prescription. 2013 , 8, 266		5
975	High-risk clinical target volume delineation in CT-guided cervical cancer brachytherapy: impact of information from FIGO stage with or without systematic inclusion of 3D documentation of clinical gynecological examination. 2013 , 52, 1345-52		46
974	An algorithm for computing customized 3D printed implants with curvature constrained channels for enhancing intracavitary brachytherapy radiation delivery. 2013 ,		7
973	Feasibility of transrectal ultrasonography for assessment of cervical cancer. 2013 , 189, 123-8		42
972	Changes in bone mineral density in uterine cervical cancer patients after radiation therapy. 2013 , 87, 968-74		10
971	Aspects post-thérapeutiques du cancer du col utérin. 2013 , 23, 199-208		0
970	[Brachytherapy for endometrial cancers]. 2013 , 17, 106-10		1
969	A multicentre comparison of the dosimetric impact of inter- and intra-fractional anatomical variations in fractionated cervix cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2013 , 107, 20-5	5-3	70
968	Pulsed-dose-rate brachytherapy for uterine cervix carcinoma: 10 years of experience with 226 patients at a single institution. <i>Brachytherapy</i> , 2013 , 12, 542-9	2-4	11
967	Uncertainties in image guided adaptive cervix cancer brachytherapy: impact on planning and prescription. <i>Radiotherapy and Oncology</i> , 2013 , 107, 1-5	5-3	57
966	Clinical feasibility of combined intracavitary/interstitial brachytherapy in locally advanced cervical cancer employing MRI with a tandem/ring applicator in situ and virtual preplanning of the interstitial component. <i>Radiotherapy and Oncology</i> , 2013 , 107, 63-8	5-3	94
965	In reply to Shao and Lu-Yao. 2013 , 85, 287-8		
964	Oncology scan - gynecological cancers: new treatments, old treatments, imaging, and meta-analyses. 2013 , 86, 207-10		3
963	The evolving practice of intrauterine cervix brachytherapy in Canada: a medical physics perspective. <i>Brachytherapy</i> , 2013 , 12, 324-30	2-4	6
962	HDR brachytherapy combined with interstitial hyperthermia in locally advanced cervical cancer patients initially treated with concomitant radiochemotherapy--a phase III study. <i>Radiotherapy and Oncology</i> , 2013 , 109, 194-9	5-3	22
961	Management of Bartholin's gland carcinoma using high-dose-rate interstitial brachytherapy boost. <i>Brachytherapy</i> , 2013 , 12, 500-7	2-4	3

960	Comparative evaluation of two dose optimization methods for image-guided, highly-conformal, tandem and ovoids cervix brachytherapy planning. 2013 , 58, 2045-58		5
959	Interstitial biodegradable balloon for reduced rectal dose during prostate radiotherapy: results of a virtual planning investigation based on the pre- and post-implant imaging data of an international multicenter study. <i>Radiotherapy and Oncology</i> , 2013 , 106, 210-4	5:3	43
958	Clinical outcome and dosimetric parameters of chemo-radiation including MRI guided adaptive brachytherapy with tandem-ovoid applicators for cervical cancer patients: a single institution experience. <i>Radiotherapy and Oncology</i> , 2013 , 107, 69-74	5:3	125
957	Inter-application variation of dose and spatial location of D(2cm(3)) volumes of OARs during MR image based cervix brachytherapy. <i>Radiotherapy and Oncology</i> , 2013 , 107, 58-62	5:3	43
956	In regard to Georg et al. 2013 , 85, 288		1
955	[Role of the technician in a brachytherapy department]. 2013 , 17, 174-7		1
954	Vaginal dose point reporting in cervical cancer patients treated with combined 2D/3D external beam radiotherapy and 2D/3D brachytherapy. <i>Radiotherapy and Oncology</i> , 2013 , 107, 99-105	5:3	37
953	Evaluation of a balloon-based vaginal packing system and patient-controlled analgesia for patients with cervical cancer undergoing high-dose-rate intracavitary brachytherapy. 2013 , 3, 263-8		7
952	Feasibility of applying a single treatment plan for both fractions in PDR image guided brachytherapy in cervix cancer. <i>Radiotherapy and Oncology</i> , 2013 , 107, 32-8	5:3	23
951	Uncertainty analysis for 3D image-based cervix cancer brachytherapy by repetitive MR imaging: assessment of DVH-variations between two HDR fractions within one applicator insertion and their clinical relevance. <i>Radiotherapy and Oncology</i> , 2013 , 107, 26-31	5:3	37
950	Dose to the non-involved uterine corpus with MRI guided brachytherapy in locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2013 , 107, 93-8	5:3	10
949	Commissioning of a grid-based Boltzmann solver for cervical cancer brachytherapy treatment planning with shielded colpostats. <i>Brachytherapy</i> , 2013 , 12, 645-53	2:4	15
948	In reply A. Sharma et al. 2013 , 85, 288-9		
947	Novel parameter predicting grade 2 rectal bleeding after iodine-125 prostate brachytherapy combined with external beam radiation therapy. 2013 , 87, 182-7		2
946	Three-dimensional conformal brachytherapy boost in locally recurrent or residual cervical carcinoma: does it impact clinical outcome?. 2013 , 39, 264-71		1
945	Rotating-shield brachytherapy for cervical cancer. 2013 , 58, 3931-41		24
944	GEC/ESTRO recommendations on high dose rate afterloading brachytherapy for localised prostate cancer: an update. <i>Radiotherapy and Oncology</i> , 2013 , 107, 325-32	5:3	196
943	Uncertainties of target volume delineation in MRI guided adaptive brachytherapy of cervix cancer: a multi-institutional study. <i>Radiotherapy and Oncology</i> , 2013 , 107, 6-12	5:3	66

942	A phantom study on bladder and rectum dose measurements in brachytherapy of cervix cancer using FBX aqueous chemical dosimeter. 2013 , 29, 368-73		6
941	Tumor and normal tissue dosimetry changes during MR-guided pulsed-dose-rate (PDR) brachytherapy for cervical cancer. <i>Radiotherapy and Oncology</i> , 2013 , 107, 46-51	5.3	23
940	Dosimetric impact of interobserver variability in MRI-based delineation for cervical cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2013 , 107, 13-9	5.3	73
939	Intermediate-term results of image-guided brachytherapy and high-technology external beam radiotherapy in cervical cancer: Chiang Mai University experience. <i>Gynecologic Oncology</i> , 2013 , 130, 81-5	4.9	22
938	Evaluation of microscopic tumor extension in early-stage cervical cancer: quantifying subclinical uncertainties by pathological and magnetic resonance imaging findings. <i>Journal of Radiation Research</i> , 2013 , 54, 719-26	2.4	5
937	Magnetic resonance imaging (MRI) markers for MRI-guided high-dose-rate brachytherapy: novel marker-flange for cervical cancer and marker catheters for prostate cancer. 2013 , 86, 387-93		22
936	The role of Fluorine-18-Fluorodeoxyglucose positron emission tomography in staging and restaging of patients with osteosarcoma. 2013 , 47, 97-102		63
935	Outcomes for patients with cervical cancer treated with extended-field intensity-modulated radiation therapy and concurrent cisplatin. 2013 , 23, 119-25		22
934	Adaptive 3D image-guided brachytherapy: a strong argument in the debate on systematic radical hysterectomy for locally advanced cervical cancer. 2013 , 18, 415-22		61
933	Different effects of bladder distention on point A-based and 3D-conformal intracavitary brachytherapy planning for cervical cancer. <i>Journal of Radiation Research</i> , 2013 , 54, 349-56	2.4	12
932	Biphasic and monophasic repair: comparative implications for biologically equivalent dose calculations in pulsed dose rate brachytherapy of cervical carcinoma. 2013 , 86, 20130288		
931	MRI-guided adaptive radiotherapy in locally advanced cervical cancer from a Nordic perspective. 2013 , 52, 1510-9		204
930	High-dose-rate interstitial brachytherapy for gynecologic malignancies--dosimetric changes during treatment period. <i>Journal of Radiation Research</i> , 2013 , 54, 663-70	2.4	6
929	Interfractional change of high-risk CTV D90 during image-guided brachytherapy for uterine cervical cancer. <i>Journal of Radiation Research</i> , 2013 , 54, 1138-45	2.4	3
928	Inverse planning for combination of intracavitary and interstitial brachytherapy for locally advanced cervical cancer. <i>Journal of Radiation Research</i> , 2013 , 54, 1146-52	2.4	13
927	High-dose-rate intra-cavitary brachytherapy combined with external beam radiation therapy for under 40-year-old patients with invasive uterine cervical carcinoma: clinical outcomes in 118 Patients in a Japanese multi-institutional study, JASTRO. <i>Japanese Journal of Clinical Oncology</i> , 2013 , 43, 547-52	2.8	4
926	The role of PET/CT in cervical cancer. <i>Frontiers in Oncology</i> , 2013 , 3, 34	5.3	55
925	Image-guided brachytherapy (IGBT) combined with whole pelvic intensity-modulated radiotherapy (WP-IMRT) for locally advanced cervical cancer: a prospective study from Chiang Mai University Hospital, Thailand. 2013 , 5, 10-6		19

924	Effect of bladder distension on dosimetry of organs at risk in computer tomography based planning of high-dose-rate intracavitary brachytherapy for cervical cancer. 2013 , 5, 3-9		16
923	The dosimetric impact of vaginal balloon-packing on intracavitary high-dose-rate brachytherapy for gynecological cancer. 2013 , 5, 17-22		8
922	Prospective multi-center dosimetry study of low-dose Iodine-125 prostate brachytherapy performed after transurethral resection. 2013 , 5, 63-9		13
921	Predictors of distant metastasis after combined HDR brachytherapy and external beam radiation for prostate cancer. 2013 , 5, 127-33		5
920	The effect of central shielding in the dose reporting for cervical cancer in EQD2 era. 2013 , 5, 236-9		5
919	Dosimetric impacts of applicator displacements and applicator reconstruction-uncertainties on 3D image-guided brachytherapy for cervical cancer. 2013 , 5, 250-7		36
918	Rapid emission angle selection for rotating-shield brachytherapy. <i>Medical Physics</i> , 2013 , 40, 051720	4.4	11
917	Does initial 45Gy of pelvic intensity-modulated radiotherapy reduce late complications in patients with locally advanced cervical cancer? A cohort control study using definitive chemoradiotherapy with high-dose rate brachytherapy. 2013 , 47, 176-84		17
916	Report 89. 2013 , 13, NP		22
915	Uterine perforation - 5-year experience in 3-D image guided gynaecological brachytherapy at Institute of Oncology Ljubljana. 2013 , 47, 154-60		26
914	References. 2013 , 13, 233-258		
913	Local tumor control probability to evaluate an applicator-guided volumetric-modulated arc therapy solution as alternative of 3D brachytherapy for the treatment of the vaginal vault in patients affected by gynecological cancer. <i>Journal of Applied Clinical Medical Physics</i> , 2013 , 14, 4075	2.3	5
912	High resolution (3 Tesla) MRI-guided conformal brachytherapy for cervical cancer: consequences of different high-risk CTV sizes. 2013 , 5, 101-9		12
911	Major clinical research advances in gynecologic cancer in 2012. <i>Journal of Gynecologic Oncology</i> , 2013 , 24, 66-82	4	34
910	Dynamic rotating-shield brachytherapy. <i>Medical Physics</i> , 2013 , 40, 121703	4.4	19
909	[Minutes of the second ESTRO forum held in Geneva (Switzerland), 19-23 April 2013]. 2013 , 100, 1053-8		
908	References. 2013 , 13, 233-258		
907	Current situation of high-dose-rate brachytherapy for cervical cancer in Brazil. 2014 , 47, 159-64		3

906	Brachytherapy in cancer cervix: Time to move ahead from point A?. 2014 , 5, 764-74		9
905	Long Term Outcome of CT-Based Image-Guided Brachytherapy for Cervix Cancer Using the Tandem-Ring Applicator. 2014 , 03,		
904	Dosimetric evaluation of manually and inversely optimized treatment planning for high dose rate brachytherapy of cervical cancer. 2014 , 53, 1012-8		11
903	Automatic seed localization of iodine brachytherapy implants from CT images. 2014 , 37, 799-804		
902	Can combined intracavitary/interstitial approach be an alternative to interstitial brachytherapy with the Martinez Universal Perineal Interstitial Template (MUPIT) in computed tomography-guided adaptive brachytherapy for bulky and/or irregularly shaped gynecological tumors?. 2014 , 9, 222		12
901	Implications for dosimetric changes when introducing MR-guided brachytherapy for small volume cervix cancer: a comparison of CT and MR-based treatments in a single centre. 2014 , 37, 705-12		4
900	Assessing cumulative dose distributions in combined radiotherapy for cervical cancer using deformable image registration with pre-imaging preparations. 2014 , 9, 293		24
899	Dosimetric comparison of vaginal vault ovoid brachytherapy versus intensity-modulated radiation therapy plans in postoperative patients of cervical carcinoma following whole pelvic radiotherapy. 2014 , 10, 153-8		4
898	A method to estimate composite doses for organs at risk in prostate cancer patients treated with EBRT in combination with HDR BT. 2014 , 53, 815-21		3
897	Improved survival of patients with cervical cancer treated with image-guided brachytherapy compared with conventional brachytherapy. <i>Gynecologic Oncology</i> , 2014 , 135, 231-8	4.9	158
896	Dose-volume histogram parameters of high-dose-rate brachytherapy for Stage I-II cervical cancer (4cm) arising from a small-sized uterus treated with a point A dose-reduced plan. <i>Journal of Radiation Research</i> , 2014 , 55, 788-93	2.4	6
895	How well do elderly patients with cervical cancer tolerate definitive radiochemotherapy using RapidArc? Results from an institutional audit comparing elderly versus younger patients. 2014 , 8, 484		16
894	Aspect post-thérapeutique du cancer du col utérin. 2014 , 205-217		
893	Asymmetric dose-volume optimization with smoothness control for rotating-shield brachytherapy. <i>Medical Physics</i> , 2014 , 41, 111709	4.4	9
892	Extended field intensity modulated radiation therapy with concomitant boost for lymph node-positive cervical cancer: analysis of regional control and recurrence patterns in the positron emission tomography/computed tomography era. 2014 , 90, 1091-8		87
891	[(18)F]FDG-PET standard uptake value as a metabolic predictor of bone marrow response to radiation: impact on acute and late hematological toxicity in cervical cancer patients treated with chemoradiation therapy. 2014 , 90, 1099-107		31
890	Modern brachytherapy. 2014 , 41, 831-47		15
889	Spatial dosimetric sensitivity of contouring uncertainties in gynecological 3D-based brachytherapy. <i>Radiotherapy and Oncology</i> , 2014 , 113, 414-9	5.3	3

888 Cervical Cancer. **2014**, 329-338

887	Towards enabling ultrasound guidance in cervical cancer high-dose-rate brachytherapy. 2014 ,		
886	Assessment of uterus position as a surrogate for high-risk clinical target volume with respect to the applicator position for multiple fractions of brachytherapy in cervical cancer. <i>Archives of Gynecology and Obstetrics</i> , 2014 , 290, 1201-5	2.5	1
885	Combined external and intracavitary irradiation in treatment of advanced cervical carcinomas: predictive factors for treatment outcome and early and late radiation reactions. 2014 , 24, 1268-75		6
884	Three-dimensional dosimetry of the full and empty bladder in high dose rate vaginal cuff brachytherapy. 2014 , 24, 923-7		6
883	A study to assess the feasibility of using CT (←diagnostic MRI) instead of MRI at brachytherapy in image guided brachytherapy in cervical cancer. 2014 , 13, 438-446		4
882	Dose error from deviation of dwell time and source position for high dose-rate ¹⁹² Ir in remote afterloading system. <i>Journal of Radiation Research</i> , 2014 , 55, 780-7	2.4	16
881	Dosimetry analyses comparing high-dose-rate brachytherapy, administered as monotherapy for localized prostate cancer, with stereotactic body radiation therapy simulated using CyberKnife. <i>Journal of Radiation Research</i> , 2014 , 55, 1114-21	2.4	18
880	Magnitude and Implications of Interfraction Variations in Organ Doses during High Dose Rate Brachytherapy of Cervix Cancer: A CT Based Planning Study. 2014 , 2014, 687365		6
879	Cervical brachytherapy technique for locally advanced carcinoma of the cervix in a patient with septate uterus. 2014 , 6, 76-81		8
878	Optimal single 3T MR imaging sequence for HDR brachytherapy of cervical cancer. 2014 , 6, 3-9		5
877	Image guided adaptive brachytherapy for cervical cancer: dose contribution to involved pelvic nodes in two cancer centers. 2014 , 6, 21-7		8
876	MRI findings at image guided adaptive cervix cancer brachytherapy: radiation oncologist's perspective. 2014 , 6, 215-22		6
875	Effects of bladder distension on dose distribution of vaginal vault brachytherapy in patients with endometrial cancer. 2015 , 6, 371-6		13
874	Clinical implementation of a new electronic brachytherapy system for skin brachytherapy. 2015 , 6, 417-23		30
873	Mapping of dose distribution from IMRT onto MRI-guided high dose rate brachytherapy using deformable image registration for cervical cancer treatments: preliminary study with commercially available software. 2014 , 6, 178-84		20
872	Three-dimensional image-based high-dose-rate interstitial brachytherapy for mobile tongue cancer. <i>Journal of Radiation Research</i> , 2014 , 55, 154-61	2.4	14
871	The implementation of a PDR 3D-guided gynaecological brachytherapy service in a UK centre. 2014 , 13, 322-331		1

870	Implant time and process efficiency for CT-guided high-dose-rate brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2014 , 13, 233-9	2.4	28
869	3-T MRI-based adaptive brachytherapy for cervix cancer: treatment technique and initial clinical outcomes. <i>Brachytherapy</i> , 2014 , 13, 319-25	2.4	26
868	Dosimetric comparison of MRI-based HDR brachytherapy and stereotactic radiotherapy in patients with advanced cervical cancer: A virtual brachytherapy study. 2014 , 19, 399-404		13
867	Dosimetric consequences of interobserver variability in delineating the organs at risk in gynecologic interstitial brachytherapy. 2014 , 89, 674-81		13
866	Distant metastasis in patients with cervical cancer after primary radiotherapy with or without chemotherapy and image guided adaptive brachytherapy. <i>Gynecologic Oncology</i> , 2014 , 133, 256-62	4.9	42
865	Direction-modulated brachytherapy for high-dose-rate treatment of cervical cancer. I: theoretical design. 2014 , 89, 666-73		31
864	Volumetric evaluation of an alternative bladder point in brachytherapy for locally advanced cervical cancer. 2014 , 190, 41-7		11
863	Vaginal tolerance of CT based image-guided high-dose rate interstitial brachytherapy for gynecological malignancies. 2014 , 9, 31		28
862	Impact of delineation uncertainties on dose to organs at risk in CT-guided intracavitary brachytherapy. <i>Brachytherapy</i> , 2014 , 13, 210-8	2.4	16
861	Volume-based pulsed-dose-rate brachytherapy boosting concurrent chemoradiation as a definitive treatment modality in cervical cancer. <i>Brachytherapy</i> , 2014 , 13, 80-7	2.4	6
860	Evaluating adjacent organ radiation doses from postoperative intracavitary vaginal vault brachytherapy for endometrial cancer. <i>Brachytherapy</i> , 2014 , 13, 94-9	2.4	7
859	[Glassy cell carcinoma: a rare cervical neoplasm. Case report of two patients and review of the literature]. 2014 , 18, 211-4		0
858	[Brachytherapy training: a survey of French radiation oncology residents]. 2014 , 18, 28-34		11
857	Image-guided brachytherapy for cervical cancer: analysis of D2 cc hot spot in three-dimensional and anatomic factors affecting D2 cc hot spot in organs at risk. <i>Brachytherapy</i> , 2014 , 13, 203-9	2.4	7
856	Intra-fraction uncertainties of MRI guided brachytherapy in patients with cervical cancer. <i>Radiotherapy and Oncology</i> , 2014 , 112, 217-20	5.3	19
855	Brachytherapy Physics. 2014 , 315-381		0
854	Practically achievable maximum high-risk clinical target volume doses in MRI-guided intracavitary brachytherapy for cervical cancer: a planning study. <i>Brachytherapy</i> , 2014 , 13, 572-8	2.4	2
853	Toward four-dimensional image-guided adaptive brachytherapy in locally recurrent endometrial cancer. <i>Brachytherapy</i> , 2014 , 13, 554-61	2.4	14

852	Evaluation of intrafraction motion of the organs at risk in image-based brachytherapy of cervical cancer. <i>Brachytherapy</i> , 2014 , 13, 562-7	2.4	13
851	Image-based three-dimensional conformal brachytherapy for medically inoperable endometrial carcinoma. <i>Brachytherapy</i> , 2014 , 13, 542-7	2.4	33
850	Impact of dosimetric parameters on local control for patients treated with three-dimensional pulsed dose-rate brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2014 , 13, 326-31	2.4	4
849	[Pulsed-dose rate brachytherapy in cervical cancers: why, how?]. 2014 , 18, 447-51		3
848	[End of the commercialisation of (192)Ir wires in France: proposals of the groupe de Curiethrapie de la SFRO]. 2014 , 18, 441-6		5
847	Cervical gross tumor volume dose predicts local control using magnetic resonance imaging/diffusion-weighted imaging-guided high-dose-rate and positron emission tomography/computed tomography-guided intensity modulated radiation therapy. 2014 , 90, 794-801		42
846	Four years with FALCON - an ESTRO educational project: achievements and perspectives. <i>Radiotherapy and Oncology</i> , 2014 , 112, 145-9	5.3	35
845	Delivery systems for brachytherapy. 2014 , 192, 19-28		14
844	Imaging across the life span: innovations in imaging and therapy for gynecologic cancer. 2014 , 34, 1062-81		4
843	Image-guided high-dose-rate brachytherapy in inoperable endometrial cancer. 2014 , 87, 20140018		18
842	In vivo dosimetry: trends and prospects for brachytherapy. 2014 , 87, 20140206		48
841	Recent developments and best practice in brachytherapy treatment planning. 2014 , 87, 20140146		15
840	CT based three dimensional dose-volume evaluations for high-dose rate intracavitary brachytherapy for cervical cancer. 2014 , 14, 447		39
839	Dosimetric feasibility of stereotactic body radiation therapy as an alternative to brachytherapy for definitive treatment of medically inoperable early stage endometrial cancer. 2014 , 9, 164		15
838	Comparison of measurements of the uterus and cervix obtained by magnetic resonance and transabdominal ultrasound imaging to identify the brachytherapy target in patients with cervix cancer: in regard to van Dyk et al. 2014 , 90, 471-2		5
837	Cervix cancer brachytherapy: high dose rate. 2014 , 18, 452-7		10
836	A new laparoscopic method of bowel radio-protection before pelvic chemoradiation of locally advanced cervix cancers. 2014 , 28, 2713-8		5
835	Development of an open source software module for enhanced visualization during MR-guided interstitial gynecologic brachytherapy. 2014 , 3, 167		3

834	Comparison and consensus guidelines for delineation of clinical target volume for CT- and MR-based brachytherapy in locally advanced cervical cancer. 2014 , 90, 320-8		122
833	Comparison of margins, integral dose and interfraction target coverage with image-guided radiotherapy compared with non-image-guided radiotherapy for bladder cancer. 2014 , 26, 497-505		9
832	Variable impact of intracavitary brachytherapy fractionation schedule on biologically effective dose to organs at risk in patients with cervical cancer. <i>Brachytherapy</i> , 2014 , 13, 240-9	2.4	1
831	CT-based interstitial brachytherapy in advanced gynecologic malignancies: outcomes from a single institution experience. <i>Brachytherapy</i> , 2014 , 13, 225-32	2.4	15
830	HDR brachytherapy for the reirradiation of cervical and vaginal cancer: analysis of efficacy and dosage delivered to organs at risk. <i>Gynecologic Oncology</i> , 2014 , 132, 93-7	4.9	23
829	Comparison between the ICRU rectal point and modern volumetric parameters in brachytherapy for locally advanced cervical cancer. 2014 , 18, 177-82		12
828	Comparative analysis of rectal dose parameters in image-guided high-dose-rate brachytherapy for cervical cancer with and without a rectal retractor. <i>Brachytherapy</i> , 2014 , 13, 257-62	2.4	8
827	Manifestation pattern of early-late vaginal morbidity after definitive radiation (chemo)therapy and image-guided adaptive brachytherapy for locally advanced cervical cancer: an analysis from the EMBRACE study. 2014 , 89, 88-95		81
826	Locally advanced cervical cancer in renal transplant patients: a dilemma between control and toxicity. <i>Brachytherapy</i> , 2014 , 13, 88-93	2.4	4
825	Magnetic resonance image guided brachytherapy. 2014 , 24, 181-91		79
824	Brachytherapy in the treatment of cervical cancer: a review. 2014 , 6, 555-64		61
823	A patient-based dosimetric study of intracavitary and interstitial brachytherapy in advanced stage carcinoma of the cervix. <i>Journal of Applied Clinical Medical Physics</i> , 2014 , 15, 4509	2.3	6
822	Gynaecological cancer. 2014 , 321-354		
821	MRI-assisted cervix cancer brachytherapy pre-planning, based on application in paracervical anaesthesia: final report. 2014 , 48, 293-300		12
820	Inter-application displacement of brachytherapy dose received by the bladder and rectum of the patients with inoperable cervical cancer. 2014 , 48, 203-9		
819	IMRT with 18 F-DG-PETCT based simultaneous integrated boost for treatment of nodal positive cervical cancer. 2014 , 9, 83		29
818	Simulation of cervical cancer response to radiotherapy. 2014 ,		1
817	A radiopaque polymer hydrogel used as a fiducial marker in gynecologic-cancer patients receiving brachytherapy. <i>Brachytherapy</i> , 2015 , 14, 876-80	2.4	21

816	Principles of radiation therapy in low-resource and well-developed settings, with particular reference to cervical cancer. 2015 , 131 Suppl 2, S153-8		8
815	Geometric error of cervical point A calculated through traditional reconstruction procedures for brachytherapy treatment. <i>Journal of Applied Clinical Medical Physics</i> , 2015 , 16, 457-468	2.3	1
814	Evaluation of an active magnetic resonance tracking system for interstitial brachytherapy. <i>Medical Physics</i> , 2015 , 42, 7114-21	4.4	31
813	Multihelix rotating shield brachytherapy for cervical cancer. <i>Medical Physics</i> , 2015 , 42, 6579-88	4.4	15
812	Clinical implementation of MR-guided vaginal cylinder brachytherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2015 , 16, 490-500	2.3	6
811	Concomitant Chemoradiotherapy With Image-guided Pulsed Dose Rate Brachytherapy as a Definitive Treatment Modality for Early-stage Cervical Cancer. 2015 , 38, 289-93		7
810	Moving from standardized to personalized boxes and pears in radiation planning for cervical cancer. 2016 , 28, 18-23		1
809	Dose delivered to the lumbosacral plexus from high-dose-rate brachytherapy for cervical cancer. 2015 , 25, 897-902		4
808	Management of cancer of the cervix. 374-386		
807	The changing landscape of brachytherapy for cervical cancer: a Canadian practice survey. 2015 , 22, 356-60		19
806	A study of high-dose-rate intracavitary brachytherapy boost for curative treatment of uterine cervical cancer. 2015 , 7, 128-34		12
805	Outpatient combined intracavitary and interstitial cervical brachytherapy: barriers and solutions to implementation of a successful programme - a single institutional experience. 2015 , 7, 259-63		13
804	Brachytherapy for malignancies of the vagina in the 3D era. 2015 , 7, 312-8		17
803	Radiotherapy planning 1: fundamentals of external beam and brachytherapy. 54-69		
802	A new template for MRI-based intracavitary/interstitial gynecologic brachytherapy: design and clinical implementation. 2015 , 7, 265-72		11
801	Magnetic resonance imaging-guided brachytherapy for cervical cancer: initiating a program. 2015 , 7, 417-22		15
800	A practical MRI-based reconstruction method for a new endocavitary and interstitial gynaecological template. 2015 , 7, 407-14		6
799	Paddle-based rotating-shield brachytherapy. <i>Medical Physics</i> , 2015 , 42, 5992-6003	4.4	15

798	Review of advanced catheter technologies in radiation oncology brachytherapy procedures. 2015 , 7, 199-211		18
797	MITHRA - multiparametric MR/CT image adapted brachytherapy (MR/CT-IABT) in anal canal cancer: a feasibility study. 2015 , 7, 336-45		16
796	Seeing is saving: the benefit of 3D imaging in gynecologic brachytherapy. <i>Gynecologic Oncology</i> , 2015 , 138, 207-15	4.9	22
795	Target Volume Delineation for Conformal and Intensity-Modulated Radiation Therapy. 2015 ,		14
794	What is the normal tissues morbidity following Helical Intensity Modulated Radiation Treatment for cervical cancer?. <i>Radiotherapy and Oncology</i> , 2015 , 115, 386-91	5.3	13
793	University Cooperation Platform (UCP) between Christian-Albrechts-University Kiel (Germany) and Chiang Mai University (Thailand): implementation of image-guided gynecological brachytherapy. 2015 , 7, 86-92		3
792	Consecutive magnetic resonance imaging during brachytherapy for cervical carcinoma: predictive value of volume measurements with respect to persistent disease and prognosis. 2015 , 10, 252		4
791	Dosimetric variations due to interfraction organ deformation in cervical cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2015 , 117, 555-8	5.3	17
790	Efficacy and safety of nedaplatin-based concurrent chemoradiotherapy for FIGO Stage IB2-IVA cervical cancer and its clinical prognostic factors. <i>Journal of Radiation Research</i> , 2015 , 56, 305-14	2.4	11
789	Estimation of the total rectal dose of radical external beam and intracavitary radiotherapy for uterine cervical cancer using the deformable image registration method. <i>Journal of Radiation Research</i> , 2015 , 56, 546-52	2.4	22
788	Filling the gap in central shielding: three-dimensional analysis of the EQD2 dose in radiotherapy for cervical cancer with the central shielding technique. <i>Journal of Radiation Research</i> , 2015 , 56, 804-10	2.4	23
787	A questionnaire-based survey on 3D image-guided brachytherapy for cervical cancer in Japan: advances and obstacles. <i>Journal of Radiation Research</i> , 2015 , 56, 897-903	2.4	25
786	Radiotherapy planning using MRI. 2015 , 60, R323-61		195
785	Assessment of radiation doses to the para-aortic, pelvic, and inguinal lymph nodes delivered by image-guided adaptive brachytherapy in locally advanced cervical cancer. <i>Brachytherapy</i> , 2015 , 14, 56-61 ^{2.4}		11
784	Total radiation dose and overall treatment time are predictive for tumor sterilization in cervical carcinoma treated with chemoradiation and pulsed-dose-rate brachytherapy. <i>Brachytherapy</i> , 2015 , 14, 16-22	2.4	6
783	Preliminary results of MRI-assisted high-dose-rate interstitial brachytherapy for uterine cervical cancer. <i>Brachytherapy</i> , 2015 , 14, 1-8	2.4	20
782	MRI-guided high-dose-rate intracavitary brachytherapy for treatment of cervical cancer: the University of Pittsburgh experience. 2015 , 91, 540-7		101
781	Ureteral stent insertion for gynecologic interstitial high-dose-rate brachytherapy. <i>Brachytherapy</i> , 2015 , 14, 245-51	2.4	11

780	A comparison of inverse optimization algorithms for HDR/PDR prostate brachytherapy treatment planning. <i>Brachytherapy</i> , 2015 , 14, 279-88	2.4	31
779	D2cm ³ /DICRU ratio as a surrogate of bladder hotspots localizations during image-guided adaptive brachytherapy for cervical cancer: assessment and implications in late urinary morbidity analysis. <i>Brachytherapy</i> , 2015 , 14, 300-7	2.4	14
778	Use of bladder dose points for assessment of the spatial dose distribution in the posterior bladder wall in cervical cancer brachytherapy and the impact of applicator position. <i>Brachytherapy</i> , 2015 , 14, 252-94	2.4	12
777	The use of modern imaging technologies in radiation therapy of cervical cancer. 2015 , 4, 1-10		3
776	Redesign of process map to increase efficiency: Reducing procedure time in cervical cancer brachytherapy. <i>Brachytherapy</i> , 2015 , 14, 471-80	2.4	21
775	Intrafractional organs movement in three-dimensional image-guided adaptive pulsed-dose-rate cervical cancer brachytherapy: assessment and dosimetric impact. <i>Brachytherapy</i> , 2015 , 14, 260-6	2.4	15
774	Two-year results of transabdominal ultrasound-guided brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2015 , 14, 238-44	2.4	16
773	Radiation Therapy for Pelvic Malignancy and its Consequences. 2015 ,		2
772	Ultrasound use in gynecologic brachytherapy: Time to focus the beam. <i>Brachytherapy</i> , 2015 , 14, 390-400	2.4	24
771	Cost-effectiveness analysis of 3D image-guided brachytherapy compared with 2D brachytherapy in the treatment of locally advanced cervical cancer. <i>Brachytherapy</i> , 2015 , 14, 29-36	2.4	25
770	Image-Based Brachytherapy for the Treatment of Cervical Cancer. 2015 , 92, 921-34		45
769	Anthropomorphic phantom to investigate the bladder dose in gynecological high-dose-rate brachytherapy. <i>Brachytherapy</i> , 2015 , 14, 633-41	2.4	3
768	Computed tomography planned interstitial brachytherapy for recurrent gynecologic cancer. <i>Brachytherapy</i> , 2015 , 14, 600-5	2.4	15
767	Early clinical outcomes of ultrasound-guided CT-planned high-dose-rate interstitial brachytherapy for primary locally advanced cervical cancer. <i>Brachytherapy</i> , 2015 , 14, 626-32	2.4	9
766	Comparison of Axxent-Xoft, (192)Ir and (60)Co high-dose-rate brachytherapy sources for image-guided brachytherapy treatment planning for cervical cancer. 2015 , 88, 20150010		5
765	Magnetic Resonance-Guided Gynecologic Brachytherapy. 2015 , 23, 633-42		10
764	Impact of treatment time and dose escalation on local control in locally advanced cervical cancer treated by chemoradiation and image-guided pulsed-dose rate adaptive brachytherapy. <i>Radiotherapy and Oncology</i> , 2015 , 114, 257-63	5.3	94
763	Cervical cancer outcome prediction to high-dose rate brachytherapy using quantitative magnetic resonance imaging analysis of tumor response to external beam radiotherapy. <i>Radiotherapy and Oncology</i> , 2015 , 115, 78-83	5.3	15

762	Assessment of cumulative external beam and intracavitary brachytherapy organ doses in gynecologic cancers using deformable dose summation. <i>Radiotherapy and Oncology</i> , 2015 , 115, 195-202	5.3	30
761	Bladder-Rectum Spacer Balloon versus Vaginal Gauze Packing in High Dose Rate Brachytherapy in Cervical Cancer: A Randomised Study. Part II. 2015 , 27, 713-9		7
760	Assessing changes to the brachytherapy target for cervical cancer using a single MRI and serial ultrasound. <i>Brachytherapy</i> , 2015 , 14, 889-97	2.4	13
759	Inverse Planned High-Dose-Rate Brachytherapy for Locoregionally Advanced Cervical Cancer: 4-Year Outcomes. 2015 , 92, 1093-1100		25
758	Comparison of manual and inverse optimisation techniques in high dose rate intracavitary brachytherapy of cervical cancer: A dosimetric study. 2015 , 20, 365-9		8
757	Treatment results of image-guided high-dose-rate interstitial brachytherapy for pelvic recurrence of uterine cancer. <i>Brachytherapy</i> , 2015 , 14, 440-8	2.4	14
756	Targeting the heat shock response in combination with radiotherapy: Sensitizing cancer cells to irradiation-induced cell death and heating up their immunogenicity. 2015 , 368, 209-29		44
755	High-dose-rate vs. low-dose-rate intracavitary brachytherapy for carcinoma of the uterine cervix: Systematic review and meta-analysis. <i>Brachytherapy</i> , 2015 , 14, 449-57	2.4	16
754	[Surgery alone or in association with preoperative uterovaginal brachytherapy for stage IB1 cervical cancer: Toxicities profiles]. 2015 , 43, 485-90		3
753	Local experience in cervical cancer imaging: Comparison in tumour assessment between TRUS and MRI. 2015 , 20, 223-30		6
752	Implementing MRI-based target delineation for cervical cancer treatment within a rapid workflow environment for image-guided brachytherapy: A practical approach for centers without in-room MRI. <i>Brachytherapy</i> , 2015 , 14, 905-9	2.4	22
751	Three-dimensional dose accumulation in pseudo-split-field IMRT and brachytherapy for locally advanced cervical cancer. <i>Brachytherapy</i> , 2015 , 14, 481-9	2.4	9
750	De-escalation of the cumulative central radiation dose according to the tumor response can reduce rectal toxicity without compromising the treatment outcome in patients with uterine cervical cancer. <i>Gynecologic Oncology</i> , 2015 , 139, 439-46	4.9	4
749	Uncertainties of deformable image registration for dose accumulation of high-dose regions in bladder and rectum in locally advanced cervical cancer. <i>Brachytherapy</i> , 2015 , 14, 953-62	2.4	27
748	Diffusion-weighted magnetic resonance imaging during radiotherapy of locally advanced cervical cancer--treatment response assessment using different segmentation methods. 2015 , 54, 1535-42		12
747	Re-distribution of brachytherapy dose using a differential dose prescription adapted to risk of local failure in low-risk prostate cancer patients. <i>Radiotherapy and Oncology</i> , 2015 , 115, 308-13	5.3	9
746	A novel two-step optimization method for tandem and ovoid high-dose-rate brachytherapy treatment for locally advanced cervical cancer. <i>Brachytherapy</i> , 2015 , 14, 613-8	2.4	0
745	Development of a brachytherapy audit checklist tool. <i>Brachytherapy</i> , 2015 , 14, 963-9	2.4	3

744	Comparison of CT-based volumetric dosimetry with traditional prescription points in the treatment of cervical cancer with PDR brachytherapy. 2015 , 59, 640-5			1
743	Clinical efficacy and toxicity of radio-chemotherapy and magnetic resonance imaging-guided brachytherapy for locally advanced cervical cancer patients: A mono-institutional experience. 2015 , 54, 1558-66			23
742	Pulsed-dose rate image-guided adaptive brachytherapy in cervical cancer: Dose-volume effect relationships for the rectum and bladder. <i>Radiotherapy and Oncology</i> , 2015 , 116, 226-32	5.3		42
741	Evaluation of planning aims and dose prescription in image-guided adaptive brachytherapy and radiochemotherapy for cervical cancer: Vienna clinical experience in 225 patients from 1998 to 2008. 2015 , 54, 1551-7			8
740	Image-guided brachytherapy in cervical cancer: past, present and future. 2015 , 11, 2629-2632			3
739	Clinical outcomes of definitive chemoradiation followed by intracavitary pulsed-dose rate image-guided adaptive brachytherapy in locally advanced cervical cancer. <i>Gynecologic Oncology</i> , 2015 , 139, 288-94	4.9		71
738	Quality assurance in MR image guided adaptive brachytherapy for cervical cancer: Final results of the EMBRACE study dummy run. <i>Radiotherapy and Oncology</i> , 2015 , 117, 548-54	5.3		26
737	Clinical Outcomes of Computed Tomography-Based Volumetric Brachytherapy Planning for Cervical Cancer. 2015 , 93, 150-7			32
736	Multichannel vaginal cylinder brachytherapy-Impact of tumor thickness and location on dose to organs at risk. <i>Brachytherapy</i> , 2015 , 14, 913-8	2.4		10
735	Evolving traditions on the technology journey. 2015 , 91, 14-6			2
734	Parametrial boosting in locally advanced cervical cancer: combined intracavitary/interstitial brachytherapy vs. intracavitary brachytherapy plus external beam radiotherapy. <i>Brachytherapy</i> , 2015 , 14, 23-8	2.4		27
733	Health related quality of life and patient reported symptoms before and during definitive radio(chemo)therapy using image-guided adaptive brachytherapy for locally advanced cervical cancer and early recovery - a mono-institutional prospective study. <i>Gynecologic Oncology</i> , 2015 , 139, 115-23	4.9		32
732	Electronic brachytherapy for superficial and nodular basal cell carcinoma: a report of two prospective pilot trials using different doses. 2016 , 8, 48-55			25
731	Electromagnetic tracking for treatment verification in interstitial brachytherapy. 2016 , 8, 448-453			21
730	Successful treatment of a 67-year-old woman with urethral adenocarcinoma with the use of external beam radiotherapy and image guided adaptive interstitial brachytherapy. 2016 , 8, 434-437			0
729	Potential role of TRAns Cervical Endosonography (TRACE) in brachytherapy of cervical cancer: proof of concept. 2016 , 8, 215-20			12
728	Rectal separation using hydroxypropyl methylcellulose in intracavitary brachytherapy of cervical cancer: an innovative approach. 2016 , 8, 399-403			4
727	An evaluation of the robustness of organ-at-risk recommendations made by GEC/ESTRO according to interobserver variability: a single-center experience. 2016 , 8, 349-55			2

726	Rationale, indications, techniques and applications of interstitial brachytherapy for carcinoma cervix. 2016 , 02, 069-078		4
725	Intracavitary Brachytherapy. 2016 , 264-276		2
724	Concomitant cervical and transperineal parametrial high-dose-rate brachytherapy boost for locally advanced cervical cancer. 2016 , 8, 23-31		15
723	The role of interstitial brachytherapy in the management of primary radiation therapy for uterine cervical cancer. 2016 , 8, 391-398		27
722	Development and clinical implementation of a new template for MRI-based intracavitary/interstitial gynecologic brachytherapy for locally advanced cervical cancer: from CT-based MUPIT to the MRI compatible Template Benidorm. Ten years of experience. 2016 , 8, 404-414		11
721	Metal artefacts in MRI-guided brachytherapy of cervical cancer. 2016 , 8, 363-9		18
720	Improving the efficiency of image guided brachytherapy in cervical cancer. 2016 , 8, 557-565		11
719	Dosimetric study for cervix carcinoma treatment using intensity modulated radiation therapy (IMRT) compensation based on 3D intracavitary brachytherapy technique. 2016 , 8, 221-32		13
718	Optimum organ volume ranges for organs at risk dose in cervical cancer intracavitary brachytherapy. 2016 , 8, 135-42		18
717	Linee guida Carcinoma della Prostata - AIRO, 2016. 2016 , 102, S1-S79		2
716	Effect of tumor dose, volume and overall treatment time on local control after radiochemotherapy including MRI guided brachytherapy of locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2016 , 120, 441-446	5.3	171
715	Should Systematic Infraarenal Para-aortic Dissection Be the Rule in the Pretherapeutic Staging of Primary or Recurrent Locally Advanced Cervix Cancer Patients With a Negative Preoperative Para-aortic PET Imaging?. 2016 , 26, 169-75		31
714	Low-Dose-Rate Brachytherapy Boosting Concurrent Chemoradiation as a Definitive Treatment Modality for Cervical Cancer: Long-term Clinical Results of Outcomes and Associated Toxicity. 2016 , 39, 196-203		4
713	Dose-volume effect relationships for late rectal morbidity in patients treated with chemoradiation and MRI-guided adaptive brachytherapy for locally advanced cervical cancer: Results from the prospective multicenter EMBRACE study. <i>Radiotherapy and Oncology</i> , 2016 , 120, 412-419	5.3	141
712	High dose rate brachytherapy with customized applicators for malignant facial skin lesions. 2016 , 20, 341-6		20
711	A comparison of organs at risk doses in GYN intracavitary brachytherapy for different tandem lengths and bladder volumes. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 5-13	2.3	6
710	An innovative method to acquire the location of point A for cervical cancer treatment by HDR brachytherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 434-445	2.3	
709	Feasibility study of patient-specific quality assurance system for high-dose-rate brachytherapy in patients with cervical cancer. 2016 , 68, 1029-1036		

708	The effect of leg position on the dose distribution of intracavitary brachytherapy for cervical cancer: 3D computerised tomography plan evaluation and in vivo dosimetric study. 2016 , 15, 341-345		
707	Comparison of image-based three-dimensional treatment planning using Acuros TM BV and AAPM TG-43 algorithm for intracavitary brachytherapy of carcinoma cervix. 2016 , 15, 254-262		4
706	Radioonkologische Aspekte des Zervixkarzinoms. 2016 , 22, 773-779		2
705	Commissioning of a 3D image-based treatment planning system for high-dose-rate brachytherapy of cervical cancer. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 405-426	2.3	11
704	Treatment optimization with concurrent SBRT and intracavitary brachytherapy for locally advanced cervical cancer. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 70-79	2.3	2
703	On the accuracy of dose prediction near metal fixation devices for spine SBRT. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 475-485	2.3	5
702	Guidelines by the AAPM and GEC-ESTRO on the use of innovative brachytherapy devices and applications: Report of Task Group 167. <i>Medical Physics</i> , 2016 , 43, 3178-3205	4.4	41
701	Dosimetric evaluation of tandem-based cervical high-dose-rate brachytherapy treatment planning using American Brachytherapy Society 2011 recommendations. 2016 , 15, 283-289		1
700	Anatomy-based definition of point A utilizing three-dimensional volumetric imaging approach for high-dose-rate (HDR) intracavitary brachytherapy dose prescription when treating cervical cancer using limited resources. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 69-77	2.3	2
699	A comprehensive evaluation of adaptive daily planning for cervical cancer HDR brachytherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 323-333	2.3	3
698	Volumetric (3D) bladder dose parameters are more reproducible than point (2D) dose parameters in vaginal vault high-dose-rate brachytherapy. 2016 , 6, 28074		2
697	Rectal and bladder dose reduction with the addition of intravaginal balloons to vaginal packing in intracavitary brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2016 , 15, 312-318	2.4	3
696	Implementation and validation of a combined MRI-CT-based cervical cancer brachytherapy program using existing infrastructure. <i>Brachytherapy</i> , 2016 , 15, 319-326	2.4	4
695	MRI-guided brachytherapy in locally advanced cervical cancer: Small bowel [Formula: see text] and [Formula: see text] are not predictive of late morbidity. <i>Brachytherapy</i> , 2016 , 15, 463-470	2.4	11
694	Reply letter to "Real-time image guidance for gynecologic brachytherapy" by Patel, Ragab and Kamrava. <i>Radiotherapy and Oncology</i> , 2016 , 120, 544-545	5.3	
693	Image-guided adaptive brachytherapy in cervical cancer: Patterns of relapse by brachytherapy planning parameters. <i>Brachytherapy</i> , 2016 , 15, 456-462	2.4	8
692	Remote location interstitial brachytherapy with patient stabilization and subsequent transport to an outpatient center for treatment is safe and effective for the treatment of gynecologic malignancies. <i>Brachytherapy</i> , 2016 , 15, 341-346	2.4	1
691	Adaptive planning strategy for high dose rate prostate brachytherapy simulation study on needle positioning errors. 2016 , 61, 2177-95		3

690	Adaptive radiotherapy strategies for pelvic tumors - a systematic review of clinical implementations. 2016 , 55, 943-58		40
689	Long term experience with 3D image guided brachytherapy and clinical outcome in cervical cancer patients. <i>Radiotherapy and Oncology</i> , 2016 , 120, 447-454	5.3	59
688	Computed Tomography-Planned High-Dose-Rate Brachytherapy for Treating Uterine Cervical Cancer. 2016 , 96, 87-92		15
687	Brachytherapy. 2016 ,		4
686	Image guided adaptive brachytherapy with combined intracavitary and interstitial technique improves the therapeutic ratio in locally advanced cervical cancer: Analysis from the retroEMBRACE study. <i>Radiotherapy and Oncology</i> , 2016 , 120, 434-440	5.3	154
685	Evaluating the utility of "3D Slicer" as a fast and independent tool to assess intrafractional organ dose variations in gynecological brachytherapy. <i>Brachytherapy</i> , 2016 , 15, 514-523	2.4	7
684	Image guided brachytherapy in locally advanced cervical cancer: Improved pelvic control and survival in RetroEMBRACE, a multicenter cohort study. <i>Radiotherapy and Oncology</i> , 2016 , 120, 428-433	5.3	352
683	Pre- and per-treatment 18F-FDG PET/CT parameters to predict recurrence and survival in cervical cancer. <i>Radiotherapy and Oncology</i> , 2016 , 120, 512-518	5.3	31
682	A volumetric analysis of GTV and CTV as defined by the GEC ESTRO recommendations in FIGO stage IIB and IIIB cervical cancer patients treated with IGABT in a prospective multicentric trial (EMBRACE). <i>Radiotherapy and Oncology</i> , 2016 , 120, 404-411	5.3	28
681	Can reduction of uncertainties in cervix cancer brachytherapy potentially improve clinical outcome?. <i>Radiotherapy and Oncology</i> , 2016 , 120, 390-396	5.3	12
680	Clinical feasibility of interstitial brachytherapy using a "hybrid" applicator combining uterine tandem and interstitial metal needles based on CT for locally advanced cervical cancer. <i>Brachytherapy</i> , 2016 , 15, 562-9	2.4	8
679	Outcomes with volume-based dose specification in CT-planned high-dose-rate brachytherapy for stage I-II cervical carcinoma: A 10-year institutional experience. <i>Gynecologic Oncology</i> , 2016 , 143, 545-554	4.9	9
678	Magnetic resonance image-guided brachytherapy for cervical cancer : Prognostic factors for survival. 2016 , 192, 922-930		8
677	Radiotherapy of Cervical Cancer. 2016 , 39, 516-20		33
676	Comparison of Computed Tomography- and Magnetic Resonance Imaging-based Clinical Target Volume Contours at Brachytherapy for Cervical Cancer. 2016 , 96, 793-800		14
675	Quantitative MRI assessment of a novel direction modulated brachytherapy tandem applicator for cervical cancer at 1.5T. <i>Radiotherapy and Oncology</i> , 2016 , 120, 500-506	5.3	18
674	Post radiation hysterectomy in locally advanced cervical cancer: Outcomes and dosimetric impact. <i>Radiotherapy and Oncology</i> , 2016 , 120, 460-466	5.3	17
673	[The irradiation process]. 2016 , 20 Suppl, S8-S19		3

672	Tumor dose-volume response in image-guided adaptive brachytherapy for cervical cancer: A meta-regression analysis. <i>Brachytherapy</i> , 2016 , 15, 537-42	2.4	17
671	Late rectal toxicity determined by dose-volume parameters in computed tomography-based brachytherapy for locally advanced cervical cancer. <i>Cancer Medicine</i> , 2016 , 5, 434-41	4.8	5
670	Failure modes and effects analysis in image-guided high-dose-rate brachytherapy: Quality control optimization to reduce errors in treatment volume. <i>Brachytherapy</i> , 2016 , 15, 669-78	2.4	11
669	Dose-volume histogram analysis of composite EQD2 dose distributions using the central shielding technique in cervical cancer radiotherapy. <i>Brachytherapy</i> , 2016 , 15, 598-606	2.4	18
668	Impact of primary para-aortic lymphadenectomy on distant failure in locally advanced cervical cancer patients treated in the era of image-guided adaptive brachytherapy. 2016 , 33, 775-785		5
667	Image Guided Adaptive Brachytherapy in cervix cancer: A new paradigm changing clinical practice and outcome. <i>Radiotherapy and Oncology</i> , 2016 , 120, 365-369	5.3	40
666	Direction Modulated Brachytherapy for Treatment of Cervical Cancer. II: Comparative Planning Study With Intracavitary and Intracavitary-Interstitial Techniques. 2016 , 96, 440-448		25
665	Brachytherapy Treatment Planning. 2016 , 231-247		
664	Bladder accumulated dose in image-guided high-dose-rate brachytherapy for locally advanced cervical cancer and its relation to urinary toxicity. 2016 , 61, 8408-8424		6
663	Simultaneous integrated boost (SIB) of the parametrium and cervix in radiotherapy for uterine cervical carcinoma: a dosimetric study using a new alternative approach. 2016 , 89, 20160526		7
662	SOBRA - Shielding Optimization for BRACHytherapy. 2016 , 309-320		1
661	Toxicity and early clinical outcomes in cervical cancer following extended field helical tomotherapy to para-aortic lymph nodes. 2016 , 20, 794-800		11
660	Gynecologic Cancers. 2016 , 113-135		
659	Investigation of whether in-room CT-based adaptive intracavitary brachytherapy for uterine cervical cancer is robust against interfractional location variations of organs and/or applicators. <i>Journal of Radiation Research</i> , 2016 , 57, 677-683	2.4	2
658	Image-guided adaptive brachytherapy in locally advanced cervical cancer: recent advances and perspectives. 2016 , 28, 419-28		14
657	Clinical implementation of multisequence MRI-based adaptive intracavitary brachytherapy for cervix cancer. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 121-131	2.3	11
656	Vaginal dose de-escalation in image guided adaptive brachytherapy for locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2016 , 120, 480-485	5.3	23
655	Short-course PET based simultaneous integrated boost for locally advanced cervical cancer. 2016 , 11, 39		9

654 Gynecological Malignancies. **2016**, 267-280

653 Outcomes with image-based interstitial brachytherapy for vaginal cancer. *Radiotherapy and Oncology*, **2016**, 120, 486-492 5.3 26

652 Anatomic structure-based deformable image registration of brachytherapy implants in the treatment of locally advanced cervix cancer. *Brachytherapy*, **2016**, 15, 584-92 2.4 7

651 Multicentre evaluation of a novel vaginal dose reporting method in 153 cervical cancer patients. *Radiotherapy and Oncology*, **2016**, 120, 420-427 5.3 14

650 Patterns of failure after use of (18)F-FDG PET/CT in integration of extended-field chemo-IMRT and 3D-brachytherapy plannings for advanced cervical cancers with extensive lymph node metastases. **2016**, 16, 179 8

649 Dose distribution for gynecological brachytherapy with dose accumulation between insertions: Feasibility study. *Brachytherapy*, **2016**, 15, 504-513 2.4 7

648 Computed tomography-planned interstitial brachytherapy for locally advanced gynecologic cancer: Outcomes and dosimetric predictors of urinary toxicity. *Brachytherapy*, **2016**, 15, 49-56 2.4 16

647 MR-guided brachytherapy for cervical cancer: Quantifying process waste and identifying opportunities for system performance improvement. **2016**, 6, 233-240 6

646 Dose-effect relationship and risk factors for vaginal stenosis after definitive radio(chemo)therapy with image-guided brachytherapy for locally advanced cervical cancer in the EMBRACE study. *Radiotherapy and Oncology*, **2016**, 118, 160-6 5.3 99

645 Vaginal dose assessment in image-guided brachytherapy for cervical cancer: Can we really rely on dose-point evaluation?. *Brachytherapy*, **2016**, 15, 169-76 2.4 5

644 Role of Surgical Versus Clinical Staging in Chemoradiated FIGO Stage IIB-IVA Cervical Cancer Patients-Acute Toxicity and Treatment Quality of the Uterus-11 Multicenter Phase III Intergroup Trial of the German Radiation Oncology Group and the Gynecologic Cancer Group. **2016**, 94, 243-53 27

643 A non-rigid point matching method with local topology preservation for accurate bladder dose summation in high dose rate cervical brachytherapy. **2016**, 61, 1217-37 7

642 Long-term results for Stage IIIB cervical cancer patients receiving external beam radiotherapy combined with either HDR (252)Cf or HDR (60)Co intracavitary brachytherapy. *Brachytherapy*, **2016**, 15, 353-360 2.4 3

641 Why brachytherapy boost is the treatment of choice for most women with locally advanced cervical carcinoma?. *Brachytherapy*, **2016**, 15, 191-9 2.4 16

640 Radiation therapy combined with hyperthermia versus cisplatin for locally advanced cervical cancer: Results of the randomized RADCHOC trial. *Radiotherapy and Oncology*, **2016**, 120, 378-382 5.3 43

639 Reporting small bowel dose in cervix cancer high-dose-rate brachytherapy. **2016**, 41, 28-33 4

638 Value of Magnetic Resonance Imaging Without or With Applicator in Place for Target Definition in Cervix Cancer Brachytherapy. **2016**, 94, 588-97 30

637 [Stage IB2, IIA and IIB cervical carcinoma without lymph node extension treated with neoadjuvant chemoradiotherapy]. **2016**, 103, 164-72 1

636	The use of MRI deformable image registration for CT-based brachytherapy in locally advanced cervical cancer. <i>Brachytherapy</i> , 2016 , 15, 333-340	2.4	24
635	A practical review of magnetic resonance imaging for the evaluation and management of cervical cancer. 2016 , 11, 15		22
634	Health-Related Quality of Life in Locally Advanced Cervical Cancer Patients After Definitive Chemoradiation Therapy Including Image Guided Adaptive Brachytherapy: An Analysis From the EMBRACE Study. 2016 , 94, 1088-98		51
633	Dosimetric comparison of brachytherapy sources for high-dose-rate treatment of endometrial cancer: (192)Ir, (60)Co and an electronic brachytherapy source. 2016 , 89, 20150449		7
632	Image Guided Cervical Brachytherapy: 2014 Survey of the American Brachytherapy Society. 2016 , 94, 598-604		81
631	Simulation analysis of optimized brachytherapy for uterine cervical cancer: Can we select the best brachytherapy modality depending on tumor size?. <i>Brachytherapy</i> , 2016 , 15, 57-64	2.4	15
630	Quality of life in patients treated by adjuvant radiotherapy for endometrial and cervical cancers: correlation with dose-volume parameters. 2016 , 18, 901-8		7
629	Brachytherapy. 2016 , 276-293.e5		1
628	Hybrid (CT/MRI based) vs. MRI only based image-guided brachytherapy in cervical cancer: Dosimetry comparisons and clinical outcome. <i>Brachytherapy</i> , 2016 , 15, 40-8	2.4	24
627	American Brachytherapy Task Group Report: A pooled analysis of clinical outcomes for high-dose-rate brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2017 , 16, 22-43	2.4	23
626	Outcome of early stage cervical cancer patients treated according to a radiosurgical approach: Clinical results and prognostic factors. <i>Gynecologic Oncology</i> , 2017 , 144, 541-546	4.9	11
625	Update on radiotherapy in gynaecological malignancies. 2017 , 19, 29-36		3
624	Survival effect of laparoscopic para-aortic staging in locally advanced cervical cancer: a retrospective cohort analysis. 2017 , 124, 1089-1094		15
623	FIGO stage IB1 cervical carcinoma: Place and principles of brachytherapy. 2017 , 21, 155-163		4
622	Evaluation of deformable image registration between external beam radiotherapy and HDR brachytherapy for cervical cancer with a 3D-printed deformable pelvis phantom. <i>Medical Physics</i> , 2017 , 44, 1445-1455	4.4	26
621	The value of systematic contouring of the bowel for treatment plan optimization in image-guided cervical cancer high-dose-rate brachytherapy. <i>Brachytherapy</i> , 2017 , 16, 579-585	2.4	2
620	Deformable image registration for cervical cancer brachytherapy dose accumulation: Organ at risk dose-volume histogram parameter reproducibility and anatomic position stability. <i>Brachytherapy</i> , 2017 , 16, 387-392	2.4	16
619	[Substantial advantage of CT-planned HDR brachytherapy for cervical cancer patients compared to a historical series with regard to local control and toxicity?]. 2017 , 193, 236-239		1

618	Contribution of image-guided adaptive brachytherapy to pelvic nodes treatment in locally advanced cervical cancer. <i>Brachytherapy</i> , 2017 , 16, 366-372	2.4	11
617	Clinical implementation of coverage probability planning for nodal boosting in locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2017 , 123, 158-163	5.3	15
616	Magnetic resonance imaging basics for the prostate brachytherapist. <i>Brachytherapy</i> , 2017 , 16, 715-727	2.4	10
615	Patterns of care survey: Radiotherapy for women with locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2017 , 123, 306-311	5.3	17
614	General health status of long-term cervical cancer survivors after radiotherapy. 2017 , 193, 543-551		16
613	Clinical transition to model-based dose calculation algorithm: A retrospective analysis of high-dose-rate tandem and ring brachytherapy of the cervix. <i>Brachytherapy</i> , 2017 , 16, 624-629	2.4	11
612	A Multi-institution, Retrospective Analysis of Cervix Intracavitary Brachytherapy Treatments. Part 1: Is EQD2 Good Enough for Reporting Radiobiological Effects?. 2017 , 99, 219-226		4
611	Magnetic Resonance Image Guided Adaptive Brachytherapy in Locally Advanced Cervical Cancer: An Experience From a Tertiary Cancer Center in a Low and Middle Income Countries Setting. 2017 , 99, 608-617		39
610	In-room computed tomography-based brachytherapy for uterine cervical cancer: results of a 5-year retrospective study. <i>Journal of Radiation Research</i> , 2017 , 58, 543-551	2.4	39
609	Evaluation of rectum and bladder dose accumulation from external beam radiotherapy and brachytherapy for cervical cancer using two different deformable image registration techniques. <i>Journal of Radiation Research</i> , 2017 , 58, 720-728	2.4	15
608	High-dose-rate brachytherapy boost for prostate cancer: Analysis of dose-volume histogram parameters for predicting late rectal toxicity. <i>Brachytherapy</i> , 2017 , 16, 511-517	2.4	8
607	Reply to the Letter to the Editor by H. Yamazaki et al. <i>Radiotherapy and Oncology</i> , 2017 , 123, 170-171	5.3	
606	Structure-based deformable image registration: Added value for dose accumulation of external beam radiotherapy and brachytherapy in cervical cancer. <i>Radiotherapy and Oncology</i> , 2017 , 123, 319-324	5.3	17
605	Handbook of Image-Guided Brachytherapy. 2017 ,		2
604	Three-dimensional-guided perineal-based interstitial brachytherapy in cervical cancer: A systematic review of technique, local control and toxicities. <i>Radiotherapy and Oncology</i> , 2017 , 123, 312-318	5.3	26
603	Five-year results for image-guided brachytherapy (IGBT) for cervical carcinoma: a report from single institute of Thailand. 2017 , 16, 38-45		1
602	Dosimetric impact of contouring and needle reconstruction uncertainties in US-, CT- and MRI-based high-dose-rate prostate brachytherapy treatment planning. <i>Radiotherapy and Oncology</i> , 2017 , 123, 125-132	5.3	14
601	Advances in Image-Guided Brachytherapy. 2017 , 97, 873-875		3

600	Metal artifact reduction in MRI-based cervical cancer intracavitary brachytherapy. 2017 , 62, 3011-3024		4
599	Image-guided adaptive brachytherapy dose escalation for cervix cancer via fractionation compensation. <i>Brachytherapy</i> , 2017 , 16, 534-546	2.4	
598	Cervical cancer brachytherapy in Canada: A focus on interstitial brachytherapy utilization. <i>Brachytherapy</i> , 2017 , 16, 161-166	2.4	14
597	Long term results from a prospective database on high dose rate (HDR) interstitial brachytherapy for primary cervical carcinoma. <i>Gynecologic Oncology</i> , 2016 ,	4.9	9
596	Toxicities and dose-volume histogram parameters of MRI-based brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2017 , 16, 116-125	2.4	15
595	Avoidance of late rectal toxicity after high-dose-rate brachytherapy boost treatment for prostate cancer. <i>Brachytherapy</i> , 2017 , 16, 193-200	2.4	5
594	Comparison of computed tomography and magnetic resonance imaging in cervical cancer brachytherapy: A systematic review. <i>Brachytherapy</i> , 2017 , 16, 353-365	2.4	16
593	Tumour size, volume, and marker expression during radiation therapy can predict survival of cervical cancer patients: a multi-institutional retrospective analysis of KROG 16-01. <i>Gynecologic Oncology</i> , 2017 , 147, 577-584	4.9	20
592	Direction modulated brachytherapy (DMBT) for treatment of cervical cancer: A planning study with Ir, Co, and Yb HDR sources. <i>Medical Physics</i> , 2017 , 44, 6538-6547	4.4	23
591	Preliminary results of a new workflow for MRI/CT-based image-guided brachytherapy in cervical carcinoma. 2017 , 35, 760-765		5
590	Dosimetric analysis and preliminary clinical result of image-guided brachytherapy with or without hybrid technique for cervical cancer using VariSource titanium ring applicator with "Siriraj Ring Cap". <i>Brachytherapy</i> , 2017 , 16, 1199-1204	2.4	1
589	Genomics and 3-Dimensional Brachytherapy for Cervical Cancer: Significant Steps Forward. 2017 , 99, 505-509		
588	Propagation of registration uncertainty during multi-fraction cervical cancer brachytherapy. 2017 , 62, 8116-8135		3
587	Recent Developments in Radiotherapy. 2017 , 377, 1065-1075		174
586	Increased genitourinary fistula rate after bevacizumab in recurrent cervical cancer patients initially treated with definitive radiochemotherapy and image-guided adaptive brachytherapy. 2017 , 193, 1056-1065		16
585	Effect of bladder distension on doses to organs at risk in Pulsed-Dose-Rate 3D image-guided adaptive brachytherapy for locally advanced cervical cancer. <i>Brachytherapy</i> , 2017 , 16, 976-980	2.4	4
584	Reduced toxicity with equivalent outcomes using three-dimensional volumetric (3DV) image-based versus nonvolumetric point-based (NV) brachytherapy in a cervical cancer population. <i>Brachytherapy</i> , 2017 , 16, 943-948	2.4	3
583	The use of MRI and interstitial needles to achieve dose targets in image guided brachytherapy for cervical cancer at the Royal Surrey County Hospital. 2017 , 29, S4-S5		

582	Image Distortions on a Plastic Interstitial Computed Tomography/Magnetic Resonance Brachytherapy Applicator at 3 Tesla Magnetic Resonance Imaging and Their Dosimetric Impact. 2017 , 99, 710-718		2
581	Fast dose optimization for rotating shield brachytherapy. <i>Medical Physics</i> , 2017 , 44, 5384-5392	4-4	6
580	Intermediate dose-volume parameters and the development of late rectal toxicity after MRI-guided brachytherapy for locally advanced cervix cancer. <i>Brachytherapy</i> , 2017 , 16, 968-975.e2	2-4	4
579	Computed Tomography-Guided Interstitial Brachytherapy for Locally Advanced Cervical Cancer: Introduction of the Technique and a Comparison of Dosimetry With Conventional Intracavitary Brachytherapy. 2017 , 27, 768-775		11
578	Dose accumulation of multiple high dose rate prostate brachytherapy treatments in two commercially available image registration systems. 2017 , 43, 43-48		2
577	The normal tissue sparing potential of an adaptive plan selection strategy for re-irradiation of recurrent rectal cancer. 2017 , 3, 43-48		5
576	CT-geplante HDR-Brachytherapie. 2017 , 20, 10-12		
575	Diffusion-weighted MRI in image-guided adaptive brachytherapy: Tumor delineation feasibility study and comparison with GEC-ESTRO guidelines. <i>Brachytherapy</i> , 2017 , 16, 956-963	2-4	10
574	Recommendations for high-risk clinical target volume definition with computed tomography for three-dimensional image-guided brachytherapy in cervical cancer patients. <i>Journal of Radiation Research</i> , 2017 , 58, 341-350	2-4	30
573	High-risk CTV delineation for cervix brachytherapy: Application of GEC-ESTRO guidelines in Australia and New Zealand. 2017 , 61, 133-140		2
572	Advancements in brachytherapy. 2017 , 109, 15-25		43
571	From Computed Tomography-Guided to Magnetic Resonance Imaging-Guided Intracavitary Brachytherapy for Cervical Cancer: What Do the Key Stakeholders Have to Say about the Transition?. 2017 , 48, 394-401		2
570	Comparison of graphical optimization or IPSA for improving brachytherapy plans associated with inadequate target coverage for cervical cancer. 2017 , 7, 16423		2
569	External beam techniques to boost cervical cancer when brachytherapy is not an option-theories and applications. 2017 , 5, 207		21
568	Assessing dose contribution to pelvic lymph nodes in intracavitary brachytherapy for cervical cancer. 2017 , 9, 345-353		4
567	Dose-volume analysis of target volume and critical structures in computed tomography image-based multicatheter high-dose-rate interstitial brachytherapy for head and neck cancer. 2017 , 9, 553-560		7
566	Throwing the dart blind-folded: comparison of computed tomography versus magnetic resonance imaging-guided brachytherapy for cervical cancer with regard to dose received by the 'actual' targets and organs at risk. 2017 , 9, 446-452		5
565	Artificial neural network based gynaecological image-guided adaptive brachytherapy treatment planning correction of intra-fractional organs at risk dose variation. 2017 , 9, 508-518		4

564	Current status of brachytherapy in cancer treatment - short overview. 2017 , 9, 581-589		70
563	Complete response in a patient with gynecological hidradenocarcinoma treated with exclusive external beam radiotherapy and brachytherapy: a case report. 2017 , 9, 572-578		7
562	Comparison of dose volume parameters evaluated using three forward planning - optimization techniques in cervical cancer brachytherapy involving two applicators. 2017 , 9, 431-445		8
561	Automated calculation of point A coordinates for CT-based high-dose-rate brachytherapy of cervical cancer. 2017 , 9, 354-358		1
560	Isobio software: biological dose distribution and biological dose volume histogram from physical dose conversion using linear-quadratic-linear model. 2017 , 9, 44-51		2
559	3D image-based adapted high-dose-rate brachytherapy in cervical cancer with and without interstitial needles: measurement of applicator shift between imaging and dose delivery. 2017 , 9, 52-58		9
558	Image-Guided Adaptive Brachytherapy for Cervical Cancer Using Magnetic Resonance Imaging: Overview and Experience. 2017 ,		
557	A method to incorporate interstitial components into the TPS gynecologic rigid applicator library. 2017 , 9, 59-65		4
556	Pre-plan technique feasibility in multi-interstitial/endocavitary perineal gynecological brachytherapy. 2017 , 9, 472-476		2
555	Effects of vaginal cylinder position on dose distribution in patients with endometrial carcinoma in treatment of vaginal cuff brachytherapy. 2017 , 9, 230-235		4
554	How one institution overcame the challenges to start an MRI-based brachytherapy program for cervical cancer. 2017 , 9, 177-186		11
553	Computed tomography-based treatment planning for high-dose-rate brachytherapy using the tandem and ring applicator: influence of applicator choice on organ dose and inter-fraction adaptive planning. 2017 , 9, 279-286		10
552	Dose evaluation of organs at risk (OAR) cervical cancer using dose volume histogram (DVH) on brachytherapy. 2017 , 853, 012013		1
551	CBCT-guided evolutive library for cervical adaptive IMRT. <i>Medical Physics</i> , 2018 , 45, 1379-1390	4.4	13
550	Improving dose delivery by adding interstitial catheters to fixed geometry applicators in high-dose-rate brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2018 , 17, 580-586	2.4	11
549	Risk of Late Urinary Complications Following Image Guided Adaptive Brachytherapy for Locally Advanced Cervical Cancer: Refining Bladder Dose-Volume Parameters. 2018 , 101, 411-420		19
548	ESTRO-ACROP guideline: Interstitial multi-catheter breast brachytherapy as Accelerated Partial Breast Irradiation alone or as boost - GEC-ESTRO Breast Cancer Working Group practical recommendations. <i>Radiotherapy and Oncology</i> , 2018 , 128, 411-420	5.3	73
547	Fatigue, insomnia and hot flashes after definitive radiochemotherapy and image-guided adaptive brachytherapy for locally advanced cervical cancer: An analysis from the EMBRACE study. <i>Radiotherapy and Oncology</i> , 2018 , 127, 440-448	5.3	17

546	Physician assessed and patient reported lower limb edema after definitive radio(chemo)therapy and image-guided adaptive brachytherapy for locally advanced cervical cancer: A report from the EMBRACE study. <i>Radiotherapy and Oncology</i> , 2018 , 127, 449-455	5.3	15
545	Technical Note: On the size of susceptibility-induced MR image distortions in prostate and cervix in the context of MR-guided radiation therapy. <i>Medical Physics</i> , 2018 , 45, 1586-1593	4.4	8
544	MRI-only treatment planning: benefits and challenges. 2018 , 63, 05TR01		94
543	Clinical outcomes of carbon ion radiotherapy with concurrent chemotherapy for locally advanced uterine cervical adenocarcinoma in a phase 1/2 clinical trial (Protocol 1001). <i>Cancer Medicine</i> , 2018 , 7, 351-359	4.8	13
542	Comparison of dosimetric parameters derived from whole organ and wall contours for bladder and rectum in cervical cancer patients treated with intracavitary and interstitial brachytherapy. <i>Radiotherapy and Oncology</i> , 2018 , 127, 456-459	5.3	
541	Impact of a commercially available model-based dose calculation algorithm on treatment planning of high-dose-rate brachytherapy in patients with cervical cancer. <i>Journal of Radiation Research</i> , 2018 , 59, 198-206	2.4	8
540	A Medicare cost analysis of MRI- versus CT-based high-dose-rate brachytherapy of the cervix: Can MRI-based planning be less costly?. <i>Brachytherapy</i> , 2018 , 17, 326-333	2.4	4
539	Patient's specific integration of OAR doses (D2'cc) from EBRT and 3D image-guided brachytherapy for cervical cancer. <i>Journal of Applied Clinical Medical Physics</i> , 2018 , 19, 83-92	2.3	5
538	Needle use and dosimetric evaluation in cervical cancer brachytherapy using the Utrecht applicator. <i>Radiotherapy and Oncology</i> , 2018 , 126, 411-416	5.3	7
537	3T multiparametric MRI-guided high-dose-rate combined intracavitary and interstitial adaptive brachytherapy for the treatment of cervical cancer with a novel split-ring applicator. <i>Brachytherapy</i> , 2018 , 17, 334-344	2.4	6
536	Clinical outcomes with MRI-guided image-based brachytherapy in cervical cancer: An institutional experience. <i>Brachytherapy</i> , 2018 , 17, 345-351	2.4	3
535	Dose warping uncertainties for the accumulated rectal wall dose in cervical cancer brachytherapy. <i>Brachytherapy</i> , 2018 , 17, 449-455	2.4	8
534	Quantitative CT assessment of a novel direction-modulated brachytherapy tandem applicator. <i>Brachytherapy</i> , 2018 , 17, 465-475	2.4	12
533	Dynamics of the vaginal wall dose in HDR interstitial brachytherapy for gynecological cancer: Systematic analysis of phantom vs patient case. 2018 , 43, 237-242		
532	Prediction of Radiation Esophagitis in Non-Small Cell Lung Cancer Using Clinical Factors, Dosimetric Parameters, and Pretreatment Cytokine Levels. 2018 , 11, 102-108		6
531	The EMBRACE II study: The outcome and prospect of two decades of evolution within the GEC-ESTRO GYN working group and the EMBRACE studies. 2018 , 9, 48-60		252
530	Comparison of dosimetric parameters in the treatment planning of magnetic resonance imaging-based intracavitary image-guided adaptive brachytherapy with and without optimization using the central shielding technique. <i>Journal of Radiation Research</i> , 2018 , 59, 316-326	2.4	2
529	Outcomes of Computed Tomography-Guided Image-Based Interstitial Brachytherapy for Cancer of the Cervix Using GEC-ESTRO Guidelines. 2018 , 9, 181-186		2

528	Basic Principles in Gynecologic Radiotherapy. 2018 , 586-605.e3		2
527	In vivo dosimetry in gynecological applications-A feasibility study. <i>Brachytherapy</i> , 2018 , 17, 146-153	2.4	8
526	Comparison between DVH-based doses and ICRU point-based doses to the rectum and the bladder using CT-based high-dose rate brachytherapy to the cervix. 2018 , 43, 276-283		3
525	Reduction of MRI signal distortion from titanium intracavitary brachytherapy applicator by optimizing pulse sequence parameters. <i>Brachytherapy</i> , 2018 , 17, 377-382	2.4	
524	Target tailoring and proton beam therapy to reduce small bowel dose in cervical cancer radiotherapy : A comparison of benefits. 2018 , 194, 255-263		7
523	Dosimetric predictors for acute esophagitis during radiation therapy for lung cancer: Results of a large statewide observational study. 2018 , 8, 167-173		7
522	Standard Chemoradiation and Conventional Brachytherapy for Locally Advanced Cervical Cancer: Is It Still Applicable in the Era of Magnetic Resonance-Based Brachytherapy?. 2018 , 4, 1-9		8
521	A Clinical Evaluation of American Brachytherapy Society Consensus Guideline for Bulky Vaginal Mass in Gynecological Cancer. 2018 , 28, 1438-1445		2
520	National Cancer Grid of India Consensus Guidelines on the Management of Cervical Cancer. 2018 , 4, 1-15		8
519	An automated dose verification software for brachytherapy. 2018 , 10, 478-482		3
518	Role of deformable image registration for delivered dose accumulation of adaptive external beam radiation therapy and brachytherapy in cervical cancer. 2018 , 10, 542-550		13
517	Brachytherapy Treatment Planning and Linac for Dose Measurement of Bladder and Rectum in Cervical Cancer Patients. 2018 ,		0
516	Management for locally advanced cervical cancer: new trends and controversial issues. 2018 , 36, 254-264		23
515	Validation of Deformable Dose Accumulation for Cervical Cancer Interstitial Brachytherapy. 2018 ,		
514	Comparison of impact of target delineation of computed tomography- and magnetic resonance imaging-guided brachytherapy on dose distribution in cervical cancer. 2018 , 10, 418-424		7
513	Image-guided brachytherapy in cervical cancer: Experience in the Complejo Hospitalario de Navarra. 2018 , 23, 510-516		1
512	Metal artifact reduction on cervical CT images by deep residual learning. 2018 , 17, 175		38
511	Phase I Study of Carbon Ion Radiotherapy and Image-Guided Brachytherapy for Locally Advanced Cervical Cancer. <i>Cancers</i> , 2018 , 10,	6.6	13

510	What is the evidence for the clinical value of SBRT in cancer of the cervix?. 2018 , 23, 574-579		9
509	Clinical and dosimetric consequences of imperfect applicator insertion in cervical cancer brachytherapy. 2018 , 10, 321-336		3
508	Outcomes and treatments of IB1 cervical cancers with high recurrence risk: A 13 years' experience. 2018 , 22, 790-796		1
507	Initial experience using superflab as intravaginal packing during interstitial brachytherapy for advanced gynecologic cancer. 2018 , 10, 218-224		
506	Isodose surface volumes in cervix cancer brachytherapy: Change of practice from standard (Point A) to individualized image guided adaptive (EMBRACE I) brachytherapy. <i>Radiotherapy and Oncology</i> , 2018 , 129, 567-574	5.3	30
505	Tumor Shrinkage During Chemoradiation in Locally Advanced Cervical Cancer Patients: Prognostic Significance, and Impact for Image-Guided Adaptive Brachytherapy. 2018 , 102, 362-372		25
504	Computed tomography-based image-guided brachytherapy for cervical cancer: correlations between dose-volume parameters and clinical outcomes. <i>Journal of Radiation Research</i> , 2018 , 59, 67-76	2.4	15
503	Workflow and efficiency in MRI-based high-dose-rate brachytherapy for cervical cancer in a high-volume brachytherapy center. <i>Brachytherapy</i> , 2018 , 17, 753-760	2.4	12
502	[Why is brachytherapy still essential in 2017?]. 2018 , 22, 307-311		1
501	Providing MR Imaging for Cervical Cancer Brachytherapy: Lessons for Radiologists. 2018 , 38, 932-944		3
500	Physician assessed and patient reported urinary morbidity after radio-chemotherapy and image guided adaptive brachytherapy for locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2018 , 127, 423-430	5.3	35
499	Moving toward uniform and evidence-based practice of radiotherapy for management of cervical cancer in Ontario, Canada. <i>Brachytherapy</i> , 2018 , 17, 660-666	2.4	2
498	Place of modern imaging in brachytherapy planning. 2018 , 22, 326-333		8
497	Comparison of computed tomography with magnetic resonance imaging for imaging-based clinical target volume contours in cervical cancer brachytherapy. <i>Brachytherapy</i> , 2018 , 17, 667-672	2.4	4
496	Radiobiological considerations in combining doses from external beam radiotherapy and brachytherapy for cervical cancer. 2018 , 23, 562-573		4
495	Impact of brachytherapy technique (2D versus 3D) on outcome following radiotherapy of cervical cancer. 2018 , 10, 17-25		24
494	Combined intracavitary and interstitial brachytherapy of cervical cancer using the novel hybrid applicator Venezia: Clinical feasibility and initial results. <i>Brachytherapy</i> , 2018 , 17, 775-781	2.4	26
493	Can MRI-only replace MRI-CT planning with a titanium tandem and ovoid applicator?. <i>Brachytherapy</i> , 2018 , 17, 747-752	2.4	

492	The Efficacy and Late Toxicities of Computed Tomography-based Brachytherapy with Intracavitary and Interstitial Technique in Advanced Cervical Cancer. 2018 , 9, 1635-1641		11
491	Multivariate normal tissue complication probability modeling of vaginal late toxicity after brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2018 , 17, 922-928	2.4	5
490	Dose constraints in the rectum and bladder following carbon-ion radiotherapy for uterus carcinoma: a retrospective pooled analysis. 2018 , 13, 119		9
489	Hypofractionated and Stereotactic Radiation Therapy. 2018 ,		0
488	Dosimetric evaluation of Point A and volume-based high-dose-rate plans: a single institution study on adaptive brachytherapy planning for cervical cancer. 2018 , 10, 202-210		4
487	Review of strategies for MRI based reconstruction of endocavitary and interstitial applicators in brachytherapy of cervical cancer. 2018 , 23, 547-561		11
486	Clinical analysis of speculum-based vaginal packing for high-dose-rate intracavitary tandem and ovoid brachytherapy in cervical cancer. 2018 , 10, 32-39		4
485	Investigating rectal toxicity associated dosimetric features with deformable accumulated rectal surface dose maps for cervical cancer radiotherapy. 2018 , 13, 125		14
484	Reduction of applicator displacement in MR/CT-guided cervical cancer HDR brachytherapy by the use of patient hover transport system. 2018 , 10, 85-90		5
483	Two-dimensional in vivo rectal dosimetry during high-dose-rate brachytherapy for cervical cancer: a phantom study. 2018 , 57, 1359-1366		3
482	National survey of intracavitary brachytherapy for intact uterine cervical cancer in Japan. <i>Journal of Radiation Research</i> , 2018 , 59, 469-476	2.4	13
481	Who Really Benefits from 3D-Based Planning of Brachytherapy for Cervical Cancer?. 2018 , 33, e135		1
480	Dosimetric analysis of the effects of the bladder volume on organs at risk (OAR) in high-dose-rate intracavitary brachytherapy in carcinoma cervix - an institutional study. 2018 , 10, 26-31		7
479	The experiences of women receiving brachytherapy for cervical cancer: A systematic literature review. 2018 , 24, 396-403		10
478	The promise of image-guided brachytherapy of better clinical outcomes in treatment of cervical cancer: Does it deliver? An Indian scenario. <i>Gynecologic Oncology</i> , 2018 , 150, 420-425	4.9	5
477	Contrast-enhanced ultrasonography vs MRI for evaluation of local invasion by cervical cancer. 2018 , 91, 20170858		3
476	From IB2 to IIIB locally advanced cervical cancers: report of a ten-year experience. 2018 , 13, 16		6
475	Cervical Cancer. 2018 , 631-652		2

474	A novel applicator design for intracavitary brachytherapy of the nasopharynx: Simulated reconstruction, image-guided adaptive brachytherapy planning, and dosimetry. <i>Brachytherapy</i> , 2018 , 17, 709-717	2.4	1
473	Brachytherapy for cervical cancer in septate uterus: Dose-volume differences with tandem implant placement in right vs. left uterine canal: A case report. 2018 , 15, 7273-7278		3
472	The much-awaited Venezia applicator: virtues of combined intracavitary and interstitial brachytherapy in locally advanced cervical cancer. 2018 , 17, 460-461		
471	Textural features of cervical cancers on FDG-PET/CT associate with survival and local relapse in patients treated with definitive chemoradiotherapy. 2018 , 8, 11859		18
470	Direction modulated brachytherapy (DMBT) tandem applicator for cervical cancer treatment: Choosing the optimal shielding material. <i>Medical Physics</i> , 2018 , 45, 3524	4.4	10
469	Bowel morbidity following radiochemotherapy and image-guided adaptive brachytherapy for cervical cancer: Physician- and patient reported outcome from the EMBRACE study. <i>Radiotherapy and Oncology</i> , 2018 , 127, 431-439	5.3	43
468	Comparison of spinal and general anesthesia approaches for MRI-guided brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2018 , 17, 761-767	2.4	6
467	3D brachytherapy for cervical cancer: New optimization ways. 2018 , 22, 345-351		2
466	MRI-based interstitial brachytherapy for vaginal tumors: A multi-institutional study on practice patterns, contouring, and consensus definitions of target volumes. <i>Brachytherapy</i> , 2019 , 18, 598-605	2.4	5
465	Late side effects of 3T MRI-guided 3D high-dose rate brachytherapy of cervical cancer : Institutional experiences. 2019 , 195, 972-981		5
464	Pelvic side wall recurrence in locally advanced cervical carcinoma treated with definitive chemoradiation-clinical impact of pelvic wall dose. 2019 , 92, 20180841		
463	Influence of dwell time homogeneity error weight parameter on treatment plan quality in inverse optimized high-dose-rate cervix brachytherapy using SagiPlan. 2019 , 11, 256-266		5
462	Compendium of fractionation choices for gynecologic HDR brachytherapy-An American Brachytherapy Society Task Group Report. <i>Brachytherapy</i> , 2019 , 18, 429-436	2.4	29
461	A Phase 1/2 Study of Carbon Ion Radiation Therapy With Concurrent Chemotherapy for Locally Advanced Uterine Cervical Squamous Cell Carcinoma (Protocol 1302). 2019 , 104, 631-639		5
460	Dosimetry comparison between a 3D printed minimally invasive guidance template and free implantation in the brachytherapy treatment of postoperative recurrent cervical carcinoma. 2019 , 11, 5013-5018		2
459	Prospective validation of craniocaudal tumour size on MR imaging compared to histoPathology in patients with uterine cervical cancer: The MPAC study. 2019 , 18, 9-15		3
458	Fully automatic catheter segmentation in MRI with 3D convolutional neural networks: application to MRI-guided gynecologic brachytherapy. 2019 , 64, 165008		29
457	Clinical implementation, logistics and workflow guide for MRI image based interstitial HDR brachytherapy for gynecological cancers. <i>Journal of Applied Clinical Medical Physics</i> , 2019 , 20, 37-49	2.3	6

456	Results from chemoradiotherapy for squamous cell cervical cancer with or without intracavitary brachytherapy. 2019 , 11, 417-422		3
455	Impact of bladder volume on treatment planning and clinical outcomes of radiotherapy for patients with cervical cancer. 2019 , 11, 7171-7181		4
454	Appropriate Methodology for EBRT and HDR Intracavitary/Interstitial Brachytherapy Dose Composite and Clinical Plan Evaluation for Patients With Cervical Cancer. 2019 , 9, e559-e571		2
453	Differences Between MRI- and CT-Based Delineation of Target Volume and Organs at Risk in High-Dose-Rate Brachytherapy of Cervix. <i>Indian Journal of Gynecologic Oncology</i> , 2019 , 17, 1	0.2	1
452	Is there a role for carbon therapy in the treatment of gynecological carcinomas? A systematic review. 2019 , 15, 3081-3095		11
451	Impact of CT-based brachytherapy in elderly patients with cervical cancer. <i>Brachytherapy</i> , 2019 , 18, 771-779		5
450	Image-guided high-dose-rate interstitial brachytherapy for recurrent rectal cancer after salvage surgery: a case report. 2019 , 11, 343-348		1
449	Indian Brachytherapy Society Guidelines for radiotherapeutic management of cervical cancer with special emphasis on high-dose-rate brachytherapy. 2019 , 11, 293-306		18
448	[Multimodal imaging guided brachytherapy: the example of cervical cancer]. 2019 , 23, 765-772		1
447	Magnetic resonance image-based 3D volume interstitial brachytherapy using polyether ether ketone catheters in advanced cervical cancer - a feasibility study. 2019 , 11, 307-311		1
446	Prospective intra/inter-observer evaluation of pre-brachytherapy cervical cancer tumor width measured in TRUS and MR imaging. 2019 , 14, 173		2
445	Vienna-II ring applicator for distal parametrial/pelvic wall disease in cervical cancer brachytherapy: An experience from two institutions: Clinical feasibility and outcome. <i>Radiotherapy and Oncology</i> , 2019 , 141, 123-129	5.3	14
444	A machine-learning-based prediction model of fistula formation after interstitial brachytherapy for locally advanced gynecological malignancies. <i>Brachytherapy</i> , 2019 , 18, 530-538	2.4	11
443	Radiotherapy for Uterine Cervical Cancer. 2019 , 249-265		
442	Total Reference Air Kerma is Associated with Late Bowel Morbidity in Locally Advanced Cervical Cancer Patients Treated with Image-Guided Adaptive Brachytherapy. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	8
441	Radiation Oncology. 2019 ,		2
440	Studying the regression profiles of cervical tumours during radiotherapy treatment using a patient-specific multiscale model. 2019 , 9, 1081		4
439	Efficacy and toxicity of chemoradiation with image-guided adaptive brachytherapy for locally advanced cervical cancer. 2019 , 29, 257-265		9

438	Should We Cease to Perform Salvage Hysterectomy After Chemoradiation and Brachytherapy in Locally Advanced Cervical Cancer?. 2019 , 39, 2919-2926		9
437	Immunohistochemical Biomarkers of Survival in Patients With Adenocarcinoma of the Uterine Cervix Receiving Chemoradiotherapy. 2019 , 39, 3231-3240		3
436	Prediction of local relapse and distant metastasis in patients with definitive chemoradiotherapy-treated cervical cancer by deep learning from [F]-fluorodeoxyglucose positron emission tomography/computed tomography. 2019 , 29, 6741-6749		16
435	Radiation therapy for vaginal cancer in complete uterine prolapse with intrauterine adhesion: a case report. 2019 , 19, 69		4
434	Assessment of the anatomical position of point B and the relationship between point B dose and the dose delivered to pelvic lymph nodes in CT-based high-dose-rate brachytherapy for uterine cervical cancer. 2019 , 11, 137-145		1
433	Concurrent chemoradiotherapy for locally advanced squamous cell carcinoma of the cervix in a uterus didelphys with vaginal septum. 2019 , 11, 180-188		2
432	Effectiveness of Image-guided Brachytherapy in Patients With Locally Advanced Cervical Squamous Cell Carcinoma Receiving Concurrent Chemoradiotherapy. 2019 , 39, 3015-3024		4
431	Dose-volume parameters and local tumor control in cervical cancer treated with central-shielding external-beam radiotherapy and CT-based image-guided brachytherapy. <i>Journal of Radiation Research</i> , 2019 , 60, 490-500	2.4	12
430	Cervical cancer apparent diffusion coefficient values during external beam radiotherapy. 2019 , 9, 77-82		3
429	Change in Patterns of Failure After Image-Guided Brachytherapy for Cervical Cancer: Analysis From the RetroEMBRACE Study. 2019 , 104, 895-902		36
428	Increased bone marrow SUVmax on 18F-FDG PET is associated with higher pelvic treatment failure in patients with cervical cancer treated by chemoradiotherapy and brachytherapy. 2019 , 8, e1574197		12
427	The security of radical trachelectomy in the treatment of IA-IIA cervical carcinoma requires further evaluation: updated meta-analysis and trial sequential analysis. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 1525-1536	2.5	4
426	Image-guided Adaptive Radiotherapy in Cervical Cancer. 2019 , 29, 284-298		27
425	A dosimetric comparison of Volumetric Modulated Arc Therapy (VMAT) and High Dose Rate (HDR) brachytherapy in localized cervical cancer radiotherapy. 2019 , 27, 473-483		2
424	Deformable image registration for dose mapping between external beam radiotherapy and brachytherapy images of cervical cancer. 2019 , 64, 115023		9
423	Comparative analysis of image-guided adaptive interstitial brachytherapy and intensity-modulated arc therapy versus conventional treatment techniques in cervical cancer using biological dose summation. 2019 , 11, 69-75		5
422	Radiation Dose in the Uterine Perforation by Tandem in 3-Dimensional Cervical Cancer Brachytherapy. 2019 , 44, e59-e63		0
421	Hyaluronic gel injection into the vesicovaginal septum for high-dose-rate brachytherapy of uterine cervical cancer: an effective approach for bladder dose reduction. 2019 , 11, 1-7		10

420	A hybrid technique of intracavitary and interstitial brachytherapy for locally advanced cervical cancer: initial outcomes of a single-institute experience. 2019 , 19, 221		13
419	Intracavitary Brachytherapy: Definitive, Preoperative, and Adjuvant (Cervix, Uterine, and Vaginal). 2019 , 165-195		
418	Interstitial Brachytherapy - Definitive and Adjuvant. 2019 , 197-236		
417	Radiobiological optimization comparison between pulse-dose-rate and high-dose-rate brachytherapy in patients with locally advanced cervical cancer. <i>Brachytherapy</i> , 2019 , 18, 370-377	2.4	5
416	Assessment of dose to functional sub-structures in the lower urinary tract in locally advanced cervical cancer radiotherapy. 2019 , 59, 127-132		11
415	In vivo dosimetry of the rectum in image-guided adaptive interstitial-intracavitary brachytherapy of cervix cancer - A feasibility study. 2019 , 24, 158-164		0
414	Radiation Therapy Techniques for Gynecological Cancers. 2019 ,		1
413	Factors associated with deformation accuracy and modes of failure for MRI-optimized cervical brachytherapy using deformable image registration. <i>Brachytherapy</i> , 2019 , 18, 378-386	2.4	3
412	Single-Institution Experience in 3D MRI-Based Brachytherapy for Cervical Cancer for 239 Women: Can Dose Overcome Poor Response?. 2019 , 104, 157-164		7
411	High precision radiotherapy including intensity-modulated radiation therapy and pulsed-dose-rate brachytherapy for cervical cancer: a retrospective monoinstitutional study. 2019 , 11, 516-526		2
410	Patterns of cervical cancer brachytherapy in India: results of an online survey supported by the Indian Brachytherapy Society. 2019 , 11, 527-533		5
409	Brachytherapy Technique from 2D to 3D in Cervical Cancer [Short Overview]. 2019 ,		
408	Formulation of normal tissue irradiation volumes in Co-60 and Ir-192 HDR ICBT of Ca cervix using Total Reference Air Kerma (TRAK). 2019 , 24, 568-575		2
407	Evaluation of deformable image registration algorithm for determination of accumulated dose for brachytherapy of cervical cancer patients. 2019 , 11, 469-478		7
406	Modern Brachytherapy. 2019 , 33, 1011-1025		7
405	[Brachytherapy: When needs overtake care offer]. 2019 , 106, 584-589		1
404	Diagnostic significance of magnetic resonance imaging in patients with cervical cancer after brachytherapy: a meta-analysis. 2019 , 60, 670-676		
403	Dosimetric study of CO-60 source step size in uterine cervix intracavitary HDR brachytherapy. <i>Brachytherapy</i> , 2019 , 18, 180-185	2.4	1

402	MRI-guided adaptive brachytherapy for locally advanced cervix cancer: Treatment outcomes from a single institution in Hong Kong. <i>Brachytherapy</i> , 2019 , 18, 171-179	2.4	4
401	Dosimetric research into target regions and organs at risk in three-dimensional intracavitary brachytherapy techniques for Chinese patients with cervical carcinoma. <i>Journal of Radiation Research</i> , 2019 , 60, 124-133	2.4	1
400	Implementation of state-of-the-art (chemo)radiation for advanced cervix cancer in the Netherlands: A quality improvement program. 2019 , 9, 1-7		2
399	Uterine Cervical Cancer. 2019 ,		1
398	Risk Factors for Ureteral Stricture After Radiochemotherapy Including Image Guided Adaptive Brachytherapy in Cervical Cancer: Results From the EMBRACE Studies. 2019 , 103, 887-894		23
397	Dosimetric impact of interfractional organs at risk variation during high-dose rate interstitial brachytherapy for gynecologic malignancies. 2019 , 44, 239-244		0
396	Patient-reported sexual adjustment after definitive chemoradiation and MR-guided brachytherapy for cervical cancer. <i>Brachytherapy</i> , 2019 , 18, 133-140	2.4	4
395	Impact on treatment time of MRI-based brachytherapy in two implants (4 doses) compared with CT-based brachytherapy in five implants for cervical cancer. <i>Brachytherapy</i> , 2019 , 18, 141-145	2.4	1
394	Risk of Pelvic Fracture With Radiation Therapy in Older Patients. 2020 , 106, 485-492		14
393	Radiobiology: Foundation and New Insights in Modeling Brachytherapy Effects. 2020 , 30, 4-15		6
392	Image-Guided Gynecologic Brachytherapy for Cervical Cancer. 2020 , 30, 16-28		6
391	Evaluation of variation of interfraction doses to organs at risk during brachytherapy of cervical cancer. 2020 , 76, 201-206		0
390	Accuracy of Intracavitary Applicator Reconstruction for Cervix Cancer Brachytherapy. 2020 , 2, 133-139		
389	Dose distribution of brachytherapy for locally advanced (stage IIB) cervical cancer. <i>Brachytherapy</i> , 2020 , 19, 66-72	2.4	
388	Hyaluronic acid gel injection in rectovaginal septum reduced incidence of rectal bleeding in brachytherapy for gynecological malignancies. <i>Brachytherapy</i> , 2020 , 19, 154-161	2.4	10
387	The 100 most cited articles in cervical cancer brachytherapy. <i>Brachytherapy</i> , 2020 , 19, 181-193	2.4	6
386	Recommendations from gynaecological (GYN) GEC-ESTRO working group - ACROP: Target concept for image guided adaptive brachytherapy in primary vaginal cancer. <i>Radiotherapy and Oncology</i> , 2020 , 145, 36-44	5.3	17
385	Lessons from radiochemotherapy and modern image-guided adaptive brachytherapy followed by hysterectomy. <i>Gynecologic Oncology</i> , 2020 , 156, 328-334	4.9	2

384	Significance of concurrent use of weekly cisplatin in carbon-ion radiotherapy for locally advanced adenocarcinoma of the uterine cervix: A propensity score-matched analysis. <i>Cancer Medicine</i> , 2020 , 9, 1400-1408	4.8	4
383	Comparison of accuracy and long-term prognosis between computed tomography-based and magnetic resonance imaging-based brachytherapy for cervical cancer: A meta-analysis. 2020 , 64, 151-162		1
382	Individually customised parametrial boost for locally advanced cervical cancer: is 2D planned external beam radiotherapy useful?. 2020 , 19, 248-253		
381	A multi-scanner study of MRI radiomics in uterine cervical cancer: prediction of in-field tumor control after definitive radiotherapy based on a machine learning method including peritumoral regions. 2020 , 38, 265-273		8
380	Interstitial High-Dose-Rate Gynecologic Brachytherapy: Clinical Workflow Experience From Three Academic Institutions. 2020 , 30, 29-38		2
379	Developing an intraoperative 3T MRI-guided brachytherapy program within a diagnostic imaging suite: Methods, process workflow, and value-based analysis. <i>Brachytherapy</i> , 2020 , 19, 427-437	2.4	3
378	Analysis of dose-effect relationship between DVH parameters and clinical prognosis of definitive radio(chemo)therapy combined with intracavitary/interstitial brachytherapy in patients with locally advanced cervical cancer: A single-center retrospective study. <i>Brachytherapy</i> , 2020 , 19, 194-200	2.4	4
377	Small bowel dose in subserosal tandem insertion during cervical cancer brachytherapy. 2020 , 45, e1-e9		1
376	Comparison of Definitive Cervical Cancer Management With Chemotherapy and Radiation Between Two Centers With Variable Resources and Opportunities for Improved Treatment. 2020 , 6, 1510-1518		1
375	Comprehensive methodology for commissioning modern 3D-image-based treatment planning systems for high dose rate gynaecological brachytherapy: A review. 2020 , 77, 21-29		2
374	Aiming for 100% Local Control in Locally Advanced Cervical Cancer: The Role of Complex Brachytherapy Applicators and Intraprocedural Imaging. 2020 , 30, 300-310		2
373	Bibliometric analysis of the 100 most cited articles on cervical cancer radiotherapy. 2020 , 99, e22623		0
372	Automatic contouring system for cervical cancer using convolutional neural networks. <i>Medical Physics</i> , 2020 , 47, 5648-5658	4.4	6
371	Applicator visualization using ultrashort echo time MRI for high-dose-rate endorectal brachytherapy. <i>Brachytherapy</i> , 2020 , 19, 618-623	2.4	2
370	COVID-19, Brachytherapy, and Gynecologic Cancers: a Moroccan Experience. 2020 , 2, 1-4		3
369	Dose-effect response in image-guided adaptive brachytherapy for cervical cancer: A systematic review and meta-regression analysis. <i>Brachytherapy</i> , 2020 , 19, 438-446	2.4	4
368	Preliminary survey of 3D image-guided brachytherapy for cervical cancer at representative hospitals in Asian countries. <i>Journal of Radiation Research</i> , 2020 , 61, 608-615	2.4	4
367	An Inverse Dose Optimization Algorithm for Three-Dimensional Brachytherapy. <i>Frontiers in Oncology</i> , 2020 , 10, 564580	5.3	1

366	Plan-Optimization Method for Central-shielding Pelvic Volumetric-modulated Arc Therapy for Cervical Cancer. 2020 , 34, 3611-3618		1
365	Plan optimization with L0-norm and group sparsity constraints for a new rotational, intensity-modulated brachytherapy for cervical cancer. 2020 , 15, e0236585		3
364	The addition of interstitial needles to intracavitary applicators in the treatment of locally advanced cervical cancer: Why is this important and how to implement in low- and middle-income countries?. <i>Brachytherapy</i> , 2020 , 19, 316-322	2.4	3
363	Analysis of clinical utilization of ring applicator for combined intracavitary/interstitial image-guided brachytherapy treatment in Chinese patients with locally advanced cervical cancer. 2020 , 12, 252-259		1
362	Implementation of image-guided brachytherapy as part of non-surgical treatment in inoperable endometrial cancer patients. <i>Gynecologic Oncology</i> , 2020 , 158, 323-330	4.9	7
361	Techniques for and uncertainties of MRI-based reconstruction of titanium tandem and ring brachytherapy applicators. <i>Brachytherapy</i> , 2020 , 19, 651-658	2.4	1
360	Management Perspective on How to Plan and Deliver Image-guided Radiotherapy - Experience of the Oxford Cancer Centre Over the Past 10 Years. 2020 , 32, 845-851		0
359	Dosimetric evaluation of vaginal cuff brachytherapy planning in cervical and endometrial cancer patients. 2020 , 12, 248-251		2
358	Clinical and imaging findings in cervical cancer and their impact on FIGO and TNM staging - An analysis from the EMBRACE study. <i>Gynecologic Oncology</i> , 2020 , 159, 136-141	4.9	7
357	Evidence-Based Dose Planning Aims and Dose Prescription in Image-Guided Brachytherapy Combined With Radiochemotherapy in Locally Advanced Cervical Cancer. 2020 , 30, 311-327		7
356	Comparison of catheter reconstruction techniques for the lunar ovoid channels of the Venezia applicator. 2020 , 12, 383-392		1
355	Development, implementation, and associated challenges of a new HDR brachytherapy program. <i>Brachytherapy</i> , 2020 , 19, 874-880	2.4	1
354	A review on 3D deformable image registration and its application in dose warping. 2020 , 1, 171-178		4
353	End-to-end delivery quality assurance of computed tomography-based high-dose-rate brachytherapy using a gel dosimeter. <i>Brachytherapy</i> , 2020 , 19, 362-371	2.4	6
352	Education and training for image-guided adaptive brachytherapy for cervix cancer-The (GEC)-ESTRO/EMBRACE perspective. <i>Brachytherapy</i> , 2020 , 19, 827-836	2.4	5
351	A comparison of tandem ring and tandem ovoid treatment as a curative brachytherapy component for cervical cancer. 2020 , 12, 111-117		4
350	Inter-observer and intra-observer variability in reporting vaginal dose points for cervical cancer in high-dose-rate brachytherapy. 2020 , 12, 139-146		3
349	Clinical utility and value contribution of an MRI-positive line marker for image-guided brachytherapy in gynecologic malignancies. <i>Brachytherapy</i> , 2020 , 19, 305-315	2.4	3

348	Quantitative analysis of intra-fractional variation in CT-based image guided brachytherapy for cervical cancer patients. 2020 , 73, 164-172		1
347	Genomic Biomarkers of Survival in Patients with Adenocarcinoma of the Uterine Cervix Receiving Chemoradiotherapy. 2020 , 21,		1
346	Lymph node directed simultaneous integrated boost in patients with clinically lymph node positive cervical cancer treated with definitive chemoradiotherapy: clinical outcomes and toxicity. 2020 , 9, 103-111		2
345	Variations in hot spots during intracavitary brachytherapy reduces long-term toxicities associated with image-guided brachytherapy. <i>Radiation Physics and Chemistry</i> , 2020 , 176, 109014	2.5	
344	Development of Volumetric Independent Dose Calculation System for Verification of the Treatment Plan in Image-Guided Adaptive Brachytherapy. <i>Frontiers in Oncology</i> , 2020 , 10, 609	5.3	2
343	Dosimetric comparison of two different applicators and rectal retraction methods used in inverse optimization-based intracavitary brachytherapy for cervical cancer. 2020 , 12, 35-43		2
342	UK audit of target volume and organ at risk delineation and dose optimisation for cervix radiotherapy treatments. 2020 , 93, 20190897		1
341	Four decades with ESTRO. <i>Radiotherapy and Oncology</i> , 2020 , 142, 1-5	5.3	2
340	Local Control and Overall Survival of Patients with Stage IIB/IVA Cervical Cancer after Definitive External Beam Chemoradiation and High-Dose-Rate Cobalt-60 Intracavitary Brachytherapy. <i>Indian Journal of Gynecologic Oncology</i> , 2020 , 18, 1	0.2	1
339	Modern development of high-dose-rate brachytherapy. <i>Japanese Journal of Clinical Oncology</i> , 2020 , 50, 490-501	2.8	2
338	The Medanta AOLO template for locally advanced cancer cervix brachytherapy: design and clinical implementation. 2020 , 12, 44-47		2
337	Can brachytherapy be properly considered in the clinical practice? Trilogy project: The vision of the AIRO (Italian Association of Radiotherapy and Clinical Oncology) Interventional Radiotherapy study group. 2020 , 12, 84-89		18
336	A Cost-Utility Analysis of Magnetic Resonance (MR) Guided Brachytherapy Versus Two-Dimensional and Computed Tomography (CT) Guided Brachytherapy for Locally Advanced Cervical Cancer. 2020 , 107, 512-521		4
335	Selection Criteria and Clinical Outcomes of Patients With Asymmetrical Cervical Cancer Treated With Various High-dose-rate Brachytherapy Techniques. 2020 , 40, 999-1006		3
334	Imaging Cherenkov emission for quality assurance of high-dose-rate brachytherapy. 2020 , 10, 3572		6
333	Modeling Complex Deformations of the Sigmoid Colon Between External Beam Radiation Therapy and Brachytherapy Images of Cervical Cancer. 2020 , 106, 1084-1094		2
332	Dose planning variations related to delineation variations in MRI-guided brachytherapy for locally advanced cervical cancer. <i>Brachytherapy</i> , 2020 , 19, 146-153	2.4	5
331	MRI-based contouring of functional sub-structures of the lower urinary tract in gynaecological radiotherapy. <i>Radiotherapy and Oncology</i> , 2020 , 145, 117-124	5.3	8

330	Challenges and advances in cervix cancer treatment in elder women. 2020 , 84, 101976		9
329	Ring Versus Ovoids and Intracavitary Versus Intracavitary-Interstitial Applicators in Cervical Cancer Brachytherapy: Results From the EMBRACE I Study. 2020 , 106, 1052-1062		26
328	Immunologic impact of chemoradiation in cervical cancer and how immune cell infiltration could lead toward personalized treatment. 2020 , 147, 554-564		8
327	Retrospective DVH analysis of point A based intracavitary brachytherapy for uterine cervical cancer. <i>Journal of Radiation Research</i> , 2020 , 61, 265-274	2.4	3
326	Is there any correlation between HPV and early radioresponse before brachytherapy in cervix uteri carcinoma?. 2020 , 125, 981-989		
325	The value of hybrid interstitial tandem and ring applicators for organ at risk dose reduction in small volume cervical cancer. 2020 , 12, 12-16		3
324	Comparison of CT-based and MRI-based high-risk clinical target volumes in image guided-brachytherapy for cervical cancer, referencing recommendations from the Japanese Radiation Oncology Study Group (JROSG) and consensus statement guidelines from the Groupe Européen de Curiethérapie-European Society for Therapeutic Radiology and Oncology (GEC)		0
323	Neuroendocrine carcinoma of the uterine cervix: 15-year experience from a tertiary care centre in Southern India. 2021 , 20, 164-167		
322	British Gynaecological Cancer Society (BGCS) cervical cancer guidelines: Recommendations for practice. 2021 , 256, 433-465		12
321	Configuration analysis of the injection position and shape of the gel spacer in gynecologic brachytherapy. <i>Brachytherapy</i> , 2021 , 20, 95-103	2.4	2
320	The impact of brachytherapy boost and radiotherapy treatment duration on survival in patients with vaginal cancer treated with definitive chemoradiation. <i>Brachytherapy</i> , 2021 , 20, 75-84	2.4	3
319	A comparison between revised Manchester Point A and ICRU-89-recommended Point A definition absorbed-dose reporting using CT images in intracavitary brachytherapy for patients with cervical carcinoma. <i>Brachytherapy</i> , 2021 , 20, 118-127	2.4	1
318	Long-term results of robotic radiosurgery for non brachytherapy patients with cervical cancer. 2021 , 197, 474-486		3
317	Adaptive Radiation Therapy (ART) Strategies and Technical Considerations: A State of the ART Review From NRG Oncology. 2021 , 109, 1054-1075		19
316	Persistence of Late Substantial Patient-Reported Symptoms (LAPERS) After Radiochemotherapy Including Image Guided Adaptive Brachytherapy for Locally Advanced Cervical Cancer: A Report From the EMBRACE Study. 2021 , 109, 161-173		1
315	Importance of the ICRU bladder point dose on incidence and persistence of urinary frequency and incontinence in locally advanced cervical cancer: An EMBRACE analysis. <i>Radiotherapy and Oncology</i> , 2021 , 158, 300-308	5.3	5
314	Source position measurement by Cherenkov emission imaging from applicators for high-dose-rate brachytherapy. <i>Medical Physics</i> , 2021 , 48, 488-499	4.4	1
313	Optimal method for metabolic tumour volume assessment of cervical cancers with inter-observer agreement on [18F]-fluoro-deoxy-glucose positron emission tomography with computed tomography. 2021 , 48, 2009-2023		0

312	Analysis of Radiation Dose/Volume Effect Relationship for Anorectal Morbidity in Children Treated for Pelvic Malignancies. 2021 , 109, 231-241		4
311	HDR brachytherapy using cylinder, tandem-ovoid (T&O) and interstitial implant with prognosis. 2021 , 1718, 012016		0
310	Deep learning applications in automatic segmentation and reconstruction in CT-based cervix brachytherapy. 2021 , 13, 325-330		0
309	Prediction of treatment response in patients with locally advanced cervical cancer using midtreatment PET/MRI during concurrent chemoradiotherapy. 2021 , 197, 494-504		3
308	Early outcomes after definitive chemoradiation therapy with Vienna/Venezia hybrid high-dose rate brachytherapy applicators for cervical cancer: A single-institution experience. <i>Brachytherapy</i> , 2021 , 20, 104-111	2.4	5
307	Stereotactic body radiotherapy for pelvic boost in gynecological cancer patients with local recurrence or unsuitable for intracavitary brachytherapy. 2021 , 60, 111-118		2
306	Comparison of the Dosimetric Influence of Applicator Displacement on 2D and 3D Brachytherapy for Cervical Cancer Treatment. 2021 , 20, 15330338211041201		0
305	Predicting factors for primary cervical cancer recurrence after definitive radiation therapy. 2021 , 3, 20210050		0
304	Evaluation and evolution of apparent diffusion coefficient (ADC) in image-guided adaptive brachytherapy (IGABT) for cervical cancer. <i>Brachytherapy</i> , 2021 , 20, 112-117	2.4	1
303	Venezia applicator with oblique needles improves clinical target volume coverage in distal parametrial tumor residue compared to parallel needles only. 2021 , 13, 24-31		1
302	Dosimetric feasibility of computed tomography-based image-guided brachytherapy in locally advanced cervical cancer: a Japanese prospective multi-institutional study. <i>Journal of Radiation Research</i> , 2021 , 62, 502-510	2.4	4
301	Brachytherapy or external beam radiotherapy as a boost in locally advanced cervical cancer: a Gynaecology Study Group in the Italian Association of Radiation and Clinical Oncology (AIRO) review. 2021 , 31, 1278-1286		4
300	Quality Assurance in Modern Gynecological HDR-Brachytherapy (Interventional Radiotherapy): Clinical Considerations and Comments. <i>Cancers</i> , 2021 , 13,	6.6	1
299	Computed Tomography-Guided Optimization of Needle Insertion for Combined Intracavitary/Interstitial Brachytherapy With Utrecht Applicator in Locally Advanced Cervical Cancer. 2021 , 11, 272-281		1
298	Comparison of two inverse planning algorithms for cervical cancer brachytherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2021 , 22, 157-165	2.3	
297	A multi-institutional analysis of a general pelvis continuous Hounsfield unit synthetic CT software for radiotherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2021 , 22, 207-215	2.3	0
296	Image-Guided Adaptive Brachytherapy (IGABT) for Primary Vaginal Cancer: Results of the International Multicenter RetroEMBRAVE Cohort Study. <i>Cancers</i> , 2021 , 13,	6.6	1
295	Expanding Our Impact in Cervical Cancer Treatment: Novel Immunotherapies, Radiation Innovations, and Consideration of Rare Histologies. 2021 , 41, 252-263		3

294	Development of a Machine Learning Model for Optimal Applicator Selection in High-Dose-Rate Cervical Brachytherapy. <i>Frontiers in Oncology</i> , 2021 , 11, 611437	5.3	1
293	Image-Guided Brachytherapy for Salvage Reirradiation: A Systematic Review. <i>Cancers</i> , 2021 , 13,	6.6	0
292	The impact of modern preoperative high-dose-rate brachytherapy in early-stage cervical cancer. <i>Gynecologic Oncology</i> , 2021 , 161, 166-172	4.9	3
291	Dosimetric and clinical outcomes of CT based HR-CTV delineation for HDR intracavitary brachytherapy in carcinoma cervix - a retrospective study. 2021 , 26, 170-178		1
290	Modern Techniques for Cervical Cancer Radiotherapy. 2021 , 11, 58-67		2
289	MRI-guided adaptive brachytherapy in locally advanced cervical cancer (EMBRACE-I): a multicentre prospective cohort study. 2021 , 22, 538-547		61
288	Results of image guided brachytherapy for stage IB cervical cancer in the RetroEMBRACE study. <i>Radiotherapy and Oncology</i> , 2021 , 157, 24-31	5.3	2
287	Optimization in treatment planning of high dose-rate brachytherapy - Review and analysis of mathematical models. <i>Medical Physics</i> , 2021 , 48, 2057-2082	4.4	3
286	Red Blood Cell Transfusion Practices for Patients With Cervical Cancer Undergoing Radiotherapy. 2021 , 4, e213531		1
285	Risk factors and dose-effects for bladder fistula, bleeding and cystitis after radiotherapy with imaged-guided adaptive brachytherapy for cervical cancer: An EMBRACE analysis. <i>Radiotherapy and Oncology</i> , 2021 , 158, 312-320	5.3	8
284	Comparison of clinical outcomes achieved with image-guided adaptive brachytherapy for cervix cancer using CT or transabdominal ultrasound. <i>Brachytherapy</i> , 2021 , 20, 543-549	2.4	0
283	Intensity-modulated radiotherapy combined with intracavitary brachytherapy for locally advanced cervical cancer with uterus didelphys. 2021 , 36, 100724		1
282	Development and performance assessment of an advanced Lucas-Kanade algorithm for dose mapping of cervical cancer external radiotherapy and brachytherapy plans. <i>Journal of Applied Clinical Medical Physics</i> , 2021 , 22, 69-78	2.3	1
281	Multi-Institutional Retrospective Analysis of Carbon-Ion Radiotherapy for Patients with Locally Advanced Adenocarcinoma of the Uterine Cervix. <i>Cancers</i> , 2021 , 13,	6.6	0
280	Prediction of treatment response from the microenvironment of tumor immunity in cervical cancer patients treated with chemoradiotherapy. 2021 , 54, 245-252		2
279	Relationship of Urethral Dose and Genitourinary Toxicity Among Patients Receiving Vaginal High Dose Rate Interstitial Brachytherapy. 2021 , 33, 773-779		1
278	Artificial intelligence in brachytherapy: a summary of recent developments. 2021 , 94, 20200842		0
277	Brachytherapy: A Comprehensive Review. <i>Progress in Medical Physics</i> , 2021 , 32, 25-39	0.5	2

276	The Case Selection for Vaginal Cuff Brachytherapy in Cervical Cancer Patients After Radical Hysterectomy and External Beam Radiation Therapy. <i>Frontiers in Oncology</i> , 2021 , 11, 685972	5.3	0
275	Integration of functional imaging in brachytherapy. 2021 ,		0
274	Risk factors for venous thromboembolism induced by prolonged bed rest during interstitial brachytherapy for gynecological cancer: a retrospective study. 2021 , 16, 121		0
273	High-dose-rate brachytherapy using inverse planning optimization with tandem and ovoid applicators for locally advanced cervical cancer: a simulation study. 2021 , 14, 262-270		
272	Brachytherapy for locally advanced cervical cancer: A survey of UK provision of care and support. <i>Radiotherapy and Oncology</i> , 2021 , 159, 60-66	5.3	
271	Deep learning-based auto-segmentation of organs at risk in high-dose rate brachytherapy of cervical cancer. <i>Radiotherapy and Oncology</i> , 2021 , 159, 231-240	5.3	8
270	Assessment of the Quality of the Combined Radiotherapy Plans for Patients with Advanced Cervical Cancer. 2021 , 4, 84-91		
269	Dose Summation Strategies for External Beam Radiation Therapy and Brachytherapy in Gynecologic Malignancy: A Review from the NRG Oncology and NCTN Medical Physics Subcommittees. 2021 , 111, 999-1010		1
268	Why not de-intensification for uterine cervical cancer?. <i>Gynecologic Oncology</i> , 2021 , 163, 105-109	4.9	3
267	Exclusive 3D-brachytherapy as a good option for stage-I inoperable endometrial cancer: a retrospective analysis in the gynaecological cancer GEC-ESTRO Working Group. 2021 , 1		0
266	Reducing dose to rectum by placement of a rectum-emptying tube in cervical cancer patients treated with brachytherapy. <i>Brachytherapy</i> , 2021 , 20, 748-754	2.4	0
265	Advances in External Beam Radiation Therapy and Brachytherapy for Cervical Cancer. 2021 , 33, 567-578		2
264	The Relationship Between Late Morbidity and Dose-Volume Parameter of Rectum in Combined Intracavitary/Interstitial Cervix Cancer Brachytherapy: A Mono-Institutional Experience. <i>Frontiers in Oncology</i> , 2021 , 11, 693864	5.3	1
263	Support Vector Machine Model Predicts Dose for Organs at Risk in High-Dose Rate Brachytherapy of Cervical Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 619384	5.3	0
262	Task group 284 report: magnetic resonance imaging simulation in radiotherapy: considerations for clinical implementation, optimization, and quality assurance. <i>Medical Physics</i> , 2021 , 48, e636-e670	4.4	14
261	MRI-guided brachytherapy for locally advanced cervical cancer: Program initiation, learning curve and dose delivery results in Kuopio University Hospital. <i>Brachytherapy</i> , 2021 , 20, 738-747	2.4	1
260	Characterization of combined intracavitary/interstitial brachytherapy including oblique needles in locally advanced cervix cancer. <i>Brachytherapy</i> , 2021 , 20, 796-806	2.4	1
259	[Dose optimization in 3D pulsed dose rate brachytherapy for patients with locally advanced cervical cancer: A French multicenter phase II trial]. 2021 ,		

258	Selection of brachytherapy applicators based on tumor size and shape for cervical cancer: simulation analysis of pear-shaped isodose dimensions. 2021 , 46, 431-434		
257	Dosimetric Uncertainties Resulting From Interfractional Anatomic Variations for Patients Receiving Pancreas Stereotactic Body Radiation Therapy and Cone Beam Computed Tomography Image Guidance. 2021 , 111, 1298-1309		1
256	Clinical audit of dose-escalated radical radiotherapy for advanced cervical carcinoma using a pragmatic protocol (3 fractions of 8 Gy HDR brachytherapy). 2021 , 37, 100822		0
255	Intra-fractional dosimetric analysis of image-guided intracavitary brachytherapy of cervical cancer. 2021 , 16, 144		0
254	Oncologic outcomes in the era of modern radiation therapy using FIGO 2018 staging system for cervical cancer. <i>Gynecologic Oncology</i> , 2021 , 162, 277-283	4-9	2
253	Stereotactic ablative body radiotherapy boost for cervical cancer when brachytherapy boost is not feasible. 2021 , 16, 148		1
252	Local Control and Use of External Beam Parametrial Boost in the Era of Image-Guided Brachytherapy for Locally Advanced Cervical Cancer. 2021 , 44, 565-571		1
251	Making Radiomics More Reproducible across Scanner and Imaging Protocol Variations: A Review of Harmonization Methods. 2021 , 11,		17
250	Online Magnetic Resonance-Guided Radiotherapy (oMRgRT) for Gynecological Cancers. <i>Frontiers in Oncology</i> , 2021 , 11, 628131	5-3	3
249	Knowledge-based dose prediction models to inform gynecologic brachytherapy needle supplementation for locally advanced cervical cancer. <i>Brachytherapy</i> , 2021 , 20, 1187-1199	2-4	0
248	Effect of the dwell time deviation constraint on brachytherapy treatment planning for cervical cancer. 2021 , 49, 3000605211037477		
247	The 100 Most Cited Papers in Radiotherapy or Chemoradiotherapy for Cervical Cancer: 1990-2020. <i>Frontiers in Oncology</i> , 2021 , 11, 642018	5-3	0
246	Impact of Vaginal Symptoms and Hormonal Replacement Therapy on Sexual Outcomes After Definitive Chemoradiotherapy in Patients With Locally Advanced Cervical Cancer: Results from the EMBRACE-I Study. 2021 ,		3
245	[Para-aortic lymph node staging in grade IB2 and above cervical cancers: Comparison of 18FDG PET-CT with para-aortic lymphadenectomy, using data from the CHe d'Or gynaecological cancer registry from 2003 to 2016]. 2021 , 49, 677-683		
244	Clinical values of transrectal ultrasound in judging GTV of cervical cancer. <i>Brachytherapy</i> , 2021 , 20, 1172-1179		
243	Feasibility of fusing three-dimensional transabdominal and transrectal ultrasound images for comprehensive intraoperative visualization of gynecologic brachytherapy applicators. <i>Medical Physics</i> , 2021 , 48, 5611-5623	4-4	
242	Risk factors for nodal failure after radiochemotherapy and image guided brachytherapy in locally advanced cervical cancer: An EMBRACE analysis. <i>Radiotherapy and Oncology</i> , 2021 , 163, 150-158	5-3	3
241	Single Application Multifractionated Image Guided Adaptive High-Dose-Rate Brachytherapy for Cervical Cancer: Dosimetric and Clinical Outcomes. 2021 , 111, 826-834		3

240	The clinical impact of removing rectal gas on high-dose-rate brachytherapy dose distributions for gynecologic cancers. <i>Journal of Applied Clinical Medical Physics</i> , 2021 , 22, 35-41	2.3	
239	Hybrid tandem and ovoids brachytherapy in locally advanced cervical cancer: impact of dose and tumor volume metrics on outcomes. 2021 , 13, 158-166		
238	Effect of Gold Nanoparticle Radiosensitization on Plasmid DNA Damage Induced by High-Dose-Rate Brachytherapy. 2021 , 16, 359-370		5
237	Electromagnetic tracking (EMT) technology for improved treatment quality assurance in interstitial brachytherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2017 , 18, 211-222	2.3	22
236	Physics for Image-Guided Brachytherapy. 2011 , 143-164		0
235	Solving Circular Integral Block Decomposition in Polynomial Time. 2012 , 342-351		2
234	Validation of catheter segmentation for MR-guided gynecologic cancer brachytherapy. 2013 , 16, 380-7		8
233	Interstitial Brachytherapy: Radical and Salvage. 2019 , 93-121		1
232	Long-term results of robotic radiosurgery for non brachytherapy patients with cervical cancer. 2021 , 197, 474		1
231	High Dose Rate Brachytherapy. 2010 , 245-278		1
230	Cancer of the Uterine Cervix. 2010 , 1002-1025		0
229	Total reference air kerma can accurately predict isodose surface volumes in cervix cancer brachytherapy. A multicenter study. <i>Brachytherapy</i> , 2017 , 16, 1184-1191	2.4	10
228	Definitive radiotherapy with image-guided adaptive brachytherapy for primary vaginal cancer. 2020 , 21, e157-e167		19
227	Comparison of predictive performance for toxicity by accumulative dose of DVH parameter addition and DIR addition for cervical cancer patients. <i>Journal of Radiation Research</i> , 2021 , 62, 155-162	2.4	1
226	Dosimetric Comparison between Three-Dimensional Magnetic Resonance Imaging-Guided and Conventional Two-Dimensional Point A-Based Intracavitary Brachytherapy Planning for Cervical Cancer. 2016 , 11, e0161932		3
225	Proton Therapy for Vaginal Reirradiation. 2016 , 3, 320-326		7
224	Virtual modelling of novel applicator prototypes for cervical cancer brachytherapy. 2016 , 50, 433-441		3
223	Neutrophilia in locally advanced cervical cancer: A novel biomarker for image-guided adaptive brachytherapy?. 2016 , 7, 74886-74894		30

222	Locally advanced cervical cancer with bladder invasion: clinical outcomes and predictive factors for vesicovaginal fistulae. 2018 , 9, 9299-9310	13
221	Application of mri for improved local control in complex radiotherapy of cervical cancer. 2006 , 14, 95-100	2
220	Definitive radiotherapy for uterine cervix cancer: long term results for patients treated in the period from 1998 till 2002 at the Institute of Oncology Ljubljana. 2013 , 47, 280-8	2
219	IMRT and brachytherapy comparison in gynaecological cancer treatment: thinking over dosimetry and radiobiology. 2019 , 13, 993	5
218	Prognostic implications of tumor volume response and COX-2 expression change during radiotherapy in cervical cancer patients. 2012 , 30, 218-25	6
217	Why are we still in the 1950s regarding management of cancer of uterine cervix?. 2012 , 37, 171-3	3
216	Dosimetric comparison of high dose rate brachytherapy and intensity-modulated radiation therapy for cervical carcinoma. 2011 , 36, 111-6	12
215	Incidence of Suboptimal Applicator Placement and the Resulting Dosimetric Impact in Image-Based Intracavitary Brachytherapy. 2018 , 43, 168-172	2
214	Image-based brachytherapy for cervical cancer. 2014 , 5, 921-30	26
213	Dose-volume parameters and clinical outcome of CT-guided free-hand high-dose-rate interstitial brachytherapy for cervical cancer. 2012 , 31, 598-604	13
212	Advanced imaging applications for locally advanced cervical cancer. 2012 , 13, 1713-8	16
211	Comparative evaluation of two-dimensional radiography and three dimensional computed tomography based dose-volume parameters for high-dose-rate intracavitary brachytherapy of cervical cancer: a prospective study. 2014 , 15, 4717-21	10
210	CT based 3-dimensional treatment planning of intracavitary brachytherapy for cancer of the cervix: comparison between dose-volume histograms and ICRU point doses to the rectum and bladder. 2014 , 15, 5259-64	14
209	Vaginal dose, toxicity and sexual outcomes in patients of cervical cancer undergoing image based brachytherapy. 2014 , 15, 3619-23	14
208	Endometrial and Cervical Cancers. 2021 , 885-922	
207	Small dose of oral gastrografen for computed tomography-based image-guided brachytherapy in patients with uterine cervical cancer. <i>Journal of Radiation Research</i> , 2021 ,	2.4
206	Impact of different treatment plans on EQD for intracavitary brachytherapy of cervical cancer. 2021 , 33, 28	
205	Severity and persistency of late gastrointestinal morbidity in locally advanced cervical cancer: lessons learned from EMBRACE-I and implications for the future. 2021 ,	0

204	Evaluation of dose differences between intracavitary applicators for cervical brachytherapy using knowledge-based models. <i>Brachytherapy</i> , 2021 , 20, 1323-1333	2.4	0
203	Variation of optimization techniques for high dose rate brachytherapy in cervical cancer treatment. 2021 ,		1
202	Estimating the accumulative dose uncertainty for intracavitary and interstitial brachytherapy. 2021 , 20, 106		0
201	External Urethral Orifice Metastasis of Cervical Cancer Treated With Intraluminal Urethral Brachytherapy Using a Lumencath Applicator: The First Case Report.. <i>Advances in Radiation Oncology</i> , 2022 , 7, 100828	3.3	
200	[Implementation of 3D- CT based brachytherapy in the postoperative radiotherapy of cervical cancer: treatment technique and dose-volume parameters]. 2009 , 56, 201-7		
199	Cancer of the Cervix: Examples of BT Treatment Techniques. 2009 , 209-218		
198	Cancer Imaging and Intracavitary Brachytherapy for Cervical Cancer. 2010 , 256-262		
197	Cervical Cancer. 2010 , 499-512		
196	Postoperative Vaginal Cylinder Brachytherapy in an Era of 3D Imaging. 2011 , 239-245		
195	The Use of Sectional Imaging with CT and MRI for Image-Guided Therapy. 2011 , 19-32		1
194	Austria: Medical University of Vienna, Vienna. 2011 , 173-179		
193	Great Britain: Mount Vernon Cancer Center, Middlesex. 2011 , 199-206		
192	Outcomes Related to the Disease and the Use of 3D-Based External Beam Radiation and Image-Guided Brachytherapy. 2011 , 263-282		
191	France: Institut Gustave-Roussy, Paris. 2011 , 193-197		
190	Radiobiological Aspects of Brachytherapy in the Era of 3-Dimensional Imaging. 2011 , 131-142		1
189	Morbidity Related to the Use of 3D-Based External Beam Radiation and Image-Guided Brachytherapy. 2011 , 283-297		
188	USA: Medical College of Wisconsin, Milwaukee. 2011 , 231-238		
187	MRI-Brachytherapy of Cervical Carcinoma A Pictorial Review for the Radiologist. 2012 , 02, 81-91		

186 Brachytherapy. **2012**, 61, 153-159

185 Brachytherapy. **2012**, 259-286

184 Image-Guided Radiation Therapy in Gynecology Applications. **2013**, 809-841

183 Intraoperative Strahlentherapie. **2013**, 277-292

182 Grundlagen und Technik der Brachytherapie. **2013**, 125-175

181 Image-Guided Brachytherapy. **2014**, 385-395

180 Urinary Bladder. **2014**, 465-494

179 The Associations for Vaginal Point Doses of Vaginal Stenosis in Image-Guided Brachytherapy. **2014**, 05, 823-829

178 The using of megavoltage computed tomography in image-guided brachytherapy for cervical cancer: a case report. **2015**, 33, 155-9

177 Dosimetric Comparison of Fixed and Flexible Geometry ICRT Applicators in Patients Treated for Carcinoma Cervix. **2015**, 04, 1-6

176 The Role of Radiation Therapy in the Treatment of Malignant Gynecological Tumors. **2015**, 3-40

175 Cervix. 449-466

174 Grade 3 Radiation Recall Sigmoiditis after Treatment for Locally Advanced Cervical Cancer: A Case Report. **2015**, 7, e353

173 Gynecologic Brachytherapy: Cervical Cancer. **2016**, 269-278

172 The Physics of Brachytherapy. **2016**, 13-27

171 Gynecologic Brachytherapy: Image Guidance in Gynecologic Brachytherapy. **2016**, 287-297

170 Gynecologic Cancer and High-Dose Rate Brachytherapy: Cervical, Endometrial, Vaginal, Vulva and Clinical Appendix. **2017**, 399-456

169 Cervix. 449-466

168 Uterine Cervix Cancer. **2018**, 367-382

167 Brachytherapie. **2018**, 579-622

166 CLINICAL PROBLEMS OF DIRECT DOSIMETRY (IN VIVO) IN CONTACT RADIATION THERAPY. **2018**, 7, 19-24

165 Hybrid Brachytherapy. **2019**, 77-91

164 Midline Block (Central Shielding). **2019**, 63-75

163 Asian Cooperation and Global Trends in Brachytherapy for Cervical Cancer. **2019**, 123-134

162 Intracavitary Brachytherapy from 2D to 3D. **2019**, 45-61

161 Percutaneous parametrial dose escalation in women with advanced cervical cancer: feasibility and efficacy in relation to long-term quality of life. **2018**, 52, 320-328 2

160 Dose comparison between prescription methods according to anatomical variations in intracavitary brachytherapy for cervical cancer. **2018**, 36, 227-234 1

159 INTRAUDININIBRACHITERAPIJA ONKOGINEKOLOGIJOJE. NACIONALINIO VĖIO INSTITUTO PATIRTIS. **2018**, 28, 25-32

158 INTERSTITIAL BRACHYTHERAPY IN THE MANAGEMENT OF UTERINE CERVICAL CANCER- SINGLE INSTITUTIONAL STUDY. **2018**, 7, 5368-5372

157 9 Brachytherapie. **2019**, 323-354

156 Zervixkarzinom. **2019**, 177-189

155 Gynecological Cancers. **2019**, 309-399

154 Rectal and Bladder Dose Measurements in the Intracavitary Applications of Cervical Cancer Treatment with HDR Afterloading System: Comparison of TPS Data with MOSFET Detector. **2020**, 10, 141-146

153 Measurement of Cervical Regression and Optimizing Brachytherapy Schedule Concurrently with External Beam Radiation Therapy in Cervical Carcinoma. **2019**, 11, e5316 0

152 Tratamiento del c ncer de cuello uterino en estadio precoz. **2019**, 55, 1-17

151 Excess dose-related parameters (Vex, Rex, and iRex): novel predictors and late toxicity correlations in cervical cancer image-guided adaptive brachytherapy. **2020**, 12, 441-453 0

150	Comparison of dose delivered to vagina using two different intracavitary brachytherapy applicators for carcinoma cervix. <i>Brachytherapy</i> , 2021 ,	2.4	
149	Emerging technologies in brachytherapy. 2021 , 66,		1
148	Accuracy of registrations between cone-beam computed tomography and conventional computed tomography images and dose mapping methods in RaySearch software for the bladder during brachytherapy of cervical cancer patients. 2020 , 12, 593-600		
147	Quantitative and qualitative application of clinical drawings for image-guided brachytherapy in cervical cancer patients. 2021 , 13, 512-518		
146	Long-term results of 3-D brachytherapy treatment in locally advanced cervical cancer.		
145	T-Staging and Target Volume Definition by Imaging in GYN Tumors. 2020 , 255-273		1
144	Predictive value of Excel forms based on an automatic calculation of dose equivalent in 2 Gy per fraction in adaptive brachytherapy for cervical cancer. 2020 , 12, 454-461		0
143	Prolonged treatment planning can increase real rectal dose in 3D brachytherapy for cervical cancer. 2020 , 12, 118-123		
142	High-dose-rate brachytherapy boost for locally advanced cervical cancer: Oncological outcome and toxicity analysis of 4 fractionation schemes. 2022 , 32, 15-23		0
141	Dose to pelvic lymph nodes during brachytherapy of locally advanced cervical cancer with 60Co HDR source. <i>Brachytherapy</i> , 2021 ,	2.4	0
140	Prise en charge actuelle du carcinome invasif du col utérin (hors récurrence). 2007 , 277-290		
139	Grundlagen und Technik der Brachytherapie. 2006 , 93-136		
138	Standard versus 3D optimized MRI-based planning for uterine cervix cancer brachyradiotherapy □ The Ljubljana experience. 2007 , 875-878		
137	Initiatives for education, training, and dissemination of morbidity assessment and reporting in a multiinstitutional international context: Insights from the EMBRACE studies on cervical cancer. <i>Brachytherapy</i> , 2020 , 19, 837-849	2.4	0
136	Dosimetric comparison of manual forward planning with uniform dwell times versus volume-based inverse planning in interstitial brachytherapy of cervical malignancies. 2020 , 25, 851-855		
135	A prospective comparative dosimetric study between diffusion weighted MRI (DWI) & T2-weighted MRI (T2W) for target delineation and planning in cervical cancer brachytherapy. 2020 , 25, 1011-1016		1
134	A rare desmoid tumor of the shoulder--excision, implantation of brachytherapy applicators and wound closure by pedicle musculus latissimus dorsi flap. 2011 , 9, Doc04		1
133	MRI assisted cervix cancer brachytherapy pre-planning, based on insertion of the applicator in para-cervical anaesthesia: preliminary results of a prospective study. 2009 , 1, 163-169		12

132	Interfraction Variations in Organ Filling and Their Impact on Dosimetry in CT Image Based HDR Intracavitary Brachytherapy. 2018 , 43, 23-27	1
131	[Accuracy of different image registration methods in image-guided adaptive brachytherapy for cervical cancer]. 2018 , 38, 1344-1348	2
130	Imaging-guided brachytherapy for locally advanced cervical cancer: the main process and common techniques. 2020 , 10, 4165-4177	1
129	Point-Based Brachytherapy in Cervical Cancer With Limited Residual Disease: A Low- and Middle-Income Country Experience in the Era of Magnetic Resonance-Guided Adaptive Brachytherapy. 2021 , 7, 1602-1609	0
128	Changing Landscape of Radiation Therapy for Advanced Cervical Cancer With a Focus on Interstitial Brachytherapy: A Canadian Practice Patterns Survey. 2021 ,	
127	Evaluation of tumor response three months after concomitant chemoradiotherapy with high dose rate brachytherapy as a definitive treatment modality for locally advanced cervical cancer. 2021 ,	
126	Integration of rotatable tandem applicator to conventional ovoid applicator toward complete framework of intensity modulated brachytherapy (IMBT) for cervical cancer. 2021 , 91, 131-139	
125	Comparative dosimetry of brachytherapy treatment planning between a volume-based plan by CT and a point-based plan by TAUS in CT datasets for brachytherapy. 1-8	
124	Risk factors for late persistent fatigue after chemoradiotherapy in locally advanced cervical cancer: an analysis from the EMBRACE-I study. 2021 ,	0
123	British Gynaecological Cancer Society recommendations for women with gynecological cancer who received non-standard care during the COVID-19 pandemic. 2021 ,	2
122	Preliminary results of a vaginal constraint for reducing G2 late vaginal complications after postoperative brachytherapy in endometrial cancer: a prospective analysis. 2021 , 1	1
121	Is adaptive treatment planning for single-channel vaginal brachytherapy necessary?. 2021 , 13, 687-693	
120	Evaluation of the impact of EMBRACE II protocol in Spanish centers, with a large cohort of patients using a ranking index.. 2021 , 13, 680-686	
119	Assessing cumulative dose distributions in combined external beam radiotherapy and intracavitary brachytherapy for cervical cancer by treatment planning based on deformable image registration.. 2020 , 9, 6107-6115	0
118	Value of tube combined with real-time ultrasound-guided accurate interstitial high-dose-rate brachytherapy for post-operative pelvic side-wall recurrences of cervical cancer.. 2021 , 13, 633-640	0
117	Dosimetric feasibility and clinical outcome of image-guided interstitial brachytherapy using two different fractionation schedule in carcinoma cervix. 2021 , 1, 26	
116	Treatment outcomes of MRI-guided adaptive brachytherapy in patients with locally advanced cervical cancer: institutional experiences.. 2022 , 1	1
115	The Fusion of MRI and CT in the Planning of Brachytherapy for Cancer of the Uterine Cervix. 2022 , 12, 634	0

114	Inter-Fractional Variations in Volume and Radiation Dose to the Organs at Risk, High-Risk Clinical Target Volume and Implication of Image-Guided Adaptive Planning During Intracavitary Brachytherapy of Carcinoma Cervix.. 2022 , 14, e21503		
113	A retrospective study of small-pelvis radiotherapy plus image-guided brachytherapy in stage I-II non-bulky cervical squamous cell carcinoma.. <i>Journal of Radiation Research</i> , 2022 ,	2.4	
112	Gynecological Cancers. 2022 , 357-410		
111	Combined Interstitial and Intracavitary High-Dose Rate Brachytherapy of Cervical Cancer.. <i>Frontiers in Oncology</i> , 2021 , 11, 809825	5.3	1
110	Automatic contouring using deformable image registration for tandem-ring or tandem-ovoid brachytherapy.. 2022 , 14, 72-79		
109	Automatic segmentation of MR images for high-dose-rate cervical cancer brachytherapy using deep learning.. <i>Medical Physics</i> , 2022 ,	4.4	0
108	Magnetic Resonance Imaging-Guided Adaptive Brachytherapy for the Treatment of Cervical Cancer and its Impact on Clinical Outcome.. 2022 ,		0
107	Dose-effect relationship between vaginal dose points and vaginal stenosis in cervical cancer: an EMBRACE-I sub-study.. <i>Radiotherapy and Oncology</i> , 2022 ,	5.3	1
106	Evaluation of dose-volume-based image-guided high-dose-rate brachytherapy in carcinoma uterine cervix: A prospective study. 2022 ,		
105	Best practice in brachytherapy.. 2021 , 26, 29-29		1
104	Advances in Radiation Oncology for the Treatment of Cervical Cancer.. 2022 , 29, 928-944		0
103	Effect of Hyaluronate Acid Injection on Dose-Volume Parameters in Brachytherapy for Cervical Cancer. <i>Advances in Radiation Oncology</i> , 2022 , 100918	3.3	
102	Dose to pelvic lymph nodes in locally advanced cervical cancer during high-dose-rate brachytherapy with tandem-ring applicators.. 2022 , 14, 183-188		
101	Effect of applicator removal from target volume for cervical cancer patients treated with Venezia high-dose-rate brachytherapy applicator.. 2022 , 14, 176-182		0
100	An Asian multi-national multi-institutional retrospective study comparing intracavitary versus the hybrid of intracavitary and interstitial brachytherapy for locally advanced uterine cervical carcinoma.. <i>Journal of Radiation Research</i> , 2022 ,	2.4	0
99	Multi-center analysis of machine-learning predicted dose parameters in brachytherapy for cervical cancer.. <i>Radiotherapy and Oncology</i> , 2022 ,	5.3	0
98	The Use of Radiobiological Models for Later Radiation Damages Assessment for the Cervical Cancer Patients. 2022 , 5, 9-17		
97	Clinical Outcomes of MRI-Guided Adaptive Brachytherapy for Each Fraction in Locally Advanced Cervical Cancer: A Single Institution Experience.. <i>Frontiers in Oncology</i> , 2022 , 12, 841980	5.3	

96	Feasibility of electronic brachytherapy in cervix cancer-A dosimetric comparison of different brachytherapy techniques.. <i>Brachytherapy</i> , 2022 ,	2.4	
95	Clinical implementation and initial experience with a 1.5 Tesla MR-linac for MR-guided radiotherapy for gynecologic cancer: An R-IDEAL stage 1/2a first in humans/feasibility study of new technology implementation.. 2022 ,		
94	Management of stage I and II cervical cancer: a review.. 2022 , 32, 216-224		0
93	Japanese Society for Radiation Oncology Consensus Guidelines of combined intracavitary and interstitial brachytherapy for gynecological cancers.. <i>Journal of Radiation Research</i> , 2022 ,	2.4	0
92	Improving Radiation Therapy for Cervical Cancer.. 2022 , 112, 841-848		1
91	Clinical advantage and outcomes of computed tomography-based transvaginal hybrid brachytherapy performed only by sedation without general or saddle block anesthesia.. 2022 , e1607		
90	Laminaria tent insertion in preplanning MRI for CT-based cervical cancer brachytherapy.. <i>Brachytherapy</i> , 2021 ,	2.4	
89	Phase Ib study of durvalumab (MEDI4736) in combination with carbon-ion radiotherapy and weekly cisplatin for patients with locally advanced cervical cancer (DECISION study): study protocol for a prospective open-label single-arm study.. 2022 , 12, e056424		0
88	Image-guided brachytherapy in cervical cancer including fractionation.. 2022 , 32, 273-280		0
87	The impact of tumor size and histology on local control when utilizing high-dose-rate interstitial brachytherapy for gynecologic malignancies.. <i>Gynecologic Oncology</i> , 2022 ,	4.9	
86	Clinical outcomes after positron emission tomography/computed tomography-based image-guided brachytherapy for cervical cancer.. 2022 ,		
85	Synthetic Computed Tomography Generation while Preserving Metallic Markers for Three-Dimensional Intracavitary Radiotherapy: Preliminary Study. <i>Progress in Medical Physics</i> , 2021 , 32, 172-178	0.5	
84	Clinical implementation and initial experience with a 1.5 Tesla MR-linac for MR-guided radiotherapy for gynecologic cancer: An R-IDEAL stage 1/2a first in humans/feasibility study of new technology implementation.		
83	Ultrasound-Guided Brachytherapy for Cervical Cancer - A Tool for Quality Improvement in Brachytherapy?.		
82	Active small bowel sparing in intracavitary brachytherapy for cervical cancer.. <i>Japanese Journal of Clinical Oncology</i> , 2021 ,	2.8	
81	Large volume was associated with increased risk of acute non-hematologic adverse events in the hybrid of intracavitary and interstitial brachytherapy for locally advanced uterine cervical cancer: preliminary results of prospective phase I/II clinical trial.. <i>Japanese Journal of Clinical Oncology</i> , 2022 ,	2.8	1
80	Secondary cancers after carbon-ion radiotherapy and photon beam radiotherapy for uterine cervical cancer: A comparative study.. <i>Cancer Medicine</i> , 2022 ,	4.8	0
79	Comparison of Vaginal Dosimetry Between Tandem Ovoid (TO) and Tandem Ring (TR) Applicator in CT-Based High Dose Rate Intracavitary Brachytherapy of Cervix. <i>Indian Journal of Gynecologic Oncology</i> , 2022 , 20,	0.2	

78	Using New Vaginal Doses Evaluation System to Assess the Dose-Effect Relationship for Vaginal Stenosis After Definitive Radio(Chemo)Therapy for Cervical Cancer.. <i>Frontiers in Oncology</i> , 2022 , 12, 840144	5.3	
77	A feasibility study of a modified treatment strategy combined external beam radiation therapy and brachytherapy for cervical cancer.. <i>Journal of Applied Clinical Medical Physics</i> , 2022 , e13621	2.3	
76	Determination of variation in dosimetric parameters of treatment planning with Co-60 and Ir-192 sources in high dose rate brachytherapy of cervical carcinoma. <i>Radiation Physics and Chemistry</i> , 2022 , 196, 110148	2.5	
75	Patient-Derived Training Simulator for Image-Guided Adaptive Brachytherapy of Locally Advanced Cervical Cancers: Development and Initial Use. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3103	5.1	
74	Intracavitary brachytherapy with additional Heyman capsules in the treatment of cervical cancer. <i>Archives of Gynecology and Obstetrics</i> ,	2.5	
73	AAPM Task Group Report 303 endorsed by the ABS: MRI Implementation in HDR Brachytherapy—Considerations from Simulation to Treatment. <i>Medical Physics</i> ,	4.4	
72	Stereotactic body radiotherapy boost in patients with cervical cancer. <i>Journal of Obstetrics and Gynaecology</i> , 1-8	1.3	o
71	The association of vagina equivalent dose in 2Gy fraction (EQD2) to late vagina toxicity in patients of cervical cancer treated with WPRT plus IGABT. <i>Brachytherapy</i> , 2022 ,	2.4	o
70	Gynecological intrauterine brachytherapy training for radiation therapists: The development and implementation of a training program. <i>Brachytherapy</i> , 2022 ,	2.4	
69	Overall survival in patients with FIGO stage IVA cervical cancer. <i>Gynecologic Oncology</i> , 2022 ,	4.9	o
68	Survival outcome of cervical cancer patients treated by image-guided brachytherapy: a real world single center experience in Thailand from 2008 to 2018. <i>Journal of Radiation Research</i> ,	2.4	
67	Now is it time to implement spacers in cervical cancer brachytherapy?. <i>Journal of Radiation Research</i> ,	2.4	o
66	Salvage image-guided freehand interstitial brachytherapy for pelvic sidewall recurrence after hysterectomy for uterine malignancies. <i>Brachytherapy</i> , 2022 ,	2.4	o
65	Cervical cancer patient reported gastrointestinal outcomes: intensity/volumetric modulated vs. 3D conformal radiation therapy. <i>Journal of Gynecologic Oncology</i> , 33,	4	
64	Incidence of fistula occurrence in patients with cervical cancer treated with bevacizumab: data from real-world clinical practice. <i>International Journal of Clinical Oncology</i> ,	4.2	o
63	ADAPTIVE MAGNETIC RESONANCE-GUIDED EXTERNAL BEAM RADIATION THERAPY FOR CONSOLIDATION IN RECURRENT CERVICAL CANCER. <i>Advances in Radiation Oncology</i> , 2022 , 100999	3.3	
62	Clinical outcome of combined intracavitary / interstitial brachytherapy using a hybrid applicator in locally advanced cervical cancer. <i>Gynecologic Oncology</i> , 2022 ,	4.9	
61	Vaginal 11-point and volumetric dose related to late vaginal complications in patients with cervical cancer treated with external beam radiotherapy and image-guided adaptive brachytherapy. <i>Radiotherapy and Oncology</i> , 2022 ,	5.3	o

- 60 The Prognostic Value of Tumor Size, Volume and Tumor Volume Reduction Rate During Concurrent Chemoradiotherapy in Patients With Cervical Cancer. *Frontiers in Oncology*, 12, 5-3
- 59 Review on Treatment Planning Systems for Cervix Brachytherapy (Interventional Radiotherapy): Some Desirable and Convenient Practical Aspects to Be Implemented from Radiation Oncologist and Medical Physics Perspectives. *Cancers*, 2022, 14, 3467 6.6
- 58 Change in image-guided planning strategies over time impacts oncologic and survival outcomes for intracavitary cervical cancer brachytherapy. *Brachytherapy*, 2022, 2.4
- 57 Clinical acceptability of fully automated external beam radiotherapy for cervical cancer with three different beam delivery techniques. *Medical Physics*, 4.4 1
- 56 Re-Irradiation for Recurrent Cervical Cancer: A State-of-the-Art Review. 2022, 29, 5262-5277 0
- 55 Brachytherapy outcome modeling in cervical cancer patients: A predictive machine learning study on patient-specific clinical, physical and dosimetric parameters. 2022,
- 54 Results of computer tomography-based adaptive brachytherapy in combination with whole-pelvic- and central-shielding-external beam radiotherapy for cervical cancer. 2022,
- 53 Safety and efficacy of single insertion accelerated MR-image guided brachytherapy following chemo-radiation in locally advanced cervix cancer: Modifying our EMBRACE during the COVID pandemic.
- 52 Applicators used for vaginal high dose rate brachytherapy: Effect of type and shape on dose distribution and toxicity, a literature review. 2022,
- 51 Treatment Outcomes of Computer Tomography-Guided Brachytherapy in Cervical Cancer in Hong Kong: A Retrospective Review. 2022, 14, 3934
- 50 Dose escalation by brachytherapy for gynecological cancers. 2022, 26, 905-910 0
- 49 Les essais qui changent les pratiques : le point en 2022. 2022, 26, 823-833 0
- 48 Verification of dose distribution in high dose-rate brachytherapy for cervical cancer using a normoxic N-vinylpyrrolidone polymer gel dosimeter. 0
- 47 Dose-effect relationship between dose-volume parameters of residual gross tumor volume and clinical prognosis in MRI-guided adaptive brachytherapy for locally advanced cervical cancer: a single-center retrospective study. 0
- 46 Intensity-modulated brachytherapy for vaginal cancer. 0
- 45 Endorectal contact radiation boosting: Making the case for dose AND volume reporting. 2022, 0
- 44 Knowledge domain and emerging trends in brachytherapy: A scientometric analysis. 2022, 6, 243-256 0
- 43 CT-based image-guided brachytherapy in uterine cervical cancer: Effect of tumor dose and volume on local control. 2022, 0

- 42 The influence of the used applicators on organ and target doses for cervical cancer patients treated with HDR brachytherapy. **2022**, 28, 139-149 ○
- 41 The Kelowna template for combined intracavitary and interstitial brachytherapy for gynecologic malignancies: Design, application, treatment planning, dosimetric and treatment outcomes. **2022**, ○
- 40 Image-Guided Brachytherapy. **2022**, 279-292 ○
- 39 Use of Anatomical and Functional MRI in Radiation Treatment Planning. **2022**, 55-88 ○
- 38 Image-Guided Adaptive Brachytherapy. **2022**, 179-200 ○
- 37 Salvage high intensity focused ultrasound for residual or recurrent cervical cancer after definitive chemoradiotherapy. 13, ○
- 36 Development and validation of a scatter-corrected CBCT image-guided method for cervical cancer brachytherapy. 12, ○
- 35 6. Precautions When Planning Radiotherapy for Image-guided Brachytherapy. **2022**, 78, 1217-1223 ○
- 34 Stereotactic Body Radiotherapy Boost with the CyberKnife for Locally Advanced Cervical Cancer: Dosimetric Analysis and Potential Clinical Benefits. **2022**, 14, 5166 ○
- 33 Dosimetric Study of Inter-Fraction Variation in Organ at Risk (OAR) in Intracavitary Brachytherapy (ICBT) Using Image Registrations. **2022**, 20, ○
- 32 Evaluating the accumulated dose distribution of organs at risk in combined radiotherapy for cervical carcinoma based on deformable image registration. **2022**, ○
- 31 Predictors of follow-up non-compliance after definitive radiotherapy for locally advanced cervical cancer at a community cancer center. **2022**, 44, 101091 ○
- 30 Basic principles in gynecologic radiotherapy. **2023**, 624-645.e4 ○
- 29 A Novel Approach to Utilization of Magnetic Resonance Imaging (MRI) in High-Dose-Rate (HDR) Brachytherapy. **2023**, 277-291 ○
- 28 Is it time to modify the Japanese Uterine Cervical Cancer Guidelines to recommend a higher dose for radio-resistant tumors?. ○
- 27 Clinical outcomes of conventional HDR intracavitary brachytherapy combined with complementary applicator-guided intensity modulated radiotherapy boost in patients with bulky cervical tumour. ○
- 26 Characteristics of preplan-based three-dimensional individual template-guided brachytherapy compared to freehand implantation. ○
- 25 Gynecological tumors. **2022**, 397-445 ○

- 24 Recommendations of the Spanish brachytherapy group of the Spanish Society of Radiation Oncology and the Spanish Society of Medical Physics for interstitial high-dose-rate brachytherapy for gynaecologic malignancies. ○
- 23 Patterns of Hearing Loss in Irradiated Survivors of Head and Neck Rhabdomyosarcoma. **2022**, 14, 5749 ○
- 22 Comparing dosimetry of locally advanced cervical cancer patients treated with 3 versus 4 fractions of MRI-guided brachytherapy. **2022**, ○
- 21 The role of ESTRO guidelines in achieving consistency and quality in clinical radiation oncology practice. **2022**, 109446 ○
- 20 Radiobiological and dosimetric comparison of ⁶⁰Co versus ¹⁹²Ir high-dose-rate intracavitary-interstitial brachytherapy for cervical cancer. **2022**, 17, ○
- 19 Principles and Practice of Radiation Oncology. **2022**, 99-117 ○
- 18 Cancer of the Uterine Cervix. **2022**, 205-245 ○
- 17 Commissioning and dosimetric results of an indigenously developed intra-vaginal template for interstitial plus intracavitary high dose rate image-guided brachytherapy of advanced cervix cancer. **2022**, 47, 322 ○
- 16 Risk Factors for Local Failure Following Chemoradiation and Magnetic Resonance Image-Guided Brachytherapy in Locally Advanced Cervical Cancer: Results From the EMBRACE-I Study. ○
- 15 Overall severe morbidity after chemo-radiotherapy and MRI guided adaptive brachytherapy in locally advanced cervical cancer: results from the EMBRACEII study. **2023**, ○
- 14 Phase I/II prospective clinical trial for the hybrid of intracavitary and interstitial brachytherapy for locally advanced uterine cervical cancer. 34, ○
- 13 Catheter reconstruction and dosimetric verification of MRI-only treatment planning (MRTP) for interstitial HDR brachytherapy using PETRA sequence. **2023**, 68, 035002 1
- 12 Association of persistent morbidity after radiotherapy with quality of life in locally advanced cervical cancer survivors. **2023**, 109501 ○
- 11 Multi-center dosimetric predictions to improve plan quality for brachytherapy for cervical cancer treatment. **2023**, 182, 109518 ○
- 10 Tools for large-scale data analytics of an international multi-center study in radiation oncology for cervical cancer. **2023**, 182, 109524 ○
- 9 Applying Multi-Metric Deformable Image Registration for Dose Accumulation in Combined Cervical Cancer Radiotherapy. **2023**, 13, 323 ○
- 8 Vaginal Toxicity Management in Patients with Locally Advanced Cervical Cancer following Exclusive Chemoradiation: A Nationwide Survey on Knowledge and Attitudes by the Italian Association of Radiotherapy and Clinical Oncology (AIRO) Gynecology Study Group. **2023**, 59, 385 ○
- 7 Method of Dose Delivery in Brachytherapy for Cervical Cancer. **2023**, 21, 58-65 ○

- 6 The MRI-guided two adaptive brachytherapy fractions versus one adaptive brachytherapy fraction in one application for the cervical cancer: a retrospective study. **2023**, 18,
- 5 Safety and efficacy of single insertion accelerated MR-image guided brachytherapy following chemo-radiation in locally advanced cervix cancer: modifying our EMBRACE during the COVID pandemic. **2023**, 18,
- 4 Prognosis prediction of uterine cervical cancer using changes in the histogram and texture features of apparent diffusion coefficient during definitive chemoradiotherapy. **2023**, 18, e0282710
- 3 Self-configuring nnU-Net for automatic delineation of the organs at risk and target in high-dose rate cervical brachytherapy, a low/middle-income country's experience.
- 2 PROshot: Mepitel Film, Daily Versus Twice-Daily Radiation Therapy for Small Cell Lung Cancer, POLAR, Decipher, and Patterns of Failure After Magnetic Resonance Imaging-Guided Brachytherapy for Cervical Cancer. **2023**, 13, 167-171
- 1 The Effect of Contemporary Brachytherapy Practices on Prognosis in Women with Locally Advanced Cervical Cancer. **2023**, 30, 4275-4288