

Global distribution of agricultural fires in croplands from Resolution Imaging Spectroradiometer (MODIS) data

Global Biogeochemical Cycles

20, n/a-n/a

DOI: [10.1029/2005gb002529](https://doi.org/10.1029/2005gb002529)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Arctic smoke â€œ aerosol characteristics during a record smoke event in the European Arctic and its radiative impact. Atmospheric Chemistry and Physics, 2007, 7, 3035-3053.	4.9	65
2	Arctic smoke â€œ record high air pollution levels in the European Arctic due to agricultural fires in Eastern Europe in spring 2006. Atmospheric Chemistry and Physics, 2007, 7, 511-534.	4.9	372
3	The Tension between Fire Risk and Carbon Storage: Evaluating U.S. Carbon and Fire Management Strategies through Ecosystem Models. Earth Interactions, 2007, 11, 1-33.	1.5	13
4	ASSESSING THE RISK OF IGNITION IN THE RUSSIAN FAR EAST WITHIN A MODELING FRAMEWORK OF FIRE THREAT. , 2007, 17, 791-805.		29
5	Impacts of Russian biomass burning on UK air quality. Atmospheric Environment, 2007, 41, 8075-8090.	4.1	59
6	Agricultural burning in the Southeastern United States detected by MODIS. Remote Sensing of Environment, 2007, 108, 151-162.	11.0	78
7	The collection 5 MODIS burned area product â€œ Global evaluation by comparison with the MODIS active fire product. Remote Sensing of Environment, 2008, 112, 3690-3707.	11.0	600
8	Detection rates of the MODIS active fire product in the United States. Remote Sensing of Environment, 2008, 112, 2656-2664.	11.0	161
9	Global characterization of fire activity: toward defining fire regimes from Earth observation data. Global Change Biology, 2008, 14, 1488-1502.	9.5	275
10	Monitoring Agricultural Burning in the Mississippi River Valley Region from the Moderate Resolution Imaging Spectroradiometer (MODIS). Journal of the Air and Waste Management Association, 2008, 58, 1235-1239.	1.9	12
11	Short-lived pollutants in the Arctic: their climate impact and possible mitigation strategies. Atmospheric Chemistry and Physics, 2008, 8, 1723-1735.	4.9	346
12	A Hybrid Remote Sensing Approach to Quantifying Crop Residue Burning in the United States. Applied Engineering in Agriculture, 2008, 24, 515-527.	0.7	21
13	Origin of aerosol particles in the mid-latitude and subtropical upper troposphere and lowermost stratosphere from cluster analysis of CARIBIC data. Atmospheric Chemistry and Physics, 2009, 9, 8413-8430.	4.9	15
14	Optical characteristics of biomass burning aerosols over Southeastern Europe determined from UV-Raman lidar measurements. Atmospheric Chemistry and Physics, 2009, 9, 2431-2440.	4.9	136
15	Smoke injection heights from agricultural burning in Eastern Europe as seen by CALIPSO. Atmospheric Chemistry and Physics, 2010, 10, 11567-11576.	4.9	59
16	Comparison of global inventories of CO emissions from biomass burning derived from remotely sensed data. Atmospheric Chemistry and Physics, 2010, 10, 12173-12189.	4.9	39
17	Seasonality of vegetation fires as modified by human action: observing the deviation from ecoâ€œclimatic fire regimes. Global Ecology and Biogeography, 2010, 19, 575-588.	5.8	126
18	New Insights on the Chemical Composition of the Siberian Air Shed From The Yak-Aerosib Aircraft Campaigns. Bulletin of the American Meteorological Society, 2010, 91, 625-642.	3.3	32

#	ARTICLE	IF	CITATIONS
19	Global fire emissions and the contribution of deforestation, savanna, forest, agricultural, and peat fires (1997–2009). <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 11707-11735.	4.9	2,326
20	Estimation of Biomass Burned Areas Using Multiple-Satellite-Observed Active Fires. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011, 49, 4469-4482.	6.3	31
21	Fields and Forests in Flames: Vegetation Smoke and Human Health. <i>Environmental Health Perspectives</i> , 2011, 119, a386-93.	6.0	23
22	Biomass burning contribution to black carbon in the Western United States Mountain Ranges. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 11253-11266.	4.9	32
23	An important fingerprint of wildfires on the European aerosol load. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 10487-10501.	4.9	65
24	The human dimension of fire regimes on Earth. <i>Journal of Biogeography</i> , 2011, 38, 2223-2236.	3.0	845
25	MODIS derived fire characteristics and aerosol optical depth variations during the agricultural residue burning season, north India. <i>Environmental Pollution</i> , 2011, 159, 1560-1569.	7.5	163
26	Spatial and temporal heterogeneity of agricultural fires in the central United States in relation to land cover and land use. <i>Landscape Ecology</i> , 2011, 26, 211-224.	4.2	19
27	Remote Sensing-Based Estimates of Annual and Seasonal Emissions from Crop Residue Burning in the Contiguous United States. <i>Journal of the Air and Waste Management Association</i> , 2011, 61, 22-34.	1.9	47
28	Wildfires as a Source of Aerosol Particles Transported to the Northern European Regions. <i>Handbook of Environmental Chemistry</i> , 2012, , 101-121.	0.4	0
29	Combining Satellite-Based Fire Observations and Ground-Based Lightning Detections to Identify Lightning Fires Across the Conterminous USA. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2012, 5, 1438-1447.	4.9	8
30	Evaluating greenhouse gas emissions inventories for agricultural burning using satellite observations of active fires. <i>Ecological Applications</i> , 2012, 22, 1345-1364.	3.8	39
31	A process-based fire parameterization of intermediate complexity in a Dynamic Global Vegetation Model. <i>Biogeosciences</i> , 2012, 9, 2761-2780.	3.3	156
32	Separating agricultural and non-agricultural fire seasonality at regional scales. <i>Biogeosciences</i> , 2012, 9, 3003-3012.	3.3	57
33	Regional fire monitoring and characterization using global NASA MODIS fire products in dry lands of Central Asia. <i>Frontiers of Earth Science</i> , 2012, 6, 196-205.	2.1	28
34	Overview of sun photometer measurements of aerosol properties in Scandinavia and Svalbard. <i>Atmospheric Environment</i> , 2012, 52, 18-28.	4.1	42
35	A high-resolution emission inventory of crop burning in fields in China based on MODIS Thermal Anomalies/Fire products. <i>Atmospheric Environment</i> , 2012, 50, 9-15.	4.1	196
36	Pyrogeography and the Global Quest for Sustainable Fire Management. <i>Annual Review of Environment and Resources</i> , 2013, 38, 57-80.	13.4	95

#	ARTICLE	IF	CITATIONS
37	Tropospheric ozone over Siberia in spring 2010: remote influences and stratospheric intrusion. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2013, 65, 19688.	1.6	12
38	Exceptionally active agricultural fire season in mid-eastern China in June 2012 and its impact on the atmospheric environment. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 9889-9900.	3.3	31
39	Variability of aerosol properties over Eastern Europe observed from ground and satellites in the period from 2003 to 2011. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 6587-6602.	4.9	40
40	Quantifying the role of fire in the Earth system – Part 1: Improved global fire modeling in the Community Earth System Model (CESM1). <i>Biogeosciences</i> , 2013, 10, 2293-2314.	3.3	137
41	Potential influence of climate-induced vegetation shifts on future land use and associated land carbon fluxes in Northern Eurasia. <i>Environmental Research Letters</i> , 2014, 9, 035004.	5.2	43
42	Long-term particle measurements in Finnish Arctic: Part I – Chemical composition and trace metal solubility. <i>Atmospheric Environment</i> , 2014, 88, 275-284.	4.1	18
43	Characterizing the spatio-temporal fire regime in Ethiopia using the MODIS-active fire product: a replicable methodology for country-level fire reporting. <i>African Geographical Review</i> , 2014, 33, 99-123.	1.0	10
44	Forty-seven years of weekly atmospheric black carbon measurements in the Finnish Arctic: Decrease in black carbon with declining emissions. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 7667-7683.	3.3	34
45	Estimation and characterization of gaseous pollutant emissions from agricultural crop residue combustion in industrial and household sectors of Pakistan. <i>Atmospheric Environment</i> , 2014, 84, 189-197.	4.1	73
46	Long-term particle measurements in Finnish Arctic: Part II – Trend analysis and source location identification. <i>Atmospheric Environment</i> , 2014, 88, 285-296.	4.1	8
47	Top-down estimates of biomass burning emissions of black carbon in the Western United States. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 7195-7211.	4.9	16
48	Changes in atmospheric aerosol loading retrieved from space-based measurements during the past decade. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 6881-6902.	4.9	72
49	Management and climate contributions to satellite-derived active fire trends in the contiguous United States. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 645-660.	3.0	13
50	Pollution and its Impacts on the South American Cryosphere. <i>Earth's Future</i> , 2015, 3, 345-369.	6.3	42
51	TES observations of the interannual variability of PAN over Northern Eurasia and the relationship to springtime fires. <i>Geophysical Research Letters</i> , 2015, 42, 7230-7237.	4.0	15
52	Worldwide spatiotemporal atmospheric ammonia (NH ₃) columns variability revealed by satellite. <i>Geophysical Research Letters</i> , 2015, 42, 8660-8668.	4.0	66
53	Estimates of black carbon emissions in the western United States using the GEOS-Chem adjoint model. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 7685-7702.	4.9	12
54	Tropospheric NO ₂ Trends over South Asia during the Last Decade (2004–2014) Using OMI Data. <i>Advances in Meteorology</i> , 2015, 2015, 1-18.	1.6	31

#	ARTICLE	IF	CITATIONS
55	Quantifying regional, time-varying effects of cropland and pasture on vegetation fire. <i>Biogeosciences</i> , 2015, 12, 6591-6604.	3.3	28
56	New field-based agricultural biomass burning trace gas, PM 2.5 , and black carbon emission ratios and factors measured in situ at crop residue fires in Eastern China. <i>Atmospheric Environment</i> , 2015, 121, 22-34.	4.1	77
57	Linking the Molecular Signature of Heteroatomic Dissolved Organic Matter to Watershed Characteristics in World Rivers. <i>Environmental Science & Technology</i> , 2015, 49, 13798-13806.	10.0	166
58	Atmospheric conditions associated with extreme fire activity in the Western Mediterranean region. <i>Science of the Total Environment</i> , 2015, 524-525, 32-39.	8.0	64
59	Carbon monoxide (CO) emissions and its tropospheric variability over Pakistan using satellite-sensed data. <i>Advances in Space Research</i> , 2015, 56, 583-595.	2.6	32
60	Satellite remote sensing of total ozone column (TOC) over Pakistan and neighbouring regions. <i>International Journal of Remote Sensing</i> , 2015, 36, 1038-1054.	2.9	23
61	Spatial distribution of pollutant emissions from crop residue burning in the Punjab and Sindh provinces of Pakistan: uncertainties and challenges. <i>Environmental Science and Pollution Research</i> , 2015, 22, 16475-16491.	5.3	30
62	Fire Disturbance in Tropical Forests of Myanmar – Analysis Using MODIS Satellite Datasets. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 2273-2281.	4.9	36
63	Identification of surface NO _x emission sources on a regional scale using OMI NO ₂ . <i>Atmospheric Environment</i> , 2015, 101, 82-93.	4.1	25
64	Dynamic Monitoring of Agricultural Fires in China from 2010 to 2014 Using MODIS and GlobLand30 Data. <i>ISPRS International Journal of Geo-Information</i> , 2016, 5, 172.	2.9	19
65	Contributions of open crop straw burning emissions to PM _{2.5} concentrations in China. <i>Environmental Research Letters</i> , 2016, 11, 014014.	5.2	138
66	Substantial Underestimation of Post-Harvest Burning Emissions in the North China Plain Revealed by Multi-Species Space Observations. <i>Scientific Reports</i> , 2016, 6, 32307.	3.3	49
67	Estimating emissions from crop residue open burning in China based on statistics and MODIS fire products. <i>Journal of Environmental Sciences</i> , 2016, 44, 158-170.	6.1	68
68	Global combustion: the connection between fossil fuel and biomass burning emissions (1997–2010). <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150177.	4.0	12
69	Hotspot Pattern Distribution in Peat Land Area in Sumatera Based on Spatio Temporal Clustering. <i>Procedia Environmental Sciences</i> , 2016, 33, 635-645.	1.4	21
70	Sulphur dioxide loadings over megacity Lahore (Pakistan) and adjoining region of Indo-Gangetic Basin. <i>International Journal of Remote Sensing</i> , 2016, 37, 3021-3041.	2.9	12
71	A MODIS-based burned area assessment for Russian croplands: Mapping requirements and challenges. <i>Remote Sensing of Environment</i> , 2016, 184, 506-521.	11.0	95
72	Quantifying the human influence on fire ignition across the western USA. <i>Ecological Applications</i> , 2016, 26, 2390-2401.	3.8	60

#	ARTICLE	IF	CITATIONS
73	Pan-Eurasian Experiment (PEEX): towards a holistic understanding of the feedbacks and interactions in the land-atmosphere-ocean-society continuum in the northern Eurasian region. Atmospheric Chemistry and Physics, 2016, 16, 14421-14461.	4.9	57
74	Ground-based remote sensing of aerosol climatology in China: Aerosol optical properties, direct radiative effect and its parameterization. Atmospheric Environment, 2016, 124, 243-251.	4.1	104
75	Bimodal fire regimes unveil a global-scale anthropogenic fingerprint. Global Ecology and Biogeography, 2017, 26, 799-811.	5.8	37
76	Issues and Possible Improvements in Winter Fires Detection by Satellite Radiances Analysis: Lesson Learned in Two Regions of Northern Italy. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2017, 10, 3297-3313.	4.9	10
77	A review of and perspectives on global change modeling for Northern Eurasia. Environmental Research Letters, 2017, 12, 083001.	5.2	17
78	Modelling the drivers of natural fire activity: the bias created by cropland fires. International Journal of Wildland Fire, 2017, 26, 845.	2.4	6
79	Linking fire ignitions hotspots and fuel phenology: The importance of being seasonal. Ecological Indicators, 2017, 82, 433-440.	6.3	23
80	A misfit in policy to protect Russia's black soil region. An institutional analytical lens applied to the ban on burning of crop residues. Land Use Policy, 2017, 67, 517-526.	5.6	19
81	Quantifying the Impact of Biomass Burning Emissions on Major Inorganic Aerosols and Their Precursors in the U.S.. Journal of Geophysical Research D: Atmospheres, 2017, 122, 12,020.	3.3	31
82	Spatiotemporal assessment of CO ₂ emissions and its satellite remote sensing over Pakistan and neighboring regions. Journal of Atmospheric and Solar-Terrestrial Physics, 2017, 152-153, 11-19.	1.6	12
83	Mortality due to Vegetation Fire-Originated PM _{2.5} Exposure in Europe-Assessment for the Years 2005 and 2008. Environmental Health Perspectives, 2017, 125, 30-37.	6.0	52
84	A data-driven approach to identify controls on global fire activity from satellite and climate observations (SOFIA V1). Geoscientific Model Development, 2017, 10, 4443-4476.	3.6	51
85	Improved rice residue burning emissions estimates: Accounting for practice-specific emission factors in air pollution assessments of Vietnam. Environmental Pollution, 2018, 236, 795-806.	7.5	82
86	Accuracy assessment of MODIS active fire products in southern African savannah woodlands. African Journal of Ecology, 2018, 56, 563-571.	0.9	4
87	Spatio-temporal distribution of burned areas by ecoregions in Mexico and Central America. International Journal of Remote Sensing, 2018, 39, 949-970.	2.9	15
88	Investigation of short-term effective radiative forcing of fire aerosols over North America using nudged hindcast ensembles. Atmospheric Chemistry and Physics, 2018, 18, 31-47.	4.9	13
89	The sedimentary and remote-sensing reflection of biomass burning in Europe. Global Ecology and Biogeography, 2018, 27, 199-212.	5.8	73
90	Variations in FINN Emissions of Particulate Matters and Associated Carbonaceous Aerosols from Remote Sensing of Open Biomass Burning over Northeast China during 2002-2016. Sustainability, 2018, 10, 3353.	3.2	9

#	ARTICLE	IF	CITATIONS
91	Climate change and its impact on Forest Fire in the state of Himachal Pradesh and Uttarakhand states of India: Remote Sensing and GIS Analysis. <i>Contemporary Trends in Geoscience</i> , 2018, 7, 229-246.	0.5	13
92	Land Use Controls on the Spatial Variability of Dissolved Black Carbon in a Subtropical Watershed. <i>Environmental Science & Technology</i> , 2018, 52, 8104-8114.	10.0	39
93	A New Picture of Fire Extent, Variability, and Drought Interaction in Prescribed Fire Landscapes: Insights From Florida Government Records. <i>Geophysical Research Letters</i> , 2018, 45, 7874-7884.	4.0	49
94	Global patterns of interannual climate–fire relationships. <i>Global Change Biology</i> , 2018, 24, 5164-5175.	9.5	191
95	Reducing Uncertainties in Applying Remotely Sensed Land Use and Land Cover Maps in Land-Atmosphere Interaction: Identifying Change in Space and Time. <i>Remote Sensing</i> , 2018, 10, 506.	4.0	14
96	Quantifying the variability of potential black carbon transport from cropland burning in Russia driven by atmospheric blocking events. <i>Environmental Research Letters</i> , 2018, 13, 055010.	5.2	10
97	A MODIS-based spatiotemporal assessment of agricultural residue burning in Madhya Pradesh, India. <i>Ecological Indicators</i> , 2019, 105, 496-504.	6.3	16
98	A circular nonhomogeneous hidden Markov field for the spatial segmentation of wildfire occurrences. <i>Environmetrics</i> , 2019, 30, e2501.	1.4	5
99	Thermal decomposition study and pyrolysis kinetics of coal and agricultural residues under non-isothermal conditions. <i>Fuel</i> , 2019, 235, 504-514.	6.4	71
100	Historical (1700–2012) global multi-model estimates of the fire emissions from the Fire Modeling Intercomparison Project (FireMIP). <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 12545-12567.	4.9	64
101	Source apportionment of PM _{2.5} measured in South Texas near U.S.A. – Mexico border. <i>Atmospheric Pollution Research</i> , 2019, 10, 1663-1676.	3.8	16
102	The EMEP Intensive Measurement Period campaign, 2008–2009: characterizing carbonaceous aerosol at nine rural sites in Europe. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 4211-4233.	4.9	20
103	Impact of wildfires on particulate matter in the Euro-Mediterranean in 2007: sensitivity to some parameterizations of emissions in air quality models. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 785-812.	4.9	23
104	Emergent relationships with respect to burned area in global satellite observations and fire-enabled vegetation models. <i>Biogeosciences</i> , 2019, 16, 57-76.	3.3	85
105	Land-Cover Dependent Relationships between Fire and Soil Moisture. <i>Fire</i> , 2019, 2, 55.	2.8	7
106	Response of simulated burned area to historical changes in environmental and anthropogenic factors: a comparison of seven fire models. <i>Biogeosciences</i> , 2019, 16, 3883-3910.	3.3	32
107	Global validation of the collection 6 MODIS burned area product. <i>Remote Sensing of Environment</i> , 2019, 235, 111490.	11.0	125
108	Development of a Sentinel-2 burned area algorithm: Generation of a small fire database for sub-Saharan Africa. <i>Remote Sensing of Environment</i> , 2019, 222, 1-17.	11.0	251

#	ARTICLE	IF	CITATIONS
109	Agricultural Fires and Health at Birth. <i>Review of Economics and Statistics</i> , 2019, 101, 616-630.	4.3	68
110	Climate seasonality as an essential predictor of global fire activity. <i>Global Ecology and Biogeography</i> , 2019, 28, 198-210.	5.8	14
111	Bottom-up emission inventories of multiple air pollutants from open straw burning: A case study of Jiangsu province, Eastern China. <i>Atmospheric Pollution Research</i> , 2019, 10, 501-507.	3.8	14
112	Fire risk assessment along the climate, vegetation type variability over the part of Asian region: a geospatial approach. <i>Modeling Earth Systems and Environment</i> , 2019, 5, 41-57.	3.4	5
113	MODIS based forest fire hotspot analysis and its relationship with climatic variables. <i>Spatial Information Research</i> , 2020, 28, 87-99.	2.2	33
114	Post-Soviet Land-Use Change Affected Fire Regimes on the Eurasian Steppes. <i>Ecosystems</i> , 2020, 23, 943-956.	3.4	26
115	Characterizing Vegetation Fire dynamics in Myanmar and South Asian Countries. <i>Journal of the Indian Society of Remote Sensing</i> , 2020, 48, 1829-1843.	2.4	7
117	Crop Loss Evaluation Using Digital Surface Models from Unmanned Aerial Vehicles Data. <i>Remote Sensing</i> , 2020, 12, 981.	4.0	14
118	Chemical characterization of fine particles (PM2.5) at a coastal site in the South Western Mediterranean during the ChArMex experiment. <i>Environmental Science and Pollution Research</i> , 2020, 27, 20427-20445.	5.3	13
119	Improvement of physico-chemical properties and microbiome in different salinity soils by incorporating Jerusalem artichoke residues. <i>Applied Soil Ecology</i> , 2021, 158, 103791.	4.3	18
120	Strong impacts of smoke polluted air demonstrated on the flight behaviour of the painted lady butterfly (<i>Vanessa cardui</i> L.). <i>Ecological Entomology</i> , 2021, 46, 195-208.	2.2	8
121	Photochemical environment over Southeast Asia primed for hazardous ozone levels with influx of nitrogen oxides from seasonal biomass burning. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 1917-1935.	4.9	16
122	Global search for temporal shifts in fire activity: potential human influence on southwest Russia and north Australia fire seasons. <i>Environmental Research Letters</i> , 2021, 16, 044023.	5.2	12
123	Historical and future global burned area with changing climate and human demography. <i>One Earth</i> , 2021, 4, 517-530.	6.8	43
124	How Will Deforestation and Vegetation Degradation Affect Global Fire Activity?. <i>Earth's Future</i> , 2021, 9, e2020EF001786.	6.3	8
125	ADABBOY: African Dust And Biomass Burning Over Yucatan. <i>Bulletin of the American Meteorological Society</i> , 2021, 102, E1543-E1556.	3.3	7
126	From flames to inflammation: how wildfires affect patterns of wildlife disease. <i>Fire Ecology</i> , 2021, 17, .	3.0	18
127	Interannual variability and climatic sensitivity of global wildfire activity. <i>Advances in Climate Change Research</i> , 2021, 12, 686-695.	5.1	9

#	ARTICLE	IF	CITATIONS
128	Assessment of the effects of straw burning bans in China: Emissions, air quality, and health impacts. <i>Science of the Total Environment</i> , 2021, 789, 147935.	8.0	63
129	Validation of MCD64A1 and FireCCI51 cropland burned area mapping in Ukraine. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 102, 102443.	2.8	12
130	Climate change over the Arctic: impacts and assessment. , 2021, , 1-14.		3
131	MODIS-Derived Global Fire Products. <i>Remote Sensing and Digital Image Processing</i> , 2010, , 661-679.	0.7	41
132	Estimating Black Carbon Emissions from Agricultural Burning. <i>Environmental Science and Engineering</i> , 2014, , 347-364.	0.2	8
133	The NASA NEESPI Data Portal to Support Studies of Climate and Environmental Changes in Non-boreal Europe. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2009, , 9-16.	0.2	1
134	Interactions of Arctic Aerosols with Land-Cover and Land-Use Changes in Northern Eurasia and their Role in the Arctic Climate System. , 2010, , 237-268.		7
135	Smoke emissions from agricultural fires in Mexico and Central America. <i>Journal of Applied Remote Sensing</i> , 2019, 13, 1.	1.3	11
136	Fire seasonality identification with multimodality tests. <i>Annals of Applied Statistics</i> , 2019, 13, .	1.1	5
137	Spatial analysis of Fire Characterization along with various gradients of Season, Administrative units, Vegetation, Socio economy, Topography and Future climate change: A case study of Orissa state of India. <i>Ecological Questions</i> , 2018, 29, 1.	0.3	2
138	Analysis of forest fire and climate variability using Geospatial Technology for the State of Telangana, India. <i>Environmental and Socio-Economic Studies</i> , 2019, 7, 24-37.	0.8	2
139	A global overview of cranes: status, threats and conservation priorities. <i>Chinese Birds: the International Journal of Ornithology</i> , 2013, 4, 189-209.	0.6	83
152	Satellite remote sensing of active fires: History and current status, applications and future requirements. <i>Remote Sensing of Environment</i> , 2021, 267, 112694.	11.0	92
156	Tendencia de la cobertura vegetal afectada por incendios en el Parque Nacional Torres del Paine. <i>Revista De Teledeteccion</i> , 2017, , 71.	0.6	0
157	Study on the Optimum Degradation Process of Corn Stalk. , 2018, , .		0
158	Study on the Driving Factors of Straw Burningâ€”Taking Nanzhang County of Hubei Province as the Research Object. <i>Advances in Environmental Protection</i> , 2018, 08, 219-232.	0.1	0
159	The Role of Institutional Policy Congruity for Sustainable Land Use in the Kulunda Steppe. <i>Innovations in Landscape Research</i> , 2020, , 275-287.	0.4	0
160	Agricultural activities and threat to fauna in Brazil: an analysis of the Red Book of Endangered Brazilian Fauna. <i>Papeis Avulsos De Zoologia</i> , 0, 61, e20216193.	0.4	2

#	ARTICLE	IF	CITATIONS
161	Changes in biomass burning, wetland extent, or agriculture drive atmospheric NH ₃ trends in select African regions. Atmospheric Chemistry and Physics, 2021, 21, 16277-16291.	4.9	3
162	Unintended Consequences of Indian Groundwater Preservation Law on Crop Residue Burning. SSRN Electronic Journal, 0, , .	0.4	0
163	Monodominant natural vegetation provides models for nature-based cereal production. Outlook on Agriculture, 2022, 51, 11-21.	3.4	3
164	Semantic Segmentation and Analysis on Sensitive Parameters of Forest Fire Smoke Using Smoke-Unet and Landsat-8 Imagery. Remote Sensing, 2022, 14, 45.	4.0	34
165	Warming weakens the night-time barrier to global fire. Nature, 2022, 602, 442-448.	27.8	66
166	Estimating Long-Term Average Carbon Emissions from Fires in Non-Forest Ecosystems in the Temperate Belt. Remote Sensing, 2022, 14, 1197.	4.0	2
167	Unintended consequences of Indian groundwater preservation law on crop residue burning. Economics Letters, 2022, 214, 110446.	1.9	0
168	Respiratory and allergic health effects in children living near agriculture: A review. Science of the Total Environment, 2022, 832, 155009.	8.0	3
169	Burned Area Classification Based on Extreme Learning Machine and Sentinel-2 Images. Applied Sciences (Switzerland), 2022, 12, 9.	2.5	5
170	Mapping Cropland Burned Area in Northeastern China by Integrating Landsat Time Series and Multi-Harmonic Model. Remote Sensing, 2021, 13, 5131.	4.0	5
171	Global and Regional Trends and Drivers of Fire Under Climate Change. Reviews of Geophysics, 2022, 60, .	23.0	182
174	Climatological Aspects of Active Fires in Northeastern China and Their Relationship to Land Cover. Remote Sensing, 2022, 14, 2316.	4.0	4
175	Human Fire Use and Management: A Global Database of Anthropogenic Fire Impacts for Modelling. Fire, 2022, 5, 87.	2.8	3
176	Performance evaluation of activated carbon sorbents for indoor air purification during normal and wildfire events. Chemosphere, 2022, 304, 135314.	8.2	7
178	Monitoring trends in global vegetation fire hot spots using MODIS data. Spatial Information Research, 0, , .	2.2	4
179	Arctic spring and summertime aerosol optical depth baseline from long-term observations and model reanalyses – Part 2: Statistics of extreme AOD events, and implications for the impact of regional biomass burning processes. Atmospheric Chemistry and Physics, 2022, 22, 9949-9967.	4.9	11
180	Arctic spring and summertime aerosol optical depth baseline from long-term observations and model reanalyses – Part 1: Climatology and trend. Atmospheric Chemistry and Physics, 2022, 22, 9915-9947.	4.9	16
181	Assessment and characterization of sources of error impacting the accuracy of global burned area products. Remote Sensing of Environment, 2022, 280, 113214.	11.0	8

#	ARTICLE	IF	CITATIONS
182	Long term (2005â€“2016) study of formaldehyde (HCHO) columns from satellite data in two regions in the south of Mexico. Evidence of the impact of agricultural activity. Remote Sensing Applications: Society and Environment, 2023, 29, 100894.	1.5	0
183	MODIS-Derived Fire Characteristics and Greenhouse Gas Emissions from Cropland Residue Burning in Central India. Sustainability, 2022, 14, 16612.	3.2	0
184	Evaluation MODIS and Sentinel-2 Data for Detecting Crop Residue Burned Area. Springer Geography, 2023, , 143-158.	0.4	0
185	Aerosol variability and glacial chemistry over the western Himalayas. Environmental Chemistry, 2022, 19, 312-327.	1.5	3
186	Norms and Values in Ecosystem Restoration. , 2023, , 507-525.		1
187	Is global burned area declining due to cropland expansion? How much do we know based on remotely sensed data?. International Journal of Remote Sensing, 2023, 44, 1132-1150.	2.9	3
188	Impact of different sources of precursors on an ozone pollution outbreak over Europe analysed with IASI+GOME2 multispectral satellite observations and model simulations. Atmospheric Chemistry and Physics, 2023, 23, 7399-7423.	4.9	1
189	Global scale coupling of pyromes and fire regimes. Communications Earth & Environment, 2023, 4, .	6.8	1
190	A new look at agricultural fires and health: A replication of Rangel and Vogl (2019). Applied Economic Perspectives and Policy, 0, , .	5.6	1
191	Agricultural burning in Imperial Valley, California and respiratory symptoms in children: A cross-sectional, repeated measures analysis. Science of the Total Environment, 2023, 901, 165854.	8.0	0
192	Agricultural expansion dominates rapid increases in cropland fires in Asia. Environment International, 2023, 179, 108189.	10.0	1
193	Measuring flammability of crops, pastures, fruit trees, and weeds: A novel tool to fight wildfires in agricultural landscapes. Science of the Total Environment, 2024, 906, 167489.	8.0	0
195	Comprehensive Evaluation of Spatial Distribution and Temporal Trend of NO ₂ , SO ₂ and AOD Using Satellite Observations over South and East Asia from 2011 to 2021. Remote Sensing, 2023, 15, 5069.	4.0	1
196	Soil erosion on arable land: An unresolved global environmental threat. Progress in Physical Geography, 2024, 48, 136-161.	3.2	0
197	Accounting for forest fire risks: global insights for climate change mitigation. Mitigation and Adaptation Strategies for Global Change, 2023, 28, .	2.1	0
198	Crop Residue burning from high-resolution satellite imagery and PM _{2.5} dispersion: A case study of Mississippi County, Arkansas, USA. Sustainable Environment, 2023, 9, .	2.4	0
199	Integration of a Deepâ€“Learningâ€“Based Fire Model Into a Global Land Surface Model. Journal of Advances in Modeling Earth Systems, 2024, 16, .	3.8	0
200	Forest fire estimation and risk prediction using multispectral satellite images: Case study. Natural Hazards Research, 2024, , .	3.8	0

#	ARTICLE	IF	CITATIONS
201	Food shortage driven crop residue burning and health risk. Journal of Cleaner Production, 2024, 448, 141645.	9.3	0