

Measuring two-dimensional movements using a single

Geophysical Research Letters

33,

DOI: [10.1029/2006gl026883](https://doi.org/10.1029/2006gl026883)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Interferometric Synthetic Aperture Radar Geodesy. , 2007, , 391-446.		64
2	Two-dimensional Co-Seismic Surface Displacements Field of the Chi-Chi Earthquake Inferred from SAR Image Matching. Sensors, 2008, 8, 6484-6495.	2.1	20
3	Space geodetic investigation of the coseismic and postseismic deformation due to the 2003 M_w 7.2 Altai earthquake: Implications for the local lithospheric rheology. Journal of Geophysical Research, 2008, 113, .	3.3	81
4	ERS-ENVISAT Tandem cross " interferometry coherence estimation. , 2009, , .		3
5	Applications of SAR Interferometry in Earth and Environmental Science Research. Sensors, 2009, 9, 1876-1912.	2.1	136
6	InSAR observations of 2007 Tanzania rifting episode reveal mixed fault and dyke extension in an immature continental rift. Geophysical Journal International, 2009, 179, 549-558.	1.0	93
7	An Improvement of the Performance of Multiple-Aperture SAR Interferometry (MAI). IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 2859-2869.	2.7	131
8	Form and growth of an embryonic continental rift: InSAR observations and modelling of the 2009 western Arabia rifting episode. Geophysical Journal International, 2010, , no-no.	1.0	25
9	Ground surface deformation patterns, magma supply, and magma storage at Okmok volcano, Alaska, from InSAR analysis: 2. Coeruptive deflation, July"August 2008. Journal of Geophysical Research, 2010, 115, .	3.3	63
10	New Advances of the Extended Minimum Cost Flow Phase Unwrapping Algorithm for SBAS-DInSAR Analysis at Full Spatial Resolution. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 4062-4079.	2.7	40
11	Mapping Three-Dimensional Surface Deformation by Combining Multiple-Aperture Interferometry and Conventional Interferometry: Application to the June 2007 Eruption of Kilauea Volcano, Hawaii. IEEE Geoscience and Remote Sensing Letters, 2011, 8, 34-38.	1.4	143
12	Coherent Shift Estimation for Stacks of SAR Images. IEEE Geoscience and Remote Sensing Letters, 2011, 8, 1095-1099.	1.4	16
13	NL-InSAR: Nonlocal Interferogram Estimation. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 1441-1452.	2.7	224
14	Deformation Time-Series Generation in Areas Characterized by Large Displacement Dynamics: The SAR Amplitude Pixel-Offset SBAS Technique. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 2752-2763.	2.7	148
15	lonospheric path delay estimation using split-beam interferometry. , 2012, , .		5
16	Perspectives of Sentinel - 1 for InSAR applications. , 2012, , .		3
17	Shortcomings of InSAR for studying megathrust earthquakes: The case of the M_w 9.0 Tohoku"Oki earthquake. Geophysical Research Letters, 2012, 39, .	1.5	22
18	Tensile rock mass strength estimated using InSAR. Geophysical Research Letters, 2012, 39, .	1.5	36

#	ARTICLE	IF	CITATIONS
19	Mapping ice-shelf flow with interferometric synthetic aperture radar stacking. <i>Journal of Glaciology</i> , 2012, 58, 265-277.	1.1	19
20	Correcting ionospheric effects and monitoring two-dimensional displacement fields with multiple-aperture InSAR technology with application to the Yushu earthquake. <i>Science China Earth Sciences</i> , 2012, 55, 1961-1971.	2.3	26
21	3D coseismic Displacement of 2010 Darfield, New Zealand earthquake estimated from multi-aperture InSAR and D-InSAR measurements. <i>Journal of Geodesy</i> , 2012, 86, 1029-1041.	1.6	95
22	Submillimeter Accuracy of Multipass Corner Reflector Monitoring by PS Technique. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2013, 51, 1775-1783.	2.7	19
23	Progress and development on multi-parameters remote sensing application in earthquake monitoring in China. <i>Earthquake Science</i> , 2013, 26, 427-437.	0.4	12
24	Using advanced InSAR time series techniques to monitor landslide movements in Badong of the Three Gorges region, China. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2013, 21, 253-264.	1.4	105
25	Very-High-Resolution Airborne Synthetic Aperture Radar Imaging: Signal Processing and Applications. <i>Proceedings of the IEEE</i> , 2013, 101, 759-783.	16.4	222
26	Ionospheric Correction of SAR Interferograms by Multiple-Aperture Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2013, 51, 3191-3199.	2.7	76
27	Kalman-Filter-Based Approach for Multisensor, Multitrack, and Multitemporal InSAR. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2013, 51, 4226-4239.	2.7	53
28	Feasibility of Along-Track Displacement Measurement From Sentinel-1 Interferometric Wide-Swath Mode. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2013, 51, 573-578.	2.7	50
29	Glacier velocity measurements in the eastern Yigong Zangbo basin, Tibet, China. <i>Journal of Glaciology</i> , 2013, 59, 1060-1068.	1.1	17
30	Surface displacement estimation using multi-temporal SAR Interferometry in a seismically active region of the Himalaya. <i>Georisk</i> , 2013, 7, 184-197.	2.6	4
31	The 2011 MW 6.8 Burma earthquake: fault constraints provided by multiple SAR techniques. <i>Geophysical Journal International</i> , 2013, 195, 650-660.	1.0	71
32	Recent Trend and Advance of Synthetic Aperture Radar with Selected Topics. <i>Remote Sensing</i> , 2013, 5, 716-807.	1.8	213
33	Theoretical Accuracy of Along-Track Displacement Measurements from Multiple-Aperture Interferometry (MAI). <i>Sensors</i> , 2014, 14, 17703-17724.	2.1	32
34	Deformation of the western Indian Plate boundary: insights from differential and multi-aperture InSAR data inversion for the 2008 Baluchistan (Western Pakistan) seismic sequence. <i>Geophysical Journal International</i> , 2014, 198, 25-39.	1.0	11
35	Measurement of three-dimensional surface deformation of the March 2011 Kamoamoao fissure eruption, Kilauea Volcano, Hawai'i. , 2014, , .		1
36	Resolving three-dimensional surface displacements from InSAR measurements: A review. <i>Earth-Science Reviews</i> , 2014, 133, 1-17.	4.0	361

#	ARTICLE	IF	CITATIONS
37	Digital elevation model (DEM) generation using the SAR interferometry technique. <i>Arabian Journal of Geosciences</i> , 2014, 7, 827-837.	0.6	16
38	Surface displacement estimation using space-borne SAR interferometry in a small portion along Himalayan Frontal Fault. <i>Optics and Lasers in Engineering</i> , 2014, 53, 164-178.	2.0	8
39	Volcanology: Lessons learned from Synthetic Aperture Radar imagery. <i>Journal of Volcanology and Geothermal Research</i> , 2014, 289, 81-113.	0.8	116
40	The 2013 Lunigiana (Central Italy) earthquake: Seismic source analysis from DInSAR and seismological data, and geodynamical implications for the northern Apennines. <i>Tectonophysics</i> , 2014, 636, 315-324.	0.9	8
41	Joint Correction of Ionosphere Noise and Orbital Error in L-Band SAR Interferometry of Interseismic Deformation in Southern California. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2014, 52, 3421-3427.	2.7	49
42	Measuring Coseismic Displacements With Point-Like Targets Offset Tracking. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 283-287.	1.4	40
43	3D coseismic deformations and source parameters of the 2010 Yushu earthquake (China) inferred from DInSAR and multiple-aperture InSAR measurements. <i>Remote Sensing of Environment</i> , 2014, 152, 174-189.	4.6	38
44	The 2010 slow slip event and secular motion at Kālae, Hawaii, inferred from TerraSAR-X InSAR data. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 6667-6683.	1.4	9
45	Mapping and monitoring geological hazards using optical, LiDAR, and synthetic aperture RADAR image data. <i>Natural Hazards</i> , 2014, 73, 137-163.	1.6	50
46	Retrieving three-dimensional coseismic displacements of the 2008 Gaize, Tibet earthquake from multi-path interferometric phase analysis. <i>Natural Hazards</i> , 2014, 73, 1311-1322.	1.6	12
47	Error Propagation Analysis in Three-Dimensional Coseismic Displacement Inversion. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 1971-1975.	1.4	7
48	Patterns and mechanisms of coseismic and postseismic slips of the 2011 M W 7.1 Van (Turkey) earthquake revealed by multi-platform synthetic aperture radar interferometry. <i>Tectonophysics</i> , 2014, 632, 188-198.	0.9	32
49	Evaluating sub-pixel offset techniques as an alternative to D-InSAR for monitoring episodic landslide movements in vegetated terrain. <i>Remote Sensing of Environment</i> , 2014, 147, 133-144.	4.6	134
50	Glacier Thickness Change Mapping Using InSAR Methodology. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 44-48.	1.4	11
51	Multiple glacier surges observed with airborne and spaceborne interferometric synthetic aperture radar. , 2015, , .		2
52	Tandem-L performance analysis for three dimensional earth deformation monitoring. , 2015, , .		2
53	Coseismic displacements from SAR image offsets between different satellite sensors: Application to the 2001 Bhuj (India) earthquake. <i>Geophysical Research Letters</i> , 2015, 42, 7022-7030.	1.5	14
54	Mapping Two-Dimensional Deformation Field Time-Series of Large Slope by Coupling DInSAR-SBAS with MAI-SBAS. <i>Remote Sensing</i> , 2015, 7, 12440-12458.	1.8	37

#	ARTICLE	IF	CITATIONS
55	Detecting the Source Location of Recent Summit Inflation via Three-Dimensional InSAR Observation of K�lauea Volcano. <i>Remote Sensing</i> , 2015, 7, 14386-14402.	1.8	26
56	Magma Pathways and Their Interactions Inferred from InSAR and Stress Modeling at Nyamulagira Volcano, D.R. Congo. <i>Remote Sensing</i> , 2015, 7, 15179-15202.	1.8	24
57	Differential Radar Interferometry for Structural and Ground Deformation Monitoring: A New Tool for the Conservation and Sustainability of Cultural Heritage Sites. <i>Sustainability</i> , 2015, 7, 1712-1729.	1.6	37
58	An empirical model for measurement accuracy of along-track deformation by advanced multiple-aperture SAR interferometry from COSMO-SkyMed dataset. , 2015, , .		0
59	Assessments of land subsidence in the Gippsland Basin of Australia using ALOS PALSAR data. <i>Remote Sensing of Environment</i> , 2015, 159, 86-101.	4.6	68
60	The February 2014 Cephalonia Earthquake (Greece): 3D Deformation Field and Source Modeling from Multiple SAR Techniques. <i>Seismological Research Letters</i> , 2015, 86, 124-137.	0.8	41
61	The 2008 Nura Mw6.7 earthquake: A shallow rupture on the Main Pamir Thrust revealed by GPS and InSAR. <i>Geodesy and Geodynamics</i> , 2015, 6, 91-100.	1.0	18
62	An Improvement of Ionospheric Phase Correction by Multiple-Aperture Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 4952-4960.	2.7	31
63	Interferometric Synthetic Aperture Radar Geodesy. , 2015, , 339-385.		29
64	Measurement of slow-moving along-track displacement from an efficient multiple-aperture SAR interferometry (MAI) stacking. <i>Journal of Geodesy</i> , 2015, 89, 411-425.	1.6	37
65	Measurement of three-dimensional surface deformation by Cosmo-SkyMed X-band radar interferometry: Application to the March 2011 Kamoamoia fissure eruption, K�lauea Volcano, Hawai'i. <i>Remote Sensing of Environment</i> , 2015, 169, 176-191.	4.6	20
66	An integrated method based on DInSAR, MAI and displacement gradient tensor for mapping the 3D coseismic deformation field related to the 2011 Tarlay earthquake (Myanmar). <i>Remote Sensing of Environment</i> , 2015, 170, 388-404.	4.6	28
67	Measuring the north-south coseismic displacement component with high-resolution multi-aperture InSAR. <i>Terra Nova</i> , 2015, 27, 28-35.	0.9	6
68	Speckle Tracking and Interferometric Processing of TerraSAR-X TOPS Data for Mapping Nonstationary Scenarios. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 1709-1720.	2.3	36
69	An Improvement of Multiple-Aperture SAR Interferometry Performance in the Presence of Complex and Large Line-of-Sight Deformation. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 1743-1752.	2.3	23
70	Simulation of the SuperSAR Multi-Azimuth Synthetic Aperture Radar Imaging System for Precise Measurement of Three-Dimensional Earth Surface Displacement. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 6196-6206.	2.7	30
71	Coseismic and postseismic slip models of the 2011 Van earthquake, Turkey, from InSAR, offset-tracking, MAI, and GPS observations. <i>Journal of Geodynamics</i> , 2015, 91, 39-50.	0.7	16
72	Aseismic strike-slip associated with the 2007 dike intrusion episode in Tanzania. <i>Tectonophysics</i> , 2015, 656, 52-60.	0.9	8

#	ARTICLE	IF	CITATIONS
73	Deformation and Related Slip Due to the 2011 Van Earthquake (Turkey) Sequence Imaged by SAR Data and Numerical Modeling. <i>Remote Sensing</i> , 2016, 8, 532.	1.8	7
74	Deriving Ice Motion Patterns in Mountainous Regions by Integrating the Intensity-Based Pixel-Tracking and Phase-Based D-InSAR and MAI Approaches: A Case Study of the Chongce Glacier. <i>Remote Sensing</i> , 2016, 8, 611.	1.8	15
75	Three-dimensional displacement field of the 2015 Mw8.3 Illapel earthquake (Chile) from across-track and along-track Sentinel-1 TOPS interferometry. <i>Geophysical Research Letters</i> , 2016, 43, 2552-2561.	1.5	109
76	The role of space-based observation in understanding and responding to active tectonics and earthquakes. <i>Nature Communications</i> , 2016, 7, 13844.	5.8	179
77	Coseismic Deformation of the 2015 Mw6.4 Pishan, China, Earthquake Estimated from Sentinel-1A and ALOS2 Data. <i>Seismological Research Letters</i> , 2016, 87, 800-806.	0.8	20
78	Mitigating Ionospheric Artifacts in Coseismic Interferogram Based on Offset Field Derived From ALOS-PALSAR Data. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2016, 9, 3050-3059.	2.3	15
79	Mapping Three-Dimensional Co-Seismic Deformations Fields by Combining Multiple-Aperture Interferometry and Differential Interferometric Synthetic Aperture Radar Techniques. <i>Journal of the Indian Society of Remote Sensing</i> , 2016, 44, 243-251.	1.2	4
80	Multi-sensor InSAR Analysis of Surface Displacement over Coastal Urban City of Trondheim. <i>Procedia Computer Science</i> , 2016, 100, 1141-1146.	1.2	3
81	Estimation of glacier surface motion by robust phase correlation and point like features of SAR intensity images. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2016, 121, 92-112.	4.9	11
83	Ice flow dynamics and mass loss of Totten Glacier, East Antarctica, from 1989 to 2015. <i>Geophysical Research Letters</i> , 2016, 43, 6366-6373.	1.5	63
84	Glacier elevation changes (2012–2016) of the Puruogangri Ice Field on the Tibetan Plateau derived from bi-temporal TanDEM-X InSAR data. <i>International Journal of Remote Sensing</i> , 2016, 37, 5687-5707.	1.3	28
85	Fault source model for the 2016 Kumamoto earthquake sequence based on ALOS-2/PALSAR-2 pixel-offset data: evidence for dynamic slip partitioning. <i>Earth, Planets and Space</i> , 2016, 68, .	0.9	54
86	Fusion of Remotely Sensed Displacement Measurements: Current status and challenges. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2016, 4, 6-25.	4.9	7
87	The 3-D surface deformation, coseismic fault slip and after-slip of the 2010 Mw6.9 Yushu earthquake, Tibet, China. <i>Journal of Asian Earth Sciences</i> , 2016, 124, 260-268.	1.0	11
88	Three-dimensional deformation mapping of a dike intrusion event in Sakurajima in 2015 by exploiting the right- and left-looking ALOS-2 InSAR. <i>Geophysical Research Letters</i> , 2016, 43, 4197-4204.	1.5	53
89	Measuring 3-D Surface Motion With Future SAR Systems Based on Reflector Antennae. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2016, 13, 272-276.	1.4	15
90	Persistent Scatterer Interferometry: A review. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2016, 115, 78-89.	4.9	663
91	Two-Dimensional Deformation Measurement Based on Multiple Aperture Interferometry in GB-SAR. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2017, 14, 208-212.	1.4	13

#	ARTICLE	IF	CITATIONS
92	An approach for accurately retrieving the vertical deformation component from two-track InSAR measurements. <i>International Journal of Remote Sensing</i> , 2017, 38, 1702-1719.	1.3	14
93	Toward full exploitation of coherent and incoherent information in Sentinel-1 TOPS data for retrieving surface displacement: Application to the 2016 Kumamoto (Japan) earthquake. <i>Geophysical Research Letters</i> , 2017, 44, 1758-1767.	1.5	68
94	Measuring Azimuth Deformation With L-Band ALOS-2 ScanSAR Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2017, 55, 2725-2738.	2.7	57
95	Multidimensional Small Baseline Subset (MSBAS) for volcano monitoring in two dimensions: Opportunities and challenges. Case study Piton de la Fournaise volcano. <i>Journal of Volcanology and Geothermal Research</i> , 2017, 344, 121-138.	0.8	26
96	Assessing the reliability and consistency of InSAR and GNSS data for retrieving 3D-displacement rapid changes, the example of the 2015 Piton de la Fournaise eruptions. <i>Journal of Volcanology and Geothermal Research</i> , 2017, 344, 106-120.	0.8	24
97	Measurement of precise three-dimensional volcanic deformations via TerraSAR-X synthetic aperture radar interferometry. <i>Remote Sensing of Environment</i> , 2017, 192, 228-237.	4.6	22
98	Estimation of 3-D Surface Displacement Based on InSAR and Deformation Modeling. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2017, 55, 2007-2016.	2.7	20
99	Satellite SAR interferometric techniques in support to emergency mapping. <i>European Journal of Remote Sensing</i> , 2017, 50, 464-477.	1.7	16
100	An improved data integration algorithm to constrain the 3D displacement field induced by fast deformation phenomena tested on the Napa Valley earthquake. <i>Computers and Geosciences</i> , 2017, 109, 206-215.	2.0	8
101	Retrieving Precise Three-Dimensional Deformation on the 2014 M6.0 South Napa Earthquake by Joint Inversion of Multi-Sensor SAR. <i>Scientific Reports</i> , 2017, 7, 5485.	1.6	20
102	Three-Dimensional Deformation Retrieval in Geosynchronous SAR by Multiple-Aperture Interferometry Processing: Theory and Performance Analysis. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2017, 55, 6150-6169.	2.7	22
103	Earthquake rupture properties of the 2016 Kumamoto earthquake foreshocks (M _j 6.5 and M _j 6.4) revealed by conventional and multiple-aperture InSAR. <i>Earth, Planets and Space</i> , 2017, 69, .	0.9	31
104	On the Phase Calibration by Multisquint Analysis in TOPSAR and Stripmap Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2017, 55, 134-147.	2.7	18
105	Improving Burst Alignment in TOPS Interferometry With Bivariate Enhanced Spectral Diversity. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2017, 14, 2423-2427.	1.4	22
106	Estimating Azimuth Offset With Double-Difference Interferometric Phase: The Effect of Azimuth FM Rate Error in Focusing. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2017, 55, 7018-7031.	2.7	5
107	Decomposing DInSAR Time-Series into 3-D in Combination with GPS in the Case of Low Strain Rates: An Application to the Hyblean Plateau, Sicily, Italy. <i>Remote Sensing</i> , 2017, 9, 33.	1.8	22
108	Landslide Displacement Monitoring with Split-Bandwidth Interferometry: A Case Study of the Shuping Landslide in the Three Gorges Area. <i>Remote Sensing</i> , 2017, 9, 937.	1.8	14
109	Performance Evaluation of Azimuth Offset Method for Mitigating the Ionospheric Effect on SAR Interferometry. <i>Journal of Sensors</i> , 2017, 2017, 1-10.	0.6	4

#	ARTICLE	IF	CITATIONS
110	Precise three-dimensional mapping of the 2016 Kumamoto earthquake through the integration of SAR interferometry and offset tracking. , 2017, , .		2
111	Multi-Stack Persistent Scatterer Interferometry Analysis in Wider Athens, Greece. Remote Sensing, 2017, 9, 276.	1.8	12
112	Deriving 3-D Time-Series Ground Deformations Induced by Underground Fluid Flows with InSAR: Case Study of Sebei Gas Fields, China. Remote Sensing, 2017, 9, 1129.	1.8	7
113	A Method for Measuring 3-D Surface Deformations With InSAR Based on Strain Model and Variance Component Estimation. IEEE Transactions on Geoscience and Remote Sensing, 2018, 56, 239-250.	2.7	48
114	The Total Electron Content From InSAR and GNSS: A Midlatitude Study. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2018, 11, 1725-1733.	2.3	5
115	Performance of 3-D Surface Deformation Estimation for Simultaneous Squinted SAR Acquisitions. IEEE Transactions on Geoscience and Remote Sensing, 2018, 56, 2147-2158.	2.7	21
116	Coseismic Stress and Strain Field Changes Investigation Through 3â€œ Finite Element Modeling of DInSAR and GPS Measurements and Geological/Seismological Data: The L'Aquila (Italy) 2009 Earthquake Case Study. Journal of Geophysical Research: Solid Earth, 2018, 123, 4193-4222.	1.4	20
117	Bistatic InSAR. , 2018, , 235-275.		1
118	GNSS-Based SAR Interferometry for 3-D Deformation Retrieval: Algorithms and Feasibility Study. IEEE Transactions on Geoscience and Remote Sensing, 2018, , 1-13.	2.7	29
119	Investigation of the success of monitoring slow motion landslides using Persistent Scatterer Interferometry and GNSS methods. Survey Review, 2018, 50, 475-486.	0.7	11
120	SAR-revealed slip partitioning on a bending fault plane for the 2014 Northern Nagano earthquake at the northern Itoigawaâ€œShizuoka tectonic line. Tectonophysics, 2018, 733, 85-99.	0.9	18
121	A method of monitoring three-dimensional ground displacement in mining areas by integrating multiple InSAR methods. International Journal of Remote Sensing, 2018, 39, 1199-1219.	1.3	20
122	Multi-track extraction of two-dimensional surface velocity by the combined use of differential and multiple-aperture InSAR in the Amery Ice Shelf, East Antarctica. Remote Sensing of Environment, 2018, 204, 122-137.	4.6	24
123	Deriving time-series three-dimensional displacements of mining areas from a single-geometry InSAR dataset. Journal of Geodesy, 2018, 92, 529-544.	1.6	31
124	Integration of Heterogeneous InSAR Measurements for Mapping Complete and Accurate Three-Dimensional Surface Displacements: A Case Study of 2016 Mw 7.8 KaikÅ¶ura Earthquake, New Zealand. , 2018, , .		1
125	Study of the Dissimilar Deformation of Huxian, Near the Qinling Piedmont Fault (China), by Multiband InSAR Time-Series Technology. Canadian Journal of Remote Sensing, 2018, 44, 616-628.	1.1	1
126	Surface deformation and source modeling of Ayaz-Akhtarma mud volcano, Azerbaijan, as detected by ALOS/ALOS-2 InSAR. Progress in Earth and Planetary Science, 2018, 5, .	1.1	2
127	Monitoring Three Dimensional Displacements of the Shuping Landslide, Three Gorges Area with Multi-Temporal Terrasar-X Sar Images. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
128	Multi-Aperture Along-Track Interferometric Sar for Estimating Velocity Vector of Ocean Currents. , 2018, , .		3
129	The 2-Looks Tops Mode: Enhanced Sensitivity To Ground Displacement In Azimuth Direction with Burst-Mode Sar Systems. Demonstration With Terrasar-X. , 2018, , .		0
130	Analysis of Mining Waste Dump Site Stability Based on Multiple Remote Sensing Technologies. Remote Sensing, 2018, 10, 2025.	1.8	20
131	Advances in three-dimensional deformation mapping from satellite radar observations: application to the 2003 Bam earthquake. Geomatics, Natural Hazards and Risk, 2018, 9, 678-690.	2.0	8
132	Correction of Ionospheric Artifacts in SAR Data: Application to Fault Slip Inversion of 2009 Southern Sumatra Earthquake. IEEE Geoscience and Remote Sensing Letters, 2018, 15, 1327-1331.	1.4	13
133	Integration of PSI, MAI, and Intensity-Based Sub-Pixel Offset Tracking Results for Landslide Monitoring with X-Band Corner Reflectorsâ€”Italian Alps (Corvara). Remote Sensing, 2018, 10, 409.	1.8	20
134	Retrieving Three-Dimensional Co-Seismic Deformation of the 2017 Mw7.3 Iraq Earthquake by Multi-Sensor SAR Images. Remote Sensing, 2018, 10, 857.	1.8	16
135	Intercomparison and Validation of SAR-Based Ice Velocity Measurement Techniques within the Greenland Ice Sheet CCI Project. Remote Sensing, 2018, 10, 929.	1.8	18
136	Mapping three-dimensional co-seismic surface deformations associated with the 2015 MW7.2 Murghab earthquake based on InSAR and characteristics of crustal strain. Science China Earth Sciences, 2018, 61, 1451-1466.	2.3	8
137	Three Dimensional Deformation Retrieval in GEO D-InSAR. , 2018, , 273-290.		1
138	Monitoring and analysis of mining 3D deformation by multi-platform SAR images with the probability integral method. Frontiers of Earth Science, 2019, 13, 169-179.	0.9	17
139	The 2018 Mw6.4 Hualien earthquake: Dynamic slip partitioning reveals the spatial transition from mountain building to subduction. Earth and Planetary Science Letters, 2019, 524, 115729.	1.8	14
140	Complete three-dimensional near-field surface displacements from imaging geodesy techniques applied to the 2016 Kumamoto earthquake. Remote Sensing of Environment, 2019, 232, 111321.	4.6	32
141	A Systematic Study of Synthetic Aperture Radar Interferograms Produced From ALOS-2 Data for Large Global Earthquakes From 2014 to 2016. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2019, 12, 2397-2408.	2.3	13
142	Complete Threeâ€”Dimensional Coseismic Deformation Field of the 2016 Central Tottori Earthquake by Integrating Leftâ€”and Rightâ€”Looking InSAR Observations With the Improved SMâ€”VCE Method. Journal of Geophysical Research: Solid Earth, 2019, 124, 12099-12115.	1.4	27
143	3D Coseismic Deformation Field and Source Parameters of the 2017 Iran-Iraq Mw7.3 Earthquake Inferred from DInSAR and MAI Measurements. Remote Sensing, 2019, 11, 2248.	1.8	5
144	Research on quality improvement method of deformation monitoring data based on InSAR. Journal of Visual Communication and Image Representation, 2019, 64, 102652.	1.7	2
145	Icecap and Subglacial Crustal Deformation Inferred From SAR Pixel Tracking: The 2014 Dike Intrusion Episode in the BÄrÃ°arbunga Volcanic System, Iceland. Journal of Geophysical Research: Solid Earth, 2019, 124, 9940-9955.	1.4	0

#	ARTICLE	IF	CITATIONS
146	Estimation of surface deformation due to Pasni earthquake using RADAR interferometry. <i>Geocarto International</i> , 2021, 36, 1630-1645.	1.7	12
147	Glacier Monitoring Using Frequency Domain Offset Tracking Applied to Sentinel-1 Images: A Product Performance Comparison. <i>Remote Sensing</i> , 2019, 11, 1322.	1.8	9
148	An Improvement of the Performance of SAR Offset Tracking Approach to Measure Optimal Surface Displacements. <i>IEEE Access</i> , 2019, 7, 131627-131637.	2.6	5
149	Estimating the mass change of mountain glacier using a novel method based on InSAR observations. <i>Environmental Earth Sciences</i> , 2019, 78, 1.	1.3	0
150	The 2-Look TOPS Mode: Design and Demonstration With TerraSAR-X. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2019, 57, 7682-7703.	2.7	5
151	Generation of long-term InSAR ground displacement time-series through a novel multi-sensor data merging technique: The case study of the Shanghai coastal area. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 154, 10-27.	4.9	40
152	Influence of Orbit and System Parameters on Geosynchronous SAR Multiple-Aperture Interferometry Processing: Analysis and Validation. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019, 12, 1798-1811.	2.3	4
153	Measurement of the three-dimensional surface deformation of the Jiayu landslide using a surface-parallel flow model. <i>Remote Sensing Letters</i> , 2019, 10, 776-785.	0.6	21
154	A Theory of Multiaperture Along-Track Interferometric Synthetic Aperture Radar. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2019, 16, 1565-1569.	1.4	7
155	Monitoring and Analyzing Mountain Glacier Surface Movement Using SAR Data and a Terrestrial Laser Scanner: A Case Study of the Himalayas North Slope Glacier Area. <i>Remote Sensing</i> , 2019, 11, 625.	1.8	15
156	Measuring Coseismic Deformation With Spaceborne Synthetic Aperture Radar: A Review. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	10
157	Diurnal fluctuations of glacier surface velocity observed with terrestrial radar interferometry at Laohugou No. 12 Glacier, western Qilian mountains, China. <i>Journal of Glaciology</i> , 2019, 65, 239-248.	1.1	8
158	The Co-Seismic Slip Induced By the 2018 Sulawesi Earthquake on Palu Bay Imaged By Sar and Optical Data. , 2019, , .		0
159	A Method for Observing Seismic Ground Deformation from Airborne SAR Images. , 2019, , .		2
160	High-quality three-dimensional displacement fields from new-generation SAR imagery: application to the 2017 Ezgeleh, Iran, earthquake. <i>Journal of Geodesy</i> , 2019, 93, 573-591.	1.6	27
161	Ground deformation and fissure activity in Datong basin, China 2007â€“2010 revealed by multi-track InSAR. <i>Geomatics, Natural Hazards and Risk</i> , 2019, 10, 465-482.	2.0	15
162	3D Surface velocity retrieval of mountain glacier using an offset tracking technique applied to ascending and descending SAR constellation data: a case study of the Yiga Glacier. <i>International Journal of Digital Earth</i> , 2019, 12, 614-624.	1.6	9
163	Remarks on correcting ionospheric distortions in L-band radar interferometry. <i>Geocarto International</i> , 2019, 34, 227-242.	1.7	1

#	ARTICLE	IF	CITATIONS
164	Resolving rupture processes of great earthquakes: Reviews and perspective from fast response to joint inversion. <i>Science China Earth Sciences</i> , 2020, 63, 492-511.	2.3	29
165	Satellite interferometry for mapping surface deformation time series in one, two and three dimensions: A new method illustrated on a slow-moving landslide. <i>Engineering Geology</i> , 2020, 266, 105471.	2.9	66
166	Remote sensing of ice motion in Antarctica – A review. <i>Remote Sensing of Environment</i> , 2020, 237, 111595.	4.6	22
167	Static Source Properties of Slow and Fast Earthquakes. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB019028.	1.4	5
168	Rift-parallel block-like motion of the graben floor during the 2005–2010 Afar rifting episode. <i>Tectonophysics</i> , 2020, 791, 228571.	0.9	0
169	Precise Three-Dimensional Deformation Retrieval in Large and Complex Deformation Areas via Integration of Offset-Based Unwrapping and Improved Multiple-Aperture SAR Interferometry: Application to the 2016 Kumamoto Earthquake. <i>Engineering</i> , 2020, 6, 927-935.	3.2	8
170	An approach for retrieving complete three-dimensional ground displacement components from two parallel-track InSAR measurements. <i>Journal of Geodesy</i> , 2020, 94, 1.	1.6	4
171	Kinematic Coregistration of Sentinel-1 TOPSAR Images Based on Sequential Least Squares Adjustment. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 3083-3093.	2.3	12
172	Improved Ice Velocity Measurements with Sentinel-1 TOPS Interferometry. <i>Remote Sensing</i> , 2020, 12, 2014.	1.8	20
173	Three-Dimensional Time Series Movement of the Cuolangma Glaciers, Southern Tibet with Sentinel-1 Imagery. <i>Remote Sensing</i> , 2020, 12, 3466.	1.8	11
174	Glacier Surface Motion Estimation from SAR Intensity Images Based on Subpixel Gradient Correlation. <i>Sensors</i> , 2020, 20, 4396.	2.1	6
175	Accuracy and Error Analysis of Vector Measurement of Ocean Surface Current by Multi-Aperture Along-Track Interferometric SAR. <i>IEEE Access</i> , 2020, 8, 207551-207562.	2.6	2
176	Ionospheric Phase Compensation for InSAR Measurements Based on the Faraday Rotation Inversion Method. <i>Sensors</i> , 2020, 20, 6877.	2.1	3
177	InSAR 3-D Coseismic Displacement Field of the 2015 Mw 7.8 Nepal Earthquake: Insights into Complex Fault Kinematics during the Event. <i>Remote Sensing</i> , 2020, 12, 3982.	1.8	7
178	Complex Surface Displacements above the Storage Cavern Field at Epe, NW-Germany, Observed by Multi-Temporal SAR-Interferometry. <i>Remote Sensing</i> , 2020, 12, 3348.	1.8	11
179	Long-term ground multi-level deformation fusion and analysis based on a combination of deformation prior fusion model and OTD-InSAR for longwall mining activity. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020, 161, 107911.	2.5	14
180	Calculating vertical deformation using a single InSAR pair based on singular value decomposition in mining areas. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2020, 92, 102115.	1.4	19
181	Ground deformation and fissure activity of the Yuncheng Basin (China) revealed by multiband time series InSAR. <i>Advances in Space Research</i> , 2020, 66, 490-504.	1.2	9

#	ARTICLE	IF	CITATIONS
182	Ground displacement caused by natural earthquakes, determining based on differential interferometry SAR and multiple aperture interferometry techniques. AIP Conference Proceedings, 2020, , .	0.3	0
183	A Review of Time-Series Interferometric SAR Techniques: A Tutorial for Surface Deformation Analysis. IEEE Geoscience and Remote Sensing Magazine, 2020, 8, 22-42.	4.9	60
184	Use of SAR/InSAR in Mining Deformation Monitoring, Parameter Inversion, and Forward Predictions: A Review. IEEE Geoscience and Remote Sensing Magazine, 2020, 8, 71-90.	4.9	72
185	Retrieval and Prediction of Three-Dimensional Displacements by Combining the DInSAR and Probability Integral Method in a Mining Area. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2020, 13, 1206-1217.	2.3	12
186	The Multiple Aperture SAR Interferometry (MAI) Technique for the Detection of Large Ground Displacement Dynamics: An Overview. Remote Sensing, 2020, 12, 1189.	1.8	27
187	Integration of Sentinel-1 Interferometry and GNSS Networks for Derivation of 3-D Surface Changes. IEEE Geoscience and Remote Sensing Letters, 2021, 18, 692-696.	1.4	3
188	Pixel Offset Fusion of SAR and Optical Images for 3-D Coseismic Surface Deformation. IEEE Geoscience and Remote Sensing Letters, 2021, 18, 1049-1053.	1.4	6
189	A New Model for three-dimensional Deformation Extraction with Single-track InSAR Based on Mining Subsidence Characteristics. International Journal of Applied Earth Observation and Geoinformation, 2021, 94, 102223.	1.4	28
190	Estimation and Compensation of Ionospheric Phase Delay for Multi-Aperture InSAR: An Azimuth Split-Spectrum Interferometry Approach. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-14.	2.7	5
191	Correcting Ionospheric Error for MAI Based on Along-Track Gradient and 1-D Linear Fitting. IEEE Geoscience and Remote Sensing Letters, 2022, 19, 1-5.	1.4	1
192	An Improved Multi-Platform Stacked D-InSAR Method for Monitoring the Three-Dimensional Deformation of the Mining Area. IEEE Access, 2021, 9, 66878-66890.	2.6	4
193	Four-dimensional along-track interferometry for retrieving sea surface wave-current interaction. , 2021, , 411-442.		0
194	Mitigation of Ionospheric Noise in Azimuth Offset Based on the Split-Spectrum Method. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-11.	2.7	4
195	Performance Evaluation of Different SAR-Based Techniques on the 2019 Ridgecrest Sequence. Remote Sensing, 2021, 13, 685.	1.8	0
196	Mapping Complete Three-Dimensional Ice Velocities by Integrating Multi-Baseline and Multi-Aperture InSAR Measurements: A Case Study of the Grove Mountains Area, East Antarctic. Remote Sensing, 2021, 13, 643.	1.8	8
197	Monitoring of Ground Movements Due to Mine Water Rise Using Satellite-Based Radar Interferometryâ€”A Comprehensive Case Study for Low Movement Rates in the German Mining Area Lugau/Oelsnitz. Mining, 2021, 1, 35-58.	1.1	4
198	Three-dimensional strain descriptors at the Earthâ€™s surface through 3D retrieved co-event displacement fields of differential interferometric synthetic aperture radar. Journal of Geodesy, 2021, 95, 1.	1.6	3
199	Estimating three-dimensional coseismic deformations with the SM-VCE method based on heterogeneous SAR observations: Selection of homogeneous points and analysis of observation combinations. Remote Sensing of Environment, 2021, 255, 112298.	4.6	31

#	ARTICLE	IF	CITATIONS
200	Optimization of three-dimensional multi-level surface deformation in mining areas through integration of deformation fusion model and Lagrange multiplier method based on single high resolution OTD-InSAR pair. Measurement: Journal of the International Measurement Confederation, 2021, 174, 109050.	2.5	3
201	Multitemporal InSAR Coherence Analysis and Methods for Sand Mitigation. Remote Sensing, 2021, 13, 1362.	1.8	7
202	Research on Surface Deformation of Ordos Coal Mining Area by Integrating Multitemporal D-InSAR and Offset Tracking Technology. Journal of Sensors, 2021, 2021, 1-14.	0.6	13
203	The Use of Interferometric Synthetic Aperture Radar for Isolating the Contribution of Major Shocks: The Case of the March 2021 Thessaly, Greece, Seismic Sequence. Geosciences (Switzerland), 2021, 11, 191.	1.0	20
204	An Alternative Approach for Constraining 3D Displacements With InSAR, Applied to a Fault-Bounded Groundwater Entrainment Field in California. Journal of Geophysical Research: Solid Earth, 2021, 126, e2020JB021137.	1.4	6
205	On the Use of Interferometric Synthetic Aperture Radar Data for Monitoring and Forecasting Natural Hazards. Mathematical Geosciences, 2021, 53, 1781-1812.	1.4	11
208	A Sequential Approach for Sentinel-1 TOPS Time-Series Co-Registration Over Low Coherence Scenarios. IEEE Transactions on Geoscience and Remote Sensing, 2021, 59, 4818-4826.	2.7	13
209	Recent advancements in multi-temporal methods applied to new generation SAR systems and applications in South America. Journal of South American Earth Sciences, 2021, 111, 103410.	0.6	10
210	What Triggers Caldera Ring-Fault Subsidence at Ambrym Volcano? Insights From the 2015 Dike Intrusion and Eruption. Journal of Geophysical Research: Solid Earth, 2021, 126, e2020JB020277.	1.4	11
211	Joint exploitation of space-borne and ground-based multitemporal InSAR measurements for volcano monitoring: The Stromboli volcano case study. Remote Sensing of Environment, 2021, 260, 112441.	4.6	33
212	Use of Multiplatform SAR Imagery in Mining Deformation Monitoring with Dense Vegetation Coverage: A Case Study in the Fengfeng Mining Area, China. Remote Sensing, 2021, 13, 3091.	1.8	10
213	Interseismic Deformation From Sentinel-1 Burst-Overlap Interferometry: Application to the Southern Dead Sea Fault. Geophysical Research Letters, 2021, 48, e2021GL093481.	1.5	15
214	Measuring the state and temporal evolution of glaciers in Alaska and Yukon using synthetic-aperture-radar-derived (SAR-derived) 3D time series of glacier surface flow. Cryosphere, 2021, 15, 4221-4239.	1.5	11
215	Fault Displacement of the 2011 Mw6.6 Fukushima-ken Hamadori Earthquake Based on a 3D Crustal Deformation Model Constructed Using Differential InSAR-Lidar. Bulletin of the Seismological Society of America, 2021, 111, 2303-2316.	1.1	5
216	Hydrological control shift from river level to rainfall in the reactivated Guobu slope besides the Laxiwa hydropower station in China. Remote Sensing of Environment, 2021, 265, 112664.	4.6	15
217	InSAR Imaging of Aleutian Volcanoes. , 2014, , 87-345.		35
218	Precursory ground deformation of the 2018 phreatic eruption on Iwo-Yama volcano, revealed by four-dimensional joint analysis of airborne and spaceborne InSAR. Earth, Planets and Space, 2020, 72, .	0.9	14
219	Integration of DInSAR and SBAS Techniques to Determine Mining-Related Deformations Using Sentinel-1 Data: The Case Study of Rydułtowy Mine in Poland. Remote Sensing, 2020, 12, 242.	1.8	96

#	ARTICLE	IF	CITATIONS
220	Interferometric Processing of SLC Sentinel-1 TOPS Data. , 2015, , .		27
221	Sentinel-1 Azimuth Subbanding for Multiple Aperture Interferometry - Test Case Over the Roi Baudouin Ice Shelf, East Antarctica. , 2021, , .		0
222	Geohazards Monitoring and Assessment Using Multi-Source Earth Observation Techniques. Remote Sensing, 2021, 13, 4269.	1.8	9
223	Impact of ionosphere on InSAR observation and coseismic slip inversion: Improved slip model for the 2010 Maule, Chile, earthquake. Remote Sensing of Environment, 2021, 267, 112733.	4.6	5
224	Topographic Phase Correction of MAI (Multiple Aperture SAR Interferometry) Interferogram. Korean Journal of Remote Sensing, 2011, 27, 171-180.	0.4	0
225	Practical Issues in InSAR Analysis. , 2014, , 25-34.		0
226	MEASURING THE COSEISMIC DISPLACEMENTS OF 2010 Ms7.1 Yushu EARTHQUAKE BY USING SAR AND HIGH RESOLUTION OPTICAL SATELLITE IMAGES. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-2/W7, 665-670.	0.2	2
228	New insights on faulting and intrusion processes during the June 2007, East Rift Zone eruption of K�lauea volcano, Hawai'i. Journal of Volcanology and Geothermal Research, 2022, 421, 107425.	0.8	0
229	The May 15, 2020 M 6.5 Monte Cristo Range, Nevada, earthquake: eyes in the sky, boots on the ground, and a chance for students to learn. International Geology Review, 2022, 64, 2683-2702.	1.1	2
230	High Performance Computing in Satellite SAR Interferometry: A Critical Perspective. Remote Sensing, 2021, 13, 4756.	1.8	10
231	An Integrated Approach for Mapping Three-Dimensional CoSeismic Displacement Fields from Sentinel-1 TOPS Data Based on DInSAR, POT, MAI and BOI Techniques: Application to the 2021 Mw 7.4 Maduo Earthquake. Remote Sensing, 2021, 13, 4847.	1.8	5
232	System Concepts and Potential Applications of a Tri-Beam Spaceborne SAR Mission. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-14.	2.7	1
233	Residual Motion Estimation for Multi-Squint Airborne SAR. , 2020, , .		0
234	Parameter Optimization for Detecting Seismic Ground Deformation from Airborne SAR Images. , 2020, , .		1
235	Surface Displacement and Source Model Separation of the Two Strongest Earthquakes During the 2019 Ridgecrest Sequence: Insights From InSAR, GPS, and Optical Data. Journal of Geophysical Research: Solid Earth, 2022, 127, .	1.4	8
236	Three-dimensional deformation and its uncertainty derived by integrating multiple SAR data analysis methods. Earth, Planets and Space, 2022, 74, .	0.9	7
237	Complete three-dimensional coseismic displacements due to the 2021 Maduo earthquake in Qinghai Province, China from Sentinel-1 and ALOS-2 SAR images. Science China Earth Sciences, 2022, 65, 687-697.	2.3	27
238	Monitoring of Radial Deformations of a Gravity Dam Using Sentinel-1 Persistent Scatterer Interferometry. Remote Sensing, 2022, 14, 1112.	1.8	8

#	ARTICLE	IF	CITATIONS
258	GROUND DEFORMATION MONITORING OF MOUNTAINS AROUND EXPRESSWAYS BY USING TIME-SERIES SAR IMAGES. , 2023, 79, n/a.		1
259	A Pattern-Based Strategy for InSAR Phase Unwrapping and Application to Two Landslides in Colorado. Journal of Geophysical Research: Solid Earth, 2023, 128, .	1.4	1
260	A Comprehensive Review of Geospatial Technology Applications in Earthquake Preparedness, Emergency Management, and Damage Assessment. Remote Sensing, 2023, 15, 1939.	1.8	3
261	The Crustal Dynamics and Its Geological Explanation of the Three-Dimensional Co-Seismic Deformation Field for the 2021 Maduo MS7.4 Earthquake Based on GNSS and InSAR. Sensors, 2023, 23, 3793.	2.1	0
274	Along-Track Displacement Retrieval Using Sentinel-1 Images. , 2023, , .		0