

Large-scale drainage capture and surface uplift in eastern Vietnam inferred from sediments of the Hanoi Basin, Vietnam

Geophysical Research Letters

33,

DOI: [10.1029/2006gl027772](https://doi.org/10.1029/2006gl027772)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Thermochronology of mineral grains in the Red and Mekong Rivers, Vietnam: Provenance and exhumation implications for Southeast Asia. <i>Geochemistry, Geophysics, Geosystems</i> , 2006, 7, n/a-n/a. | 2.5 | 80 |
| 2 | Climatic and tectonic controls on weathering in south China and Indochina Peninsula: Clay mineralogical and geochemical investigations from the Pearl, Red, and Mekong drainage basins. <i>Geochemistry, Geophysics, Geosystems</i> , 2007, 8, n/a-n/a. | 2.5 | 216 |
| 3 | Extraordinary denudation in the Sichuan Basin: Insights from low-temperature thermochronology adjacent to the eastern margin of the Tibetan Plateau. <i>Journal of Geophysical Research</i> , 2008, 113, . | 3.3 | 200 |
| 4 | Evolving east Asian river systems reconstructed by trace element and Pb and Nd isotope variations in modern and ancient Red River Song Hong sediments. <i>Geochemistry, Geophysics, Geosystems</i> , 2008, 9, . | 2.5 | 125 |
| 5 | Quantifying landscape differences across the Tibetan plateau: Implications for topographic relief evolution. <i>Journal of Geophysical Research</i> , 2008, 113, . | 3.3 | 198 |
| 6 | Geochemical composition of inner shelf Quaternary sediments in the northern South China Sea with implications for provenance discrimination and paleoenvironmental reconstruction. <i>Global and Planetary Change</i> , 2008, 60, 207-221. | 3.5 | 56 |
| 7 | Provenance and weathering control on river bed sediments of the eastern Tibetan Plateau and the Russian Far East. <i>Chemical Geology</i> , 2008, 254, 52-72. | 3.3 | 96 |
| 8 | Cosmogenic nuclide burial ages and provenance of the Xigeda paleo-lake: Implications for evolution of the Middle Yangtze River. <i>Earth and Planetary Science Letters</i> , 2009, 278, 131-141. | 4.4 | 75 |
| 9 | Active crustal deformation beyond the SE margin of the Tibetan Plateau: Constraints from the evolution of fluvial systems. <i>Global and Planetary Change</i> , 2009, 68, 395-417. | 3.5 | 32 |
| 10 | A fission-track and (U-Th)/He thermochronometric study of the northern margin of the South China Sea: An example of a complex passive margin. <i>Tectonophysics</i> , 2009, 474, 584-594. | 2.2 | 31 |
| 11 | The Red River Fault zone in the Yinggehai Basin, South China Sea. <i>Tectonophysics</i> , 2009, 476, 397-417. | 2.2 | 157 |
| 12 | Evaluating the evolution of the Red River system based on in situ U-Pb dating and Hf isotope analysis of zircons. <i>Geochemistry, Geophysics, Geosystems</i> , 2009, 10, . | 2.5 | 68 |
| 13 | The Geology of the Lower Mekong River. , 2009, , 13-28. | | 19 |
| 14 | Geology and Landforms of the Mekong Basin. , 2009, , 29-51. | | 18 |
| 15 | Provenance discrimination of siliciclastic sediments in the middle Okinawa Trough since 30ka: Constraints from rare earth element compositions. <i>Marine Geology</i> , 2010, 275, 212-220. | 2.1 | 118 |
| 16 | Detrital zircon U-Pb ages of Late Cenozoic sediments from the Yangtze delta: Implication for the evolution of the Yangtze River. <i>Science Bulletin</i> , 2010, 55, 1520-1528. | 1.7 | 60 |
| 17 | A reappraisal of the evolution of Asian snakehead fishes (Pisces, Channidae) using molecular data from multiple genes and fossil calibration. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 707-717. | 2.7 | 55 |
| 18 | Did incision of the Three Gorges begin in the Eocene?. <i>Geology</i> , 2010, 38, 551-554. | 4.4 | 95 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Aeolian sediment evidence that global cooling has driven late Cenozoic stepwise aridification in central Asia. <i>Geological Society Special Publication</i> , 2010, 342, 29-44. | 1.3 | 150 |
| 20 | Large-scale erosional response of SE Asia to monsoon evolution reconstructed from sedimentary records of the Song Hong-Yinggehai and Qiongdongnan basins, South China Sea. <i>Geological Society Special Publication</i> , 2010, 342, 219-244. | 1.3 | 55 |
| 21 | The impacts of Tibetan uplift on palaeoclimate proxies. <i>Geological Society Special Publication</i> , 2010, 342, 279-291. | 1.3 | 19 |
| 22 | Late Oligocene–Miocene mid-latitude aridification and wind patterns in the Asian interior. <i>Geology</i> , 2010, 38, 515-518. | 4.4 | 206 |
| 23 | Stream capture and piracy recorded by provenance in fluvial fan strata. <i>Geomorphology</i> , 2010, 115, 267-277. | 2.6 | 11 |
| 24 | Ar–Ar muscovite dating as a constraint on sediment provenance and erosion processes in the Red and Yangtze River systems, SE Asia. <i>Earth and Planetary Science Letters</i> , 2010, 295, 379-389. | 4.4 | 37 |
| 25 | Understanding sedimentation in the Song Hong-Yinggehai Basin, South China Sea. <i>Geochemistry, Geophysics, Geosystems</i> , 2011, 12, n/a-n/a. | 2.5 | 67 |
| 26 | The Cenozoic on-shore basins of Northern Vietnam: Biostratigraphy, vertebrate and invertebrate faunas. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 672-687. | 2.3 | 34 |
| 27 | Seasonal variations in the Sr-Nd isotopic compositions of suspended particulate matter in the lower Changjiang River: Provenance and erosion constraints. <i>Science Bulletin</i> , 2011, 56, 2371-2378. | 1.7 | 21 |
| 28 | Eocene monsoons. <i>Journal of Asian Earth Sciences</i> , 2012, 44, 3-23. | 2.3 | 155 |
| 29 | Neodymium isotopic variations of the late Cenozoic sediments in the Jiangnan Basin: Implications for sediment source and evolution of the Yangtze River. <i>Journal of Asian Earth Sciences</i> , 2012, 45, 57-64. | 2.3 | 25 |
| 30 | Evidence for northeastern Tibetan Plateau uplift between 25 and 20 Ma in the sedimentary archive of the Xining Basin, Northwestern China. <i>Earth and Planetary Science Letters</i> , 2012, 317-318, 185-195. | 4.4 | 116 |
| 31 | Constraints on Cenozoic regional drainage evolution of SW China from the provenance of the Jianchuan Basin. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, . | 2.5 | 41 |
| 32 | Nd, Sr isotopes and elemental geochemistry of surface sediments from the South China Sea: Implications for Provenance Tracing. <i>Marine Geology</i> , 2012, 319-322, 21-34. | 2.1 | 87 |
| 33 | Provenance and time constraints on the formation of the first bend of the Yangtze River. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, . | 2.5 | 50 |
| 34 | A taxonomic review of the catfish identified as <i>Glyptothorax zanaensis</i> (Teleostei: Siluriformes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 165, 363-389. | 2.3 | 7 |
| 35 | The sedimentary, magmatic and tectonic evolution of the southwestern South China Sea revealed by seismic stratigraphic analysis. <i>Marine Geophysical Researches</i> , 2013, 34, 341-365. | 1.2 | 30 |
| 36 | A palaeo Tibet–Myanmar connection? Reconstructing the Late Eocene drainage system of central Myanmar using a multi-proxy approach. <i>Journal of the Geological Society</i> , 2013, 170, 929-939. | 2.1 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Pre-Miocene birth of the Yangtze River. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 7556-7561. | 7.1 | 235 |
| 38 | Evolution of the monsoon and dry climate in East Asia during late Cenozoic: A review. Science China Earth Sciences, 2014, 57, 70-79. | 5.2 | 122 |
| 39 | Sky islands of southwest China. I: an overview of phylogeographic patterns. Science Bulletin, 2014, 59, 585-597. | 1.7 | 107 |
| 40 | Provenance of Upper Miocene to Quaternary sediments in the Yinggehai-Song Hong Basin, South China Sea: Evidence from detrital zircon U ²³⁵ /Pb ages. Marine Geology, 2014, 355, 202-217. | 2.1 | 60 |
| 41 | China's Yangtze delta: Geochemical fingerprints reflecting river connection to the sea. Geomorphology, 2014, 227, 166-173. | 2.6 | 23 |
| 42 | Stable isotopes reveal high southeast Tibetan Plateau margin since the Paleogene. Earth and Planetary Science Letters, 2014, 394, 270-278. | 4.4 | 188 |
| 43 | Antecedence of the Yarlung-Siang-Brahmaputra River, eastern Himalaya. Earth and Planetary Science Letters, 2014, 397, 145-158. | 4.4 | 87 |
| 44 | Large rivers and orogens: The evolution of the Yarlung Tsangpo-Irrawaddy system and the eastern Himalayan syntaxis. Gondwana Research, 2014, 26, 112-121. | 6.0 | 128 |
| 45 | Tectonics, topography, and river system transition in East Tibet: Insights from the sedimentary record in Taiwan. Geochemistry, Geophysics, Geosystems, 2014, 15, 3658-3674. | 2.5 | 26 |
| 46 | Pb isotope compositions of detrital K-feldspar grains in the upper-middle Yangtze River system: Implications for sediment provenance and drainage evolution. Geochemistry, Geophysics, Geosystems, 2014, 15, 2765-2779. | 2.5 | 33 |
| 47 | Birth of the Yangtze River: age and tectonic-geomorphic implications. National Science Review, 2015, 2, 438-453. | 9.5 | 54 |
| 49 | Climatic Factors Drive Population Divergence and Demography: Insights Based on the Phylogeography of a Riparian Plant Species Endemic to the Hengduan Mountains and Adjacent Regions. PLoS ONE, 2015, 10, e0145014. | 2.5 | 16 |
| 50 | Provenance of Upper Miocene sediments in the Yinggehai and Qiongdongnan basins, northwestern South China Sea: Evidence from REE, heavy minerals and zircon U ²³⁵ /Pb ages. Marine Geology, 2015, 361, 136-146. | 2.1 | 116 |
| 51 | Structure and sediment budget of Yinggehai-Song Hong basin, South China Sea: Implications for Cenozoic tectonics and river basin reorganization in Southeast Asia. Tectonophysics, 2015, 655, 177-190. | 2.2 | 62 |
| 52 | In situ low-relief landscape formation as a result of river network disruption. Nature, 2015, 520, 526-529. | 27.8 | 213 |
| 53 | No Red River capture since the late Oligocene: Geochemical evidence from the Northwestern South China Sea. Deep-Sea Research Part II: Topical Studies in Oceanography, 2015, 122, 185-194. | 1.4 | 42 |
| 54 | Insights from heavy minerals and zircon U ²³⁵ /Pb ages into the middle Miocene-Pliocene provenance evolution of the Yinggehai Basin, northwestern South China Sea. Sedimentary Geology, 2015, 327, 32-42. | 2.1 | 54 |
| 55 | Cenozoic paleoaltimetry of the SE margin of the Tibetan Plateau: Constraints on the tectonic evolution of the region. Earth and Planetary Science Letters, 2015, 432, 415-424. | 4.4 | 126 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Testing the analytical protocols and calibration of volcanic glass for the reconstruction of hydrogen isotopes in paleoprecipitation. , 2015, , . | | 7 |
| 57 | Changing provenance of late Cenozoic sediments in the Jiangnan Basin. <i>Geoscience Frontiers</i> , 2015, 6, 605-615. | 8.4 | 9 |
| 58 | Late Pliocene rodents from the Irrawaddy sediments of central Myanmar and their palaeogeographical significance. <i>Journal of Systematic Palaeontology</i> , 2015, 13, 287-314. | 1.5 | 7 |
| 59 | Cenozoic evolution of the central Myanmar drainage system: insights from sediment provenance in the Minbu Subbasin. <i>Basin Research</i> , 2016, 28, 237-251. | 2.7 | 43 |
| 60 | The sedimentary and tectonic evolution of the A mur R iver and N orth S akhalin B asin: new evidence from seismic stratigraphy and N eogene R ecent sediment budgets. <i>Basin Research</i> , 2016, 28, 273-297. | 2.7 | 9 |
| 61 | Provenance of detrital K-feldspar in Jiangnan Basin sheds new light on the Pliocene–Pleistocene evolution of the Yangtze River. <i>Bulletin of the Geological Society of America</i> , 2016, 128, 1339-1351. | 3.3 | 22 |
| 62 | Temporal and spatial patterns of sediment routing across the southeast margin of the Tibetan Plateau: Insights from detrital zircon. <i>Tectonics</i> , 2016, 35, 2538-2563. | 2.8 | 55 |
| 63 | Late Quaternary tectonics, sea-level change and lithostratigraphy along the northern coast of the South China Sea. <i>Geological Society Special Publication</i> , 2016, 429, 123-136. | 1.3 | 14 |
| 64 | Assessing effective provenance methods for fluvial sediment in the South China Sea. <i>Geological Society Special Publication</i> , 2016, 429, 9-29. | 1.3 | 14 |
| 65 | Topographic architecture and drainage reorganization in Southeast China: Zircon U-Pb chronology and Hf isotope evidence from Taiwan. <i>Gondwana Research</i> , 2016, 36, 376-389. | 6.0 | 32 |
| 66 | No sedimentary records indicating southerly flow of the paleo-Upper Yangtze River from the First Bend in southeastern Tibet. <i>Gondwana Research</i> , 2016, 32, 93-104. | 6.0 | 35 |
| 67 | Controls on erosion patterns and sediment transport in a monsoonal, tectonically quiescent drainage, Song Gianh, central Vietnam. <i>Basin Research</i> , 2017, 29, 659-683. | 2.7 | 27 |
| 68 | A high resolution record of rare earth element compositional changes from the mud deposit on the inner shelf of the East China Sea: Implications for paleoenvironmental changes. <i>Quaternary International</i> , 2017, 447, 35-45. | 1.5 | 13 |
| 69 | Where is my sink? Reconstruction of landscape development in southwestern Africa since the Late Jurassic. <i>Gondwana Research</i> , 2017, 45, 43-64. | 6.0 | 15 |
| 70 | Reappraisal of the Jianchuan Cenozoic basin stratigraphy and its implications on the SE Tibetan plateau evolution. <i>Tectonophysics</i> , 2017, 700-701, 162-179. | 2.2 | 96 |
| 71 | Delamination of lithospheric mantle evidenced by Cenozoic potassic rocks in Yunnan, SW China: A contribution to uplift of the Eastern Tibetan Plateau. <i>Lithos</i> , 2017, 284-285, 709-729. | 1.4 | 31 |
| 72 | The topographic state of fluvially conditioned mountain ranges. <i>Earth-Science Reviews</i> , 2017, 168, 190-217. | 9.1 | 31 |
| 73 | Evolving Yangtze River reconstructed by detrital zircon U–Pb dating and petrographic analysis of Miocene marginal Sea sedimentary rocks of the Western Foothills and Hengchun Peninsula, Taiwan. <i>Tectonics</i> , 2017, 36, 634-651. | 2.8 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | Tectonic and climatic controls on provenance changes of fine-grained dust on the Chinese Loess Plateau since the late Oligocene. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 200, 110-122. | 3.9 | 19 |
| 75 | Using Detrital Zircon Geochronology to Constrain Paleogene Provenance and Its Relationship to Rifting in the Zhu 1 Depression, Pearl River Mouth Basin, South China Sea. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 3976-3999. | 2.5 | 27 |
| 76 | Detrital zircon Uâ€Pb geochronological and sedimentological study of the Simao Basin, Yunnan: Implications for the Early Cenozoic evolution of the Red River. <i>Earth and Planetary Science Letters</i> , 2017, 476, 22-33. | 4.4 | 51 |
| 77 | Sedimentary provenance constraints on drainage evolution models for SE Tibet: Evidence from detrital Kâ€feldspar. <i>Geophysical Research Letters</i> , 2017, 44, 4064-4073. | 4.0 | 28 |
| 78 | Quantitative reconstruction of source-to-sink systems of the first and second members of the Shahejie Formation of the Eastern Shijiutuo uplift, Bohai Bay Basin, China. <i>Interpretation</i> , 2017, 5, ST85-ST102. | 1.1 | 6 |
| 79 | Detrital zircon geochronology of river sands from Taiwan: Implications for sedimentary provenance of Taiwan and its source link with the east China mainland. <i>Earth-Science Reviews</i> , 2017, 164, 31-47. | 9.1 | 60 |
| 80 | Fluvial archives, a valuable record of vertical crustal deformation. <i>Quaternary Science Reviews</i> , 2017, 166, 10-37. | 3.0 | 62 |
| 81 | Tectonic Topography Changes in Cenozoic East Asia: A Landscape Erosionâ€Sediment Archive in the South China Sea. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 1731-1750. | 2.5 | 18 |
| 82 | Convective removal of the Tibetan Plateau mantle lithosphere by ~26â€Ma. <i>Tectonophysics</i> , 2018, 731-732, 17-34. | 2.2 | 36 |
| 83 | Geochronology of detrital muscovite and zircon constrains the sediment provenance changes in the Yangtze River during the late Cenozoic. <i>Basin Research</i> , 2018, 30, 636-649. | 2.7 | 24 |
| 84 | Connection of the proto-Yangtze River to the East China Sea traced by sediment magnetic properties. <i>Geomorphology</i> , 2018, 303, 162-171. | 2.6 | 17 |
| 85 | Transparent heavy minerals and magnetite geochemical composition of the Yangtze River sediments: Implication for provenance evolution of the Yangtze Delta. <i>Sedimentary Geology</i> , 2018, 364, 42-52. | 2.1 | 24 |
| 86 | The tectonics and paleo-drainage of the easternmost Himalaya (Arunachal Pradesh, India) recorded in the Siwalik rocks of the foreland basin. <i>Numerische Mathematik</i> , 2018, 318, 764-798. | 1.4 | 22 |
| 87 | Sourceâ€Toâ€Sink Links Between East Asia and Taiwan From Detrital Zircon Geochronology of the Oligocene Huagang Formation in the East China Sea Shelf Basin. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 3673-3688. | 2.5 | 13 |
| 88 | Early Miocene birth of modern Pearl River recorded low-relief, high-elevation surface formation of SE Tibetan Plateau. <i>Earth and Planetary Science Letters</i> , 2018, 496, 120-131. | 4.4 | 66 |
| 89 | Quantifying the erosional impact of a continental-scale drainage capture in the Duero Basin, northwest Iberia. <i>Quaternary Research</i> , 2019, 91, 457-471. | 1.7 | 11 |
| 90 | Major advances in studies of the physical geography and living environment of China during the past 70 years and future prospects. <i>Science China Earth Sciences</i> , 2019, 62, 1665-1701. | 5.2 | 58 |
| 91 | Provenance of Cenozoic Sediments in the Xining Basin Revealed by Nd and Pb Isotopic Evidence: Implications for Tectonic Uplift of the NE Tibetan Plateau. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 4531-4544. | 2.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 92 | The Ancestral Lhasa River: A Late Cretaceous trans-arc river that drained the proto-Tibetan Plateau. <i>Geology</i> , 2019, 47, 1029-1033. | 4.4 | 26 |
| 93 | Oligocene-Early Miocene Topographic Relief Generation of Southeastern Tibet Triggered by Thrusting. <i>Tectonics</i> , 2019, 38, 374-391. | 2.8 | 61 |
| 94 | Source-to-sink processes of fluvial sediments in the northern South China Sea: Constraints from river sediments in the coastal region of South China. <i>Journal of Asian Earth Sciences</i> , 2019, 185, 104020. | 2.3 | 23 |
| 95 | Provenance and Drainage Evolution of the Red River Revealed by Pb Isotopic Analysis of Detrital K-feldspar. <i>Geophysical Research Letters</i> , 2019, 46, 6415-6424. | 4.0 | 12 |
| 96 | History of Yellow River and Yangtze River delivering sediment to the Yellow Sea since 3.5 Ma: Tectonic or climate forcing?. <i>Quaternary Science Reviews</i> , 2019, 216, 74-88. | 3.0 | 56 |
| 97 | Tectonically controlled evolution of the Yellow River drainage system in the Weihe region, North China: Constraints from sedimentation, mineralogy and geochemistry. <i>Journal of Asian Earth Sciences</i> , 2019, 179, 350-364. | 2.3 | 21 |
| 98 | Sequence architecture and depositional evolution of Eocene to Oligocene, synrift to early postrift strata in the Baiyun Sag, South China Sea. <i>Interpretation</i> , 2019, 7, T309-T329. | 1.1 | 2 |
| 99 | Provenances of Cenozoic sediments in the Jiangnan Basin and implications for the formation of the Three Gorges. <i>International Geology Review</i> , 2019, 61, 1980-1999. | 2.1 | 18 |
| 100 | Palaeodrainage evolution of the large rivers of East Asia, and Himalayan-Tibet tectonics. <i>Earth-Science Reviews</i> , 2019, 192, 601-630. | 9.1 | 62 |
| 101 | Phylogeography of <i>Excoecaria acerifolia</i> (Euphorbiaceae) suggests combined effects of historical drainage reorganization events and climatic changes on riparian plants in the Sino-Himalayan region. <i>Botanical Journal of the Linnean Society</i> , 2019, , . | 1.6 | 1 |
| 102 | Drainage and Sedimentary Responses to Dynamic Topography. <i>Geophysical Research Letters</i> , 2019, 46, 14385-14394. | 4.0 | 11 |
| 103 | Detrital zircon ages: A key to unraveling provenance variations in the eastern Yinggehai-Song Hong Basin, South China Sea. <i>AAPG Bulletin</i> , 2019, 103, 1525-1552. | 1.5 | 13 |
| 104 | Zircon U-Pb ages and REE composition constraints on the provenance of the continental slope-parallel submarine fan, western Qiongdongnan Basin, northern margin of the South China Sea. <i>Marine and Petroleum Geology</i> , 2019, 102, 350-362. | 3.3 | 14 |
| 105 | Detrital zircon ages and heavy mineral composition along the Gulf of Tonkin - Implication for sand provenance in the Yinggehai-Song Hong and Qiongdongnan basins. <i>Marine and Petroleum Geology</i> , 2019, 101, 162-179. | 3.3 | 46 |
| 106 | Reconstruction on regional paleo-drainage evolution in the northern Junggar Basin, China during the last ~27 myr from provenance analyses and its implications for uplift of the Altai Mountains. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 537, 109373. | 2.3 | 9 |
| 107 | The geologic interpretation of the detrital thermochronology record within a stratigraphic framework, with examples from the European Alps, Taiwan and the Himalayas. <i>Earth-Science Reviews</i> , 2020, 201, 103074. | 9.1 | 33 |
| 108 | The zircon story of the Pearl River (China) from Cretaceous to present. <i>Earth-Science Reviews</i> , 2020, 201, 103078. | 9.1 | 36 |
| 109 | Early Pleistocene drainage pattern changes in Eastern Tibet: Constraints from provenance analysis, thermochronometry, and numerical modeling. <i>Earth and Planetary Science Letters</i> , 2020, 531, 115955. | 4.4 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 110 | Clay minerals, Sr-Nd isotopes and provenance of sediments in the northwestern South China Sea. <i>Journal of Asian Earth Sciences</i> , 2020, 202, 104531. | 2.3 | 16 |
| 111 | Cenozoic Uplift of the Central Yunnan Fragment, Southwestern China, Revealed by Apatite (U-Th)/He Dating. <i>Journal of Earth Science (Wuhan, China)</i> , 2020, 31, 735-742. | 3.2 | 6 |
| 112 | A Late Eocene–Oligocene Through–Flowing River Between the Upper Yangtze and South China Sea. <i>Geochemistry, Geophysics, Geosystems</i> , 2020, 21, e2020GC009046. | 2.5 | 35 |
| 113 | Oligocene Deformation of the Chuandian Terrane in the SE Margin of the Tibetan Plateau Related to the Extrusion of Indochina. <i>Tectonics</i> , 2020, 39, e2019TC005974. | 2.8 | 36 |
| 114 | Recognizing drainage reorganization in the stratigraphic record of the Neogene foreland basin of the Central Andes. <i>Sedimentary Geology</i> , 2020, 405, 105704. | 2.1 | 12 |
| 115 | Sinistral strike-slip shearing along the Jiali shear zone around the Eastern Himalaya syntaxis region: Evidences for oligocene eastward limited translation of Tibet. <i>Journal of Structural Geology</i> , 2020, 139, 104136. | 2.3 | 11 |
| 116 | Evolution of the Yangtze River network, southeastern Tibet: Insights from thermochronology and sedimentology. <i>Lithosphere</i> , 2020, 12, 3-18. | 1.4 | 22 |
| 117 | Evolution of the paleo-Mekong River in the Early Cretaceous: Insights from the provenance of sandstones in the Vientiane Basin, central Laos. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 545, 109651. | 2.3 | 13 |
| 118 | ⁴⁰ Ar/ ³⁹ Ar mica dating of late Cenozoic sediments in SE Tibet: implications for sediment recycling and drainage evolution. <i>Journal of the Geological Society</i> , 2020, 177, 843-854. | 2.1 | 8 |
| 119 | Exhumation and landscape evolution in eastern South China since the Cretaceous: New insights from fission-track thermochronology. <i>Journal of Asian Earth Sciences</i> , 2020, 191, 104239. | 2.3 | 19 |
| 120 | The Na Duong Basin (North Vietnam): A key for understanding Paleogene basin evolution in relation to the left-lateral Cao Bang-Tien Yen Fault. <i>Journal of Asian Earth Sciences</i> , 2020, 195, 104350. | 2.3 | 9 |
| 121 | Chronology and provenance of the Yichang Gravel Layer deposits in the Jiangnan Basin, middle Yangtze River Valley, China: Implications for the timing of channelization of the Three Gorges Valley. <i>Quaternary International</i> , 2020, 550, 39-54. | 1.5 | 17 |
| 122 | Drainage divide networks – Part 1: Identification and ordering in digital elevation models. <i>Earth Surface Dynamics</i> , 2020, 8, 245-259. | 2.4 | 24 |
| 123 | Drainage divide networks – Part 2: Response to perturbations. <i>Earth Surface Dynamics</i> , 2020, 8, 261-274. | 2.4 | 23 |
| 124 | Why “the uplift of the Tibetan Plateau”™ is a myth. <i>National Science Review</i> , 2021, 8, nwa091. | 9.5 | 155 |
| 125 | Late Cenozoic drainage reorganization of the paleo-Yangtze river constrained by multi-proxy provenance analysis of the Paleo-lake Xigeda. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 199-211. | 3.3 | 21 |
| 126 | Reconstructing the incision of the Lancang River (Upper Mekong) in southeastern Tibet below its prominent knickzone using fluvial terraces and transient tributary profiles. <i>Geomorphology</i> , 2021, 376, 107551. | 2.6 | 15 |
| 127 | The topographic evolution of the Tibetan Region as revealed by palaeontology. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2021, 101, 213-243. | 1.5 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 128 | The present-day Yangtze River was established in the late Miocene: Evidence from detrital zircon ages. <i>Journal of Asian Earth Sciences</i> , 2021, 205, 104600. | 2.3 | 17 |
| 129 | Formation of the First Bend in the late Eocene gave birth to the modern Yangtze River, China. <i>Geology</i> , 2021, 49, 35-39. | 4.4 | 41 |
| 130 | Beyond the Long Profile. , 2022, , 22-52. | | 4 |
| 131 | Drainage Development During Mountain Building. , 2021, , . | | 0 |
| 132 | Development of the Miocene Guangle Carbonate Platform in the South China Sea: Architecture and Controlling Factors. <i>Acta Geologica Sinica</i> , 2021, 95, 177-191. | 1.4 | 6 |
| 133 | Late Quaternary drainage reorganization assisted by surface faulting: The example of the Katrol Hill Fault zone, Kachchh, western India. <i>Earth Surface Processes and Landforms</i> , 2021, 46, 1268-1293. | 2.5 | 10 |
| 134 | Incision History of the Three Gorges, Yangtze River Constrained From Inversion of River Profiles and Low-temperature Thermochronological Data. <i>Journal of Geophysical Research F: Earth Surface</i> , 2021, 126, 2020JF005767. | 2.8 | 7 |
| 135 | No Yangtze River Prior to the Late Miocene: Evidence From Detrital Muscovite and Feldspar $^{40}\text{Ar}/^{39}\text{Ar}$ Geochronology. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL089903. | 4.0 | 17 |
| 136 | Magnetostratigraphic study of a Late Cretaceous–Paleogene succession in the eastern Xining basin, NE Tibet: Constraint on the timing of major tectonic events in response to the India-Eurasia collision. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 2457-2484. | 3.3 | 10 |
| 137 | Paleoenvironmental evolution of South Asia and its link to Himalayan uplift and climatic change since the late Eocene. <i>Global and Planetary Change</i> , 2021, 200, 103459. | 3.5 | 14 |
| 138 | The Late Cretaceous source-to-sink system at the eastern margin of the Tibetan Plateau: Insights from the provenance of the Lanping Basin. <i>Geoscience Frontiers</i> , 2021, 12, 101102. | 8.4 | 11 |
| 139 | Paleogene Sedimentary Records of the Paleogene Jinshajiang (Upper Yangtze) in the Jianchuan Basin, Yunnan, SW China. <i>Geochemistry, Geophysics, Geosystems</i> , 2021, 22, e2020GC009500. | 2.5 | 10 |
| 140 | Insights into evolution of a rift basin: Provenance of the middle Eocene-lower Oligocene strata of the Beibuwan Basin, South China Sea from detrital zircon. <i>Sedimentary Geology</i> , 2021, 419, 105908. | 2.1 | 11 |
| 141 | New early oligocene zircon U-Pb dates for the Miocene Wenshan Basin, Yunnan, China: Biodiversity and paleoenvironment. <i>Earth and Planetary Science Letters</i> , 2021, 565, 116929. | 4.4 | 29 |
| 142 | Detrital zircon U-Pb geochronology of the Jianchuan Basin, southeastern Tibetan Plateau, and its implications for tectonic and paleodrainage evolution. <i>Terra Nova</i> , 2021, 33, 560-572. | 2.1 | 7 |
| 143 | Topographic growth of the northeastern Tibetan Plateau during the middle-late Miocene: Insights from integrated provenance analysis in the NE Qaidam Basin. <i>Basin Research</i> , 2021, 33, 3212-3230. | 2.7 | 9 |
| 144 | Stratigraphy and Provenance of the Paleogene Syn-Rift Sediments in Central-Southern Palawan: Paleogeographic Significance for the South China Margin. <i>Tectonics</i> , 2021, 40, e2021TC006753. | 2.8 | 7 |
| 145 | Depositional styles of deltaic systems from the inner shelf to shelf edge and their controlling processes: A case study from the Upper Oligocene to Lower Miocene in the Pearl River Mouth Basin. <i>Sedimentary Geology</i> , 2021, 423, 105970. | 2.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 146 | Heavy Mineral Assemblage Variation in Late Cenozoic Sediments from the Middle Yangtze River Basin: Insights into Basin Sediment Provenance and Evolution of the Three Gorges Valley. <i>Minerals (Basel)</i> , 2021, 11, 1070. | 0.0 | 0 |
| 147 | Tectonic and climatic controls on the Late Jurassic–Early Cretaceous stratigraphic architecture of the Xuanhua basin, North China. <i>Basin Research</i> , 2022, 34, 190-219. | 2.7 | 5 |
| 148 | Cadmium and clay mineral analysis of late Pliocene–Pleistocene deposits from Jiangnan Basin, central China: Implications for sedimentary provenance and evolution of the Yangtze River. <i>Quaternary International</i> , 2021, 598, 1-14. | 1.5 | 7 |
| 149 | Timing of river capture in major Yangtze River tributaries: Insights from sediment provenance and morphometric indices. <i>Geomorphology</i> , 2021, 392, 107915. | 2.6 | 14 |
| 150 | Reversal of the middle-upper Songhua River in the late Early Pleistocene, Northeast China. <i>Geomorphology</i> , 2020, 369, 107373. | 2.6 | 10 |
| 151 | Provenance of terrigenous sediments in the central Bay of Bengal and its relationship to climate changes since 25%ka. <i>Progress in Earth and Planetary Science</i> , 2020, 7, . | 3.0 | 12 |
| 152 | Dynamics of tandemly repeated DNA sequences during evolution of diploid and tetraploid botiid loaches (Teleostei: Cobitoidea: Botiidae). <i>PLoS ONE</i> , 2018, 13, e0195054. | 2.5 | 14 |
| 153 | Tracing the Sources and Depositional Pathways for the Oligocene Sediments in the Andaman Forearc. <i>Society of Earth Scientists Series</i> , 2020, , 93-106. | 0.3 | 1 |
| 154 | Sedimentology and provenance of the Lower Old Red Sandstone Grampian outliers: implications for Caledonian orogenic basin development and the northward extension of the Midland Valley Basin. <i>Journal of the Geological Society</i> , 2021, 178, . | 2.1 | 2 |
| 155 | Sequence stratigraphy and sedimentary characteristics of the shelf-edge delta and slope fan systems in the Late Oligocene, Baiyun Sag, Pearl River Mouth Basin, China. <i>Marine and Petroleum Geology</i> , 2021, , 105441. | 3.3 | 2 |
| 156 | Cenozoic reorganization of fluvial systems in eastern China: Sedimentary provenance of detrital K-feldspar in Taiwan. <i>Chemical Geology</i> , 2022, 592, 120740. | 3.3 | 6 |
| 157 | Initial uplift of the Qilian Shan, northern Tibet since ca. 25 Ma: Implications for regional tectonics and origin of eolian deposition in Asia. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 2531-2547. | 3.3 | 9 |
| 158 | Illuminating past river incision, sediment source and pathways using luminescence signals of individual feldspar grains (Rangitikei River, New Zealand). <i>Earth Surface Processes and Landforms</i> , 2022, 47, 1952-1971. | 2.5 | 9 |
| 159 | Geochemistry and provenance of Oligocene to middle Miocene sandstones in the Qiongdongnan Basin, northern South China Sea. <i>Marine Geology</i> , 2022, 447, 106794. | 2.1 | 3 |
| 160 | Geochronological and geochemical characterization of paleo-rivers deposits during rifting of the South China Sea. <i>Earth and Planetary Science Letters</i> , 2022, 584, 117427. | 4.4 | 10 |
| 161 | Late Oligocene-early Miocene Origin of the First Bend of the Yangtze River explained by thrusting-induced river reorganization. <i>Geomorphology</i> , 2022, 411, 108303. | 2.6 | 5 |
| 162 | The Hoanh Bo Trough—a landward keyhole to the syn-rift Late Eocene–Early Oligocene terrestrial succession of the northern Song Hong Basin (onshore north-east Vietnam). <i>Geological Journal</i> , 2022, 57, 4216-4241. | 1.3 | 0 |
| 163 | Taiwan river muds from source to sink: Provenance control, inherited weathering, and offshore dispersal pathways. <i>Sedimentary Geology</i> , 2022, 438, 106199. | 2.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 164 | Coupling of tectonic uplift and climate change as influences on drainage evolution: A case study at the NE margin of the Tibetan Plateau. <i>Catena</i> , 2022, 216, 106433. | 5.0 | 2 |
| 165 | Chemical Weathering of the Mekong River Basin With Implication for East Asian Monsoon Evolution During the Late Quaternary: Marine Sediment Records in the Southern South China Sea. <i>Frontiers in Earth Science</i> , 0, 10, . | 1.8 | 4 |
| 166 | Sedimentary provenance perspectives on the evolution of the major rivers draining the eastern Tibetan Plateau. <i>Earth-Science Reviews</i> , 2022, 232, 104151. | 9.1 | 15 |
| 167 | Evolution of pull-apart basins with overlapping NE-trending strike-slip fault systems in the northern South China Sea margin: Insight from numerical modeling. <i>Tectonophysics</i> , 2023, 846, 229679. | 2.2 | 1 |
| 168 | New evidence from heavy minerals and detrital zircons in Quaternary fluvial sediments for the evolution of the upper Yangtze River, South China. <i>Quaternary Research</i> , 2023, 113, 162-181. | 1.7 | 1 |
| 169 | Provenance evidence for the early-to-middle Pleistocene drainage reorganization of the Songhua River, NE China. <i>Catena</i> , 2023, 224, 107004. | 5.0 | 1 |
| 170 | Extraction of effective sedimentary signals from rivers in Bangladesh and their application in the Bay of Bengal. <i>Journal of Asian Earth Sciences</i> , 2023, 246, 105585. | 2.3 | 1 |
| 171 | Cenozoic source-to-sink driven by tectono-geomorphic evolution: A systematic detrital zircon U-Pb analysis in the central northern South China Sea. <i>Earth-Science Reviews</i> , 2023, 239, 104365. | 9.1 | 3 |
| 172 | Crustal structure beneath the northern part of the southeastern Tibetan Plateau revealed by a seismic dense nodal array. <i>Journal of Asian Earth Sciences</i> , 2023, 258, 105593. | 2.3 | 2 |
| 173 | Late Oligocene Formation of the Pearl River Triggered by the Opening of the South China Sea. <i>Geophysical Research Letters</i> , 2023, 50, . | 4.0 | 1 |
| 174 | Eocene to present evolution of the Pearl River, China: A quantitative provenance interpretation on large detrital zircon U-Pb geochronological data. <i>Basin Research</i> , 2023, 35, 2249-2267. | 2.7 | 0 |
| 175 | Wide shelves as discriminators between hinterland tectonic and intra-basin rifting signals. <i>Earth and Planetary Science Letters</i> , 2023, 620, 118347. | 4.4 | 0 |
| 176 | Late Oligocene-Early Miocene incision of the Three Gorges and the initial establishment of an east-flowing Yangtze River. <i>Geomorphology</i> , 2023, 441, 108897. | 2.6 | 0 |
| 177 | Evolution of eastern Asia river systems reconstructed by the mineralogy and detrital-zircon geochronology of modern Red River and coastal Vietnam river sand. <i>Earth-Science Reviews</i> , 2023, 245, 104572. | 9.1 | 0 |
| 178 | Early Cenozoic Drainage Evolution and Surface Uplift of the Eastern Tibetan Plateau: Insights From the Ninglang Basin. <i>Geophysical Research Letters</i> , 2023, 50, . | 4.0 | 0 |
| 179 | Geochronological and Sedimentological Study of the Fluvio-Lacustrine Deposits from Shigu to Longjie: Implications for the Evolution of the Lower Jinsha River since the Early Pleistocene. <i>Water (Switzerland)</i> , 2023, 15, 3613. | 2.7 | 0 |
| 180 | Diversification of freshwater crabs on the sky islands in the Hengduan Mountains Region, China. <i>Molecular Phylogenetics and Evolution</i> , 2024, 190, 107955. | 2.7 | 0 |
| 181 | A Critical Appraisal of the Sensitivity of Detrital Zircon U-Pb Provenance Data to Constrain Drainage Network Evolution in Southeast Tibet. <i>Journal of Geophysical Research F: Earth Surface</i> , 2024, 129, . | 2.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 182 | Stream evolution of the southeastern margin of the Tibetan Plateau: A case study of the Jinsha-Red River system. <i>Journal of Asian Earth Sciences</i> , 2024, 264, 106069. | 2.3 | 0 |
| 183 | An integrated chronological study on the Quaternary sedimentary sequences of the Yangtze River delta, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2024, 641, 112135. | 2.3 | 0 |