

CITATION REPORT

List of articles citing

Antidepressant drug treatment modifies the neural processing of nonconscious threat cues

DOI: 10.1016/j.biopsych.2005.10.015
Biological Psychiatry, 2006, 59, 816-20.

Source: <https://exaly.com/paper-pdf/39774010/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
395	Correlatos anatômico-funcionais das emoções mapeados com técnicas de neuroimagem funcional. 2006 , 17, 135-157		
394	Tryptophan supplementation induces a positive bias in the processing of emotional material in healthy female volunteers. <i>Psychopharmacology</i> , 2006 , 187, 121-30	4.7	67
393	Impaired recognition of fear facial expressions in 5-HTTLPR S-polymorphism carriers following tryptophan depletion. <i>Psychopharmacology</i> , 2006 , 189, 387-94	4.7	40
392	Affect recognition deficits in schizophrenia: neural substrates and psychopharmacological implications. 2007 , 7, 807-16		51
391	Human 5-HT transporter availability predicts amygdala reactivity in vivo. <i>Journal of Neuroscience</i> , 2007 , 27, 9233-7	6.6	77
390	Identifying functional neuroimaging biomarkers of bipolar disorder: toward DSM-V. 2007 , 33, 893-904		163
389	The impact of tryptophan depletion and 5-HTTLPR genotype on passive avoidance and response reversal instrumental learning tasks. <i>Neuropsychopharmacology</i> , 2007 , 32, 206-15	8.7	72
388	Differential effects of tryptophan depletion on emotion processing according to face direction. <i>Social Cognitive and Affective Neuroscience</i> , 2007 , 2, 264-73	4	25
387	Short-term antidepressant treatment and facial processing. Functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2007 , 190, 531-2	5.4	92
386	Cognitive and serotonergic vulnerability to depression: convergent findings. 2007 , 116, 86-94		40
385	Citalopram modulation of neuronal responses to aversive face emotions: a functional MRI study. 2007 , 18, 1351-5		107
384	Neurocognitive deficits in major depression and a new theory of ADHD: a model of impaired antagonism of cholinergic-mediated prepotent behaviours in monoamine depleted individuals. 2007 , 68, 210-21		16
383	Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. <i>NeuroImage</i> , 2007 , 37, 904-11	7.9	43
382	[Emotional dimensions of schizophrenic disorders]. 2007 , 33 Pt 3, S371-4		1
381	Le destin de l'épisode dépressif. 2007 , 33, 709-712		1
380	Anxiété-dépression : approches conjointes de l'imagerie cérébrale fonctionnelle et de la génétique. 2007 , 33, 690-691		
379	A single dose of citalopram increases fear recognition in healthy subjects. <i>Journal of Psychopharmacology</i> , 2007 , 21, 684-90	4.6	190

378	Erythropoietin reduces neural and cognitive processing of fear in human models of antidepressant drug action. <i>Biological Psychiatry</i> , 2007 , 62, 1244-50	7.9	39
377	The effects of serotonin manipulations on emotional information processing and mood. 2007 , 103, 43-62		87
376	Performance on a face perception task is associated with empathy quotient scores, but not systemizing scores or participant sex. 2007 , 43, 2229-2236		18
375	fMRI predictors of treatment outcome in pediatric anxiety disorders. <i>Psychopharmacology</i> , 2007 , 191, 97-105	4.7	122
374	Long-term administration of citalopram reduces basal and stress-induced extracellular noradrenaline levels in rat brain. <i>Psychopharmacology</i> , 2007 , 194, 73-81	4.7	32
373	Impaired fear recognition in regular recreational cocaine users. <i>Psychopharmacology</i> , 2007 , 194, 151-9	4.7	44
372	The role of 5-HTTLPR in choosing the lesser of two evils, the better of two goods: examining the impact of 5-HTTLPR genotype and tryptophan depletion in object choice. <i>Psychopharmacology</i> , 2008 , 196, 29-38	4.7	29
371	Escitalopram effects on insula and amygdala BOLD activation during emotional processing. <i>Psychopharmacology</i> , 2008 , 196, 661-72	4.7	157
370	Abnormal amygdala activation profile in pedophilia. 2008 , 258, 271-7		50
369	Residual cognitive impairments in remitted depressed patients. 2008 , 25, E27-36		32
368	The role of neuroimaging for the diagnosis and treatment of anxiety disorders. 2008 , 25, 348-56		26
367	Acute tryptophan depletion in healthy volunteers enhances punishment prediction but does not affect reward prediction. <i>Neuropsychopharmacology</i> , 2008 , 33, 2291-9	8.7	124
366	Cerebral metabolic effects of fluoxetine, fluvoxamine, paroxetine and sertraline in the conscious rat. 2008 , 436, 148-52		10
365	Assessing human 5-HT function in vivo with pharmacMRI. <i>Neuropharmacology</i> , 2008 , 55, 1029-37	5.5	61
364	Serotonin and emotional processing: does it help explain antidepressant drug action?. <i>Neuropharmacology</i> , 2008 , 55, 1023-8	5.5	162
363	Pharmacological MRI in animal models: a useful tool for 5-HT research?. <i>Neuropharmacology</i> , 2008 , 55, 1038-47	5.5	34
362	Serotonergic regulation of emotional and behavioural control processes. 2008 , 12, 31-40		463
361	Restraint stress increases serotonin release in the central nucleus of the amygdala via activation of corticotropin-releasing factor receptors. 2008 , 76, 493-8		73

360	Switching schizophrenia patients from typical neuroleptics to olanzapine: effects on BOLD response during attention and working memory. 2008 , 18, 589-99		46
359	Association of major depressive disorder with altered functional brain response during anticipation and processing of heat pain. 2008 , 65, 1275-84		204
358	rTMS treatment for depression in Parkinson's disease increases BOLD responses in the left prefrontal cortex. 2008 , 11, 173-83		60
357	Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they be improved?. <i>Handbook of Behavioral Neuroscience</i> , 2008 , 395-411	0.7	2
356	Erythropoietin improves mood and modulates the cognitive and neural processing of emotion 3 days post administration. <i>Neuropsychopharmacology</i> , 2008 , 33, 611-8	8.7	62
355	Cannabinoid modulation of amygdala reactivity to social signals of threat in humans. <i>Journal of Neuroscience</i> , 2008 , 28, 2313-9	6.6	193
354	A link between serotonin-related gene polymorphisms, amygdala activity, and placebo-induced relief from social anxiety. <i>Journal of Neuroscience</i> , 2008 , 28, 13066-74	6.6	158
353	Antidepressive therapy with escitalopram improves mood, cognitive symptoms, and identity memory for angry faces in elderly depressed patients. 2008 , 11, 381-8		35
352	Differential effects of citalopram and reboxetine on cortical Glx measured with proton MR spectroscopy. <i>Journal of Psychopharmacology</i> , 2008 , 22, 473-6	4.6	35
351	Acute 5-HT reuptake blockade potentiates human amygdala reactivity. <i>Neuropsychopharmacology</i> , 2008 , 33, 3221-5	8.7	119
350	The effect of acute tryptophan depletion on the neural correlates of emotional processing in healthy volunteers. <i>Neuropsychopharmacology</i> , 2008 , 33, 1992-2006	8.7	63
349	Pharmacogenetics and the serotonin transporter in late-life depression. 2008 , 4, 1465-78		24
348	Affective ratings and startle modulation in people with nonclinical depression. 2008 , 8, 552-9		30
347	Improving the prediction of treatment response in depression: integration of clinical, cognitive, psychophysiological, neuroimaging, and genetic measures. 2008 , 13, 1066-86; quiz 1087-8		125
346	Alterations in Neural Structures as Risk Factors for Depression. 2008 , 37-61		
345	Serotonergic modulation of face-emotion recognition. 2008 , 41, 263-9		19
344	Reduced stress-sensitivity or increased reward experience: the psychological mechanism of response to antidepressant medication. <i>Neuropsychopharmacology</i> , 2009 , 34, 923-31	8.7	96
343	Reduced 5-HT(2A) receptor signaling following selective bilateral amygdala damage. <i>Social Cognitive and Affective Neuroscience</i> , 2009 , 4, 79-84	4	24

342	The role of imaging in proof of concept for CNS drug discovery and development. <i>Neuropsychopharmacology</i> , 2009 , 34, 187-203	8.7	141
341	Risk for depression and neural responses to fearful facial expressions of emotion. <i>British Journal of Psychiatry</i> , 2009 , 194, 139-45	5.4	90
340	Medial prefrontal cortex 5-HT(2A) density is correlated with amygdala reactivity, response habituation, and functional coupling. 2009 , 19, 2499-507		99
339	Two-week treatment with the selective serotonin reuptake inhibitor citalopram reduces contextual anxiety but not cued fear in healthy volunteers: a fear-potentiated startle study. <i>Neuropsychopharmacology</i> , 2009 , 34, 964-71	8.7	61
338	Serotonin transporter availability in the amygdala and bed nucleus of the stria terminalis predicts anxious temperament and brain glucose metabolic activity. <i>Journal of Neuroscience</i> , 2009 , 29, 9961-6	6.6	85
337	Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. <i>British Journal of Psychiatry</i> , 2009 , 195, 102-8	5.4	366
336	The role of trauma-related distractors on neural systems for working memory and emotion processing in posttraumatic stress disorder. 2009 , 43, 809-17		150
335	Effects of sex hormonal levels and phases of the menstrual cycle in the processing of emotional faces. 2009 , 34, 1087-94		84
334	Antidepressant treatment normalizes hypoactivity in dorsolateral prefrontal cortex during emotional interference processing in major depression. 2009 , 112, 206-11		194
333	The effect of serotonergic and noradrenergic antidepressants on face emotion processing in depressed patients. 2009 , 118, 87-93		130
332	L'analyse des visages dans la dépression. 2009 , 74, 79-91		6
331	Bringing the bedside to the bench, and then to the community: a prospectus for intervention research in late-life anxiety disorders. 2009 , 24, 1-14		41
330	Working-memory fMRI reveals cingulate hyperactivation in euthymic major depression. 2009 , 30, 2746-56		59
329	Pathological amygdala activation during working memory performance: Evidence for a pathophysiological trait marker in bipolar affective disorder. 2010 , 31, 115-25		42
328	Evidence for modulation of facial emotional processing bias during emotional expression decoding by serotonergic and noradrenergic antidepressants: an event-related potential (ERP) study. <i>Psychopharmacology</i> , 2009 , 202, 621-34	4.7	32
327	Acute administration of the cannabinoid CB1 antagonist rimonabant impairs positive affective memory in healthy volunteers. <i>Psychopharmacology</i> , 2009 , 205, 85-91	4.7	59
326	Short-term antidepressant treatment modulates amygdala response to happy faces. <i>Psychopharmacology</i> , 2009 , 206, 197-204	4.7	78
325	Effects of MDMA on sociability and neural response to social threat and social reward. <i>Psychopharmacology</i> , 2009 , 207, 73-83	4.7	118

324	Effects of erythropoietin on emotional processing biases in patients with major depression: an exploratory fMRI study. <i>Psychopharmacology</i> , 2009 , 207, 133-42	4.7	38
323	Bipolar and major depressive disorder: neuroimaging the developmental-degenerative divide. <i>Neuroscience and Biobehavioral Reviews</i> , 2009 , 33, 699-771	9	383
322	Effect of a single dose of citalopram on amygdala response to emotional faces. <i>British Journal of Psychiatry</i> , 2009 , 194, 535-40	5.4	185
321	Emotional processing in women with anorexia nervosa and in healthy volunteers. 2009 , 10, 184-91		69
320	Imaging phenotypes of major depressive disorder: genetic correlates. 2009 , 164, 300-30		173
319	Neurobiology of circadian systems. 2009 , 23 Suppl 2, 3-13		71
318	Functional neuroimaging studies of bipolar disorder: examining the wide clinical spectrum in the search for disease endophenotypes. 2009 , 21, 368-79		20
317	The role of serotonin in nonnormative risky choice: the effects of tryptophan supplements on the "reflection effect" in healthy adult volunteers. 2009 , 21, 1709-19		49
316	Oxytocin enhances processing of positive versus negative emotional information in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2009 , 23, 241-8	4.6	186
315	Research in anxiety disorders: from the bench to the bedside. 2009 , 19, 381-90		48
314	P.3.03 A double-blind, placebo-controlled, parallel group study of the effect of Org 25935 on cognitive performance. 2009 , 19, S64-S65		
313	P.3.04 Antidepressant treatment modulates prefrontal cortex response to threatening cues in subjects at risk for depression. 2009 , 19, S65-S66		
312	Brain imaging correlates of cognitive impairment in depression. 2009 , 3, 30		33
311	Effects of HTR1A C(-1019)G on amygdala reactivity and trait anxiety. 2009 , 66, 33-40		127
310	Short-term serotonergic but not noradrenergic antidepressant administration reduces attentional vigilance to threat in healthy volunteers. 2009 , 12, 169-79		66
309	Subchronic SSRI administration reduces insula response during affective anticipation in healthy volunteers. 2009 , 12, 1009-20		54
308	Using functional neuroimaging to investigate the mechanisms of action of selective serotonin reuptake inhibitors (SSRIs). 2010 , 16, 1990-7		23
307	Neurobiological pathways linking socioeconomic position and health. 2010 , 72, 450-61		61

306	Forum: the use of selective serotonin reuptake inhibitors in depressed children and adolescents: commentary on the meta-analysis by Hetrick et al. 2010 , 23, 58-61		13
305	Understanding vulnerability for depression from a cognitive neuroscience perspective: A reappraisal of attentional factors and a new conceptual framework. 2010 , 10, 50-70		370
304	The modification of attentional bias to emotional information: A review of the techniques, mechanisms, and relevance to emotional disorders. 2010 , 10, 8-20		172
303	Imaging genetics: implications for research on variable antidepressant drug response. 2010 , 3, 471-89		11
302	The peptide that binds: a systematic review of oxytocin and its prosocial effects in humans. 2010 , 18, 1-21		424
301	Erythropoietin modulates neural and cognitive processing of emotional information in biomarker models of antidepressant drug action in depressed patients. <i>Psychopharmacology</i> , 2010 , 210, 419-28	4-7	27
300	A single dose of mirtazapine modulates neural responses to emotional faces in healthy people. <i>Psychopharmacology</i> , 2010 , 212, 625-34	4-7	51
299	Effects of tryptophan loading on human cognition, mood, and sleep. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 34, 387-407	9	141
298	Antidepressant drug action: a neuropsychological perspective. 2010 , 27, 231-3		24
297	Effects of erythropoietin on depressive symptoms and neurocognitive deficits in depression and bipolar disorder. 2010 , 11, 97		34
296	Neurotic, stress-related and somatoform disorders. 2010 , 453-491		2
295	Oxytocin and Major Depressive Disorder: Experimental and Clinical Evidence for Links to Aetiology and Possible Treatment. 2010 , 3, 702-724		60
294	Modulation of Emotional Faces Processing and Its Implication for Depression and Anxiety. 2010 ,		
293	Neuroendocrinology and Neuroimaging Studies of Social Anxiety Disorder. 2010 , 273-312		1
292	Relationship between amygdala responses to masked faces and mood state and treatment in major depressive disorder. 2010 , 67, 1128-38		306
291	Acute and chronic treatment with serotonin reuptake inhibitors exert opposite effects on respiration in rats: possible implications for panic disorder. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1793-801	4.6	11
290	Facial affect recognition in anorexia nervosa: is obsessiveness a missing piece of the puzzle?. 2010 , 44, 1118-25		33
289	Neural activity changes to emotional stimuli in healthy individuals under chronic use of clomipramine. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1165-74	4.6	12

288	Opposing effects of 5,7-DHT infusions into the orbitofrontal cortex and amygdala on flexible responding. 2010 , 20, 1668-75		12
287	The effect of selective serotonin reuptake inhibitors in healthy subjects. A systematic review. 2010 , 64, 153-63		18
286	Escitalopram enhances the association of serotonin-1A autoreceptors to heteroreceptors in anxiety disorders. <i>Journal of Neuroscience</i> , 2010 , 30, 14482-9	6.6	39
285	Lack of effect of citalopram on magnetic resonance spectroscopy measures of glutamate and glutamine in frontal cortex of healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1217-21	4.6	14
284	Augmenting serotonin neurotransmission with citalopram modulates emotional expression decoding but not structural encoding of moderate intensity sad facial emotional stimuli: an event-related potential (ERP) investigation. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1153-64	4.6	24
283	Does neuroimaging research examining the pathophysiology of posttraumatic stress disorder require medication-free patients?. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 80-9	4.5	32
282	Differential effects of serotonergic and noradrenergic antidepressants on brain activity during a cognitive control task and neurofunctional prediction of treatment outcome in patients with depression. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 247-57	4.5	66
281	Modulatory effects of modafinil on neural circuits regulating emotion and cognition. <i>Neuropsychopharmacology</i> , 2010 , 35, 2101-9	8.7	61
280	Automatic mood-congruent amygdala responses to masked facial expressions in major depression. <i>Biological Psychiatry</i> , 2010 , 67, 155-60	7.9	249
279	Lateral prefrontal cortex mediates the cognitive modification of attentional bias. <i>Biological Psychiatry</i> , 2010 , 67, 919-25	7.9	177
278	The neurocircuitry of fear, stress, and anxiety disorders. <i>Neuropsychopharmacology</i> , 2010 , 35, 169-91	8.7	1372
277	Lesion of the medial prefrontal cortex and the subthalamic nucleus selectively affect depression-like behavior in rats. <i>Behavioural Brain Research</i> , 2010 , 213, 73-81	3.4	34
276	Acute reversible inactivation of the ventral medial prefrontal cortex induces antidepressant-like effects in rats. <i>Behavioural Brain Research</i> , 2010 , 214, 437-42	3.4	42
275	Decreased recognition of negative affect after selective serotonin reuptake inhibition is dependent on genotype. <i>Psychiatry Research</i> , 2010 , 177, 354-7	9.9	9
274	Amygdala reactivity is inversely related to level of cannabis use in individuals with comorbid cannabis dependence and major depression. 2010 , 35, 644-6		41
273	P.3.017 Acute low dose tryptophan depletion in volunteers at high risk for eating disorders. 2010 , 20, S76-S77		
272	P.3.018 Mirtazapine reduces neural responses to fearful faces in healthy volunteers. 2010 , 20, S77-S78		
271	Antidepressants in healthy subjects: what are the psychotropic/psychological effects?. 2010 , 20, 433-53		44

270	Area-specific modulation of neural activation comparing escitalopram and citalopram revealed by pharmaco-fMRI: a randomized cross-over study. <i>NeuroImage</i> , 2010 , 49, 1161-70	7.9	95
269	Emotion specific modulation of automatic amygdala responses by 5-HTTLPR genotype. <i>NeuroImage</i> , 2010 , 53, 893-8	7.9	70
268	Oxytocin attenuates amygdala reactivity to fear in generalized social anxiety disorder. <i>Neuropsychopharmacology</i> , 2010 , 35, 2403-13	8.7	371
267	Serotonin in Mood and Emotion. <i>Handbook of Behavioral Neuroscience</i> , 2010 , 367-378	0.7	4
266	NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010 , 24, 481-7	4.6	23
265	Neural correlates of social approach and withdrawal in patients with major depression. 2011 , 6, 482-501		52
264	Using MRI to measure drug action: caveats and new directions. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1168-74	4.6	18
263	Antidepressant medications reduce subcortical-cortical resting-state functional connectivity in healthy volunteers. <i>NeuroImage</i> , 2011 , 57, 1317-23	7.9	155
262	Subchronic duloxetine administration alters the extended amygdala circuitry in healthy individuals. <i>NeuroImage</i> , 2011 , 55, 825-31	7.9	25
261	A cognitive neuropsychological model of antidepressant drug action. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1586-92	5.5	90
260	The effects of antidepressants on human brain as detected by imaging studies. Focus on major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1544-52	5.5	39
259	P.3.017 In vivo measurements of brain serotonergic markers and analysis of drug use profiles among recreational ecstasy and hallucinogen users. 2011 , 21, S72-S73		
258	Symptom relief and facilitation of emotional processing. 2011 , 21 Suppl 4, S710-5		1
257	The Neurocircuitry of Fear, Stress, and Anxiety Disorders. 2011 , 9, 311-334		7
256	Quantification of cerebral blood flow as biomarker of drug effect: arterial spin labeling phMRI after a single dose of oral citalopram. 2011 , 89, 251-8		55
255	SSRI administration reduces resting state functional connectivity in dorso-medial prefrontal cortex. 2011 , 16, 592-4		87
254	Neuropeptide S receptor gene -- converging evidence for a role in panic disorder. 2011 , 16, 938-48		137
253	Modulating amygdala responses to emotion: evidence from pharmacological fMRI. 2011 , 49, 706-17		45

252	Brain effects of antidepressants in major depression: a meta-analysis of emotional processing studies. 2011 , 130, 66-74		203
251	Mood and personality effects in healthy participants after chronic administration of sertraline. 2011 , 134, 377-85		10
250	Validation of experimental medicine methods in psychiatry: the P1vital approach and experience. 2011 , 81, 1435-41		11
249	Amygdala abnormalities in first-degree relatives of individuals with schizophrenia unmasked by benzodiazepine challenge. <i>Psychopharmacology</i> , 2011 , 218, 503-12	4.7	24
248	Neuroimaging in psychiatric disorders. 2011 , 8, 93-102		35
247	Facial emotion processing in major depression: a systematic review of neuroimaging findings. 2011 , 1, 10		269
246	Medial prefrontal cortex serotonin 1A and 2A receptor binding interacts to predict threat-related amygdala reactivity. 2011 , 1, 2		38
245	Short-term duloxetine administration affects neural correlates of mood-congruent memory. <i>Neuropsychopharmacology</i> , 2011 , 36, 2266-75	8.7	7
244	A systematic review of neuropsychological performance in social anxiety disorder. 2011 , 65, 147-61		33
243	Affective cognition and its disruption in mood disorders. <i>Neuropsychopharmacology</i> , 2011 , 36, 153-82	8.7	217
242	Efficacy markers in depression. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1148-58	4.6	93
241	Access of emotional information to visual awareness in patients with major depressive disorder. <i>Psychological Medicine</i> , 2011 , 41, 1615-24	6.9	45
240	Preliminary findings: neural responses to feedback regarding betrayal and cooperation in adolescent anxiety disorders. 2011 , 36, 453-72		19
239	Pregabalin influences insula and amygdala activation during anticipation of emotional images. <i>Neuropsychopharmacology</i> , 2011 , 36, 1466-77	8.7	47
238	Short-term SSRI treatment normalises amygdala hyperactivity in depressed patients. <i>Psychological Medicine</i> , 2012 , 42, 2609-17	6.9	160
237	The use of cognitive bias modification and imagery in the understanding and treatment of depression. 2013 , 14, 243-60		10
236	Emotional processing and antidepressant action. 2013 , 14, 209-22		25
235	Effects of diazepam on BOLD activation during the processing of aversive faces. <i>Journal of Psychopharmacology</i> , 2012 , 26, 443-51	4.6	41

234	Increased amygdala responses to sad but not fearful faces in major depression: relation to mood state and pharmacological treatment. 2012 , 169, 841-50		135
233	Effects of delta-9-tetrahydrocannabinol on evaluation of emotional images. <i>Journal of Psychopharmacology</i> , 2012 , 26, 1289-98	4.6	37
232	Serotonin circuits and anxiety: what can invertebrates teach us?. 2012 , 12, 81-92		36
231	Cognitive mechanisms of treatment in depression. <i>Neuropsychopharmacology</i> , 2012 , 37, 117-36	8.7	319
230	Antidepressants differentially modify the extinction of an aversive memory task in female rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 37, 33-40	5.5	20
229	Functional anomalies in healthy individuals with a first degree family history of major depressive disorder. 2012 , 2, 1		35
228	Distorted expectancy coding in problem gambling: is the addictive in the anticipation?. <i>Biological Psychiatry</i> , 2012 , 71, 741-8	7.9	113
227	Test-retest reliability of evoked BOLD signals from a cognitive-emotive fMRI test battery. <i>NeuroImage</i> , 2012 , 60, 1746-58	7.9	216
226	[Depression and functional cerebral imaging]. 2012 , 38 Suppl 2, S37-40		
225	The role of the amygdala in the pathophysiology of panic disorder: evidence from neuroimaging studies. 2012 , 2, 20		31
224	Effect of chronic escitalopram versus placebo on personality traits in healthy first-degree relatives of patients with depression: a randomized trial. <i>PLoS ONE</i> , 2012 , 7, e31980	3.7	12
223	Pregabalin effects on neural response to emotional faces. 2012 , 6, 42		19
222	Punishment sensitivity modulates the processing of negative feedback but not error-induced learning. 2012 , 6, 186		13
221	The Role of the Amygdala in Anxiety Disorders. 2012 ,		4
220	Amygdala subregions tied to SSRI and placebo response in patients with social anxiety disorder. <i>Neuropsychopharmacology</i> , 2012 , 37, 2222-32	8.7	51
219	Pharmacology and neuroimaging of antidepressant action. 2012 , 106, 643-55		
218	Cannabinoid modulation of subgenual anterior cingulate cortex activation during experience of negative affect. 2012 , 119, 701-7		19
217	Short-term antidepressant administration reduces negative self-referential processing in the medial prefrontal cortex in subjects at risk for depression. 2012 , 17, 503-10		63

216	The Oxford Questionnaire on the Emotional Side-effects of Antidepressants (OQuESA): development, validity, reliability and sensitivity to change. 2012 , 140, 66-74		17
215	Linking variability in brain chemistry and circuit function through multimodal human neuroimaging. 2012 , 11, 633-42		21
214	Antidepressant effects on emotional temperament: toward a biobehavioral research paradigm for major depressive disorder. 2012 , 18, 441-51		30
213	Erythropoietin: a candidate treatment for mood symptoms and memory dysfunction in depression. <i>Psychopharmacology</i> , 2012 , 219, 687-98	4-7	51
212	Can theories of visual representation help to explain asymmetries in amygdala function?. 2013 , 13, 211-24		14
211	Behavioral Neurobiology of Depression and Its Treatment. 2013 ,		3
210	Neural correlates of dysfunctional emotion regulation in major depressive disorder. A systematic review of neuroimaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2529-53	9	294
209	Testosterone in the brain: neuroimaging findings and the potential role for neuropsychopharmacology. 2013 , 23, 79-88		55
208	Have no fear: the neural basis of anxiolytic drug action in generalized social phobia. <i>Biological Psychiatry</i> , 2013 , 73, 300-1	7-9	1
207	Corticolimbic brain reactivity to social signals of threat before and after sertraline treatment in generalized social phobia. <i>Biological Psychiatry</i> , 2013 , 73, 329-36	7-9	90
206	Exaggerated neurobiological sensitivity to threat as a mechanism linking anxiety with increased risk for diseases of aging. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 96-108	9	87
205	Test-retest reliability of task-related pharmacological MRI with a single-dose oral citalopram challenge. <i>NeuroImage</i> , 2013 , 75, 108-116	7-9	13
204	fMRI response to negative words and SSRI treatment outcome in major depressive disorder: a preliminary study. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 214, 296-305	2-9	47
203	The endocannabinoid system and emotional processing: a pharmacological fMRI study with Δ^9 -tetrahydrocannabinol. 2013 , 23, 1687-97		59
202	Chronic antidepressant treatment impairs the acquisition of fear extinction. <i>Biological Psychiatry</i> , 2013 , 73, 1078-86	7-9	64
201	Acute pharmacologically induced shifts in serotonin availability abolish emotion-selective responses to negative face emotions in distinct brain networks. 2013 , 23, 368-78		29
200	Neural response to emotional stimuli associated with successful antidepressant treatment and behavioral activation. 2013 , 151, 573-581		34
199	Acute neural effects of selective serotonin reuptake inhibitors versus noradrenaline reuptake inhibitors on emotion processing: Implications for differential treatment efficacy. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 1786-800	9	45

198	Neuroimaging Approaches to the Understanding of Depression and the Identification of Novel Antidepressants. 2013 , 343-411		1
197	The neurobiology of depression and antidepressant action. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2331-71	9	315
196	'It's the way that you look at it'--a cognitive neuropsychological account of SSRI action in depression. 2013 , 368, 20120407		109
195	Identifying serotonergic mechanisms underlying the corticolimbic response to threat in humans. 2013 , 368, 20120192		22
194	Individual differences in recovery from traumatic fear. 2013 , 36, 23-31		104
193	Vascular growth factors in neuropsychiatry. 2013 , 70, 1739-52		34
192	Serotonergic innervation of the amygdala: targets, receptors, and implications for stress and anxiety. 2013 , 139, 785-813		93
191	Systematic review, structural analysis, and new theoretical perspectives on the role of serotonin and associated genes in the etiology of psychopathy and sociopathy. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 1254-96	9	50
190	Trait anxiety levels before and after antidepressant treatment: a 3-wave cohort study. 2013 , 33, 371-7		5
189	WITHDRAWN: Neural response to emotional stimuli associated with successful antidepressant treatment and behavioural activation. 2013 ,		
188	Antidepressant treatment and emotional processing: can we dissociate the roles of serotonin and noradrenaline?. <i>Journal of Psychopharmacology</i> , 2013 , 27, 719-31	4.6	19
187	Anhedonia revisited: is there a role for dopamine-targeting drugs for depression?. <i>Journal of Psychopharmacology</i> , 2013 , 27, 869-77	4.6	77
186	Two weeks of pretreatment with escitalopram facilitates extinction learning in healthy individuals. 2013 , 28, 447-56		29
185	Modulation of attention network activation under antidepressant agents in healthy subjects. 2013 , 16, 1219-30		12
184	Emotion regulation, attention to emotion, and the ventral attentional network. 2013 , 7, 746		67
183	Invisible emotional expressions influence social judgments and pupillary responses of both depressed and non-depressed individuals. 2013 , 4, 291		15
182	Neuroplasticity and the next wave of antidepressant strategies. 2013 , 7, 218		57
181	The effect of acutely administered MDMA on subjective and BOLD-fMRI responses to favourite and worst autobiographical memories. 2014 , 17, 527-40		50

180	Short-term effects of escitalopram on regional brain function in first-episode drug-naive patients with major depressive disorder assessed by resting-state functional magnetic resonance imaging. <i>Psychological Medicine</i> , 2014 , 44, 1417-26	6.9	82
179	'Can you look me in the face?' Short-term SSRI administration reverts avoidant ocular face exploration in subjects at risk for psychopathology. <i>Neuropsychopharmacology</i> , 2014 , 39, 3059-66	8.7	12
178	Overlapping neural systems represent cognitive effort and reward anticipation. <i>PLoS ONE</i> , 2014 , 9, e91008	9.7	100
177	Impact of acute administration of escitalopram on the processing of emotional and neutral images: a randomized crossover fMRI study of healthy women. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 267-75	4.5	17
176	Neural correlates of a computerized attention modification program in anxious subjects. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1379-87	4	47
175	Neuroplasticity and memory formation in major depressive disorder: an imaging genetics perspective on serotonin and BDNF. 2014 , 32, 25-49		18
174	Occupancy of serotonin transporters in the amygdala by paroxetine in association with attenuation of left amygdala activation by negative faces in major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 221, 155-61	2.9	14
173	Increasing pharmacological knowledge about human neurological and psychiatric disorders through functional neuroimaging and its application in drug discovery. 2014 , 14, 54-61		35
172	Functional effects of chronic paroxetine versus placebo on the fear, stress and anxiety brain circuit in Social Anxiety Disorder: initial validation of an imaging protocol for drug discovery. 2014 , 24, 105-16		17
171	Role of the endocannabinoid system in brain functions relevant for schizophrenia: an overview of human challenge studies with cannabis or Δ -tetrahydrocannabinol (THC). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 52, 53-69	5.5	45
170	The Nature, Diagnosis, and Treatment of Neuroticism: Back to the Future. <i>Clinical Psychological Science</i> , 2014 , 2, 344-365	6	422
169	Spatiotemporal brain dynamics of emotional face processing modulations induced by the serotonin 1A/2A receptor agonist psilocybin. 2014 , 24, 3221-31		27
168	Towards a mechanistic understanding of pathological anxiety: the dorsal medial prefrontal-amygdala 'aversive amplification' circuit in unmedicated generalized and social anxiety disorders. <i>Lancet Psychiatry</i> , 2014 , 1, 294-302	23.3	101
167	Targeting the modulation of neural circuitry for the treatment of anxiety disorders. 2014 , 66, 1002-32		37
166	Neuroendocrinology and Neuroimaging Studies of Social Anxiety Disorder. 2014 , 333-376		
165	Three-week bright-light intervention has dose-related effects on threat-related corticolimbic reactivity and functional coupling. <i>Biological Psychiatry</i> , 2014 , 76, 332-9	7.9	27
164	Antidepressant-related sexual dysfunction - perspectives from neuroimaging. 2014 , 121, 138-45		35
163	Counterfactual processing of economic action-outcome alternatives in obsessive-compulsive disorder: further evidence of impaired goal-directed behavior. <i>Biological Psychiatry</i> , 2014 , 75, 639-46	7.9	46

162	Paradoxical effects of short-term antidepressant treatment in fMRI emotional processing models in volunteers with high neuroticism. <i>Psychological Medicine</i> , 2014 , 44, 241-52	6.9	51
161	Analgesic effect of perioperative escitalopram in high pain catastrophizing patients after total knee arthroplasty: a randomized, double-blind, placebo-controlled trial. 2015 , 122, 884-94		32
160	Early effects of duloxetine on emotion recognition in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2015 , 29, 634-41	4.6	10
159	A population PK model for citalopram and its major metabolite, N-desmethyl citalopram, in rats. 2015 , 42, 721-33		5
158	The cognitive neuropsychological model of antidepressant response. 2015 , 4, 124-130		4
157	Identifying predictors, moderators, and mediators of antidepressant response in major depressive disorder: neuroimaging approaches. 2015 , 172, 124-38		171
156	Fluctuations in [¹¹ C]SB207145 PET binding associated with change in threat-related amygdala reactivity in humans. <i>Neuropsychopharmacology</i> , 2015 , 40, 1510-8	8.7	17
155	Failure of hippocampal deactivation during loss events in treatment-resistant depression. 2015 , 138, 2766-76		32
154	Amygdala Reactivity to Emotional Faces in the Prediction of General and Medication-Specific Responses to Antidepressant Treatment in the Randomized iSPOT-D Trial. <i>Neuropsychopharmacology</i> , 2015 , 40, 2398-408	8.7	125
153	Brain imaging in understanding the action of psychotropic drugs: The drugs for depression. 2015 , 173, 255-258		
152	Meta-analysis of emotion recognition deficits in major depressive disorder. <i>Psychological Medicine</i> , 2015 , 45, 1135-44	6.9	147
151	Emotional face processing in post-traumatic stress disorder after reconsolidation impairment using propranolol: A pilot fMRI study. 2015 , 36, 127-33		18
150	A neurocognitive model for understanding treatment action in depression. 2015 , 370, 20140213		42
149	Prolonged physiological reactivity and loss: Association of pupillary reactivity with negative thinking and feelings. <i>International Journal of Psychophysiology</i> , 2015 , 98, 310-320	2.9	9
148	Enhancement of Healthy Personality Through Psychiatric Medication: The Influence of SSRIs on Neuroticism and Extraversion. 2015 , 8, 127-137		14
147	Attachment-security priming attenuates amygdala activation to social and linguistic threat. <i>Social Cognitive and Affective Neuroscience</i> , 2015 , 10, 832-9	4	74
146	Oxytocin modulation of amygdala functional connectivity to fearful faces in generalized social anxiety disorder. <i>Neuropsychopharmacology</i> , 2015 , 40, 278-86	8.7	87
145	5-HTTLPR/rs25531 polymorphism and neuroticism are linked by resting state functional connectivity of amygdala and fusiform gyrus. 2015 , 220, 2373-85		21

144	A Cognitive-Neuropsychological Account of Treatment Action in Anxiety: Can We Augment Clinical Efficacy?. 2016 , a3, 77-109		4
143	The neurobiology of dispositional negativity and attentional biases to threat: Implications for understanding anxiety disorders in adults and youth. 2016 , 7, 311-342		35
142	Psychotherapy and Antidepressant Treatment Effects on the Functional Neuroanatomy of Depression. 2016 , a3, 16-28		1
141	The Amygdala and Fear. 2016 , 305-310		
140	[What role for preclinical investigations within clinical trials conducted in psychiatric patients?]. 2016 , 42, S47-S50		0
139	Chronic Vortioxetine Treatment Reduces Exaggerated Expression of Conditioned Fear Memory and Restores Active Coping Behavior in Chronically Stressed Rats. 2017 , 20, 316-323		8
138	PharmacofMRI: Determining the functional anatomy of the effects of medication. <i>NeuroImage: Clinical</i> , 2016 , 12, 691-697	5-3	32
137	Dispositional negativity: An integrative psychological and neurobiological perspective. 2016 , 142, 1275-1314		126
136	Attentional biases to emotional stimuli: Key components of the RDoC constructs of sustained threat and loss. 2016 , 171B, 65-80		53
135	Early changes in emotional processing as a marker of clinical response to SSRI treatment in depression. 2016 , 6, e957		98
134	Understanding the impact of 5-HTTLPR, antidepressants, and acute tryptophan depletion on brain activation during facial emotion processing: A review of the imaging literature. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 71, 176-197	9	20
133	Neuropsychological Models of Depression. 2016 , 249-271		
132	Distinguishing medication-free subjects with unipolar disorder from subjects with bipolar disorder: state matters. 2016 , 18, 612-623		41
131	Fronto-limbic effective connectivity as possible predictor of antidepressant response to SSRI administration. 2016 , 26, 2000-2010		34
130	Effects of psychotropic drugs used in the treatment of anxiety disorders on the recognition of facial expressions of emotion: Critical analysis of literature. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 71, 802-809	9	11
129	The Role of Serotonin in Aversive Inhibition: Behavioural, Cognitive and Neural Perspectives. 2016 , a3, 29-40		4
128	Ketamine administration reduces amygdalo-hippocampal reactivity to emotional stimulation. 2016 , 37, 1941-52		39
127	Effect of short-term escitalopram treatment on neural activation during emotional processing. <i>Journal of Psychopharmacology</i> , 2016 , 30, 33-9	4.6	7

126	Novel Primate Model of Serotonin Transporter Genetic Polymorphisms Associated with Gene Expression, Anxiety and Sensitivity to Antidepressants. <i>Neuropsychopharmacology</i> , 2016 , 41, 2366-76	8.7	19
125	CHANGES IN REGIONAL BRAIN ACTIVATION RELATED TO DEPRESSIVE STATE: A 2-YEAR LONGITUDINAL FUNCTIONAL MRI STUDY. 2016 , 33, 35-44		17
124	Tryptophan supplementation modulates social behavior: A review. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 64, 346-58	9	16
123	Effects of Escitalopram Administration on Face Processing in Intermittent Explosive Disorder: An fMRI Study. <i>Neuropsychopharmacology</i> , 2016 , 41, 590-7	8.7	22
122	Antidepressant drug action--From rapid changes on network function to network rewiring. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 64, 285-92	5.5	31
121	How do antidepressants work? New perspectives for refining future treatment approaches. <i>Lancet Psychiatry</i> , 2017 , 4, 409-418	23.3	241
120	Drug-induced panic attacks: Analysis of cases registered in the French pharmacovigilance database. 2017 , 90, 60-66		6
119	Multidimensional prediction of treatment response to antidepressants with cognitive control and functional MRI. 2017 , 140, 472-486		44
118	Using Facial Expressions to Probe Brain Circuitry Associated With Anxiety and Depression. 2017 ,		
117	The role of serotonin in personality inference: tryptophan depletion impairs the identification of neuroticism in the face. <i>Psychopharmacology</i> , 2017 , 234, 2139-2147	4.7	8
116	Anterior cingulate serotonin 1B receptor binding is associated with emotional response inhibition. 2017 , 92, 199-204		7
115	Acute effects of LSD on amygdala activity during processing of fearful stimuli in healthy subjects. 2017 , 7, e1084		51
114	Behavioural responses to facial and postural expressions of emotion: An interpersonal circumplex approach. 2017 , 108, 797-811		6
113	Single dose of mirtazapine modulates whole-brain functional connectivity during emotional narrative processing. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 263, 61-69	2.9	6
112	The influence of emotion type, social value orientation and processing focus on approach-avoidance tendencies to negative dynamic facial expressions. 2017 , 41, 532-544		6
111	Rethinking the Use of Neutral Faces as a Baseline in fMRI Neuroimaging Studies of Axis-I Psychiatric Disorders. 2017 , 27, 281-291		24
110	A dimensional approach to modeling symptoms of neuropsychiatric disorders in the marmoset monkey. 2017 , 77, 328-353		33
109	Probiotic <i>Bifidobacterium longum</i> NCC3001 Reduces Depression Scores and Alters Brain Activity: A Pilot Study in Patients With Irritable Bowel Syndrome. 2017 , 153, 448-459.e8		358

108	Neuropsychological Mechanisms of Depression and Treatment. 2017 , 200-213		
107	Selective effects of 5-HT _{2C} receptor modulation on performance of a novel valence-probe visual discrimination task and probabilistic reversal learning in mice. <i>Psychopharmacology</i> , 2018 , 235, 2101-2114	7	15
106	The Limbic System in Youth Depression: Brain Structural and Functional Alterations in Adolescent In-patients with Severe Depression. <i>Neuropsychopharmacology</i> , 2018 , 43, 546-554	8.7	40
105	Neuroticism predicts the impact of serotonin challenges on fear processing in subgenual anterior cingulate cortex. 2018 , 8, 17889		8
104	Dissociable effects of acute SSRI (escitalopram) on executive, learning and emotional functions in healthy humans. <i>Neuropsychopharmacology</i> , 2018 , 43, 2645-2651	8.7	40
103	My Reflections on Understanding Animal Emotions for Improving the Life of Animals in Zoos. 2018 , 21, 12-22		1
102	Computational models of emotion. 2018 , 436-451		
101	Neural Response After a Single ECT Session During Retrieval of Emotional Self-Referent Words in Depression: A Randomized, Sham-Controlled fMRI Study. 2018 , 21, 226-235		5
100	Structural Neuroimaging of Maltreatment and Inflammation in Depression. 2018 , 287-300		1
99	Predicting antidepressant response using early changes in cognition: A systematic review. <i>Behavioural Brain Research</i> , 2018 , 353, 154-160	3.4	16
98	The Oxytocin Receptor: From Intracellular Signaling to Behavior. 2018 , 98, 1805-1908		322
97	Low on energy? An energy supply-demand perspective on stress and depression. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 94, 248-270	9	16
96	A perspective: from the serotonin hypothesis to cognitive neuropsychological approaches. 2019 , 95-104		2
95	Whole-Brain Exploratory Analysis of Functional Task Response Following Erythropoietin Treatment in Mood Disorders: A Supervised Machine Learning Approach. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1246	5.1	0
94	Non-invasive brain stimulation in generalized anxiety disorder: A systematic review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 93, 31-38	5.5	21
93	Differences in how macaques monitor others: Does serotonin play a central role?. <i>Wiley Interdisciplinary Reviews: Cognitive Science</i> , 2019 , 10, e1494	4.5	4
92	Cognitive neuropsychological theory: Reconciliation of psychological and biological approaches for depression. <i>Pharmacology & Therapeutics</i> , 2019 , 197, 38-51	13.9	5
91	Serotonin and aggressive behaviour in children and adolescents: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 117-144	6.5	10

90	Three weeks of SSRI administration enhances the visual perceptual threshold - a randomized placebo-controlled study. <i>Psychopharmacology</i> , 2019 , 236, 1759-1769	4.7	3
89	Effect of Prefrontal Cortex Stimulation on Regulation of Amygdala Response to Threat in Individuals With Trait Anxiety: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 71-78	14.5	49
88	Subchronic treatment with St John's wort produces a positive shift in emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2019 , 33, 194-201	4.6	6
87	Alteration of the affective modulation of the startle reflex during antidepressant treatment. <i>Psychophysiology</i> , 2019 , 56, e13286	4.1	1
86	Personality in a Hierarchical Model of Psychopathology. <i>Clinical Psychological Science</i> , 2019 , 7, 77-92	6	97
85	Spatiotemporal brain activation pattern following acute citalopram challenge is dose dependent and associated with neuroticism: A human pHMRI study. <i>Neuropharmacology</i> , 2020 , 170, 107807	5.5	1
84	Interaction of emotion and cognitive control along the psychosis continuum: A critical review. <i>International Journal of Psychophysiology</i> , 2020 , 147, 156-175	2.9	5
83	The role of negative affect in the association between attention bias to threat and posttraumatic stress: An eye-tracking study. <i>Psychiatry Research</i> , 2020 , 284, 112674	9.9	5
82	Functional consequences of acute tryptophan depletion on raphe nuclei connectivity and network organization in healthy women. <i>NeuroImage</i> , 2020 , 207, 116362	7.9	4
81	Attenuation of auditory mismatch negativity in serotonin transporter knockout mice with anxiety-related behaviors. <i>Behavioural Brain Research</i> , 2020 , 379, 112387	3.4	5
80	Psychological mechanisms and functions of 5-HT and SSRIs in potential therapeutic change: Lessons from the serotonergic modulation of action selection, learning, affect, and social cognition. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 119, 138-167	9	7
79	The role of the locus coeruleus in the generation of pathological anxiety. <i>Brain and Neuroscience Advances</i> , 2020 , 4, 2398212820930321	4	24
78	Response to SSRI intervention and amygdala activity during self-referential processing in major depressive disorder. <i>NeuroImage: Clinical</i> , 2020 , 28, 102388	5.3	7
77	Conserved Serotonergic Background of Experience-Dependent Behavioral Responsiveness in Zebrafish (<i>Danio rerio</i>). <i>Journal of Neuroscience</i> , 2020 , 40, 4551-4564	6.6	3
76	Serotonin in panic and anxiety disorders. <i>Handbook of Behavioral Neuroscience</i> , 2020 , 611-633	0.7	4
75	The neuroscience of sadness: A multidisciplinary synthesis and collaborative review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 111, 199-228	9	23
74	Does non-invasive brain stimulation modulate emotional stress reactivity?. <i>Social Cognitive and Affective Neuroscience</i> , 2020 , 15, 23-51	4	14
73	Emotional recognition training modifies neural response to emotional faces but does not improve mood in healthy volunteers with high levels of depressive symptoms. <i>Psychological Medicine</i> , 2021 , 51, 1211-1219	6.9	6

- 72 Cognitive neuropsychological theory of antidepressant action: a modern-day approach to depression and its treatment. *Psychopharmacology*, **2021**, 238, 1265-1278 4-7 21
- 71 The effects of FAAH inhibition on the neural basis of anxiety-related processing in healthy male subjects: a randomized clinical trial. *Neuropsychopharmacology*, **2021**, 46, 1011-1019 8-7 10
- 70 Preface. **2021**, xi-xii
- 69 Brain Imaging and the Mechanisms of Antidepressant Action. **2021**, 248-260
- 68 Brain Imaging of Reward Dysfunction in Unipolar and Bipolar Disorders. **2021**, 39-48
- 67 Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. **2021**, 236-247
- 66 Magnetoencephalography Studies in Mood Disorders. **2021**, 192-205
- 65 Plate Section (PDF Only). **2021**, 283-286
- 64 Functional Near-Infrared Spectroscopy Studies in Mood Disorders. **2021**, 166-174
- 63 Mood Disorders. **2021**,
- 62 Neuroimaging Studies of Effects of Psychotherapy in Depression. **2021**, 261-272
- 61 Neuroimaging Brain Inflammation in Mood Disorders. **2021**, 121-134
- 60 An Overview of Machine Learning Applications in Mood Disorders. **2021**, 206-218
- 59 Electrophysiological Biomarkers for Mood Disorders. **2021**, 175-191 1
- 58 Neuroanatomical Findings in Bipolar Disorder. **2021**, 16-27
- 57 Imaging Glutamatergic and GABAergic Abnormalities in Mood Disorders. **2021**, 105-120
- 56 Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. **2021**, 83-104
- 55 Brain Imaging Methods in Mood Disorders. **2021**, 1-6

54	Effects of Lithium on Brain Structure in Bipolar Disorder. 2021 , 219-235		
53	Neural effects of antidepressant medication and psychological treatments: a quantitative synthesis across three meta-analyses. <i>British Journal of Psychiatry</i> , 2021 , 1-5	5.4	6
52	Selective serotonin reuptake inhibitor treatment retunes emotional valence in primate ventral striatum. <i>Neuropsychopharmacology</i> , 2021 , 46, 2073-2082	8.7	2
51	Tools for optimising pharmacotherapy in psychiatry (therapeutic drug monitoring, molecular brain imaging and pharmacogenetic tests): focus on antidepressants. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 561-628	3.8	3
50	DNA methylation in stress and depression: from biomarker to therapeutics. <i>Acta Neuropsychiatrica</i> , 2021 , 33, 217-241	3.9	0
49	Acute neurofunctional effects of escitalopram during emotional processing in pediatric anxiety: a double-blind, placebo-controlled trial. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	2
48	Neuroimaging Biomarkers in Pediatric Mood Disorders. 2021 , 28-38		
47	Neuroanatomical Findings in Unipolar Depression and the Role of the Hippocampus. 2021 , 7-15		
46	Functional Connectome in Bipolar Disorder. 2021 , 59-82		
45	Resting-State Functional Connectivity in Unipolar Depression. 2021 , 49-58		
44	Imaging Genetic and Epigenetic Markers in Mood Disorders. 2021 , 135-150		
43	fMRI Neurofeedback as Treatment for Depression. 2021 , 151-165		
42	Encyclopedia of Evolutionary Psychological Science. 2021 , 7053-7057		
41	Functional Magnetic Resonance Imaging in Developmental Psychopathology: The Brain as a Window into the Development and Treatment of Psychopathology. 2014 , 265-286		1
40	Using early changes in cold cognition to predict response to vortioxetine in major depressive disorder. <i>Psychiatry Research</i> , 2020 , 284, 112767	9.9	1
39	Effects of Acute Tryptophan Depletion on Human Taste Perception. <i>Chemical Senses</i> , 2021 , 46,	4.8	1
38	Prefrontal cortex regulates amygdala response to threat in trait anxiety.		6
37	Conserved serotonergic background of experience-dependent challenge-responding in zebrafish (<i>Danio rerio</i>).		1

36	Role of the amygdala in antidepressant effects on hippocampal cell proliferation and survival and on depression-like behavior in the rat. <i>PLoS ONE</i> , 2010 , 5, e8618	3.7	50
35	Escitalopram Decreases Cross-Regional Functional Connectivity within the Default-Mode Network. <i>PLoS ONE</i> , 2013 , 8, e68355	3.7	44
34	Brain Functional Effects of Psychopharmacological Treatment in Major Depression: a Focus on Neural Circuitry of Affective Processing. <i>Current Neuropharmacology</i> , 2015 , 13, 466-79	7.6	51
33	Surrogate outcomes in neurology, psychiatry, and psychopharmacology. <i>Dialogues in Clinical Neuroscience</i> , 2006 , 8, 345-52	5.7	12
32	The overlap between anxiety, depression, and obsessive-compulsive disorder. <i>Dialogues in Clinical Neuroscience</i> , 2015 , 17, 249-60	5.7	63
31	The effects of drugs on human models of emotional processing: an account of antidepressant drug treatment. <i>Dialogues in Clinical Neuroscience</i> , 2015 , 17, 477-87	5.7	43
30	[What our patients want and need to know about generalized anxiety disorder]. <i>Revista Brasileira De Psiquiatria</i> , 2007 , 29, 172-6	2.6	1
29	Fear and the Amygdala. 2007 , 19-24		
28	Imaging Genetics: Integration of Neuroimaging and Genetics in the Search for Predictive Markers. 2009 , 532-537		
27	Metabotropic Approaches to Anxiety. 2010 , 157-173		
26	Zebrafish Biogenic Amine Transporters and Behavior in Novel Environments: Targets of Reuptake Inhibitors and Pesticide Action as Tools for Neurotoxicology Research. <i>Neuromethods</i> , 2011 , 181-209	0.4	
25	Applications of MRI to Psychopharmacology. 2011 , 671-686		
24	Neurophysiological and Neuropsychological Models of Depression. <i>Frontiers in Neuroscience</i> , 2011 , 27-56		
23	Applications of MRI to Psychopharmacology. 2015 , 505-524		
22	Antidepressant Drugs and Phosphodiesterases. 2016 , 805-823		
21	Encyclopedia of Evolutionary Psychological Science. 2016 , 1-4		0
20	Tryptophan. 2017 , 17-29		
19	Neuroscientific Understanding of the Mechanism of Action of SSRI in the Treatment of Anxiety Disorders. <i>Fuansho Kenkyu</i> , 2018 , 10, 20-28	0.1	1

18	Treatment-resistant depression and clinical implications of its association with comorbid anxiety disorders. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , 2020 , 11, 54-60	0.2	
17	Is fetal brain monoamine oxidase inhibition the missing link between maternal smoking and conduct disorders?. <i>Journal of Psychiatry and Neuroscience</i> , 2008 , 33, 187-95	4.5	27
16	High-frequency repetitive transcranial magnetic stimulation to the cerebellum and implicit processing of happy facial expressions. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 60-5	4.5	36
15	Neurocircuitry basis of the opioid use disorder-post-traumatic stress disorder comorbid state: conceptual analyses using a dimensional framework. <i>Lancet Psychiatry</i> , 2021 ,	23.3	2
14	Increasing central serotonin with 5-HTP disrupts the inhibition of social gaze in non-human primates. <i>Journal of Neuroscience</i> , 2021 ,	6.6	
13	The Effect of the 5-HT Agonist, Prucalopride, on a Functional Magnetic Resonance Imaging Faces Task in the Healthy Human Brain.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 859123	5	
12	Neuroenhancement: State of the Art and Future Perspectives.. 2021 , 18, 137-169		
11	Acute tryptophan depletion alters affective touch perception.. <i>Psychopharmacology</i> , 2022 ,	4.7	0
10	Magnetic resonance imaging histogram analysis of amygdala in functional neurological disorder: Histogram Analysis of Amygdala in Functional Neurological Disorder.. <i>Psychiatry Research - Neuroimaging</i> , 2022 , 323, 111487	2.9	
9	Transcutaneous auricular vagus nerve immediate stimulation treatment for treatment-resistant depression: A functional magnetic resonance imaging study. 13,		0
8	The attention-emotion interaction in healthy female participants on oral contraceptives during 1-week escitalopram intake. 16,		0
7	Considering hearing loss as a modifiable risk factor for dementia. 1-9		0
6	Fluoxetine degrades luminance perceptual thresholds while enhancing motivation and reward sensitivity.		0
5	The effects of transient receptor potential cation channel inhibition by BI 1358894 on cortico-limbic brain reactivity to negative emotional stimuli in major depressive disorder. 2022 , 65, 44-51		0
4	Molecular Imaging of the Human Emotion Circuit. 2023 , 3-21		0
3	Unblinding and demand characteristics in the treatment of depression. 2023 , 328, 1-5		0
2	Pharmacological Manipulations of Emotional Processing Biases: From Bench to Bedside. 2023 , 185-204		0
1	Fluoxetine degrades luminance perceptual thresholds while enhancing motivation and reward sensitivity. 14,		0

