

CITATION REPORT

List of articles citing

Neuregulin 1 and schizophrenia: genetics, gene expression, and neurobiology

DOI: 10.1016/j.biopsych.2005.11.002
Biological Psychiatry, 2006, 60, 132-40.

Source: <https://exaly.com/paper-pdf/39774024/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
400	Schizophrenia: An example of complex genetic disease. <i>World Journal of Biological Psychiatry</i> , 2006 , 7, 194-7	3.8	10
399	Schizophrenia genes - famine to feast. <i>Biological Psychiatry</i> , 2006 , 60, 81-3	7.9	64
398	Neurobiology of schizophrenia. 2006 , 52, 139-53		526
397	The origin and specification of cortical interneurons. 2006 , 7, 687-96		697
396	Axonal regulation of myelination by neuregulin 1. 2006 , 16, 492-500		338
395	The possible role of transplacentally-acquired antibodies to infectious agents, with molecular mimicry to nervous system sialic acid epitopes, as causes of neuromental disorders: prevention and vaccine implications. 2006 , 13, 167-83		35
394	A social deafferentation hypothesis for induction of active schizophrenia. <i>Schizophrenia Bulletin</i> , 2007 , 33, 1066-70	1.3	137
393	Alpha7 nicotinic acetylcholine receptor mRNA expression and binding in postmortem human brain are associated with genetic variation in neuregulin 1. 2007 , 16, 2921-32		51
392	Disturbed structural connectivity in schizophrenia primary factor in pathology or epiphenomenon?. <i>Schizophrenia Bulletin</i> , 2008 , 34, 72-92	1.3	154
391	Identification and characterization of novel spliced variants of neuregulin 4 in prostate cancer. 2007 , 13, 3147-55		21
390	Molecular cloning of a brain-specific, developmentally regulated neuregulin 1 (NRG1) isoform and identification of a functional promoter variant associated with schizophrenia. <i>Journal of Biological Chemistry</i> , 2007 , 282, 24343-51	5.4	108
389	[Behavioral evaluation in animal models of schizophrenia]. 2007 , 130, 117-23		0
388	The genetics of schizophrenia converge upon the NMDA glutamate receptor. 2007 , 12, 583-8		11
387	Donn�es g�n�tiques de la schizophr�nie. 2007 , 4, 1-11		
386	The neuregulin-1 receptor erbB4 controls glutamatergic synapse maturation and plasticity. 2007 , 54, 583-97		285
385	NRG1 and synaptic function in the CNS. 2007 , 54, 495-7		19
384	Phenotypic characterization of spatial cognition and social behavior in mice with 'knockout' of the schizophrenia risk gene neuregulin 1. <i>Neuroscience</i> , 2007 , 147, 18-27	3.9	193

383	Exploratory and habituation phenotype of heterozygous and homozygous COMT knockout mice. <i>Behavioural Brain Research</i> , 2007 , 183, 236-9	3.4	43
382	Stimulated ErbB4 internalization is necessary for neuregulin signaling in neurons. 2007 , 354, 505-10		36
381	Oxygen restriction of neonate rats elevates neuregulin-1alpha isoform levels: possible relationship to schizophrenia. 2007 , 51, 447-50		14
380	Schizophrenia. 2007 , 17-44		1
379	Functional genomics and schizophrenia: endophenotypes and mutant models. 2007 , 30, 365-99		38
378	Therapeutic potential of targeting gene variants in schizophrenia. 2007 , 7, 757-60		2
377	Disease-associated intronic variants in the ErbB4 gene are related to altered ErbB4 splice-variant expression in the brain in schizophrenia. 2007 , 16, 129-41		252
376	The role of DTNBP1, NRG1, and AKT1 in the genetics of schizophrenia in Finland. <i>Schizophrenia Research</i> , 2007 , 91, 27-36	3.6	53
375	Interactions among genes in the ErbB-Neuregulin signalling network are associated with increased susceptibility to schizophrenia. 2007 , 3, 31		96
374	Schizophrenia susceptibility genes and neurodevelopment. <i>Biological Psychiatry</i> , 2007 , 61, 1119-20	7.9	26
373	Family-based association study of neuregulin-1 gene and psychosis in a Spanish sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 954-7	3.5	21
372	Chasing genes for mood disorders and schizophrenia in genetically isolated populations. 2007 , 28, 1156-70		16
371	Neurobiology: new order for thought disorders. 2007 , 448, 263-5		23
370	The EGF receptor family: spearheading a merger of signaling and therapeutics. 2007 , 19, 124-34		313
369	Role of heregulin in human cancer. 2007 , 64, 2358-77		69
368	The neuregulin family of genes and their multiple splice variants in breast cancer. 2008 , 13, 205-14		32
367	Schizophrenia: from genes to phenes to disease. 2008 , 10, 339-43		19
366	Impact of neuregulin-1 on the pathophysiology of schizophrenia in human post-mortem studies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258 Suppl 5, 35-9	5.1	18

365	Association analyses of the interaction between the ADSS and ATM genes with schizophrenia in a Chinese population. 2008 , 9, 119		11
364	Neuregulin-1, a key axonal signal that drives Schwann cell growth and differentiation. 2008 , 56, 1491-7		182
363	Association analysis of schizophrenia on 18 genes involved in neuronal migration: MDGA1 as a new susceptibility gene. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1089-100	3.5	90
362	Characterization of the cell membrane-associated products of the Neuregulin 4 gene. 2008 , 27, 715-20		23
361	Neuregulin 1 in neural development, synaptic plasticity and schizophrenia. 2008 , 9, 437-52		770
360	The effects of a neuregulin 1 variant on white matter density and integrity. <i>Molecular Psychiatry</i> , 2008 , 13, 1054-9	15.1	170
359	MMP-28 as a regulator of myelination. 2008 , 9, 83		29
358	Total number, distribution, and phenotype of cells expressing chondroitin sulfate proteoglycans in the normal human amygdala. 2008 , 1207, 84-95		27
357	The neurochemistry of schizophrenia. 2008 , 7, 425-429		6
356	Emerging opportunities for antipsychotic drug discovery in the postgenomic era. 2008 , 51, 1077-107		45
355	Increased levels of serotonin 2A receptors and serotonin transporter in the CNS of neuregulin 1 hypomorphic/mutant mice. <i>Schizophrenia Research</i> , 2008 , 99, 341-9	3.6	38
354	153 The TGM2 gene is associated with schizophrenia in a British population. <i>Schizophrenia Research</i> , 2008 , 98, 96	3.6	
353	154 Association between Neuregulin-1 and P300 wave deficits (an endophenotype for psychosis). <i>Schizophrenia Research</i> , 2008 , 98, 96	3.6	
352	155 Association study of 7/7like genes and smoking in schizophrenia and adult ADHD: Copy number variation analysis. <i>Schizophrenia Research</i> , 2008 , 98, 96-97	3.6	
351	Differential RNA expression between schizophrenic patients and controls of the dystrobrevin binding protein 1 and neuregulin 1 genes in immortalized lymphocytes. <i>Schizophrenia Research</i> , 2008 , 100, 281-90	3.6	25
350	Elevated neuregulin-1 and ErbB4 protein in the prefrontal cortex of schizophrenic patients. <i>Schizophrenia Research</i> , 2008 , 100, 270-80	3.6	153
349	Failure to replicate the association between NRG1 and schizophrenia using Japanese large sample. <i>Schizophrenia Research</i> , 2008 , 101, 1-8	3.6	30
348	Neuregulin-1 and the P300 waveform--a preliminary association study using a psychosis endophenotype. <i>Schizophrenia Research</i> , 2008 , 103, 178-85	3.6	37

347	A diffusion tensor MRI study of white matter integrity in subjects at high genetic risk of schizophrenia. <i>Schizophrenia Research</i> , 2008 , 106, 132-9	3.6	87
346	An association study of ADSS gene polymorphisms with schizophrenia. 2008 , 4, 39		0
345	Support for neuregulin 1 as a susceptibility gene for bipolar disorder and schizophrenia. <i>Biological Psychiatry</i> , 2008 , 64, 419-27	7.9	95
344	Explorative study on the expression of neuregulin-1 gene in peripheral blood of schizophrenia. 2008 , 438, 1-5		43
343	Disruption to social dyadic interactions but not emotional/anxiety-related behaviour in mice with heterozygous 'knockout' of the schizophrenia risk gene neuregulin-1. 2008 , 32, 462-6		81
342	Developing New Drugs for Schizophrenia: From Animals to the Clinic. 2008 , 199-261		11
341	Association of 5' end neuregulin-1 (NRG1) gene variation with subcortical medial frontal microstructure in humans. 2008 , 40, 712-718		80
340	The effects of neuregulin1 on brain function in controls and patients with schizophrenia and bipolar disorder. 2008 , 42, 817-26		59
339	Genetic variation in the schizophrenia-risk gene neuregulin1 correlates with differences in frontal brain activation in a working memory task in healthy individuals. 2008 , 42, 1569-76		44
338	A roadmap to disentangle the molecular etiology of schizophrenia. 2008 , 23, 224-32		7
337	Genetic variation in the schizophrenia-risk gene neuregulin1 correlates with personality traits in healthy individuals. 2008 , 23, 344-9		16
336	Presynaptic type III neuregulin1-ErbB signaling targets $\alpha 7$ nicotinic acetylcholine receptors to axons. 2008 , 181, 511-21		46
335	Developmental disruptions in neural connectivity in the pathophysiology of schizophrenia. 2008 , 20, 1297-327		114
334	Type III neuregulin-1 is required for normal sensorimotor gating, memory-related behaviors, and corticostriatal circuit components. 2008 , 28, 6872-83		175
333	ErbB4-neuregulin signaling modulates synapse development and dendritic arborization through distinct mechanisms. <i>Journal of Biological Chemistry</i> , 2008 , 283, 32944-56	5.4	86
332	Individual differences in psychotic effects of ketamine are predicted by brain function measured under placebo. 2008 , 28, 6295-303		67
331	Meta-analyses of cognitive functioning in euthymic bipolar patients and their first-degree relatives. 2008 , 38, 771-85		518
330	Drug discovery based on genetic and metabolic findings in schizophrenia. 2008 , 1, 773-89		7

329	ErbB4 and its isoforms: patentable drug targets?. 2008 , 2, 27-33		7
328	Alteration of BACE1-dependent NRG1/ErbB4 signaling and schizophrenia-like phenotypes in BACE1-null mice. 2008 , 105, 5585-90		245
327	Behavioral profile of a heterozygous mutant mouse model for EGF-like domain neuregulin 1. 2008 , 122, 748-59		53
326	Cognitive impairment in schizophrenia: a review of developmental and genetic models, and pro-cognitive profile of the optimised D(3) > D(2) antagonist, S33138. 2008 , 63, 187-229		39
325	Chronic antipsychotic drug administration alters the expression of neuregulin 1beta, ErbB2, ErbB3, and ErbB4 in the rat prefrontal cortex and hippocampus. 2008 , 11, 553-61		33
324	The contribution of failing adult hippocampal neurogenesis to psychiatric disorders. 2008 , 21, 290-5		183
323	Genes and structural brain imaging in schizophrenia. 2008 , 21, 161-7		50
322	[Genetic findings in schizophrenia]. 2008 , 36, 17-26		6
321	Genetic vulnerability. 31-46		
320	The genetic and neurobiologic compass points toward common signaling dysfunctions in autism spectrum disorders. 2009 , 119, 747-54		165
319	The Role of Neuregulin 1 in Schizophrenia: A Bioinformatics Approach. 2009 ,		
318	Neurobiologie der Schizophrenien. 2009 , 3, e1-e15		
317	Gene models of schizophrenia: DISC1 mouse models. 2009 , 179, 75-86		61
316	ErbB4 genotype predicts left frontotemporal structural connectivity in human brain. <i>Neuropsychopharmacology</i> , 2009 , 34, 641-50	8.7	60
315	Brain abnormalities in schizophrenia. <i>Medical Psychiatry</i> , 2009 , 87-104		1
314	Transcriptional interaction of an estrogen receptor splice variant and ErbB4 suggests convergence in gene susceptibility pathways in schizophrenia. <i>Journal of Biological Chemistry</i> , 2009 , 284, 18824-32	5.4	26
313	30 years of dynorphins--new insights on their functions in neuropsychiatric diseases. <i>Pharmacology & Therapeutics</i> , 2009 , 123, 353-70	13.9	202
312	ErbB receptors and the development of the nervous system. 2009 , 315, 611-8		99

311	A polymorphism of the neuregulin 1 gene (SNP8NRG243177/rs6994992) affects reactivity to expressed emotion in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 418-20	3.5	31
310	Family-based association study of Neuregulin 1 with psychotic bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 693-702	3.5	29
309	Identification of neuroglycan C and interacting partners as potential susceptibility genes for schizophrenia in a Southern Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 103-13	3.5	16
308	Association study of NRG1, DTNBP1, RGS4, G72/G30, and PIP5K2A with schizophrenia and symptom severity in a Hungarian sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 792-801	3.5	31
307	Genetic variation in the schizophrenia-risk gene neuregulin 1 correlates with brain activation and impaired speech production in a verbal fluency task in healthy individuals. 2009 , 30, 3406-16		49
306	Neuregulin 1 ICE-single nucleotide polymorphism in first episode schizophrenia correlates with cerebral activation in fronto-temporal areas. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 72-9	5.1	27
305	Clozapine-induced ERK1 and ERK2 signaling in prefrontal cortex is mediated by the EGF receptor. 2009 , 39, 185-98		22
304	Deficient NRG1-ERBB signaling alters social approach: relevance to genetic mouse models of schizophrenia. 2009 , 1, 302-12		29
303	Gene expression in the prefrontal cortex during adolescence: implications for the onset of schizophrenia. 2009 , 2, 28		83
302	Chromosome 8p as a potential hub for developmental neuropsychiatric disorders: implications for schizophrenia, autism and cancer. <i>Molecular Psychiatry</i> , 2009 , 14, 563-89	15.1	170
301	From bench to bedside: translating new research from genetics and neuroimaging into treatment development for early-onset schizophrenia. 2009 , 3, 243-58		5
300	Genes for psychosis and creativity: a promoter polymorphism of the neuregulin 1 gene is related to creativity in people with high intellectual achievement. 2009 , 20, 1070-3		97
299	Mice mutant for genes associated with schizophrenia: common phenotype or distinct endophenotypes?. <i>Behavioural Brain Research</i> , 2009 , 204, 258-73	3.4	47
298	Prepulse inhibition and genetic mouse models of schizophrenia. <i>Behavioural Brain Research</i> , 2009 , 204, 282-94	3.4	153
297	Associative learning and the genetics of schizophrenia. 2009 , 32, 359-65		26
296	Modeling cognitive endophenotypes of schizophrenia in mice. 2009 , 32, 347-58		118
295	Neurodevelopmental mechanisms of schizophrenia: understanding disturbed postnatal brain maturation through neuregulin-1-ErbB4 and DISC1. 2009 , 32, 485-95		273
294	The genetics of schizophrenia. <i>Neuroscience</i> , 2009 , 164, 288-99	3.9	48

293	The P300 as a possible endophenotype for schizophrenia and bipolar disorder: Evidence from twin and patient studies. <i>Psychiatry Research</i> , 2009 , 169, 212-9	9.9	59
292	Phenotype of spontaneous orofacial dyskinesia in neuregulin-1 'knockout' mice. 2009 , 33, 330-3		7
291	Neuregulin 1-stimulated phosphorylation of AKT in psychotic disorders and its relationship with neurocognitive functions. 2009 , 55, 606-9		26
290	Levels of neuregulin 1 and 3 proteins in Brodmann's area 46 from subjects with schizophrenia and bipolar disorder. 2009 , 466, 27-9		11
289	Dissecting the Molecular Causes of Schizophrenia. 2009 , 51-79		
288	The audacity of proteomics: a chance to overcome current challenges in schizophrenia research. 2009 , 6, 661-74		8
287	Neuregulin-1 signaling in schizophrenia: 'Jack of all trades' or master of some?. 2009 , 9, 1-3		16
286	Behavioural characterization of neuregulin 1 type I overexpressing transgenic mice. 2009 , 20, 1523-8		70
285	Update on key previously proposed candidate genes for schizophrenia. 2009 , 22, 147-53		34
284	Neuregulin 1 hypomorphic mutant mice: enhanced baseline locomotor activity but normal psychotropic drug-induced hyperlocomotion and prepulse inhibition regulation. 2009 , 12, 1383-93		80
283	Genetics of psychosis in Alzheimer's disease: a review. 2010 , 19, 761-80		51
282	No association between neuregulin 1 and psychotic symptoms in Alzheimer's disease patients. 2010 , 20, 561-7		14
281	Antipsychotic potential of quinazoline ErbB1 inhibitors in a schizophrenia model established with neonatal hippocampal lesioning. 2010 , 114, 320-31		16
280	A follow-up study: acute behavioural effects of Delta(9)-THC in female heterozygous neuregulin 1 transmembrane domain mutant mice. 2010 , 211, 277-89		54
279	Measurement and comparison of serum neuregulin 1 immunoreactivity in control subjects and patients with schizophrenia: an influence of its genetic polymorphism. <i>Journal of Neural Transmission</i> , 2010 , 117, 887-95	4.3	43
278	Use of biomarkers in the discovery of novel anti-schizophrenia drugs. 2010 , 15, 137-41		10
277	Association of Neuregulin 1 rs3924999 genotype with antisaccades and smooth pursuit eye movements. 2010 , 9, 621-7		18
276	Schizophrenia-related endophenotypes in heterozygous neuregulin-1 'knockout' mice. 2010 , 31, 349-58		66

275	Cytokine hypothesis of schizophrenia pathogenesis: evidence from human studies and animal models. <i>Psychiatry and Clinical Neurosciences</i> , 2010 , 64, 217-30	6.2	160
274	Molecular cloning and characterization of the human ErbB4 gene: identification of novel splice isoforms in the developing and adult brain. <i>PLoS ONE</i> , 2010 , 5, e12924	3.7	10
273	Modeling the positive symptoms of schizophrenia in genetically modified mice: pharmacology and methodology aspects. <i>Schizophrenia Bulletin</i> , 2010 , 36, 246-70	1.3	257
272	Common genetic variation in Neuregulin 3 (NRG3) influences risk for schizophrenia and impacts NRG3 expression in human brain. 2010 , 107, 15619-24		106
271	What have the genomics ever done for the psychoses?. 2010 , 40, 529-40		39
270	Mutant mouse models: genotype-phenotype relationships to negative symptoms in schizophrenia. <i>Schizophrenia Bulletin</i> , 2010 , 36, 271-88	1.3	57
269	Role of late maternal thyroid hormones in cerebral cortex development: an experimental model for human prematurity. 2010 , 20, 1462-75		70
268	Suppression of the P50 evoked response and neuregulin 1-induced AKT phosphorylation in first-episode schizophrenia. 2010 , 167, 444-50		32
267	Decreased Neuregulin 1 C-terminal fragment in Brodmann's area 6 of patients with schizophrenia. <i>Schizophrenia Research</i> , 2010 , 124, 200-7	3.6	22
266	Aumento de los valores de las proteínas neurregulina 1 y ErbB4 en la corteza prefrontal de pacientes esquizofrénicos. 2010 , 17, 54-62		
265	Neuregulin 1-induced AKT phosphorylation in monozygotic twins discordant for schizophrenia. 2010 , 56, 906-10		9
264	Association analysis of Neuregulin 1 candidate regions in schizophrenia and bipolar disorder. 2010 , 478, 9-13		35
263	Advancing a functional genomics for schizophrenia: psychopathological and cognitive phenotypes in mutants with gene disruption. 2010 , 83, 162-76		29
262	Disturbed synaptic connectivity in schizophrenia: convergence of genetic risk factors during neurodevelopment. 2010 , 83, 140-6		40
261	Neuregulin 1-erbB4 pathway in schizophrenia: From genes to an interactome. 2010 , 83, 132-9		65
260	Cognition in transmembrane domain neuregulin 1 mutant mice. <i>Neuroscience</i> , 2010 , 170, 800-7	3.9	82
259	Signaling pathways in schizophrenia: emerging targets and therapeutic strategies. 2010 , 31, 381-90		128
258	The effect of Neuregulin 1 on neural correlates of episodic memory encoding and retrieval. 2010 , 53, 985-91		31

257	Hippocampal pathology in schizophrenia. 2010 , 4, 529-53		131
256	Chemical genetics identifies small-molecule modulators of neuritogenesis involving neuregulin-1/ErbB4 signaling. 2010 , 1, 325-342		5
255	Animal models of schizophrenia. 2010 , 4, 391-433		62
254	Behavioral Neurobiology of Schizophrenia and Its Treatment. 2010 ,		6
253	Transgenic and Mutant Tools to Model Brain Disorders. <i>Neuromethods</i> , 2010 ,	0.4	2
252	Analyzing schizophrenia by DNA microarrays. <i>Biological Psychiatry</i> , 2011 , 69, 157-62	7.9	54
251	Genetic neuropathology of schizophrenia: new approaches to an old question and new uses for postmortem human brains. <i>Biological Psychiatry</i> , 2011 , 69, 140-5	7.9	72
250	Progressive brain change in schizophrenia: a prospective longitudinal study of first-episode schizophrenia. <i>Biological Psychiatry</i> , 2011 , 70, 672-9	7.9	254
249	Linking neurodevelopmental and synaptic theories of mental illness through DISC1. 2011 , 12, 707-22		327
248	Neurodevelopmental Origins of Schizophrenia. 2011 , 393-412		16
247	Regulation of orofacial movement: amino acid mechanisms and mutant models. 2011 , 97, 61-75		6
246	Neuregulin signaling, cortical circuitry development and schizophrenia. 2011 , 21, 262-70		70
245	Separate and combined effects of low dose ketamine and nicotine on behavioural and neural correlates of sustained attention. 2011 , 88, 83-93		30
244	Sex-specific neuroendocrine and behavioral phenotypes in hypomorphic Type II Neuregulin 1 rats. <i>Behavioural Brain Research</i> , 2011 , 224, 223-32	3.4	20
243	Reciprocal signalling between NR2 subunits of the NMDA receptor and neuregulin1 and their role in schizophrenia. 2011 , 35, 896-904		32
242	Antipsychotic treatment and neuregulin 1-ErbB4 signalling in schizophrenia. 2011 , 35, 924-30		29
241	Do transmembrane domain neuregulin 1 mutant mice exhibit a reliable sensorimotor gating deficit?. <i>Behavioural Brain Research</i> , 2011 , 223, 336-41	3.4	48
240	Expression of ErbB4 in the neurons of Alzheimer's disease brain and APP/PS1 mice, a model of Alzheimer's disease. 2011 , 44, 116-27		33

239	Hodological resonance, hodological variance, psychosis, and schizophrenia: a hypothetical model. <i>Frontiers in Psychiatry</i> , 2011 , 2, 46		5
238	An ENU-induced mutation of Nrg1 causes dilated pupils and a reduction in muscarinic receptors in the sphincter pupillae. <i>PLoS ONE</i> , 2011 , 6, e25176	3.7	3
237	Pallidal hyperdopaminergic innervation underlying D2 receptor-dependent behavioral deficits in the schizophrenia animal model established by EGF. <i>PLoS ONE</i> , 2011 , 6, e25831	3.7	27
236	Animal models of schizophrenia. 2011 , 164, 1162-94		487
235	Schizophrenia susceptibility pathway neuregulin 1-ErbB4 suppresses Src upregulation of NMDA receptors. 2011 , 17, 470-8		126
234	Biochemical and genetic aspects of pathogenesis of schizophrenia. 2011 , 47, 407-419		2
233	Transient exposure of neonatal mice to neuregulin-1 results in hyperdopaminergic states in adulthood: implication in neurodevelopmental hypothesis for schizophrenia. <i>Molecular Psychiatry</i> , 2011 , 16, 307-20	15.1	87
232	Hierarchical temporal processing deficit model of reality distortion and psychoses. <i>Molecular Psychiatry</i> , 2011 , 16, 129-44	15.1	13
231	Disruption of the neuregulin 1 gene in the rat alters HPA axis activity and behavioral responses to environmental stimuli. 2011 , 104, 205-14		34
230	A phenotype-based genetic association study reveals the contribution of neuregulin1 gene variants to age of onset and positive symptom severity in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 340-5	3.5	11
229	Neuroplasticity signaling pathways linked to the pathophysiology of schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 848-70	9	123
228	Disrupted activity in the hippocampal-accumbens circuit of type III neuregulin 1 mutant mice. <i>Neuropsychopharmacology</i> , 2011 , 36, 488-96	8.7	22
227	Susceptibility genes for schizophrenia: mutant models, endophenotypes and psychobiology. 2012 , 12, 209-50		4
226	Specific regulation of NRG1 isoform expression by neuronal activity. 2011 , 31, 8491-501		111
225	The relationship among neuregulin 1-stimulated phosphorylation of AKT, psychosis proneness, and habituation of arousal in nonclinical individuals. <i>Schizophrenia Bulletin</i> , 2011 , 37, 141-7	1.3	12
224	Increased expression of receptor phosphotyrosine phosphatase- $\overline{\text{PT}}\text{s}$ associated with molecular, cellular, behavioral and cognitive schizophrenia phenotypes. <i>Translational Psychiatry</i> , 2011 , 1, e8	8.6	31
223	Molecular genetic models related to schizophrenia and psychotic illness: heuristics and challenges. 2011 , 7, 87-119		12
222	A population-based study of shared genetic variation between premorbid IQ and psychosis among male twin pairs and sibling pairs from Sweden. 2012 , 69, 460-6		43

221	A randomized, double-blind, placebo-controlled trial of fluvoxamine in patients with schizophrenia: a preliminary study. 2012 , 32, 593-601		25
220	Transgenic overexpression of the type I isoform of neuregulin 1 affects working memory and hippocampal oscillations but not long-term potentiation. 2012 , 22, 1520-9		59
219	Sigma-1 receptor agonists as therapeutic drugs for cognitive impairment in neuropsychiatric diseases. 2012 , 18, 875-83		72
218	The association of white matter volume in psychotic disorders with genotypic variation in NRG1, MOG and CNP: a voxel-based analysis in affected individuals and their unaffected relatives. <i>Translational Psychiatry</i> , 2012 , 2, e167	8.6	46
217	Schizophrenia-associated HapICE haplotype is associated with increased NRG1 type III expression and high nucleotide diversity. <i>Translational Psychiatry</i> , 2012 , 2, e104	8.6	62
216	The Association between COMT, BDNF, and NRG1 and Premorbid Social Functioning in Patients with Psychosis, Their Relatives, and Controls. 2012 , 2012, 560514		3
215	Is neuregulin 1 involved in determining cerebral volumes in schizophrenia? Preliminary results showing a decrease in superior temporal gyrus volume. 2012 , 65, 119-25		22
214	Genetic associations between neuregulin-1 SNPs and neurocognitive function in multigenerational, multiplex schizophrenia families. 2012 , 22, 70-81		19
213	The yin and yang of cannabis-induced psychosis: the actions of (Δ)-tetrahydrocannabinol and cannabidiol in rodent models of schizophrenia. 2012 , 18, 5113-30		36
212	Differences in the circuitry-based association of copy numbers and gene expression between the hippocampi of patients with schizophrenia and the hippocampi of patients with bipolar disorder. 2012 , 69, 550-61		13
211	Evaluating the links between schizophrenia and sleep and circadian rhythm disruption. <i>Journal of Neural Transmission</i> , 2012 , 119, 1061-75	4.3	76
210	Perinatal phencyclidine treatment alters neuregulin 1/erbB4 expression and activation in later life. 2012 , 22, 356-63		35
209	Characterization of the neuropsychological phenotype of glycine N-methyltransferase-/- mice and evaluation of its responses to clozapine and sarcosine treatments. 2012 , 22, 596-606		12
208	The involvement of Type II Neuregulin-1 in rat visuospatial learning and memory. 2012 , 531, 131-5		6
207	Mouse models of genetic effects on cognition: relevance to schizophrenia. <i>Neuropharmacology</i> , 2012 , 62, 1204-20	5.5	91
206	Extracellular matrix abnormalities in schizophrenia. <i>Neuropharmacology</i> , 2012 , 62, 1584-97	5.5	116
205	Analysis of association between common SNPs in ErbB4 and bipolar affective disorder, major depressive disorder and schizophrenia in the Han Chinese population. 2012 , 36, 17-21		12
204	A promoter variant in the chitinase 3-like 1 gene is associated with serum YKL-40 level and personality trait. 2012 , 513, 204-8		17

203	The response of neuregulin 1 mutant mice to acute restraint stress. 2012 , 515, 82-6		19
202	Interneuron dysfunction in psychiatric disorders. 2012 , 13, 107-20		719
201	Neuregulin-1 genotype is associated with structural differences in the normal human brain. 2012 , 59, 2057-61		23
200	Schizophrenia in patients with atopic disorders with particular emphasis on asthma: a Danish population-based study. <i>Schizophrenia Research</i> , 2012 , 138, 58-62	3.6	56
199	Statistical epistasis and progressive brain change in schizophrenia: an approach for examining the relationships between multiple genes. <i>Molecular Psychiatry</i> , 2012 , 17, 1093-102	15.1	22
198	Neuregulin 1-ErbB4-PI3K signaling in schizophrenia and phosphoinositide 3-kinase-p110 α inhibition as a potential therapeutic strategy. 2012 , 109, 12165-70		106
197	Association study of neuregulin 1 gene polymorphisms with auditory P300 in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 422-8	3.5	17
196	Control of interneuron dendritic growth through NRG1/erbB4-mediated kalirin-7 disinhibition. <i>Molecular Psychiatry</i> , 2012 , 17, 1, 99-107	15.1	44
195	Does BDNF genotype influence creative output in bipolar I manic patients?. 2012 , 139, 181-6		11
194	Hippocampal volume and the AKT signaling system in first-episode schizophrenia. 2012 , 46, 279-84		18
193	Lack of associations of neuregulin 1 variations with schizophrenia and smooth pursuit eye movement abnormality in a Korean population. 2012 , 46, 476-82		9
192	Development and specification of GABAergic cortical interneurons. 2013 , 3, 19		95
191	Sleep and circadian rhythm disruption in social jetlag and mental illness. 2013 , 119, 325-46		119
190	A neuregulin 1 transmembrane domain mutation causes imbalanced glutamatergic and dopaminergic receptor expression in mice. <i>Neuroscience</i> , 2013 , 248, 670-80	3.9	30
189	Neurogenic hypothesis and psychiatric disorders. 2013 , 58, 3188-3198		2
188	Structural and functional neuroimaging studies in major depressive disorder with psychotic features: a critical review. <i>Schizophrenia Bulletin</i> , 2013 , 39, 776-86	1.3	41
187	Evaluating the role of the alpha-7 nicotinic acetylcholine receptor in the pathophysiology and treatment of schizophrenia. 2013 , 86, 1122-32		102
186	Modeling Schizophrenia in Animals. 2013 , 727-755		2

185	ErbB4 deletion from fast-spiking interneurons causes schizophrenia-like phenotypes. 2013 , 79, 1152-68		193
184	HRG- β -driven ErbB3 signaling induces epithelial-mesenchymal transition in breast cancer cells. 2013 , 13, 383		26
183	Neuregulin1 signaling promotes dendritic spine growth through kalirin. 2013 , 126, 625-35		29
182	Losing your inhibition: linking cortical GABAergic interneurons to schizophrenia. 2013 , 53, 36-48		69
181	No genetic evidence for Neuregulin 3 conferring risk of schizophrenia in the Chinese population. <i>Psychiatry Research</i> , 2013 , 205, 279-81	9.9	4
180	Association study of neuregulin-1 gene polymorphisms in a North Indian schizophrenia sample. <i>Schizophrenia Research</i> , 2013 , 144, 24-30	3.6	28
179	The interaction of disrupted type II neuregulin 1 and chronic adolescent stress on adult anxiety- and fear-related behaviors. <i>Neuroscience</i> , 2013 , 249, 31-42	3.9	31
178	Progress in imaging the effects of psychosis susceptibility gene variants. 2013 , 13, 37-47		6
177	Enhanced interaction among ErbB4, PSD-95 and NMDAR by chronic MK-801 treatment is associated with behavioral abnormalities. 2013 , 108, 44-53		15
176	Genetic models of schizophrenia and related psychotic disorders: progress and pitfalls across the methodological "minefield". 2013 , 354, 247-57		7
175	The neuregulin system of ligands and their receptors in rat islets of langerhans. 2013 , 154, 2385-92		11
174	Clozapine regulation of p90RSK and c-Fos signaling via the ErbB1-ERK pathway is distinct from olanzapine and haloperidol in mouse cortex and striatum. 2013 , 40, 353-63		13
173	Editors' Pick: mad and genius in the same gene?. 2013 , 4, 14		
172	Multiple variants aggregate in the neuregulin signaling pathway in a subset of schizophrenia patients. <i>Translational Psychiatry</i> , 2013 , 3, e264	8.6	31
171	Type III neuregulin 1 is required for multiple forms of excitatory synaptic plasticity of mouse cortico-amygdala circuits. 2013 , 33, 9655-66		30
170	EGFR signaling in the brain is necessary for olfactory learning in <i>Drosophila</i> larvae. 2013 , 20, 194-200		14
169	ErbB inhibitors ameliorate behavioral impairments of an animal model for schizophrenia: implication of their dopamine-modulatory actions. <i>Translational Psychiatry</i> , 2013 , 3, e252	8.6	17
168	Transmembrane domain Nrg1 mutant mice show altered susceptibility to the neurobehavioural actions of repeated THC exposure in adolescence. 2013 , 16, 163-75		58

167	Estudos traducionais de neuropsiquiatria e esquizofrenia: modelos animais genéticos e de neurodesenvolvimento. 2013 , 40, 41-50		4
166	Neuregulin 1: a prime candidate for research into gene-environment interactions in schizophrenia? Insights from genetic rodent models. 2013 , 7, 106		28
165	What does a mouse tell us about neuregulin 1-cannabis interactions?. 2013 , 7, 18		14
164	Production and organization of neocortical interneurons. 2013 , 7, 221		62
163	Reward learning as a potential target for pharmacological augmentation of cognitive remediation for schizophrenia: a roadmap for preclinical development. 2013 , 7, 103		19
162	Distinct phenotypes of new transmembrane-domain neuregulin 1 mutant mice and the rescue effects of valproate on the observed schizophrenia-related cognitive deficits. 2014 , 8, 126		19
161	Partial genetic deletion of neuregulin 1 and adolescent stress interact to alter NMDA receptor binding in the medial prefrontal cortex. 2014 , 8, 298		13
160	Schizophrenia: susceptibility genes and oligodendroglial and myelin related abnormalities. 2014 , 8, 5		67
159	The evolutionary genetics of the creativity/psychosis connection. 102-132		1
158	Use of Behavioral Analysis in Animal Models for Schizophrenia Research. 2014 , 17, 12		
157	Alcohol-use disorders. 293-302		
156	Cannabis abuse and dependence. 315-329		
155	Effects of neuregulin-1 genetic variation and depression symptom severity on longitudinal patterns of psychotic symptoms in primary care attendees. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 62-7	3.5	7
154	Disruption of the ErbB signaling in adolescence increases striatal dopamine levels and affects learning and hedonic-like behavior in the adult mouse. 2014 , 24, 1808-18		18
153	Animal Models for Brain Research. 2014 , 3-46		
152	Critical analysis of the use of B-site amyloid precursor protein-cleaving enzyme 1 inhibitors in the treatment of Alzheimer's disease. 2014 , 4, 1-19		3
151	A population-based study of atopic disorders and inflammatory markers in childhood before psychotic experiences in adolescence. <i>Schizophrenia Research</i> , 2014 , 152, 139-45	3.6	52
150	Elevated ErbB4 mRNA is related to interneuron deficit in prefrontal cortex in schizophrenia. 2014 , 53, 125-32		46

149	Neuregulin 1-induced AKT and ERK phosphorylation in patients with fragile X syndrome (FXS) and intellectual disability associated with obstetric complications. 2014 , 54, 119-24		4
148	Genetics of Psychosis in Alzheimer Disease. 2014 , 2, 30-38		8
147	Genetics and smoking. 2014 , 1, 75-82		34
146	Genetic dissection of the psychotomimetic effects of cannabinoid exposure. 2014 , 52, 33-40		5
145	Apport des neurosciences à la psychiatrie clinique. 2014 ,		
144	Neurogenesis in neurological and psychiatric diseases and brain injury: from bench to bedside. <i>Progress in Neurobiology</i> , 2014 , 115, 116-37	10.9	58
143	Nicotinic Receptors. 2014 ,		5
142	Late maternal hypothyroidism alters the expression of Camk4 in neocortical subplate neurons: a comparison with Nurr1 labeling. 2014 , 24, 2694-706		18
141	Prenatal stress and inhibitory neuron systems: implications for neuropsychiatric disorders. <i>Molecular Psychiatry</i> , 2014 , 19, 641-51	15.1	66
140	Effects of schizophrenia risk variation in the NRG1 gene on NRG1-IV splicing during fetal and early postnatal human neocortical development. 2014 , 171, 979-89		21
139	Global signaling effects of a schizophrenia-associated missense mutation in neuregulin 1: an exploratory study using whole genome and novel kinome approaches. <i>Journal of Neural Transmission</i> , 2014 , 121, 479-90	4.3	3
138	Dopaminergic function in relation to genes associated with risk for schizophrenia: translational mutant mouse models. 2014 , 211, 79-112		17
137	Development and Developmental Disorders of the Cerebral Cortex. 2014 , 523-642		1
136	Genetic mouse models of neuregulin 1: gene dosage effects, isoform-specific functions, and relevance to schizophrenia. <i>Biological Psychiatry</i> , 2014 , 76, 89-90	7.9	7
135	Genetically modified mice related to schizophrenia and other psychoses: seeking phenotypic insights into the pathobiology and treatment of negative symptoms. 2014 , 24, 800-21		12
134	Risk genes for schizophrenia: translational opportunities for drug discovery. <i>Pharmacology & Therapeutics</i> , 2014 , 143, 34-50	13.9	24
133	Behavioral phenotypes for negative symptoms in animal models of schizophrenia. 2014 , 126, 310-20		19
132	Pathological aggression. 86-96		

131	Schizophrenia. 189-207			1
130	Problems and solutions to filling the drying drug pipeline for psychiatric disorders: a report from the inaugural 2012 CINP Think Tank. 2014 , 17, 137-48			5
129	Interneuronal DISC1 regulates NRG1-ErbB4 signalling and excitatory-inhibitory synapse formation in the mature cortex. 2015 , 6, 10118			51
128	Family Support and Adherence to Treatment in Patients Diagnosed with Schizophrenia in Tabasco, Mexico: A Case- Series Study. 2015 , 18,			1
127	Investigation of gene effects and epistatic interactions between Akt1 and neuregulin 1 in the regulation of behavioral phenotypes and social functions in genetic mouse models of schizophrenia. 2014 , 8, 455			18
126	A systematic review of the effect of genes mediating neurodevelopment and neurotransmission on brain morphology: Focus on schizophrenia. 2015 , 21, 1-26			3
125	Differential effects of short- and long-term antipsychotic treatment on the expression of neuregulin-1 and ErbB4 receptors in the rat brain. <i>Psychiatry Research</i> , 2015 , 225, 347-54	9.9		11
124	Genetic variability testing of neurodevelopmental genes in schizophrenic patients. 2015 , 56, 205-11			11
123	Sleep and circadian rhythm disruption and recognition memory in schizophrenia. 2015 , 552, 325-49			10
122	Angiogenesis in the pathophysiology of schizophrenia - a comprehensive review and a conceptual hypothesis. 2015 , 128, 79-93			19
121	Involvement of Protein Kinase D1 in Signal Transduction from the Protein Kinase C Pathway to the Tyrosine Kinase Pathway in Response to Gonadotropin-releasing Hormone. <i>Journal of Biological Chemistry</i> , 2015 , 290, 25974-85	5.4		10
120	Neuregulin 1 protects against ischemic brain injury via ErbB4 receptors by increasing GABAergic transmission. <i>Neuroscience</i> , 2015 , 307, 151-9	3.9		22
119	NDUFV2 regulates neuronal migration in the developing cerebral cortex through modulation of the multipolar-bipolar transition. 2015 , 1625, 102-10			11
118	Myelin, myelin-related disorders, and psychosis. <i>Schizophrenia Research</i> , 2015 , 161, 85-93	3.6		89
117	The current and potential impact of genetics and genomics on neuropsychopharmacology. 2015 , 25, 671-81			9
116	Neurodevelopment, GABA system dysfunction, and schizophrenia. <i>Neuropsychopharmacology</i> , 2015 , 40, 190-206	8.7		127
115	Recent genetic findings in schizophrenia and their therapeutic relevance. <i>Journal of Psychopharmacology</i> , 2015 , 29, 85-96	4.6		124
114	Toxoplasma gondii and Schizophrenia: A Relationship That Is Not Ruled Out. 2016 ,			

113	Modeling Gene-Gene Interactions in Schizophrenia. 2016 , 23, 327-343		
112	Modeling Schizophrenia in Animals. 2016 , 353-381		
111	Dimensions of GSK3 Monoamine-Related Intracellular Signaling in Schizophrenia. 2016 , 23, 447-462		
110	Mouse Models of Schizophrenia: Risk Genes. 2016 , 23, 267-284		
109	Mouse Genetic Models of Human Brain Disorders. 2016 , 7, 40		34
108	Oxytocin and Vasopressin Receptor Gene Polymorphisms: Role in Social and Psychiatric Traits. 2015 , 9, 510		40
107	Hippocampal-Prefrontal Interactions in Cognition, Behavior and Psychiatric Disease. 2015 , 9, 190		118
106	Gene x Environment Interactions in Schizophrenia: Evidence from Genetic Mouse Models. 2016 , 2016, 2173748		249
105	Use of conducting polymers to facilitate neurite branching in schizophrenia-related neuronal development. 2016 , 4, 1244-51		6
104	Down-Regulation of Hippocampal Genes Regulating Dopaminergic, GABAergic, and Glutamatergic Function Following Combined Neonatal Phencyclidine and Post-Weaning Social Isolation of Rats as a Neurodevelopmental Model for Schizophrenia. 2016 , 19,		22
103	Behavioral, Neurophysiological, and Synaptic Impairment in a Transgenic Neuregulin1 (NRG1-IV) Murine Schizophrenia Model. 2016 , 36, 4859-75		38
102	Working memory genetics in schizophrenia and related disorders: An RDoC perspective. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171B, 121-31	3.5	28
101	Neurological dysfunctions associated with altered BACE1-dependent Neuregulin-1 signaling. 2016 , 136, 234-49		36
100	Neuregulin1 alpha activates migration of neuronal progenitors expressing ErbB4. <i>Molecular and Cellular Neurosciences</i> , 2016 , 77, 87-94	4.8	11
99	Perinatal Exposure to Neuregulin-1 Results in Disinhibition of Adult Midbrain Dopaminergic Neurons: Implication in Schizophrenia Modeling. <i>Scientific Reports</i> , 2016 , 6, 22606	4.9	10
98	Neuregulin-1 and schizophrenia in the genome-wide association study era. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 68, 387-409	9	50
97	Modeling psychiatric disorders: from genomic findings to cellular phenotypes. <i>Molecular Psychiatry</i> , 2016 , 21, 1167-79	15.1	49
96	Modeling synaptogenesis in schizophrenia and autism using human iPSC derived neurons. <i>Molecular and Cellular Neurosciences</i> , 2016 , 73, 52-62	4.8	43

95	Neuregulin-1 attenuates cognitive function impairments in a transgenic mouse model of Alzheimer's disease. <i>Cell Death and Disease</i> , 2016 , 7, e2117	9.8	32
94	Proteolytic Processing of Neuregulin 1 Type III by Three Intramembrane-cleaving Proteases. <i>Journal of Biological Chemistry</i> , 2016 , 291, 318-33	5.4	27
93	Molecular cloning and expression analysis of neuregulin 1 (Nrg1) in the hypothalamus of Huoyan goose during different stages of the egg-laying cycle. <i>Gene</i> , 2016 , 575, 725-31	3.8	1
92	Animal models of gene-environment interaction in schizophrenia: A dimensional perspective. <i>Progress in Neurobiology</i> , 2016 , 136, 1-27	10.9	54
91	Neural circuit dysfunction in schizophrenia: Insights from animal models. <i>Neuroscience</i> , 2016 , 321, 42-65	3.9	35
90	Variation at NRG1 genotype related to modulation of small-world properties of the functional cortical network. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 25-32	5.1	3
89	Genetics of psychosis of Alzheimer disease. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 27-35	3.5	14
88	Neuregulin-1 mutant mice indicate motor and sensory deficits, indeed few references for schizophrenia endophenotype model. <i>Behavioural Brain Research</i> , 2017 , 322, 177-185	3.4	5
87	Meta-analysis reveals associations between genetic variation in the 5' and 3' regions of Neuregulin-1 and schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, e1004	8.6	29
86	Whole exome sequencing coupled with unbiased functional analysis reveals new Hirschsprung disease genes. <i>Genome Biology</i> , 2017 , 18, 48	18.3	55
85	Spiroolactone is an antagonist of NRG1-ERBB4 signaling and schizophrenia-relevant endophenotypes in mice. <i>EMBO Molecular Medicine</i> , 2017 , 9, 1448-1462	12	21
84	Cannabis and development of dual diagnoses: A literature review. <i>American Journal of Drug and Alcohol Abuse</i> , 2017 , 43, 442-455	3.7	38
83	The Genetics of Cognition in Schizophrenia: Combining Mouse and Human Studies. 2017 , 115-142		
82	Drug Abuse and Psychosis: New Insights into Drug-induced Psychosis. <i>Experimental Neurobiology</i> , 2017 , 26, 11-24	4	23
81	Physiological Functions of the Site Amyloid Precursor Protein Cleaving Enzyme 1 and 2. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 97	6.1	56
80	BACE1-Dependent Neuregulin-1 Signaling: An Implication for Schizophrenia. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 302	6.1	7
79	Modeling Schizophrenia in Animals. 2017 , 587-617		
78	Role of BACE1 in Alzheimer's synaptic function. <i>Translational Neurodegeneration</i> , 2017 , 6, 23	10.3	44

77	The Interactive Nature of Cannabis and Schizophrenia Risk Genes. 2017 , 335-344		2
76	Specialized Information Processing Deficits and Distinct Metabolomic Profiles Following TM-Domain Disruption of Nrg1. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1100-1113	1.3	2
75	Gender-Specific Associations between CHGB Genetic Variants and Schizophrenia in a Korean Population. <i>Yonsei Medical Journal</i> , 2017 , 58, 619-625	3	7
74	The dynamics of disordered dialogue: Prefrontal, hippocampal and thalamic miscommunication underlying working memory deficits in schizophrenia. <i>Brain and Neuroscience Advances</i> , 2018 , 2,	4	25
73	Brain, blood, cerebrospinal fluid, and serum biomarkers in schizophrenia. <i>Psychiatry Research</i> , 2018 , 265, 25-38	9.9	42
72	Sensorimotor gating deficits in "two-hit" models of schizophrenia risk factors. <i>Schizophrenia Research</i> , 2018 , 198, 68-83	3.6	20
71	Defects in Bioenergetic Coupling in Schizophrenia. <i>Biological Psychiatry</i> , 2018 , 83, 739-750	7.9	43
70	Epigenetic meta-analysis across three civilian cohorts identifies NRG1 and HGS as blood-based biomarkers for post-traumatic stress disorder. <i>Epigenomics</i> , 2018 , 10, 1585-1601	4.4	27
69	Altered hippocampal gene expression and structure in transgenic mice overexpressing neuregulin 1 (Nrg1) type I. <i>Translational Psychiatry</i> , 2018 , 8, 229	8.6	6
68	A kernel machine method for detecting higher order interactions in multimodal datasets: Application to schizophrenia. <i>Journal of Neuroscience Methods</i> , 2018 , 309, 161-174	3	10
67	Levels of peripheral Neuregulin 1 are increased in non-medicated autism spectrum disorder patients. <i>Journal of Clinical Neuroscience</i> , 2018 , 57, 43-45	2.2	6
66	Pharmacogenetics and cognitive symptoms in schizophrenia patients treated with antipsychotics. <i>Pharmacogenomics</i> , 2018 , 19, 927-930	2.6	1
65	Higher-order language dysfunctions as a possible neurolinguistic endophenotype for schizophrenia: Evidence from patients and their unaffected first degree relatives. <i>Psychiatry Research</i> , 2018 , 267, 63-72	9.9	12
64	Effects of antipsychotic drugs on neurites relevant to schizophrenia treatment. <i>Medicinal Research Reviews</i> , 2019 , 39, 386-403	14.4	21
63	Atopy Increases Risk of Psychotic Experiences: A Large Population-Based Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 453	5	6
62	The Association Between Schizophrenia Risk Variants and Creativity in Healthy Han Chinese Subjects. <i>Frontiers in Psychology</i> , 2019 , 10, 2218	3.4	3
61	NRG1-ErbB4 signaling promotes functional recovery in a murine model of traumatic brain injury via regulation of GABA release. <i>Experimental Brain Research</i> , 2019 , 237, 3351-3362	2.3	5
60	Therapeutic efficacy of neuregulin 1-expressing human adipose-derived mesenchymal stem cells for ischemic stroke. <i>PLoS ONE</i> , 2019 , 14, e0222587	3.7	10

59	D2 receptor-mediated miRNA-143 expression is associated with the effects of antipsychotic drugs on phencyclidine-induced schizophrenia-related locomotor hyperactivity and with Neuregulin-1 expression in mice. <i>Neuropharmacology</i> , 2019 , 157, 107675	5.5	8
58	Impaired social discrimination behavior despite normal social approach by kallikrein-related peptidase 8 knockout mouse. <i>Neurobiology of Learning and Memory</i> , 2019 , 162, 47-58	3.1	3
57	The origin of NMDA receptor hypofunction in schizophrenia. <i>Pharmacology & Therapeutics</i> , 2020 , 205, 107426	13.9	48
56	Cutting-edge morphological studies of post-mortem brains of patients with schizophrenia and potential applications of X-ray nanotomography (nano-CT). <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 176-182	6.2	5
55	Impact of NRG1 HapICE gene variants on digit ratio and dermatoglyphic measures in schizophrenia. <i>Asian Journal of Psychiatry</i> , 2020 , 54, 102363	6.7	1
54	Developmental alterations in the transcriptome of three distinct rodent models of schizophrenia. <i>PLoS ONE</i> , 2020 , 15, e0232200	3.7	3
53	White matter alterations and the conversion to psychosis: A combined diffusion tensor imaging and glutamate H MRS study. <i>Schizophrenia Research</i> , 2020 ,	3.6	5
52	Add-on spironolactone as antagonist of the NRG1-ERBB4 signaling pathway for the treatment of schizophrenia: Study design and methodology of a multicenter randomized, placebo-controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020 , 17, 100537	1.8	6
51	In Vitro and In Vivo Models for the Investigation of Potential Drugs Against Schizophrenia. <i>Biomolecules</i> , 2020 , 10,	5.9	7
50	Novel Treatment Strategies Targeting Myelin and Oligodendrocyte Dysfunction in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020 , 11, 379	5	17
49	Beneficial Effects of Fingolimod on Social Interaction, CNS and Peripheral Immune Response in the BTBR Mouse Model of Autism. <i>Neuroscience</i> , 2020 , 435, 22-32	3.9	1
48	Sex-specific sensitivity to methamphetamine-induced schizophrenia-relevant behaviours in overexpressing mice. <i>Journal of Psychopharmacology</i> , 2021 , 35, 50-64	4.6	4
47	Phenotypic spectrum associated with pathogenic mutation in the NRG1 gene in Acadian family. <i>American Journal of Medical Genetics, Part A</i> , 2021 , 185, 1211-1215	2.5	
46	The role of orphan receptor GPR139 in neuropsychiatric behavior. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	5
45	An alternative splicing hypothesis for neuropathology of schizophrenia: evidence from studies on historical candidate genes and multi-omics data. <i>Molecular Psychiatry</i> , 2021 ,	15.1	6
44	Neuregulins in Neurodegenerative Diseases. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 662474	5.3	6
43	Association and epistatic analysis of white matter related genes across the continuum schizophrenia and autism spectrum disorders: The joint effect of NRG1-ErbB genes. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-11	3.8	
42	Neuregulin 1 and Schizophrenia. 2009 , 243-265		1

41	Complexity and the Onset of Psychosis. 2013 , 317-333		1
40	Nicotinic receptors and functional regulation of GABA cell microcircuitry in bipolar disorder and schizophrenia. <i>Handbook of Experimental Pharmacology</i> , 2012 , 401-17	3.2	12
39	Genetic Markers in Psychiatry. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1192, 53-93	3.6	2
38	A systematic meta-analysis of the association of Neuregulin 1 (NRG1), D-amino acid oxidase (DAO), and DAO activator (DAOA)/G72 polymorphisms with schizophrenia. <i>Journal of Neural Transmission</i> , 2018 , 125, 89-102	4.3	16
37	Psychosis and Schizophrenia. 2008 , 371-389		1
36	Parent-of-origin effects on schizophrenia-relevant behaviours of type III neuregulin 1 mutant mice. <i>Behavioural Brain Research</i> , 2017 , 332, 250-258	3.4	5
35	Kaleidoscope: A New Bioinformatics Pipeline Web Application for In Silico Hypothesis Exploration of Omics Signatures.		8
34	Neuregulin-1 regulates cell adhesion via an ErbB2/phosphoinositide-3 kinase/Akt-dependent pathway: potential implications for schizophrenia and cancer. <i>PLoS ONE</i> , 2007 , 2, e1369	3.7	50
33	Phenotypic characterization of transgenic mice overexpressing neuregulin-1. <i>PLoS ONE</i> , 2010 , 5, e14185	3.7	93
32	Time Windows of Interneuron Development: Implications to Our Understanding of the Aetiology and Treatment of Schizophrenia. <i>AIMS Neuroscience</i> , 2015 , 2, 294-321	1.7	0
31	Expression of schizophrenia biomarkers in extraocular muscles from patients with strabismus: an explanation for the link between exotropia and schizophrenia?. <i>PeerJ</i> , 2017 , 5, e4214	3.1	5
30	Systematic discovery of signaling pathways linking immune activation to schizophrenia. <i>Science</i> , 2021 , 24, 103209	6.1	1
29	Genetic and epigenetic factors in schizophrenia. <i>Medical Psychiatry</i> , 2009 , 78-86		
28	Mutant and Transgenic Tools in Modeling Schizophrenia. <i>NeuroMethods</i> , 2010 , 217-239	0.4	
27	Schizophrenie. 2012 , 437-496		
26	The neurobiology of schizophrenia. 2012 , 561-568		
25	Cannabinoids, Monoamines, COMT and Schizophrenia: Pathobiological Mechanisms in Psychosis. 2013 , 297-323		
24	Nicotinic Receptors and Mental Illness. 2014 , 417-434		

23 L'apport de la génétique à la psychiatrie. **2014**, 5-33

22 CHAPTER 8:GSK3 Networks in Schizophrenia. *RSC Drug Discovery Series*, **2015**, 173-201 0.6

21 Schizophrenia Part I: A Gestalt Analysis and Critique of Genetic Variables. *Gestalt Review*, **2015**, 19, 10 0.9

20 CHAPTER 5:Modelling Schizophrenia: Strategies for Identifying Improved Platforms for Drug Discovery. *RSC Drug Discovery Series*, **2015**, 89-114 0.6

19 NRG1 Types Down Regulate in Methamphetamine and Heroin Dependent Patients. *MOJ Addiction Medicine & Therapy*, **2017**, 3,

18 Systematic search for schizophrenia pathways sensitive to perturbation by immune activation. 1

17 SK3-overexpression drives sex-dimorphic working and social memory impairment in mice.

16 Diagnose, Biologie und Neuropathophysiologie der Schizophrenie. **2008**, 36-43 2

15 ErbB dysregulation impairs cognition via myelination-dependent and - independent oligodendropathy.

14 Animal Models for Brain Research. **2021**, 3-55

13 A Study of the Association between SNP8NRG241930 in the 5' End of Neuroglin 1 Gene with Schizophrenia in a Group of Iranian Patients. *Cell Journal*, **2011**, 13, 91-6 2.4 4

12 Biological Mechanism-based Neurology and Psychiatry: a BACE1/2 and Downstream Pathway Model. *Current Neuropharmacology*, **2021**, 7.6 0

11 Genes and Longevity of Lifespan.. *International Journal of Molecular Sciences*, **2022**, 23, 6.3 1

10 Genetic animal models for psychiatric disorders. **2022**, 241-267

9 The molecular genetic basis of creativity: a mini review and perspectives.. *Psychological Research*, **2022**, 1 2.5

8 Efficacy of Spironolactone as an Adjunctive Therapy to Risperidone to Improve Symptoms of Schizophrenia: A Double-Blind, Randomized, Placebo-Controlled, Clinical Trial.. *Iranian Journal of Psychiatry*, **2022**, 17, 14-23 1.9 1

7 Overexpression of Neuregulin-1 Type III Has Impact on Visual Function in Mice.. *International Journal of Molecular Sciences*, **2022**, 23, 6.3

6 Psychosis-associated Valine to Leucine mutation in Neuregulin1 disrupts expression of a schizophrenia susceptibility gene network within the hippocampus and alters adult hippocampal neurogenesis.

- 5 Cannabis effects on the adolescent brain. **2022**, 283-330
- 4 Investigation on substrate specificity and catalytic activity of serine protease neuropsin. **2022**, 19, n/a
- 3 What Can We Learn from Animal Models to Study Schizophrenia?. **2022**, 15-33
- 2 Disfunções neurológicas e declínio cognitivo. **2021**, 137-154
- 1 ErbB inhibition impairs cognition via disrupting myelination and aerobic glycolysis in oligodendrocytes.