CITATION REPORT List of articles citing

Monitoring wheat phenology and irrigation in Central Morocco: On the use of relationships between evapotranspiration, crops coefficients, leaf area index and remotely-sensed vegetation indices

DOI: 10.1016/j.agwat.2005.02.013 Agricultural Water Management, 2006, 79, 1-27.

Source: https://exaly.com/paper-pdf/39847845/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
315	Monitoring of irrigated wheat in a semi-arid climate using crop modelling and remote sensing data: Impact of satellite revisit time frequency. 2006 , 27, 1093-1117		29
314	Evidence of Low Land Surface Thermal Infrared Emissivity in the Presence of Dry Vegetation. 2007 , 4, 112-116		49
313	Analysis of evaporative fraction diurnal behaviour. 2007 , 143, 13-29		203
312	Monitoring water stress using time series of observed to unstressed surface temperature difference. 2007 , 146, 159-172		46
311	Combining FAO-56 model and ground-based remote sensing to estimate water consumptions of wheat crops in a semi-arid region. <i>Agricultural Water Management</i> , 2007 , 87, 41-54	5.9	186
310	. 2007,		2
309	Spatial variability of irrigation factors and their relationships with florridor-barrierlfunctions in the Longitudinal Range-Gorge Region. 2007 , 52, 33-41		4
308	Seasonal variations of leaf area index of agricultural fields retrieved from Landsat data. 2008, 112, 810	-824	103
307	A simple algorithm for yield estimates: Evaluation for semi-arid irrigated winter wheat monitored with green leaf area index. 2008 , 23, 876-892		112
306	Deriving daily evapotranspiration from remotely sensed instantaneous evaporative fraction over olive orchard in semi-arid Morocco. 2008 , 354, 53-64		82
305	An integrated modelling and remote sensing approach for hydrological study in arid and semi-arid regions: the SUDMED Programme. 2008 , 29, 5161-5181		91
304	Empirical regression models using NDVI, rainfall and temperature data for the early prediction of wheat grain yields in Morocco. 2008 , 10, 438-452		132
303	Improvement of FAO-56 method for olive orchards through sequential assimilation of thermal infrared-based estimates of ET. <i>Agricultural Water Management</i> , 2008 , 95, 309-321	5.9	61
302	Response of spring cereals to a deficit of atmospheric precipitation in the particular stages of plant growth and development. <i>Agricultural Water Management</i> , 2008 , 95, 171-178	5.9	14
301	Site specific N application and remote sensing of cotton crop. 2008,		
300	Agrometerological study of semi-arid areas: an experiment for analysing the potential of time series of FORMOSAT-2 images (Tensift-Marrakech plain). 2008 , 29, 5291-5299		29
299	The use of high-resolution image time series for crop classification and evapotranspiration estimate over an irrigated area in central Morocco. 2008 , 29, 95-116		118

(2010-2008)

298	Estimating the Soil Surface Evaporation and Transpiration Components from Satellite Images in the Absence of a Thermal Band. 2008 ,	4
297	A comparison of NDVI and MTVI2 for estimating LAI using CHRIS imagery: a case study in wheat. 2008 , 34, 539-548	16
296	Full Issue in PDF / Numfo complet enform PDF. 2008 , 34, i-C-5	
295	Measurement of LAI in the Watershed Using Terra-ASTER Data. 2009,	
294	Integrated Methodology for Estimating Water Use in Mediterranean Agricultural Areas. 2009, 1, 445-465	20
293	Combining a large aperture scintillometer and estimates of available energy to derive evapotranspiration over several agricultural fields in a semi-arid region. 2009 , 143, 209-221	26
292	Evaluation of irrigation water amount in semi-arid croplands using time series of FORMOSAT-2 images. 2009 ,	
291	Estimation of Crop Coefficients Using Satellite Remote Sensing. 2009 , 135, 597-608	53
290	An evaporation test based on Thermal Infra Red remote-sensing to select appropriate soil hydraulic properties. 2009 , 376, 589-598	7
289	Remote sensing based evapotranspiration and runoff modeling of agricultural, forest and urban flux sites in Denmark: From field to macro-scale. 2009 , 377, 300-316	57
288	Soil moisture retrievals at L-band using a two-step inversion approach (COSMOS/NAFE'05 Experiment). 2009 , 113, 1304-1312	54
287	Reviewing SEBAL input parameters for assessing evapotranspiration and water productivity for the Low-Middle SB Francisco River basin, Brazil. 2009 , 149, 462-476	134
286	Combined use of optical and radar satellite data for the detection of tillage and irrigation operations: Case study in Central Morocco. <i>Agricultural Water Management</i> , 2009 , 96, 1120-1127	28
285	Water use of spring wheat to raise water productivity. <i>Agricultural Water Management</i> , 2009 , 96, 1305-13.10	51
284	Crop phenology date estimation based on NDVI derived from the reconstructed MODIS daily surface reflectance data. 2009 ,	8
283	Retrieving Leaf Area Index (LAI) Using Remote Sensing: Theories, Methods and Sensors. 2009 , 9, 2719-45	307
282	Estimation des volumes dBau pompB dans la nappe pour lErigation (plaine du Haouz, Marrakech, Maroc). Comparaison dEne mEhode statistique et dEne mEhode basB sur lEtilsation de la tElBection. 2009 , 22, 1-13	10
281	Spectral Behaviour of a Coupled Land-Surface and Boundary-Layer System. 2010 , 134, 157-180	27

280	Determining Regional Actual Evapotranspiration of Irrigated Crops and Natural Vegetation in the SB Francisco River Basin (Brazil) Using Remote Sensing and Penman-Monteith Equation. 2010 , 2, 1287-1319	65
279	Combining Satellite Remote Sensing Data with the FAO-56 Dual Approach for Water Use Mapping In Irrigated Wheat Fields of a Semi-Arid Region. 2010 , 2, 375-387	56
278	Evapotranspira® real obtida atrav® da rela® entre o coeficiente dual de cultura da FAO-56 e o NDVI. 2010 , 25, 404-414	8
277	Combined use of FORMOSAT-2 images with a crop model for biomass and water monitoring of permanent grassland in Mediterranean region. 2010 , 14, 1731-1744	30
276	Observation spatiale [haute resolution spatiale et temporelle : applications pour le suivi de la ressource hydrique en milieu agricole semi-aride. 2010 , 96, 45-52	
275	Integrated modelling of the water cycle in semi arid watersheds based on ground and satellite data: the SudMed project. 2010 ,	
274	MODIS estimates of annual evapotranspiration of irrigated crops in the Nile delta based on the FAO method: application to the Nile river budget. 2010 ,	4
273	Potentiality of optical and radar satellite data at high spatio-temporal resolutions for the monitoring of irrigated wheat crops in Morocco. 2010 , 12, S32-S37	37
272	Numerical assessment of effective evapotranspiration from maize plots to estimate groundwater recharge in lowlands. <i>Agricultural Water Management</i> , 2010 , 97, 1389-1398	31
271	Using the dual approach of FAO-56 for partitioning ET into soil and plant components for olive orchards in a semi-arid region. <i>Agricultural Water Management</i> , 2010 , 97, 1769-1778	87
270	Assessing satellite-based basal crop coefficients for irrigated grapes (Vitis vinifera L.). <i>Agricultural Water Management</i> , 2010 , 98, 45-54	99
269	Combining remote sensing and in situ soil moisture data for the application and validation of a distributed water balance model (HIDROMORE). <i>Agricultural Water Management</i> , 2010 , 98, 69-78	44
268	Operational Monitoring of Daily Crop Water Requirements at the Regional Scale with Time Series of Satellite Data. 2010 , 136, 225-231	15
267	Harmonic propagation of variability in surface energy balance within a coupled soil-vegetation-atmosphere system. 2011 , 47,	32
266	Integration of vegetation indices into a water balance model to estimate evapotranspiration of wheat and corn. 2011 , 15, 1213-1225	25
265	Combined use of optical and radar satellite data for the monitoring of irrigation and soil moisture of wheat crops. 2011 , 15, 1117-1129	53
264	Analysis of Vegetation Behavior in a North African Semi-Arid Region, Using SPOT-VEGETATION NDVI Data. 2011 , 3, 2568-2590	39
263	Water balance of irrigated areas: a remote sensing approach. 2011 , 25, 4132-4141	22

(2013-2011)

262	Vegetation index-based crop coefficients to estimate evapotranspiration by remote sensing in agricultural and natural ecosystems. 2011 , 25, 4050-4062		155
261	The Diurnal Behavior of Evaporative Fraction in the SoilVegetationAtmospheric Boundary Layer Continuum. 2011 , 12, 1530-1546		95
260	Evaluation of Temporal Resolution Effect in Remote Sensing Based Crop Phenology Detection Studies. 2012 , 135-150		6
259	An Integrated DSS for Groundwater Management Based on Remote Sensing. The Case of a Semi-arid Aquifer in Morocco. 2012 , 26, 3209-3230		40
258	Spatial variability of terrestrial laser scanning based leaf area index. 2012 , 19, 226-237		18
257	Automatic unmixing of MODIS multi-temporal data for inter-annual monitoring of land use at a regional scale (Tensift, Morocco). 2012 , 33, 1325-1348		13
256	Maize and sunflower biomass estimation in southwest France using high spatial and temporal resolution remote sensing data. 2012 , 124, 844-857		154
255	An empirical expression to relate aerodynamic and surface temperatures for use within single-source energy balance models. 2012 , 161, 148-155		39
254	Systematic errors in ground heat flux estimation and their correction. 2012 , 48,		34
253	Relative efficiency of land surface energy balance components. 2012 , 48,		94
252	Water balance at plot scale for soil moisture estimation using vegetation parameters. 2012 , 166-167, 1-9		36
251	Improving evapotranspiration simulations in the CERES-Maize model under limited irrigation. <i>Agricultural Water Management</i> , 2012 , 115, 92-103	5.9	67
250	Estimation of Evapotranspiration ETc and Crop Coefficient Kc of Wheat, in south Nile Delta of Egypt Using integrated FAO-56 approach and remote sensing data. 2012 , 15, 83-89		33
249	A priori parameter estimates for a distributed, grid-based Xinanjiang model using geographically based information. 2012 , 468-469, 47-62		52
248	Calibration and validation of a remote sensing algorithm to estimate energy balance components and daily actual evapotranspiration over a drip-irrigated Merlot vineyard. 2012 , 30, 537-553		14
247	Estimating Water Requirements of an Irrigated Mediterranean Vineyard Using a Satellite-Based Approach. 2012 , 138, 896-904		14
246	Monitoring of rice cropping intensity in the upper Mekong Delta, Vietnam using time-series MODIS data. 2012 , 49, 292-301		44
245	Remote sensing-based soil water balance to estimate Mediterranean holm oak savanna (dehesa) evapotranspiration under water stress conditions. 2013 , 494, 1-9		36

244	Monitoring evapotranspiration of irrigated crops using crop coefficients derived from time series of satellite images. II. Application on basin scale. <i>Agricultural Water Management</i> , 2013 , 125, 92-104	5.9	38	
243	Impact of drip and level-basin irrigation on growth and yield of winter wheat in the North China Plain. 2013 , 31, 1025-1037		36	
242	Seasonal trends of satellite-based evapotranspiration algorithms over a complex ecosystem in East Asia. 2013 , 137, 244-263		29	
241	Linkages between common wheat yields and climate in Morocco (1982-2008). 2014 , 58, 1489-502		20	
240	Satellite-based investigation of flood-affected rice cultivation areas in Chao Phraya River Delta, Thailand. 2013 , 86, 77-88		15	
239	A new irrigation priority index based on remote sensing data for assessing the networks irrigation scheduling. <i>Agricultural Water Management</i> , 2013 , 119, 1-9	5.9	34	
238	Using remote sensing energy balance and evapotranspiration to characterize montane landscape vegetation with focus on grass and pasture lands. 2013 , 21, 159-172		33	
237	Characterization of Evapotranspiration over Irrigated Crops in a Semi-arid Area (Marrakech, Morocco) Using an Energy Budget Model. 2013 , 19, 504-513		5	
236	An Agent based Modeling for the Gravity Irrigation Management. 2013, 19, 804-813		2	
235	The SudMed Program and the Joint International Laboratory TREMA: A Decade of Water Transfer Study in the Soil-plant-atmosphere System over Irrigated Crops in Semi-arid Area. 2013 , 19, 524-533		24	
234	Hyperspectral remote sensing for growth-stage-specific water use in wheat. 2013 , 144, 179-191		30	
233	Determination of crop evapotranspiration of table grapes in a semi-arid region of Northwest Mexico using multi-spectral vegetation index. <i>Agricultural Water Management</i> , 2013 , 122, 12-19	5.9	39	
232	Spectroscopy and hyperspectral imagery for monitoring summer barley. 2013 , 34, 6067-6078		14	
231	Growth, Development and Yield of Crambe Abyssinica Under Saline Irrigation in the Greenhouse. 2013 , 199, 331-339		18	
230	Assessment of Equity and Adequacy of Water Delivery in Irrigation Systems Using Remote Sensing-Based Indicators in Semi-Arid Region, Morocco. 2013 , 27, 4697-4714		30	
229	Data assimilation of surface soil moisture, temperature, and evapotranspiration estimates in a SVAT model over irrigated areas in semi-arid regions: what best to constraint evapotranspiration predictions?. 2013 ,		1	
228	Remote sensing of regional crop transpiration of winter wheat based on MODIS data and FAO-56 crop coefficient method. 2013 , 19, 285-294		2	
227	Irrigated Grassland Monitoring Using a Time Series of TerraSAR-X and COSMO-SkyMed X-Band SAR Data. 2014 , 6, 10002-10032		42	

226	A Life-Size and Near Real-Time Test of Irrigation Scheduling with a Sentinel-2 Like Time Series (SPOT4-Take5) in Morocco. 2014 , 6, 11182-11203		24
225	Using the dual approach of FAO-56 combined with multi-sensor remote sensing for estimating the regional evapotranspiration. 2014 ,		
224	On the potential of Wireless Sensor Networks for the in-field assessment of bio-physical crop parameters. 2014 ,		1
223	Analysis of optical remote sensing potential for yields of cereals estimation. 2014,		
222	Combining the Crop Coefficient of Winter Wheat and Summer Maize with a Remotely Sensed Vegetation Index for Estimating Evapotranspiration in the North China Plain. 2014 , 19, 243-251		12
221	Irrigation scheduling of a classical gravity network based on the Covariance Matrix Adaptation [] Evolutionary Strategy algorithm. 2014 , 102, 64-72		23
220	Estimation of the dynamics and yields of cereals in a semi-arid area using remote sensing and the SAFY growth model. 2014 , 35, 1004-1028		20
219	Quantification of L-band InSAR coherence over volcanic areas using LiDAR and in situ measurements. 2014 , 152, 202-216		10
218	Determination of the crop row orientations from Formosat-2 multi-temporal and panchromatic images. 2014 , 94, 127-142		17
217	Crop coefficient and evapotranspiration of grain maize modified by planting density in an arid region of northwest China. <i>Agricultural Water Management</i> , 2014 , 142, 135-143	5.9	57
216	High Spatial Resolution WorldView-2 Imagery for Mapping NDVI and Its Relationship to Temporal Urban Landscape Evapotranspiration Factors. 2014 , 6, 580-602		79
215	Prediction of crop productivity and evapotranspiration with two photosynthetic parameter regionalization methods. 2014 , 152, 119-133		2
214	Impact of the Development of Vegetation on Flow Conditions and Flood Hazards. 2014, 431-466		
213	Annual evapotranspiration retrieved from satellite vegetation indices for the eastern Mediterranean at 250 m spatial resolution. 2015 , 15, 12567-12579		21
212	Estimation of crop water requirements: extending the one-step approach to dual crop coefficients. 2015 , 19, 3287-3299		5
211	Estimation of Actual Crop Coefficients Using Remotely Sensed Vegetation Indices and Soil Water Balance Modelled Data. 2015 , 7, 2373-2400		43
210	Estimation and Validation of RapidEye-Based Time-Series of Leaf Area Index for Winter Wheat in the Rur Catchment (Germany). 2015 , 7, 2808-2831		31
209	Performance Metrics for Soil Moisture Downscaling Methods: Application to DISPATCH Data in Central Morocco. 2015 , 7, 3783-3807		55

208	Impact of Sowing Date on Yield and Water Use Efficiency of Wheat Analyzed through Spatial Modeling and FORMOSAT-2 Images. 2015 , 7, 5951-5979		41
207	Land Cover and Crop Type Classification along the Season Based on Biophysical Variables Retrieved from Multi-Sensor High-Resolution Time Series. 2015 , 7, 10400-10424		44
206	Estimation of Evapotranspiration and Crop Coefficients of Tendone Vineyards Using Multi-Sensor Remote Sensing Data in a Mediterranean Environment. 2015 , 7, 14708-14730		41
205	Use of Remote Sensing to Generate Crop Coefficient and Estimate Actual Crop Evapotranspiration. 2015 ,		0
204	Consistency between In Situ, Model-Derived and High-Resolution-Image-Based Soil Temperature Endmembers: Towards a Robust Data-Based Model for Multi-Resolution Monitoring of Crop Evapotranspiration. 2015 , 7, 10444-10479		23
203	Estimating chlorophyll with thermal and broadband multispectral high resolution imagery from an unmanned aerial system using relevance vector machines for precision agriculture. 2015 , 43, 32-42		94
202	Remote sensing techniques for predicting evapotranspiration from mixed vegetated surfaces. 2015 , 12, 380-393		26
201	Using an unsupervised approach of Probabilistic Neural Network (PNN) for land use classification from multitemporal satellite images. 2015 , 30, 1-13		35
200	Mapping spatial variability of crop growth conditions using RapidEye data in Northern Ontario, Canada. 2015 , 168, 113-125		41
199	Early-season mapping of crops and cultural operations using very high spatial resolution Plades images. 2015 , 42, 128-141		34
198	A new remote sensing procedure for the estimation of crop water requirements. 2015,		2
197	Remote Sensing of Water Resources in Semi-Arid Mediterranean Areas: the joint international laboratory TREMA. 2015 , 36, 4879-4917		59
196	Comparison of different regression models and validation techniques for the assessment of wheat leaf area index from hyperspectral data. 2015 , 36, 4519-4534		54
195	Spatial ecology, landscapes, and the geography of vector-borne disease: A multi-disciplinary review. 2015 , 63, 418-426		19
194	Estimating groundwater use patterns of perennial and seasonal crops in a Mediterranean irrigation scheme, using remote sensing. <i>Agricultural Water Management</i> , 2015 , 162, 47-56	5.9	20
193	Evapotranspiration for plastic-mulched production system for gradually cooling and warming seasons: measurements and modeling. 2015 , 33, 387-397		5
192	Temporal variation of normalized difference vegetation index (NDVI) and calculation of the crop coefficient (Kc) from NDVI in areas cultivated with irrigated soybean. 2016 , 46, 1683-1688		8
191	The effect of different evapotranspiration methods on portraying soil water dynamics and ET partitioning in a semi-arid environment in Northwest China. 2016 , 20, 975-990		30

(2016-2016)

190	Analysis and Mapping of the Spectral Characteristics of Fractional Green Cover in Saline Wetlands (NE Spain) Using Field and Remote Sensing Data. 2016 , 8, 590		9
189	Estimation and Uncertainty Assessment of Surface Microclimate Indicators at Local Scale Using Airborne Infrared Thermography and Multispectral Imagery. 2016 ,		1
188	Contribution of Remote Sensing for Crop and Water Monitoring. 2016 , 113-177		5
187	Early Detection of Summer Crops Using High Spatial Resolution Optical Image Time Series. 2016 , 8, 591		22
186	Estimating Evapotranspiration of an Apple Orchard Using a Remote Sensing-Based Soil Water Balance. 2016 , 8, 253		40
185	Estimating cotton coefficients using multi-temporal remotely sensed images in Alar irrigated region, NW China. 2016 , 9, 1		2
184	A simple water balance model adapted for soil water repellency: application on Portuguese burned and unburned eucalypt stands. 2016 , 30, 463-478		14
183	Assessment of vegetation water content in wheat using near and shortwave infrared SPOT-5 Data in an irrigated area. 2016 , 29, 97-107		1
182	Integration of remote sensing derived parameters in crop models: Application to the PILOTE model for hay production. <i>Agricultural Water Management</i> , 2016 , 176, 67-79)	11
181	Estimation of leaf area index and crop height of sunflowers using multi-temporal optical and SAR satellite data. 2016 , 37, 2780-2809		25
180	Evaluation of mid-season sensor based nitrogen fertilizer recommendations for winter wheat using different estimates of yield potential. 2016 , 17, 470-487		9
179	The Relationship between Soil Moisture and LAI in Different Types of Soil in Central Eastern China. 2016 , 17, 2733-2742		16
178	A framework to use crop models for multi-objective constrained optimization of irrigation strategies. 2016 , 86, 145-157		14
177	Combining stable isotopes, Eddy Covariance system and meteorological measurements for partitioning evapotranspiration, of winter wheat, into soil evaporation and plant transpiration in a 5.9 semi-arid region. <i>Agricultural Water Management</i> , 2016 , 177, 181-192	9	44
176	References. 2016 , 669-732		
175	Satellite-based evapotranspiration over Gezira Irrigation Scheme, Sudan: A comparative study. Agricultural Water Management, 2016 , 177, 66-76)	33
174	Evaporation estimates using weather station data and boundary layer theory. 2016, 43, 11,661		41
173	A systematic review of vegetation phenology in Africa. 2016 , 34, 117-128		42

172	Modeling the Urban Impact on Semiarid Surface Climate: A Case Study in Marrakech, Morocco. 2016 , 42, 379-395		12
171	Combining a water balance model with evapotranspiration measurements to estimate total available soil water in irrigated and rainfed vineyards. <i>Agricultural Water Management</i> , 2016 , 165, 141-152	<u>2</u> 9	41
170	Estimating leaf area index at multiple heights within the understorey component of Loblolly pine forests from airborne discrete-return lidar. 2016 , 37, 78-99		12
169	Assessing the transferability of statistical predictive models for leaf area index between two airborne discrete return LiDAR sensor designs within multiple intensely managed Loblolly pine forest locations in the south-eastern USA. 2016 , 176, 308-319		19
168	Comprehensive study of the biophysical parameters of agricultural crops based on assessing Landsat 8 OLI and Landsat 7 ETM+ vegetation indices. 2016 , 53, 337-359		17
167	Coupling SAR C-Band and Optical Data for Soil Moisture and Leaf Area Index Retrieval Over Irrigated Grasslands. 2016 , 9, 1229-1243		60
166	Performance assessment of AquaCrop model for estimating evapotranspiration, soil water content and grain yield of winter wheat in Tensift Al Haouz (Morocco): Application to irrigation 5 management. <i>Agricultural Water Management</i> , 2016 , 163, 219-235	:.9	80
165	Assessment and validation of evapotranspiration using SEBAL algorithm and Lysimeter data of IARI agricultural farm, India. 2016 , 31, 739-764		23
164	Modeling stand water use response to soil water availability and groundwater level for a mature Populus tomentosa plantation located on the North China Plain. 2017 , 391, 63-74		17
163	Retrieving forest canopy extinction coefficient from terrestrial and airborne lidar. 2017, 236, 1-21		19
162	Satellite-based crop coefficient and evapotranspiration using surface soil moisture and vegetation indices in Northeast Asia. 2017 , 156, 305-314		24
161	Modeling water needs and total irrigation depths of maize crop in the south west of France using high spatial and temporal resolution satellite imagery. <i>Agricultural Water Management</i> , 2017 , 189, 123-13	ફ	30
160	Validation of two Huanjing-1A/B satellite-based FAO-56 models for estimating winter wheat crop evapotranspiration during mid-season. <i>Agricultural Water Management</i> , 2017 , 189, 27-38	:.9	8
159	How Jordan and Saudi Arabia are avoiding a tragedy of the commons over shared groundwater. 2017 , 53, 5451-5468		26
158	Reflectance-based crop coefficients REDUX: For operational evapotranspiration estimates in the age of high producing hybrid varieties. <i>Agricultural Water Management</i> , 2017 , 187, 140-153	:.9	33
157	Coupled topographic and vegetation patterns in coastal dunes: Remote sensing observations and ecomorphodynamic implications. 2017 , 122, 119-130		19
156	Evapotranspiration of winter wheat estimated with the FAO 56 approach and NDVI measurements in a temperate humid climate of NW Europe. <i>Agricultural Water Management</i> , 2017 , 192, 180-188	:.9	14
155	Estimating the leaf area index in Indian tropical forests using Landsat-8 OLI data. 2017 , 38, 6769-6789		11

154	evapotranspiration over irrigated annual crops in North Africa. <i>Agricultural Water Management</i> , 5.9 2017 , 193, 71-88	31
153	Retrieval and application of leaf area index over China using HJ-1 data. 2017 , 8, 478-495	3
152	Monitoring the variations of evapotranspiration due to land use/cover change in a semiarid shrubland. 2017 , 21, 863-877	22
151	Daily Landsat-scale evapotranspiration estimation over a forested landscape in North Carolina, USA, using multi-satellite data fusion. 2017 , 21, 1017-1037	52
150	Remote Sensing for Crop Water Management: From ET Modelling to Services for the End Users. 2017 , 17,	106
149	A refined method for rapidly determining the relationship between canopy NDVI and the pasture evapotranspiration coefficient. 2018 , 147, 12-17	13
148	Mapping boreal forest biomass from a SRTM and TanDEM-X based on canopy height model and Landsat spectral indices. 2018 , 68, 202-213	21
147	Retrieving surface soil moisture at high spatio-temporal resolution from a synergy between Sentinel-1 radar and Landsat thermal data: A study case over bare soil. 2018 , 211, 321-337	78
146	Improving water use efficiency and grain yield of winter wheat by optimizing irrigations in the North China Plain. 2018 , 221, 219-227	79
145	Water productivity and crop yield: A simplified remote sensing driven operational approach. 2018 , 249, 501-511	32
144	Remote sensing-based crop biomass with water or light-driven crop growth models in wheat commercial fields. 2018 , 216, 175-188	29
143	Assessing water demand with remote sensing for two coriander varieties. 2018 , 36, 266-273	
142	Estimation of Irrigation Water Pumping by Remote Sensing: Application of the SAMIR Model to Citrus under Mediterranean Climate Conditions. 2018 , 33, 391-400	3
141	Leaf Phenology Variation within the Canopy and Its Relationship with the Transpiration of Populus tomentosa under Plantation Conditions. 2018 , 9, 603	1
140	Crop Leaf Area Index Retrieval Based on Inverted Difference Vegetation Index and NDVI. 2018 , 15, 1662-1666	18
139	Estimating cotton water consumption using a time series of Sentinel-2 imagery. <i>Agricultural Water Management</i> , 2018 , 207, 44-52	43
138	Quantifying differences in water and carbon cycling between paddy and rainfed rice (Oryza sativa L.) by flux partitioning. 2018 , 13, e0195238	10
137	Estimation of Crop Evapotranspiration Using Satellite Remote Sensing-Based Vegetation Index. 2018 , 2018, 1-12	18

136	Quantifying the Accuracy of Digital Hemispherical Photography for Leaf Area Index Estimates on Broad-Leaved Tree Species. 2018 , 18,		3
135	A Critical Comparison of Remote Sensing Leaf Area Index Estimates over Rice-Cultivated Areas: From Sentinel-2 and Landsat-7/8 to MODIS, GEOV1 and EUMETSAT Polar System. 2018 , 10, 763		30
134	Calibration of CLAIR Model by Means of Sentinel-2 LAI Data for Analysing Wheat Crops Through Landsat-8 Surface Reflectance Data. 2018 , 294-304		3
133	WaterNitrogen Colimitation in Grain Crops. 2018 , 231-274		27
132	A New Single-Band Pixel-by-Pixel Atmospheric Correction Method to Improve the Accuracy in Remote Sensing Estimates of LST. Application to Landsat 7-ETM+. 2018 , 10, 826		10
131	Estimating the water budget components of irrigated crops: Combining the FAO-56 dual crop coefficient with surface temperature and vegetation index data. <i>Agricultural Water Management</i> , 2018 , 208, 120-131	5.9	19
130	Mapping within-field variability in wheat yield and biomass using remote sensing vegetation indices. 2019 , 20, 214-236		26
129	Stepwise Disaggregation of SMAP Soil Moisture at 100 m Resolution Using Landsat-7/8 Data and a Varying Intermediate Resolution. 2019 , 11, 1863		13
128	Use of NDVI for characterizing winter wheat response to water stress in a semi-arid environment. 2019 , 33, 633-648		9
127	Validation of the cotton crop coefficient estimation model based on Sentinel-2 imagery and eddy covariance measurements. <i>Agricultural Water Management</i> , 2019 , 223, 105715	5.9	13
126	Hybrid Methodology for the Estimation of Crop Coefficients Based on Satellite Imagery and Ground-Based Measurements. <i>Water (Switzerland)</i> , 2019 , 11, 1364	3	5
125	Coupling Hyperspectral Remote Sensing Data with a Crop Model to Study Winter Wheat Water Demand. 2019 , 11, 1684		6
124	Status of accuracy in remotely sensed and in-situ agricultural water productivity estimates: A review. 2019 , 234, 111413		23
123	Sentinel-1 Data for Winter Wheat Phenology Monitoring and Mapping. 2019 , 11, 2228		41
122	Calculation of leaf area index in a Canadian boreal forest using adaptive voxelization and terrestrial LiDAR. 2019 , 83, 101923		3
121	Retrieval of photosynthetic capability for yield gap attribution in maize via model-data fusion. <i>Agricultural Water Management</i> , 2019 , 226, 105783	5.9	4
120	. 2019,		
119	Forest biomass estimation using remote sensing and field inventory: a case study of Tripura, India. 2019 , 191, 593		6

118	Using High-Spatiotemporal Thermal Satellite ET Retrievals for Operational Water Use and Stress Monitoring in a California Vineyard. 2019 , 11, 2124		24
117	Altitudinal and temporal evapotranspiration dynamics via remote sensing and vegetation index-based modelling over a scarce-monitored, high-altitudinal Andean plamo ecosystem of Southern Ecuador. 2019 , 78, 1		7
116	Estimating leaf area index and light extinction coefficient using Random Forest regression algorithm in a tropical moist deciduous forest, India. 2019 , 52, 94-102		33
115	Analysis of L-Band SAR Data for Soil Moisture Estimations over Agricultural Areas in the Tropics. 2019 , 11, 1122		28
114	Water use efficiency and light use efficiency in garlic using a remote sensing-based approach. <i>Agricultural Water Management</i> , 2019 , 219, 40-48	5.9	5
113	Drought-stress modified crop coefficients for estimation of evapotranspiration of spring wheat in the southwest Loess Plateau of China. 2019 , 74, 91-100		O
112	A Modification of CIM for Prediction of Net Primary Productivity of the Three-River Headwaters, China. 2019 , 72, 327-335		6
111	Application of ET-NDVI-relationship approach and soil-water-balance modelling for the monitoring of irrigation performance of treed horticulture crops in a key fruit-growing district of Australia. 2019 , 40, 4724-4742		4
110	First Vegetation Optical Depth Mapping from Sentinel-1 C-band SAR Data over Crop Fields. 2019 , 11, 2769		17
109	Estimation of maize evapotraspiration under drought stress - A case study of Huaibei Plain, China. 2019 , 14, e0223756		2
108	Assessing the impact of global climate changes on irrigated wheat yields and water requirements in a semi-arid environment of Morocco. 2019 , 9, 19142		38
107	Ability of a soil Degetation Etmosphere transfer model and a two-source energy balance model to predict evapotranspiration for several crops and climate conditions. 2019 , 23, 5033-5058		4
106	Irrigation water management in arid regions of Middle East: Assessing spatio-temporal variation of actual evapotranspiration through remote sensing techniques and meteorological data. <i>Agricultural Water Management</i> , 2019 , 212, 35-47	5.9	30
105	Estimation of crop evapotranspiration through spatial distributed crop coefficient in a semi-arid environment. <i>Agricultural Water Management</i> , 2019 , 213, 922-933	5.9	22
104	In-situ partitioning of evaporation and transpiration components using a portable evapotranspiration dome acase study in Tall Fescue (Festuca arundinacea). <i>Agricultural Water Management</i> , 2019 , 213, 352-357	5.9	4
103	Modeling soil evaporation and the response of the crop coefficient to leaf area index in mature Populus tomentosa plantations growing under different soil water availabilities. 2019 , 264, 125-137		15
102	Evapotranspiration in North America: implications for water resources in a changing climate. 2020 , 25, 205-220		1
101	Contribution of multispectral (optical and radar) satellite images to the classification of agricultural surfaces. 2020 , 84, 101972		13

100	NDVI-based estimates of evapotranspiration of winter wheat indicate positive effects of N fertilizer application on agronomic water-use efficiency. 2020 , 206, 1-12		6
99	Irrigation retrieval from Landsat optical/thermal data integrated into a crop water balance model: A case study over winter wheat fields in a semi-arid region. 2020 , 239, 111627		22
98	Temporal and spatial variations of irrigation water use for commercial corn fields in Central Nebraska. <i>Agricultural Water Management</i> , 2020 , 228, 105924	5.9	5
97	Soil sensing technology improves application of irrigation water. <i>Agricultural Water Management</i> , 2020 , 228, 105901	5.9	12
96	High Resolution Geospatial Evapotranspiration Mapping of Irrigated Field Crops Using Multispectral and Thermal Infrared Imagery with METRIC Energy Balance Model. 2020 , 4, 52		5
95	A Simple Light-Use-Efficiency Model to Estimate Wheat Yield in the Semi-Arid Areas. 2020 , 10, 1524		2
94	Estimation of harvest index in wheat crops using a remote sensing-based approach. 2020 , 256, 107910		7
93	Dynamic Crop Models and Remote Sensing Irrigation Decision Support Systems: A Review of Water Stress Concepts for Improved Estimation of Water Requirements. 2020 , 12, 3945		6
92	Prediction of crop coefficients from fraction of ground cover and height. Background and validation using ground and remote sensing data. <i>Agricultural Water Management</i> , 2020 , 241, 106197	5.9	25
91	Retrospective analysis and version improvement of the satellite-based drought composite index. A semi-arid Tensift-Morocco application. 2020 , 1-22		3
90	Possibilities of using sentinel-2 satellite data to estimate crop cover and LAI of winter wheat at different stages of development. 2020 , 169, 02005		
89	Actual Evapotranspiration and Biomass of Maize from a Red©reen-Near-Infrared (RGNIR) Sensor on Board an Unmanned Aerial Vehicle (UAV). <i>Water (Switzerland)</i> , 2020 , 12, 2359	3	5
88	Exploiting High-Resolution Remote Sensing Soil Moisture to Estimate Irrigation Water Amounts over a Mediterranean Region. 2020 , 12, 2593		20
87	Remote sensingBased soil water balance for irrigation water accounting at plot and water user association management scale. <i>Agricultural Water Management</i> , 2020 , 238, 106236	5.9	25
86	Satellite-based NDVI crop coefficients and evapotranspiration with eddy covariance validation for multiple durum wheat fields in the US Southwest. <i>Agricultural Water Management</i> , 2020 , 239, 106266	5.9	25
85	Modeling for integrated water resources management in the Mediterranean region. 2020 , 157-190		2
84	Using NDVI to Differentiate Wheat Genotypes Productivity Under Dryland and Irrigated Conditions. 2020 , 12, 824		24
83	Evapotranspiration in the Mediterranean region. 2020 , 23-49		2

(2021-2020)

82	Monitoring Grass Phenology and Hydrological Dynamics of an Oak@rass Savanna Ecosystem Using Sentinel-2 and Terrestrial Photography. 2020 , 12, 600		12
81	Remote sensing for estimating and mapping single and basal crop coefficientes: A review on spectral vegetation indices approaches. <i>Agricultural Water Management</i> , 2020 , 233, 106081	5.9	37
80	Effect of the differences in spectral response of Mediterranean tree canopies on the estimation of evapotranspiration using vegetation index-based crop coefficients. <i>Agricultural Water Management</i> , 2020 , 238, 106201	5.9	10
79	Continuous Monitoring of Cotton Stem Water Potential using Sentinel-2 Imagery. 2020 , 12, 1176		7
78	Standard single and basal crop coefficients for field crops. Updates and advances to the FAO56 crop water requirements method. <i>Agricultural Water Management</i> , 2021 , 243, 106466	5.9	13
77	Performance of the HYDRUS-1D model for water balance components assessment of irrigated winter wheat under different water managements in semi-arid region of Morocco. <i>Agricultural Water Management</i> , 2021 , 244, 106546	5.9	13
76	Response of winter-wheat grain yield and water-use efficiency to irrigation with activated water on Guanzhong Plain in China. 2021 , 39, 263-276		6
75	Multiscale drought monitoring and comparison using remote sensing in a Mediterranean arid region: a case study from west-central Morocco. 2021 , 14, 1		6
74	Investigation of crop evapotranspiration and irrigation water requirement in the lower Amu Darya River Basin, Central Asia. 2021 , 13, 23-39		8
73	A Canopy Transpiration Model Based on Scaling Up Stomatal Conductance and Radiation Interception as Affected by Leaf Area Index. <i>Water (Switzerland)</i> , 2021 , 13, 252	3	2
72	Projection of irrigation water demand based on the simulation of synthetic crop coefficients and climate change. 2021 , 25, 637-651		7
71	Assessing Irrigation Water Use with Remote Sensing-Based Soil Water Balance at an Irrigation Scheme Level in a Semi-Arid Region of Morocco. 2021 , 13, 1133		4
70	Estimating Processing Tomato Water Consumption, Leaf Area Index, and Height Using Sentinel-2 and VENµS Imagery. 2021 , 13, 1046		6
69	Detailed Investigation of Spectral Vegetation Indices for Fine Field-Scale Phenotyping.		
68	Hydrological Functioning of Maize Crops in Southwest France Using Eddy Covariance Measurements and a Land Surface Model. <i>Water (Switzerland)</i> , 2021 , 13, 1481	3	O
67	Mapping maize crop coefficient Kc using random forest algorithm based on leaf area index and UAV-based multispectral vegetation indices. <i>Agricultural Water Management</i> , 2021 , 252, 106906	5.9	14
66	Studying the Feasibility of Assimilating Sentinel-2 and PlanetScope Imagery into the SAFY Crop Model to Predict Within-Field Wheat Yield. 2021 , 13, 2395		5

64	Irrigation Amounts and Timing Retrieval through Data Assimilation of Surface Soil Moisture into the FAO-56 Approach in the South Mediterranean Region. 2021 , 13, 2667	3
63	C-band radar data and in situ measurements for the monitoring of wheat crops in a semi-arid area (center of Morocco). 2021 , 13, 3707-3731	2
62	Retrieving Crop Albedo Based on Radar Sentinel-1 and Random Forest Approach. 2021 , 13, 3181	2
61	Using remote sensing to identify the peak of the growing season at globally-distributed flux sites: A comparison of models, sensors, and biomes. 2021 , 307, 108489	О
60	The use of terrestrial LiDAR to monitor crop growth and account for within-field variability of crop coefficients and water use. 2021 , 190, 106416	1
59	Optimizing the Sowing Date to Improve Water Management and Wheat Yield in a Large Irrigation Scheme, through a Remote Sensing and an Evolution Strategy-Based Approach. 2021 , 13, 3789	1
58	Improving winter wheat biomass and evapotranspiration simulation by assimilating leaf area index from spectral information into a crop growth model. <i>Agricultural Water Management</i> , 2021 , 255, 107057 $^{5.9}$	О
57	Spatiotemporal land use change and environmental degradation surrounding CAFOs in Michigan and North Carolina. 2021 , 800, 149391	1
56	A new net primary productivity model and new management strategy of grassland classification based on CSCS in China. 2021 ,	2
55	Calibration of the CLAIR Model by Using Landsat 8 Surface Reflectance Higher-Level Data and MODIS Leaf Area Index Products. 2017 , 16-29	2
54	A Stepwise Approach to Assess the Fate of Nitrogen Species in Agricultural Lowlands. 2013 , 431-460	2
53	Irrigation Scheduling for Cotton Cultivation. 2020 , 59-80	10
52	A comparison of different methods for assessing leaf area index in four canopy types. 2019 , 65, 67-80	6
51	Estimating cotton water requirements using Sentinel-2: model development and validation. 2019,	2
50	Support Irrigation Water Management of Cereals Using Optical Remote Sensing and Modeling in a Semi-Arid Region. 2019 , 124-145	3
49	Evapotranspiration partition using the multiple energy balance version of the ISBA-A-g_s land surface model over two irrigated crops in a semi-arid Mediterranean region (Marrakech, Morocco). 2020 , 24, 3789-3814	6
48	Remote sensing techniques for predicting evapotranspiration from mixed vegetated surfaces.	16
47	Inter-comparison of four remote sensing based surface energy balance methods to retrieve surface evapotranspiration and water stress of irrigated fields in semi-arid climate.	9

46	Estimation of crop water requirements: extending the one-step approach to dual crop coefficients.	1
45	Investigating effects of different evapotranspiration (ET) schemes on soil water dynamics and ET partitioning: a large lysimeter case of summer maize in a semi-arid environment northwest of China.	3
44	Improving Wheat Yield Estimates by Integrating a Remotely Sensed Drought Monitoring Index Into the Simple Algorithm for Yield Estimate Model. 2021 , 14, 10383-10394	O
43	A Review of Irrigation Information Retrievals from Space and Their Utility for Users. 2021 , 13, 4112	19
42	Combined use of FORMOSAT-2 images with a crop model for biomass and water monitoring of permanent grassland in Mediterranean region.	
41	Combined use of optical and radar satellite data for the monitoring of irrigation and soil moisture of wheat crops.	
40	Integration of vegetation indices into a water balance model to estimate evapotranspiration of wheat and corn.	
39	Multi-dimensional spectral space based drought indices. 2012 , 31, 441-448	
38	FAO-56 dual approach combined with multi-sensor remote sensing for regional evapotranspiration estimations.	
37	Geospatial Technics, Modelling, Meteorological, and Ground Data for Crop Management in Semi-Arid Zones of Morocco. 2019 , 107-123	
36	A Sentinel based agriculture monitoring scheme for the control of the CAP and food security. 2020,	1
35	Characterizing bracken fern phenological cycle using time series data derived from Sentinel-2 satellite sensor. 2021 , 16, e0257196	
34	Assessing Irrigation Water Requirement and Its Trend for Betwa River Basin, India. 2021, 113-133	
33	Earth Observation Systems and Pasture Modeling: A Bibliometric Trend Analysis. 2021 , 10, 793	2
32	Evapotranspiration Measurements and Calculations. 2021, 1545-1581	1
31	Climatic and anthropogenic drivers of a drying Himalayan river. 2022 , 26, 375-395	2
30	UAS spherical photography for the vertical characterisation of canopy structural traits 2022,	1
29	A new approach for estimating spatial-temporal phreatic evapotranspiration at a regional scale using NDVI and water table depth measurements. <i>Agricultural Water Management</i> , 2022 , 264, 107500 5.9	0

28 Irrigation Management by Using Digital Technologies. **2022**, 247-267

27	Using HYDRUS-1D for estimating evapotranspiration and soil water content of irrigated winter wheat under different water management in a semi-arid region of Morocco. 2022 , 87-94		
26	Modelling root-zone soil moisture from observed fluxes inter-comparing eddy covariance and lysimeter methods. 2022 , 135-144		1
25	Simple and spatialized approach to optimize irrigation water and wheat yield in the semi-arid areas. 2022 , 717-724		
24	Assessment of an extended SPARSE model for estimating evapotranspiration from directional thermal infrared data. 2022 , 317, 108882		O
23	Role of Geospatial Technology for Enhancement of Field Water Use Efficiency. 2022 , 173-184		
22	Performance Evaluation of the WOFOST Model for Estimating Evapotranspiration, Soil Water Content, Grain Yield and Total Above-Ground Biomass of Winter Wheat in Tensift Al Haouz (Morocco): Application to Yield Gap Estimation. 2021 , 11, 2480		1
21	Assessment of Land Surface Temperature Estimates from Landsat 8-TIRS in A High-Contrast Semiarid Agroecosystem. Algorithms Intercomparison. 2022 , 14, 1843		O
20	Evaluation of spectral vegetation indices for drip irrigated pumpkin seed under semi-arid conditions. 2022 , 15, 1		
19	Detection and attribution of long-term and fine-scale changes in spring phenology over urban areas: A case study in New York State. 2022 , 110, 102815		O
18	Multivariate Assimilation of Satellite-based Leaf Area Index and Ground-based River Streamflow for Hydrological Modelling of Irrigated Watersheds using SWAT+. 2022 , 128012		O
17	Evapotranspiration estimates in a traditional irrigated area in semi-arid Mediterranean. Comparison of four remote sensing-based models. <i>Agricultural Water Management</i> , 2022 , 270, 107728	5.9	O
16	VICAL: Global Calculator to Estimate Vegetation Indices for Agricultural Areas with Landsat and Sentinel-2 Data. 2022 , 12, 1518		1
15	Rainfall Runoff Balance Enhanced Model Applied to Tropical Hydrology. <i>Water (Switzerland)</i> , 2022 , 14, 1958	3	
14	Remote sensing based evapotranspiration modeling for sugarcane in Brazil using a hybrid approach. <i>Agricultural Water Management</i> , 2022 , 271, 107763	5.9	О
13	Wheat Water Deficit Monitoring Using Synthetic Aperture Radar Backscattering Coefficient and Interferometric Coherence. <i>Agriculture (Switzerland)</i> , 2022 , 12, 1032	3	
12	Assessing almond response to irrigation and soil management practices using vegetation indexes time-series and plant water status measurements. 2022 , 339, 108124		O
11	Medium-Resolution Mapping of Evapotranspiration at the Catchment Scale Based on Thermal Infrared MODIS Data and ERA-Interim Reanalysis over North Africa. 2022 , 14, 5071		O

CITATION REPORT

10	AgSAT: A Smart Irrigation Application for Field-Scale Daily Crop ET and Water Requirements Using Satellite Imagery. 2022 , 14, 5090	O
9	Remote Sensing-based crop yield model at field and within-field scales in wheat and barley crops. 2023 , 143, 126720	O
8	Correlation between Ground Measurements and UAV Sensed Vegetation Indices for Yield Prediction of Common Bean Grown under Different Irrigation Treatments and Sowing Periods. 2022 , 14, 3786	O
7	Relationship between Measured and Computed Effective Rainfall Using Field Infiltrometers and CropWat Software under Sugarcane Land Dse System in Tropical Climate. 2023, 149,	O
6	Are the C-band backscattering coefficient and interferometric coherence suitable substitutes of NDVI for the monitoring of the FAO-56 crop coefficient?. 2023 , 282, 108276	O
5	Global Leaf Area Index Research over the Past 75 Years: A Comprehensive Review and Bibliometric Analysis. 2023 , 15, 3072	O
4	Mapping Vegetation Index-Derived Actual Evapotranspiration across Croplands Using the Google Earth Engine Platform. 2023 , 15, 1017	O
3	Evapotranspiration in Semi-Arid Climate: Remote Sensing vs. Soil Water Simulation. 2023, 23, 2823	O
2	Evaluation of perennial reference evapotranspiration (ETo) over a typical dryland using satellite images: a case study from Uzbekistan. 2023 ,	O
1	A Globally Applicable Method for NDVI Estimation from Sentinel-1 SAR Backscatter Using a Deep Neural Network and the SEN12TP Dataset.	O