

CITATION REPORT

List of articles citing

Olfactory deficit in idiopathic rapid eye movements
sleep behavior disorder

DOI: 10.1016/j.brainresbull.2006.07.008

Brain Research Bulletin, 2006, 70, 386-90.

Source: <https://exaly.com/paper-pdf/39871589/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
129	REM sleep behavior disorder in the elderly. 241-247		
128	Parkinson's disease: a dual-hit hypothesis. 2007 , 33, 599-614		561
127	REM sleep behaviour disorder in Parkinson's disease. <i>Journal of Neurology</i> , 2007 , 254, IV8-IV14	5.5	1
126	Cognitive performance in REM sleep behaviour disorder: a possible early marker of neurodegenerative disease?. 2008 , 9, 343-51		88
125	[REM sleep behavior disorders and their characteristics in Parkinson's disease]. 2008 , 164, 683-91		3
124	REM Sleep Behaviour Disorder. 2008 , 97, 1078-1080		
123	Narcolepsy in the elderly. 227-232		
122	Motor Functions and Dysfunctions of Sleep. 2009 , 397-435		5
121	Rapid eye movement sleep behavior disorder in women: relevance to general and specialty medical practice. 2009 , 18, 1955-63		55
120	Sleep and neurodegenerative diseases. 2009 , 29, 446-67		32
119	Odor identification test as an indicator of idiopathic REM sleep behavior disorder. 2009 , 24, 268-73		53
118	The clinical and pathophysiological relevance of REM sleep behavior disorder in neurodegenerative diseases. 2009 , 13, 385-401		210
117	Predicting Parkinson's disease - why, when, and how?. 2009 , 15 Suppl 3, S105-9		40
116	Diffusion tensor imaging in idiopathic REM sleep behavior disorder reveals microstructural changes in the brainstem, substantia nigra, olfactory region, and other brain regions. 2010 , 33, 767-73		146
115	Transient amantadine-induced musical hallucinations in a patient with Parkinson's disease. 2010 , 25, 1505-6		9
114	Atypical parkinsonism with apraxia and supranuclear gaze abnormalities in type 1 Gaucher disease. Expanding the spectrum: case report and literature review. 2010 , 25, 1506-9		18
113	Rare and serious cardiac side effects during ropinirole titration. 2010 , 25, 1509-10		7

112	Valproate-induced reversible hemichorea. 2010 , 25, 1511-2	11
111	Facial tic associated with lamotrigine in adults. 2010 , 25, 1512-3	5
110	Primary progressive freezing gait in a patient with CO-induced parkinsonism. 2010 , 25, 1513-5	12
109	Multiple system atrophy and colon inertia. 2010 , 25, 1515-6	
108	Multiple-system atrophy presenting with low rectal compliance and bowel pain. 2010 , 25, 1516-8	2
107	Changes in apraxia after deep brain stimulation of the nucleus basalis Meynert in a patient with Parkinson dementia syndrome. 2010 , 25, 1519-20	38
106	Congenital mirror movements in Parkinson's disease: clinical and neurophysiological observations. 2010 , 25, 1520-3	6
105	Parkinsonism and cognitive decline in a fragile X mosaic male. 2010 , 25, 1523-4	9
104	Olfactory dysfunction in Japanese patients with idiopathic REM sleep behavior disorder: comparison of data using the university of Pennsylvania smell identification test and odor stick identification test for Japanese. 2010 , 25, 1524-6	8
103	Sleep disorders in neurodegenerative diseases. 2010 , 17, 1326-38	44
102	REM sleep behavior disorder: Updated review of the core features, the REM sleep behavior disorder-neurodegenerative disease association, evolving concepts, controversies, and future directions. 2010 , 1184, 15-54	418
101	Olfaction in the elderly: a cross-sectional analysis comparing Parkinson's disease with controls and other disorders. 2010 , 120, 36-9	40
100	Olfaction as a biomarker in Parkinson's disease. 2010 , 4, 661-70	38
99	REM sleep behavior disorder. 2010 , 94, 593-614	18
98	REM sleep behavior disorder in 703 sleep-disorder patients: the importance of eliciting a comprehensive sleep history. 2010 , 11, 167-71	65
97	Olfactory dysfunction in idiopathic REM sleep behavior disorder. 2010 , 11, 458-61	48
96	Olfactory dysfunction in narcolepsy with and without cataplexy. 2010 , 11, 558-61	16
95	Premotor symptoms and early diagnosis of Parkinson's disease. 2011 , 121 Suppl 2, 3-8	18

94	REM Sleep Behavior Disorder. 2011 , 6, 459-468		0
93	Progress in defining the premotor phase of Parkinson's disease. 2011 , 310, 4-8		41
92	Sleep-wake changes in the premotor stage of Parkinson disease. 2011 , 310, 283-5		34
91	Sleep disorders and the natural history of Parkinson's disease: the contribution of epidemiological studies. 2011 , 15, 41-50		72
90	Does idiopathic REM sleep behavior disorder (iRBD) really exist? What are the potential markers of neurodegeneration in iRBD?. 2011 , 12 Suppl 2, S43-9		19
89	Combinations of Markers Provide Clues to the Underlying Neurodegenerative Disorder in REM Sleep Behavior Disorder. 2011 ,		
88	REM sleep and dreams: relationship to anxiety, psychosomatic, and behavioral disorders. 417-426		
87	Regional cerebral blood flow changes in patients with idiopathic REM sleep behavior disorder. 2011 , 18, 784-8		44
86	Idiopathic REM sleep behavior disorder as a long-term predictor of neurodegenerative disorders. 2011 , 2, 451-8		18
85	Sleep disorders in neurodegenerative diseases other than Parkinson's disease. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2011 , 99, 1011-50	3	4
84	Neuropsychological and radiological assessments of two cases with apparent idiopathic rapid eye movement sleep behaviour disorder. 2012 , 67, 18-25		0
83	Voxel-based magnetic resonance imaging study of structural brain changes in patients with idiopathic REM sleep behavior disorder. 2012 , 18, 136-9		59
82	Parasomnias: an updated review. 2012 , 9, 753-75		97
81	REM sleep behaviour disorder and pure autonomic failure: Presentation of two cases. 2012 , 27, 55-57		
80	Approach to the Patient with a Sleep Disorder. 2012 , 10-27		
79	REM sleep behavior disorder and REM sleep without atonia as an early manifestation of degenerative neurological disease. 2012 , 12, 182-92		84
78	Quels sont les principaux troubles du sommeil rencontrés au cours des syndromes parkinsoniens ?. 2012 , 4, 68-73		
77	Investigation of autonomic function in idiopathic REM sleep behavior disorder. <i>Journal of Neurology</i> , 2012 , 259, 1056-61	5.5	54

76	Acute administration of fluoxetine normalizes rapid eye movement sleep abnormality, but not depressive behaviors in olfactory bulbectomized rats. 2012 , 120, 314-24	27
75	[REM sleep behaviour disorder and "pure" autonomic failure. Presentation of two cases]. 2012 , 27, 55-7	2
74	Parasomnias. 2013 ,	5
73	REM Behavior Disorder in Adults. 2013 , 221-235	
72	Parkinson disease and sleep: sleep-wake changes in the premotor stage of Parkinson disease; impaired olfaction and other prodromal features. 2013 , 13, 373	18
71	Sleepiness at the time of testing impairs olfactory performance. 2013 , 69, 58-64	8
70	Clinical markers of early nigrostriatal neurodegeneration in idiopathic rapid eye movement sleep behavior disorder. 2013 , 14, 1064-70	28
69	Rapid eye movement sleep behavior disorder as a biomarker for neurodegeneration: the past 10 years. 2013 , 14, 763-7	56
68	Neurodegenerative Diseases: Integrative PPPM Approach as the Medicine of the Future. 2013 ,	3
67	Biomarkers of Parkinson's disease: current status and future perspectives. 2013 , 18, 155-62	36
66	Longitudinal assessment of olfactory function in idiopathic REM sleep behavior disorder. 2013 , 19, 600-4	54
65	Parasomnies et agitations nocturnes. 2013 , 4, 119-123	
64	Neurodegenerative disease status and post-mortem pathology in idiopathic rapid-eye-movement sleep behaviour disorder: an observational cohort study. 2013 , 12, 443-53	472
63	Idiopathic REM sleep behaviour disorder in the development of Parkinson's disease. 2013 , 12, 469-82	139
62	Idiopathic REM Sleep Behavior Disorder as a Long-Term Predictor of Neurodegenerative Disorders. 2013 , 31-44	
61	Neuroimaging of idiopathic REM sleep behavior disorder. 316-332	
60	Imaging causes and consequences of insomnia and sleep complaints. 187-196	1
59	Olfactory impairment in the rotenone model of Parkinson's disease is associated with bulbar dopaminergic D2 activity after REM sleep deprivation. 2014 , 8, 383	32

58	Longitudinal study of regional cerebral blood flow in elderly patients with idiopathic rapid eye movement sleep behavior disorder. 2014 , 14, 115-20		17
57	Olfactory bulb involvement in neurodegenerative diseases. 2014 , 127, 459-75		183
56	MIBG myocardial scintigraphy in pre-motor Parkinson's disease: a review. 2014 , 20, 267-73		70
55	Clinical implication of REM sleep behavior disorder in Parkinson's disease. 2014 , 4, 237-44		26
54	Disorders of the Special Senses in the Elderly. 2014 , 396-459		1
53	The Severity and Pattern of Autonomic Dysfunction in Idiopathic Rapid Eye Movement Sleep Behavior Disorder. 2015 , 30, 1843-8		19
52	Long-Term Follow-up Investigation of Isolated Rapid Eye Movement Sleep Without Atonia Without Rapid Eye Movement Sleep Behavior Disorder: A Pilot Study. 2015 , 11, 1273-9		57
51	Prevalence and timeline of nonmotor symptoms in idiopathic rapid eye movement sleep behavior disorder. <i>Journal of Neurology</i> , 2015 , 262, 1568-78	5.5	49
50	Disorders of Sleep and Circadian Rhythms in Parkinson's Disease. 2015 ,		4
49	Sleep Medicine in Clinical Practice. 2016 ,		3
48	Odor Identification Test in Idiopathic REM-Behavior Disorder and Parkinson's Disease in China. <i>PLoS ONE</i> , 2016 , 11, e0160199	3.7	13
47	Structural Brain Alterations Associated with Rapid Eye Movement Sleep Behavior Disorder in Parkinson's Disease. 2016 , 6, 26782		68
46	Basal ganglia dysfunction in idiopathic REM sleep behaviour disorder parallels that in early Parkinson's disease. 2016 , 139, 2224-34		84
45	Idiopathic rapid eye movement sleep behaviour disorder: diagnosis, management, and the need for neuroprotective interventions. 2016 , 15, 405-19		143
44	Meta-analysis on the prevalence of REM sleep behavior disorder symptoms in Parkinson's disease. 2017 , 17, 23		43
43	Excessive Daytime Sleepiness Predicts Neurodegeneration in Idiopathic REM Sleep Behavior Disorder. 2017 , 40,		26
42	REM Sleep Behavior Disorder in Parkinson's Disease and Other Synucleinopathies. 2017 , 32, 645-658		91
41	Rapid Eye Movement Sleep Behavior Disorder. 2017 , 1069-1086		

40	Olfactory Dysfunction as an Early Biomarker in Parkinson's Disease. 2017 , 33, 515-525	102
39	REM Sleep Behavior Disorder and Other Sleep Disturbances in Non-Alzheimer Dementias. 2017 , 3, 193-203	
38	REM Sleep Behavior Disorder: Diagnosis, Clinical Implications, and Future Directions. 2017 , 92, 1723-1736	77
37	Idiopathic REM sleep behavior disorder and neurodegenerative risk: To tell or not to tell to the patient? How to minimize the risk?. 2017 , 36, 82-95	48
36	Rapid Eye Movement Sleep Parasomnias. 2017 , 993-1001.e6	3
35	Somatosensory function is impaired in patients with idiopathic REM sleep behaviour disorder. 2018 , 42, 83-89	13
34	Accuracy of Rating Scales and Clinical Measures for Screening of Rapid Eye Movement Sleep Behavior Disorder and for Predicting Conversion to Parkinson's Disease and Other Synucleinopathies. 2018 , 9, 376	19
33	Rapid eye movement sleep behavior disorder and the link to alpha-synucleinopathies. 2018 , 129, 1551-1564	34
32	Comparing the accuracy and neuroanatomical correlates of the UPSIT-40 and the Sniffin' Sticks test in REM sleep behavior disorder. 2019 , 65, 197-202	10
31	Olfaction in female Wistar rats is influenced by dopaminergic periglomerular neurons after nigral and bulbar lesions. 2019 , 30, 343-350	1
30	A New Metabolic Network Correlated with Olfactory and Executive Dysfunctions in Idiopathic Rapid Eye Movement Sleep Behavior Disorder. 2019 , 15, 175-183	13
29	Contribution of the GABAergic System to Non-Motor Manifestations in Premotor and Early Stages of Parkinson's Disease. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1294	5.6 6
28	Biomarkers of Neurodegenerative Disease in Idiopathic RBD. 2019 , 527-540	
27	Clinical Aspects of Idiopathic RBD. 2019 , 33-52	1
26	Prodromal Parkinson disease in patients with idiopathic hyposmia. <i>Journal of Neurology</i> , 2020 , 267, 3673-3682	4
25	Yokukansankachimpihange Improves the Social Isolation-Induced Sleep Disruption and Allopregnanolone Reduction in Mice. <i>Frontiers in Nutrition</i> , 2020 , 7, 8	6.2 1
24	Severe hyposmia distinguishes neuropathologically confirmed dementia with Lewy bodies from Alzheimer's disease dementia. <i>PLoS ONE</i> , 2020 , 15, e0231720	3.7 15
23	Significance of hyposmia in isolated REM sleep behavior disorder. <i>Journal of Neurology</i> , 2021 , 268, 963-966	2

22	Olfaction as an early marker of Parkinson's disease and Alzheimer's disease. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2021 , 182, 317-329	3	3
21	Olfactory impairment as an early marker of Parkinson's disease in REM sleep behaviour disorder: a systematic review and meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 , 92, 271-281 ⁵⁵	5.5	4
20	Neuropsychological Aspects: Impulse-Control Disorders and Other Neuropsychiatric Features in RBD. 2019 , 509-525		2
19	REM Sleep Behavior Disorder. 2015 , 131-144		2
18	Idiopathic REM sleep behaviour disorder and neurodegeneration - an update. <i>Nature Reviews Neurology</i> , 2018 , 14, 40-55	15	225
17	Clinical Biomarkers of Neurodegeneration in REM Sleep Behavior Disorder. <i>Journal of Sleep Medicine</i> , 2015 , 12, 27-33	0.5	3
16	Impact of Sleep Disorder as a Risk Factor for Dementia in Men and Women. <i>Biomolecules and Therapeutics</i> , 2020 , 28, 58-73	4.2	13
15	Assessing gray matter volume in patients with idiopathic rapid eye movement sleep behavior disorder. <i>Neural Regeneration Research</i> , 2019 , 14, 868-875	4.5	7
14	Olfactory impairment is related to REM sleep deprivation in rotenone model of Parkinson's disease. <i>Sleep Science</i> , 2017 , 10, 47-54	1.8	7
13	Pathophysiology, Associations and Consequences of Parasomnias. 2008 , 481-494		
12	Funciones y disfunciones motoras del sueño. 2011 , 397-435		
11	Recent advances in REM sleep behavior disorder. <i>Indian Journal of Sleep Medicine</i> , 2012 , 7, 139-149	0.3	
10	Severe Hyposmia Distinguishes Neuropathologically Confirmed Dementia with Lewy Bodies from Alzheimer's Disease Dementia.		1
9	Sleep and Quality of Life in REM Sleep Parasomnia. 2008 , 119-126		
8	Clinical and imaging evidence of brain-first and body-first Parkinson's disease.. <i>Neurobiology of Disease</i> , 2022 , 164, 105626	7.5	6
7	Image_1.TIF. 2020 ,		
6	Image_2.TIF. 2020 ,		
5	Image_3.TIF. 2020 ,		

4 Image_4.TIF. 2020,

3 Odor identification predicts the transition of patients with isolated RBD : A retrospective study. *Annals of Clinical and Translational Neurology*, 53 1

2 Inaccurate self-report of olfactory dysfunction in REM Sleep Behaviour Disorder and implications for prognosis. 2023, 8, 100176 0

1 Baroreflex-sympathoneural dysfunction characterizes at-risk individuals with preclinical central Lewy body diseases. 0