

CITATION REPORT

List of articles citing

Structural diversity and chemical trends in hybrid inorganic-organic framework materials

DOI: 10.1039/b610264f

Chemical Communications, 2006, , 4780-95.

Source: <https://exaly.com/paper-pdf/39885380/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
974	Nanostructures: Bottom-Up Approach. 2004 , 1-20		
973	Ionothermal synthesis of zeolites, metal-organic frameworks, and inorganic-organic hybrids. 2007 , 40, 1005-13		740
972	Synthesis and Structural Determination of Four Novel Metal-Organic Frameworks in a ZnB-Amino-1,2,4-Triazole System. 2007 , 7, 1343-1349		42
971	Materials science. There's room in the middle. 2007 , 318, 58-9		317
970	Manganese and magnesium homochiral materials: decoration of honeycomb channels with homochiral chains. <i>Journal of the American Chemical Society</i> , 2007 , 129, 14168-9	16.4	177
969	Structural diversity and properties of M(II) 4-carboxyl phenoxyacetate complexes with 0D-, 1D-, 2D- and 3D M-cpoa framework. <i>CrystEngComm</i> , 2007 , 9, 653	3.3	51
968	Oxoanion and cation effects on the structural morphology of coordination polymers incorporating a kinked organodiimine tethering ligand. <i>CrystEngComm</i> , 2007 , 9, 503	3.3	14
967	Coordination polymers and hybrid networks of different dimensionalities formed by metal sulfites. <i>Inorganic Chemistry</i> , 2007 , 46, 2511-8	5.1	30
966	Crystal engineering of 3-D coordination polymers by pillaring ferromagnetic copper(II)-methylmalonate layers. <i>CrystEngComm</i> , 2007 , 9, 478-487	3.3	88
965	Scorpion-shaped carboxylate ligand tailored molecular square, bilayer, self-threading and (3,6)-connected nets. <i>CrystEngComm</i> , 2007 , 9, 806	3.3	85
964	4,4'-Bipyridine-N-monoxide. A hybrid ligand for building networks using a combination of metal-ligand and hydrogen-bonding interactions. <i>Dalton Transactions</i> , 2007 , 2870-5	4.3	23
963	Neodymium(III) D(-)-citramalate: a chiral three-dimensional framework with water-filled channels. <i>CrystEngComm</i> , 2007 , 9, 460-462	3.3	15
962	High-connectivity networks: characterization of the first uninodal 9-connected net and two topologically novel 7-connected nets. <i>Chemical Communications</i> , 2007 , 5191-3	5.8	66
961	Assembly of a homochiral, body-centered cubic network composed of vertex-shared Mg ₁₂ cages: use of electrospray ionization mass spectrometry to monitor metal carboxylate nucleation. <i>Journal of the American Chemical Society</i> , 2007 , 129, 13675-82	16.4	120
960	Chemical and Structural Diversity in Chiral Magnesium Tartrates and their Racemic and Meso Analogues. 2007 , 7, 1522-1532		58
959	Two coordination polymers created via in situ ligand synthesis involving C-N and C-C bond formation. <i>Inorganic Chemistry</i> , 2007 , 46, 8717-21	5.1	30
958	[Cd ₃ (H ₂ O) ₃ ((O ₃ PCH ₂) ₂ NH-CH ₂ C ₆ H ₄ -COOH) ₂].11H ₂ O: a layered cadmium phosphonate with reversible dehydration/hydration properties. <i>Inorganic Chemistry</i> , 2007 , 46, 9998-10002	5.1	28

957	The role of temperature on the structure and dimensionality of MOFs: an illustrative study of the formation of manganese oxy-bis(benzoate) structures. <i>Chemical Communications</i> , 2007 , 4471-3	5.8	106
956	Role of computer simulations in structure prediction and structure determination: from molecular compounds to hybrid frameworks. 2007 , 17, 4348		65
955	Structural Diversity and Chemical Trends in Hybrid Inorganic/Organic Framework Materials. 2007 , 38, no		
954	Lamellar and three-dimensional hybrid compounds formed by cyclohexene- and cyclohexanedicarboxylates of Pb, La, and Cd. 2007 , 13, 3193-201		87
953	Effect of mixing of metal cations on the topology of metal oxide networks. 2007 , 46, 5877-9		47
952	Implementation of a temperature-gradient reactor system for high-throughput investigation of phosphonate-based inorganic-organic hybrid compounds. 2007 , 46, 6857-60		68
951	A "Star" antiferromagnet: a polymeric iron(III) acetate that exhibits both spin frustration and long-range magnetic ordering. 2007 , 46, 6076-80		171
950	Effect of Mixing of Metal Cations on the Topology of Metal Oxide Networks. 2007 , 119, 5981-5983		11
949	Implementation of a Temperature-Gradient Reactor System for High-Throughput Investigation of Phosphonate-Based Inorganic/Organic Hybrid Compounds. 2007 , 119, 6981-6984		16
948	A Star Antiferromagnet: A Polymeric Iron(III) Acetate That Exhibits Both Spin Frustration and Long-Range Magnetic Ordering. 2007 , 119, 6188-6192		12
947	[Bis(catechol)salen]Mn(III) Coordination Polymers as Support-Free Heterogeneous Asymmetric Catalysts for Epoxidation. 2007 , 2007, 4863-4867		60
946	New Polymorphs of Magnesium-Based Metal/Organic Frameworks Mg ₃ (ndc) ₃ (ndc = 2,6-Naphthalenedicarboxylate). 2007 , 2007, 5475-5479		36
945	Synthesis of triazolyl-alkylphosphonate starting from azidoalkylphosphonates or alkynylphosphonates. 2007 , 63, 9677-9684		17
944	Microwave assisted hydrothermal synthesis of a novel CuI-sulfate-pyrazine MOF. 2007 , 10, 921-924		72
943	Hydrothermal synthesis, crystal structure and photoluminescent property of a novel 3-D [La ₂ (C ₂ O ₄) ₂ (NO ₃)(OH)(H ₂ O)]·BH ₂ O. 2007 , 10, 1067-1069		5
942	Hydrothermal syntheses and structures of materials of the copper(II)/bisterpy/SO ₄ ²⁻ family: The one-dimensional [Cu ₂ (H ₂ O) ₂ (bisterpy)(SO ₄) ₂]·2H ₂ O and the two-dimensional [Cu ₂ (bisterpy)(SO ₄) ₂]·1.5H ₂ O. 2007 , 360, 3499-3503		1
941	Cation control of dimensionality in isothiocyanate coordination polymers constructed from conformationally flexible 3,3'-bipyridine tethers. 2007 , 360, 3619-3625		9
940	Synthesis and characterization of four new metal 5-phosphonoisophthalates discovered by high-throughput experimentation. 2007 , 180, 3111-3120		27

939	A manganese sulfite with extended metal-oxygen-metal bonds exhibiting hydrogen uptake. 2007 , 180, 3571-3575		6
938	Divalent Nickel and Monovalent Copper Pseudohalide Coordination Polymers Incorporating the Kinked Organodiamine 4,4'-Dipyridylamine: From a (4,4)-Type Lamellar Motif to an Unprecedented Staircase Morphology. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007 , 633, 575-581	1,3	12
937	A Three-Dimensional Lead 2,6-Dihydroxybenzoate with Channels. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007 , 633, 2742-2745	1,3	10
936	Solid state coordination chemistry of the copper(II)/bisterpy/vanadate system: The structures of [Cu ₂ (bisterpy)V ₄ O ₁₂] \cdot 2H ₂ O and [Cu ₂ (bisterpy)V ₄ F ₂ O ₁₁] (bisterpy = 2,2':4',4'':2'',2'''-quarter-pyridyl, 6',6''-di-2-pyridine). 2007 , 9, 658-663		6
935	Solid state coordination chemistry of the oxofluorovanadium-diphosphonate system in the presence of Cu(II)-tetrapyriddyprazine complex cations. 2007 , 180, 2500-2509		23
934	Hybrid structures formed by homo- and heteroleptic aliphatic dicarboxylates of lead with 2-D inorganic connectivity. 2008 , 181, 1184-1194		15
933	Metal organic framework (MOF) liquid crystals. 1D, 2D and 3D ionic coordination polymer structures in the thermotropic mesophases of metal soaps, including alkaline earth, transition metal and lanthanide soaps. 2008 , 13, 288-302		31
932	Two different zinc(II)-aqua complexes held up by a metal-oxide based support: Synthesis, crystal structure and catalytic activity of [HMTAH] ₂ [Zn(H ₂ O) ₅]{Zn(H ₂ O) ₄ }[Mo ₇ O ₂₄] \cdot 2H ₂ O (HMTAH = protonated hexamethylenetetramine). 2008 , 120, 95-103		13
931	Three-dimensional hybrid networks based on aspartic acid. 2008 , 120, 217-222		4
930	Synthesis and Characterization of Three Zinc Phosphonates Based on 5-Phosphonoisophthalic Acid, (HO ₂ C) ₂ C ₆ H ₃ PO ₃ H ₂ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008 , 634, 131-136	1,3	6
929	Chiral and Achiral Malate Frameworks with Different Dimensionalities. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008 , 634, 1115-1122	1,3	6
928	Structural changes and coordinatively unsaturated metal atoms on dehydration of honeycomb analogous microporous metal-organic frameworks. 2008 , 14, 2389-97		219
927	A closer look: magnetic behavior of a three-dimensional cyanometalate coordination polymer dominated by a trace amount of nanoparticle impurity. 2008 , 14, 7156-67		14
926	Spontaneous resolution of chiral polyoxometalate-based compounds consisting of 3D chiral inorganic skeletons assembled from different helical units. 2008 , 14, 9999-10006		119
925	Synthesis and Characterization of a Ladder-Like Coordination Polymer Composed of Trimanganese Clusters Formed and Linked by Isophthalato Ligands. 2008 , 2008, 1865-1870		27
924	meta-Phosphonobenzoic Acid: A Rigid Heterobifunctional Precursor for the Design of Hybrid Materials. 2008 , 2008, 4117-4125		31
923	Aggregation of Hexanuclear, Mixed-Valence Manganese Oxide Clusters Linked by Propionato Ligands To Form a One-Dimensional Polymer [Mn ₆ O ₂ (O ₂ C _{Et}) ₁₀ (H ₂ O) ₄] _n . 2008 , 2008, 5274-5280		15
922	Directing the structure of metal-organic frameworks by oriented surface growth on an organic monolayer. 2008 , 47, 5777-9		156

921	Amine grafting on coordinatively unsaturated metal centers of MOFs: consequences for catalysis and metal encapsulation. 2008 , 47, 4144-8		1031
920	Wavelength-dependent photochromic inorganic-organic hybrid based on a 3D iodoplumbate open-framework material. 2008 , 47, 4149-52		171
919	Comparison of chiral and racemic forms of zinc cyclohexane trans-1,2-dicarboxylate frameworks: a structural, computational, and calorimetric study. 2008 , 47, 8634-7		35
918	Multifunctional Microporous MOFs Exhibiting Gas/Hydrocarbon Adsorption Selectivity, Separation Capability and Three-Dimensional Magnetic Ordering. 2008 , 18, 2205-2214		149
917	Directing the Structure of Metal-Organic Frameworks by Oriented Surface Growth on an Organic Monolayer. 2008 , 120, 5861-5863		54
916	Amine Grafting on Coordinatively Unsaturated Metal Centers of MOFs: Consequences for Catalysis and Metal Encapsulation. 2008 , 120, 4212-4216		182
915	Wavelength-Dependent Photochromic Inorganic-Organic Hybrid Based on a 3D Iodoplumbate Open-Framework Material. 2008 , 120, 4217-4220		18
914	Comparison of Chiral and Racemic Forms of Zinc Cyclohexane trans-1,2-Dicarboxylate Frameworks: A Structural, Computational, and Calorimetric Study. 2008 , 120, 8762-8765		7
913	Diversity of coordination architecture of silver(I) complexes with different 2-aminopyrimidyl derivatives: Effect of counter anions and ligands. <i>Polyhedron</i> , 2008 , 27, 2791-2798	2.7	52
912	Structural diversity in the (derivatives) system: New zero-, one-, and two-dimensional inorganic-organic hybrids. <i>Polyhedron</i> , 2008 , 27, 3231-3238	2.7	33
911	3D Lanthanide-organic coordination polymers built upon infinite 1D secondary building units. <i>Polyhedron</i> , 2008 , 27, 3439-3442	2.7	6
910	Syntheses, structures, and photoluminescence of three-dimensional lanthanide coordination polymers with 2,5-pyridinedicarboxylic acid. 2008 , 181, 1731-1737		40
909	High-throughput and microwave investigation of rare earth phosphonatoethanesulfonates Ln(O3Pn2H4SO3) (Ln=Ho, Er, Tm, Yb, Lu, Y). 2008 , 181, 3065-3070		18
908	A novel 3D supramolecular inorganic-metal-organic architecture with honeycomb-like motifs directed by the water tetramer and sulfate anion. 2008 , 11, 129-133		17
907	Solvent-induced mono- and diplatinum(II) complexes of O3S2-macrocycle. 2008 , 11, 837-839		5
906	A novel microporous hydrogen-bonding framework constructed with tetrathiafulvalene tetracarboxylate ligand: Synthesis, structure and magnetic properties. 2008 , 11, 945-947		15
905	One- and two-dimensional copper benzenedicarboxylate coordination polymers incorporating the flexible tethering diimine N,N'-bis(3-pyridylmethyl)piperazine: Synthesis, structure, and thermal properties. 2008 , 361, 2887-2894		18
904	Muon spin relaxation study of manganese hydroxy squarate. 2008 , 361, 3718-3722		7

903	Structural transformation and high pressure methane adsorption of $\text{Co}_2(1,4\text{-bdc})_2\text{dabco}$. 2008 , 116, 653-657		87
902	Synergistic oxoanion and ligand conformation control of dimensionality in coordination polymers formed via 3,3'-bipyridine tethers: From 1D undulating chains to a doubly interpenetrated 3D framework. <i>Journal of Molecular Structure</i> , 2008 , 881, 107-116	3.4	3
901	Transition metal complexes of cubic (T8) oligo-silsesquioxanes. <i>Journal of Molecular Structure</i> , 2008 , 890, 232-239	3.4	18
900	Octahedral tilting in $\text{MM}'\text{X}_4$ metal-oxide organic layer structures. <i>Inorganic Chemistry</i> , 2008 , 47, 4746-51	5.1	14
899	Assembly of the highest connectivity Wells-Dawson polyoxometalate coordination polymer: the use of organic ligand flexibility. <i>Inorganic Chemistry</i> , 2008 , 47, 3274-83	5.1	219
898	High-throughput investigation of inorganic-organic hybrid compounds: Systematic study of the system $\text{CdCl}_2/(\text{H}_2\text{O}_3\text{PCH}_2)_2\text{N}^+\text{H}_2\text{C}_6\text{H}_4\text{COOH}/\text{NaOH}$. 2008 , 10, 837-846		7
897	Hybrid compounds with chain and layered structures formed by Alanine. 2008 , 10, 998-1005		5
896	Characterisation and properties of the $n=3$ and $n=4$ members of the $\text{Al}_2[\text{O}_3\text{PC}_n\text{H}_{2n}\text{PO}_3](\text{H}_2\text{O})_2\text{F}_2$ framework aluminium alkylenediphosphonate series. 2008 , 10, 1124-1131		9
895	Hydrogen-bond-directing effect in the ionothermal synthesis of metal coordination polymers. <i>Dalton Transactions</i> , 2008 , 3989-94	4.3	46
894	Synthesis, structure, photoluminescence and magnetic properties of new 3-D lanthanide-pyridine-2,4,6-tricarboxylate frameworks. <i>CrystEngComm</i> , 2008 , 10, 1645	3.3	52
893	The 8 : 1 : 1 ternary hybrid framework in the system $[\text{EDT-TTF}^+][1,4\text{-bis}(\text{iodoethynyl})\text{benzene}][\text{Re}_6\text{Se}_8(\text{CN})_6]^{4-}$: dual noncovalent expression of the octahedral halogen-bond hexa-acceptor nanonode. <i>Chemical Communications</i> , 2008 , 2194-6	5.8	33
892	Acid-catalyzed synthesis of zinc imidazolates and related bimetallic metal-organic framework compounds. 2008 , 7, 311-322		18
891	Tuning the Dimensionality of the Coordination Polymer Based on Polyoxometalate by Changing the Spacer Length of Ligands. 2008 , 8, 3717-3724		188
890	Hybrid structures formed by lead 1,3-cyclohexanedicarboxylates. <i>Inorganic Chemistry</i> , 2008 , 47, 823-31	5.1	66
889	Novel luminescent metal-organic frameworks $[\text{Eu}_2\text{L}_3(\text{DMSO})_2(\text{MeOH})_2] \times 2 \text{ DMSO} \times 3 \text{ H}_2\text{O}$ and $[\text{Zn}_2\text{L}_2(\text{DMSO})_2] \times 1.6 \text{ H}_2\text{O}$ (L = 4,4'-ethyne-1,2-diylidibenzoate). <i>Inorganic Chemistry</i> , 2008 , 47, 6329-35	5.1	47
888	Thermodynamics of guest-induced structural transitions in hybrid organic-inorganic frameworks. <i>Journal of the American Chemical Society</i> , 2008 , 130, 14294-302	16.4	259
887	Oligo- and polymeric Pd(II) and Pt(II) using pyridyl carboxylate spacers for topology control. <i>Inorganic Chemistry</i> , 2008 , 47, 6464-74	5.1	37
886	Preparation, structures, and photocatalytic properties of three new uranyl-organic assembly compounds. <i>Inorganic Chemistry</i> , 2008 , 47, 4844-53	5.1	205

885	One-dimensional manganese coordination polymers composed of polynuclear cluster blocks and polypyridyl linkers: structures and properties. <i>Inorganic Chemistry</i> , 2008 , 47, 11108-19	5.1	68
884	Molybdophosphonate clusters as building blocks in the oxomolybdate-organodiphosphonate/cobalt(II)-organoimine system: structural influences of secondary metal coordination preferences and diphosphonate tether lengths. <i>Inorganic Chemistry</i> , 2008 , 47, 832-54	5.1	92
883	Nanosized lanthanide oxide rods in LiO_3 hybrid organic/inorganic frameworks involving in situ ligand synthesis. <i>CrystEngComm</i> , 2008 , 10, 1088	3.3	19
882	Self-assembly of polyoxometalate-based metal organic frameworks based on octamolybdates and copper-organic units: from Cu(II), Cu(I,II) to Cu(I) via changing organic amine. <i>Inorganic Chemistry</i> , 2008 , 47, 8179-87	5.1	209
881	Role of temperature and time in the formation of infinite -M-O-M- linkages and isolated clusters in MOFs: a few illustrative examples. <i>Inorganic Chemistry</i> , 2008 , 47, 8451-63	5.1	144
880	A three-dimensional metal-organic framework with a distorted Kagome related layer showing canted antiferromagnetic behaviour. <i>Chemical Communications</i> , 2008 , 1278-80	5.8	68
879	High-throughput assisted rationalization of the formation of metal organic frameworks in the Iron(III) aminoterephthalate solvothermal system. <i>Inorganic Chemistry</i> , 2008 , 47, 7568-76	5.1	392
878	Hybrid inorganic/organic materials: a new family in condensed matter physics. 2008 , 20, 083202		161
877	Temperature dependent charge distribution in three-dimensional homochiral cadmium camphorates. <i>Chemical Communications</i> , 2008 , 444-6	5.8	94
876	A new hybrid framework based on a 'superoctahedral' $[\text{V}_7\text{O}_6\text{F}_3\text{O}]^{14-}$ polyanion. <i>Chemical Communications</i> , 2008 , 1401-3	5.8	13
875	Manipulation of molecular aggregation and supramolecular structure using self-assembled lithium mixed-anion complexes. <i>Dalton Transactions</i> , 2008 , 3429-37	4.3	14
874	Eight coordination with bis(bidentate) bridging ligands: zeolitic topology versus square grid networks. <i>Chemical Communications</i> , 2008 , 847-9	5.8	54
873	Polytypism, homochirality, interpenetration, and hydrogen-bonding in transition metal (Mn(II), Ni(II), Cu(II), Zn(II)) 5-hydroxyisophthalate coordination polymers containing 4,4'-bipyridyl. <i>Dalton Transactions</i> , 2008 , 2034-42	4.3	42
872	A hexacarboxylic open-shell building block: synthesis, structure and magnetism of a three-dimensional metal/organic framework. 2008 , 18, 98-108		27
871	A new enantiopure unsaturated dicarboxylate as a 4-connected unit in a flexible homochiral P6S-type framework. <i>Chemical Communications</i> , 2008 , 1756-8	5.8	24
870	Hydrothermal synthesis, structures, and photoluminescent properties of benzenepentacarboxylate bridged networks incorporating zinc(II)-hydroxide clusters or zinc(II)-carboxylate layers. <i>Inorganic Chemistry</i> , 2008 , 47, 190-9	5.1	127
869	Gallium-sulfide supertetrahedral clusters as building blocks of covalent organic-inorganic networks. <i>Journal of the American Chemical Society</i> , 2008 , 130, 9630-1	16.4	96
868	Order-disorder antiferroelectric phase transition in a hybrid inorganic-organic framework with the perovskite architecture. <i>Journal of the American Chemical Society</i> , 2008 , 130, 10450-1	16.4	389

867	Manganese(II) pyrimidine-4,6-dicarboxylates: synthetic, structural, magnetic, and adsorption insights. <i>Inorganic Chemistry</i> , 2008 , 47, 5267-77	5.1	45
866	Antimony oxide hydroxide ethanedisulfonate: a cationic layered metal oxide for Lewis acid applications. <i>Journal of the American Chemical Society</i> , 2008 , 130, 11737-41	16.4	35
865	Conjugated Oligomers and Polymers of cis- and trans-Platinum(II)-para- and ortho-bis(ethynylbenzene)quinone Diimine. 2008 , 27, 2201-2214		60
864	High-connectivity networks and hybrid inorganic rod materials built from potassium and rubidium p-halide-substituted aryloxides. <i>Inorganic Chemistry</i> , 2008 , 47, 9583-91	5.1	19
863	Toward a facile one-step construction of quantum dots containing Zn8S cores. <i>Inorganic Chemistry</i> , 2008 , 47, 5564-6	5.1	10
862	Synthesis and Structural Characterization of Open-Framework Copper (II) Sulfates. 2008 , 8, 4571-4575		15
861	Hydrogen Storage Properties of Rigid Three-Dimensional Hofmann Clathrate Derivatives: The Effects of Pore Size. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 7079-7083	3.8	58
860	Synthesis and Structures of Novel Lanthanide Benzenedicarboxylates. 2008 , 1148, 1		3
859	Investigation of inorganic-organic hybrid materials containing polyoxometalate cluster anions and organic dye cations. 2008 , 61, 3993-4003		12
858	Magnetic properties of a metal-organic porous network [Ni ₂ (BODC) ₂ (TED)]. 2008 , 103, 07B725		8
857	Templated synthesis of mesolamellar n-alkylamine borophosphates. 2008 , 24, 9323-7		4
856	Nano/Microporous Materials: Crystalline Metal-Chalcogenide Superlattices. 2009 ,		
855	Self-Assembly of Cluster-Based Nanoscopic Supramolecules into One-Dimensional Coordination Polymers. 2009 , 2009, 1-11		3
854	High-throughput investigation and characterization of strontium-phosphonatoethanesulfonates. 2009 , 11, 358-363		9
853	Syntheses, structures and properties of novel lanthanide complexes with 5-(1H-imidazol-4-yl)methylaminoisophthalic acid. 2009 , 11, 1903-1907		2
852	Porous Chromium Terephthalate MIL-101 with Coordinatively Unsaturated Sites: Surface Functionalization, Encapsulation, Sorption and Catalysis. 2009 , 19, 1537-1552		74 ⁸
851	Nano- und Mikrofabrikation von Zinkoxid aus Koordinationspolymertemplaten. 2009 , 121, 3062-3065		5
850	Chemische und physikalische Lösungen für die Speicherung von Wasserstoff. 2009 , 121, 6732-6757		164

849	Wachstumsmechanismen Metall-organischer Gerüststrukturen: Einblicke in die Keimbildung anhand einer schrittweisen Methodik. 2009 , 121, 5138-5142		44
848	Breaking the mirror: pH-controlled chirality generation from a meso ligand to a racemic ligand. 2009 , 15, 989-1000		65
847	Reversible breaking and forming of metal-ligand coordination bonds: temperature-triggered single-crystal to single-crystal transformation in a metal-organic framework. 2009 , 15, 4896-905		107
846	Unprecedented sulfone-functionalized metal-organic frameworks and gas-sorption properties. 2009 , 15, 4523-7		114
845	Diphenic Acid-Based Cobalt(II) Complexes: Trinuclear and Double-Helical Structures. 2009 , 2009, 1011-1018		22
844	New Helical Zinc Complexes with Schiff Base Derivatives of β -Diketonates or β -Keto Esters and Ethylenediamine. 2009 , 2009, 3467-3474		18
843	Lead(II) Hybrid Materials from 3- or 4-Phosphonobenzoic Acid. 2009 , 2009, 4870-4876		22
842	Mixed-Linker Metal-Organic Frameworks as Catalysts for the Synthesis of Propylene Carbonate from Propylene Oxide and CO ₂ . 2009 , 2009, 3552-3561		218
841	Hysteretic Gas Sorption in a Microporous Metal-Organic Framework with Nonintersecting 3D Channels. 2009 , 2009, 4946-4949		27
840	The Effect of Pressure on ZIF-8: Increasing Pore Size with Pressure and the Formation of a High-Pressure Phase at 1.47 GPa. 2009 , 121, 7221-7223		136
839	Zinc oxide nano- and microfabrication from coordination-polymer templates. 2009 , 48, 3018-21		63
838	Chemical and physical solutions for hydrogen storage. 2009 , 48, 6608-30		1065
837	Growth mechanism of metal-organic frameworks: insights into the nucleation by employing a step-by-step route. 2009 , 48, 5038-41		318
836	The effect of pressure on ZIF-8: increasing pore size with pressure and the formation of a high-pressure phase at 1.47 GPa. 2009 , 48, 7087-9		363
835	Two- and three-dimensional lead-1H-imidazole-4,5-dicarboxylates. <i>Journal of Molecular Structure</i> , 2009 , 927, 37-42	3-4	28
834	Two-dimensional Metal-Organic Framework [Zn(bqdc)] _n (bqdc = 2,2'-biquinoline-4,4'-dicarboxylate) Synthesis, Crystal Structure and Spectral Characterization. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009 , 635, 384-388	1-3	10
833	Two- and Three-Dimensional Hybrid Compounds Formed by 1,2-, 1,3- and 1,4-Cyclohexanedicarboxylates of Zinc. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009 , 635, 1840-1847	1-3	6
832	Structural Trends in Coordination Polymers Containing Perfluorinated Dicarboxylates and 4,4'-Bipyridine. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009 , 635, 1753-1757	1-3	19

831	Transformation of mixed anionic coordination polymers of lead. 2009 , 362, 1681-1686		8
830	Cobalt isothiocyanate coordination polymers constructed from isomeric bis(pyridylmethyl)piperazine ligands: Ribbon and chain motifs and a novel (3,4)-connected supramolecular layer. 2009 , 362, 1559-1564		9
829	Ultramicroporous channel lanthanide coordination polymers of 2,5-pyrazinedicarboxylate. 2009 , 362, 1907-1912		23
828	A 3D chiral supramolecular framework of Cu(II): Synthesis, structure and magneto-structural correlations. 2009 , 362, 3745-3750		2
827	Synthesis, structure and magnetic properties of a pair of copper dicarboxylate/dipyridylamine coordination polymers with a non-interpenetrated CdSO ₄ topology. 2009 , 362, 3684-3690		13
826	Control of dimensionality through nitrogen donor disposition in divalent metal perchlorate bis(pyridylmethyl)piperazine coordination polymers. 2009 , 362, 3955-3962		2
825	Synthesis of copper/zinc bimetallic imidazolate framework compounds and the structure of Cu(I)-containing Cu ₂ Zn(N ₂ C ₃ H ₃) ₄ . 2009 , 362, 4832-4836		11
824	Microwave synthesis of hybrid inorganic/organic materials including porous Cu ₃ (BTC) ₂ from Cu(II)-trimesate mixture. 2009 , 119, 331-337		243
823	A low-cost route to the syntheses of microporous cobalt-substituted aluminophosphates by using the waste mother-liquor. 2009 , 126, 26-31		15
822	Two new 1D structures of copper(II) or yttrium(III) phosphonatobenzenesulfonates using 1,10-phenanthroline as auxiliary ligand. <i>Journal of Molecular Structure</i> , 2009 , 919, 112-116	3-4	10
821	Synthesis and crystal structures of two inorganic/organic hybrid vanadium selenites with layered structures: (DABCOH ₂)[(VO ₂)(SeO ₃) ₂] _n ·2.5H ₂ O and (pipeH ₂)[(VO) ₂ (C ₂ O ₄)(SeO ₃) ₂]. <i>Journal of Molecular Structure</i> , 2009 , 919, 122-127	3-4	3
820	Two new octamolybdate-based metal/organic polymers: Structures, semiconducting and photoluminescent properties. <i>Journal of Molecular Structure</i> , 2009 , 935, 69-74	3-4	6
819	Silver nitrate molecular species and coordination polymers with divergent supramolecular morphology constructed from hydrogen-bonding capable dipyrindyl ligands. <i>Polyhedron</i> , 2009 , 28, 291-299	3,7	17
818	Cu(II) coordination polymers incorporating 3-aminopyridine and flexible aliphatic dicarboxylate ligands: Synthesis, structure and magnetic properties. <i>Polyhedron</i> , 2009 , 28, 2466-2472	2,7	19
817	Copper(I) complexes of heterocyclic thiourea ligands. <i>Polyhedron</i> , 2009 , 28, 4017-4031	2,7	15
816	Designed synthesis of metal-organic frameworks containing gold(I) cations supported in phosphazene-phosphine polymeric matrices. 2009 , 694, 249-252		10
815	New indium selenite-oxalate and indium oxalate with two- and three-dimensional structures. 2009 , 182, 102-106		10
814	Synthesis and characterization of strontium 1,3,5-benzenetricarboxylate, [Sr ₃ (1,3,5-BTC) ₂ (H ₂ O) ₄] _n ·H ₂ O. 2009 , 12, 351-354		20

813	Two uranyl-organic frameworks with pyridinecarboxylate ligands. A novel heterometallic uranyl-copper(II) complex with a cation-π interaction. 2009 , 12, 800-803		53
812	A 3-D bismuth-organic framework containing 1-D cationic inorganic [Bi ₂ O ₂] ²⁺ chains. 2009 , 12, 1081-1084		23
811	Coordination Polymers Versus Metal-Organic Frameworks. 2009 , 9, 2969-2970		209
810	Magnetic metal-organic frameworks. 2009 , 38, 1353-79		2146
809	Adsorption-desorption and photocatalytic properties of inorganic-organic hybrid cadmium thiosulfate compounds. 2009 , 11, 11285-96		71
808	Comparative study of hydrogen sulfide adsorption in the MIL-53(Al, Cr, Fe), MIL-47(V), MIL-100(Cr), and MIL-101(Cr) metal-organic frameworks at room temperature. <i>Journal of the American Chemical Society</i> , 2009 , 131, 8775-7	16.4	399
807	Synthesis and modification of a functionalized 3D open-framework structure with MIL-53 topology. <i>Inorganic Chemistry</i> , 2009 , 48, 3057-64	5.1	324
806	Temperature-Controlled Synthesis of Metal-Organic Coordination Polymers: Crystal Structure, Supramolecular Isomerism, and Porous Property. 2009 , 9, 4147-4156		134
805	Glycine-templated manganese sulfate with new topology and canted antiferromagnetism. <i>Inorganic Chemistry</i> , 2009 , 48, 8703-8	5.1	29
804	A Three-Dimensional Porous Metal-Organic Framework with a Body-Centered Cubic Topology Constructed from 48-Membered Tetraicosanuclear Metallamacrocycle Based on in Situ Ligand Synthesis. 2009 , 9, 2988-2990		12
803	Hydrothermal Syntheses and Structural Diversity of Cobalt Complexes with 2,2'-Bibenzimidazole Ligand by Temperature Tuning Strategy. 2009 , 9, 488-496		29
802	Synthesis, Crystal Structures, and Properties of Molecular Squares Displaying Hydrogen and π Bonded Networks. 2009 , 9, 2734-2741		24
801	Zero-dimensional units of ligand-bridged gallium-sulfide supertetrahedra. <i>Inorganic Chemistry</i> , 2009 , 48, 810-2	5.1	38
800	Zinc Oxide-Organic Hybrid Polymer Thin Films Formed by Molecular Layer Deposition. <i>Chemistry of Materials</i> , 2009 , 21, 820-830	9.6	154
799	Copper phthalate coordination polymers incorporating kinked dipyriddy ligands: an unprecedented 8-connected network and one-dimensional chiral nanobarrels with hydrophobic channels constructed from septuple helical motifs. <i>Inorganic Chemistry</i> , 2009 , 48, 4918-26	5.1	42
798	Series of Copper(II) Coordination Polymers Containing Aminopyrazine and Different Carboxylate Bridges: Syntheses, Structures and Magnetic Properties. 2009 , 9, 3318-3326		32
797	3,5-Diphosphonobenzoic Acid, a New Rigid Heterotrifunctional Building Block to Design Metal Organic Frameworks. Illustration with the Characterization of Cu ₅ [(O ₃ P) ₂ -C ₆ H ₃ -CO ₂] ₂ (H ₂ O) ₆ . 2009 , 9, 4262-4268		20
796	A Three-Dimensional Porous and Magnetic Framework Constructed from {Cu ₄ (μ-Cl)} ₇ Clusters and 4-(1H-Tetrazol-5yl)-benzoic Acid, (Me ₂ NH ₂)[Cu ₄ Cl(tba) ₄ (H ₂ O) ₄] ₂ DMF. 2009 , 9, 4258-4261		22

795	Highly Tunable Heterometallic Frameworks Constructed from Paddle-Wheel Units and Metalloporphyrins. 2009 , 9, 1960-1965		64
794	Microwave synthesis and single-crystal-to-single-crystal transformation of magnesium coordination polymers exhibiting selective gas adsorption and luminescence properties. <i>CrystEngComm</i> , 2009 , 11, 1462	3.3	55
793	Metallic and bimetallic nanocatalysts incorporated into highly porous coordination polymer MIL-101. 2009 , 19, 7625		267
792	Lanthanide-based luminescent hybrid materials. 2009 , 109, 4283-374		2680
791	Charge-transfer induced surface conductivity for a copper based inorganic-organic hybrid. 2009 , 95, 173104		24
790	Structural Origin of Visible Luminescence from Silica Based Organic-Inorganic Hybrid Materials. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 4260-4262	3.8	38
789	Hydrothermal Syntheses and Characterization of Two Novel Lead(II)-IDA Coordination Polymers: From 2D Homochiral Parallel Interpenetration to 12-Connected Lead(II) Hybrid Framework Based on Propeller-Like Spiral Pb ₄ O ₆ Cores (H ₂ IDA = iminodiacetic acid). 2009 , 9, 4176-4180		45
788	Synthesis, structure, and luminescent properties of hybrid inorganic-organic framework materials formed by lead aromatic carboxylates: inorganic connectivity variation from 0D to 3D. <i>Inorganic Chemistry</i> , 2009 , 48, 6517-25	5.1	201
787	Application of metal-organic frameworks with coordinatively unsaturated metal sites in storage and separation of methane and carbon dioxide. 2009 , 19, 7362		581
786	Amino acid based MOFs: synthesis, structure, single crystal to single crystal transformation, magnetic and related studies in a family of cobalt and nickel aminoisophthales. <i>Inorganic Chemistry</i> , 2009 , 48, 11660-76	5.1	104
785	1,4-Phenylenebis(methylidyne)tetrakis(phosphonic acid): a new building block in metal organic framework synthesis. <i>Inorganic Chemistry</i> , 2009 , 48, 4331-41	5.1	36
784	Zeolitic imidazole frameworks: structural and energetics trends compared with their zeolite analogues. <i>CrystEngComm</i> , 2009 , 11, 2272	3.3	181
783	Cocrystal Controlled Solid-State Synthesis of a Thermally Stable Nicotinate Analogue That Sustains an Isostructural Series of Porous Metal-Organic Materials. 2009 , 9, 5021-5023		22
782	Nanoporous crystals of calixarene/porphyrin supramolecular complex functionalized by diffusion and coordination of metal ions. <i>Journal of the American Chemical Society</i> , 2009 , 131, 2487-9	16.4	58
781	Relating mechanical properties and chemical bonding in an inorganic-organic framework material: a single-crystal nanoindentation study. <i>Journal of the American Chemical Society</i> , 2009 , 131, 14252-4	16.4	74
780	Design and synthesis of metal-organic frameworks using metal-organic polyhedra as supermolecular building blocks. 2009 , 38, 1400-17		1527
779	Porous Coordination Polymers Towards Gas Technology. <i>Structure and Bonding</i> , 2009 , 96-106	0.9	
778	Multiferroic behavior associated with an order-disorder hydrogen bonding transition in metal-organic frameworks (MOFs) with the perovskite ABX ₃ architecture. <i>Journal of the American Chemical Society</i> , 2009 , 131, 13625-7	16.4	653

777	Remarkable thermal stability of Eu(4-phosphonobenzoate): structure investigations and luminescence properties. <i>Dalton Transactions</i> , 2009 , 10614-20	4-3	39
776	Magnetic and porous molecule-based materials. 2010 , 293, 207-58		52
775	Hydrothermal Strategies Towards Polyoxofluoromolybdates(VI). 2009 , 9, 755-765		17
774	Zeolitic polyoxometalate-based metal-organic frameworks (Z-POMOFs): computational evaluation of hypothetical polymorphs and the successful targeted synthesis of the redox-active Z-POMOF1. <i>Journal of the American Chemical Society</i> , 2009 , 131, 16078-87	16.4	246
773	Four Novel Metal Diphosphonate Compounds Based on 2-(1-Triazole)-1-Hydroxyl-1,1?-Ethylidenediphosphonic Acid: Syntheses, Topological Structures, and Magnetic Properties. 2009 , 9, 508-516		38
772	RPM3: a multifunctional microporous MOF with recyclable framework and high H ₂ binding energy. <i>Inorganic Chemistry</i> , 2009 , 48, 7165-73	5.1	107
771	Novel (3,6)-connected network and (4,6)-connected framework in two copper(II) and cadmium(II) complexes of flexible (2S,3S,4R,5R)-tetrahydrofuran tetracarboxylic acid: synthesis, structure, thermostability, and luminescence studies. <i>CrystEngComm</i> , 2009 , 11, 1934	3.3	21
770	Multiadsorption and Coadsorption of Hydrogen on Model Conjugated Systems. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 12571-12579	3.8	20
769	Porous Metal Organic Frameworks. 2009 , 77-99		9
768	A metal-organic framework via the reaction of benzoate with a cationic inorganic material. <i>Dalton Transactions</i> , 2009 , 9849-53	4.3	5
767	Luminescence of lanthanides in covalently pillared zirconium phosphate. 2009 , 19, 2494		28
766	Polymorphism and variable structural dimensionality in the iron(III) phosphate oxalate system: a new polymorph of 3D [Fe ₂ (HPO ₄) ₂ (C ₂ O ₄)(H ₂ O) ₂] × 2 H ₂ O and the layered material [Fe ₂ (HPO ₄) ₂ (C ₂ O ₄)(H ₂ O) ₂]. <i>Dalton Transactions</i> , 2009 , 9176-82	4.3	16
765	Synthesis, structures and properties of Mn(II) coordination frameworks based on R-isophthalate (R = \square H ₃ or \square (CH ₃) ₃) and various dipyrindyl-type co-ligands. <i>CrystEngComm</i> , 2009 , 11, 109-117	3.3	125
764	A hybrid cobalt disulfonate with a novel inorganic layer architecture exhibiting a field-induced magnetic transition. 2009 , 19, 2604		6
763	Molecular botanical garden: assembly of supramolecular silver(I) and mercury(II) complexes of NS ₂ -donor macrocycles with flower-, leaf- and tree-shaped structures. <i>CrystEngComm</i> , 2009 , 11, 43-46	3.3	39
762	The first continuous silver polyhedra framework containing four kinds of coordination spheres. <i>Dalton Transactions</i> , 2009 , 1290-2	4.3	19
761	Structural and chemical complexity in multicomponent inorganic-organic framework materials. <i>CrystEngComm</i> , 2009 , 11, 980	3.3	22
760	Synthesis of 4-Phosphonobutanesulfonic Acid and Systematic Investigation of Copper Phosphonatobutanesulfonates by High-Throughput Methods. 2009 , 9, 586-592		15

759	A Series of Three-Dimensional Lanthanide-Rigid-Flexible Frameworks: Synthesis, Structure, and Luminescent Properties of Coordination Polymers with 2,5-Pyridine Dicarboxylic Acid and Adipic Acid. 2009 , 9, 1525-1530		92
758	Solid-state coordination chemistry of copper(II) tetrazolates: anion control of frameworks constructed from trinuclear copper(II) building blocks. <i>Inorganic Chemistry</i> , 2009 , 48, 4655-7	5.1	68
757	Self-supported catalysts. 2009 , 109, 322-59		494
756	Phase selection and energetics in chiral alkaline Earth tartrates and their racemic and meso analogues: synthetic, structural, computational, and calorimetric studies. <i>Journal of the American Chemical Society</i> , 2009 , 131, 15375-86	16.4	75
755	Hybrid organic-inorganic polyoxometalate compounds: from structural diversity to applications. 2010 , 110, 6009-48		1420
754	Synthesis, Characterization, and Catalytic Application of a Cationic Metal-Organic Framework: Ag ₂ (4,4'-bipy) ₂ (O ₃ SCH ₂ CH ₂ SO ₃). <i>Chemistry of Materials</i> , 2010 , 22, 2027-2032	9.6	40
753	Metal oxide-organic frameworks (MOOFs), a new series of coordination hybrids constructed from molybdenum(VI) oxide and bitopic 1,2,4-triazole linkers. <i>Dalton Transactions</i> , 2010 , 39, 4223-31	4.3	55
752	MOFs, MILs and more: concepts, properties and applications for porous coordination networks (PCNs). <i>New Journal of Chemistry</i> , 2010 , 34, 2366	3.6	934
751	Synthesis, structure, transformation studies and catalytic properties of open-framework cadmium thiosulfate compounds. <i>Dalton Transactions</i> , 2010 , 39, 2263-79	4.3	28
750	Recent advances in crystal engineering. <i>CrystEngComm</i> , 2010 , 12, 22-43	3.3	642
749	Interactions of zeatin with gold ions and biomimetic formation of gold complexes and nanoparticles. 2010 , 78, 250-8		4
748	Alkyl group dependence on structure and magnetic properties in layered cobalt coordination polymers containing substituted glutarate ligands and 4,4'-bipyridine. 2010 , 183, 291-303		21
747	Synthesis and structural characterization of different topological coordination polymers based on tunable Cu ₄ Br ₄ film secondary building units and macrocyclic azacalixaromatics. 2010 , 183, 3010-3016		13
746	Synthesis of metal-organic framework MIL-101 in TMAOH-Cr(NO ₃) ₃ -H ₂ BDC-H ₂ O and its hydrogen-storage behavior. 2010 , 130, 174-179		106
745	Crystallization of copper(II) sulfate based minerals and MOF from solution: Chemical insights into the supramolecular interactions. 2010 , 122, 757-769		20
744	Two 3D supramolecules with helices constructed by hydrogen bonds based on p-thioacetatebenzoic acid ligand. 2010 , 21, 893-899		8
743	Three isostructural 3D supramolecules with p-thioacetatebenzoic acid ligand: syntheses, structure characterizations, and properties. 2010 , 21, 1195-1201		1
742	Copper metal-organic framework: Structure and activity in the allylic oxidation of cyclohexene with molecular oxygen. 2010 , 270, 26-33		117

741	Photostimulated reduction processes in a titania hybrid metal-organic framework. 2010 , 11, 2341-4	41
740	Effect of Water Concentration and Acidity on the Synthesis of Porous Chromium Benzenedicarboxylates. 2010 , 2010, 1043-1048	43
739	Crystal Engineering of Three Net-to-Net Intersecting Metal-Organic Frameworks from Two Comparable Organic Linking Squares. 2010 , 2010, 3750-3755	14
738	Silica-MOF Composites as a Stationary Phase in Liquid Chromatography. 2010 , 2010, 3735-3738	109
737	Anionic Metal-Organic Frameworks of Bismuth Benzenedicarboxylates: Synthesis, Structure and Ligand-Sensitized Photoluminescence. 2010 , 2010, 3823-3828	71
736	Accelerated Syntheses of Porous Isostructural Lanthanide-Benzenetricarboxylates (LnBTC) Under Ultrasound at Room Temperature. 2010 , 2010, 4975-4981	56
735	Arrays of chiral nanotubes and a layered coordination polymer containing gallium-sulfide supertetrahedral clusters. 2010 , 16, 4462-5	46
734	Synthesis, structure and magnetic phase transitions of the manganese succinate hybrid framework, MN(C ₄ H ₄ O ₄). 2010 , 16, 7579-85	35
733	Flexibility in a Metal-Organic Framework Material Controlled by Weak Dispersion Forces: The Bistability of MIL-53(Al). 2010 , 122, 7663-7665	30
732	Flexibility in a metal-organic framework material controlled by weak dispersion forces: the bistability of MIL-53(Al). 2010 , 49, 7501-3	141
731	Adsorption of adipic acid conjugates at the Au(1 1 1) electrode/aqueous solution interface. 2010 , 649, 95-101	3
730	Synthesis and structure of two novel cobalt(II) and zinc(II) crystalline coordination networks constructed with 1,3,5-benzene tricarboxylate and 9,10-bis(imidazol-1-ylmethyl)anthracene. 2010 , 129, 360-365	7
729	Syntheses, structures, photoluminescences of silver(I) coordination polymers with 2-aminopyrazine and varied dicarboxylate ligands. <i>Polyhedron</i> , 2010 , 29, 1243-1250	2.7 37
728	Diverse dimensionalities and structures in copper coordination polymers incorporating substituted aliphatic dicarboxylate ligands and 4,4'-bipyridine. 2010 , 363, 225-233	19
727	Hydrothermal synthesis and structural characterization of bimetallic organic-inorganic hybrid materials: Copper vanadate/4-Carboxy-phenylphosphonate phases. 2010 , 363, 330-337	12
726	Syntheses, structures and magnetic properties of Mn(II), Co(II) and Ni(II) metal-organic frameworks constructed from 1,3,5-benzenetricarboxylate and formate ligands. 2010 , 363, 645-652	40
725	Organic-inorganic hybrid materials: Ligand influences on the structural chemistry of copper-vanadates. 2010 , 363, 2912-2919	4
724	Synthesis and structures of Co(II), Ni(II), and Cu(II) coordination frameworks formed by a flexible 1,3-phenylenediacetic acid ligand. <i>Journal of Molecular Structure</i> , 2010 , 976, 168-173	3.4 2

723	MOF-5 based mixed-linker metal-organic frameworks: Synthesis, thermal stability and catalytic application. 2010 , 499, 71-78		133
722	Hydrothermal synthesis and characterization of a 3D luminescent lead(II) framework containing 3D Pb-X-Pb linkage (X=O and Cl) tuned by cis- and trans-ligand conformations. 2010 , 13, 15-18		10
721	Synthesis, crystal structures and properties of two coordination polymers constructed from M ²⁺ (M ²⁺ =Zn ²⁺ , Ni ²⁺) with methylenediisophthalic acid and 1,1'-(1,4-butanediyl)bis(imidazole). 2010 , 13, 1239-1243		6
720	First 3D heterotrimetallic Mn(II)-Cu(II)-Zn(II) polymer and three 3D Cu(II)/Mn(II) open network based on pyridine-2,3,5,6-tetracarboxylic acid. 2010 , 13, 1304-1308		12
719	Gallium-Gallium Bonds Bridged by Functionalized Carboxylate Ligands <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010 , 636, 1851-1859	1-3	9
718	Cadmium bis(4-pyridylformyl)piperazine coordination polymers: layered nets and a novel 3,5-connected binodal lattice. <i>CrystEngComm</i> , 2010 , 12, 3310	3-3	24
717	Poly[bis-(N,N-dimethyl-formamide-D ₆)-(1,4-naphthalene-1,5-disulfonato)magnesium(II)]. 2010 , 66, m691-2		
716	Muon spin relaxation investigation of magnetic ordering in the hybrid organic-inorganic perovskites [(CH ₃) ₂ NH ₂] ₂ M(HCOO) ₃ (M=Ni,Co,Mn,Cu). 2010 , 82,		40
715	Zeolitic polyoxometalates metal organic frameworks (Z-POMOF) with imidazole ligands and epsilon-Keggin ions as building blocks; computational evaluation of hypothetical polymorphs and a synthesis approach. 2010 , 12, 8632-9		49
714	Heterotopic silver-NHC complexes: from coordination polymers to supramolecular assemblies. <i>Dalton Transactions</i> , 2010 , 39, 5432-5	4-3	17
713	Polyoxometalate-Based Porous Framework with Perovskite Topology. 2010 , 10, 4227-4230		37
712	Two cationic metal-organic frameworks based on cadmium and hexamethylenedisulfonate anions and their photoluminescent properties. <i>Dalton Transactions</i> , 2010 , 39, 11193-200	4-3	15
711	Small organic molecule templating synthesis of organic-inorganic hybrid materials: their nanostructures and properties. 2010 , 2, 323-34		82
710	A double-walled triangular metal-organic macrocycle based on a [Cu(2)(COO)(4)] square paddle-wheel secondary building unit. <i>Dalton Transactions</i> , 2010 , 39, 6178-80	4-3	14
709	A unique example of a 3D framework based on the binuclear dysprosium(III) azobenzene-3,5,4'-tricarboxylate with 3,6-connected topology showing ferromagnetic properties. <i>CrystEngComm</i> , 2010 , 12, 3476	3-3	25
708	Synthesis of isostructural porous metal-benzenedicarboxylates: Effect of metal ions on the kinetics of synthesis. <i>CrystEngComm</i> , 2010 , 12, 2749	3-3	41
707	A bioinspired synthetic approach for building metal-organic frameworks with accessible metal centers. <i>Inorganic Chemistry</i> , 2010 , 49, 10217-9	5-1	58
706	Hydrothermal Synthesis of a Series of Interpenetrated Metal-Organic Frameworks Based on Long Multicarboxylate and Long Heterocyclic Aromatic Ligands. 2010 , 10, 528-533		62

705	{MnII9WV6}nNanowires Organized into Three-Dimensional Hybrid Network of I1O2Topology. 2010 , 10, 4693-4696		28
704	Three Novel Metal-Organic Frameworks with Different Topologies Based on 3,3'-Dimethoxy-4,4'-biphenyldicarboxylic Acid: Syntheses, Structures, and Properties. 2010 , 10, 887-894		63
703	Dimensionality Trends in Metal-Organic Frameworks Containing Perfluorinated or Nonfluorinated Benzenedicarboxylates. 2010 , 10, 2041-2043		85
702	Unusual [VOPO4]- layer in vanadyl phosphates with variant interlayer gap of double-tiered template. <i>Inorganic Chemistry</i> , 2010 , 49, 6196-202	5.1	2
701	Structure and magnetic field-induced transition in a one-dimensional hybrid inorganic-organic chain system, Co2(4,4'-bpy)(tfhba)2.4,4'-bpy (4,4'-bpy = 4,4'-bipyridine; tfhba = 2,3,5,6-tetrafluoro-4-hydroxybenzoate). <i>Inorganic Chemistry</i> , 2010 , 49, 4594-8	5.1	15
700	Synthesis and Characterization of New Open-Framework Vanadium Tellurite Featuring an Unprecedented (3,7)-Connected Network: K3[(VVO4)(VVO)4(TeO3)4]·4H2O. 2010 , 10, 2021-2024		3
699	One-dimensional coordination polymers from hexanuclear manganese carboxylate clusters featuring a {Mn(II)4Mn(III)2(μ4-O)2} core and spacer linkers. <i>Inorganic Chemistry</i> , 2010 , 49, 7764-72	5.1	28
698	Tunable, Ligand-Based Emission from Inorganic-Organic Frameworks: A New Approach to Phosphors for Solid State Lighting and Other Applications. <i>Chemistry of Materials</i> , 2010 , 22, 2255-2260	9.6	62
697	Synthesis and Stability of Tagged UiO-66 Zr-MOFs. <i>Chemistry of Materials</i> , 2010 , 22, 6632-6640	9.6	1210
696	Design and Construction of Coordination Polymers by 4-Amino-3,5-bis(n-pyridyl)-1,2,4-triazole (n = 2, 3, 4) Isomers in a Copper(I) Halide System: Diverse Structures Tuned by Isomeric and Anion Effects. 2010 , 10, 2192-2201		48
695	Effect of Produced HCl during the Catalysis on Micro- and Mesoporous MOFs. 2010 , 10, 4118-4122		15
694	Heterometallic Inorganic-Organic Frameworks of Sodium-Bismuth Benzenedicarboxylates. 2010 , 10, 1736-1741		47
693	Hydrothermal chemistry of vanadium oxides with aromatic di- and tri-phosphonates in the presence of secondary metal copper(II) cationic complex subunits. <i>CrystEngComm</i> , 2010 , 12, 446-469	3.3	46
692	Effect of Cross-Linking and Organic Groups on the Visible Photoluminescence Characteristics of n-Octadecylsiloxanes. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 8568-8574	3.8	22
691	A series of novel Pb(II) or Pb(II)/M(II) (M = Ca and Sr) hybrid inorganic-organic frameworks based on polycarboxylic acids with diverse Pb(II) (M = Pb, Ca and Sr) inorganic connectivities. <i>CrystEngComm</i> , 2010 , 12, 4252	3.3	57
690	Synthesis and crystal structure from X-ray powder diffraction data of two zirconium diphosphonates containing piperazine groups. <i>Inorganic Chemistry</i> , 2010 , 49, 9664-70	5.1	51
689	Tuning functional sites and thermal stability of mixed-linker MOFs based on MIL-53(Al). <i>Dalton Transactions</i> , 2010 , 39, 3795-8	4.3	111
688	First report on N,N'-diisoalkylisonicotinamide 1D coordination network containing linear trinuclear [Co3L4Cl6] units with mixed Co(II)(Td)-Co(II)(Oh)-Co(II)(Td) geometries: structure and magnetic properties. <i>Dalton Transactions</i> , 2010 , 39, 7951-9	4.3	15

687	Inorganic-organic hybrid compounds based on the co-existence of different isomers or forms of polymolybdate. <i>CrystEngComm</i> , 2010 , 12, 3684	3-3	37
686	3-D Metal-Organic Framework Based on Cationic 2-D Cuprate Layers: $\text{Cu}_3(\text{OH})_4[\text{C}_{10}\text{H}_6(\text{SO}_3)_2]$. 2010 , 10, 874-879		25
685	Structural chemistry of organically-templated metal fluorides. <i>Dalton Transactions</i> , 2010 , 39, 5983-93	4-3	56
684	Sorption behavior of an oriented surface-grown MOF-film studied by in situ X-ray diffraction. 2010 , 20, 3046		40
683	Insight into the Development of Metal-Organic Materials (MOMs): At Zeolite-Like Metal-Organic Frameworks (ZMOFs). 2010 , 37-89		8
682	Water-induced reversible structural phase transformation with chromotropism in metal supramolecular frameworks containing aminopyrazine and sulfate anions. <i>Dalton Transactions</i> , 2010 , 39, 8161-7	4-3	24
681	A trimanganese cluster-based 2D layer framework with facile single-crystal-to-single-crystal transformation to afford a 1D chain structure. <i>CrystEngComm</i> , 2010 , 12, 1467	3-3	31
680	Uranyl-organic assemblies with the macrocyclic ligand 1,4,8,11-tetraazacyclotetradecane-1,4,8,11-tetraacetate (TETA). <i>CrystEngComm</i> , 2010 , 12, 1905	3-3	33
679	Synthesis and structure of Na^+ -intercalated $\text{WO}_3(4,4\text{-bipyridyl})_{0.5}$. <i>Chemical Communications</i> , 2010 , 46, 4261-3	5-8	7
678	CAU-1 and CAU-2: New tubular alkali metal-organic framework materials, $\text{A}_3[\text{C}_6\text{H}_3(\text{CO}_2)(\text{CO}_2\text{H}_{0.5})(\text{CO}_2\text{H})]_2$ (A = K or Rb). <i>CrystEngComm</i> , 2010 , 12, 1481	3-3	24
677	A hybrid cobalt hydroxyacetate magnet: ionothermal synthesis, 3-D Co-O-Co connectivity and spin glass behavior. <i>Dalton Transactions</i> , 2010 , 39, 1179-81	4-3	6
676	Neutron diffraction study of the magnetic structures of manganese succinate $\text{Mn}(\text{C}_4\text{H}_4\text{O}_4)$: A complex inorganic-organic framework. 2010 , 82,		16
675	Hybrid materials through linkage of chalcogenide tetrahedral clusters. <i>Dalton Transactions</i> , 2010 , 39, 5965-72	4-3	60
674	A highly-connected acentric organic-inorganic hybrid material with unique 3D inorganic and 3D organic connectivity. <i>Chemical Communications</i> , 2010 , 46, 4354-6	5-8	55
673	Remarkable structural diversity and single-crystal-to-single-crystal transformations in sulfone functionalized lanthanide MOFs. <i>CrystEngComm</i> , 2010 , 12, 1034-1037	3-3	34
672	Gallium-gallium bonds as efficient templates for the generation of a large cage containing twelve gallium atoms. <i>Dalton Transactions</i> , 2010 , 39, 3160-2	4-3	19
671	Coordination polymers based on the octamolybdate and flexible bis(triazole) ligands with different spacer lengths. <i>CrystEngComm</i> , 2011 , 13, 2350	3-3	51
670	Role of hydrocarbons in pore expansion and contraction of a flexible metal-organic framework. <i>Chemical Communications</i> , 2011 , 47, 7077-9	5-8	25

669	Implementing chemical functionality into oriented films of metal-organic frameworks on self-assembled monolayers. 2011 , 21, 14849		27
668	Synthesis of hydrophobic layered luminescent films: Organic-organic hybrid mono-n-dodecyloxy-phosphinyl-cerium (terbium). 2011 , 21, 17104		2
667	A 2D homochiral inorganic-organic framework exhibiting a spin-flop transition. <i>Dalton Transactions</i> , 2011 , 40, 7147-52	4-3	20
666	Understanding ligand-centred photoluminescence through flexibility and bonding of anthraquinone inorganic-organic frameworks. 2011 , 21, 6595		14
665	Two organic-organic hybrid frameworks with unusual inorganic and organic connectivity. <i>CrystEngComm</i> , 2011 , 13, 2201	3-3	22
664	Multimetallic complexes of group 10 and 11 metals based on polydentate dithiocarbamate ligands. <i>Dalton Transactions</i> , 2011 , 40, 5852-64	4-3	47
663	Supramolecular structure of ammonium polyoxoarsenates(III). <i>CrystEngComm</i> , 2011 , 13, 6163	3-3	3
662	Controlled assembly of an unprecedented 2D + 3D interpenetrated array of (4,4)-connected and pcu topologies. <i>CrystEngComm</i> , 2011 , 13, 4814	3-3	26
661	Detailed investigations of phase transitions and magnetic structure in Fe(III), Mn(II), Co(II) and Ni(II) 3,4,5-trihydroxybenzoate (gallate) dihydrates by neutron and X-ray diffraction. <i>Dalton Transactions</i> , 2011 , 40, 6401-10	4-3	38
660	Syntheses, Structures, and Gas Adsorption Properties of Two Novel Cadmium-Copper Organic Frameworks with 1,3,5-Benzenetricarboxylate Ligands. 2011 , 11, 3529-3535		22
659	Sr ₂ [C ₆ H ₃ (CO ₂) ₃ (NO ₃)]·DMF: One-Dimensional Nano-Channel in a New Non-Centrosymmetric Strontium-Organic Framework with High Thermal Stability. 2011 , 11, 2698-2701		27
658	Two stage magnetic ordering and spin idle behavior of the coordination polymer Co ₃ (OH) ₂ (C ₄ O ₄) ₂ ·2H ₂ O determined using neutron diffraction. <i>Inorganic Chemistry</i> , 2011 , 50, 2246-51	5-1	18
657	Observation of in Situ Ligand Reactions during the Assembly of Crystalline ZnS Clusters. 2011 , 11, 16-20		7
656	Effects of reduced dimensionality on the electronic structure and defect chemistry of semiconducting hybrid organic-organic PbS solids. 2011 , 467, 1970-1985		21
655	Isothermal synthesis and magnetic studies of novel two-dimensional metal-formate frameworks. <i>Inorganic Chemistry</i> , 2011 , 50, 2159-67	5-1	14
654	Structural Diversity and Energetics in Anhydrous Lithium Tartrates: Experimental and Computational Studies of Novel Chiral Polymorphs and Their Racemic and Meso Analogues. 2011 , 11, 221-230		39
653	Anionic gallium-based metal-organic framework and its sorption and ion-exchange properties. <i>Inorganic Chemistry</i> , 2011 , 50, 208-12	5-1	51
652	Syntheses, Structures, and Structural Transformations of Mixed Na(I) and Zn(II) Metal-Organic Frameworks with 1,3,5-Benzenetricarboxylate Ligands. 2011 , 11, 2243-2249		18

651	Unusual Hybrid Materials Prepared by the Oxidation of a Ketone. 2011 , 11, 3013-3019		3
650	Uranyl-Alkali Metal Ion Heterometallic Complexes with Cucurbit[6]uril and a Sulfonated Catechol. 2011 , 11, 3282-3294		62
649	From Pincers to Steps: Synthesis, Structure, Characterization, and Transformation of a New Helical Calcium-Organic Framework, Ca[NC ₅ H ₃ (CO ₂) ₂](H ₂ O) _{1.5} . 2011 , 11, 930-932		27
648	Towards enhanced ligand-centred photoluminescence in inorganic-organic frameworks for solid state lighting. 2011 , 13, 7622-9		29
647	Biomedical Applications of Metal-Organic Frameworks. 2011 , 213-250		15
646	Porous Metal-Organic Frameworks as New Drug Carriers. 2011 , 559-573		2
645	Supramolecular Structures from Polycarbene Ligands and Transition Metal Ions. 2011 , 30, 334-347		159
644	Two Unprecedented Three-Dimensional Pb(II) Polymorphs and Structural Diversities Built on a Kinked Flexible Dicarboxylate Building Block. 2011 , 11, 936-940		46
643	Common Structural Features in Calcium Hydroxyphosphonoacetates. A High-Throughput Screening. 2011 , 11, 1713-1722		30
642	Lanthanide-based 0D and 2D molecular assemblies with the pyridazine-3,6-dicarboxylate linker. <i>CrystEngComm</i> , 2011 , 13, 251-258	3-3	31
641	Framework-structured weak ferromagnets. 2011 , 40, 3157-81		361
640	Synthesis and characterization of two 3-D polymeric lanthanide complexes constructed from 1,2,4,5-benzenetetracarboxylic acid. 2011 , 64, 3767-3780		9
639	New semiconducting coordination polymers from zinc sulfide clusters and chains. <i>Inorganic Chemistry</i> , 2011 , 50, 4674-6	5-1	18
638	pH-Tuned self-assembly of organic-inorganic hybrids based on different vanadate chains, Zn(II) ions and flexible ligands: crystallizing in polar and centrosymmetric space group. <i>CrystEngComm</i> , 2011 , 13, 779-786	3-3	23
637	Polymer-assisted synthesis of nanocrystalline copper-based metal-organic framework for amine oxidation. 2011 , 12, 602-605		59
636	Synthesis and Structural Characterization of Magnesium Based Coordination Networks in Different Solvents. 2011 , 11, 2572-2579		78
635	Microwave-assisted construction of ferromagnetic coordination polymers of [W(V)(CN) ₈] ³⁻ with Cu(II)-pyrazole synthons. <i>Inorganic Chemistry</i> , 2011 , 50, 8808-16	5-1	16
634	Microporous magnets. 2011 , 40, 3249-65		471

633	Evolution of the structures and magnetic properties of the manganese dicarboxylates, $Mn_2(CO_2(CH_2)_nCO_2)(OH)_2$ and $Mn_4(CO_2(CH_2)_nCO_2)_3(OH)_2$. 2011 , 2, 1929		19
632	Recent Advances in s-Block Metal Carboxylate Networks. 2011 , 11, 4704-4720		172
631	An invitation to molecular magnetism. 2011 , 94, 139-83		11
630	Preparation and Intercalation Properties of Novel Layered Zinc 1,3,5-Benzenetriphosphonates Composed of Anionic Hybrid Layers. 2011 , 40, 215-217		13
629	Nano/Microporous Materials: Crystalline Metal-Chalcogenide Superlattices. 2011 ,		
628	Two novel transition metal-organic frameworks based on 1,3,5-benzenetricarboxylate ligand: Syntheses, structures and thermal properties. <i>Journal of Molecular Structure</i> , 2011 , 1004, 252-256	3-4	15
627	A new organically-templated cobalt borophosphate with a novel borophosphatic anionic partial structure. 2011 , 184, 2538-2542		13
626	Mechanosensitive metal-ligand bonds in the design of new coordination compounds. <i>CrystEngComm</i> , 2011 , 13, 4314	3-3	20
625	Mechanical properties of hybrid inorganic-organic framework materials: establishing fundamental structure-property relationships. 2011 , 40, 1059-80		533
624	Layered and pillar-layered metal-organic frameworks based on pinwheel trinuclear zinc-carboxylate clusters. <i>CrystEngComm</i> , 2011 , 13, 2721	3-3	28
623	Polyoxometalate-based metal organic frameworks (POMOFs): structural trends, energetics, and high electrocatalytic efficiency for hydrogen evolution reaction. <i>Journal of the American Chemical Society</i> , 2011 , 133, 13363-74	16.4	433
622	Synthesis, Characterisation and Magnetic Properties of a One-Dimensional Iron(II) Coordination Polymer. <i>Journal of Chemical Crystallography</i> , 2011 , 41, 601-605	0.5	1
621	Synthesis, structure and luminescence of a new series of rigid-flexible lanthanide coordination polymers constructed from benzene sulfonic acid and glutaric acid. 2011 , 365, 269-276		13
620	Spacer directed metallo-supramolecular assemblies of pyridine carboxylates. <i>Coordination Chemistry Reviews</i> , 2011 , 255, 273-289	23.2	70
619	Synthesis, Characterization, and Luminescence of Two New Zinc(II) Coordination Polymers Constructed by 5-(4-Carboxybenzyloxy)Isophthalic Acid Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011 , 637, 1414-1418	1-3	3
618	Coordination Polymers of the Heterotopic 1,4-Phenylene-bis(oxy)diacetic Acid Ligand: Cadmium(II) Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011 , 637, 1722-1727	1-3	3
617	Reaktionen des Alumopolysiloxans $(Ph_2SiO)_8[AlO(OH)]_4$ mit 4,4'-Bipyridin und Azobipyridinen. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011 , 637, 1922-1930	1-3	3
616	Poly[di-aqua-di- β -oxalato- β -oxalato-chromium(III)rubidium(I)]: a new supramolecular isomer. 2011 , 67, m85-9		3

- 615 Poly[(β -adamantane-1,3-dicarboxylato- β O1:O1':O3,O3':O3')(β -adamantane-1,3-dicarboxylato- β O1,O1':O3,O3':O3')]dimag
a layered coordination polymer. **2011**, 67, m335-7 4
- 614 Iron(III)-Pivalate-Based Complexes with Tetranuclear $\{Fe_4(\beta-O)_2\}^{8+}$ Cores and N-Donor Ligands:
Formation of Cluster and Polymeric Architectures. **2011**, 2011, 356-367 19
- 613 A Decade of Octacyanides in Polynuclear Molecular Materials. **2011**, 2011, 305-326 92
- 612 Anthony K. Cheetham. **2011**, 123, 3676-3678
- 611 Assembly of the First Fullerene-Type Metal-Organic Frameworks Using a Planar Five-Fold
Coordination Node. **2011**, 123, 8429-8432 8
- 610 Diphosphorkomplexe als Bausteine zum Design von phosphorhaltigen
metallorganisch-organischen Hybridmaterialien. **2011**, 123, 11718-11722 20
- 609 Anthony K. Cheetham. **2011**, 50, 3596-8
- 608 Assembly of the first fullerene-type metal-organic frameworks using a planar five-fold coordination
node. **2011**, 50, 8279-82 24
- 607 Diphosphorus complexes as building blocks for the design of phosphorus-containing
organometallic-organic hybrid materials. **2011**, 50, 11516-9 40
- 606 High-throughput and time-resolved energy-dispersive X-ray diffraction (EDXRD) study of the
formation of CAU-1-(OH)₂: microwave and conventional heating. **2011**, 17, 6462-8 77
- 605 Thiodiacetate-manganese chemistry with N ligands: unique control of the supramolecular
arrangement over the metal coordination mode. **2011**, 17, 10600-17 24
- 604 Magnetic and mechanical anisotropy in a manganese 2-methylsuccinate framework structure. **2011**,
17, 12429-36 23
- 603 Bis(azobenzene)-based photoswitchable, prochiral, C₂-tetrasubstituted α -amino acids for
nanomaterials applications. **2011**, 17, 12606-11 9
- 602 Tetrameric entity resulting from two distinct dinuclear uranyl-centered motifs bridged through
 η -OH and pyridazine-3,6-dicarboxylate. **2011**, 14, 429-432 24
- 601 A layered grid divalent cobalt coordination polymer constructed from ferromagnetically coupled
linear trimeric units. **2011**, 14, 722-726 8
- 600 A magnesium-lithium heterometallic coordination network. **2011**, 14, 741-744 8
- 599 Mn(III)-Salen composite materials based on Keggin heteropolyanions exhibiting photocatalytic and
electrocatalytic activities. **2011**, 14, 1418-1421 10
- 598 Facile synthesis of nano-sized metal-organic frameworks, chromium-benzenedicarboxylate,
MIL-101. **2011**, 166, 1152-1157 124

597	Exact solution of catalyst inhibition problems: Application to hydrodesulfurization for clean fuel production. 2011 , 66, 1060-1068		4
596	Synthesis and supramolecular structures of iso- and heteropolymetallates assisted by organoamino phosphonium cations. 2011 , 372, 152-159		15
595	Three-component reactions leading to 2D and 3D metal-organic frameworks assembled on dinickel-carboxylate secondary building units. <i>Polyhedron</i> , 2011 , 30, 47-52	2.7	8
594	Network diversity and supramolecular isomerism in copper(II)/1,2-bis(4-pyridyl)ethane coordination polymers. <i>Polyhedron</i> , 2011 , 30, 963-970	2.7	8
593	Synthesis, structure, UV-Vis-IR spectra, magnetism and theoretical studies on $\text{Cu}[\text{I}][\text{I}](2\text{-aminomethylpyridine})(\text{thiocyanate})_2$ and comparisons with an analogous $\text{Cu}[\text{I}][\text{I}]$ complex. <i>Polyhedron</i> , 2011 , 30, 754-763	2.7	32
592	catena-Poly[[[2,2'-bipyridine- μ , μ']-cadmium]- μ -4-nitro-phthalato- μ : μ' : μ'' : μ''']]. 2011 , 67, m199-200		1
591	Poly[di- μ -chlorido-tri- μ -terephthalato-tetra-lead(II)]. 2011 , 67, m761		1
590	A New Class of Nanostructured Inorganic-Organic Hybrid Semiconductors Based on II-VI Binary Compounds. 2011 , 445-504		10
589	Three coordination polymers built from planar tetranuclear clusters and 5-sulfoisophthalic acid. 2012 , 65, 2365-2378		5
588	Nanoarchitectonics for Mesoporous Materials. 2012 , 85, 1-32		602
587	Hybrid nanosheets of an inorganic-organic framework material: facile synthesis, structure, and elastic properties. 2012 , 6, 615-21		145
586	Linking $[\text{M}(\text{III})_3]$ triangles with "double-headed" phenolic oximes. <i>Dalton Transactions</i> , 2012 , 41, 8777-854.3		10
585	Metal oxo cluster-based coordination polymers with rigid 1,4-naphthalenedicarboxylate and semirigid 1,3-di(4-pyridyl)propane ligands: syntheses, structural topologies, and luminescent properties. <i>CrystEngComm</i> , 2012 , 14, 7245	3.3	24
584	Synthesis, Structure, and Crystallization Study of a Layered Lithium Thiophene-Dicarboxylate. 2012 , 12, 1531-1537		37
583	Dynamic magnetic materials based on the cationic coordination polymer $[\text{Cu}(\text{btix})_2]_n(2n+)$ [btix = 1,4-bis(triazol-1-ylmethyl)benzene]: tuning the structural and magnetic properties through anion exchange. <i>Inorganic Chemistry</i> , 2012 , 51, 12938-47	5.1	22
582	Structures and magnetic properties of Mn and Co inorganic-organic frameworks with mixed linear dicarboxylate ligands. <i>CrystEngComm</i> , 2012 , 14, 2711	3.3	20
581	Layered inorganic-organic frameworks based on the 2,2-dimethylsuccinate ligand: structural diversity and its effect on nanosheet exfoliation and magnetic properties. <i>Dalton Transactions</i> , 2012 , 41, 8585-93	4.3	46
580	Trypsin-Immobilized Metal-Organic Framework as a Biocatalyst In Proteomics Analysis. 2012 , 77, 982-986		124

579	Synthesis, structure and photocatalytic property of a novel 3D (3,8)-connected metal-organic framework based on a flexible triphosphonate and a pentanuclear Cu(II) unit. 2012 , 25, 1-4		20
578	Supramolecular organotin(IV) framework derived from pyridine-2,6-bis(thiocarboxylate) ligand. 2012 , 24, 144-147		6
577	Synthesis, crystal structures and properties of lanthanide-organic frameworks based benzene carboxylates with two/three-dimensional structure. 2012 , 196, 441-450		22
576	Single crystal to single crystal transition in (10, 3)-d framework with pyrazine-2-carboxylate ligand: Synthesis, structures and magnetism. 2012 , 196, 52-57		5
575	Solid state coordination chemistry of copper with pyridyltetrazoles: Structural consequences of incorporation of coordinating anions. 2012 , 392, 52-60		12
574	Elastic relaxation behavior, magnetoelastic coupling, and order-disorder processes in multiferroic metal-organic frameworks. 2012 , 86,		65
573	Solid state coordination chemistry of cobalt(II) with carboxyphenyltetrazoles. 2012 , 391, 36-43		5
572	Assembly between various molecular-building-blocks for network diversity of zinc(II),3,5-benzenetricarboxylate frameworks. <i>CrystEngComm</i> , 2012 , 14, 8684	3-3	12
571	A series of coordination polymers based on flexible 5-carboxy-1-(4'-carboxybenzyl)-2-oxidopyridinium and structurally related N-donor ligands: syntheses, structures and photoluminescent properties. <i>CrystEngComm</i> , 2012 , 14, 6004	3-3	20
570	0D, 2D and 3D metal phosphonates assembled from a new 2'-carboxybiphenyl-4-ylmethylphosphonic acid: Syntheses, topological structures and photoluminescent properties. <i>CrystEngComm</i> , 2012 , 14, 2268	3-3	36
569	Evidence for magnetic anisotropy of [Nb(IV)(CN) ₈] ⁴⁻ in a pillared-layered Mn ₂ Nb framework showing spin-flop transition. <i>Chemical Communications</i> , 2012 , 48, 8323-5	5-8	30
568	Co ₄ (OH) ₂ (C ₁₀ H ₁₆ O ₄) ₃ metal-organic framework: slow magnetic relaxation in the ordered phase of magnetic chains. <i>Inorganic Chemistry</i> , 2012 , 51, 2885-92	5-1	38
567	A Novel Copper Diphosphonate Complex Cu(aedp) with Two-dimensional Framework Structure. 2012 , 42, 1087-1090		1
566	Bismuth 2,6-pyridinedicarboxylates: assembly of molecular units into coordination polymers, CO ₂ sorption and photoluminescence. <i>Dalton Transactions</i> , 2012 , 41, 4126-34	4-3	54
565	Influence of ligand field stabilization energy on the elastic properties of multiferroic MOFs with the perovskite architecture. <i>Dalton Transactions</i> , 2012 , 41, 3949-52	4-3	69
564	Synthesis, crystal structure and thermal properties of Ca ₆ (C ₁₂ H ₁₄ O ₄) ₄ (CO ₃)(OH) ₂ (H ₂ O) _x -a 3D inorganic hybrid material. <i>Dalton Transactions</i> , 2012 , 41, 12082-9	4-3	2
563	Effects of the alkali-metal cation size on molecular and extended structures: formation of coordination polymers and hybrid materials in the homologous series [(4-Et-C ₆ H ₄ OM)[(diox) _n], M = Li, Na, K, Rb, Cs. <i>Inorganic Chemistry</i> , 2012 , 51, 1020-7	5-1	10
562	Isomer-directed structural diversity and its effect on the nanosheet exfoliation and magnetic properties of 2,3-dimethylsuccinate hybrid frameworks. <i>Inorganic Chemistry</i> , 2012 , 51, 11198-209	5-1	44

561	Guest selectivity of a porous tetrahedral imidazolate framework material during self-assembly. 2012 , 22, 19732		16
560	Diverse Topologies in Chiral Divalent Metal Camphorate Coordination Polymers Containing 4,4'-Dipyridylamine. 2012 , 12, 5125-5137		24
559	Conductive metal-organic frameworks and networks: fact or fantasy?. 2012 , 14, 13120-32		222
558	Structural study of hydrated/dehydrated manganese thiophene-2,5-diphosphonate metal organic frameworks, $Mn_2(O_3P-C_4H_2S-PO_3)_2 \cdot 2H_2O$. <i>Inorganic Chemistry</i> , 2012 , 51, 10251-61	5.1	31
557	A lithium-organic framework with coordinatively unsaturated metal sites that reversibly binds water. <i>Chemical Communications</i> , 2012 , 48, 10639-41	5.8	24
556	Five new Zn(II) and Cd(II) coordination polymers constructed by 3,5-bis-oxyacetate-benzoic acid: Syntheses, crystal structures, network topologies and luminescent properties. 2012 , 191, 181-190		11
555	Solvothermal synthesis, crystal structure, and second-order nonlinear optical properties of a new noncentrosymmetric gallium-organic framework material, $[N(C_3H_7)_4]_3Ga_3[C_6H_3(CO_2)_3]_4$. 2012 , 194, 369-374		6
554	The impact of ligands upon topology and functionality of octacyanidometallate-based assemblies. <i>Coordination Chemistry Reviews</i> , 2012 , 256, 1946-1971	23.2	148
553	Barium Carboxylate Metal-Organic Framework Synthesis, X-ray Crystal Structure, Photoluminescence and Catalytic Study. 2012 , 2012, 4914-4920		37
552	Antenna- and Metal-Triggered Luminescence in Dense 1,3-Benzodinitrile Metal-Organic Frameworks $B[LnCl_3(1,3-Ph(CN)_2)]$, Ln = Eu, Tb. 2012 , 2012, 5479-5484		33
551	Sorption of small molecule vapours by single crystals of $[Pt\{4'-(Ph)trpy\}(NCS)]SbF_6$ where trpy = 2,2':6',2''-terpyridine: a porous material with a structure stabilised by extended π -interactions. <i>Dalton Transactions</i> , 2012 , 41, 5486-96	4.3	16
550	Homochiral porous metal-organic frameworks containing only achiral building blocks for enantioselective separation. 2012 , 22, 16288		48
549	Sulfonic-perfluoroalkylated poly(styrene-maleic anhydride)/silica hybridized nanocomposite as a new kind of solid acid catalyst. 2012 , 365, 73-79		5
548	Influence of π -Stacking Interactions on the Assembly of Layered Copper Phosphonate Coordination Polymers: Combined Powder Diffraction and Electron Paramagnetic Resonance Study. 2012 , 12, 2327-2335		23
547	Temperature, Cooling Rate, and Additive-Controlled Supramolecular Isomerism in Four Pb(II) Coordination Polymers with an in Situ Ligand Transformation Reaction. 2012 , 12, 5338-5348		62
546	Bis-(thiosemicarbazonato) Zn(II) complexes as building blocks for construction of supramolecular catalysts. <i>Dalton Transactions</i> , 2012 , 41, 3740-50	4.3	13
545	Lanthanide-ion-tuned magnetic properties in a series of three-dimensional cyano-bridged Ln(III)W(V) assemblies. <i>Dalton Transactions</i> , 2012 , 41, 10690-7	4.3	13
544	Syntheses, structures, and fluorescent properties of two uranium coordination polymers with carboxylic acids. 2012 , 65, 3546-3555		15

543	A multifunctional organic-inorganic hybrid structure based on Mn(III)-porphyrin and polyoxometalate as a highly effective dye scavenger and heterogenous catalyst. <i>Journal of the American Chemical Society</i> , 2012 , 134, 87-90	16.4	368
542	Effect of Ligand Structural Isomerism in Formation of Calcium Coordination Networks. 2012 , 12, 2460-2467		54
541	Inorganic-organic hybrid compounds based on octamolybdates and multidentate N-donor ligand: syntheses, structures, photoluminescence and photocatalysis. <i>Dalton Transactions</i> , 2012 , 41, 11062-73	4.3	41
540	Coordination Polymers with Bulky Bis(imidazole) and Aromatic Carboxylate Ligands: Diversity in Metal-Containing Nodes and Three-Dimensional Net Topologies. 2012 , 12, 3758-3765		38
539	Combination of magnetic susceptibility and electron paramagnetic resonance to monitor the 1D to 2D solid state transformation in flexible metal-organic frameworks of Co(II) and Zn(II) with 1,4-bis(triazol-1-ylmethyl)benzene. <i>Inorganic Chemistry</i> , 2012 , 51, 4403-10	5.1	34
538	Porous magnesium carboxylate framework: synthesis, X-ray crystal structure, gas adsorption property and heterogeneous catalytic aldol condensation reaction. <i>Dalton Transactions</i> , 2012 , 41, 7399-403	4.3	54
537	Negative linear compressibility of a metal-organic framework. <i>Journal of the American Chemical Society</i> , 2012 , 134, 11940-3	16.4	216
536	New Heterometallic Hybrid Polymers Constructed with Aromatic Sulfonate-Carboxylate Ligands: Synthesis, Layered Structures, and Properties. 2012 , 12, 2613-2624		38
535	Luminescence tuning of MOFs via ligand to metal and metal to metal energy transfer by co-doping of 2[Gd ₂ Cl ₆ (bipy) ₃][Zbipy with europium and terbium. 2012 , 22, 10179		101
534	Thermal post-synthetic modification of Al-MIL-53(OH): systematic investigation of the decarboxylation and condensation reaction. <i>CrystEngComm</i> , 2012 , 14, 4119	3.3	68
533	Nickel coordination polymers with {48.62} and bnn topologies constructed from common square-pyramidal 5-connected nodes. <i>CrystEngComm</i> , 2012 , 14, 4157	3.3	17
532	Self-assembly and liquid-crystalline supramolecular organizations of semifluorinated block co-dendritic supermolecules. <i>New Journal of Chemistry</i> , 2012 , 36, 452-468	3.6	27
531	Synthesis, Characterization, and Studies of Coordination-Polymeres With Isomeric Pyridylcyanoximes: Route to Metal Ribbons With Very Short T ₁ ρ ₁ Separations. 2012 , 12, 2877-2889		22
530	An Alkaline Earth I3O0 Porous Coordination Polymer: [Ba ₂ TMA(NO ₃)(DMF)]. 2012 , 124, 6211-6215		7
529	An Ionothermal Synthetic Approach to Porous Polyoxometalate-Based Metal-Organic Frameworks. 2012 , 124, 8109-8113		31
528	An alkaline earth I3O0 porous coordination polymer: [Ba ₂ TMA(NO ₃)(DMF)]. 2012 , 51, 6107-11		83
527	An ionothermal synthetic approach to porous polyoxometalate-based metal-organic frameworks. 2012 , 51, 7985-9		155
526	Charge matching on designing neutral cadmium-lanthanide-organic open frameworks for luminescence sensing. 2012 , 7, 1069-73		89

525	Controlled construction of metal-organic frameworks: hydrothermal synthesis, X-ray structure, and heterogeneous catalytic study. 2012 , 18, 5979-86		76
524	Synthesis, structure and magnetic properties of two organically-templated coordination polymers, $\{[EDA\text{H}2][\text{M}1\text{M}2\text{F}2(\text{SO}4)2(\text{H}2\text{O})2]\}_n$ (M1=M2=NiII and M1=CoII, M2=NiII). 2012 , 389, 85-89		3
523	Hydroprocessing on chromium-containing metal sulfide catalysts. 2012 , 421-422, 38-47		4
522	A 2D silver-iodide-organic framework with both fluorescent and phosphorescent emissions. 2012 , 15, 208-211		19
521	Unusual heterometallic ZnMg(COO) ₃ building blocks for the construction of a homochiral srs-type metal-organic framework. 2012 , 16, 86-88		15
520	Two coordination polymers of manganese(II) isophthalate and their preparation, structures, and magnetic properties. 2012 , 185, 37-41		7
519	Tapes of water hexamer clusters in the interlayer space of a 2D MOF: Structural, spectroscopic and computational insight of the confined water. <i>Polyhedron</i> , 2012 , 31, 729-737	2.7	7
518	Synthesis, characterization, and luminescence properties of magnesium coordination networks synthesized using an isophthalate linker. <i>Polyhedron</i> , 2012 , 37, 42-47	2.7	6
517	Effect of ligand substituents on supramolecular self-assembly and electrochemical properties of copper(II) complexes with benzoylhydrazones: X-ray crystal structures and cyclic voltammetry. <i>Polyhedron</i> , 2012 , 36, 120-126	2.7	14
516	Mixed metalIII-metalIV hybrid fluorides. 2012 , 134, 29-34		9
515	Two novel Zn-MOFs: structures and characterization. 2012 , 68, 158-63		6
514	Synthesis, crystal structure, and fluorescence properties of a novel coordination polymer $[\text{Zn}(\text{L})(4,4\text{-bipyridine})(\text{H}2\text{O})]_n \cdot n(\text{H}2\text{O})_4$. 2012 , 38, 386-391		2
513	Di-, Tetra-, Penta- and Polynuclear Zinc Complexes Supported by a Flexible Tetradentate Schiff Base Ligand. 2012 , 2012, 1130-1138		14
512	Hydrothermal synthesis, crystal structure, and photoluminescence of novel lanthanide metal organic frameworks constructed from 1,4-benzene-dicarboxylic acid and 1,2,4,5-benzenetetracarboxylic acid as ligands. 2012 , 23, 275-285		15
511	Synthesis, Characterization and Photoluminescent Property of a Trinucleated Cadmium (II) Coordination Polymer Involving In Situ Ligand Reaction. <i>Journal of Chemical Crystallography</i> , 2013 , 43, 82-90	0.5	5
510	Photoluminescence Properties of a New Homochiral srs-Type Coordination Polymer Employing Dinuclear $[\text{Zn}_2(\text{COO})_3]$ Units as Building Blocks. 2013 , 23, 996-1000		6
509	Degradation of sarin, DECLP and DECNP over Cu-BTC metal organic framework. 2013 , 20, 1103-1109		17
508	Hierarchical bicontinuous porosity in metalorganic frameworks templated from functional block co-oligomer micelles. 2013 , 4, 3573		113

507	Chromonic-Like Physical Luminescent Gels Formed by Ionic Octahedral Iridium(III) Complexes in Diluted Water Solutions. 2013 , 1, 844-854		23
506	Chiral, Racemic, and Meso-Lithium Tartrate Framework Polymorphs: A Detailed Structural Analysis. 2013 , 13, 3705-3715		23
505	Porous and Nanorod-Like Coordination Polymers Assembled from a New V-Shaped Bis(1,2,4-triazolyl)tripyridine Ligand. 2013 , 13, 4305-4314		19
504	Coordination polymers of alkali metal trithiocyanurates: structure determinations and ionic conductivity measurements using single crystals. <i>CrystEngComm</i> , 2013 , 15, 9400	3-3	23
503	Nanostructured Inorganic/Organic Hybrid Semiconductor Materials. 2013 , 375-415		2
502	Ordered Mesoporous and Microporous Materials with Heteroatoms. 2013 , 231-245		5
501	Modulated formation of metal-organic frameworks by oriented growth over mesoporous silica. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3047	13	40
500	The first lanthanide organophosphonate nanosheet by exfoliation of layered compounds. <i>Chemical Communications</i> , 2013 , 49, 552-4	5-8	60
499	Synthesis and crystal structures of complexes based on the ligand meso-1,4-phenylenebis(hydroxyacetic acid). 2013 , 401, 24-29		2
498	A microporous nickel/organic framework with an unusual 10-connected bct net and high capacity for CO ₂ , H ₂ and hydrocarbons. <i>CrystEngComm</i> , 2013 , 15, 9499	3-3	12
497	Solvent-directed synthesis of chiral and non-centrosymmetric metal/organic frameworks based on pyridine-3,5-dicarboxylate. 2013 , 38, 115-118		17
496	Two Sets of Metal Organic Frameworks along the Lanthanide Series Constructed by 2,3-Dimethylsuccinate: Structures, Topologies, and Strong Emission without Ligand Sensitization. 2013 , 13, 5249-5260		23
495	Zinc carboxylates containing diimine: Synthesis, characterization, crystal structure, and luminescence. <i>Journal of Molecular Structure</i> , 2013 , 1053, 127-133	3-4	21
494	Positional isomeric effect on structural diversity of Zn(II) coordination polymers based on positional isomers and tetrahedral linker and pyridine-2,6-dicarboxylic acid. <i>Journal of Molecular Structure</i> , 2013 , 1034, 193-197	3-4	5
493	Dimethylammonium copper formate [(CH ₃) ₂ NH ₂]Cu(HCOO) ₃ : A metal-organic framework with quasi-one-dimensional antiferromagnetism and magnetostriction. 2013 , 87,		54
492	Formation of zeolite-like zinc 1,3,5-benzenetriphosphonate open-frameworks by topotactic pillaring of anionic layers. <i>Dalton Transactions</i> , 2013 , 42, 10424-32	4-3	9
491	A Research on Synthesis of Microorganism Template Nano-Selenium Material. 2013 , 443, 639-642		
490	In situ growth of luminescent MOF thin films of Sr/Eu(II)-imidazolate on functionalized nanostructured alumina. <i>CrystEngComm</i> , 2013 , 15, 9382	3-3	14

489	A distorted honeycomb motif in divalent transition metal compounds based on 4-phosphonobenzoic acid and exchange coupled Co(II) and Cu(II): synthesis, structural description and magnetic properties. <i>Dalton Transactions</i> , 2013 , 42, 16194-9	4-3	6
488	A water soluble Mn(II) polymer with aqua metal bridges. <i>Dalton Transactions</i> , 2013 , 42, 7838-41	4-3	12
487	Two cadmium(II) coordination polymers constructed by carboxylate and pyridine mixed ligands: synthesis, structure and luminescent properties. <i>CrystEngComm</i> , 2013 , 15, 9738	3-3	38
486	Framework isomers controlled by the speed of crystallization: different aggregation fashions of Zn(II) and 1,2,4-triazol-3-amine, distinct (3,4)-connected self-penetrating nets, and various pore shapes. <i>Dalton Transactions</i> , 2013 , 42, 13802-5	4-3	13
485	Synthesis and magnetic properties of a 3-D nickel hydroxide capped by succinate. 2013 , 1, 1099-1104		2
484	Design and construction of coordination polymers with mixed-ligand synthetic strategy. <i>Coordination Chemistry Reviews</i> , 2013 , 257, 1282-1305	23-2	648
483	A rhombus channel metal-organic framework comprised of Sr ²⁺ and thiophene-2, 5-dicarboxylic acid exhibiting novel dielectric bistability. <i>CrystEngComm</i> , 2013 , 15, 1264	3-3	41
482	Design and preparation of materials for advanced electrochemical storage. 2013 , 46, 1226-38		320
481	Naphthalene-based linkers for metal phosphonates: synthesis, structure, and interesting conformational flexibility influence on final lanthanum hybrids. <i>CrystEngComm</i> , 2013 , 15, 390-399	3-3	24
480	Structural diversity and luminescent properties of lanthanide 2,2- and 2,3-dimethylsuccinate frameworks. <i>CrystEngComm</i> , 2013 , 15, 100-110	3-3	23
479	Urothermal synthesis of photoluminescent lanthanide-organic frameworks with unusual topologies. <i>CrystEngComm</i> , 2013 , 15, 315-323	3-3	38
478	New family of lanthanide-based inorganic-organic hybrid frameworks: Ln ₂ (OH) ₄ [O ₃ S(CH ₂) _n SO ₃] ₂ ·xH ₂ O (Ln = La, Ce, Pr, Nd, Sm; n = 3, 4) and their derivatives. <i>Inorganic Chemistry</i> , 2013 , 52, 1755-61	5-1	11
477	Dynamic magnetic MOFs. 2013 , 42, 1525-39		515
476	Three-Dimensional Visualization of Defects Formed during the Synthesis of Metal-Organic Frameworks: A Fluorescence Microscopy Study. 2013 , 125, 419-423		29
475	Three-dimensional visualization of defects formed during the synthesis of metal-organic frameworks: a fluorescence microscopy study. 2013 , 52, 401-5		109
474	Hydrothermal syntheses and characterization of a series of lead(II) inorganic-organic hybrid frameworks tuned by reaction temperature and inclusion of halide anions. 2013 , 33, 170-174		12
473	Syntheses, structure, and properties of a series of three-dimensional lanthanide-based hybrid frameworks. 2013 , 400, 67-73		13
472	A new zinc-1,3,5-benzenetricarboxylate framework integrated three distinct subunits (SBUs). 2013 , 202, 116-120		8

471	Temperature dependent structure formation and photoluminescence studies of a series of magnesium-based coordination networks. 2013 , 394, 452-458		20
470	Series of 2D heterometallic coordination polymers based on ruthenium(III) oxalate building units: synthesis, structure, and catalytic and magnetic properties. <i>Inorganic Chemistry</i> , 2013 , 52, 3933-41	5.1	21
469	An efficient strategy to achieve hydrophilic polymeric silver(I) materials with exceptional antibacterial activity. <i>Chemical Communications</i> , 2013 , 49, 1270-2	5.8	41
468	Synthesis and Structure of Two Acentric Heterometallic Inorganic/Organic Hybrid Frameworks with Both Nonlinear Optical and Ferroelectric Properties. 2013 , 13, 1736-1742		38
467	Mononuclear and binuclear copper(II) complexes with bis(2-imidazolyl)(bis(methoxycarbonyl)methylmethane) (BIBM), a tripodal bis(imidazole) based ligand. Synthesis, crystal structure and magnetic Characterization of [Cu(BIBM) ₂](ClO ₄) ₂ and [[Cu(BIBM)(H ₂ O)] ₂ (μ,2,3,4-C ₂ O ₄)](C ₄ O ₄) ₂ ·5H ₂ O. <i>Polyhedron</i> , 2013 , 50, 383-389	2.7	5
466	Solvent-free allylic oxidation of alkenes with O ₂ mediated by Fe- and Cr-MIL-101. 2013 , 298, 61-69		168
465	Ionic conductivity in the metal-organic framework UiO-66 by dehydration and insertion of lithium tert-butoxide. 2013 , 19, 5533-6		149
464	Synthesis, ab initio X-ray powder diffraction crystal structure, and magnetic properties of Mn ₃ (OH) ₂ (C ₆ H ₂ O ₄ S) ₂ metal-organic framework. <i>Inorganic Chemistry</i> , 2013 , 52, 608-16	5.1	12
463	Tuning the Dimensionality of Inorganic Connectivity in Barium Coordination Polymers via Biphenyl Carboxylic Acid Ligands. 2013 , 13, 2965-2972		43
462	Mechanical properties of a metal-organic framework containing hydrogen-bonded bifluoride linkers. <i>Chemical Communications</i> , 2013 , 49, 4471-3	5.8	34
461	A novel coordination polymer with an unusual [30] oblique copper(II) grid: [Cu ₂ (HBIMAM) ₂ (C ₄ O ₄) ₃ (H ₂ O) ₂] _n ·nH ₂ O [BIMAM=bis(imidazol-2-yl)methylaminomethane]. X-ray structure and magnetic characterization. <i>Polyhedron</i> , 2013 , 56, 90-95	2.7	5
460	Syntheses, structures, photoluminescence of four dicarboxylate-controlled Zn(II) coordination complexes incorporating flexible 1-(4-pyridylmethyl)-benzimidazole ligand. <i>Journal of Molecular Structure</i> , 2013 , 1048, 124-129	3.4	6
459	A Continuous EStacked Starfish Array of Two-Dimensional Luminescent MOF for Detection of Nitro Explosives. 2013 , 13, 3716-3721		148
458	Syntheses, structures, and magnetic properties of terephthalato bridged dinuclear copper(II) and manganese(II) complexes with a tetradentate N-donor Schiff base. <i>Polyhedron</i> , 2013 , 55, 1-9	2.7	25
457	Lanthanide metal-organic frameworks based on a thiophenedicarboxylate linker: Characterization and luminescence. 2013 , 15, 36-41		16
456	Integration of intrinsic proton conduction and guest-accessible nanospace into a coordination polymer. <i>Journal of the American Chemical Society</i> , 2013 , 135, 11345-50	16.4	99
455	Mellitate-based coordination polymers with a recurring motif: controlling dimensionality with secondary ligands. <i>CrystEngComm</i> , 2013 , 15, 5107	3.3	8
454	Supramolecular Chains and Coordination Nanowires Constructed of High-Spin CoII9WV6 Clusters and 4,4'-bpdo Linkers. 2013 , 13, 3036-3045		29

453	M(II) (M = Mn, Co, Ni) variants of the MIL-53-type structure with pyridine-N-oxide as a co-ligand. <i>CrystEngComm</i> , 2013 , 15, 9679	3-3	22
452	Chemistry. Tuning molecular solids. 2013 , 341, 135-6		5
451	Theoretical exploration to second-order nonlinear optical properties of new hybrid complexes via coordination interaction between (metallo)porphyrin and [MSiW ₁₁ O ₃₉](3-) (M=Nb(V) or V(V)) polyoxometalates. 2013 , 46, 59-64		24
450	Concomitant Metal Organic Frameworks of Cobalt(II) and 3-(4-Pyridyl)benzoate: Optimized Synthetic Conditions of Solvatochromic and Thermochromic Systems. 2013 , 13, 633-644		39
449	Bismuth tri- and tetraarylcarboxylates: crystal structures, in situ X-ray diffraction, intermediates and luminescence. 2013 , 19, 12537-46		58
448	Three New Metal-Organic Polymers Based on Flexible 3-(4-(Carboxymethoxy) Phenyl) Propanoic Acid: Crystal Structures, Luminescent and Magnetic Properties. 2013 , 23, 1347-1353		2
447	Switchable magnetism: neutron diffraction studies of the desolvated coordination polymer Co ₃ (OH) ₂ (C ₄ O ₄) ₂ . <i>Inorganic Chemistry</i> , 2013 , 52, 13462-8	5.1	18
446	The Synthesis of the Amphiphilic Triblock Cationic Copolymer mPEG-PCL-PDMAEMA the Synthesis and its Impact Study on the Load and Transfected of siRNA. 2013 , 443, 605-608		
445	A Study on Vascular Endothelial Growth Factor Gene-Modified Dermal Substitute Materials. 2013 , 443, 643-646		
444	Studies on One-Step Preparation of Multi-Color Fluorescent Carbon-Doped Silica Biological Nanomaterials. 2013 , 340, 362-365		
443	A one-dimensional coordination polymer created via in situ ligand synthesis involving C-N bond formation. 2013 , 69, 1307-10		1
442	A Distorted pcu Topological Heterometallic Metal-Organic Framework with Right- and Left Chiral Covalent Layers. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013 , 639, 2307-2311	1-3	5
441	A palladium-nanoparticle and silicon-nanowire-array hybrid: a platform for catalytic heterogeneous reactions. 2014 , 53, 127-31		99
440	Hydrothermal Synthesis and Characterization of a Novel Lead(II) Inorganic-Organic Hybrid Framework Based on a Highly Flexible 2,2'-Thiodiacetic Acid Ligand. 2014 , 44, 486-491		3
439	A 3D aluminoborate open framework interpenetrated by 2D zinc-amine coordination-polymer networks in its 11-ring channels. 2014 , 53, 7188-91		96
438	Alkaline earth metal (Mg, Sr, Ba)-organic frameworks based on 2,2',6,6'-tetracarboxybiphenyl for proton conduction. <i>Inorganic Chemistry</i> , 2014 , 53, 12050-7	5.1	78
437	A 3D Aluminoborate Open Framework Interpenetrated by 2D Zinc-Amine Coordination-Polymer Networks in Its 11-Ring Channels. 2014 , 126, 7316-7319		17
436	Membranes. Metal-organic framework nanosheets as building blocks for molecular sieving membranes. 2014 , 346, 1356-9		1129

435	Single-crystalline organic-inorganic layered cobalt hydroxide nanofibers: facile synthesis, characterization, and reversible water-induced structural conversion. <i>Inorganic Chemistry</i> , 2014 , 53, 12841-7	5.1	28
434	Modulating the MII/Pyrimidine-4,6-dicarboxylate System by Metal, Solvent and Temperature Variation. 2014 , 2014, 3221-3234		9
433	Water-soluble manganese inorganic polymers: the role of carborane clusters and producing large structural adjustments from minor molecular changes. 2014 , 20, 13993-4003		17
432	A symbol approach for classification of molecule-based magnetic materials exemplified by coordination polymers of metal carboxylates. <i>Coordination Chemistry Reviews</i> , 2014 , 258-259, 1-15	23.2	175
431	Mimicking mineral neogenesis for the clean synthesis of metal-organic materials from mineral feedstocks: coordination polymers, MOFs and metal oxide separation. 2014 , 16, 121-132		39
430	Phase selection during the crystallization of metal-organic frameworks; thermodynamic and kinetic factors in the lithium tartrate system. <i>Dalton Transactions</i> , 2014 , 43, 95-102	4.3	19
429	Helical [Pb2O] Chains in Polymorphs of Pb2O(C6H5COO)2. 2014 , 14, 2048-2055		7
428	Metal-organic frameworks built from alkali metal ions (Li ⁺ and Cs ⁺) and 1,2,3,4-cyclobutanetetracarboxylic acid. <i>CrystEngComm</i> , 2014 , 16, 1724	3.3	11
427	Flexible dicarboxylate based pillar-layer metal organic frameworks: differences in structure and porosity by tuning the pyridyl based N,N' linkers. <i>CrystEngComm</i> , 2014 , 16, 2305	3.3	29
426	Cu(II) oxalate coordination polymer based on 3-pyridinepropanol bridging ligand: Synthesis, characterization and magnetic properties. 2014 , 41, 62-64		2
425	Entangled structures in polyoxometalate-based coordination polymers. <i>Coordination Chemistry Reviews</i> , 2014 , 279, 141-160	23.2	86
424	Chiral and achiral imidazole-linked tetrahedral zinc phosphonate frameworks with photoluminescent properties. <i>Dalton Transactions</i> , 2014 , 43, 285-9	4.3	25
423	Organic thermoelectric materials: emerging green energy materials converting heat to electricity directly and efficiently. 2014 , 26, 6829-51		636
422	Crystalline metal-organic frameworks (MOFs): synthesis, structure and function. 2014 , 70, 3-10		171
421	Solid state coordination chemistry of oxomolybdenum-organodiphosphonate materials: consequences of introducing xylyldiphosphonate components. <i>CrystEngComm</i> , 2014 , 16, 191-213	3.3	25
420	Light-induced changes in magnetism in a coordination polymer heterostructure, Rb _{0.24} Co[Fe(CN) ₆] _{0.74} @K _{0.10} Co[Cr(CN) ₆] _{0.70} ·H ₂ O and the role of the shell thickness on the properties of both core and shell. <i>Journal of the American Chemical Society</i> , 2014 , 136, 15660-9	16.4	75
419	Hybrid vanadates constructed from extended metal-organic arrays: crystal architectures and properties. <i>CrystEngComm</i> , 2014 , 16, 10332-10366	3.3	12
418	Pressure-induced amorphization of a dense coordination polymer and its impact on proton conductivity. 2014 , 2, 124401		16

417	1,2,4,5-Benzenetetrasulfonic acid and 1,4-benzenedisulfonic acid as sulfo analogues of pyromellitic and terephthalic acids for building coordination polymers of manganese. <i>CrystEngComm</i> , 2014 , 16, 11064-11077	3-3	6
416	The various architectures and properties of a series of coordination polymers tuned by the central metals and auxiliary N-donor ligands. <i>CrystEngComm</i> , 2014 , 16, 11088-11095	3-3	16
415	Intrinsic and extrinsic proton conductivity in metal-organic frameworks. 2014 , 4, 54382-54387		67
414	Structures and electronic properties of metal organic frameworks: DFT and ab initio FMO calculations for model systems. 2014 , 612, 295-301		4
413	Novel Rhodium and Iridium Complexes Coordinated to C3-Symmetric Tris-NHC Ligands Based on a 1,3,5-Triphenylbenzene Core. Electronic and Catalytic Properties. 2014 , 33, 3205-3211		20
412	A series of lanthanide-organic frameworks possessing arrays of 2D intersecting channels within a 3D pillar-supported packed double-decker network and Co ²⁺ -induced luminescence modulation. <i>CrystEngComm</i> , 2014 , 16, 8852-8862	3-3	10
411	A barium based coordination polymer for the activity assay of deoxyribonuclease I. <i>Chemical Communications</i> , 2014 , 50, 11177-80	5.8	21
410	Synthesis, characterization and selective hysteretic sorption property of metal-organic frameworks with 3,5-di(pyridine-4-yl)benzoate. <i>CrystEngComm</i> , 2014 , 16, 6300	3-3	22
409	Synthesis, characterization, and luminescence modulation of a rare barium-tetracarboxylate framework with 12O1 connectivity. <i>CrystEngComm</i> , 2014 , 16, 8706-8709	3-3	14
408	Single-crystal growth of coordination networks via the gas phase and dependence of iodine encapsulation on the crystal size. <i>Chemical Communications</i> , 2014 , 50, 13793-6	5.8	10
407	Functionality preservation with enhanced mechanical integrity in the nanocomposites of the metal-organic framework, ZIF-8, with BN nanosheets. 2014 , 1, 513-517		27
406	Acentric and chiral heterometallic inorganic-organic hybrid frameworks mediated by alkali or alkaline earth ions: synthesis and NLO properties. <i>CrystEngComm</i> , 2014 , 16, 4059	3-3	24
405	Suprachannels via a Molecular Array of 2D Networks: Solvent Effects, Anion Exchange, and Physicochemical Properties of Silver(I) Complexes Bearing N,N',N''-Tris(2-pyridinylethyl)-1,3,5-benzenetricarboxamide. 2014 , 14, 1888-1894		19
404	Hydrothermal Synthesis and Characterization of Two Novel Lead(II) Frameworks: From 1D Infinite Helical Pb(O)Pb Linkage to 3D Infinite Pb ₂ Pb Network (X = O and Br). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014 , 640, 1711-1716	1.3	2
403	Reversible Dehydration Behavior Reveals Coordinatively Unsaturated Metal Sites in Microporous Aluminum Phosphonates. 2014 , 14, 4976-4984		5
402	Alkali metal ion templated transition metal formate framework materials: synthesis, crystal structures, ion migration, and magnetism. <i>Inorganic Chemistry</i> , 2014 , 53, 10178-88	5.1	25
401	The Pentynoate Ligand as a Building Block for Multimetallic Systems. 2014 , 2014, 2065-2072		12
400	Cascade reactions catalyzed by metal organic frameworks. 2014 , 7, 2392-410		137

- 399 Synthesis, crystal structures, magnetic, and thermal properties of divalent metal formate-formamide layered compounds. *Inorganic Chemistry*, **2014**, 53, 244-56 5.1 13
- 398 Base catalytic activity of alkaline earth MOFs: a (micro)spectroscopic study of active site formation by the controlled transformation of structural anions. **2014**, 5, 4517-4524 53
- 397 Molecular interactions driving the layer-by-layer assembly of multilayers. **2014**, 114, 8883-942 585
- 396 Synthesis and Characterization of a Novel Luminescent Silver(I)-Chromium(III) Heterometallic Hybrid Material With a Tripodal Ligand N-(Carbamoylmethyl) Iminodiacetate Acid (H2ADA). **2014**, 44, 22-26 1
- 395 Growth of 2D sheets of a MOF on graphene surfaces to yield composites with novel gas adsorption characteristics. *Dalton Transactions*, **2014**, 43, 7383-6 4.3 59
- 394 Zeolitic imidazolate framework materials: recent progress in synthesis and applications. *Journal of Materials Chemistry A*, **2014**, 2, 16811-16831 13 537
- 393 Topotactic elimination of water across a C-C ligand bond in a dense 3-D metal-organic framework. *Chemical Communications*, **2014**, 50, 13292-5 5.8 6
- 392 Syntheses, X-ray structures, catalytic activity and magnetic properties of two new coordination polymers of Co(II) and Ni(II) based on benzenedicarboxylate and linear N,N'-donor Schiff base linkers. **2014**, 1, 414-425 34
- 391 Hydrothermal syntheses of a series of cluster-based micro-porous luminescent cadmium(II) metal-organic frameworks with 4-amino-benzene-1,2,4-triazole: topological diversity, gas absorption and photo-luminescent characterization. **2014**, 4, 25172 23
- 390 Varied dicarboxylate bridges in dinuclear trigonal prismatic manganese(II) and octahedral nickel(II) compounds containing tetradentate N-donor Schiff bases: Syntheses, structures and magnetic behaviors. *Polyhedron*, **2014**, 74, 134-143 2.7 11
- 389 Magnetic structure and dynamics of a strongly one-dimensional cobalt(II) metal-organic framework. **2014**, 89, 9
- 388 Nanoporous metal organic framework materials for smart applications. **2014**, 30, 1598-1612 81
- 387 Solid-state principles applied to organic-inorganic perovskites: new tricks for an old dog. **2014**, 5, 4712-4715 610
- 386 Four polyoxometalate-based semiconductive coordination polymers: Syntheses, structures, photoluminescent and photocatalytic properties. **2014**, 198, 51-58 16
- 385 Crystal structure and dielectric property of the first bromide/iodide heteroleptic haloplumbate-based lamellate inorganic-organic hybrid compound. **2014**, 44, 96-100 3
- 384 Synthesis, spectral, X-ray diffraction and thermal studies of new Zn(II)pyrazine coordination polymers. *Journal of Molecular Structure*, **2014**, 1059, 75-80 3.4 6
- 383 Synthesis, crystal structure, photoluminescence property and photoelectronic behavior of two uranyl-organic frameworks constructed from 1, 2, 4, 5-benzenetetracarboxylic acid as ligand. **2014**, 123, 267-72 30
- 382 Hydrocarbon oxidation over Fe- and Cr-containing metal-organic frameworks MIL-100 and MIL-101B comparative study. **2014**, 238, 54-61 85

381	Syntheses, structures, thermal stabilities and gas sorption properties of two rod-based microporous lead(II) polycarboxylate coordination frameworks. 2014 , 184, 15-20		13
380	Rare-earth carboxylates, $[Ln_2(III)(B-OH)(C_4H_4O_5)_2(C_4H_2O_4)] \cdot 2H_2O$ [Ln = Ce, Pr and Nd]: synthesis, structure and properties. <i>CrystEngComm</i> , 2014 , 16, 4774-4782	3-3	5
379	Water adsorption in MOFs: fundamentals and applications. 2014 , 43, 5594-617		837
378	Ionic Imprinted Silica-Supported Hybrid Sorbent with an Anchored Chelating Schiff Base for Selective Removal of Cadmium(II) Ions from Aqueous Media. 2014 , 53, 369-378		54
377	A Palladium-Nanoparticle and Silicon-Nanowire-Array Hybrid: A Platform for Catalytic Heterogeneous Reactions. 2014 , 126, 131-135		30
376	Structural diversity and luminescent properties of cyanoacetato zinc/cadmium coordination polymers with N,N'-ditopic auxiliary ligands. <i>Polyhedron</i> , 2015 , 102, 693-698	2-7	4
375	Controlling the Growth. 2015 , 351-373		
374	Crystal Engineering with the New Linker Tolanedisulfonic Acid (H ₂ TDS): Helical Chains in Zn(TDS)(DMA) ₃ , Linear Chains in Zn(TDS)(NMP) ₃ , and Complex Anions in [HDMA] ₂ [Zn(TDS) ₂ (DMA) ₃](DMA) ₂ . 2015 , 10, 1354-62		5
373	Silver(I) 2,2'-(1,2-Phenylenedisulfaneydiyl)diacetic Acid as a Molecular Building Block for a Silver(I)-Cadmium(II) Coordination Polymer. 2015 , 20, 8020-32		1
372	Synthesis, structure, and characterizations of a new antiferromagnetic manganese(II) dichloro-bridged 1-D polymer decorated by 5-amino-1-H-tetrazole. 2015 , 68, 1261-1272		3
371	Novel Sorbent Materials for Carbon Capture. 2015 , 207-229		2
370	Synthesis, Crystal Structure, Fluorescence and Photocatalytic Properties of a Copper Compound with 2-Phenyl-1H-1,3,7,8-tetraazacyclopenta[1]phenanthrene and Silicotungstic Acid. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2015 , 641, 826-830	1-3	2
369	Turn-on luminescence based discrimination of protic acids using a flexible layered metal-organic coordination polymer. 2015 , 5, 48169-48175		7
368	Linking magnetic $MII[MV(CN)_8]$ chains into 2D inorganic-organic hybrid materials. <i>CrystEngComm</i> , 2015 , 17, 4533-4539	3-3	0
367	Probing the structure of framework materials by high pressure and the example of a magnetic, non-porous coordination polymer. 2015 , 71, 247-9		3
366	Crystal Engineering of Coordination Networks Using Multi-interactive Ligands. 2015 , 223-240		1
365	Structural studies of metal-organic frameworks under high pressure. 2015 , 71, 587-607		68
364	Crystal growth, characterization and dielectric studies of silica gel-grown polydistrontiumdimalate pentahydrate: a 2D porous metal-organic framework. 2015 , 38,		

363	Carbon Dioxide Capture Agents and Processes. 2015 , 19-32		4
362	Hydrothermal syntheses and characterization of two novel luminescent Cadmium(II) frameworks: From 1D infinite triple Cd-(trz)-Cd bridges to a rare 1200 network with 2D CdBrCd inorganic connectivity. <i>Journal of Molecular Structure</i> , 2015 , 1087, 97-103	3.4	3
361	Zirconium(IV) and hafnium(IV) coordination polymers with a tetra-acetyl-ethane (Bisacac) ligand: Synthesis, structure elucidation and gas sorption behavior. <i>Polyhedron</i> , 2015 , 89, 297-303	2.7	6
360	Encapsulation of an interpenetrated diamondoid inorganic building block in a metal-organic framework. 2015 , 21, 4931-4		13
359	Perovskite Solar Cells: Beyond Methylammonium Lead Iodide. 2015 , 6, 898-907		234
358	One-dimensional halide-bridged polymers of metal cations with mono-heterocyclic donor ligands or cations: A review correlating chemical composition, connectivity and chain conformation. <i>Coordination Chemistry Reviews</i> , 2015 , 288, 18-49	23.2	37
357	Metal-Organic Frameworks from Divalent Metals and 1,4-Benzenedicarboxylate with Bidentate Pyridine-N-oxide Co-ligands. 2015 , 15, 891-899		17
356	Multiarlypolycarboxylate-mediated hybrid cobalt phosphate frameworks with supramolecular zeolitic topology and unusual 1(2)O(2) connectivity. <i>Inorganic Chemistry</i> , 2015 , 54, 1209-11	5.1	14
355	Reversible solid-to-liquid phase transition of coordination polymer crystals. <i>Journal of the American Chemical Society</i> , 2015 , 137, 864-70	16.4	124
354	Magnetic clusters based on octacyanidometallates. 2015 , 2, 10-27		63
353	Role of noncovalent interactions in vanadium tellurite chain connectivities. <i>Inorganic Chemistry</i> , 2015 , 54, 694-703	5.1	14
352	Design and construction of two rare aqua bridged copper (II) coordination polymers through mixed ligand strategy: Synthesis, characterization and single crystal X-ray structure determination of [Cu(2-iodobenzoate) ₂ (picoline) ₂ (H ₂ O)] _n . <i>Journal of Molecular Structure</i> , 2015 , 1083, 398-404	3.4	21
351	Organic melt, electride, and CVD induced in situ deposition of luminescent lanthanide imidazolate MOFs on nanostructured alumina. 2015 , 2, 237-245		11
350	Photoluminescent One-Dimensional Coordination Polymers from Suitable Pyridine Antenna and LnCl ₃ for Visible and Near-IR Emission. 2015 , 2015, 826-836		17
349	Four new Mn(II) inorganic-organic hybrid frameworks with diverse inorganic magnetic chain's sequences: syntheses, structures, magnetic, NLO, and dielectric properties. <i>Inorganic Chemistry</i> , 2015 , 54, 2560-71	5.1	48
348	Tandem MOF-Based Photonic Crystals for Enhanced Analyte-Specific Optical Detection. <i>Chemistry of Materials</i> , 2015 , 27, 1961-1970	9.6	75
347	Solvent effects on the structures and magnetic properties of two doubly interpenetrated metal-organic frameworks. <i>Dalton Transactions</i> , 2015 , 44, 6593-9	4.3	16
346	A Series of Cyanoacetato Copper(II) Coordination Polymers with Various N,N'-Ditopic Spacers: Structural Diversity, Supramolecular Robustness, and Magnetic Properties. 2015 , 15, 3804-3812		8

345	Functionalized PCN-6 metal-organic frameworks. 2015 , 216, 51-55		14
344	Multifunctional metal-organic frameworks: from academia to industrial applications. 2015 , 44, 6774-803		618
343	Hydrothermal Synthesis and Characterizations of MOF-199 Using Renewable Template. 2015 , 773-774, 226-231		3
342	A new two-dimensional metal-organic framework with high spin-filtering efficiency. 2015 , 17, 17437-44		20
341	Intramolecular hydrogen bonding stabilizes the nuclearity of complexes. A comparative study based on the H-carborane and Me-carborane framework. <i>Dalton Transactions</i> , 2015 , 44, 10399-409	4-3	8
340	K(I)-M(II) (M = Co, Mn) heterometallic-(perfluorinated) organic frameworks containing inorganic layered KDM linkages: synthesis, crystal structure, and magnetic properties. 2015 , 68, 2691-2702		3
339	A Eu-Doped Y-Based Luminescent Metal-Organic Framework as a Highly Efficient Sensor for Nitroaromatic Explosives. 2015 , 2015, 1390-1397		42
338	Multidimensional (0D to 3D) Alkaline-Earth Metal Diphosphonates: Synthesis, Structural Diversity, and Luminescence Properties. <i>Inorganic Chemistry</i> , 2015 , 54, 4268-78	5-1	10
337	Insulator-to-Proton-Conductor Transition in a Dense Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2015 , 137, 6428-31	16.4	61
336	Control of pore distribution of porous carbons derived from Mg ²⁺ porous coordination polymers. 2015 , 2, 473-476		15
335	Exploring a novel preparation method of 1D metal organic frameworks based on supercritical CO ₂ . <i>Dalton Transactions</i> , 2015 , 44, 7548-53	4-3	26
334	Self-assembly, crystal structures and properties of metal-organic frameworks based on polynuclear metal-hydroxyl clusters (M = Zn, Co). 2015 , 5, 29362-29369		7
333	Molecular sieve membranes: From 3D zeolites to 2D MOFs. 2015 , 36, 692-697		18
332	Kinetics and mechanism of anthracene oxidation with tert-butyl hydroperoxide over metal-organic frameworks Cr-MIL-101 and Cr-MIL-100. 2015 , 793, 175-181		7
331	Alanine based coordinating ligand mediated hydrothermal synthesis of CuS nano/microstructures and morphology dependent photocatalysis. <i>CrystEngComm</i> , 2015 , 17, 3452-3459	3-3	14
330	Multifunctional radical-doped polyoxometalate-based host-guest material: photochromism and photocatalytic activity. <i>Inorganic Chemistry</i> , 2015 , 54, 4345-50	5-1	118
329	A rare I ₂ O ₃ hybrid organic-inorganic material with high connectivity and quadruple-stranded helices. <i>CrystEngComm</i> , 2015 , 17, 1518-1520	3-3	7
328	Dielectric and Raman investigations of structural phase transitions in (C ₂ H ₅ NH ₃) ₂ CdCl ₄ . 2015 , 17, 12207-14		24

327	Low-Cost Synthesis and Characterizations of Metal-Organic Framework (MOF-199) Materials by Nonsurfactant Templating Method. 2015 , 1115, 426-429		1
326	Supramolecular interactions in the solid state. 2015 , 2, 675-90		91
325	Electronic structure of porphyrin-based metal-organic frameworks and their suitability for solar fuel production photocatalysis. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 23458-23465	13	47
324	Neodymium coordination polymers with propionate, succinate and mixed succinate-oxalate ligands: Synthesis, structures and spectroscopic characterization. <i>Polyhedron</i> , 2015 , 102, 130-136	2.7	8
323	Synthesis, crystal structure and luminescent properties of three new zinc/cadmium coordination polymers containing cyanoacetate and 1,2 - di(4-pyridyl)ethylene. 2015 , 437, 11-15		7
322	An unprecedented organic-inorganic hybrid material with an I3O3 framework based on cadmium hydroxide and in situ generated 1H-tetrazolate-5-acetic acid. <i>CrystEngComm</i> , 2015 , 17, 7473-7476	3.3	5
321	Mechanical Properties of a Calcium Dietary Supplement, Calcium Fumarate Trihydrate. <i>Inorganic Chemistry</i> , 2015 , 54, 11186-92	5.1	12
320	Visible detection of explosive nitroaromatics facilitated by a large stokes shift of luminescence using europium and terbium doped yttrium based MOFs. 2015 , 5, 102076-102084		42
319	Hybrid inorganic-organic materials with an optoelectronically active aromatic cation: (C7H7)2SnI6 and C7H7PbI3. <i>Inorganic Chemistry</i> , 2015 , 54, 370-8	5.1	74
318	Topochemical conversion of a dense metal-organic framework from a crystalline insulator to an amorphous semiconductor. 2015 , 6, 1465-1473		54
317	Rational assembly of Pb(II)/Cd(II)/Mn(II) coordination polymers based on flexible V-shaped dicarboxylate ligand: Syntheses, helical structures and properties. 2015 , 225, 391-401		11
316	Synthesis of metal-organic frameworks (MOFs) with microwave or ultrasound: Rapid reaction, phase-selectivity, and size reduction. <i>Coordination Chemistry Reviews</i> , 2015 , 285, 11-23	23.2	313
315	Structure-directing factors when introducing hydrogen bond functionality to metal-organic frameworks. <i>CrystEngComm</i> , 2015 , 17, 299-306	3.3	31
314	Reaction-controlled assemblies and structural diversities of seven Co(II)/Cu(II) complexes based on a bipyridine-dicarboxylate N-oxide ligand. <i>CrystEngComm</i> , 2015 , 17, 775-786	3.3	12
313	Structural trends in hybrid perovskites [Me2NH2]M[HCOO]3 (M = Mn, Fe, Co, Ni, Zn): computational assessment based on Bader charge analysis. <i>CrystEngComm</i> , 2015 , 17, 295-298	3.3	25
312	Hydrolytic synthesis of novel lanthanide(III) complexes with pyridine-2,6-dicarboxylic acid: Characterization of the structure and the physical properties. <i>Journal of Molecular Structure</i> , 2015 , 1079, 54-60	3.4	8
311	Tuning the formations of metal-1,3,5-benzenetricarboxylate frameworks via the assistance of amino acids. 2015 , 223, 44-52		2
310	Single-Crystal-to-Single-Crystal Anion Exchange in a Gadolinium MOF: Incorporation of POMs and [AuCl4] 2016 , 8,		5

309	Remarkable Improvement in the Mechanical Properties and CO ₂ Uptake of MOFs Brought About by Covalent Linking to Graphene. 2016 , 128, 7988-7992		7
308	Remarkable Improvement in the Mechanical Properties and CO ₂ Uptake of MOFs Brought About by Covalent Linking to Graphene. 2016 , 55, 7857-61		49
307	Ferroelectricity and magnetism in metal-formate frameworks of [NH ₄][M(HCOO) ₃] (M = Sc to Zn): a first-principles study. 2016 , 6, 113234-113239		6
306	Bis(dithioline)-Based Metal-Organic Frameworks with Superior Electronic and Magnetic Properties: Spin Frustration to Spintronics and Gas Sensing. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 28307-28319 ^{3.8}		48
305	Evaluating the Selectivity of Sorbents for Noble Gas Separations across a Range of Temperatures, Loadings, and Gas Compositions. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2016 , 642, 1377-1385	1.3	3
304	Order-disorder phase transition and multiferroic behaviour in a metal organic framework compound (CH ₃) ₂ NH ₂ Co(HCOO) ₃ . 2016 , 119, 064103		29
303	Magnetic coupling in a hybrid Mn(II) acetylene dicarboxylate. 2016 , 18, 33329-33334		3
302	On the application of the tolerance factor to inorganic and hybrid halide perovskites: a revised system. 2016 , 7, 4548-4556		507
301	Chiral chemistry of metal-camphorate frameworks. 2016 , 45, 3122-44		188
300	Sulfiding of Unsupported Metal Sulfide Catalysts for Hydrodesulfurization. 2016 , 146, 1317-1320		3
299	pH-Dependent assembly of three novel inorganic-organic hybrids based on different isopolymolybdates and Cu/II(bbx) _n units. <i>CrystEngComm</i> , 2016 , 18, 5320-5326	3.3	6
298	Recent advances in enzyme immobilization techniques: Metal-organic frameworks as novel substrates. <i>Coordination Chemistry Reviews</i> , 2016 , 322, 30-40	23.2	279
297	Synthesis and structural evaluation of five coordination complexes of benzenepentacarboxylic acid with aza-donor ligands. <i>Journal of Molecular Structure</i> , 2016 , 1114, 38-47	3.4	3
296	Capture and immobilisation of iodine (I ₂) utilising polymer-based ZIF-8 nanocomposite membranes. 2016 , 1, 122-131		34
295	Heterometallic Alkaline Earth-Lanthanide Ba(II)-La(III) Microporous Metal-Organic Framework as Bifunctional Luminescent Probes of Al(3+) and MnO ₄ (.). <i>Inorganic Chemistry</i> , 2016 , 55, 4391-402	5.1	163
294	Application of a Zn(II) based metal-organic framework as an efficient solid-phase extraction sorbent for preconcentration of plasticizer compounds. 2016 , 6, 40211-40218		27
293	Cobalt(II) compounds with acetone isonicotinoyl hydrazone tautomers: Syntheses and crystal structures of complexes with free donor atoms. 2016 , 448, 86-92		9
292	Rapid synthesis of CNTs@MIL-101(Cr) using multi-walled carbon nanotubes (MWCNTs) as crystal growth accelerator. 2016 , 24, 1481-1486		3

291	Syntheses, structural characterizations and microbial activities of Ni(II) and Zn(II) 5-aminoisophthalate coordination polymers. 2016 , 69, 1499-1513		3
290	Temperature-Dependent Supramolecular Isomerism of Lutetium-Aminoterephthalate Metal-Organic Frameworks: Synthesis, Crystallography, and Physical Properties. 2016 , 16, 5636-5645		20
289	Reaction of Pb(II) and Zn(II) with Ethyl Linoleate To Form Structured Hybrid Inorganic-Organic Complexes: A Model for Degradation in Historic Paint Films. 2016 , 1, 344-350		14
288	Three-Dimensional Non-Centrosymmetric Ba(II)/Li(I)Imidazolecarboxylate Coordination Polymers: Second Harmonic Generation and Blue Fluorescence. 2016 , 16, 6654-6662		9
287	Electrocatalytic Nanostructured Ferric Tannates: Characterization and Application of a Polyphenol Nanosensor. 2016 , 17, 3196-3203		13
286	Synthesis and structures of ligand-dominated one-dimensional silver(I)Bis(pyridylmethyl)amine coordination chains. 2016 , 242, 253-260		2
285	A Robust Sulfonate-Based Metal-Organic Framework with Permanent Porosity for Efficient CO ₂ Capture and Conversion. <i>Chemistry of Materials</i> , 2016 , 28, 6276-6281	9.6	148
284	Crystal engineering of zinc and cadmium coordination polymers via a mixed-ligand strategy regulated by aromatic rigid/flexible dicarboxylate ancillary ligands and metal ionic radii: Tuning structure, dimension and photoluminescence properties. <i>Polyhedron</i> , 2016 , 119, 55-70	2.7	20
283	Chemical principles for electroactive metal-organic frameworks. 2016 , 41, 870-876		34
282	Synthesis, structures, and magnetic properties of two closely-related manganese(II) coordination polymers. 2016 , 42, 742-748		1
281	Synthesis, Structure, and Properties of a Series of Chiral Coordination Polymers Based on (R)-4-(4-(1-Carboxyethoxy)phenoxy)-3-chlorobenzoic Acid. 2016 , 16, 5669-5677		16
280	Syntheses, structures and investigation of the properties of mercury coordination polymers based on 5-amino-tetrazolate ligands. <i>CrystEngComm</i> , 2016 , 18, 7865-7872	3.3	17
279	Membranen aus zweidimensionalen Materialien: eine neue Familie hochleistungsffiger Trennmembranen. 2016 , 128, 13580-13595		30
278	Single-Layered Hybrid Materials Based on 1D Associated Metalorganic Nanoribbons for Controlled Release of Pheromones. 2016 , 55, 11026-30		12
277	Two-Dimensional-Material Membranes: A New Family of High-Performance Separation Membranes. 2016 , 55, 13384-13397		408
276	Pressure-Dependent Structural and Chemical Changes in a Metal-Organic Framework with One-Dimensional Pore Structure. <i>Chemistry of Materials</i> , 2016 , 28, 5336-5341	9.6	20
275	Porous Molecular Magnets. 2016 , 253-278		
274	Molecular Magnetic Sponges. 2016 , 279-300		1

273	Molecular Multiferroics. 2016 , 405-418		
272	Luminescence, chemical sensing and mechanical properties of crystalline materials based on lanthanide-sulfonate coordination polymers. 2016 , 6, 110171-110181		17
271	Organic-inorganic supramolecular solid catalyst boosts organic reactions in water. 2016 , 7, 10835		41
270	Single-Layered Hybrid Materials Based on 1D Associated Metalorganic Nanoribbons for Controlled Release of Pheromones. 2016 , 128, 11192-11196		2
269	Photoluminescence, Unconventional-Range Temperature Sensing, and Efficient Catalytic Activities of Lanthanide Metal-Organic Frameworks. 2016 , 2016, 1577-1588		40
268	Frontier Orbital Engineering of Metal-Organic Frameworks with Extended Inorganic Connectivity: Porous Alkaline-Earth Oxides. <i>Inorganic Chemistry</i> , 2016 , 55, 7265-9	5.1	11
267	Carving a 1D Co(II)-carboranylcarboxylate system by using organic solvents to create stable trinuclear molecular analogues: complete structural and magnetic studies. <i>Dalton Transactions</i> , 2016 , 45, 10916-27	4.3	5
266	Probing structural adaptability in templated vanadium selenites. <i>Polyhedron</i> , 2016 , 114, 184-193	2.7	6
265	In situ synthesis of silver benzene-dithiolate hybrid films. 2016 , 600, 6-12		
264	Unprecedented Topological Complexity in a Metal-Organic Framework Constructed from Simple Building Units. <i>Journal of the American Chemical Society</i> , 2016 , 138, 1970-6	16.4	105
263	Roles of temperature, solvent, M/L ratios and anion in preparing complexes containing a Himta ligand. <i>CrystEngComm</i> , 2016 , 18, 1350-1362	3.3	37
262	High pressure behaviour and elastic properties of a dense inorganic-organic framework. <i>Dalton Transactions</i> , 2016 , 45, 4303-8	4.3	19
261	Role of Amine-Cavity Interactions in Determining the Structure and Mechanical Properties of the Ferroelectric Hybrid Perovskite [NH ₃ NH ₂] ₂ Zn(HCOO) ₃ . <i>Chemistry of Materials</i> , 2016 , 28, 312-317	9.6	52
260	Open-Framework Structures of Anhydrous Sr(CF ₃ COO) ₂ and Ba(CF ₃ COO) ₂ . <i>Inorganic Chemistry</i> , 2016 , 55, 170-6	5.1	16
259	Building hydrogen-bonded networks from metal complexes containing the heterotopic (N or O) ligand 4,4'-bipyridine-N-monoxide. 2016 , 28, 151-160		4
258	Layer-by-layer assembly of versatile nanoarchitectures with diverse dimensionality: a new perspective for rational construction of multilayer assemblies. 2016 , 45, 3088-121		244
257	Alternating Ferro/Antiferromagnetic Copper(II) Chain Containing an Unprecedented Triple Formate/Hydroxido/Sulfato Bridge. <i>Inorganic Chemistry</i> , 2016 , 55, 2664-71	5.1	5
256	Discovering connections between terahertz vibrations and elasticity underpinning the collective dynamics of the HKUST-1 metal-organic framework. <i>CrystEngComm</i> , 2016 , 18, 4303-4312	3.3	68

255	Coordination polymers of Ag(I) based on iminocarbene ligands involving metal-carbon and metal-heteroatom interactions. <i>Journal of Molecular Structure</i> , 2016 , 1108, 458-466	3-4	4
254	Interpenetrated and Catenated Zinc Thiosulfates Frameworks with dia and qtz Nets: Synthesis, Structure, and Properties. 2016 , 16, 2239-2248		5
253	Metal-organodiphosphonate chemistry: Hydrothermal syntheses and structures of Ca(II) coordination polymers with xylyldiphosphonate ligands. 2016 , 441, 109-116		11
252	Self-assembled Structure of Inorganic/Organic Hybrid Crystals Based on Keggin Polyoxometallates [SMo12O40] and Supramolecular Cations. 2016 , 16, 800-807		12
251	Mechanical properties and negative thermal expansion of a dense rare earth formate framework. 2016 , 233, 289-293		9
250	Coordination environments and π -conjugation in dense lithium coordination polymers. <i>CrystEngComm</i> , 2016 , 18, 398-406	3-3	11
249	Synthesis and applications of metal-organic framework/quantum dot (QD@MOF) composites. <i>Coordination Chemistry Reviews</i> , 2016 , 307, 267-291	23.2	219
248	Synthesis, spectroscopic characterization, biological screening, and theoretical studies of organotin(IV) complexes of semicarbazone and thiosemicarbazones derived from (2-hydroxyphenyl)(pyrrolidin-1-yl)methanone. 2016 , 42, 997-1015		17
247	A Metal/Organic Framework Based on a Tetra-Aryl extended Calix[4]pyrrole Ligand: Structure Control through the Covalent Connectivity of the Linker. 2017 , 17, 1328-1338		12
246	Melt-Quenched Hybrid Glasses from Metal-Organic Frameworks. 2017 , 29, 1601705		40
245	Luminescent CdSe Superstructures: A Nanocluster Superlattice and a Nanoporous Crystal. <i>Journal of the American Chemical Society</i> , 2017 , 139, 1129-1144	16.4	18
244	A Two-Dimensional Polymer Synthesized through Topochemical [2 + 2]-Cycloaddition on the Multigram Scale. <i>Journal of the American Chemical Society</i> , 2017 , 139, 2053-2059	16.4	101
243	Six new coordination compounds based on rigid 5-(3-carboxy-phenyl)-pyridine-2-carboxylic acid: synthesis, structural variations and properties. 2017 , 7, 7217-7226		12
242	Immobilisation of catalytically active proline on H2N-MIL-101(Al) accompanied with reversal in enantioselectivity. 2017 , 95, 12-15		22
241	Ligand-Induced Variations in Symmetry and Structural Dimensionality of Lead Oxide Carboxylates. 2017 , 17, 1574-1582		7
240	Three coordination frameworks with copper formate based low dimensional motifs: synthesis, structure and magnetic properties. <i>CrystEngComm</i> , 2017 , 19, 1831-1838	3-3	3
239	Confined condensation synthesis and magnetic properties of layered copper hydroxide frameworks. <i>Dalton Transactions</i> , 2017 , 46, 3363-3368	4-3	2
238	Flexible Ligand-Based Lanthanide Three-Dimensional Metal/Organic Frameworks with Tunable Solid-State Photoluminescence and OH-Solvent-Sensing Properties. 2017 , 2017, 2321-2331		17

237	Geometric Principles for Designing Highly Symmetric Self-Assembling Protein Nanomaterials. 2017 , 46, 23-42		71
236	Functional Acid and Base Hybrid Catalysts Organized by Associated (Organo)aluminosilicate Layers for C-C Bond Forming Reactions and Tandem Processes. <i>Chemistry of Materials</i> , 2017 , 29, 1599-1612	9.6	20
235	A new organic-inorganic coordination complex material (C ₂ H ₅ -C ₆ H ₄ -NH ₂) ₂ ZnBr ₂ : Growth and structural properties. 2017 , 472, 64-70		3
234	Structural variety in ytterbium dicarboxylate frameworks and in situ study diffraction of their solvothermal crystallisation. <i>CrystEngComm</i> , 2017 , 19, 2424-2433	3.3	11
233	Synthesis, structural characterization and computational studies of catena-poly[chlorido[π (pyridin-1-ium-3-yl)phosphonato- μ :O':O'']zinc(II)]. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2017 , 73, 363-368	0.8	
232	A cobalt metal-organic framework with small pore size for adsorptive separation of CO ₂ over N ₂ and CH ₄ . 2017 , 63, 4532-4540		16
231	A series of alkaline earth metal coordination polymers constructed from two newly designed imidazole-based dicarboxylate ligands containing pyridinylmethyl groups. <i>CrystEngComm</i> , 2017 , 19, 3003-3016	3.3	15
230	Synthesis, characterisation and catalytic activity of 4, 5-imidazoledicarboxylate ligated Co(II) and Cd(II) metal-organic coordination complexes. <i>Journal of Molecular Structure</i> , 2017 , 1143, 153-162	3.4	25
229	Porphyrin-based metal-organic frameworks for solar fuel synthesis photocatalysis: band gap tuning via iron substitutions. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 11894-11904	13	57
228	Construction of molecule-selective mixed matrix membranes with confined mass transfer structure. 2017 , 25, 1563-1580		19
227	A review on synthesis, crystal structure and functionality of naphthalenedicarboxylate ligated metal-organic frameworks. 2017 , 466, 308-323		22
226	Two-Dimensional Metal-Organic Framework Nanosheets for Membrane-Based Gas Separation. 2017 , 56, 9757-9761		270
225	Metal-Organic Frameworks: Examples, Counterexamples, and an Actionable Definition. 2017 , 17, 4043-4048		43
224	Two-Dimensional Metal-Organic Framework Nanosheets for Membrane-Based Gas Separation. 2017 , 129, 9889-9893		49
223	Methylammonium Lead Trihalide Perovskite Solar Cell Semiconductors Are Not Organometallic: A Perspective. 2017 , 100, e1700090		19
222	Double Magnetic Relaxation and Magnetocaloric Effect in the {Mn[W(CN)](4,4'-dpds)} Cluster-Based Network. <i>Inorganic Chemistry</i> , 2017 , 56, 7089-7098	5.1	10
221	Polar metal-formate frameworks templated with 1,2-diaminoethane-water assemblies showing ferromagnetic and ferroelectric properties. 2017 , 19, 16749-16757		6
220	Synthesis, characterization, and hydrogen storage capacities of polymeric squaric acid complexes containing 1-vinylimidazole. <i>Polyhedron</i> , 2017 , 133, 16-23	2.7	13

219	POMzites: A Family of Zeolitic Polyoxometalate Frameworks from a Minimal Building Block Library. <i>Journal of the American Chemical Society</i> , 2017 , 139, 5930-5938	16.4	58
218	Missing metal-linker connectivities in a 3-D robust sulfonate-based metal-organic framework for enhanced proton conductivity. <i>Chemical Communications</i> , 2017 , 53, 4156-4159	5.8	35
217	The same and not the same: molecular perovskites and their solid-state analogues. 2017 , 4, 362-366		39
216	Fluoroferrate templated with HAMTAZ: X-ray single crystal, thermal behaviour, vibrational study and magnetic characterization. 2017 , 14, 1513-1518		
215	Thermodynamic properties of 3D copper(II)-MOFs assembled by 1H-tetrazole. 2017 , 128, 1175-1182		4
214	Rare Examples of Amine-Templated Organophosphonate Open-Framework Compounds: Combined Role of Metal and Amine for Structure Building. 2017 , 17, 5620-5624		13
213	Two-Dimensional Mesoporous Carbon Doped with Fe ^{II} Active Sites for Efficient Oxygen Reduction. 2017 , 7, 7638-7646		75
212	Novel amine templated three-dimensional zinc-organophosphonates with variable pore-openings. <i>CrystEngComm</i> , 2017 , 19, 6425-6435	3.3	15
211	Structural diversity of coordination compounds derived from double-chelating and planar diazinedicarboxylate ligands. <i>Coordination Chemistry Reviews</i> , 2017 , 352, 83-107	23.2	10
210	Structural Characterization of a Covalent Monolayer Sheet Obtained by Two-Dimensional Polymerization at an Air/Water Interface. 2017 , 129, 15464-15468		4
209	A Dense IO Hybrid Superhydrophobic Network, Pb(H-BTMB), Exhibits Selectivity toward CO Gas Sorption. <i>Inorganic Chemistry</i> , 2017 , 56, 11184-11189	5.1	12
208	Structural Characterization of a Covalent Monolayer Sheet Obtained by Two-Dimensional Polymerization at an Air/Water Interface. 2017 , 56, 15262-15266		33
207	Synthesis, characterization, electrochemical behavior and electrocatalytic properties towards nitrate and iodate by alcohol solvated Keggin-type polyoxometalate: The effects of weak intermolecular interactions and solvent on electrocatalytic activity. 2017 , 242, 993-1001		10
206	Kinetic assembly of coordination networks. <i>Chemical Communications</i> , 2017 , 53, 8818-8829	5.8	20
205	Mixed-ligand cobalt, nickel and zinc coordination polymers based on flexible 1,4-bis((1H-imidazol-1-yl)methyl)benzene and rigid carboxylate linkers. 2017 , 455, 118-131		21
204	Synthesis, characterization, and dye capture of a 3D Cd(II)carboxylate pcu network. <i>Polyhedron</i> , 2017 , 122, 124-130	2.7	4
203	Synthesis, structural, spectral and photoluminescent studies of new polymorphs of Ca(II) and Ba(II) complexes of diglycolic acid. 2017 , 16, 291-305		1
202	Enhanced Framework Rigidity of a Zeolitic Metal-Azolate via Ligand Substitution. 2017 , 7, 99		7

201	Homochiral Metal-Organic Frameworks. 2017 , 373-397			1
200	Ionothermal Synthesis of a Novel 3D Cobalt Coordination Polymer with a Uniquely Reported Framework: [BMI] ₂ [Co ₂ (BTC) ₂ (H ₂ O) ₂]. 2017 , 2017, 1-6			
199	In Situ, Time-Resolved, and Mechanistic Studies of Metal-Organic Framework Nucleation and Growth. 2018 , 118, 3681-3721			238
198	Synthesis, structures and properties of three mercury coordination polymers based on 5-methyltetrazolate ligand. 2018 , 263, 182-189			10
197	Mechanism and degradation kinetics of zinc complex containing isophthalato and 2,2'-dipyridylamine ligands under different atmospheres. 2018 , 80, 123-131			5
196	The role of non-covalent interactions on supramolecular assembly of coordination compounds of mercury(II) based on substituted pyridine mixed ligands. A survey of different conditions on morphology of new flower and ribbon like submicro structures. 2018 , 479, 83-96			11
195	A [4+2] Condensation Strategy to Imine-Linked Single-Crystalline Zeolite-Like Zinc Phosphate Frameworks. 2018 , 24, 6178-6190			12
194	Ca-Tetrafluorophthalate and Sr-isophthalate: mechanochemical synthesis and characterization in comparison with other Ca-and Sr-coordination polymers. <i>Dalton Transactions</i> , 2018 , 47, 5743-5754	4-3		4
193	Thermodynamic and Kinetic Effects in the Crystallization of Metal-Organic Frameworks. 2018 , 51, 659-667			83
192	Polymorph formation for a zeolitic imidazolate framework composition - Zn(Im) ₂ . 2018 , 265, 57-62			7
191	Cycloaddition of CO ₂ with epoxides by using an amino-acid-based Cu(II)-tryptophan MOF catalyst. 2018 , 39, 63-70			33
190	Unusual Missing Linkers in an Organosulfonate-Based Primitive Cubic (pcu)-Type Metal-Organic Framework for CO ₂ Capture and Conversion under Ambient Conditions. 2018 , 8, 2519-2525			86
189	A new approach to fabricate the Mn(ii)-based magnetic refrigerant through incorporation of a diamagnetic {LiO} spacer. <i>Dalton Transactions</i> , 2018 , 47, 2143-2147	4-3		9
188	Coordination Polymers Containing Metal Chelate Units. 2018 , 633-759			1
187	Hydrated and dehydrated Ca-coordination polymers based on benzene-dicarboxylates: mechanochemical synthesis, structure refinement, and spectroscopic characterization. <i>CrystEngComm</i> , 2018 , 20, 946-961	3-3		10
186	Exploring physical and chemical properties in new multifunctional indium-, bismuth-, and zinc-based 1D and 2D coordination polymers. <i>Dalton Transactions</i> , 2018 , 47, 1808-1818	4-3		16
185	Synthesis, structure and topological analysis of glycine templated highly stable cadmium sulfate framework: A New Lewis Acid catalyst. <i>Journal of Molecular Structure</i> , 2018 , 1157, 672-678	3-4		7
184	Investigation of the Sr ²⁺ Ions Removal from Contaminated Drinking Water Using Novel CaO NPs@MOF-5 Composite Adsorbent. 2018 , 28, 1049-1064			7

183	Synthesis, crystal structure, characterizations and magnetic study of a novel two-dimensional iron fluoride. 2018 , 262, 343-350		6
182	Solvo-thermal synthesis of a unique alkaline earth-transition Ba-Cd micro-porous coordination framework as hetero-metallic luminescent sensor for Cu and real-time detection of benzaldehyde. 2018 , 199, 110-116		4
181	Solvent-free synthesis of three layered manganese sulfate-oxalates with different pore apertures. 2018 , 75, 77-81		4
180	Synthesis of nanomagnetic supported thiourea-copper(I) catalyst and its application in the synthesis of triazoles and benzamides. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e3933	3.1	23
179	Hybridization of metal-organic frameworks and task-specific ionic liquids: fundamentals and challenges. 2018 , 2, 219-234		54
178	A 3D metal-organic framework with a pcu net constructed from lead(II) and thiophene-2, 5-dicarboxylic acid: Synthesis, structure and ferroelectric property. 2018 , 257, 34-39		15
177	Hybrid inorganic-organic complexes: Synthesis, spectroscopic characterization, single crystal X-ray structure determination and antimicrobial activities of three copper(II)-diethylenetriamine-p-nitrobenzoate complexes. 2018 , 469, 288-297		11
176	Vapor Sorption and Solvatochromism in a Metal-Organic Framework of an Asymmetric Pyridylcarboxylate. 2018 , 18, 416-423		9
175	Hybrid materials based on transition metal-BTC-benzimidazole: solvent assisted crystallographic and structural switching. <i>CrystEngComm</i> , 2018 , 20, 6602-6612	3.3	8
174	Cooperative metal-ligand influence on the formation of coordination polymers, and conducting and photophysical properties of Tl(I) bisoxodithioester complexes. <i>Dalton Transactions</i> , 2018 , 47, 16264-16278	4.3	12
173	Motional Narrowing of Electron Spin Resonance Absorption in the Plastic-Crystal Phase of [(CH ₃) ₄ N]FeCl ₄ . <i>Journal of Physical Chemistry C</i> , 2018 , 122, 27769-27774	3.8	15
172	An IZO1 Barium Framework Derived from an In-Situ Metal-Assisted Ligand Transformation. 2018 , 2018, 4458-4464		3
171	Rising profile on the use of metal-organic frameworks (MOFs) for the removal of heavy metals from the environment: an overview. 2018 , 8, 1		14
170	Optical properties of photovoltaic materials: Organic-inorganic mixed halide perovskites CH ₃ NH ₃ Pb(I _{1-y} X _y) ₃ (X = Cl, Br). 2018 , 1144, 1-8		10
169	Optical, structural characterization and dielectric relaxation of [C ₂ H ₅ NH ₃] ₂ ZnCl ₄ compound. 2018 , 91, 1162-1178		4
168	Tolerance factors of hybrid organic-inorganic perovskites: recent improvements and current state of research. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 21785-21793	13	40
167	All inorganic coordination polymers have been made possible with the m-carboranylphosphinate ligand. <i>Dalton Transactions</i> , 2018 , 47, 14785-14798	4.3	7
166	MIL-53 and its Isostructural Analogues: a Review of the Chemistry and Structure of a Prototypical Flexible Metal-Organic Framework. 2018 , 58, 1019-1035		45

165	Makroskopische kristalline 2D-Polymere. 2018 , 130, 13942-13959		15
164	Towards Macroscopic Crystalline 2D Polymers. 2018 , 57, 13748-13763		77
163	Bismuth Coordination Polymers with 2,4,6-Pyridine Tricarboxylic Acid: High-Throughput Investigations, Crystal Structures and Luminescence Properties. 2018 , 2018, 3232-3240		9
162	Metal organic frameworks for drug delivery. 2018 , 605-617		4
161	Synthesis, Characterization, and Optical Properties of Organic-Inorganic Hybrid Layered Materials: A Solvent-Free Ligand-Controlled Dimensionality Approach Based on Metal Sulfates and Aromatic Diamines. 2018 , 18, 5029-5037		9
160	4.22 Metal-Organic Framework Based Composites. 2018 , 525-553		0
159	Metal-organic frameworks as expanding hybrid carriers with diverse therapeutic applications. 2018 , 1-34		3
158	Thermolysis of Polymeric Metal Chelates. 2018 , 247-350		1
157	Dual emissions and thermochromic luminescences of isomorphic chiral twofold interpenetrated 3-D nets built from IO type hybrid inorganic-organic frameworks of [NH(CH)] ₂ [PbX(BDC)] (X = Br, I). <i>Dalton Transactions</i> , 2018 , 47, 14233-14240	4-3	3
156	Metal-organic framework nanosheets (MONs): a new dimension in materials chemistry. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 16292-16307	13	94
155	Reversible structural transformation induced switchable single-molecule magnet behavior in lanthanide metal-organic frameworks. <i>Chemical Communications</i> , 2018 , 54, 10183-10186	5-8	27
154	Enhanced Electrocatalytic Oxygen Evolution by Exfoliation of a Metal-Organic Framework Containing Cationic One-Dimensional [Co ₄ (OH) ₂] ⁶⁺ Chains. 2018 , 1, 2446-2451		13
153	Rapid synthesis of mono/bimetallic (Zn/Co/Zn ₂ Co) zeolitic imidazolate frameworks at room temperature and evolution of their CO ₂ uptake capacity. <i>Environmental Chemistry Letters</i> , 2019 , 17, 447-454	13-3	8
152	Structural, Electronic, Stability, and Optical Properties of CsPb _{1-x} Sn _x IBr ₂ Perovskites: A First-Principles Investigation. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 20476-20487	3-8	12
151	Accessing Mixed-Halide Upconverters Using Heterohaloacetate Precursors. <i>Chemistry of Materials</i> , 2019 , 31, 6262-6267	9-6	6
150	Porous MOF-205 with multiple modifications for efficiently storing hydrogen and methane as well as separating carbon dioxide from hydrogen and methane. 2019 , 43, 7517		5
149	Recent progress in fundamental understanding of halide perovskite semiconductors. 2019 , 106, 100580		69
148	Silver phosphate supported on metal-organic framework (Ag ₃ PO ₄ @MOF-5) as a novel heterogeneous catalyst for green synthesis of indenoquinolinediones. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e5176	3-1	6

147	Ultrasound-treated metal-organic framework with efficient electrocatalytic oxygen evolution activity. 2019 , 59, 104714		21
146	Mechanical properties of coordination polymer-based dietary supplements. 2019 , 62, 1507-1514		
145	Molecular simulations on CO ₂ adsorption and adsorptive separation in fullerene impregnated MOF-177, MOF-180 and MOF-200. 2019 , 168, 58-64		20
144	Continuous regulation of the architectures of cupric tetrazolate coordination polymers via the pH and temperature. 2019 , 276, 244-250		1
143	Molecular Passivation of MoO ₃ : Band Alignment and Protection of Charge Transport Layers in Vacuum-Deposited Perovskite Solar Cells. <i>Chemistry of Materials</i> , 2019 , 31, 6945-6949	9.6	32
142	Cu(II) and Co(II) coordination solids involving unconventional parallel nitrile(π)-nitrile(π) and energetically significant cooperative hydrogen bonding interactions: Experimental and theoretical studies. <i>Journal of Molecular Structure</i> , 2019 , 1195, 733-743	3.4	21
141	Heterogeneous catalytic decarboxylative sulfonylation of cinnamic acids with sodium benzene sulfonates over a manganese(II)-based rod-shaped metal-organic framework catalyst. 2019 , 127, 69-74		8
140	Stereochemically Active and Inactive Lone Pairs in Two Room-Temperature Phosphorescence Coordination Polymers of Pb with Different Tricarboxylic Acids. <i>Inorganic Chemistry</i> , 2019 , 58, 6772-6780 ^{5.1}		18
139	Novel Heterometallic Uranyl-Transition Metal Materials: Structure, Topology, and Solid State Photoluminescence Properties. <i>Inorganic Chemistry</i> , 2019 , 58, 7243-7254	5.1	30
138	Elastic and hydrostatic behaviour of a zinc dietary supplement, zinc glycinate hydrate.. 2019 , 9, 13153-13158		5
137	1D lanthanide coordination polymers based on lanthanides and 4'-hydroxy-4-biphenylcarboxylic acid: Synthesis, structures and luminescence properties. 2019 , 274, 322-328		8
136	Ca-, Sr-, and Ba-Coordination polymers based on anthranilic acid via mechanochemistry. <i>Dalton Transactions</i> , 2019 , 48, 6513-6521	4.3	4
135	The sulfonate group as a ligand: a fine balance between hydrogen bonding and metal ion coordination in uranyl ion complexes. <i>Dalton Transactions</i> , 2019 , 48, 8756-8772	4.3	15
134	Studies on catalytic activity of MIL-53(Al) and structure analogue DUT-5(Al) using bdc- and bpdc-ligands functionalized with l-proline in a solid-solution mixed-linker approach. 2019 , 467, 70-77		14
133	Violet Luminescence from Zinc-Based Metal-Organic Frameworks Prepared by Solvothermal Synthesis. 2019 , 92, 427-434		8
132	Heterofullerene-linked metal-organic framework with lithium decoration for storing hydrogen and methane gases. 2019 , 44, 6702-6708		5
131	Progress and challenges of graphene oxide/metal-organic composites. <i>Coordination Chemistry Reviews</i> , 2019 , 387, 262-272	23.2	62
130	Rubidium-Alkaline-Earth Trifluoroacetate Hybrids as Self-Fluorinating Single-Source Precursors to Mixed-Metal Fluorides. <i>Inorganic Chemistry</i> , 2019 , 58, 3041-3049	5.1	6

129	Three neodymium-based cationic layered inorganic materials capable of anion exchange. 2019 , 498, 119171	1
128	Pressure-induced metallicity and piezoreductive transition of metal-centres in conductive 2-dimensional metal-organic frameworks. 2019 , 21, 25773-25778	7
127	Synthesis, structure and properties of a multifunctional inorganic-organic hybrid mercury(II) coordination polymer: $[\text{Hg}_2\text{Cl}_2(\text{mtz})_2(\text{H}_2\text{O})]_n$. 2019 , 16, 163-168	
126	Preparation of two novel Schiff base polymers and their Eu (III)/Yb (III) complexes. 2019 , 8, 49-54	1
125	Mix and Match: Organic and Inorganic Ions in the Perovskite Lattice. 2019 , 31, e1802697	23
124	Morphological, luminescence and gas adsorption studies of Pb(II)-MOFs. 2019 , 6, 025103	1
123	Barium-phosphonate coordination layers: Syntheses, crystal structures, and luminescent properties. 2019 , 269, 271-277	7
122	Super paramagnetic ZIF-67 metal organic framework nanocomposite. 2019 , 158, 384-389	22
121	Hydrothermal synthesis, thermal decomposition and optical properties of $\text{Fe}_2\text{F}_5(\text{H}_2\text{O})(\text{Htaz})(\text{taz})(\text{Hdma})$. 2019 , 12, 2519-2523	2
120	Magnetic transitions in metal-organic frameworks of $[(\text{CH}_3)_2\text{NH}_2]\text{Fe}^{\text{II}}(\text{HCOO})_3$, $[(\text{CH}_3)_2\text{NH}_2]\text{Co}^{\text{II}}(\text{HCOO})_3$ and $[(\text{CH}_3)_2\text{NH}_2]\text{Fe}^{\text{III}}\text{Fe}^{\text{II}}(\text{HCOO})_6$. 2020 , 493, 165715	1
119	Temperature-induced Sn(II) supramolecular isomeric frameworks as promising heterogeneous catalysts for cyanosilylation of aldehydes. 2020 , 63, 182-186	27
118	Influence of 2-Amino-4-methylpyridine and 2-Aminopyrimidine Ligands on the Malonic Acid-Cu(II) System: Insights through Supramolecular Interactions and Photoresponse Properties. 2020 , 5, 460-470	4
117	Synthesis and Properties of Two Fe(III) Coordination Polymers Based on 2-Amino-4-methylthiazole, 2-Mercaptobenzothiazole and Aromatic Polycarboxylate. 2020 , 32, 2502-2506	2
116	Tunable Luminescence in Hybrid Cu(I) and Ag(I) Iodides. <i>Inorganic Chemistry</i> , 2020 , 59, 15487-15494	5.1 3
115	Octacyanidometallates for multifunctional molecule-based materials. 2020 ,	43
114	Ambient Temperature Synthesis and Structural Characterization of Six Transition Metal Acetylenedicarboxylate Coordination Polymers. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2020 , 646, 1618-1625	1.3 0
113	Bimetallic Trifluoroacetates as Precursors to Layered Perovskites AMnF (A = K, Rb, and Cs). <i>Inorganic Chemistry</i> , 2020 , 59, 17268-17275	5.1 1
112	Overall photocatalytic water splitting by an organolead iodide crystalline material. 2020 , 3, 1027-1033	38

111	Nanoscale Hierarchically Micro- and Mesoporous Metal-Organic Frameworks for High-Resolution and High-Efficiency Capillary Electrochromatographic Separation. 2020 , 92, 15655-15662		7
110	Metal Halide Perovskite@Metal-Organic Framework Hybrids: Synthesis, Design, Properties, and Applications. 2020 , 16, e2004891		16
109	Bifunctional Dinuclear Complexes Based on Iminodiacetate and 1,2-Di(4-pyridyl)ethylene: Crystal Structures, Vapochromism, and Iodine Adsorption. 2020 , 20, 7439-7449		2
108	Facile synthesis of cesium trithiocyanurate with high ionic conductivity and large birefringence properties. <i>CrystEngComm</i> , 2020 , 22, 6495-6501	3-3	1
107	Copper(II)-Assisted Ligand Fragmentation Leading to Three Families of Metallamacrocycle. <i>Inorganic Chemistry</i> , 2020 , 59, 13524-13532	5-1	10
106	Ligand geometry directs the packing and symmetry of one-dimensional helical motifs in lead oxide naphthoates and biphenylcarboxylates. <i>CrystEngComm</i> , 2020 , 22, 6465-6477	3-3	1
105	Advances in the green chemistry of coordination polymer materials. 2020 , 22, 3693-3715		32
104	Nanomembranes for water treatment. 2020 , 207-240		5
103	Metal-Organic Frameworks as Possible Candidates for Photocatalytic Degradation of Dyes in Wastewater. 2020 , 65-91		1
102	CuIn-ethylxanthate, a Versatile Precursor for Photosensitization of Graphene-Quantum Dots and Nanocatalyzed Synthesis of Imidazopyridines with Ideal Green Chemistry Metrics. 2020 , 8, 5544-5557		10
101	Gram-Scale Synthesis and Multifunctional Properties of a Two-Dimensional Layered Copper(II) Coordination Polymer. 2020 , 2, 1543-1552		3
100	Self-supported rhodium catalysts based on a microporous metal-organic framework for polymerization of phenylacetylene and its derivatives. 2020 , 11, 2904-2913		4
99	Chain-like uranyl-coordination polymer as a bright green light emitter for sensing and sunlight driven photocatalysis. 2020 , 8, 11102-11109		6
98	Ultrasound-assisted synthesis of layered zeolitic imidazolate framework: crystal formation and characteristics. 2020 , 73, 317-332		5
97	Study of the versatility of CuBTC@IL-derived materials for heterogeneous catalysis. <i>CrystEngComm</i> , 2020 , 22, 2904-2913	3-3	3
96	Metal-Organic Framework Magnets. 2020 , 120, 8716-8789		170
95	Dimension Control in Mixed Linker Metal-Organic Frameworks via Adjusting the Linker Shapes. <i>Inorganic Chemistry</i> , 2020 , 59, 2988-2996	5-1	11
94	Structure, electronic and optical properties of Cs ₂ Ti(Br _{1-x} Y _x) ₆ (Y = Cl, I; x = 0, 0.25, 0.5, 0.75, 1) perovskites: The first principles investigations. 2020 , 284, 121213		13

93	Amine-functionalized ordered mesoporous silicas as model materials for liquid phase acid capture. 2020 , 66, e16918		3
92	Two-Dimensional Membranes: New Paradigms for High-Performance Separation Membranes. 2020 , 15, 2241-2270		17
91	Rare example of chiral and achiral polymorphs of a metal-oxide/organic hybrid compound. 2020 , 287, 121358		2
90	An unprecedented cobalt(II)-containing WellsDawson-type tungstovanadate-based metalorganic framework as an efficient catalyst for ring-opening polymerization of ϵ -caprolactone. <i>CrystEngComm</i> , 2020 , 22, 3656-3663	3-3	7
89	Sulfamic acid incorporated HKUST-1: a highly active catalyst and efficient adsorbent.. 2020 , 10, 15586-15597		17
88	Function from configurational degeneracy in disordered framework materials. 2021 , 225, 241-254		7
87	Construction of Hybrid Bimetallic Uranyl Compounds Based on a Preassembled Terpyridine Metalloligand. 2021 , 27, 2124-2130		9
86	Post-synthetic modification of highly stable UiO-66-NH ₂ membranes on porous ceramic tubes with enhanced H ₂ separation. 2021 , 313, 110823		3
85	Copper(I) halide cluster-based coordination polymers modulated by chiral ditopic dithiodianthranilide ligands: synthesis, crystal structure and photoluminescence. <i>CrystEngComm</i> , 2021 , 23, 299-307	3-3	2
84	Efficient air epoxidation of cycloalkenes over bimetal-organic framework ZnCo-MOF materials. 2021 , 499, 111300		2
83	Investigation of the MOF adsorbents and the gas adsorptive separation mechanisms. 2021 , 9, 104790		17
82	Photocatalytic Degradation of Dyes in Wastewater Using Metal Organic Frameworks. 2021 , 261-285		0
81	Magnetocaloric Ln(HCO ₂)(C ₂ O ₄) frameworks: synthesis, structure and magnetic properties.		2
80	Throwing light on the current developments of two-dimensional metalorganic framework nanosheets (2D MONs). 2021 , 2, 4914-4944		7
79	pH-Controlled assembly of two POM-based inorganicorganic hybrid copper coordination polymers: synthesis, structures and properties. 2021 , 46, 1-8		0
78	ROS-generating rare-earth coordination networks for photodynamic inactivation of. <i>Dalton Transactions</i> , 2021 , 50, 5853-5864	4-3	0
77	Kinetic control of zinc cyamelurate crystal formations. 2021 , 32, 719-729		2
76	A review on g-C ₃ N ₄ incorporated with organics for enhanced photocatalytic water splitting. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 12898-12922	13	26

75	Understanding the Stability and Recrystallization Behavior of Amorphous Zinc Phosphate. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 2636-2647	3.8	1
74	Probing the Dielectric Transition and Molecular Dynamics in the Metal-Organic Framework [(CH ₃) ₂ NH ₂] ₂ Mg(HCOO) ₃ Using High Resolution NMR. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 3441-3450	2.8	5
73	Homoselective synthesis of 5-substituted 1H-tetrazoles and one-pot synthesis of 2,4,5-trisubstituted imidazole compounds using BNPs@SiO ₂ -TPPTSA as a stable and new reusable nanocatalyst. <i>Applied Organometallic Chemistry</i> , 2021 , 35, e6144	3.1	0
72	Systematic investigation of new alkaline earth phosphonates based on the linker molecule N,N'-bis(4-piperidine-bis(methylenephosphonic acid)). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021 , 647, 1046-1051	1.3	0
71	Construction of Alkali-metal-based Imidazolecarboxylate Coordination Polymers as Efficient Catalysts for Solvent-free Ring-opening polymerization of ϵ -Caprolactone. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021 , 647, 704-713	1.3	1
70	2D layer assembly of Pt-ZnO nanoparticles on reduced graphene oxide for flexible NO ₂ sensors. <i>Sensors and Actuators B: Chemical</i> , 2021 , 331, 129371	8.5	23
69	An extensive review on three dimension architectural Metal-Organic Frameworks towards supercapacitor application. <i>Journal of Power Sources</i> , 2021 , 488, 229444	8.9	49
68	Ag@MIL-101(Cr) Film Substrate with High SERS Enhancement Effect and Uniformity. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 7297-7304	3.8	8
67	Synthesis of novel alkylphosphonates as promising antimicrobial drugs: Computational molecular docking studies. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2021 , 196, 722-730	1	
66	I3O0-Type 3D Framework of Cobalt Cinnamate and Its Efficient Electrocatalytic Activity toward the Oxygen Evolution Reaction. <i>Chemistry of Materials</i> , 2021 , 33, 2804-2813	9.6	4
65	Metal-to-Semiconductor Transition in Two-Dimensional Metal-Organic Frameworks: An Dynamics Perspective. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 25270-25279	9.5	2
64	Predicting inorganic dimensionality in templated metal oxides. <i>Journal of Chemical Physics</i> , 2021 , 154, 184708	3.9	2
63	Cuboctahedral [In(OH)(NO)(Imtb)]MOF with Atypical Pyramidal Nitrate Ion in SBU: Lewis Acid-Base Assisted Catalysis and Nanomolar Sensing of Picric Acid. <i>Inorganic Chemistry</i> , 2021 , 60, 9238-9242	5.1	4
62	Two-Dimensional Copper Coordination Polymer Assembled with Fumarate and 5,5-Dimethyl-2,2'-bipyridine: Synthesis, Crystal Structure and Magnetic Properties. <i>Journal of Chemical Crystallography</i> , 2021 , 1, 1-10	0.5	1
61	Acoustic Properties of Metal-Organic Frameworks. <i>Research</i> , 2021 , 2021, 9850151	7.8	3
60	Electrocatalytic Activity of Reduced Graphene Oxide Supported Cobalt Cinnamate for Oxygen Evolution Reaction. <i>Energies</i> , 2021 , 14, 5020	3.1	1
59	Optical Properties of (C ₂ H ₅ C ₆ H ₄ NH ₂) ₂ ZnBr ₂ Complex: Experimental and Quantum Chemical Studies. <i>Russian Journal of Physical Chemistry A</i> , 2021 , 95, 1864-1870	0.7	
58	Synthesis, characterization and thermal properties of organic-inorganic hybrid layered materials based on metal sulfates and aromatic diamines: M(diamine) _x SO ₄ (M = Fe, Co; x = 1, 2). <i>Polyhedron</i> , 2021 , 206, 115319	2.7	1

57	Elaboration of Porous Salts. <i>Journal of the American Chemical Society</i> , 2021 , 143, 14956-14961	16.4	12
56	The structural appeal of metal-organic frameworks in antimicrobial applications. <i>Coordination Chemistry Reviews</i> , 2021 , 442, 214007	23.2	14
55	New isoreticular phosphonate MOFs based on a tetratopic linker. <i>Dalton Transactions</i> , 2021 , 50, 13572-13579	13.7	2
54	Mechanical study of a copper dietary supplement, copper glycinate hydrate. <i>CrystEngComm</i> , 2021 , 23, 1815-1820	3.3	0
53	Crystal engineering of coordination networks: then and now. 2021 , 17-60		
52	Porous Coordination Polymers Towards Gas Technology. <i>Structure and Bonding</i> , 2009 , 51-86	0.9	15
51	General Introduction. <i>Springer Theses</i> , 2014 , 1-13	0.1	1
50	Microporous polymeric membranes inspired by adsorbent for gas separation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 13294-13319	13	61
49	Copper(I) iodide ribbons coordinated with thiourea derivatives. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018 , 74, 1650-1655	0.8	2
48	Synthesis, crystal structure solution and characterization of two organic-inorganic hybrid layered materials based on metal sulfates and 1,4-phenylenediamine. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019 , 75, 1502-1508	0.8	1
47	Heteroatom-substituted gem-Bisphosphonates: Advances in the Synthesis and Prospects for Biomedical Application. <i>Current Organic Chemistry</i> , 2019 , 23, 530-615	1.7	6
46	Expanding the synthetic toolbox to access pristine and rare-earth-doped BaFBr nanocrystals. <i>Dalton Transactions</i> , 2021 , 50, 16092-16098	4.3	0
45	Modeled Catalytic Properties of MOF-Based Compounds. 2015 , 517-551		
44	Enzyme Immobilization on Metal-Organic Framework (MOF): Effects on Thermostability and Function. <i>Protein and Peptide Letters</i> , 2019 , 26, 636-647	1.9	1
43	Kinetic Assembly of Porous Coordination Networks Leads to Trapping Unstable Elemental Allotropes. 2020 , 221-250		
42	Regulating interface nucleus growth of CuTCPP membranes via polymer collaboration method. <i>Separation and Purification Technology</i> , 2021 , 282, 120045	8.3	2
41	Interplay between Intrinsic Thermal Stability and Expansion Properties of Functionalized UiO-67 Metal-Organic Frameworks. <i>Chemistry of Materials</i> , 2021 , 33, 910-920	9.6	4
40	Microwave-assisted synthesis of lanthanide coordination polymers with 2-bromobenzoic acid as ligand from hexa-lanthanide molecular precursors. <i>Journal of Molecular Structure</i> , 2021 , 1250, 131918	3.4	0

39	Coexistence of Naked-Eye Mechanochromism, Vapochromism, and Thermochromism in a Soft Crystalline Layered Nickel(II) Coordination Polymer. <i>Inorganic Chemistry</i> , 2021 , 60, 18242-18250	5.1	2
38	Progress in 2D Nanomaterial Composites Membranes for Water Purification and Desalination. <i>Materials Horizons</i> , 2022 , 125-148	0.6	1
37	Metal-organic frameworks for active food packaging. A review.. <i>Environmental Chemistry Letters</i> , 2022 , 20, 1-17	13.3	4
36	Three-Dimensional ZnCo-MOF Modified Graphene Sponge: Flexible Electrode Material for Symmetric Supercapacitor. <i>Energy & Fuels</i> , 2022 , 36, 1735-1745	4.1	2
35	Ligand Control of Structural Diversity in Luminescent Hybrid Copper(I) Iodides. <i>Chemistry of Materials</i> ,	9.6	2
34	Triazine 2D Nanosheets as a New Class of Nanomaterials: Crystallinity, Properties and Applications. <i>Colloids and Interfaces</i> , 2022 , 6, 20	3	1
33	The role of sulfonate groups and hydrogen bonding in the proton conductivity of two coordination networks. <i>Beilstein Journal of Nanotechnology</i> , 13, 437-443	3	
32	Recent advances in the tuning of the organic framework materials - the selections of ligands, reaction conditions, and post-synthesis approaches. <i>Journal of Colloid and Interface Science</i> , 2022 ,	9.3	1
31	Magnetic interactions controlled by light in the family of Fe(II)-M(IV) (M = Mo, W, Nb) hybrid organic-inorganic frameworks. <i>Dalton Transactions</i> ,	4.3	2
30	Tuning magnetic properties with crystal engineering in a family of coordination polymers based on Ni(II) sulphates. <i>New Journal of Chemistry</i> ,	3.6	1
29	Synthesis and properties of a new vanadium benzene-1,3-diphosphonate. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> ,	1.3	0
28	Efficient and reusable catalysis of benzylic C-H oxidation over layered [Co ₅ (OH) ₆] ⁴⁺ derivatives. <i>Chemical Communications</i> ,	5.8	
27	Simulated adsorption of iodine by an amino-metal-organic framework modified with covalent bonds. <i>Environmental Science and Pollution Research</i> ,	5.1	
26	Advances in polybenzimidazole based membranes for fuel cell applications that overcome Nafion membranes constraints. <i>Polymer</i> , 2022 , 255, 125151	3.9	3
25	Synthesis of polyoxometalate based copper-amino-triazole inorganic-organic hybrid materials and related chemistry. 2022 , 4, 100454		0
24	Metal-organic frameworks for detection and adsorptive removal of pesticides. 2022 , 329-340		0
23	Supramolecular Organic Nanowires of 2,6-Naphthalene Dicarboxylic Acid Observed in the Lamellar Space of Zn ₃ (PO ₄) ₄ and Zn _{1.6} Co _{1.4} (PO ₄) ₄ Host Lattices. 2022 , 7,		0
22	Pyrogallate-Based Metal-Organic Framework with a Two-Dimensional Secondary Building Unit.		0

- 21 Pyrogallate-Based Metal-Organic Framework with a Two-Dimensional Secondary Building Unit. ○
- 20 Free Amine-Directed Ru(II)-Catalyzed Redox-Neutral [4 + 2] C_H Activation/Annulation of Benzylamines with Sulfoxonium Ylides. **2022**, 87, 12608-12621 ○
- 19 Isostructural Family of Rare-Earth MOFs Synthesized from 1,1,2,2-Tetrakis(4-phosphonophenyl)ethylene. ○
- 18 Mechanical Properties of a New Hybrid Inorganic/Organic Framework: A Nanoindentation, High-Pressure X-ray Diffraction, and Computational Study. ○
- 17 Mixed-Valent Stellated Cuboctahedral Cu(2,4-Imdb)-MOF for Trace Water Detection. ○
- 16 Synthesis and Structure Evolution in Metal Carbazole Diphosphonates Followed by Electron Diffraction. ○
- 15 Recent review of interfacial engineering for perovskite solar cells: effect of functional groups on the stability and efficiency. **2022**, 26, 101224 1
- 14 MOF-808: a novel solid-acid catalyst for methanol conversion to environmentally clean fuel dimethyl ether. 1-9 ○
- 13 Future perspectives in enzyme immobilization. **2023**, 403-426 ○
- 12 Folic acid grafted aminated zeolitic imidazolate framework (ZIF-8) as pH responsive drug carrier for targeted delivery of curcumin. **2023**, 79, 104098 ○
- 11 Application of ZIF nanosheets for construction of epoxy composite coatings with enhanced corrosion protection performance. **2023**, 175, 107335 ○
- 10 Solvothermal and hydrothermal methods for preparative solid-state chemistry. **2022**, ○
- 9 Enhanced Second-Harmonic-Generation Response in a KH₂PO₄-Type Calcium Nitrate Carboxylate with Unusual Three-Dimensional Inorganic and Organic Connections. **2022**, 61, 20243-20247 ○
- 8 Selective Chromium(VI) Trapping by an Acetate-Releasing Coordination Polymer. **2022**, 61, 20824-20833 ○
- 7 Investigation of Guest-Induced Flexibility in Pyrazine Derivative of ALFFIVE MOF via Molecular Simulation. **2023**, 39, 1373-1385 ○
- 6 Organic/Organic Porphyrinoid Frameworks for Biomolecule Sensing. ○
- 5 Tuning the topology of a 2D metal/organic framework from 2D to 3D using modulator assisted synthesis. **2023**, 25, 1486-1494 ○
- 4 Study of the one-step in situ growth synthesis of Cu-Pic coordination polymer and Cu-BTC MOF and their performances for detection of 4-Nitrophenol. **2023**, 189, 108557 ○

- 3 Overview of Metal Organic Frameworks. **2023**, 1-14
- 2 Fundamentals of MOF Mechanics & Structure Mechanical Property Relationships. **2023**, 1-64
- 1 Calculating the Number of Conduction Channels in a Single-Electron Reservoir Network Based on a Metal-Organic Framework Polymer. **2023**, 87, 59-65