

BIOGEOGRAPHIC AREAS AND TRANSITION ZONES OF ISLANDS BASED ON PANBIOGEOGRAPHIC AND CLAD

Annual Review of Entomology

51, 467-494

DOI: [10.1146/annurev.ento.50.071803.130447](https://doi.org/10.1146/annurev.ento.50.071803.130447)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Some Crickets from South America (Grylloidea and Tridactyloidea). Proceedings of the United States National Museum, 1956, 106, 241-293.	0.2	38
2	SYSTEMATIC REVISION AND CLADISTIC ANALYSIS OF EPIPHRAGMOPHORA DOERING FROM ARGENTINA AND SOUTHERN BOLIVIA (GASTROPODA: STYLOMMATOPHORA: XANTHONYCHIDAE). Malacología, 2006, 49, 121-188.	0.4	13
3	A NEW SPECIES OF PLOCHIONOCERUS (COLEOPTERA: STAPHYLINIDAE: XANTHOLININI) FROM COSTA RICA, VENEZUELA, AND ECUADOR. Entomological News, 2006, 117, 406-412.	0.2	1
4	A new dung beetle genus with two new species from Chile (Coleoptera: Scarabaeidae:) Tj ETQql 1 0.784314 rgBT /Overlock 0.5 43		
5	Phylogeography of the Western Lyresnake (<i>Trimorphodon biscutatus</i>): testing aridland biogeographical hypotheses across the Nearctic-Neotropical transition. Molecular Ecology, 2006, 15, 4387-4407.	3.9	117
6	Phylogeny of the Oxycoryninae sensu lato (Coleoptera: Belidae) and evolution of host-plant associations. Invertebrate Systematics, 2006, 20, 447.	1.3	44
7	Speciesâ™ Borders and Dispersal Barriers. American Naturalist, 2007, 170, 297-304.	2.1	76
8	Ancient papillomavirus-host co-speciation in Felidae. Genome Biology, 2007, 8, R57.	9.6	152
9	Distribution of Cornops grasshoppers (Leptysminae: Acrididae: Orthoptera) in Latin America and the Caribbean Islands. Studies on Neotropical Fauna and Environment, 2007, 42, 11-24.	1.0	25
10	Description of immature stages of <i>Agelania cortesi</i> (González) from central Chile (Diptera: Tabanidae). Studies on Neotropical Fauna and Environment, 2007, 42, 5-9.	1.0	2
11	Gymnosperms and cladistic biogeography of the Mexican Transition Zone. Taxon, 2007, 56, 905-916.	0.7	27
12	Thoraconaupectus, A New Brazilian Genus Of Broad Nosed Weevil (Coleoptera: Curculionidae:) Tj ETQql 1 0.784314 rgBT /Oyerlock 10		
13	Biogeography and evolution of Amazonian triatomines (Heteroptera: Reduviidae): implications for Chagas disease surveillance in humid forest ecoregions. Memorias Do Instituto Oswaldo Cruz, 2007, 102, 57-70.	1.6	95
14	Anfíbios e répteis do Parque Nacional da Serra da Bodoquena, Mato Grosso do Sul, Brasil. Biota Neotropica, 2007, 7, 279-289.	1.0	53
15	A revision of the neotropical genus Anahi Martínez (Coleoptera: Scarabaeidae: Melolonthinae) with the description of two new species. Neotropical Entomology, 2007, 36, 729-736.	1.2	3
17	Track analysis of the Mexican species of Cerambycidae (Insecta, Coleoptera). Revista Brasileira De Entomologia, 2007, 51, 131-137.	0.4	12
18	Chave pictórica para os gêneros de Tabanidae (Insecta: Diptera) do bioma Campos Sulinos, Rio Grande do Sul, Brasil. Biota Neotropica, 2007, 7, 253-264.	1.0	15
19	Endemic insects from the Yungas of Argentina. Zootaxa, 2007, 1576, 63-67.	0.5	7

#	ARTICLE	IF	CITATIONS
20	Taxonomic review of the <i>Spixia pyriformis</i> species complex (Gastropoda: Pulmonata: Odontostominae). <i>Zootaxa</i> , 2007, 1498, 1-25.	0.5	7
21	Biogeographical patterns of the avifaunas of the Caribbean Basin Islands: a parsimony perspective. <i>Cladistics</i> , 2007, 23, 180-200.	3.3	35
22	Systematic revision and phylogenetic analysis of the South American genus <i>Chlorus</i> (Orthoptera). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1.7</i>	1.7	14
23	Chloroplast DNA variation in the <i>Turnera sidoides</i> L. complex (Turneraceae): biogeographical implications. <i>Journal of Biogeography</i> , 2007, 34, 427-436.	3.0	42
24	Does the Transmexican Volcanic Belt represent a natural biogeographical unit? An analysis of the distributional patterns of Coleoptera. <i>Journal of Biogeography</i> , 2007, 34, 1008-1015.	3.0	43
25	Review of the South American genus <i>Eurotettix</i> Bruner (Orthoptera, Acridoidea, Melanoplinae). <i>Systematic Entomology</i> , 2007, 32, 176-195.	3.9	11
26	Cladistic biogeographic analysis suggests an early Caribbean diversification in Mexico. <i>Die Naturwissenschaften</i> , 2007, 94, 561-565.	1.6	49
27	Distributional patterns of the Neotropical humid montane forest avifaunas. <i>Biological Journal of the Linnean Society</i> , 0, 94, 175-194.	1.6	50
28	Richness and endemism of helminth parasites of freshwater fishes in Mexico. <i>Biological Journal of the Linnean Society</i> , 2008, 94, 435-444.	1.6	19
29	Spatial congruence between biotic history and species richness of Muscidae (Diptera, Insecta) in the Andean and Neotropical regions. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2008, 46, 374-380.	1.4	12
30	Biogeographical boundaries and Monmonierâ€™s algorithm: a case study in the northern Neotropics. <i>Journal of Biogeography</i> , 2008, 35, 407-416.	3.0	34
31	Panbiogeographical analysis of the genus <i>Bomarea</i> (Alstroemeriaceae). <i>Journal of Biogeography</i> , 2008, 35, 1250-1257.	3.0	19
32	Biogeographical revision of Argentina (Andean and Neotropical Regions): an analysis using freshwater fishes. <i>Journal of Biogeography</i> , 2008, 35, 1564-1579.	3.0	79
33	Inferences about antennal phenotype: the â€œ <i>Triatoma maculata</i> complexâ€•(Hemiptera: Triatominae) is valid?. <i>Acta Tropica</i> , 2008, 106, 16-21.	2.0	19
34	Immature stages of <i>Chinavia musiva</i> (Berg, 1878): a unique pattern in the morphology of <i>Chinavia</i> Orian, 1965 (Hemiptera, Pentatomidae). <i>Journal of Natural History</i> , 2008, 42, 1749-1763.	0.5	16
35	Spatial and temporal patterns in the aquatic insect community of a high altitude Andean stream (Mendoza, Argentina). <i>Aquatic Insects</i> , 2008, 30, 145-161.	0.9	14
36	Revision of the Cantacaderinae (Heteroptera, Tingidae) from Argentina and Chile, with the description of a new species of Cantacaderini. <i>Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift</i> , 2008, 55, 109-116.	0.8	6
37	Notes on the genus <i>Chelipodozus</i> Collin (Diptera: Empididae: Hemerodromiinae) with descriptions of seven new species from Chile. <i>Tijdschrift Voor Entomologie</i> , 2008, 151, 103-114.	0.3	3

#	ARTICLE	IF	CITATIONS
38	Distribution, hosts, 16S rDNA sequences and phylogenetic position of the Neotropical tick <i>Amblyomma parvum</i> (Acarı: Ixodidae). Annals of Tropical Medicine and Parasitology, 2008, 102, 409-425.	1.6	51
39	A review of the Neotropical genus <i>Drepanocnemis</i> Stein (Diptera, Muscidae), with phylogenetic analysis and biogeographic considerations of its species. Journal of Natural History, 2008, 42, 2659-2678.	0.5	4
40	Diopetine Moths of the Caribbean Region: Description of Two New Genera with Notes on Biology and Biogeography (Lepidoptera: Notodontidae: Diopitinae). Annals of Carnegie Museum, 2008, 76, 203-225.	0.5	7
41	Revision of the Mexican Genera Ficinus Distant and Jornandes Distant with the Description of 21 New Species (Heteroptera: Miridae: Orthotylinae: Orthotylini). Bulletin of the American Museum of Natural History, 2008, 309, 1-87.	3.4	16
42	An essay on the tribe Xylographellini (Coleoptera: Tenebrionoidea: Ciidae). Zootaxa, 2008, 1832, 1.	0.5	16
43	Track analysis of the Neotropical genus Sepedonea Steyskal (Diptera: Sciomyzidae): a proposal based on the phylogenetic analysis of its species. Zootaxa, 2008, 1716, 21.	0.5	5
44	Ephemeroptera and Plecoptera biodiversity in central Patagonia, Chubut province, Argentina. Zootaxa, 2008, 1817, 27.	0.5	10
45	Detection of areas of endemism on two spatial scales using Parsimony Analysis of Endemicity (PAE): the Neotropical region and the Atlantic Forest. Biota Neotropica, 2008, 8, 33-42.	1.0	40
46	Analysis of the geographical distribution of Psammolestes Bergroth (Hemiptera: Heteroptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 427 Jurberg. Zootaxa, 2009, 2033, 41-48.	0.5	14
47	Studies on neotropical Phasmatodea VIII: Revision of the genus Decidia Stål, 1875 with the description of a new species from Colombia (Phasmatodea: Pseudophasmatidae: Pseudophasmatinae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5		
48	Cladistic analysis of Thoreyella and related genera (Hemiptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	13
49	Endemismo a diferentes escalas espaciales: un ejemplo con Carabidae (Coleóptera: Insecta) de América del Sur austral. Revista Chilena De Historia Natural, 2009, 82, .	1.2	46
50	Historical relationships among areas of endemism in the tropical South America using Brooks Parsimony Analysis (BPA). Biota Neotropica, 2009, 9, 79-90.	1.0	38
51	Estado de conservación de Chiasognathus granti Stephens 1831 (Coleóptera: Lucanidae) en Chile. Revista Chilena De Historia Natural, 2009, 82, .	1.2	1
52	Ecological niche models and patterns of richness and endemism of the southern Andean genus Erymetopum (Coleoptera, Cleridae). Revista Brasileira De Entomologia, 2009, 53, 379-385.	0.4	12
53	Can insect data be used to infer areas of endemism?: An example from the Yungas of Argentina. Revista Chilena De Historia Natural, 2009, 82, .	1.2	24
54	The Genus Chelipoda Macquart (Diptera, Empididae, Hemerodromiinae) in Chile. Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift, 2009, 56, 57-71.	0.8	2
55	Identification of Generalized Tracks for the Species of Isopoda (Peracarida) from the Eastern Pacific. Journal of Crustacean Biology, 2009, 29, 224-231.	0.8	8

#	ARTICLE	IF	CITATIONS
56	Review of plant biogeographic studies in Brazil. <i>Journal of Systematics and Evolution</i> , 2009, 47, 477-496.	3.1	243
57	Endemic origin and vast anthropogenic dispersal of the West Indian drywood termite. <i>Biological Invasions</i> , 2009, 11, 787-799.	2.4	57
58	Areas of endemism and spatial diversification of the Muscidae (Insecta: Diptera) in the Andean and Neotropical regions. <i>Journal of Biogeography</i> , 2009, 36, 1750-1759.	3.0	32
59	Do the Oaxacan Highlands represent a natural biotic unit? A cladistic biogeographical test based on vertebrate taxa. <i>Journal of Biogeography</i> , 2009, 36, 1939-1944.	3.0	35
60	On the International Code of Area Nomenclature (ICAN): a reply to Zaragóeta-Bagils <i>et al.</i>. <i>Journal of Biogeography</i> , 2009, 36, 1619-1621.	3.0	3
61	A global phylogeny of apple snails: Gondwanan origin, generic relationships, and the influence of outgroup choice (Caenogastropoda: Ampullariidae). <i>Biological Journal of the Linnean Society</i> , 0, 98, 61-76.	1.6	89
62	Historical biogeography of the Yucatan Peninsula, Mexico: a perspective from ferns (Monilophyta) and lycopods (Lycophyta). <i>Biological Journal of the Linnean Society</i> , 0, 98, 775-786.	1.6	35
63	Systematic placement and biogeographical relationships of the monotypic genera <i>Gypothamnium</i> and <i>Oxyphyllum</i> (Asteraceae: Mutisioideae) from the Atacama Desert. <i>Botanical Journal of the Linnean Society</i> , 2009, 159, 32-51.	1.6	31
64	New species of <i>Thinobius</i> Kiesenwetter, 1844 (Coleoptera: Staphylinidae) from Argentina with ecological notes. <i>Entomological Science</i> , 2009, 12, 252-260.	0.6	1
65	The association between the geographic distribution of <i>Triatoma pseudomaculata</i> and <i>Triatoma wygodzinskyi</i> (Hemiptera: Reduviidae) with environmental variables recorded by remote sensors. <i>Infection, Genetics and Evolution</i> , 2009, 9, 54-61.	2.3	22
66	Intraspecific variation in the stingless bee <i>Melipona beecheii</i> assessed with PCR-RFLP of the ITS1 ribosomal DNA. <i>Apidologie</i> , 2009, 40, 549-555.	2.0	9
67	Biogeography of the Monte Desert. <i>Journal of Arid Environments</i> , 2009, 73, 164-172.	2.4	122
68	Ecology, evolution, and the long-term surveillance of vector-borne Chagas disease: A multi-scale appraisal of the tribe Rhodniini (Triatominae). <i>Acta Tropica</i> , 2009, 110, 159-177.	2.0	123
69	Predicting the Potential Geographical Distribution of $\text{Rhodnius neglectus}$ (Hemiptera,) Tj ETQq1 1.0 784314 30gBT /Ove		
70	Diversity and distribution models of horse flies (Diptera: Tabanidae) from Ecuador. <i>Annales De La Societe Entomologique De France</i> , 2009, 45, 511-528.	0.9	21
71	Population structure analyses and demographic history of the malaria vector <i>Anopheles albimanus</i> from the Caribbean and the Pacific regions of Colombia. <i>Malaria Journal</i> , 2009, 8, 259.	2.3	37
72	The irruption of new agro-industrial technologies in Uruguay and their environmental impacts on soil, water supply and biodiversity: a review. <i>International Journal of Environment and Health</i> , 2009, 3, 175.	0.3	27
73	Delimitation of the Nearctic region according to mammalian distributional patterns. <i>Journal of Mammalogy</i> , 2010, 91, 1381-1388.	1.3	30

#	ARTICLE	IF	CITATIONS
74	Hosts, distribution and genetic divergence (16S rDNA) of <i>Amblyomma dubitatum</i> (Acar: Ixodidae). Experimental and Applied Acarology, 2010, 51, 335-351.	1.6	66
75	Geographic patterns of morphological variation in <i>Turnera sidoides</i> subsp. <i>pinnatifida</i> (Turneraceae). Plant Systematics and Evolution, 2010, 284, 231-253.	0.9	26
76	Morphometric and genetic differentiation in isolated populations of the endangered Mesoamerican stingless bee <i>Melipona yucatanica</i> (Hymenoptera: Apoidea) suggest the existence of a two species complex. Conservation Genetics, 2010, 11, 2079-2084.	1.5	36
77	Taxonomic revision and phylogenetic relationships of the bee genus <i>Parapsaenithia</i> Friese (Hymenoptera, Apidae, Protandrenini), with biogeographic inferences for the South American Chacoan Subregion. Systematic Entomology, 2010, 35, 449-474.	3.9	16
78	The high-Andean <i>Jivarus</i> Giglio-Tos (Orthoptera, Acridoidea, Melanoplinae): systematics, phylogenetic and biogeographic considerations. Systematic Entomology, 2010, 35, 692-721.	3.9	12
79	A Phylogenetic Approach to Conserving Amazonian Biodiversity. Conservation Biology, 2010, 24, 1359-1366.	4.7	31
80	Fundamental biogeographic patterns across the Mexican Transition Zone: an evolutionary approach. Ecography, 2010, 33, 355-361.	4.5	100
81	Phylogeny, diversification patterns and historical biogeography of euglossine orchid bees (Hymenoptera: Apidae). Biological Journal of the Linnean Society, 0, 100, 552-572.	1.6	120
82	Parsimony analysis of endemism as a panbiogeographical tool: an analysis of Caribbean plant taxa. Biological Journal of the Linnean Society, 2010, 101, 961-976.	1.6	30
83	Evaluating hypotheses on the origin and diversification of the ringneck snake <i>Diadophis punctatus</i> (Colubridae: Dipsadinae). Zoological Journal of the Linnean Society, 2010, 158, 629-640.	2.3	5
84	Revision of the Neotropical genus <i>Carrerapyrgota</i> AczÃ©l (Diptera, Pyrgotidae) with the description of two new species. Zootaxa, 2010, 2515, 45.	0.5	5
85	Cladistic analysis of Abracrini genera (Orthoptera, Acrididae, Ommatolampinae). Zootaxa, 2010, 2451, 1.	0.5	6
86	Herpetofauna, municipality of Porto Murtinho, Chaco region, state of Mato Grosso do Sul, Brazil. Check List, 2010, 6, 470.	0.4	19
87	A new species of <i>Lauromacromia</i> (Odonata: Corduliidae) from Southeastern Brazil, with a cladistic analysis of the genus and comments on Neotropical dragonfly biogeography. Zootaxa, 2010, 2425, 45.	0.5	5
88	Insecta, Hymenoptera, Vespoidea, Pompilidae, <i>Epipompilus aztecus</i> (Cresson, 1869): first record in South America. Check List, 2010, 6, 483.	0.4	2
89	<i>Anopheles (Nyssorhynchus) atacamensis</i> (Diptera: Culicidae), a new species from Northern Chile. Memorias Do Instituto Oswaldo Cruz, 2010, 105, 13-24.	1.6	4
90	PadrÃµes espaciais na distribuiÃ§Ã£o de abelhas Euglossina (Hymenoptera, Apidae) da regiÃ£o Neotropical. Papéis Avulsos De Zoologia, 2010, 50, 667-679.	0.4	17
91	The South American Biogeographic Transition Zone: An analysis from Asteraceae. Taxon, 2010, 59, 505-509.	0.7	17

#	ARTICLE	IF	CITATIONS
92	Three New Species of the <i>Philonthus furvus</i> Species Group (Coleoptera: Staphylinidae) from Guatemala and MÃ©xico, with Taxonomic Remarks and Distributional Records of Related Mexican Species. <i>Transactions of the American Entomological Society</i> , 2010, 136, 269-288.	0.3	9
93	Microgeographic Genetic Variation of the Malaria Vector <i>Anopheles darlingi</i> Root (Diptera: Culicidae) from CÃ³rdoba and Antioquia, Colombia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 38-47.	1.4	37
94	Systematic revision, cladistics and biogeography of the genus <i>Neogutierrezia</i> MartÃ±ez (Coleoptera: Scarabaeidae) and its phylogenetic placement in Rutelinae based on structural alignment of 28S rDNA sequences. <i>Invertebrate Systematics</i> , 2010, 24, 81.	1.3	13
95	A Revision of the Argentinean Endemic Genus <i>Eucranium</i> BrullÃ© (Coleoptera: Scarabaeidae). <i>Tij ETQq1 1 0.784314 rgBT /Overlock 10 Tf</i> 2010, 10, 1-25.	1.5	11
96	Five New Mexican Species of the Flea Genus <i>Strepsylla</i> Traub, 1950 (Siphonaptera: Ctenophthalmidae). <i>Tij ETQq0 0 0 rgBT /Overlock 10 Tf</i>	0.7	1
97	Description of immature stages of <i>Ectemnostega</i> (<i>Ectemnostega</i>) <i>quadrata</i> (Signoret, 1885) (Heteroptera: Corixidae), with notes on ecological requirements of the species. <i>Aquatic Insects</i> , 2010, 32, 99-111.	0.9	5
98	Redescription of <i>Belonuchus godmani</i> (Sharp, 1885) (Coleoptera: Staphylinidae: Staphylininae), with First National and State Records. <i>Entomological News</i> , 2010, 121, 206-211.	0.2	1
99	Freshwater Gastropod Provinces from Argentina. <i>Malacologia</i> , 2010, 53, 47-60.	0.4	25
100	Geographic distribution and historical occurrence of <i>Dromiciops gliroides</i> Thomas (Metatheria). <i>Tij ETQq0 0 0 rgBT /Overlock 10 Tf</i>	1.8	57
101	Tingidae (Insecta, Heteroptera) from the Argentinian Yungas: new records and descriptions of selected fifth instars. <i>Zoosystema</i> , 2010, 32, 549-565.	0.6	7
102	Studies on Neotropical Phasmatodea X: Redescriptions of <i>Aplopocranidium</i> Zompro, 2004 and <i>Jeremia</i> Redtenbacher, 1908, with a Survey of the Tribe Cladomorphini Brunner v. Wattenwyl, 1893 and Keys to the Genera (Insecta: Phasmatodea: Anareolatae Cladomorphinae). <i>Journal of Orthoptera Research</i> , 2010, 19, 101-113.	1.0	3
103	Taxonomic notes in American Polystachya (Orchidaceae): the identity of <i>P. foliosa</i> (Hook.) Rchb.f. and the reestablishment of <i>P. caracasana</i> Rchb.f. <i>Journal of the Torrey Botanical Society</i> , 2011, 138, 366-380.	0.3	6
104	Biogeographic regions of Central Argentina based on snake distribution: evaluating two different methodological approaches. <i>Journal of Natural History</i> , 2011, 45, 1005-1020.	0.5	18
105	Distribution of Macroinvertebrate assemblages along a saline wetland in harsh environmental conditions from Central-West Argentina. <i>Limnologica</i> , 2011, 41, 37-47.	1.5	16
106	The relationship between emergence of mound builders in SE Uruguay and climate change inferred from opal phytolith records. <i>Quaternary International</i> , 2011, 245, 62-73.	1.5	29
107	The diversification of eastern South American open vegetation biomes: Historical biogeography and perspectives. <i>Quaternary Science Reviews</i> , 2011, 30, 1630-1648.	3.0	346
108	Wing patterning gene redefines the mimetic history of <i>Heliconius</i> butterflies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19666-19671.	7.1	104
109	Revision of <i>Clinoides</i> GuenÃ©e (Lepidoptera: Crambidae: Odontinae). <i>Annals of Carnegie Museum</i> , 2011, 79, 231-347.	0.5	6

#	ARTICLE	IF	CITATIONS
110	Longevity and fecundity of <i>Dichroplus maculipennis</i> (Orthoptera, Acrididae) at non-outbreaking and outbreaking situations. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 435-438.	0.4	7
111	Phylogenetic analysis of the <i>Pantomorus-Naupactus</i> complex (Coleoptera: Curculionidae: Entiminae) from North and Central America. <i>Zootaxa</i> , 2011, 2780, .	0.5	20
112	New records of Ichneumonidae (Hymenoptera: Ichneumonoidea) from Mexico. <i>Zootaxa</i> , 2011, 2879, 1.	0.5	16
113	The <i>Calliopsis</i> (Hymenoptera; Andrenidae; Panurginae) of Chile with the description of a new species. <i>Zootaxa</i> , 2011, 2908, .	0.5	4
114	Distributional patterns of the Neotropical genus <i>Thecomyia</i> Party (Diptera, Sciomyzidae) and phylogenetic support. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 06-14.	0.4	5
115	Molecular evidence for a single taxon, <i>Anopheles nuneztovari</i> s.l., from two endemic malaria regions in Colombia. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011, 106, 1017-1023.	1.6	11
116	The black flies (Diptera: Simuliidae) from Santa Catarina, Brazil. <i>Zoologia</i> , 2011, 28, 31-36.	0.5	0
117	A New Generic Synonymy for Leptophlebiidae (Ephemeroptera) from Patagonia, and Descriptions of Female and Subimagos of <i>Dactylophlebia carnulenta</i> Pescador & Peters. <i>Neotropical Entomology</i> , 2011, 40, 108-111.	1.2	0
118	Hacia una fitogeografÃa histÃrica del Desierto de Atacama. <i>Revista De Geografia Norte Grande</i> , 2011, , 105-133.	0.2	24
119	Licofitas (Equisetopsida: Lycopodiidae) de las Sierras Centrales de Argentina: un enfoque panbiogeogrÃjico. <i>Gayana - Botanica</i> , 2011, 68, 16-21.	0.2	4
120	AnÃlisis panbiogeogrÃjico de algunas Cactaceae del Ecuador. <i>Gayana - Botanica</i> , 2011, 68, 220-225.	0.2	11
121	Track analysis of the North and Central American species of the <i>Pantomorusâ€“Naupactus</i> complex (Coleoptera: Curculionidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2011, 49, 309-314.	1.4	16
122	Evolutionary biogeography of <i>Manihot</i> (Euphorbiaceae), a rapidly radiating Neotropical genus restricted to dry environments. <i>Journal of Biogeography</i> , 2011, 38, 1033-1043.	3.0	38
123	Tropical niche conservatism as a historical narrative hypothesis for the Neotropics: a case study using the fly family Muscidae. <i>Journal of Biogeography</i> , 2011, 38, 1936-1947.	3.0	19
124	Island evolutionary biogeography: analysis of the weevils (Coleoptera: Curculionidae) of the Falkland Islands (Islas Malvinas). <i>Journal of Biogeography</i> , 2011, 38, 2078-2090.	3.0	12
125	Palaeogeography and palaeoenvironments of northern Patagonia from the Late Cretaceous to the Miocene: the Palaeogene Andean gap and the rise of the North Patagonian High Plateau. <i>Biological Journal of the Linnean Society</i> , 2011, 103, 305-315.	1.6	22
126	Assessing land-use effects on water quality, in-stream habitat, riparian ecosystems and biodiversity in Patagonian northwest streams. <i>Science of the Total Environment</i> , 2011, 409, 612-624.	8.0	202
127	Systematics and cladistics of <i>< i>Megalostomis</i></i> Chevrolat, and the biogeography of Clytrini (Coleoptera: Cryptocephalinae). <i>Systematic Entomology</i> , 2011, 36, 672-704.	3.9	8

#	ARTICLE	IF	CITATIONS
128	Geographic distribution of <i>Rhyncholestes raphanurus</i> Osgood, 1924 (Paucituberculata:Caenolestidae), an endemic marsupial of the Valdivian Temperate Rainforest. <i>Australian Journal of Zoology</i> , 2011, 59, 118.	1.0	25
129	A New Didolodontid Mammal from the Late Paleocene–Earliest Eocene of Laguna Umayo, Peru. <i>Acta Palaeontologica Polonica</i> , 2011, 56, 665-678.	0.4	13
130	Diversity of tiger moths in a Neotropical hotspot: determinants of species composition and identification of biogeographic units. <i>Journal of Insect Conservation</i> , 2011, 15, 643-651.	1.4	33
131	Molecular phylogenetics of an endangered species: the Tamaulipan woodrat (<i>Neotoma angustapalata</i>). <i>Conservation Genetics</i> , 2011, 12, 1035-1048.	1.5	2
132	Geographic host use variability and host range evolutionary dynamics in the phytophagous insect <i>Apagomerella versicolor</i> (Cerambycidae). <i>Oecologia</i> , 2011, 165, 387-402.	2.0	20
133	Geometric morphometrics of the wing as a tool for assigning genetic lineages and geographic origin to <i>Melipona beecheii</i> (Hymenoptera: Meliponini). <i>Apidologie</i> , 2011, 42, 499-507.	2.0	52
134	Distribution and Basic Biology of Black Cherry-Infesting <i>Rhagoletis</i> (Diptera: Tephritidae) in México. <i>Annals of the Entomological Society of America</i> , 2011, 104, 202-211.	2.5	15
135	Taxonomic Revision of the Genus <i>Hadropus</i> Schoenherr (Coleoptera: Curculionidae) with Comments on Infraspecific Variation. <i>Transactions of the American Entomological Society</i> , 2011, ,.	0.3	3
136	Obrieniolus, a new monotypic genus of Naupactini (Coleoptera, Curculionidae, Entiminae) from the Peruvian Andes and its phylogenetic placement. <i>ZooKeys</i> , 2011, 102, 51-60.	1.1	3
137	Revision de la distribucion de <i>Hyalella</i> Smith, 1874 (Crustacea, Amphipoda) en la Patagonia e islas adyacentes. <i>Latin American Journal of Aquatic Research</i> , 2012, 40, 462-466.	0.6	5
138	Community Structure of Leaf-Litter Ants in a Neotropical Dry Forest: A Biogeographic Approach to Explain Betadiversity. <i>Psyche: Journal of Entomology</i> , 2012, 2012, 1-15.	0.9	9
139	Studies on Neotropical Phasmatodea XIII: The Genus <i>Paracalynda</i> Zompro, 2001 with Notes on <i>Eusermyleformia</i> Bradler, 2009 (Insecta: Phasmatodea: Diapheromerinae: Diapheromerini). <i>Journal of Orthoptera Research</i> , 2012, 21, 57-64.	1.0	2
140	Systematics and cladistics of a new Naupactini genus (Coleoptera: Curculionidae: Entiminae) from the Andes of Colombia and Ecuador. <i>Zoological Journal of the Linnean Society</i> , 2012, 166, 54-71.	2.3	6
141	Diversification of <i>Morpho</i> butterflies (Lepidoptera, Nymphalidae): a reevaluation of morphological characters and new insight from DNA sequence data. <i>Systematic Entomology</i> , 2012, 37, 670-685.	3.9	26
142	Biogeographical analysis of two <i>Polypodium</i> species complexes (Polypodiaceae) in Mexico and Central America. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 940-955.	1.6	9
143	Status of the alien pathogen <i>Paranosema locustae</i> (Microsporidia) in grasshoppers (Orthoptera). <i>Taxon</i> , 2012, 61, 1078-1084.	1.3	14
144	Cryptic Species of the <i>Anastrepha fraterculus</i> Complex (Diptera: Tephritidae): A Multivariate Approach for the Recognition of South American Morphotypes. <i>Annals of the Entomological Society of America</i> , 2012, 105, 305-318.	2.5	114
145	The World's Zoogeographical Regions Confirmed by Cross-Taxon Analyses. <i>BioScience</i> , 2012, 62, 260-270.	4.9	106

#	ARTICLE	IF	CITATIONS
146	Amphibian Conservation in the Caatinga Biome and Semi-arid Region of Brazil. <i>Herpetologica</i> , 2012, 68, 31-47.	0.4	26
147	Morphological diversity displayed by high altitude <i>Branchinecta papillata</i> (Anostraca) and additional morphological comparisons with <i>Branchinecta achalensis</i> . <i>Journal of Crustacean Biology</i> , 2012, 32, 1-13.	0.8	11
148	Ecological Characterization of a Community of Arthropods Parasitic of Sigmodontine Rodents in the Argentinean Chaco. <i>Journal of Medical Entomology</i> , 2012, 49, 1276-1282.	1.8	13
149	Adaptive Introgression across Species Boundaries in <i>Heliconius</i> Butterflies. <i>PLoS Genetics</i> , 2012, 8, e1002752.	3.5	319
151	Land use change in a temperate grassland soil: Afforestation effects on chemical properties and their ecological and mineralogical implications. <i>Science of the Total Environment</i> , 2012, 438, 549-557.	8.0	29
152	Two Species of <i>Microcerella</i> (Diptera: Sarcophagidae) Found in Highland Arid Landscapes of Argentina, During Forensic Studies. <i>Journal of Medical Entomology</i> , 2012, 49, 183-191.	1.8	12
153	The Population Structure of <i>Lutzomyia verrucarum</i> (Diptera: Psychodidae), a <i>Bartonella bacilliformis</i> and <i>Leishmania peruviana</i> Vector in Peru. <i>Journal of Medical Entomology</i> , 2012, 49, 77-84.	1.8	11
154	Proconiini Sharpshooters of Argentina, with Notes on Its Distribution, Host Plants, and Natural Enemies. <i>Journal of Insect Science</i> , 2012, 12, 1-17.	0.9	11
155	Distributional patterns of the South American species of <i>Hyalella</i> (Amphipoda: Hyalellidae). <i>Gayana</i> , 2012, 76, 153-161.	0.1	14
156	Systematic revision of the South American genus <i>Praocis</i> Eschscholtz, 1829 (Coleoptera: Tenebrionidae). <i>Zootaxa</i> , 2012, 3557, 1-50.	0.5	14
157	Revalidation of <i>Oliera BrÃ-thes</i> (Lepidoptera: Cecidosidae) based on a redescription of <i>O. argentinana</i> and DNA analysis of Neotropical cecidosids. <i>Zootaxa</i> , 2012, 3557, 1.	0.5	15
158	Contributions to the knowledge of <i>Dichelops</i> (<i>Dichelops</i>) with the description of a new species (Hemiptera: Heteroptera: Pentatomidae: Pentatominae: Carpocorini). <i>Zootaxa</i> , 2012, 3157, 61.	0.5	5
159	Is <i>Elsiella</i> Froeschner, 1981 a valid genus? (Hemiptera: Heteroptera: Pentatomidae: Pentatominae). <i>Zootaxa</i> , 2012, 3238, 39.	0.5	5
160	Species composition and geographic distribution of Fuegian Curculionidae (Coleoptera: Tenebrionidae). <i>Zootaxa</i> , 2012, 3405, 64.	0.5	5
161	Redescription of the genus <i>Curiades</i> Pascoe 1880 (Coleoptera: Curculionidae: Entiminae: Naupactini), a potential mimic of <i>Mutillidae</i> from Brazil. <i>Zootaxa</i> , 2012, 3570, 82.	0.5	3
163	Neotropical Fanniidae (Insecta, Diptera): new species of <i>Fannia</i> from Colombia. <i>Zootaxa</i> , 2012, 3591, 1-3.	0.5	3
164	A new species and records of <i>Alepidia Enderlein</i> (Diptera, Psychodidae, Psychodinae) from Argentina. <i>Zootaxa</i> , 2012, 3397, 62.	0.5	5

#	ARTICLE	IF	CITATIONS
165	Taxonomy of <i>Epictia munoai</i> (Orejas-Miranda, 1961) (Squamata: Serpentes: Leptotyphlopidae). <i>Zootaxa</i> , 2012, 3512, 42.	0.5	9
166	Diversity of Non-Biting Midge Larvae Assemblages in the JacuÃ®-River Basin, Brazil. <i>Journal of Insect Science</i> , 2012, 12, 1-33.	0.9	10
167	Distribution patterns of the American species of the freshwater genus <i>Eucyclops</i> (Copepoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662	0.8	
168	The Diversity of Flower Flies (Diptera: Syrphidae) in Colombia and Their Neotropical Distribution. <i>Neotropical Entomology</i> , 2012, 41, 46-56.	1.2	22
169	Climatic stability in the Brazilian Cerrado: implications for biogeographical connections of South American savannas, species richness and conservation in a biodiversity hotspot. <i>Journal of Biogeography</i> , 2012, 39, 1695-1706.	3.0	200
170	Detecting areas of endemism with a taxonomically diverse data set: plants, mammals, reptiles, amphibians, birds, and insects from Argentina. <i>Cladistics</i> , 2012, 28, 317-329.	3.3	64
171	Phylogenetic reassessment of the <i>Exophthalmus</i> genus complex (Curculionidae: Entiminae: Eustylini,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 21	2.5	
172	The Panama microplate, island studies and relictual species of <i>Melipona</i> (<i>Melikerria</i>) (Hymenoptera: Apidae: Meliponini). <i>Systematic Entomology</i> , 2012, 37, 189-199.	3.9	15
173	New World biogeography and the evolution of polychromatism: evidence from the bee assassin genus <i>Apiomerus</i> (Heteroptera: Reduviidae: Harpactorinae). <i>Systematic Entomology</i> , 2012, 37, 32-54.	3.9	9
174	Distributional patterns of the species of <i>Valeriana</i> (Valerianaceae) in southern South America. <i>Plant Systematics and Evolution</i> , 2012, 298, 535-547.	0.9	15
175	Biogeographic patterns of the myxomycete biota of the Americas using a parsimony analysis of endemicity. <i>Fungal Diversity</i> , 2013, 59, 159-177.	12.3	22
176	<i>Scena propylea</i> (Druce) (Lepidoptera: Erebidae) an Endemic Species of Mexico. <i>Neotropical Entomology</i> , 2013, 42, 246-251.	1.2	9
177	The role of geography and environment in species turnover: phytophagous arthropods on a Neotropical legume. <i>Journal of Biogeography</i> , 2013, 40, 1755-1766.	3.0	14
178	Taxonomy of the "Synargis axenuscomplex" belonging to the "Synargis regulus" species group, with a phylogenetic reassessment of the genus <i>Synargis</i> ...HÃ¼bner, 1819 (Lepidoptera: Riodinidae: Nymphidiini). <i>Zoological Journal of the Linnean Society</i> , 2013, 168, 427-451.	2.3	6
179	Broad polyphyly and historical biogeography of the neotropical wasp genus <i>Notiospathius</i> (Braconidae: Doryctinae). <i>Molecular Phylogenetics and Evolution</i> , 2013, 69, 142-152.	2.7	24
180	Quantitative panbiogeography: was the congruence problem solved?. <i>Systematics and Biodiversity</i> , 2013, 11, 285-302.	1.2	11
181	Survival and fecundity of <i>Dichroplus maculipennis</i> and <i>Ronderosia bergi</i> (Orthoptera: Acrididae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 107 conditions. <i>Biocontrol Science and Technology</i> , 2013, 23, 701-710.	1.3	8
182	Predicting the potential distribution of <i>Vexillata</i> (Nematoda: Ornithostrongylidae) and its hosts (Mammalia: Rodentia) within America. <i>Journal of Helminthology</i> , 2013, 87, 400-408.	1.0	3

#	ARTICLE	IF	CITATIONS
183	The northernmost record of <i>Catagonus stenocephalus</i> (Lund in Reinhardt, 1880) (Mammalia:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 747 South American Earth Sciences, 2013, 42, 39-46.	1.4	21
184	Phylogeographical patterns shed light on evolutionary process in <scp>S</scp>outh <scp>A</scp>merica. Molecular Ecology, 2013, 22, 1193-1213.	3.9	362
185	Systematics and evolutionary history of butterflies in the â€œTaygetis cladeâ€•(Nymphalidae: Satyrinae:) Tj ETQq0 0 0 rgBT /Overlock 10 and Evolution, 2013, 66, 54-68.	2.7	59
186	Population history and seed dispersal in widespread Central American <i>Begonia</i> species (Begoniaceae) inferred from plastome-derived microsatellite markers. Botanical Journal of the Linnean Society, 2013, 171, 260-276.	1.6	40
187	Modelling potential impacts of climate change on the bioclimatic envelope and conservation of the Maned Wolf (<i>Chrysocyon brachyurus</i>). Mammalian Biology, 2013, 78, 41-49.	1.5	20
188	A new <i>Acanthocyclops</i> Kiefer, 1927 (Cyclopoida: Cyclopinae) from an ecological reserve in Mexico City. Journal of Natural History, 2013, 47, 499-515.	0.5	0
189	Patterns of diversification in the high Andean <i>Ponderacris</i> grasshoppers (Orthoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502 T	3.9	12
190	Diversity of freshwater copepods (Maxillopoda: Copepoda: Calanoida, Cyclopoida) from Chiapas, Mexico with a description of <i>Mastigodiaptomus suarezmoralesi</i> sp. nov.. Journal of Natural History, 2013, 47, 479-498.	0.5	10
191	Rodent endemism, turnover and biogeographical transitions on elevation gradients in the northwestern Argentinian Andes. Mammalian Biology, 2013, 78, 322-331.	1.5	15
192	Molecular phylogeny, origin and taxonomic implications of the tribe Cacteae (Cactaceae). Systematics and Biodiversity, 2013, 11, 103-116.	1.2	57
193	Contrasting Patterns of Within-Species Morphological Variation in Two Cactophilic Drosophila Species (Diptera: Drosophilidae). Neotropical Entomology, 2013, 42, 384-392.	1.2	2
194	Biogeography of the Lizard Genus <i>Tropidurus</i> Wied-Neuwied, 1825 (Squamata: Tropiduridae): Distribution, Endemism, and Area Relationships in South America. PLoS ONE, 2013, 8, e59736.	2.5	28
195	Systematics and phylogeny of the Andean genera <i>Leptopeltus</i> Bernhauer and <i>Leptopeltoides</i> gen. nov. (Coleoptera: Staphylinidae), with biogeographical notes. Zoologischer Anzeiger, 2013, 252, 440-456.	0.9	10
196	Generalized tracks, area cladograms and tectonics in the Caribbean. Journal of Biogeography, 2013, 40, 1619-1637.	3.0	22
197	Evolution of <i>Manduca sexta</i> hornworms and relatives: Biogeographical analysis reveals an ancestral diversification in Central America. Molecular Phylogenetics and Evolution, 2013, 68, 381-386.	2.7	25
198	Abiotic correlates of bee diversity and composition along eastern Neotropics. Apidologie, 2013, 44, 547-562.	2.0	6
199	Wool carder bees of the genus <i>Anthidium</i> in the Western Hemisphere (Hymenoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 107 T the Linnean Society, 2013, 168, 221-425.	2.3	44
200	Biogeography of testate amoebae in the soils of Mexico. Biodiversity and Conservation, 2013, 22, 2837-2855.	2.6	5

#	ARTICLE	IF	CITATIONS
202	Spatial and Temporal Distribution of Non-Biting Midge Larvae Assemblages in Streams in a Mountainous Region in Southern Brazil. <i>Journal of Insect Science</i> , 2013, 13, 1-27.	0.9	9
203	Taxonomic revision of the genus <i>Stenocyphus</i> Marshall (Coleoptera, Curculionidae) from Brazil. <i>ZooKeys</i> , 2013, 357, 29-43.	1.1	3
204	The subtribes and genera of the tribe Listroderini (Coleoptera, Curculionidae, Cyclominae): Phylogenetic analysis with systematic and biogeographical accounts. <i>ZooKeys</i> , 2013, 273, 15-71.	1.1	9
205	A new diminutive species of Allobates Zimmermann and Zimmermann, 1988 (Anura, Aromobatidae) from the northwestern Rio Madeiraâ€”Rio TapajÃ³s interfluve, Amazonas, Brazil. <i>Zootaxa</i> , 2013, 3609, 251-273.	0.5	27
207	<p class="Default">A new species of <i>Metrodorea</i> (Rutaceae) from Brazil: morphology, molecular phylogenetics, and distribution. <i>Phytotaxa</i> , 2013, 117, 35.	0.3	6
208	Taxonomy and richness of nine genera of Amaranthaceae s.s. (Caryophyllales) in the Yucatan Peninsula Biotic Province. <i>Phytotaxa</i> , 2013, 107, 1.	0.3	6
209	Review: Diapause in Crustaceans and its Ecological and Biogeographical Implications: An Example from Patagonian Ephemeral Pools. <i>Anales Del Instituto De La Patagonia</i> , 2013, 41, 43-50.	0.1	2
210	Areas of Endemism: Methodological and Applied Biogeographic Contributions from South America. , 2013, , .	0	
211	Phylogeography, Vectors and Transmission in Latin America. , 0, , .		20
212	Distribution of the cladoceran <i>Bosmina huaronensis</i> Delachaux, 1918 and niche differentiation among populations from different biogeographic regions. <i>Nauplius</i> , 2013, 21, 131-136.	0.3	3
213	Current Trends in Latin American Commons Research. <i>Journal of Latin American Geography</i> , 2013, 12, 5-31.	0.1	8
214	Geographic distribution of the genera of the Tribe Oryzomyini (Rodentia: Cricetidae: Sigmodontinae) in South America: patterns of distribution and diversity. <i>Arquivos De Zoologia</i> , 2013, 44, 1.	0.3	29
215	Redescription of <i>Cis taurus</i> (Reitter, 1878) (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262	0.5	
216	Contributions to the knowledge of <i>Dichelops</i> Spinola: description of a new species of <i>Dichelops</i> (<i>Diceraeus</i>) and of the male of <i>Dichelops</i> (<i>Prodichelops</i>) <i>divisus</i> (Hemiptera: Pentatomidae: Pentatominae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.5	8
217	<p>Two New Species of Black Flies (Diptera: Simuliidae) from the High Andes of Colombia</p>. <i>Zootaxa</i> , 2013, 3700, 423.	0.5	8
218	<p class="HeadingRunIn">Muscidae (Insecta: Diptera) of Argentina: revision of Buenos Aires province fauna, with a pictorial key to species</p>. <i>Zootaxa</i> , 2013, 3702, 301.	0.5	15
219	New Neotropical species of <i> <i>Hygronemobius</i> </i> Hebard, 1913 (Orthoptera: Grylloidea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf considerations of the genus. <i>Zootaxa</i> , 2013, 3641, .	0.5	3
220	Diversidade de moluscos em riachos de uma regiÃ£o de encosta no extremo sul do Brasil. <i>Biota Neotropica</i> , 2013, 13, 213-221.	1.0	4

#	ARTICLE	IF	CITATIONS
221	New evidence for the validity of Coprophanaeus (C.) <i>terrali</i> Arnaud, 2002 (Coleoptera: Scarabaeidae: Scarabaeinae: Phanaeini), a dung beetle from Brazil. <i>Zootaxa</i> , 2013, 3717, 359.	0.5	8
222	Taxonomic revision of the South American dung beetle genus Gromphas BrullÃ©, 1837 (Coleoptera: Scarabaeidae: Scarabaeinae: Phanaeini) Tj ETQq1 1 0.784314 rgBT /Overl...	0.784314 rgBT	26
223	Revision of the genus <i>Alkindus</i> Distant (Hemiptera: Heteroptera: Thyreocoridae: Corimelaeninae). <i>Zootaxa</i> , 2013, 3750, 57-70.	0.5	3
224	Distributional patterns of herbivore megamammals during the Late Pleistocene of South America. <i>Anais Da Academia Brasileira De Ciencias</i> , 2013, 85, 533-546.	0.8	17
225	What's in a name?: Mesoamerica. <i>Revista Mexicana De Biodiversidad</i> , 2013, 84, 1305-1308.	0.4	10
226	Terrestrial isopods (Crustacea: Isopoda: Oniscidea) from Brazilian caves. <i>Zoological Journal of the Linnean Society</i> , 0, .	2.3	1
227	Malaria Vectors in Ecologically Heterogeneous Localities of the Colombian Pacific Region. <i>PLoS ONE</i> , 2014, 9, e103769.	2.5	36
228	<p>Baeotingis Drake & Poor, 1939 and Coleopterodes Philippi, 1864Ã(Hemiptera: Heteroptera: Tingidae): first genera records for Brazil from Pampa</p>. <i>Zootaxa</i> , 2014, 3760, 497.	0.5	0
229	<p>A new species of Pheles Herrichâ€“Schaeffer from Northeast Brazil(Lepidoptera, Riodinidae)</p>. <i>Zootaxa</i> , 2014, 3780, 558.	0.5	4
230	Two new species of Didicrum Enderlein (Diptera, Psychodidae,) Tj ETQq1 1 0.784314 rgBT /Overl...	0.5	3
231	<p>A contribution to the knowledge of New World Bruchinae(Coleoptera, Chrysomelidae): taxonomic revision of CtenocolumÃKingsolver & Whitehead, with description of five new species</p>. <i>Zootaxa</i> , 2014, 3838, 1.	0.5	6
232	Two new scorpion species from Paposo, in the Coastal desert of Taltal, Chile (Scorpiones, Bothriuridae, Brachistosternus). <i>Zootaxa</i> , 2014, 3785, 400.	0.5	6
233	<p>A new species of swamp rat of the genus Scapteromys Waterhouse, 1837 (Rodentia: Sigmodontinae) endemic to Araucaria angustifolia Forest in Southern Brazil</p>. <i>Zootaxa</i> , 2014, 3811, 207.	0.5	18
234	Temporal and altitudinal variations in benthic macroinvertebrate assemblages in an Andean river basin of Argentina. <i>Journal of Limnology</i> , 2014, 73, .	1.1	19
235	Immunological Aspects of the Immune Response Induced by Mosquito Allergens. <i>International Archives of Allergy and Immunology</i> , 2014, 165, 271-282.	2.1	40
236	Characterising the phytophagous arthropod fauna of a single host plant species: assessing survey completeness at continental and local scales. <i>Biodiversity and Conservation</i> , 2014, 23, 2985-3003.	2.6	8
237	Systematics of the Neotropical genus <i>Catharylla</i> Zeller (Lepidoptera, Pyralidae s. l., Crambinae). <i>ZooKeys</i> , 2014, 375, 15-73.	1.1	2
238	An Integrative Approach to the Taxonomy of <i>Oenopiella</i> Bergroth (Hemiptera: Heteroptera:) Tj ETQq1 1 0.784314 rgBT /Overl...	0.784314 rgBT	4
	and Southern Brazil. <i>Annals of the Entomological Society of America</i> , 2014, 107, 364-381.		

#	ARTICLE	IF	CITATIONS
239	Towards a revision of the South American genus Praocis Eschscholtz (Coleoptera, Tenebrionidae), with estimation of the diversity of each subgenus. <i>ZooKeys</i> , 2014, 415, 53-80.	1.1	7
240	Preliminary chorotypes of Peru based on the distribution of Asteraceae family. <i>Darwiniana</i> , 2014, 2, 39-56.	0.2	0
243	New records of fleas (Siphonaptera: Ctenophthalmidae: Rhopalopsyllidae and Stephanocircidae) from Argentinean Patagonia, with remarks on the morphology of <i>Agastopsylla boxi</i> and <i>Tiarapsylla argentina</i> . <i>Revista Mexicana De Biodiversidad</i> , 2014, 85, 383-390.	0.4	6
244	Discovery of a Third Stag Beetle Genus in the Amazonian Region, with Description of a New Species of <i>Psilodon</i> Perty (Coleoptera: Lucanidae: Syndesinae: Syndesini). <i>The Coleopterists Bulletin</i> , 2014, 68, 83-90.	0.2	3
245	Taxonomic revision of Parasarus (Hymenoptera: Apidae s.l.: Protandrenini), a South American genus of bees. <i>Zoologia</i> , 2014, 31, 503-515.	0.5	2
246	Phylogeny of Aphantochilinae and Strophiinae <i>sensu</i> Simon (Araneae; Thomisidae). <i>Zoologica Scripta</i> , 2014, 43, 65-78.	1.7	10
247	The ticks (Acari: Ixodida: Argasidae, Ixodidae) of Bolivia. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 186-194.	2.7	9
248	A unique, Late Oligocene shrew-like marsupial from western Argentina and the evolution of dental morphology. <i>Journal of Systematic Palaeontology</i> , 2014, 12, 549-564.	1.5	20
249	Venomous snakes and climate change: ophidism as a dynamic problem. <i>Climatic Change</i> , 2014, 122, 67-80.	3.6	47
250	Molecular phylogenetics of mouse opossums: new findings on the phylogeny of <i>Thylamys</i> (Didelphimorphia, Didelphidae). <i>Zoologica Scripta</i> , 2014, 43, 217-234.	1.7	30
251	Geometric morphometric analysis of Colombian <i>Anopheles albimanus</i> (Diptera: Culicidae) reveals significant effect of environmental factors on wing traits and presence of a metapopulation. <i>Acta Tropica</i> , 2014, 135, 75-85.	2.0	57
252	Beyond aridification: multiple explanations for the elevated diversification of cacti in the New World Succulent Biome. <i>New Phytologist</i> , 2014, 202, 1382-1397.	7.3	176
253	Functional and Taxonomic Diversity of Stinging Wasps in Brazilian Atlantic Rainforest Areas. <i>Neotropical Entomology</i> , 2014, 43, 97-105.	1.2	13
254	Phylogeography and biogeography of the lower Central American eotropics: diversification between two continents and between two seas. <i>Biological Reviews</i> , 2014, 89, 767-790.	10.4	89
255	Renewed diversification is associated with new ecological opportunity in the Neotropical turtle ants. <i>Journal of Evolutionary Biology</i> , 2014, 27, 242-258.	1.7	62
256	Historical relationships among Argentinean biogeographic provinces based on mygalomorph spider distribution data (Araneae: Mygalomorphae). <i>Studies on Neotropical Fauna and Environment</i> , 2014, 49, 1-10.	1.0	12
257	Phylogenetics and evolutionary morphology of the Neotropical true bug genus <i>Epipolops</i> (Hemiptera: Pentatomidae). <i>Tropical Entomology Quarterly</i> , 2014, 39, 1087-1096.	1.4	16

#	ARTICLE	IF	CITATIONS
259	Phylogeny and Biogeography of <i>Heterostylum</i> (Diptera: Bombyliidae): Evidence for an Ancient Caribbean Diversification Model. <i>Florida Entomologist</i> , 2014, 97, 952-966.	0.5	4
260	A New Insular Record of <i>Germarostes</i> (<i>Germarostes</i>) <i>posticus</i> (Germar) (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Cve Bulletin, 2014, 68, 387-390.	0.2	4
261	Mammal species richness and biogeographic structure at the southern boundaries of the Nearctic region. <i>Mammalia</i> , 2014, 78, .	0.7	8
262	Multilocus molecular systematics and evolution in time and space of <i>C. alligrapha</i> (<i>Coleoptera: Hysomelidae, C. hysomeliniae</i>). <i>Zoologica Scripta</i> , 2014, 43, 605-628.	1.7	10
263	Biogeographical transition zones: a search for conceptual synthesis. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 1-12.	1.6	85
264	Ongoing speciation within the <i>A. nastrepha fraterculus</i> cryptic species complex: the case of the <i>A. andean</i> morphotype. <i>Entomologia Experimentalis Et Applicata</i> , 2014, 152, 238-247.	1.4	47
265	Terrestrial isopods (Crustacea: Isopoda: Oniscidea) from Brazilian caves. <i>Zoological Journal of the Linnean Society</i> , 2014, 172, 360-425.	2.3	53
266	Species composition and functional guilds of dung beetles (Insecta: Coleoptera: Scarabaeidae:) Tj ETQq1 1 0.784314 rgBT /Overlock Annales De La Societe Entomologique De France, 2014, 50, 183-190.	0.9	13
267	Biodiversity and biogeography of the avifauna of the Sierra Madre Occidental, Mexico. <i>Biodiversity and Conservation</i> , 2014, 23, 2087-2105.	2.6	22
268	Molecular phylogeny of Triatomini (Hemiptera: Reduviidae: Triatominae). <i>Parasites and Vectors</i> , 2014, 7, 149.	2.5	125
269	Temporal dynamics of areas of endemism under climate change: a case study of Mexican <i>Bursera</i> (Burseraceae). <i>Journal of Biogeography</i> , 2014, 41, 871-881.	3.0	29
270	Phylogeographical structure within <i>Boa constrictor imperator</i> across the lowlands and mountains of Central America and Mexico. <i>Journal of Biogeography</i> , 2014, 41, 2371-2384.	3.0	34
271	The death scenario of an Italian Renaissance princess can shed light on a zoological dilemma: did the black soldier fly reach Europe with Columbus?. <i>Journal of Archaeological Science</i> , 2014, 49, 203-205.	2.4	17
272	Cladistic biogeography of the Neotropical region: identifying the main events in the diversification of the terrestrial biota. <i>Cladistics</i> , 2014, 30, 202-214.	3.3	137
273	Paleogene Land Mammal Faunas of South America; a Response to Global Climatic Changes and Indigenous Floral Diversity. <i>Journal of Mammalian Evolution</i> , 2014, 21, 1-73.	1.8	151
275	A new species of Psychodinae (Diptera: Psychodidae) from Argentina. <i>Revista Mexicana De Biodiversidad</i> , 2014, 85, 1061-1064.	0.4	0
276	An illustrated key to the New World genera of Philonthina Kirby (Coleoptera: Staphylinidae), with morphological, taxonomical and distributional notes. <i>Zootaxa</i> , 2014, 3755, 62-86.	0.5	18
277	Information retrieved from specimens at Natural History Collections can improve the quality of field-based ecological networks. <i>Community Ecology</i> , 2014, 15, 187-193.	0.9	6

#	ARTICLE	IF	CITATIONS
278	The Invasive Beetle <i>Cis bilamellatus</i> (Coleoptera: Ciidae) Arrives in America. Florida Entomologist, 2014, 97, 1348-1352.	0.5	5
279	Panbiogeography of the Santa MarÃa Amajac area, Hidalgo, Mexico. Revista Mexicana De Biodiversidad, 2014, 85, 1228-1234.	0.4	1
280	A MONOGRAPHIC REVISION OF THE GENUSPODOCARPUS(PODOCARPACEAE): III. THE SPECIES OF THE CENTRAL AMERICA AND NORTHERN MEXICO BIOREGIONS. Edinburgh Journal of Botany, 2015, 72, 243-341.	0.4	5
281	Biodiversity in the Mexican highlands and the interaction of geology, geography and climate within the Transâ€Mexican Volcanic Belt. Journal of Biogeography, 2015, 42, 1586-1600.	3.0	205
282	Morphometric Differentiation in a Field Population of <i>Dichroplus maculipennis</i> (Orthoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Research, 2015, 24, 67-75.	1.0	1
283	Spatial pattern of adaptive and neutral genetic diversity across different biomes in the lesser anteater (<i>Tamandua tetradactyla</i>). Ecology and Evolution, 2015, 5, 4932-4948.	1.9	10
284	Biogeographical regionalisation of the Andean region. Zootaxa, 2015, 3936, 207-36.	0.5	183
285	<p class="HeadingRunIn">A new species of Macroclinium (Orchidaceae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 genus</p>. Phytotaxa, 2015, 40, 12.	0.3	2
286	Wing patterning genes and coevolution of MÃ¼llerian mimicry in <i>Heliconius</i> butterflies: Support from phylogeography, cophylogeny, and divergence times. Evolution; International Journal of Organic Evolution, 2015, 69, 3082-3096.	2.3	19
287	A new turtle from the Palaeogene of Patagonia (Argentina) sheds new light on the diversity and evolution of the bizarre clade of horned turtles (Meiolaniidae, Testudinata). Zoological Journal of the Linnean Society, 2015, 174, 519-548.	2.3	18
288	A tale of North and South America: time and mode of dispersal of the amphitropical genus <i>Munroa</i> (Poaceae, Chloridoideae). Botanical Journal of the Linnean Society, 2015, 179, 110-125.	1.6	13
289	Revision of the genus <i>Bulbothrix</i> (Parmeliaceae, Lichenized Ascomycota) in NE Argentina, with a Key to the Species. Cryptogamie, Mycologie, 2015, 36, 177-192.	1.0	0
290	Post-breeding movements of Wood Storks in Brazil and Argentina. Journal of Field Ornithology, 2015, 86, 283-287.	0.5	6
291	New record in <i>Catasetum</i> (Orchidaceae) for the State of CearÃ¡, Brazil. Feddes Repertorium, 2015, 126, 16-21.	0.5	1
292	Performance of Two Hydrological Models in Predicting Daily Flow under a Climate Change Scenario for Mountainous Catchments in Northwestern Costa Rica. Mountain Research and Development, 2015, 35, 240-253.	1.0	5
293	Ecology and genetic variation of <i>Amblyomma tonelliae</i> in Argentina. Medical and Veterinary Entomology, 2015, 29, 297-304.	1.5	13
294	Molecular phylogeny and biogeography of the South American genus <i>Metrodorea</i> (Rutaceae). Turkish Journal of Botany, 2015, 39, 825-834.	1.2	5
295	ÃREAS DE ENDEMISMO DE LOS MAMÃFEROS (MAMMALIA) NEOTROPICALES. Acta Biologica Colombiana, 2015, 20, 47-65.	0.4	27

#	ARTICLE	IF	CITATIONS
296	Munroa argentina, a Grass of the South American Transition Zone, Survived the Andean Uplift, Aridification and Glaciations of the Quaternary. PLoS ONE, 2015, 10, e0128559.	2.5	16
297	New species of Omalodes and redefinition of the tribe Omalodini (Coleoptera: Histeridae: Histerinae). Zootaxa, 2015, 3925, 109-19.	0.5	0
298	A new species of the ‘mexicanus’ group of the genus Vaejovis. C. L. Koch, 1836 from the Mexican state of Aguascalientes (Scorpiones: Vaejovidae). Zootaxa, 2015, 3936, 131.	0.5	6
299	New national and state records of Neotropical Staphylinidae (Insecta: Coleoptera). Zootaxa, 2015, 3974, 76-92.	0.5	5
300	<p>The Sarcophaginae (Diptera: Sarcophagidae) of Southern South America. I. The species of Microcerella Macquart from the Patagonian Region</p>. Zootaxa, 2015, 3933, 1.	0.5	9
301	Redescription of Argizala brasiliensis Walker, 1869 (Orthoptera: Grylloidea: Trigonidiidae: Nemobiinae:) Tj ETQq1 1 0.784314 rgBT /Overlock genera. Zootaxa, 2015, 3974, 49-58.	0.5	1
302	Endemic epigean Tenebrionids (Coleoptera: Tenebrionidae) from the Andean Region: exploring the patagonian-diversification hypothesis. Zootaxa, 2015, 4007, 47-62.	0.5	6
303	Systematic revision of the genus Calligrapha Chevrolat (Coleoptera: Chrysomelidae, Chrysomelinae) in Central America: The group of Calligrapha argus Stål. Zootaxa, 2015, 3922, 1-71.	0.5	9
304	Three new species of the genus Trachelas (Araneae: Trachelidae) from an oak forest inside the Mesoamerican biodiversity hotspot in Mexico. Zootaxa, 2015, 3999, 95.	0.5	5
305	<p>Taxonomic revision of the American spider genus Arachosia (Araneae:) Tj ETQq1 1 0.784314 rgBT /Overlock	0.5	10
306	Continental Relationships, Chronostratigraphy, Climates, and Mammalian Biogeography of Southern South America Since Late Miocene. SpringerBriefs in Earth System Sciences, 2015, , 9-69.	0.1	2
307	Biodiversity and distribution of lethaeine seed bugs (Heteroptera, Rhyphochromidae, Lethaeini) from Argentina. Zoological Studies, 2015, 54, e34.	0.3	3
308	Plant endemism in the Sierras of Córdoba and San Luis (Argentina): understanding links between phylogeny and regional biogeographical patterns. PhytoKeys, 2015, 47, 59-96.	1.0	14
309	Biogeographical regionalisation of the world: a reappraisal. Australian Systematic Botany, 2015, 28, 81.	0.9	134
310	<i>Battus polydamas</i> (Lepidoptera: Papilionidae) Uses the Open-Field <i>Aristolochia sessilifolia</i> (Piperaceae: Aristolochiaceae) as Its Host Plant in Uruguayan Savanna Areas. Florida Entomologist, 2015, 98, 762-769.	0.5	4
311	Beetles of Peru: Biogeography. Journal of the Kansas Entomological Society, 2015, 88, 140-143.	0.2	0
312	Looks Can be Deceiving: Cryptic Species and Phenotypic Variation in Rhodnius spp., Chagas Disease Vectors. , 2015, , 345-372.	2	
313	Distribution Patterns of the Mexican Species of Carrion Beetles (Coleoptera: Silphidae). The Coleopterists Bulletin, 2015, 69, 813-823.	0.2	4

#	ARTICLE	IF	CITATIONS
314	Phylogenetic analysis and redefinition of the maculata species group of <i>Epicauda</i> (Meloidea: Meloinae): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 507	0.7	6
315	Spatial distribution of genetic variation of <i>Stenocereus pruinosus</i> (Otto) Buxb. in Mexico: analysing evidence on the origins of its domestication. <i>Genetic Resources and Crop Evolution</i> , 2015, 62, 893-912.	1.6	9
316	Molecular phylogenetics and species delimitation of leaf-toed geckos (Phyllodactylidae): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 667 Td (P 2015, 84, 254-265.	2.7	25
317	A molecular phylogeny of <i>Eumorpha</i> (<scp>L</scp>epidoptera: <scp>S</scp>phingidae) and the evolution of anti-predator larval eyespots. <i>Systematic Entomology</i> , 2015, 40, 401-408.	3.9	8
318	Phylogeny and biogeography of <i>Tynanthus</i> Miers (Bignonieae, Bignoniaceae). <i>Molecular Phylogenetics and Evolution</i> , 2015, 85, 32-40.	2.7	13
319	Molecular cytogenetic insights into the evolution of the epiphytic genus <i>Lepismium</i> (Cactaceae) and related genera. <i>Botanical Journal of the Linnean Society</i> , 2015, 177, 263-277.	1.6	22
320	Cladistic reanalysis and historical biogeography of the genus <i>Lycinus</i> Thorell, 1894 (Araneae): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 507 Studies, 2015, 54, e11.	0.3	4
321	Revision of fleas of the genus <i>Plocopsylla</i> belonging to the "angusticeps-lewisi" complex in the Andean biogeographic region, with the description of a new species. <i>Medical and Veterinary Entomology</i> , 2015, 29, 147-158.	1.5	5
322	Megafauna extinction in South America: A new chronology for the Argentine Pampas. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 425, 41-49.	2.3	67
323	A MONOGRAPHIC REVISION OF THE GENUS <i>PODOCARPUS</i> (PODOCARPACEAE): II. THE SPECIES OF THE CARIBBEAN BIOREGION. <i>Edinburgh Journal of Botany</i> , 2015, 72, 61-185.	0.4	7
324	Landscape composition as a determinant of diversity and functional feeding groups of aquatic macroinvertebrates in southern rivers of the Araucania, Chile. <i>Latin American Journal of Aquatic Research</i> , 2015, 43, 186-200.	0.6	39
325	Diversity, endemism and conservation of ferns (Polypodiales) in the Mexican Mountain Component. <i>Journal of Mountain Science</i> , 2015, 12, 891-904.	2.0	11
326	Five new species of entomopathogenic fungi from the Amazon and evolution of neotropical <i>Ophiocordyceps</i> . <i>Fungal Biology</i> , 2015, 119, 901-916.	2.5	68
327	Liver fluke (<i>Fasciola hepatica</i>) naturally infecting introduced European brown hare (<i>Lepus europaeus</i>) in northern Patagonia: phenotype, prevalence and potential risk. <i>Acta Parasitologica</i> , 2015, 60, 536-43.	1.1	13
328	How Are Oaks Distributed in the Neotropics? A Perspective from Species Turnover, Areas of Endemism, and Climatic Niches. <i>International Journal of Plant Sciences</i> , 2015, 176, 222-231.	1.3	35
329	Track Analysis of the North, Central, and South American Species of the <i>Epicauda</i> maculata Group (Coleoptera: Meloidae). <i>Neotropical Entomology</i> , 2015, 44, 309-318.	1.2	2
330	Apparent similarity, underlying homoplasy: Morphology and molecular phylogeny of the North American clade of <i>Manihot</i>. <i>American Journal of Botany</i> , 2015, 102, 520-532.	1.7	5
331	Evolutionary biogeography of South American weevils of the tribe Naupactini (Coleoptera): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 53.0 18	1.8	5

#	ARTICLE	IF	CITATIONS
332	Halffter's Mexican transition zone (1962-2014), cenocrons and evolutionary biogeography. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2015, 53, 249-257.	1.4	55
333	Biogeography, cryptic diversity, and queen dimorphism evolution of the Neotropical ant genus <i>Ectatomma</i> Smith, 1958 (Formicidae, Ectatomminae). <i>Organisms Diversity and Evolution</i> , 2015, 15, 543-553.	1.6	15
334	The Great American Biotic Interchange. <i>SpringerBriefs in Earth System Sciences</i> , 2015, .	0.1	106
335	Updated list of the mosquitoes of Colombia (Diptera: Culicidae). <i>Biodiversity Data Journal</i> , 2015, 3, e4567.	0.8	17
336	Mammal decline in the Middle America. <i>Journal for Nature Conservation</i> , 2015, 28, 127-132.	1.8	1
337	The influence of ecological and geographical context in the radiation of Neotropical sigmodontine rodents. <i>BMC Evolutionary Biology</i> , 2015, 15, 172.	3.2	48
338	Biogeography and evolution of a widespread Central American lizard species complex: <i>Norops humilis</i> , (Squamata: Dactyloidae). <i>BMC Evolutionary Biology</i> , 2015, 15, 143.	3.2	11
339	Geographic and Potential Distribution of a Poorly Known South American Bat, <i>Histiotus macrotus</i> (Chiroptera: Vespertilionidae). <i>Acta Chiropterologica</i> , 2015, 17, 143-158.	0.6	14
340	Classification and Biogeography of Neotropical True Bugs. <i>True Bugs (Heteroptera) of the Neotropics</i> , 2015, , 57-87.	1.2	2
341	Spatial patterns of caddisflies from Austral South America. <i>Systematics and Biodiversity</i> , 2015, 13, 419-433.	1.2	6
342	Mitochondrial DNA diversity, genetic structure, and demographic history of the Neotropical otter (<i>Lontra longicaudis</i>) in Mexico. <i>Journal of Mammalogy</i> , 2015, 96, 1162-1173.	1.3	10
343	Out of South America: phylogeny of nonbiting midges in the genus <i>Labrundinia</i> suggests multiple dispersal events to Central and North America. <i>Zoologica Scripta</i> , 2015, 44, 59-71.	1.7	14
344	Historical biogeography of the widespread spider wasp tribe Aporini (Hymenoptera: Pompilidae). <i>Journal of Biogeography</i> , 2015, 42, 495-506.	3.0	15
345	Phylogeny and biogeography of Neotropical spittlebugs (Hemiptera: Tettigidae) based on morphological data. <i>Systematic Entomology</i> , 2015, 40, 82-108.	3.9	21
346	Biogeography of the social wasp genus <i>Brachygastra</i> (Hymenoptera: Vespidae: Polistinae). <i>Journal of Biogeography</i> , 2015, 42, 833-842.	3.0	9
347	The first <i>Haplotremus</i> Simon, 1903 (Araneae: Theraphosidae) from Argentina: description and natural history of <i>Haplotremus martinorum</i> sp. nov.. <i>Journal of Natural History</i> , 2015, 49, 873-887.	0.5	7
348	Ancestry analysis of locally adapted Crespa goats from southernmost Brazil. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.2	4
349	Análisis panbiogeográfico del género <i>Galianthe</i> subg. <i>Onero</i> Ebelia (Rubiaceae). <i>Rodriguesia</i> , 2016, 67, 437-444.	0.9	1

#	ARTICLE	IF	CITATIONS
350	Redescription of <i>Chilenoperla puerilis</i> (Gripopterygidae: Plecoptera) from the eastern Andes of Patagonia. <i>Zootaxa</i> , 2016, 4109, 89-95.	0.5	1
351	Structural organization of the social paper wasp (Hymenoptera: Polistinae) assemblage along a latitudinal gradient in the Atlantic Rainforest: correlating fauna partitioning to biodiversity centers. <i>Journal of Insect Conservation</i> , 2016, 20, 597-609.	1.4	3
352	On the position of Uruguay in the South American biogeographical puzzle: insights from Ephemeroptera (Insecta). <i>Journal of Biogeography</i> , 2016, 43, 361-371.	3.0	5
353	Distributional patterns of living ungulates (Mammalia: Cetartiodactyla and Perissodactyla) of the Neotropical region, the South American transition zone and Andean region. <i>Journal of South American Earth Sciences</i> , 2016, 71, 63-70.	1.4	3
354	Content< i>Snapshots</i>. <i>Annals of Botany</i> , 2016, 118, i-iii.	2.9	1
355	Andean uplift drives diversification of the bothriurid scorpion genus < i>Brachistosternus</i>. <i>Journal of Biogeography</i> , 2016, 43, 1942-1954.	3.0	45
356	On the existence of non- <i>microbiotherian</i> Australidelphian marsupials (Diprotodontia) in the Eocene of Patagonia. <i>Palaeontology</i> , 2016, 59, 533-547.	2.2	12
357	Analysing the assembly of cenocrons in the Mexican transition zone through a time-sliced cladistic biogeographic analysis. <i>Australian Systematic Botany</i> , 2016, 29, 489.	0.9	19
358	Catalogue of Diptera of Colombia: an introduction. <i>Zootaxa</i> , 2016, 4122, 8.	0.5	9
359	Areas of vascular plants endemism in the Monte desert (Argentina). <i>Phytotaxa</i> , 2016, 266, 161.	0.3	14
360	Disentangling the Effect of Climate and Human Influence on Distribution Patterns of the Darkling Beetle <i>Scotobius pilularius</i> Germar, 1823 (Coleoptera: Tenebrionidae). <i>Annales Zoologici</i> , 2016, 66, 693-701.	0.8	3
361	Complex Population Patterns of <i>Eunica tatila</i> Herrich-Schäffer (Lepidoptera: Nymphalidae), with Special Emphasis on Sexual Dimorphism. <i>Neotropical Entomology</i> , 2016, 45, 148-158.	1.2	2
362	<i>Amblyomma parvum</i> Aragão, 1908 (Acari: Ixodidae): Phylogeography and systematic considerations. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 817-827.	2.7	26
363	Two new species of whip spider (Amblypygi): an epigean and a cave dwelling <i>Charinus Simon, 1892</i> from Belize. <i>Zootaxa</i> , 2016, 4098, 545-59.	0.5	12
364	Abundance, Richness, Seasonal and Altitudinal Dynamics of Aquatic True Bugs (Heteroptera) in Mountain Wetlands of Argentina. <i>Wetlands</i> , 2016, 36, 265-274.	1.5	5
365	Physalis and physaloids: A recent and complex evolutionary history. <i>Molecular Phylogenetics and Evolution</i> , 2016, 100, 41-50.	2.7	36
366	A review of the fleas (Insecta: Siphonaptera) from Argentina. <i>Zootaxa</i> , 2016, 4103, 239-58.	0.5	37
367	Description of the immature stages and new host plant records of <i>Deois</i> (<i>Deois</i>) <i>moureai</i> (Berg) (Hemiptera: Cercopidae), a species newly recorded from Argentina and Paraguay. <i>Zootaxa</i> , 2016, 4161, 419.	0.5	4

#	ARTICLE	IF	CITATIONS
368	Revision of the South American genus <i>Xiphiola</i> Bolívar, 1896 (Orthoptera: Acrididae) Tj ETQq0 0 0 rgBT /Overlock 10 742 Tf 50 0	0.5	0
369	Vectorial competence of <i>Amblyomma tonelliae</i> to transmit <i>Rickettsia rickettsii</i> . Medical and Veterinary Entomology, 2016, 30, 410-415.	1.5	16
370	Forest regeneration affects dung beetle assemblages (Coleoptera: Scarabaeinae) in the southern Brazilian Atlantic Forest. Journal of Insect Conservation, 2016, 20, 855-866.	1.4	10
371	Different lines of evidence used to delimit species in ticks: A study of the South American populations of <i>Amblyomma parvum</i> (Acari: Ixodidae). Ticks and Tick-borne Diseases, 2016, 7, 1168-1179.	2.7	17
372	<p>Description of the 5th instar nymph of Oenopiella records
from Southern Patagonia</p>. Zootaxa, 2016, 4067, 246.	0.5	4
373	Additional information for <i>Leptoglossus impictus</i> (Stål 1859) (Hemiptera: Coreidae) Tj ETQq1 1 0.784314 rgBT /Overlock 0.5 3	0.5	3
374	Studies on Neotropical Phasmatodea XVI: Revision of Haplopodini Günther, 1953 (rev. stat.), with notes on the subfamily Cladomorphinae Bradley & Galil, 1977 and the descriptions of a new tribe, four new genera and nine new species (Phasmatodea: Anareolatae: Phasmatidae: Cladomorphinae). Zootaxa, 2016, 4128, 1-211.	0.5	17
375	Forecasting the fate of high mountain ponds in the Andean region under future climate change. Austral Ecology, 2016, 41, 983-992.	1.5	6
376	<i>Thamnocephalus chacosaltensis</i> , a new species of Anostraca (Crustacea: Branchiopoda) from Salta province (Argentina). Zootaxa, 2016, 4088, 76-90.	0.5	3
377	Notes on the genus <i>Entoloma</i> (Basidiomycota, Agaricales) in two volcanic areas of Jalisco, Mexico. Phytotaxa, 2016, 277, 211.	0.3	6
378	The Neotropical cuckoo wasp genus <i>Ipsiura</i> Linsenmaier, 1959 (Hymenoptera: Chrysididae): revision of the species occurring in Brazil. Zootaxa, 2016, 4165, 1.	0.5	3
379	Phylogeny and biogeography of the South American subgenus <i>Euschistus</i> (Lycipta) Stål (Heteroptera) Tj ETQq1 1 0.784314 rgBT /Overlock 0.7 13	0.7	13
380	Taxonomy of the Mexican species of <i>Thyreoccephalus</i> Guirin-Méville Coleoptera: Staphylinidae, 0.5 1	0.5	1
381	A new species of nurse-frog (Aromobatidae, <i>Allobates</i>) from the Madeira River basin with a small geographic range. Zootaxa, 2016, 4083, 501-25.	0.5	17
382	<p>Track analysis of Oribatid mites (Acari: Oribatida) of the Subantarctic subregion of South America</p>. Zootaxa, 2016, 4127, 383.	0.5	2
384	The Forest Sector in Chile: An Overview and Current Challenges. Journal of Forestry, 2016, 114, 562-571.	1.0	60
385	A new <i>Veturius</i> (<i>Veturius</i>) of the cephalotes group from southern Colombia, Putumayo (Coleoptera: Passalidae). Annales De La Societe Entomologique De France, 2016, 52, 204-208.	0.9	4
386	Genetic diversity and structure of wild populations of <i>Carica papaya</i> in Northern Mesoamerica inferred by nuclear microsatellites and chloroplast markers. Annals of Botany, 2016, 118, 1293-1306.	2.9	31

#	ARTICLE	IF	CITATIONS
387	Nine new species of the <i>Eremobates scaber</i> species group of the North American camel spider genus <i>Eremobates</i> (Solifugae, Eremobatidae). <i>Zootaxa</i> , 2016, 4178, 503-520.	0.5	6
388	Freshwater Decapod Diversity and Conservation in Central America and the Caribbean. , 2016, , 267-301.		8
389	Infomap Bioregions: Interactive Mapping of Biogeographical Regions from Species Distributions. <i>Systematic Biology</i> , 2017, 66, syw087.	5.6	84
390	Evolution and diversity of floral scent chemistry in the euglossine bee-pollinated orchid genus<i>Gongora</i>. <i>Annals of Botany</i> , 2016, 118, 135-148.	2.9	47
391	Areas of endemism of arthropods in the Atlantic Forest (Brazil): an approach based on a metaconsensus criterion using endemicity analysis. <i>Biological Journal of the Linnean Society</i> , 2016, 119, 126-144.	1.6	32
392	Tightly congruent bursts of lineage and phenotypic diversification identified in a continental ant radiation. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 903-912.	2.3	39
393	The great American biotic interchange and diversification history in<i>Dynastes</i> beetles (Scarabaeidae; Dynastinae). <i>Zoological Journal of the Linnean Society</i> , 2016, 178, 88-96.	2.3	8
394	Taxonomy, affinities, and paleobiology of the tiny metatherian mammal Minusculodelphis, from the early Eocene of South America. <i>Die Naturwissenschaften</i> , 2016, 103, 6.	1.6	9
395	Insights into the Neotropics prior to the Great American Biotic Interchange: new evidence of mammalian predators from the Miocene of Northern Colombia. <i>Journal of Vertebrate Paleontology</i> , 2016, 36, e1029581.	1.0	23
396	Biotic components of dung beetles (Insecta: Coleoptera: Scarabaeidae: Scarabaeinae) from Pantanal-Á“Cerrado Border and its implications for Chaco regionalization. <i>Journal of Natural History</i> , 2016, 50, 1159-1173.	0.5	4
397	Patterns of tree composition in the southern cone of South America and its relevance to the biogeographic regionalization. <i>Plant Ecology</i> , 2016, 217, 97-110.	1.6	10
398	Evolutionary Contexts. <i>Springer Earth System Sciences</i> , 2016, , 125-154.	0.2	1
399	A new species and the phylogeny of the South American genus<i>Gromphas</i> BrullÁ©, 1837 (Coleoptera: Scarabaeidae: Scarabaeinae: Phanaeini). <i>Journal of Natural History</i> , 2016, 50, 943-969.	0.5	8
400	Biogeographical patterns of Myrcia s.l. (Myrtaceae) and their correlation with geological and climatic history in the Neotropics. <i>Molecular Phylogenetics and Evolution</i> , 2017, 108, 34-48.	2.7	27
401	Genetic Differentiation of Colombian Populations of <i>Anopheles darlingi</i> Root (Diptera: Culicidae). <i>Neotropical Entomology</i> , 2017, 46, 487-498.	1.2	5
402	Phylogeny and paleobiogeography of Hegetotheriidae (Mammalia, Notoungulata). <i>Journal of Vertebrate Paleontology</i> , 2017, 37, e1278547.	1.0	20
403	Tropical high Andean drylands: species diversity and its environmental determinants in the Central Andes. <i>Biodiversity and Conservation</i> , 2017, 26, 1257-1273.	2.6	8
404	Two new species segregated from <i>Hymenophyllum tunbrigense</i> (Hymenophyllaceae) in southern South America, based on morphological, anatomical, molecular and distributional evidence. <i>Phytotaxa</i> , 2017, 303, 218.	0.3	9

#	ARTICLE	IF	CITATIONS
405	The role of the environment on the genetic divergence between two <i>Boa imperator</i> lineages. Journal of Biogeography, 2017, 44, 2045-2056.	3.0	12
406	Linking Vegetation Structure and Spider Diversity in Riparian and Adjacent Habitats in Two Rivers of Central Argentina: An Analysis at Two Conceptual Levels. Environmental Entomology, 2017, 46, 794-803.	1.4	1
407	Phenotypic variation in arid and semi-arid zones of southern South America: the case of <i>Senna</i> series <i>Aphyllae</i> (Fabaceae, Caesalpinoideae). Botanical Journal of the Linnean Society, 2017, 183, 454-473.	1.6	10
408	Non-parasitic life cycle of the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> in <i>Panicum maximum</i> pastures in northern Argentina. Research in Veterinary Science, 2017, 115, 138-145.	1.9	18
409	Meso- or xeromorphic? Foliar characters of Asteraceae in a xeric scrub of Mexico. , 2017, 58, 12.		18
410	Morphological and molecular data for a new species of <i>Pomphorhynchus</i> Monticelli, 1905 (Acanthocephala: Pomphorhynchidae) in the Mexican redhorse <i>Moxostoma austrinum</i> Bean (Cypriniformes: Catostomidae) in central Mexico. Systematic Parasitology, 2017, 94, 989-1006.	1.1	12
411	The evolutionary history of <i>Senna</i> ser. <i>Aphyllae</i> (Leguminosaeâ€“Caesalpinoideae), an endemic clade of southern South America. Plant Systematics and Evolution, 2017, 303, 1351-1366.	0.9	3
412	Molecular phylogeny and timing of diversification in South American Cynolebiini seasonal killifishes. Molecular Phylogenetics and Evolution, 2017, 116, 61-68.	2.7	26
413	Hierarchical, Quantitative Biogeographic Provinces for All North American Turtles and Their Contribution to the Biogeography of Turtles and the Continent. Herpetological Monographs, 2017, 31, 142.	0.8	18
414	Andean Mountain Building Did not Preclude Dispersal of Lowland Epiphytic Orchids in the Neotropics. Scientific Reports, 2017, 7, 4919.	3.3	35
415	How Networks of Informal Trails Cause Landscape Level Damage to Vegetation. Environmental Management, 2017, 60, 57-68.	2.7	35
416	Niche overlap and shared distributional patterns between two South American small carnivores: <i>Galictis cuja</i> and <i>Lyncodon patagonicus</i> (Carnivora: Mustelidae). Mammalia, 2017, 81, .	0.7	2
417	The Skull of <i>Epidolops ameghinoi</i> from the Early Eocene ItaboraÃ–Fauna, Southeastern Brazil, and the Affinities of the Extinct Marsupialiform Order Polydolopimorpha. Journal of Mammalian Evolution, 2017, 24, 373-414.	1.8	38
418	Population genetics and geometric morphometrics of the <i>Bombus ephippiatus</i> species complex with implications for its use as a commercial pollinator. Conservation Genetics, 2017, 18, 553-572.	1.5	23
419	Early and dynamic colonization of Central America drives speciation in Neotropical army ants. Molecular Ecology, 2017, 26, 859-870.	3.9	48
420	The life and adventures of an eight-legged castaway: Colonization and diversification of <i>Philisca</i> ghost spiders on Robinson Crusoe Island (Araneae, Anyphaenidae). Molecular Phylogenetics and Evolution, 2017, 107, 132-141.	2.7	12
421	Climatic and geographic barriers drive distributional patterns of bird phenotypes within peninsular India. Journal of Avian Biology, 2017, 48, 620-630.	1.2	10
422	Comparative morphology of female genitalia of the sharpshooter genus <i>Syncharina</i> (Hemiptera: Tj ETQq1 1 0.784314 rgBT / Overlock 1		

#	ARTICLE	IF	CITATIONS
423	Environmental factors related to biogeographical transition zones of areas of endemism of Neotropical mammals. <i>Australian Systematic Botany</i> , 2017, 30, 485.	0.9	5
424	Flies, endemicity, and the Atlantic Forest: a biogeographical study using topographic units of analysis. <i>Australian Systematic Botany</i> , 2017, 30, 439.	0.9	20
426	Genera and Species of Ixodidae. , 2017, , 25-267.		11
427	Revision of the <i>Hybobathus arx</i> and <i>Pelecinobaccha summa</i> species groups (Diptera: Syrphidae). <i>Zootaxa</i> , 2017, 4338, 1.	0.5	4
428	Systematics of the <i>Ceracis furcifer</i> Species-Group (Coleoptera: Ciidae): The Specialized Consumers of the Blood-Red Bracket Fungus <i>Pycnoporus sanguineus</i> . <i>Insects</i> , 2017, 8, 70.	2.2	6
429	Phylogenetic and divergence time analysis of the <i>Chelonoidis chilensis</i> complex (Testudines) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf		
430	Inventário da fauna de formigas (Hymenoptera, Formicidae) no Mato Grosso do Sul, Brasil. <i>Iheringia - Serie Zoologia</i> , 2017, 107, .	0.5	7
431	The fate of endemic insects of the Andean region under the effect of global warming. <i>PLoS ONE</i> , 2017, 12, e0186655.	2.5	11
432	Traditional scientific data vs. uncoordinated citizen science effort: A review of the current status and comparison of data on avifauna in Southern Brazil. <i>PLoS ONE</i> , 2017, 12, e0188819.	2.5	26
433	An updated phylogeny and infrageneric classification of the genus <i>< i>Sisyrinchium</i></i> (Iridaceae): Challenges of molecular and morphological evidence. <i>Taxon</i> , 2017, 66, 1317-1348.	0.7	12
434	Geographic variation of <i>Serjania perulacea</i> (Paullinieae, Sapindaceae) and description of two new varieties. <i>Phytotaxa</i> , 2017, 313, 23.	0.3	0
435	Tabanids in South America. , 0, , .		3
436	Vespas Spheciformes (Hymenoptera, Apoidea) do Mato Grosso do Sul, Brasil. <i>Iheringia - Serie Zoologia</i> , 2017, 107, .	0.5	4
438	Rubiaceae no Município de Camanducaia, Serra da Mantiqueira, Minas Gerais: sinopse e chave interativa. <i>Rodriguesia</i> , 2017, 68, 1411-1429.	0.9	2
439	Fitogeografia de Aldama (Asteraceae, Heliantheae) na América do Sul. <i>Rodriguesia</i> , 2017, 68, 463-480.	0.9	4
440	Diversidad y composición de coleópteros del Parque Nacional Bernardo O'Higgins (región de) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf		
441	Diversidade de anfíbios do Estado de Mato Grosso do Sul, Brasil. <i>Iheringia - Serie Zoologia</i> , 2017, 107, .	0.5	9
442	Diet reconstruction for an extinct deer (Cervidae: Cetartiodactyla) from the Quaternary of South America. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 497, 244-252.	2.3	12

#	ARTICLE	IF	CITATIONS
443	The Grass was Greener: Repeated Evolution of Specialized Morphologies and Habitat Shifts in Ghost Spiders Following Grassland Expansion in South America. <i>Systematic Biology</i> , 2019, 68, 63-77.	5.6	9
444	Soil nematode abundance and diversity from four vegetation types in Central Mexico. <i>Nematology</i> , 2018, 20, 15-32.	0.6	5
445	Subtle variation in size and shape of the whole forewing and the red band among co-mimics revealed by geometric morphometric analysis in <i>Heliconius</i> butterflies. <i>Ecology and Evolution</i> , 2018, 8, 3280-3295.	1.9	11
446	Ticks infesting cattle and humans in the Yungas Biogeographic Province of Argentina, with notes on the presence of tick-borne bacteria. <i>Experimental and Applied Acarology</i> , 2018, 74, 107-116.	1.6	18
447	Ecological characterization of a tick community across a landscape gradient exhibiting differential anthropogenic disturbance in the Atlantic Forest ecoregion in Argentina. <i>Medical and Veterinary Entomology</i> , 2018, 32, 271-281.	1.5	14
448	Systematic Revision of the Giant Vinegaroons of the <i>Mastigoproctus giganteus</i> Complex (Thelyphonida: Thelyphonidae) of North America. <i>Bulletin of the American Museum of Natural History</i> , 2018, 418, 1-62.	3.4	13
449	Species tree phylogeny, character evolution, and biogeography of the Patagonian genus <i>Anarthrophyllum</i> Benth. (Fabaceae). <i>Organisms Diversity and Evolution</i> , 2018, 18, 71-86.	1.6	9
450	Spatial structure of genetic and chemical variation in native populations of the mile-a-minute weed <i>Mikania micrantha</i> . <i>Biochemical Systematics and Ecology</i> , 2018, 76, 23-31.	1.3	8
451	The phylogeography of the cycad genus <i>Dioon</i> (Zamiaceae) clarifies its Cenozoic expansion and diversification in the Mexican transition zone. <i>Annals of Botany</i> , 2018, 121, 535-548.	2.9	42
452	The spectre of biogeographical regionalization. <i>Journal of Biogeography</i> , 2018, 45, 282-288.	3.0	67
453	A citizen-based platform reveals the distribution of functional groups inside a large city from the Southern Hemisphere: e-Bird and the urban birds of Santiago (Central Chile). <i>Revista Chilena De Historia Natural</i> , 2018, 91, .	1.2	10
454	Biotic homogeneity of putative biogeographic units in the Neotropics: A test with Sapotaceae. <i>Diversity and Distributions</i> , 2018, 24, 1121-1135.	4.1	3
455	A New Collared Lizard (<i>Tropidurus</i> : Tropiduridae) Endemic to the Western Bolivian Andes and Its Implications for Seasonally Dry Tropical Forests. <i>American Museum Novitates</i> , 2018, 3896, 1-56.	0.6	7
456	Phylogeography of the Chilean red cricket <i>Cratomelus armatus</i> (Orthoptera: Anostostomatidae) reveals high cryptic diversity in central Chile. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 712-727.	1.6	15
457	Endemism and conservation of Amazon palms. <i>Biodiversity and Conservation</i> , 2018, 27, 765-784.	2.6	14
458	Phylogenetic relationships of Deprea: New insights into the evolutionary history of physaloid groups. <i>Molecular Phylogenetics and Evolution</i> , 2018, 119, 71-80.	2.7	10
459	A new genus and species of thamnocephalid fairy shrimp (Branchiopoda: Anostraca) from Argentina (Chubut Province). <i>Nauplius</i> , 0, 26, .	0.3	2
461	Análisis taxonómico de las especies mexicanas de <i>Belonuchus Nordmann</i> del grupo <i>ephippiatus</i> (Coleoptera: Staphylinidae). <i>Gayana</i> , 2018, 82, 26-39.	0.1	2

#	ARTICLE	IF	CITATIONS
462	Modelos potenciales de distribuciÃ³n geogrÃ¡fica y climÃ¡tica del complejo Amblyomma cajennense (Acari: Ixodidae), potencial vector de Rickettsia rickettsii en Colombia. Biomedica, 2018, 38, 534-544.	0.7	12
463	New records and updated distribution of <i>Myopa metallica</i> Camras 1992 (Diptera: Conopidae: Myopinae) in Chile by using integrative collection methods. Gayana, 2018, 82, 156-159.	0.1	5
464	Previously unknown fossil platyrhines (Primates) of Patagonia from the TournouÃ«r collection at the MusÃ©um national d'Histoire naturelle, Paris. Geodiversitas, 2018, 40, 529.	0.8	1
465	Biogeographical identity of the Mesoamerican dominion with emphasis on seasonally dry tropical forests. Phytotaxa, 2018, 376, 277.	0.3	8
466	Testing the biogeographical regionalization of the Mexican Transition Zone based on the distribution of Curculionidae (Insecta: Coleoptera). Zootaxa, 2018, 4530, 1.	0.5	6
467	Systematic revision of Central American <i>Calligrapha</i> Chevrolat of the subgenus <i>Erythrographa</i> subgen. nov. (Coleoptera: Chrysomelidae, Chrysomelinae). Zootaxa, 2018, 4531, 1.	0.5	1
468	Revision of the <i>Ambrysus pudicus</i> StÃ¶l species complex (Heteroptera: Nepomorpha: Naucoridae) with the description of a new species from southern Mexico. Zootaxa, 2018, 4491, 1-64.	0.5	7
469	From Gondwana to <scp>GAAR</scp>landia: Evolutionary history and biogeography of ogre-faced spiders (<i>Deinopis</i>). Journal of Biogeography, 2018, 45, 2442-2457.	3.0	39
470	New combinations and names for continental American <i>Calyptranthes</i> (Myrtaceae: Myrcia s.l.). Phytotaxa, 2018, 373, 71.	0.3	9
471	Impact of Pleistocene geoclimatic events on the genetic structure in mid-latitude South American plants: insights from the phylogeography of <i>Turnera sidoides</i> complex (Passifloraceae, Turneroideae). Botanical Journal of the Linnean Society, 0, , .	1.6	4
472	<i>Ixodes chilensis</i> Kohls, 1956 (Acari: Ixodida: Ixodidae): re-description of the female, description of the nymph, and phylogenetic position inferred from mitochondrial DNA sequences of the 16S rRNA gene. Systematic Parasitology, 2018, 95, 959-967.	1.1	7
473	Seasonal dynamics, geographical range size, hosts, genetic diversity and phylogeography of <i>Amblyomma sculptum</i> in Argentina. Ticks and Tick-borne Diseases, 2018, 9, 1264-1274.	2.7	11
474	A new species of <i>Arthrobrachus</i> Solier, <i>Arthrobrachus arquatus</i> n. sp. (Coleoptera: Melyridae) from the South American Transition Zone, Argentina. Zootaxa, 2018, 4441, 537.	0.5	0
475	Factors associated with hard tick (Acari: Ixodidae) parasitism in medium-sized mammals in the Atlantic Rainforest region of Argentina. Ticks and Tick-borne Diseases, 2018, 9, 1451-1458.	2.7	2
476	Zoogeographical Subdivisions of the World. Monographiae Biologicae, 2018, , 905-929.	0.1	0
477	Regional Arachnogeography. Monographiae Biologicae, 2018, , 319-624.	0.1	0
478	Some Peculiarities of the Distribution of Arachnida. Monographiae Biologicae, 2018, , 625-832.	0.1	0
479	A new high-altitude species of centipede from the Andes of Ecuador (Chilopoda, Geophilomorpha,) Tj ETQq1 1 0.784314 rgBT ₂ /Overlock	0.5	

#	ARTICLE	IF	CITATIONS
481	Factors Determining the Distribution of Arachnida. <i>Monographiae Biologicae</i> , 2018, , 59-134.	0.1	1
482	Biogeography and early emergence of the genus <i>Didelphis</i> (Didelphimorphia, Mammalia). <i>Zoologica Scripta</i> , 2018, 47, 645-654.	1.7	21
483	Unveiling the History of a Peculiar Weevil-Plant Interaction in South America: A Phylogeographic Approach to <i>Hydnorobius hydnorae</i> (Belidae) Associated with <i>Prosopanche americana</i> (Aristolochiaceae). <i>Diversity</i> , 2018, 10, 33.	1.7	3
484	Revision of the <i>Ambrysus pulchellus</i> Montandon species complex (Heteroptera: Nepomorpha:) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	10
485	Anatomy of a Neotropical insect radiation. <i>BMC Evolutionary Biology</i> , 2018, 18, 30.	3.2	13
486	Distributional patterns of endemic southern South American freshwater aeglids (Crustacea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.9	10
487	The Patagonian Steppe biogeographic province: Andean region or South American transition zone?. <i>Zoologica Scripta</i> , 2018, 47, 623-629.	1.7	24
488	Species richness of Eurasian Zephyrus hairstreaks (Lepidoptera: Lycaenidae: Theclini) with implications on historical biogeography: An NDM/VNDM approach. <i>PLoS ONE</i> , 2018, 13, e0191049.	2.5	7
489	Spatial distance and climate determine modularity in a crossâ€¢biomes plantâ€¢hummingbird interaction network in Brazil. <i>Journal of Biogeography</i> , 2018, 45, 1846-1858.	3.0	35
490	Dung beetles (Coleoptera: Scarabaeinae) in a mosaic habitat at the ecotone between two savanna ecosystems in the Neotropical region. <i>International Journal of Tropical Insect Science</i> , 2019, 39, 249-256.	1.0	2

491

#	ARTICLE	IF	CITATIONS
499	Advances in Coastal Geoarchaeology in Latin America. The Latin American Studies Book Series, 2019, , .	0.2	1
500	Description of <i>Ornithodoros montensis</i> n. sp. (Acari, Ixodida: Argasidae), a parasite of the toad <i>Rhinella arenarum</i> (Amphibia, Anura: Bufonidae) in the Monte Desert of Argentina. Experimental and Applied Acarology, 2019, 78, 133-147.	1.6	7
501	Immature stages of the genus <i>Casignetus</i> MacLeay, 1819 (Coleoptera: Lucanidae: Lucaninae). Zootaxa, 2019, 4568, 501.	0.5	3
502	Molecular detection of <i>Bartonella</i> in fleas (Hexapoda, Siphonaptera) collected from wild rodents (Cricetidae, Sigmodontinae) from Argentina. Medical and Veterinary Entomology, 2019, 33, 541-545.	1.5	6
503	Environmental drivers of species composition and functional diversity of dung beetles along the Atlantic Forest-Pampa transition zone. Austral Ecology, 2019, 44, 786-799.	1.5	6
504	Spatial and seasonal distribution of egg parasitoids of the sharpshooter <i>Tapajosa rubromarginata</i> (Hemiptera: Cicadellidae: Proconiini) on feral Johnson grass and commercial citrus host in Argentina. Biological Control, 2019, 132, 81-88.	3.0	9
505	Diversity of wood-inhabiting Agaricomycotina on wood of different size classes in riparian forests of Uruguay. Mycoscience, 2019, 60, 156-164.	0.8	1
506	Consideraciones sobre la comunidad de diatomeas en relaciÃ³n a gradientes de altitud y salinidad en humedales de la Puna y los Altos Andes (Catamarca y Jujuy, Argentina). Boletin De La Sociedad Argentina De Botanica, 2019, 54, 475-486.	0.3	3
507	Phylogeny, biogeography, and morphological evolution among and within the Neotropical and Asian clades of Schefflera (Araliaceae). Taxon, 2019, 68, 1278-1313.	0.7	11
508	What Can Integrated Analysis of Morphological and Genetic Data Still Reveal about the <i>Anastrepha fraterculus</i> (Diptera: Tephritidae) Cryptic Species Complex?. Insects, 2019, 10, 408.	2.2	10
509	Manipulation of Agricultural Habitats to Improve Conservation Biological Control in South America. Neotropical Entomology, 2019, 48, 875-898.	1.2	20
510	The Origin and Diversification of the Hyperdiverse Flora in the ChocÃ³ Biogeographic Region. Frontiers in Plant Science, 2019, 10, 1328.	3.6	45
511	Exploring the genetic diversity of <i>Tylodelphys</i> (Diesing, 1850) metacercariae in the cranial and body cavities of Mexican freshwater fishes using nuclear and mitochondrial DNA sequences, with the description of a new species. Parasitology Research, 2019, 118, 203-217.	1.6	12
512	<i>Tyto furcata</i> (Tytonidae: Strigiformes) pellets: tools to access the richness of small mammals of a poorly known Caatinga area in northeast Brazil. Mammalia, 2019, 83, 390-398.	0.7	3
513	Species distribution modelling and cp<scp>SSR</scp> reveal population history of the Neotropical annual herb <i>Tithonia rotundifolia</i> (Asteraceae). Plant Biology, 2019, 21, 248-258.	3.8	5
514	Diversity, distribution and parasitism rates of fleas (Insecta: Siphonaptera) on sigmodontine rodents (Cricetidae) from Argentinian Patagonia. Bulletin of Entomological Research, 2019, 109, 72-83.	1.0	9
515	Using Paleoclimate and the Fossil Record to Explain Past and Present Distributions of Armadillos (Xenarthra, Dasypodidae). Journal of Mammalian Evolution, 2019, 26, 61-70.	1.8	11
516	A new echimyid genus (Rodentia, Caviomorpha) in Central Argentina: uncovered diversity of a Brazilian group of mammals in the Pleistocene. Journal of Paleontology, 2020, 94, 165-179.	0.8	5

#	ARTICLE	IF	CITATIONS
517	Stress-tolerant ants and the impact of quarries on an ant community in Patagonia. <i>Journal of Arid Environments</i> , 2020, 173, 104017.	2.4	4
518	New Palaeogene caviomorphs (Rodentia, Hystricognathi) from Santa Rosa, Peru: systematics, biochronology, biogeography and early evolutionary trends. <i>Papers in Palaeontology</i> , 2020, 6, 193-216.	1.5	16
519	Biogeography of South American Highlands. , 2020, , 518-529.		13
520	Diversity of foliicolous lichens in isolated montane rainforests (Brejos) of northeastern Brazil and their biogeography in a neotropical context. <i>Ecological Research</i> , 2020, 35, 182-197.	1.5	6
521	Response of tree diversity and community composition to forest use intensity along a tropical elevational gradient. <i>Applied Vegetation Science</i> , 2020, 23, 69-79.	1.9	18
522	Species diversity of fruit flies (Diptera: Tephritidae) through different ecosystems in a Neotropical transition zone in Mexico. <i>Journal of Insect Conservation</i> , 2020, 24, 219-231.	1.4	5
523	The Ixodes ricinus complex (Acari: Ixodidae) in the Southern Cone of America: Ixodes pararicinus, Ixodes aragaoi, and Ixodes sp. cf. I. affinis.. <i>Parasitology Research</i> , 2020, 119, 43-54.	1.6	13
524	A review of transition zones in biogeographical classification. <i>Biological Journal of the Linnean Society</i> , 2020, 131, 717-736.	1.6	14
525	A novel <i>Ehrlichia</i> strain (Rickettsiales: Anaplasmataceae) detected in <i>Amblyomma triste</i> (Acari: Ixodidae), a tick species of public health importance in the Southern Cone of America. <i>Pathogens and Global Health</i> , 2020, 114, 318-322.	2.3	13
526	Spatial patterns of the first groups of collared peccaries (<i>Pecari tajacu</i>) reintroduced in South America. <i>Tropical Ecology</i> , 2020, 61, 400-411.	1.2	1
527	Genetic and morphological differentiation among populations of the Rivoliâ€™s Hummingbird (<i>Eugenes fulgens</i>) species complex (Aves: Trochilidae). <i>Auk</i> , 2020, 137, .	1.4	8
529	Biotectonics: Making and Breaking Barriers. <i>SpringerBriefs in Evolutionary Biology</i> , 2020, , 49-62.	0.2	0
530	Evoregions: Mapping shifts in phylogenetic turnover across biogeographic regions. <i>Methods in Ecology and Evolution</i> , 2020, 11, 1652-1662.	5.2	7
531	Analysis of endemism of world arthropod distribution data supports biogeographic regions and many established subdivisions. <i>Cladistics</i> , 2021, 37, 559-570.	3.3	5
532	Discovery of populations endemic to a marine biogeographical transition zone. <i>Diversity and Distributions</i> , 2020, 26, 1825-1832.	4.1	8
533	Contribution to the knowledge of Podischnus Burmeister, 1847 (Coleoptera, Melolonthidae): Tj ETQql 1 0.784314 rgBT /Overlock 10 T Zoologia, 0, , .	0.4	0
534	Going off trails: How dispersed visitor use affects alpine vegetation. <i>Journal of Environmental Management</i> , 2020, 267, 110546.	7.8	25
535	Do mayflies (Ephemeroptera) support a biogeographic transition zone in South America?. <i>Journal of Biogeography</i> , 2020, 47, 1980-1993.	3.0	8

#	ARTICLE	IF	CITATIONS
536	Phylogeny and biogeography of Astraea with new insights into the evolutionary history of Crotoneae (Euphorbiaceae). <i>Molecular Phylogenetics and Evolution</i> , 2020, 145, 106738.	2.7	9
537	The Mexican Transition Zone., 2020, , .		35
538	Biogeographic Regionalization of the Mexican Transition Zone. , 2020, , 103-155.		2
539	Background matching, disruptive coloration, and differential use of microhabitats in two neotropical grasshoppers with sexual dichromatism. <i>Ecology and Evolution</i> , 2020, 10, 1401-1412.	1.9	10
540	Different responses of dung beetle diversity and feeding guilds from natural and disturbed habitats across a subtropical elevational gradient. <i>Acta Oecologica</i> , 2020, 104, 103533.	1.1	11
541	Biogeographic characterisation of the Austral High Andean district, Patagonian province, based on vascular plant taxa. <i>Australian Systematic Botany</i> , 2020, 33, 174.	0.9	2
542	Studies on Neotropical Phasmatodea XIX: the enigmatic genus <i>Laciphorus</i> Redtenbacher, 1908 from Coastal Peru (Phasmatodea: Diapheromeridae: Diapheromerinae). <i>Studies on Neotropical Fauna and Environment</i> , 0, , 1-10.	1.0	3
543	Species diversification in the lowlands of mid-latitude South America: <i>Turnera sidoides</i> subsp. <i>carnea</i> as a case study. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20201067.	0.8	2
544	First record of <i>Ornithonyssus bursa</i> (Berlese, 1888) (Mesostigmata: Macronyssidae) parasitizing invasive monk parakeets in Santiago, Chile. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e024020.	0.7	4
545	Testing the Accuracy of Vegetation-Based Ecoregions for Predicting the Species Composition of Blow Flies (Diptera: Calliphoridae). <i>Journal of Insect Science</i> , 2021, 21, .	1.5	0
546	Biogeographic regionalisation of the Baja California biogeographic province, Mexico: A review. <i>Journal of Natural History</i> , 2021, 55, 365-379.	0.5	4
547	Biogeographical evaluation and conservation assessment of arboreal leafhoppers in the Mexican Transition Zone biodiversity hotspot. <i>Diversity and Distributions</i> , 2021, 27, 1051-1065.	4.1	6
548	Phylogeny, divergence times, and diversification in Calophyllaceae: Linking key characters and habitat changes to the evolution of Neotropical Calophylleae. <i>Molecular Phylogenetics and Evolution</i> , 2021, 157, 107041.	2.7	7
549	Rising from the ashes: The biggest South American deers (Cetartiodactyla: Cervidae) once roamed Northeast Brazil. <i>Journal of South American Earth Sciences</i> , 2021, 108, 103154.	1.4	3
550	Biological traits of <i>Cosmocomoidea annulicornis</i> (Hymenoptera: Mymaridae), an egg parasitoid of the sharpshooter <i>Tapajosa rubromarginata</i> (Hemiptera: Cicadellidae), a vector of <i>Xylella fastidiosa</i> in citrus orchards. <i>Biological Control</i> , 2021, 157, 104589.	3.0	7
551	Amazonia as the Origin and Diversification Area of Didelphidae (Mammalia: Metatheria), and a Review of the Fossil Record of the Clade. <i>Journal of Mammalian Evolution</i> , 2021, 28, 583-598.	1.8	11
552	Mosquitoes: Important Sources of Allergens in the Tropics. <i>Frontiers in Allergy</i> , 2021, 2, 690406.	2.8	2
553	Birds of the Caatinga revisited: The problem of enclaves within, but not of, the Caatinga. <i>Journal of Arid Environments</i> , 2021, 191, 104537.	2.4	8

#	ARTICLE	IF	CITATIONS
554	Phylogenomic reconstruction reveals new insights into the evolution and biogeography of <i>Atta</i> leaf-cutting ants (Hymenoptera: Formicidae). <i>Systematic Entomology</i> , 2022, 47, 13-35.	3.9	9
555	The role of vicariance and dispersal on the temporal range dynamics of forest vipers in the Neotropical region. <i>PLoS ONE</i> , 2021, 16, e0257519.	2.5	4
556	Systematic revision of the pantropical whip spider family Charinidae Quintero, 1986 (Arachnida, Tj ETQq0 0 0 rgBT _{0.6} /Overlock) 10 Tf 50 6		
557	On the Young Savannas in the Land of Ancient Forests. <i>Fascinating Life Sciences</i> , 2020, , 271-298.	0.9	32
558	Patterns of Species and Lineage Diversity in the Atlantic Rainforest of Brazil. <i>Fascinating Life Sciences</i> , 2020, , 415-447.	0.9	28
559	South American Living Metatherians: Physiological Ecology and Constraints. <i>Springer Earth System Sciences</i> , 2016, , 37-75.	0.2	4
560	Running Over the Same Old Ground: Stegomastodon Never Roamed South America. <i>Journal of Mammalian Evolution</i> , 2019, 26, 165-177.	1.8	15
562	Biogeographic area relationships in Venezuela: A Parsimony analysis of Culicidae "Phytotelmata distribution in National Parks. <i>Zootaxa</i> , 2007, 1547, 1-19.	0.5	23
563	Morphology of the first instar larva in the tribe Clytrini, with two new descriptions in the subtribe Megalostomina (Coleoptera: Chrysomelidae: Cryptocephalinae). <i>Zootaxa</i> , 2009, 2147, 59-68.	0.5	6
564	Biogeographical regionalisation of the Neotropical region. <i>Zootaxa</i> , 2014, 3782, 1-110.	0.5	777
565	Towards a synthesis of the Caribbean biogeography of terrestrial arthropods. <i>BMC Evolutionary Biology</i> , 2020, 20, 12.	3.2	35
566	Patrones de distribuciÃ³n de los MamÃ±eros en la Provincia Oaxaca-Tehuacanense, MÃ©jico. <i>Therya</i> , 2012, 3, 33-51.	0.4	4
567	Do the Historical Biogeography and Evolutionary History of the Digenean Margotrema spp. across Central Mexico Mirror Those of Their Freshwater Fish Hosts (Goodeinae)? <i>PLoS ONE</i> , 2014, 9, e101700.	2.5	17
568	Phylobetadiversity among Forest Types in the Brazilian Atlantic Forest Complex. <i>PLoS ONE</i> , 2014, 9, e105043.	2.5	63
569	Changes in Species Richness and Composition of Tiger Moths (Lepidoptera: Erebidae: Arctiinae) among Three Neotropical Ecoregions. <i>PLoS ONE</i> , 2016, 11, e0162661.	2.5	10
570	Phylogeography of screaming hairy armadillo Chaetophractus vellerosus: Successive disjunctions and extinctions due to cyclical climatic changes in southern South America. <i>PLoS ONE</i> , 2018, 13, e0190944.	2.5	5
571	New mammalian records in the Parque Nacional Cerros de Amotape, northwestern Peru. <i>Revista Peruana De Biología</i> , 2015, 22, 077-086.	0.3	9
572	Diversity and distribution of aquatic insects in Southern Brazil wetlands: implications for biodiversity conservation in a Neotropical region.. <i>Revista De Biología Tropical</i> , 2012, 60, 273-89.	0.4	13

#	ARTICLE	IF	CITATIONS
573	Geographic note on species of the genus <i>Upa</i> Kimsey, 1991 (Hymenoptera: Tiphidae, Thynninae) in the Atlantic Forest, Brazil. Check List, 2013, 9, 1057.	0.4	1
574	Endemism analysis of Neotropical Pentatomidae (Hemiptera, Heteroptera). Iheringia - Serie Zoologia, 2010, 100, 449-462.	0.5	21
575	<i>Navicordulia aemulatrix</i> sp. nov. (Odonata, Corduliidae) from northeastern Santa Catarina State, Brazil. Revista Brasileira De Entomologia, 2010, 54, 608-617.	0.4	10
576	Track analysis of the Neotropical Entimini (Coleoptera: Curculionidae: Entiminae). Revista Brasileira De Entomologia, 2011, 55, 313-316.	0.4	8
577	Drosophilids (Insecta, Diptera) of the Paraná Valley: eight new records for the Cerrado biome. Biota Neotropica, 2008, 8, 55-60.	1.0	18
578	Inventario de las plantas vasculares del sur de la zona serrana de Cerdoba, Argentina. Hoehnea (revista), 2012, 39, 171-199.	0.2	22
579	Distribution of cave-dwelling pseudoscorpions (Arachnida) in Brazil. Journal of Arachnology, 2019, 47, 110.	0.5	10
580	Assessing the Taxonomic Validity of <i>Austrodiplostomum</i> spp. (Digenea: Diplostomidae) through Nuclear and Mitochondrial Data. Journal of Parasitology, 2019, 105, 102.	0.7	10
581	Challenges and Priorities for Seabird Conservation in Northwestern Mexico. Waterbirds, 2020, 43, 1.	0.3	4
582	Composición y patrones de distribución geográfica de la flora del bosque de oyamel del Cerro Tlaloc, México. Botanical Sciences, 2006, , 67-78.	0.8	8
583	Biodiversity of Mexican terrestrial arthropods (arachnida and hexapoda): a biogeographical puzzle. Acta Zoológica Mexicana, 2008, 24, .	1.1	21
584	Análisis panbiogeográfico de Vexillata (Nematoda: Ornitostongylidae) y sus huéspedes (Mammalia:) Tj ETQq1.} 0.784314 rgBT		
585	Primer registro del gánero <i>Rhabdias</i> (Nematoda: Rhabdiasidae), endoparásito de <i>Scinax staufferi</i> (Anura: Hylidae) en México. Revista Mexicana De Biodiversidad, 2009, 80, .	0.4	6
586	Explicación histórica del origen de la herpetofauna de México. Revista Mexicana De Biodiversidad, 2009, 80, .	0.4	22
587	Regionalización biogeográfica y evolución biótica de México: encrucijada de la biodiversidad del Nuevo Mundo. Revista Mexicana De Biodiversidad, 2019, 90, .	0.4	62
588	Zoogeography of Chilean inland water crustaceans. Latin American Journal of Aquatic Research, 2013, 41, 846-853.	0.6	16
589	Taxonomy and phenotypic relationships of the <i>Anastrepha fraterculus</i> complex in the Mesoamerican and Pacific Neotropical dominions (Diptera, Tephritidae). ZooKeys, 2015, 540, 95-124.	1.1	75
590	<i>Proneotermes macondianus</i> , a new drywood termite from Colombia and expanded distribution of <i>Proneotermes</i> in the Neotropics (Isoptera, Kalotermitidae). ZooKeys, 2016, 623, 43-60.	1.1	5

#	ARTICLE	IF	CITATIONS
591	Cecidomius pampeanus, gen. et sp. n.: an overlooked and rare, new gall-inducing micromoth associated with Schinus in southern Brazil (Lepidoptera, Cecidosidae). <i>ZooKeys</i> , 2017, 695, 37-74.	1.1	17
592	Distribution of the genus Boeckella (Crustacea, Copepoda, Calanoida, Centropagidae) at high latitudes in South America and the main Antarctic biogeographic regions. <i>ZooKeys</i> , 2019, 854, 1-15.	1.1	17
593	Myxomycete diversity of the Patagonian Steppe and bordering areas in Argentina. <i>Anales Del Jardin Botanico De Madrid</i> , 2014, 71, e006.	0.4	14
594	Patrones de distribuciÃ³n de las especies de <i>Cynanchum</i> , <i>Diplolepis</i> y <i>Tweedia</i> (Apocynaceae): Tj ETQq1 1 0.784314 rgBT /Overlock 10T DistribuciÃ³n geogrÃ¡fica de los ortÃ³pteros (Insecta: Orthoptera) presentes en las provincias biogeogrÃ¡ficas de Atacama y Coquimbo (Chile). <i>Revista De Geografia Norte Grande</i> , 2013, , 235-250.	0.2	6
596	Fishtail Projectile Points from South America: The Brazilian Record. <i>Archaeological Discovery</i> , 2015, 03, 85-103.	0.5	29
597	Very Low Levels of Genetic Variation in Natural Peridomestic Populations of the Chagas Disease Vector <i>Triatoma sordida</i> (Hemiptera: Reduviidae) in Southeastern Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 81, 223-227.	1.4	15
598	CHIRONOMIDS OF THE YUCATÃN PENINSULA. <i>CHIRONOMUS Journal of Chironomidae Research</i> , 2007, , .	0.3	4
599	Diversity, Affinities and Adaptations of the Basal Sparassodont Patene (Mammalia, Metatheria). <i>Ameghiniana</i> , 2019, 56, 263.	0.7	20
600	Influence of phylogenetic structure and climate gradients on geographical variation in the morphology of Mexican flycatcher forests assemblages (Aves: Tyrannidae). <i>PeerJ</i> , 2019, 7, e6754.	2.0	2
601	Diversity of ground-dwelling ants across three severely threatened South American subtropical forests: are diversity patterns influenced by spatial or climatic variables?. <i>Insect Conservation and Diversity</i> , 2022, 15, 86.	3.0	0
602	Un ensayo sobre regionalizaciÃ³n biogeogrÃ¡fica. <i>Revista Mexicana De Biodiversidad</i> , 2009, 80, .	0.4	10
603	The first report of Rumea Desutter, 1988 (Orthoptera: Phalangopsidae: Paragryllini) from Brazil, with the description of three new Amazonian species. <i>Zootaxa</i> , 2009, 2265, 48-68.	0.5	1
604	DISTRIBUCIÃ“N DEL GÃ‰NERO HYALELLA SMITH, 1874 (CRUSTACEA: AMPHIPODA) EN EL SUR DE LA PATAGONIA Y TIERRA DEL FUEGO. <i>Anales Del Instituto De La Patagonia</i> , 2010, 38, .	0.1	1
605	Biogeographic Regionalization. <i>Plant and Vegetation</i> , 2011, , 129-150.	0.6	1
606	he scientific exploration in Southern South America along 237 years: An example with Carabidae (Coleoptera). <i>Revista Del Museo Argentino De Ciencias Naturales, Nueva Serie</i> , 2013, 15, 151-160.	0.2	1
607	Local and regional richness and rarity of leaf-litter ants: An overview from spacial scale in neotropical region. <i>Open Journal of Animal Sciences</i> , 2013, 03, 10-15.	0.6	2
608	Claudio J.B. de Carvalho y Eduardo A. B. Almeida. Biogeografia da AmÃ©rica do Sul: PadrÃµes & processos. <i>Revista De Geografia Norte Grande</i> , 2013, , 257-258.	0.2	0

#	ARTICLE	IF	CITATIONS
609	Chironomus Newsletter on Chironomidae Research. CHIRONOMUS Journal of Chironomidae Research, 2013, .	0.3	0
610	Description of two new species of Plesiopelma (Araneae, Theraphosidae, Theraphosinae) from Argentina. Iheringia - Serie Zoologia, 2013, 103, 374-380.	0.5	3
612	Aspects of Orchidaceae distribution in Costa Rica and northwestern South America: a study on similarity with emphasis on the Amazonian Region. Hoehnea (revista), 2014, 41, 623-630.	0.2	1
613	First records of Plagiolabra von Schulthess (Hymenoptera: Vespidae) from Brazil. Check List, 2015, 11, 1502.	0.4	1
614	Annotated Checklist of Aphodiinae (Coleoptera: Scarabaeidae) from Rio Grande do Sul and Santa Catarina, Brazil. EntomoBrasilis, 2015, 8, 145-151.	0.2	0
615	Cytogenetic analysis of Triatoma pseudomaculata Corrêa and Espíñola, 1964 (Hemiptera, Triatominae) from different Brazilian states. Genetics and Molecular Research, 2016, 15, .	0.2	1
616	Biogeography and areas of endemism of Preops Reuter (Heteroptera: Miridae). Revista De Biología Tropical, 2016, 64, 17.	0.4	0
618	Three new species of the "Geophagus" brasiliensis species group from the northeast Brazil (Cichlidae.) Tj ETQq1 1 0.784314 rg BT	1.1	7
620	Site Formation Processes Since the Early Holocene in a Planosol Sequence from the Laguna Negra Basin. The Latin American Studies Book Series, 2019, , 177-192.	0.2	0
621	Biodiversidata: An Open-Access Biodiversity Database for Uruguay. Biodiversity Data Journal, 2019, 7, e36226.	0.8	6
622	Listado ilustrado de las especies de Scarabaeinae (Coleoptera: Scarabaeidae) de la Reserva de la Biosfera de Calakmul, Campeche, México. Boletín De La Sociedad Geológica Mexicana, 2019, 26, 103-131.	0.3	3
623	A Historical Perspective of the Mexican Transition Zone. , 2020, , 69-101.		1
624	Neuroptera Diversity from Tacaná Volcano, Mexico: Species Composition, Altitudinal and Biogeographic Pattern of the Fauna. Diversity, 2021, 13, 537.	1.7	4
625	What Is Evolutionary Biogeography?., 2020, , 21-67.		0
626	What Is a Biogeographic Transition Zone?., 2020, , 1-20.		2
627	Chironomidae assemblages at different altitudes in Northwest Argentina: the role of local factors.. Anais Da Academia Brasileira De Ciencias, 2020, 92, e20190953.	0.8	1
628	Vegetation of Patagonia. Natural and Social Sciences of Patagonia, 2020, , 85-102.	0.4	0
629	Effect of host and environment-related factors on fleas of the pichi, an armadillo from Argentina. Anais Da Academia Brasileira De Ciencias, 2020, 92, e20180656.	0.8	2

#	ARTICLE	IF	CITATIONS
630	Field inventory reveals high diversity of new species of mountain catfishes, genus Cambœva Katz, Barbosa, Mattos & Costa, 2018 (Siluriformes: Trichomycteridae), in south-eastern Serra Geral, southern Brazil. <i>Zoosystema</i> , 2021, 43, .	0.6	10
631	Geographic Variation in the Green Rat Snake <i>Senticolis triaspis</i> (Squamata: Colubridae): Evidence from Mitochondrial DNA, Morphology, and Niche Modeling. <i>Ichthyology and Herpetology</i> , 2021, 109, .	0.8	0
632	Current status of dung beetles (Coleoptera, Scarabaeidae, Scarabaeinae) diversity and conservation in Natural Protected Areas in Chiapas (Mexico). <i>Neotropical Biology and Conservation</i> , 2020, 15, 219-244.	0.9	5
634	Borrelia genospecies in <i>Ixodes</i> sp. cf. <i>Ixodes affinis</i> (Acarı: Ixodidae) from Argentina. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101546.	2.7	7
635	Effect of Vegetation Types on Sarcophagidae (Diptera) in Cielo de los Pantanos National Park, a Natural Remnant in a Highly Endangered Landscape. <i>Journal of Medical Entomology</i> , 2022, 59, 537-544.	1.8	0
636	Phylogenomics and Fossil Data Inform the Systematics and Geographic Range Evolution of a Diverse Neotropical Ant Lineage. <i>Insect Systematics and Diversity</i> , 2022, 6, .	1.7	8
637	A remarkable new genus and species of wedge-shaped beetle from Volcán Tacaná, Mexico (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 1.5)		
638	Distribution patterns of Triatominae (Hemiptera: Reduviidae) in the Americas: an analysis based on networks and endemicity. <i>Cladistics</i> , 2022, 38, 563-581.	3.3	2
639	Richness and similarity of Passalidae (Coleoptera: Scarabaeoidea) from biological collections in the Brazilian Amazon. <i>Anais Da Academia Brasileira De Ciencias</i> , 2022, 94, e20190642.	0.8	1
640	Modeling Current and Future Distribution of Epicauta Dejean (Meloinae, Epicautini) under Changing Climate Conditions in America. <i>Neotropical Entomology</i> , 2022, , .	1.2	1
641	Insights from a comprehensive study of <i>Trypanosoma cruzi</i> : A new mitochondrial clade restricted to North and Central America and genetic structure of Tcl in the region. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0010043.	3.0	5
642	<i>Platamopsis valdivianus</i> , nuevo género y especie de Salpinginae (Coleoptera: Salpingidae) de Chile. <i>Revista Chilena De Entomología</i> , 2021, 47, 775-784.	0.2	2
649	Caracteres preimaginales y aspectos biológicos de <i>Gyriosomus luczotii</i> Laporte, 1840 (Coleoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tj 0.5		
650	Unveiling the <i>Mycodrosophila projectans</i> (Diptera, Drosophilidae) species complex: Insights into the evolution of three Neotropical cryptic and syntopic species. <i>PLoS ONE</i> , 2022, 17, e0268657.	2.5	1
651	Toward a terrestrial biogeographical regionalisation of the world: historical notes, characterisation and area nomenclature. <i>Australian Systematic Botany</i> , 2022, 35, 89-126.	0.9	8
652	Morphometric and genetic analyses show differentiation of the widely distributed stingless bee <i>Nannotrigona perilampoides</i> (Hymenoptera: Meliponini) across geographic regions in Mexico. <i>Journal of Apicultural Research</i> , 2022, 61, 609-618.	1.5	2
653	Área Aquatic beetle diversity from Volcán Tacaná, Mexico: altitudinal distribution pattern and biogeographical affinity of the fauna. <i>ZooKeys</i> , 0, 1111, 301-338.	1.1	1
654	<i>Megathopa villosa</i> (Coleoptera, Scarabaeidae, Scarabaeinae): primeros registros distribucionales para el desierto costero transicional chileno. <i>Revista Colombiana De Entomología</i> , 2008, 34, 239-241.	0.4	1

#	ARTICLE	IF	CITATIONS
655	Cenozoic Metatherian Evolution in the Americas. , 2022, , 1-19.	0	
656	Land-Use Effects on Aquatic and Wetland Ecosystems: An Overview of Environmental Impacts and Tools for Ecological Assessment. Natural and Social Sciences of Patagonia, 2022, , 295-321.	0.4	0
657	The smallest area shaped a big problem: a revision of the placement of the Ventania sky island in the biogeography of South America. Biological Journal of the Linnean Society, 2022, 137, 200-215.	1.6	3
661	Suitable areas for the invasion expansion of <i>Xylocopa</i> bees in South America. Journal of Applied Entomology, 2023, 147, 23-35.	1.8	1
662	Insights into the population dynamics of <i>Anastrepha obliqua</i> and <i>Anastrepha ludens</i> in the neotropical limits of Mexico. Entomologia Experimentalis Et Applicata, 2023, 171, 35-44.	1.4	4
664	Generic Pheromones Identified from Northern Hemisphere Cerambycidae (Coleoptera) Are Attractive to Native Longhorn Beetles from Central-Southern Chile. Insects, 2022, 13, 1067.	2.2	0
665	DetecciÃ³n y visualizaciÃ³n de mÃ³dulos para la fauna de mariposas neotropicales a travÃ©s de la teorÃa de grafos. Actualidades BiolÃ³gicas, 2017, 36, 97-106.	0.1	1
666	Molecular Detection of <i>Candidatus Rickettsia andeanae</i> and <i>Ehrlichia</i> sp. in <i>Amblyomma pseudoconcolor</i> AragÃ±o, 1908 (Acar: Ixodidae) from the Argentinian Patagonia. Animals, 2022, 12, 3307.	2.3	4
667	Current knowledge concerning distribution of freshwater planktonic, littoral and benthic Rotifera and microcrustacea (Cladocera, Copepoda and Ostracoda) in Central America and the Caribbean. Limnologica, 2023, 99, 126054.	1.5	0
668	Untangling the complex interactions between turtle ants and their microbial partners. Animal Microbiome, 2023, 5, .	3.8	3
669	<i>Euglossa decorata</i> Smith (Hymenoptera: Apidae) in central Brazil â€“ biogeographic implications. Lundiana, 2007, 8, 57-61.	0.2	4
670	Analysis of the tick communities associated to domestic mammals in rural areas of the Yungas montane forest from Argentina. Veterinary Parasitology: Regional Studies and Reports, 2023, 39, 100850.	0.5	0
671	Uncovering aquatic diversity patterns in two Patagonian glacial lakes: does habitat heterogeneity matter?. Aquatic Sciences, 2023, 85, .	1.5	0
672	Seven new species of <i>Lasioglossum</i> (<i>Dialictus</i>) Robertson, 1902 (Hymenoptera: Halictidae: Halictini) from the YucatÃ¡n Peninsula, Mexico. European Journal of Taxonomy, 0, 862, .	0.6	1
673	Los caminos de montaÃ±a afectan a la riqueza de plantas nativas y exÃ³ticas a lo largo del gradiente de elevaciÃ³n en los Andes Ãridos.. Boletin De La Sociedad Argentina De Botanica, 2023, 58, .	0.3	0
674	Anaplasma species infecting questing ticks in the IberÃ¡ wetlands ecoregion, Argentina. Experimental and Applied Acarology, 2023, 89, 485-496.	1.6	4
675	Specificity of fleas associated with opossums in a landscape gradient in the Paranaense Rainforest Ecoregion. Zootaxa, 2023, 5264, 579-586.	0.5	1
676	Description of seven new species of <i>Edessa</i> Fabricius, 1803 from Central America (Heteroptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	10

#	ARTICLE	IF	CITATIONS
677	An ecoregionalization of the Sierra Madre Occidental, México, based on non-volant, small mammal distributions. <i>Ecoscience</i> , 2023, 30, 65-81.	1.4	1
678	Current knowledge concerning distribution of freshwater planktonic, littoral and benthic Rotifera and microcrustacea (Cladocera, Copepoda and Ostracoda) in Central America and the Caribbean. <i>Limnologica</i> , 2023, 100, 126085.	1.5	0
679	The phylogenomic and biogeographic history of the gartersnakes, watersnakes, and allies (Natricidae). <i>Typhlops</i> ETQq0 0 0 rgBT /Overlock 10 T	2.7	3
680	»South American terrestrial biomes as geocomplexes: a geobotanical landscape approach. <i>Vegetation Classification and Survey</i> , 0, 4, 75-114.	0.0	1
681	Taxonomic revision of <i>Aegognathus</i> Leuthner, 1883 (Coleoptera: Lucanidae). <i>Journal of Natural History</i> , 2023, 57, 557-595.	0.5	1
682	Chilean bee diversity: Contrasting patterns of species and phylogenetic turnover along a large-scale ecological gradient. <i>Ecosphere</i> , 2023, 14, .	2.2	2
683	Cenozoic Metatherian Evolution in the Americas. , 2023, , 249-267.		0
684	Discovery of <i>Banyallarga Navájs</i> , 1916 (Trichoptera: Calamoceratidae) in Brazil: A New Species and an Updated Identification Key to the Subgenus <i>Histriconverpa</i> Prather, 2004. <i>Annales Zoologici</i> , 2023, 73, .	0.8	0
687	Distribution patterns of <i>Serjania</i> (Sapindaceae, Paullinieae) in Bolivia: a starting point for understanding its biogeographical history in America. <i>Acta Botanica Brasilica</i> , 0, 37, .	0.8	0
688	<i>Argythamnia</i> (Euphorbiaceae) from biogeographic provinces of the Chaco and Pampa in South America. <i>Brittonia</i> , 0, , .	0.2	0
689	The Systems Measurement of Mammalian Biotas, Part Two. <i>Life</i> , 2023, 13, 2193.	2.4	0
690	<i>Amblytropidia paranaensis</i> n. sp., a new species of grasshopper (Orthoptera: Acrididae: Gomphocerinae) from Paraná State, Brazil, including new records, a distribution map and a key to the Brazilianâ€™s species. <i>Zootaxa</i> , 2023, 5361, 74-86.	0.5	0
691	Modeling the habitat suitability of two exotic freshwater crayfishes in Mesoamerica and the Caribbean: <i>Cherax quadricarinatus</i> (von Martens, 1868) and <i>Procambarus clarkii</i> Girard, 1852 (Decapoda: Astacidea: Parastacidae, Cambaridae). <i>Journal of Crustacean Biology</i> , 2023, 43, .	0.8	0
692	Phylogeography of <i>Drosophila buzzatii</i> (Diptera, Drosophilidae): responses of the species to Quaternary climates in tropical and subtropical South America. <i>Anais Da Academia Brasileira De Ciencias</i> , 2023, 95, .	0.8	0
693	Integrating morphology, niche modelling, and molecular data to disentangle taxonomic challenges in a species complex of <i>Calibrachoa</i> (Solanaceae). <i>Plant Ecology and Diversity</i> , 2023, 16, 165-177.	2.4	0
694	Linking metacercariae and adults of <i>Microphallus basodactylophallus</i> (Digenea: Microphallidae), based on larval stages from ctenophores and adult parasites from aquatic birds found in Mexico. <i>Systematic Parasitology</i> , 2024, 101, .	1.1	0
695	Genetic structure of southern populations of <i>Hydrochoerus hydrochaeris</i> (Rodentia). <i>Typhlops</i> ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 T	1.6	0
696	Relationships and description of a new catfish species from Chapada Diamantina, the northernmost record of <i>Trichomycterus</i> s.s. (Siluriformes, Trichomyctidae). <i>Zoosystematics and Evolution</i> , 2024, 100, 223-231.	1.1	0

#	ARTICLE	IF	CITATIONS
697	Potential Biotechnological Applications of Venoms from the Viperidae Family in Central America for Thrombosis. Toxins, 2024, 16, 142.	3.4	0