Climate change and human impact on the Song Hong (R Holocene

Quaternary International 144, 4-28

DOI: 10.1016/j.quaint.2005.05.008

Citation Report

#	Article	IF	CITATIONS
1	Early Mainland Southeast Asian Landscapes in the First Millennium A.D Annual Review of Anthropology, 2006, 35, 407-432.	1.5	84
2	Holocene evolution of the Song Hong (Red River) delta system, northern Vietnam. Sedimentary Geology, 2006, 187, 29-61.	2.1	249
3	An insight on drivers of land use change at regional scale. Chinese Geographical Science, 2006, 16, 176-182.	3.0	17
4	Natural Climate Variability During the Holocene. Radiocarbon, 2007, 49, 837-854.	1.8	9
5	Palaeo-hydrogeological control on groundwater As levels in Red River delta, Vietnam. Applied Geochemistry, 2008, 23, 3116-3126.	3.0	36
6	Warfare rather than agriculture as a critical influence on fires in the late Holocene, inferred from northern Vietnam. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 11490-11495.	7.1	25
7	Initiation of the Mekong River delta at 8 ka: evidence from the sedimentary succession in the Cambodian lowland. Quaternary Science Reviews, 2009, 28, 327-344.	3.0	183
8	Long-term monitoring (1960–2008) of the river-sediment transport in the Red River Watershed (Vietnam): Temporal variability and dam-reservoir impact. Science of the Total Environment, 2010, 408, 4654-4664.	8.0	127
9	Sedimentary evidence of Late Holocene human activity in the Pearl River delta, China. Earth Surface Processes and Landforms, 2010, 35, 1095-1102.	2.5	53
10	Peat records of human impacts on the atmosphere in Northwest China during the late Neolithic and Bronze Ages. Palaeogeography, Palaeoclimatology, Palaeoecology, 2010, 286, 17-22.	2.3	16
11	Holocene climate change and human impacts implied from the pollen records in Anyang, central China. Quaternary International, 2010, 227, 3-9.	1.5	47
12	Palynological records of Holocene monsoon change from the Gulf of Tonkin (Beibuwan), northwestern South China Sea. Quaternary Research, 2010, 74, 8-14.	1.7	21
13	Temporal changes in ostracod assemblages during the past 10,000 years associated with the evolution of the Red River delta system, northeastern Vietnam. Marine Micropaleontology, 2011, 81, 77-87.	1.2	18
14	Recent changes of sediment flux to the western Pacific Ocean from major rivers in East and Southeast Asia. Earth-Science Reviews, 2011, 108, 80-100.	9.1	294
15	Natural levees and human settlement in the Song Hong (Red River) delta, northern Vietnam. Holocene, 2012, 22, 637-648.	1.7	40
16	The role of sea-level rise, monsoonal discharge and the palaeo-landscape in the early Holocene evolution of the Pearl River delta, southern China. Quaternary Science Reviews, 2012, 54, 77-88.	3.0	72
17	Multi-proxy evidence for late Holocene anthropogenic environmental changes at Bongpo marsh on the east coast of Korea. Quaternary Research, 2012, 78, 209-216.	1.7	13
18	Human settlement and human–environment interactions during the historical period in Zhuanglang County, western Loess Plateau, China. Quaternary International, 2012, 281, 78-83.	1.5	19

#	ARTICLE	IF	Citations
19	Palynological evidence for agriculture and environmental change from the late Holocene deposits, Hampyeong area, southwestern Korea. Quaternary International, 2012, 254, 36-41.	1.5	4
20	Holocene environmental changes of the Godavari Delta, east coast of India, inferred from sediment core analyses and AMS 14C dating. Geomorphology, 2012, 175-176, 163-175.	2.6	11
21	Effects of climate change and human activities on inflow into the Hoabinh Reservoir in the Red River basin. Procedia Environmental Sciences, 2012, 13, 1688-1698.	1.4	24
22	Changes in sea level, water salinity and wetland habitat linked to the late agricultural development in the Pearl River delta plain of China. Quaternary Science Reviews, 2013, 70, 145-157.	3.0	50
23	Relationship between environmental change and human activities in the period of the Shijiahe culture, Tanjialing site, Jianghan Plain, China. Quaternary International, 2013, 308-309, 45-52.	1.5	17
24	Pollen and sediment evidence for late-Holocene human impact at the Seonam-dong archeological site, Gwangju, Korea. Review of Palaeobotany and Palynology, 2013, 193, 110-118.	1.5	9
25	Climate over mainland Southeast Asia 10.5–5 ka. Journal of Quaternary Science, 2014, 29, 445-454.	2.1	14
26	Late Holocene climate change and human impact inferred from the pollen record, Haman area, southern Korea. Quaternary International, 2014, 344, 4-10.	1.5	5
27	Interference of natural and anthropogenic forcings on variations in continental freshwater discharge from the Red River (Vietnam) to sea. Quaternary International, 2015, 380-381, 133-142.	1.5	19
28	Sediment budget as affected by construction of a sequence of dams in the lower Red River, Viet Nam. Geomorphology, 2015, 248, 125-133.	2.6	39
29	Mapping a pollution index for the transboundary Red River Valley, Asia, 2009–2011. Journal of Maps, 2015, 11, 396-404.	2.0	2
30	Palaeogeography and evolution of the Godavari delta, east coast of India during the Holocene: An example of wave-dominated and fan-delta settings. Palaeogeography, Palaeoclimatology, Palaeoecology, 2015, 440, 213-233.	2.3	48
31	Swamps, lakes, rivers and elephants: a preliminary attempt towards an environmental history of the Red River Delta, C. 600–1400. Water History, 2015, 7, 199-211.	1.3	5
32	Plant-available silicon in paddy soils as a key factor for sustainable rice production in Southeast Asia. Basic and Applied Ecology, 2015, 16, 665-673.	2.7	89
33	Controls on erosion patterns and sediment transport in a monsoonal, tectonically quiescent drainage, Song Gianh, central Vietnam. Basin Research, 2017, 29, 659-683.	2.7	27
34	Pollen record of the centennial climate changes during 9–7 cal ka BP in the Changjiang (Yangtze) River Delta plain, China. Quaternary Research, 2017, 87, 275-287.	1.7	22
35	Natural and anthropogenic influences on depositional architecture of the Ural Delta, Kazakhstan, northern Caspian Sea, during the past 70 years. Estuarine, Coastal and Shelf Science, 2017, 191, 10-20.	2.1	3
36	High-resolution palynological record of Holocene climatic and oceanographic changes in the northern South China Sea. Palaeogeography, Palaeoclimatology, Palaeoecology, 2017, 483, 94-124.	2.3	39

#	ARTICLE	IF	CITATIONS
37	Tropical limestone forest resilience and late Pleistocene foraging during MIS-2 in the TrÃng An massif, Vietnam. Quaternary International, 2017, 448, 62-81.	1.5	28
38	First human impacts and responses of aquatic systems: A review of palaeolimnological records from around the world. Infrastructure Asset Management, 2018, 5, 28-68.	1.6	101
39	Prehistoric heavy metal pollution on the continental shelf off Hainan Island, South China Sea: From natural to anthropogenic impacts around 4.0 kyr BP. Holocene, 2018, 28, 455-463.	1.7	28
40	Evaluation and Hydrologic Validation of Three Satellite-Based Precipitation Products in the Upper Catchment of the Red River Basin, China. Remote Sensing, 2018, 10, 1881.	4.0	21
41	Natural and anthropogenic impacts on environmental changes over the past 7500 years based on the multi-proxy study of shelf sediments in the northern South China Sea. Quaternary Science Reviews, 2018, 197, 35-48.	3.0	31
42	Evidence for reduced environmental variability in response to increasing human population growth during the late Holocene in northwest Tasmania, Australia. Quaternary Science Reviews, 2018, 197, 193-208.	3.0	5
43	Seasonal dinoflagellate cyst production and terrestrial palynomorph deposition in the East Asian Monsoon influenced South China Sea: A sediment trap study from the Southwest Taiwan waters. Review of Palaeobotany and Palynology, 2018, 257, 117-139.	1.5	13
44	Late Holocene Anthropogenic and Climatic Impact on a Tropical Island Ecosystem of Northern Vietnam. Frontiers in Ecology and Evolution, 2019, 7, .	2.2	5
45	Shifting subsistence patterns from the Terminal Pleistocene to Late Holocene: A regional Southeast Asian analysis. Quaternary International, 2019, 529, 47-56.	1.5	10
46	Holocene environmental changes in Red River delta, Vietnam as inferred from the stable carbon isotopes and C/N ratios. Journal of Earth System Science, 2019, 128, 1.	1.3	5
47	A tentative sediment budget for the Red River subaqueous delta in the Gulf of Tonkin: A synthesis of existing data. Regional Studies in Marine Science, 2020, 34, 101005.	0.7	3
48	Late-Holocene vegetation change reveals the environment of ancient people and the origin of Huashan cliff paintings in Guangxi, southwestern China. Holocene, 2020, 30, 1296-1309.	1.7	1
49	Holocene evolution and Anthropocene destruction of the Krishna Delta on the east coast of India: Delta lobe shifts, human impacts, and sea-level history. Marine Geology, 2020, 427, 106229.	2.1	12
50	Holocene development and human use of mangroves and limestone forest at an ancient hong lagoon in the TrÃng An karst, Ninh Binh, Vietnam. Quaternary Science Reviews, 2020, 242, 106416.	3.0	7
51	Comparison of Machine Learning Methods for Estimating Mangrove Above-Ground Biomass Using Multiple Source Remote Sensing Data in the Red River Delta Biosphere Reserve, Vietnam. Remote Sensing, 2020, 12, 1334.	4.0	74
52	Holocene paleoshoreline changes of the Red River Delta, Vietnam. Review of Palaeobotany and Palynology, 2020, 278, 104235.	1.5	12
53	Sediment budget and morphological change in the Red River Delta under increasing human interferences. Marine Geology, 2021, 431, 106379.	2.1	28
54	Late Pleistocene-Holocene sedimentary evolution in the coastal zone of the Red River Delta. Heliyon, 2021, 7, e05872.	3.2	5

#	Article	IF	CITATIONS
55	Holocene sedimentary evolution of the Mekong River floodplain, Cambodia. Quaternary Science Reviews, 2021, 253, 106767.	3.0	11
56	Interacting effects of land-use change and natural hazards on rice agriculture in the Mekong and Red River deltas in Vietnam. Natural Hazards and Earth System Sciences, 2021, 21, 1473-1493.	3.6	25
57	Learning from multimodal and multisensor earth observation dataset for improving estimates of mangrove soil organic carbon in Vietnam. International Journal of Remote Sensing, 2021, 42, 6866-6890.	2.9	14
58	High-resolution reconstructions of Holocene sea-surface conditions from dinoflagellate cyst assemblages in the northern South China Sea. Marine Geology, 2021, 438, 106528.	2.1	4
59	Anthropogenic impacts on Late Holocene land-cover change and floristic biodiversity loss in tropical southeastern Asia. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	58
60	Determinants of livelihood vulnerability to climate change: Two minority ethnic communities in the northwest mountainous region of Vietnam. Environmental Science and Policy, 2021, 123, 11-20.	4.9	27
61	Biostratigraphy and palaeoenvironments of early Pleistocene deposits in the southern part of the Gulf of Tonkin, Vietnam. Quaternary International, 2021, 604, 1-15.	1.5	1
62	Improvement of Mangrove Soil Carbon Stocks Estimation in North Vietnam Using Sentinel-2 Data and Machine Learning Approach. GIScience and Remote Sensing, 2021, 58, 68-87.	5.9	47
63	Presence of Camptotheca in the Red River Delta (North Vietnam) during the Holocene Revealed by Palynological Studies. European Journal of Medicinal Plants, 2015, 5, 260-271.	0.5	1
64	Holocene sedimentary evolution of a subaqueous delta off a typical tropical river, Hainan Island, South China. Marine Geology, 2021, 442, 106664.	2.1	3
65	Ä麶C Äŀá»,M HỆ THá»NG SÔNG Cá»" VÀ TÀ Äé»~NG NHÃ,N SINH Dá»°A TRÊN KẾT QUẢ MÔ HÃŒN SÔNG Há»'NG. Tạp ChÃ-Khoa HỀ Và CÃ′ng Nghệ Biá»∱n, 2019, 19, 463-478.	H TlẾN 0.2	HÓA Tá»^ Lá
66	Reconstruction of Chemical Weathering Intensity and Asian Summer Monsoon Evolution in the Red River Basin Over the Past 36Âkyr. Paleoceanography and Paleoclimatology, 2022, 37, .	2.9	7
67	Multi-proxy reconstructions of productivity on the continental slope off the Mekong River in the southern South China Sea over the past 30,000Âyears. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 597, 111005.	2.3	1
68	Historical reconstruction of shoreline evolution at the Nam Dinh Coast, Vietnam. Coastal Engineering Journal, 2023, 65, 3-20.	1.9	6
69	Holocene vegetation history and responses to climate and sea-level change in the Liaohe Delta, northeast China. Catena, 2022, 217, 106438.	5.0	3
70	The Relationship between Sequence Stratigraphy and Groundwater of Quaternary Sediments in Relation to Global Sea-level Change in the Downstream Red River Delta Area. Lithology and Mineral Resources, 2022, 57, 449-472.	0.6	0
71	Late Holocene sediment provenance change in the Red River Delta: A magnetic study. Catena, 2023, 220, 106685.	5.0	2
72	Co Loa: Biography of an Anomalous Place. Journal of Urban Archaeology, 2023, 7, 51-76.	0.8	0

#	Article	IF	CITATIONS
73	Sr-Nd isotopic fingerprints of Red River sediments and its implication for provenance discrimination in the South China Sea. Marine Geology, 2023, 457, 106997.	2.1	1
74	Prehistoric pathways to Anthropocene adaptation: Evidence from the Red River Delta, Vietnam. PLoS ONE, 2023, 18, e0280126.	2.5	O
75	Demographic and ecological niche dynamics of the Vietnam warty newt, Paramesotriton deloustali: Historical climate influences. PLoS ONE, 2023, 18, e0290044.	2.5	0
76	Holocene sediment source analysis and paleoclimatic significance of core KZK01 from the eastern part of the Beibu Gulf. Frontiers in Earth Science, 0, 11 , .	1.8	0
78	åŽå⊷和东å⊷äºšæ²¿æµ·å¨æ−°ä¸−环境演å∙̃与å²å‰å†œä¸š. Chinese Science Bulletin, 2023, , .	0.7	0
79	Natural and anthropogenic controls on environmental change during the Holocene based on a multi-proxy record obtained from subalpine peatland in southern China. Science of the Total Environment, 2024, 912, 169446.	8.0	0