

# CITATION REPORT

List of articles citing

Relation of visual function to retinal nerve fiber layer thickness in multiple sclerosis

DOI: 10.1016/j.opthta.2005.10.040  
Ophthalmology, 2006, 113, 324-32.

**Source:** <https://exaly.com/paper-pdf/39938237/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF | Citations |
|-----|--|----|-----------|
| 561 | Acute demyelinating optic neuritis. <b>2006</b> , 1, 159-170   |    | 1         |
| 560 | The optic nerve: a window into diseases of the brain?. <b>2006</b> , 67, 1742-3  |    | 24        |
| 559 | Validation and test characteristics of a 10-item neuro-ophthalmic supplement to the NEI-VFQ-25. <b>2006</b> , 142, 1026-35                                 |    | 75        |
| 558 | Optical coherence tomography versus automated perimetry for follow-up of optic neuritis. <b>2006</b> , 84, 790-4   |    | 61        |
| 557 | Clinical practice. Optic neuritis. <b>2006</b> , 354, 1273-80  |    | 275       |
| 556 | Contrast sensitivity, first-order motion and Initial ocular following in demyelinating optic neuropathy. <b>2006</b> , 253, 1203-9                         |    | 8         |
| 555 | Optical coherence tomography in multiple sclerosis. <b>2006</b> , 5, 853-63  |    | 138       |
| 554 | Quantifying axonal loss after optic neuritis with optical coherence tomography. <b>2006</b> , 59, 963-9  |    | 466       |
| 553 | Quantification of optic nerve head topography in optic neuritis: a pilot study. <b>2006</b> , 90, 1128-31  |    | 24        |
| 552 | Optic neuritis and the neuro-ophthalmology of multiple sclerosis. <b>2007</b> , 79, 633-63   |    | 20        |
| 551 | What you see is what you get: coupling function with structure in the visual system. <b>2007</b> , 69, 2119-20   |    | 1         |
| 550 | An investigation of the retinal nerve fibre layer in progressive multiple sclerosis using optical coherence tomography. <b>2008</b> , 131, 277-87          |    | 154       |
| 549 | Optic nerve magnetization transfer imaging and measures of axonal loss and demyelination in optic neuritis. <b>2007</b> , 13, 875-9                        |    | 41        |
| 548 | Nerve fibre layer analysis with GDx with a variable corneal compensator in patients with multiple sclerosis. <b>2007</b> , 221, 186-9                      |    | 19        |
| 547 | Relation of vision to global and regional brain MRI in multiple sclerosis. <b>2007</b> , 69, 2128-35   |    | 56        |
| 546 | Optic disc evaluation by optical coherence tomography in nonarteritic anterior ischemic optic neuropathy. <b>2007</b> , 48, 4087-92                        |    | 69        |
| 545 | Is optical coherence tomography really a new biomarker candidate in multiple sclerosis?--A structural and functional evaluation. <b>2007</b> , 48, 5773-81 |    | 100       |

|     |  |  |        |
|-----|--|--|--------|
| 544 | Optical coherence tomography and disease subtype in multiple sclerosis. <b>2007</b> , 69, 2085-92  |  | 235    |
| 543 | The relationship between visual field and retinal nerve fiber layer measurements in patients with multiple sclerosis. <b>2007</b> , 48, 5798-805   |  | 83     |
| 542 | Retinal nerve fiber layer is associated with brain atrophy in multiple sclerosis. <b>2007</b> , 69, 1603-9   |  | 317    |
| 541 | Natalizumab reduces visual loss in patients with relapsing multiple sclerosis. <b>2007</b> , 68, 1299-304  |  | 107    |
| 540 | Historical perspective and future prospective for retinal nerve fiber loss in optic neuritis and multiple sclerosis. <b>2007</b> , 47, 15-24, x  |  | 5      |
| 539 | Peripapillary nerve fiber layer thickness measured by optical coherence tomography in patients with no light perception from long-standing nonglaucomatous optic neuropathies. <b>2007</b> , 27, 176-9 |  | 54     |
| 538 | Reliability of visual temporal thresholds. <b>2007</b> , 34, 433-7   |  |        |
| 537 | Vogt-Koyanagi-Harada syndrome in a case of multiple sclerosis. <b>2007</b> , 27, 36-40   |  | 8      |
| 536 | Author reply. <i>Ophthalmology</i> , <b>2007</b> , 114, 199-200  |  | 73     |
| 535 | Optical coherence tomography in optic neuritis. <i>Ophthalmology</i> , <b>2007</b> , 114, 200  |  | 73 13  |
| 534 | Follow-up of nonarteritic anterior ischemic optic neuropathy with optical coherence tomography. <i>Ophthalmology</i> , <b>2007</b> , 114, 2338-44  |  | 73 110 |
| 533 | Abnormal retinal thickness in patients with mild cognitive impairment and Alzheimer's disease. <b>2007</b> , 420, 97-9   |  | 270    |
| 532 | Diagnostic accuracy of retinal abnormalities in predicting disease activity in MS. <b>2007</b> , 68, 1488-94   |  | 230    |
| 531 | Relapses matter: the costs & consequences of multiple sclerosis relapses. <b>2007</b> , 256 Suppl 1, S1-4  |  | 3      |
| 530 | The role of optical coherence tomography in multiple sclerosis: expert panel consensus. <b>2007</b> , 263, 3-14  |  | 76     |
| 529 | SIRT1 activation confers neuroprotection in experimental optic neuritis. <b>2007</b> , 48, 3602-9  |  | 140    |
| 528 | Optical coherence tomography in optic neuritis and multiple sclerosis: a review. <b>2007</b> , 14, 841-9   |  | 69     |
| 527 | Optic Neuritis: The Role of Disease-modifying Therapy in This Clinically Isolated Syndrome. <b>2007</b> , 9, 48-54   |  |        |

|     |  |     |     |
|-----|--|-----|-----|
| 526 | Optical coherence tomography in multiple sclerosis: thickness of the retinal nerve fiber layer as a potential measure of axonal loss and brain atrophy. <b>2008</b> , 255, 1555-60 |     | 158 |
| 525 | Axonal loss and myelin in early ON loss in postacute optic neuritis. <b>2008</b> , 64, 325-31  |     | 120 |
| 524 | Treatment of corticosteroid refractory optic neuritis in multiple sclerosis patients with intravenous immunoglobulin. <b>2008</b> , 15, 1163-7                                     |     | 65  |
| 523 | Retinal nerve fiber layer thickness is associated with brain MRI outcomes in multiple sclerosis. <b>2008</b> , 268, 12-7   |     | 129 |
| 522 | 662 Innovation diagnostique instrumentale dans le suivi des pathologies non glaucomateuses du nerf optique. <b>2008</b> , 31, 201  |     |     |
| 521 | Relationship between retinal nerve fiber layer measurement and signal strength in optical coherence tomography. <i>Ophthalmology</i> , <b>2008</b> , 115, 1347-51, 1351.e1-2       | 7.3 | 157 |
| 520 | Inflammatory demyelination induces axonal injury and retinal ganglion cell apoptosis in experimental optic neuritis. <b>2008</b> , 87, 208-13                                      |     | 109 |
| 519 | Retinal nerve fiber layer thickness measured by optical coherence tomography in non-glaucomatous Taiwanese. <b>2008</b> , 107, 627-34  |     | 8   |
| 518 | [Retinal atrophy using optical coherence tomography (OCT) in 15 patients with multiple sclerosis and comparison with healthy subjects]. <b>2008</b> , 164, 927-34                  |     | 21  |
| 517 | Optical Coherence Tomography (OCT) in Neuro-ophthalmology: A Clinical Perspective. <i>Neuro-Ophthalmology</i> , <b>2008</b> , 32, 115-125  | 0.9 | 2   |
| 516 | Optical coherence tomography: a window into the mechanisms of multiple sclerosis. <b>2008</b> , 4, 664-75  |     | 239 |
| 515 | Experimental optic neuritis induced by a demyelinating strain of mouse hepatitis virus. <b>2008</b> , 82, 8882-6   |     | 53  |
| 514 | Chapter 6 Optic Neuritis. <b>2008</b> , 32, 134-152  |     | 3   |
| 513 | Leber hereditary optic neuropathy presenting in a 75-year-old man. <b>2008</b> , 28, 155   |     | 10  |
| 512 | Delayed dark adaptation caused by nilutamide. <b>2008</b> , 28, 158-9  |     | 4   |
| 511 | Leber hereditary optic neuropathy in an octogenarian. <b>2008</b> , 28, 156  |     | 11  |
| 510 | Tracking retinal nerve fiber layer loss after optic neuritis: a prospective study using optical coherence tomography. <b>2008</b> , 14, 893-905                                    |     | 165 |
| 509 | Modeling axonal degeneration within the anterior visual system: implications for demonstrating neuroprotection in multiple sclerosis. <b>2008</b> , 65, 26-35                      |     | 47  |

|     |  |     |
|-----|--|-----|
| 508 | Retinal imaging by laser polarimetry and optical coherence tomography evidence of axonal degeneration in multiple sclerosis. <b>2008</b> , 65, 924-8             | 90  |
| 507 | Retinal nerve fiber layer atrophy is associated with physical and cognitive disability in multiple sclerosis. <b>2008</b> , 14, 906-12                           | 120 |
| 506 | Axonal loss in the retinal nerve fiber layer in patients with multiple sclerosis. <b>2008</b> , 14, 609-14   | 104 |
| 505 | Optical coherence tomography in neuromyelitis optica. <b>2008</b> , 65, 920-3  | 83  |
| 504 | The diagnosis of MS: white spots and red flags. <b>2008</b> , 70, 1071-2   | 10  |
| 503 | Pattern of macular thickness changes measured by ocular coherence tomography in patients with multiple sclerosis. <b>2008</b> , 225, 408-12                      | 17  |
| 502 | Reproducibility of optical coherence tomography in multiple sclerosis. <b>2008</b> , 65, 1218-22   | 59  |
| 501 | Retinal nerve fiber layer and future risk of multiple sclerosis. <b>2008</b> , 35, 482-7   | 50  |
| 500 | New imaging techniques in the diagnosis of multiple sclerosis. <b>2008</b> , 2, 1055-1065  | 15  |
| 499 | Intracranial hypertension in a patient using topical adapalene. <b>2008</b> , 28, 156-8  | 10  |
| 498 | Pitfalls in OCT measurement of peripapillary retinal nerve fiber layer thickness in nonglaucomatous optic neuropathy. <b>2008</b> , 28, 159-60; author reply 160 | 1   |
| 497 | Reply:. <b>2008</b> , 28, 160  |     |
| 496 | Acute inflammatory demyelinating optic neuritis: evidence-based visual and neurological considerations. <b>2008</b> , 14, 207-23                                 | 24  |
| 495 | Optic neuritis and multiple sclerosis. <b>2008</b> , 21, 16-21   | 36  |
| 494 | Retinal peripapillary nerve fiber layer thickness in neuromyelitis optica. <b>2008</b> , 49, 4412-7  | 87  |
| 493 | Imaging outcomes for neuroprotection and repair in multiple sclerosis trials. <b>2009</b> , 5, 256-66  | 316 |
| 492 | Retinal nerve fiber thickness in inflammatory demyelinating diseases of childhood onset. <b>2009</b> , 15, 802-10  | 45  |
| 491 | Dr Thompson's Eye Water. <b>2009</b> , 127, 741  |     |

|     |  |     |     |
|-----|--|-----|-----|
| 490 | Evaluation of optic neuropathy in multiple sclerosis using low-contrast visual evoked potentials. <b>2009</b> , 73, 1849-57  |     | 33  |
| 489 | Inner retinal layer thinning in Parkinson disease. <b>2009</b> , 127, 737-41   |     | 225 |
| 488 | Retinal vessels in patients with multiple sclerosis: baseline diameter and response to flicker light stimulation. <b>2009</b> , 226, 272-5   |     | 5   |
| 487 | Rigidity of retinal vessels in patients with multiple sclerosis. <b>2009</b> , 226, 276-9  |     | 13  |
| 486 | Optical coherence tomography differs in neuromyelitis optica compared with multiple sclerosis. <b>2009</b> , 72, 1077-82   |     | 165 |
| 485 | Optical coherence tomography is less sensitive than visual evoked potentials in optic neuritis. <b>2009</b> , 73, 46-52  |     | 111 |
| 484 | Retinal nerve fiber layer thickness analysis in suspected malingers with optic disc temporal pallor. <i>Indian Journal of Ophthalmology</i> , <b>2009</b> , 57, 365-70                             | 1.6 | 4   |
| 483 | Damage to the optic radiation in multiple sclerosis is associated with retinal injury and visual disability. <b>2009</b> , 66, 998-1006  |     | 122 |
| 482 | Optical coherence tomography helps differentiate neuromyelitis optica and MS optic neuropathies. <b>2009</b> , 73, 302-8   |     | 228 |
| 481 | Assessing structure and function of the afferent visual pathway in multiple sclerosis and associated optic neuritis. <b>2009</b> , 256, 305-19   |     | 83  |
| 480 | Multifocal VEP and OCT in optic neuritis: a topographical study of the structure-function relationship. <b>2009</b> , 118, 129-37  |     | 66  |
| 479 | [Atacicept: a new B lymphocyte-targeted therapy for multiple sclerosis]. <i>Der Nervenarzt</i> , <b>2009</b> , 80, 1462-72   |     | 6   |
| 478 | Optic disc cupping after optic neuritis evaluated with optical coherence tomography. <b>2009</b> , 23, 890-4   |     | 31  |
| 477 | Retinal architecture predicts pupillary reflex metrics in MS. <b>2009</b> , 15, 479-86   |     | 19  |
| 476 | Differences in retinal nerve fiber layer atrophy between multiple sclerosis subtypes. <b>2009</b> , 281, 74-9  |     | 82  |
| 475 | Relationship of optic nerve and brain conventional and non-conventional MRI measures and retinal nerve fiber layer thickness, as assessed by OCT and GDx: a pilot study. <b>2009</b> , 282, 96-105 |     | 93  |
| 474 | Imaging of the orbit. <b>2009</b> , 27, 251-84, x  |     | 9   |
| 473 | Nonconventional optic nerve imaging in multiple sclerosis. <b>2009</b> , 19, 71-9  |     | 20  |

|     |   |     |     |
|-----|---|-----|-----|
| 472 | Vision related quality of life in multiple sclerosis: correlation with new measures of low and high contrast letter acuity. <b>2009</b> , 80, 767-72                            |     | 96  |
| 471 | Optical coherence tomography: another useful tool in a neuro-ophthalmologist's armamentarium. <b>2009</b> , 20, 462-6   |     | 24  |
| 470 | Optical coherence tomography in clinically isolated syndrome: no evidence of subclinical retinal axonal loss. <b>2009</b> , 66, 1373-7  |     | 31  |
| 469 | Macular volume determined by optical coherence tomography as a measure of neuronal loss in multiple sclerosis. <b>2009</b> , 66, 1366-72  |     | 133 |
| 468 | RETROBULBAR OPTIC NEUROPATHIES. <b>2009</b> , 15, 47-67   |     | 0   |
| 467 | The neuro-ophthalmology of multiple sclerosis. <b>2010</b> , 16, 122-46   |     | 8   |
| 466 | Optical coherence tomography of the retina: applications in neurology. <b>2010</b> , 23, 16-23  |     | 83  |
| 465 | Comparison of optical coherence tomography and scanning laser polarimetry measurements in patients with multiple sclerosis. <b>2010</b> , 87, 576-84                            |     | 8   |
| 464 | Retinal nerve fiber layer thickness and spatial and temporal contrast sensitivity in multiple sclerosis. <i>European Journal of Ophthalmology</i> , <b>2010</b> , 20, 158-66    | 1.9 | 23  |
| 463 | A preliminary longitudinal study of the retinal nerve fiber layer in progressive multiple sclerosis. <b>2010</b> , 257, 1083-91   |     | 55  |
| 462 | Retinal nerve fiber layer thickness in subgroups of multiple sclerosis, measured by optical coherence tomography and scanning laser polarimetry. <b>2010</b> , 257, 1654-60     |     | 43  |
| 461 | Measurement of retinal nerve fiber layer thickness in optic atrophy eyes of patients with optic neuritis using optical coherence tomography. <b>2010</b> , 248, 1013-8          |     | 10  |
| 460 | Early high-dose intravenous methylprednisolone is effective in preserving retinal nerve fiber layer thickness in patients with neuromyelitis optica. <b>2010</b> , 248, 1777-85 |     | 90  |
| 459 | Optical coherence tomography in multiple sclerosis: a systematic review and meta-analysis. <b>2010</b> , 9, 921-32  |     | 399 |
| 458 | Neuroprotection in multiple sclerosis: a therapeutic challenge for the next decade. <b>2010</b> , 126, 82-93  |     | 49  |
| 457 | Neuritis óptica asociada o no a esclerosis múltiple: estudio estructural y funcional. <b>2010</b> , 25, 78-82   |     | 10  |
| 456 | Longitudinal study of vision and retinal nerve fiber layer thickness in multiple sclerosis. <b>2010</b> , 67, 749-60  |     | 239 |
| 455 | Retinal nerve fiber layer evaluation in multiple sclerosis with spectral domain optical coherence tomography. <b>2010</b> , 4, 1007-13  |     | 37  |

|     |   |     |     |
|-----|---|-----|-----|
| 454 | Progressive changes in the retinal nerve fiber layer in patients with multiple sclerosis. <i>European Journal of Ophthalmology</i> , <b>2010</b> , 20, 167-73 | 1.9 | 55  |
| 453 | Symptomatic Therapy in Multiple Sclerosis. <b>2010</b> , 35, 316-354  |     |     |
| 452 | Eye disorders in patients with multiple sclerosis: natural history and management. <b>2010</b> , 4, 1409-22   |     | 37  |
| 451 | New developments in the treatment of optic neuritis. <b>2010</b> , 2, 83-94   |     | 4   |
| 450 | Time domain and spectral domain optical coherence tomography in multiple sclerosis: a comparative cross-sectional study. <b>2010</b> , 16, 893-6              |     | 55  |
| 449 | Scanning laser polarimetry quantification of retinal nerve fiber layer thinning following optic neuritis. <b>2010</b> , 30, 235-42                            |     | 8   |
| 448 | Timing of corticosteroid therapy is critical to prevent retinal ganglion cell loss in experimental optic neuritis. <b>2010</b> , 51, 1439-45                  |     | 29  |
| 447 | Oral resveratrol reduces neuronal damage in a model of multiple sclerosis. <b>2010</b> , 30, 328-39   |     | 142 |
| 446 | Reproducibility of high-resolution optical coherence tomography in multiple sclerosis. <b>2010</b> , 16, 829-39   |     | 83  |
| 445 | Evaluating loss of visual function in multiple sclerosis as measured by low-contrast letter acuity. <b>2010</b> , 74 Suppl 3, S16-23                          |     | 62  |
| 444 | Retinal nerve fiber layer thickness is associated with lesion length in acute optic neuritis. <b>2010</b> , 74, 252-8   |     | 23  |
| 443 | Influence of OCT signal strength on macular, optic nerve head, and retinal nerve fiber layer parameters. <b>2010</b> , 51, 4471-5                             |     | 42  |
| 442 | Atacicept: targeting B cells in multiple sclerosis. <b>2010</b> , 3, 205-16   |     | 100 |
| 441 | A serial study of retinal changes following optic neuritis with sample size estimates for acute neuroprotection trials. <b>2010</b> , 133, 2592-602           |     | 94  |
| 440 | Retinal pathology in multiple sclerosis: insight into the mechanisms of neuronal pathology. <b>2010</b> , 133, 1575-7   |     | 16  |
| 439 | Associations between retinal nerve fiber layer abnormalities and optic nerve examination. <b>2010</b> , 75, 1318-25   |     | 18  |
| 438 | Multiple sclerosis: can retinal imaging accurately detect optic neuritis?. <b>2010</b> , 6, 125-6   |     | 7   |
| 437 | Optical coherence tomography (OCT) in optic neuritis and multiple sclerosis. <b>2010</b> , 166, 978-86  |     | 41  |



|     |   |     |     |
|-----|---|-----|-----|
| 436 | Using retinal architecture to help characterize multiple sclerosis patients. <b>2010</b> , 45, 520-6  |     | 43  |
| 435 | Atrophy of the retinal nerve fibre layer in multiple sclerosis patients. Prospective study with two years follow-up. <b>2010</b> , 85, 179-186  |     |     |
| 434 | Effect of treatment in loss of retinal nerve fiber layer in multiple sclerosis patients. <b>2010</b> , 85, 209-214  |     |     |
| 433 | Optic neuritis, multiple sclerosis-related or not: Structural and functional study. <b>2010</b> , 25, 78-82   |     |     |
| 432 | Ocular pathology in multiple sclerosis: retinal atrophy and inflammation irrespective of disease duration. <b>2010</b> , 133, 1591-601  |     | 302 |
| 431 | Patterns of retinal nerve fiber layer loss in multiple sclerosis patients with or without optic neuritis and glaucoma patients. <i>Clinical Neurology and Neurosurgery</i> , <b>2010</b> , 112, 647-52                                    | 2   | 86  |
| 430 | [Effect of treatment in loss of retinal nerve fibre layer in multiple sclerosis patients]. <b>2010</b> , 85, 209-14   |     | 5   |
| 429 | Diagnostic validity of optic disc and retinal nerve fiber layer evaluations in detecting structural changes after optic neuritis. <i>Ophthalmology</i> , <b>2010</b> , 117, 1256-1264.e1  | 7.3 | 17  |
| 428 | Sub-clinical atrophy of the retinal nerve fibre layer in multiple sclerosis. <b>2010</b> , 88, 748-52   |     | 48  |
| 427 | Future neuroprotective strategies. <b>2010</b> , 225, 40-7  |     | 9   |
| 426 | [Atrophy of the retinal nerve fibre layer in multiple sclerosis patients. Prospective study with two years follow-up]. <b>2010</b> , 85, 179-86   |     | 7   |
| 425 | Abstracts of the 2010 Meeting of the International Neuro-Ophthalmology Society, Lyon, France. <i>Neuro-Ophthalmology</i> , <b>2010</b> , 34, 131-288  | 0.9 | 2   |
| 424 | The optic nerve head in acquired optic neuropathies. <b>2010</b> , 6, 221-36  |     | 10  |
| 423 | Quantitative Analysis of Changes in Macular Layers Following Optic Neuritis. <i>Neuro-Ophthalmology</i> , <b>2011</b> , 35, 101-107   | 0.9 | 6   |
| 422 | Optic neuritis: A mechanistic view. <b>2011</b> , 18, 81-92   |     | 25  |
| 421 | Cup to disc ratio by optical coherence tomography is abnormal in multiple sclerosis. <b>2011</b> , 302, 19-24   |     | 10  |
| 420 | MRI measures of neuroprotection and repair in multiple sclerosis. <b>2011</b> , 311 Suppl 1, S16-23   |     | 6   |
| 419 | Visual dysfunction in multiple sclerosis correlates better with optical coherence tomography derived estimates of macular ganglion cell layer thickness than peripapillary retinal nerve fiber layer thickness. <b>2011</b> , 17, 1449-63 |     | 202 |

|     |   |        |
|-----|---|--------|
| 418 | Risk factors for progressive axonal degeneration of the retinal nerve fibre layer in multiple sclerosis patients. <b>2011</b> , 95, 1577-82   | 38     |
| 417 | Retinal nerve fiber layer thickness in children with optic pathway gliomas. <b>2011</b> , 151, 542-9.e2   | 86     |
| 416 | One eye or two: a comparison of binocular and monocular low-contrast acuity testing in multiple sclerosis. <b>2011</b> , 152, 133-40  | 48     |
| 415 | RNFL thickness in MS-associated acute optic neuritis using SD-OCT: critical interpretation and limitations. <b>2011</b> , 89, e451-60   | 12     |
| 414 | Measures of neurological impairment and disability in multiple sclerosis. 56-64   |        |
| 413 | Optical coherence tomography evaluation of retinal nerve fiber layer in longitudinally extensive transverse myelitis. <b>2011</b> , 69, 69-73   | 5      |
| 412 | Pediatric optic neuritis. 223-233   |        |
| 411 | Differentiating glaucomatous from non-glaucomatous optic nerve cupping by optical coherence tomography. <b>2011</b> , 5, 1-7  | 27     |
| 410 | Fourier-domain OCT in multiple sclerosis patients: reproducibility and ability to detect retinal nerve fiber layer atrophy. <b>2011</b> , 52, 4124-31   | 60     |
| 409 | Clinical Development and BenefitRisk Profile of Natalizumab. <b>2011</b> , 167-191  |        |
| 408 | Imaging the visual pathway in neuromyelitis optica. <b>2011</b> , 2011, 869814  | 17     |
| 407 | Evaluating the use of optical coherence tomography in optic neuritis. <b>2011</b> , 2011, 148394  | 23     |
| 406 | Optical coherence tomography in multiple sclerosis and neuromyelitis optica: an update. <b>2011</b> , 2011, 472790  | 30     |
| 405 | Exploring the Association between Retinal Nerve Fiber Layer Thickness and Initial Magnetic Resonance Imaging Findings in Patients with Acute Optic Neuritis. <b>2011</b> , 2011, 289785       | 9      |
| 404 | Optic neuritis and retinal ganglion cell loss in a chronic murine model of multiple sclerosis. <b>2011</b> , 2, 50  | 65     |
| 403 | Nerve fiber layer and macular thinning measured with different imaging methods during the course of acute optic neuritis. <i>European Journal of Ophthalmology</i> , <b>2011</b> , 21, 473-83 | 1.9 15 |
| 402 | Association of retinal and macular damage with brain atrophy in multiple sclerosis. <b>2011</b> , 6, e18132   | 104    |
| 401 | The impact of utilizing different optical coherence tomography devices for clinical purposes and in multiple sclerosis trials. <b>2011</b> , 6, e22947  | 55     |

|     |  |     |     |
|-----|--|-----|-----|
| 400 | Challenges to clinical trials in multiple sclerosis: outcome measures in the era of disease-modifying drugs. <b>2011</b> , 24, 255-61  |     | 24  |
| 399 | Optical coherence tomography to monitor axonal and neuronal integrity in multiple sclerosis. 213-224   |     |     |
| 398 | Perimetric and peri-papillary nerve fibre layer thickness findings in multiple sclerosis. <b>2011</b> , 18, 719-25   |     | 9   |
| 397 | Diffusion tensor imaging of the optic tracts in multiple sclerosis: association with retinal thinning and visual disability. <b>2011</b> , 21, e41-9   |     | 44  |
| 396 | Comparison of retinal nerve fiber layer measured by time domain and spectral domain optical coherence tomography in optic neuritis. <b>2011</b> , 25, 233-8  |     | 11  |
| 395 | Anatomic and functional correlation of frequency-doubling technology perimetry (FDTP) in multiple sclerosis. <b>2011</b> , 31, 263-70  |     | 8   |
| 394 | Independent patterns of damage to retinocortical pathways in multiple sclerosis without a previous episode of optic neuritis. <b>2011</b> , 258, 1695-704  |     | 10  |
| 393 | Optical coherence tomography (OCT): imaging the visual pathway as a model for neurodegeneration. <b>2011</b> , 8, 117-32   |     | 124 |
| 392 | [Optic neuritis]. <b>2011</b> , 228, 425-31  |     |     |
| 391 | Reproducibility of high-resolution optical coherence tomography measurements of the nerve fibre layer with the new Heidelberg Spectralis optical coherence tomography. <b>2011</b> , 95, 804-10                                  |     | 42  |
| 390 | Visual acuity is associated with performance on visual and non-visual neuropsychological tests in multiple sclerosis. <b>2011</b> , 25, 640-51   |     | 10  |
| 389 | Stratus OCT Quality Control in Two Multi-Centre Multiple Sclerosis Clinical Trials. <i>Neuro-Ophthalmology</i> , <b>2011</b> , 35, 57-64   | 0.9 | 9   |
| 388 | Vision in multiple sclerosis: the story, structure-function correlations, and models for neuroprotection. <b>2011</b> , 31, 362-73   |     | 101 |
| 387 | Comparison of retinal nerve fiber layer and central macular thickness measurements among five different optical coherence tomography instruments in patients with multiple sclerosis and optic neuritis. <b>2011</b> , 31, 110-6 |     | 30  |
| 386 | Neither retinal nor brain atrophy can be shown in patients with isolated unilateral optic neuritis at the time of presentation. <b>2011</b> , 17, 89-95  |     | 13  |
| 385 | Functional loss in the magnocellular and parvocellular pathways in patients with optic neuritis. <b>2011</b> , 52, 8900-7  |     | 14  |
| 384 | Reply: Retinal pathology in multiple sclerosis: insight into the mechanisms of neuronal pathology. <b>2011</b> , 134, e172-e172  |     |     |
| 383 | Primary retinal pathology in multiple sclerosis as detected by optical coherence tomography. <b>2011</b> , 134, 518-33   |     | 252 |

|     |   |     |
|-----|---|-----|
| 382 | Risk of cataract and glaucoma in patients with multiple sclerosis. <b>2012</b> , 18, 628-38   | 7   |
| 381 | Impairment of contrast visual acuity as a functional correlate of retinal nerve fibre layer thinning and total macular volume reduction in multiple sclerosis. <b>2012</b> , 96, 62-7 | 61  |
| 380 | Retinal manifestations of autoimmune and inflammatory disease. <b>2012</b> , 52, 25-46  | 3   |
| 379 | Early diagnosis, monitoring, and treatment of optic neuritis. <b>2012</b> , 18, 23-31   | 10  |
| 378 | Visual pathway axonal loss in benign multiple sclerosis: a longitudinal study. <b>2012</b> , 32, 116-23   | 31  |
| 377 | Ophthalmic features of Friedreich ataxia. <b>2012</b> , 26, 315-20  | 27  |
| 376 | The neuro-ophthalmology of multiple sclerosis. <b>2012</b> , 7, 679-700   | 1   |
| 375 | Was gibt es Neues bei der Multiplen Sklerose?. <b>2012</b> , 39, 116-126  |     |
| 374 | Microcystic macular oedema in multiple sclerosis is associated with disease severity. <b>2012</b> , 135, 1786-93  | 239 |
| 373 | Optical coherence tomography detection of neurodegeneration in multiple sclerosis. <b>2012</b> , 11, 518-27   | 17  |
| 372 | Advances in imaging to support the development of novel therapies for multiple sclerosis. <b>2012</b> , 91, 621-34  | 17  |
| 371 | Preclinical retinal neurodegeneration in a model of multiple sclerosis. <b>2012</b> , 32, 5585-97   | 61  |
| 370 | Reduced retinal nerve fiber layer thickness and macular volume in pediatric multiple sclerosis. <b>2012</b> , 27, 1517-23   | 19  |
| 369 | Resveratrol neuroprotection in a chronic mouse model of multiple sclerosis. <b>2012</b> , 3, 84   | 96  |
| 368 | Retinal damage in multiple sclerosis disease subtypes measured by high-resolution optical coherence tomography. <b>2012</b> , 2012, 530305  | 97  |
| 367 | Should optical coherence tomography be used to manage patients with multiple sclerosis?. <b>2012</b> , 32, 363-71   | 6   |
| 366 | Sex-specific differences in retinal nerve fiber layer thinning after acute optic neuritis. <b>2012</b> , 79, 1866-72  | 26  |
| 365 | Neue Perspektiven eines modernen Untersuchungsverfahrens. <b>2012</b> , 13, 69-75   |     |

|     |   |     |  |     |
|-----|---|-----|--|-----|
| 364 | Multiple sclerosis-associated uveitis. <b>2012</b> , 7, 587-594   |     |  | 3   |
| 363 | - Chronic Pain. <b>2012</b> , 222-249   |     |  |     |
| 362 | A window into the brain: an in vivo study of the retina in schizophrenia using optical coherence tomography. <b>2012</b> , 203, 89-94   |     |  | 81  |
| 361 | Author's Response. <b>2012</b> , 47, 189-191  |     |  |     |
| 360 | Optical coherence tomography segmentation reveals ganglion cell layer pathology after optic neuritis. <b>2012</b> , 135, 521-33   |     |  | 256 |
| 359 | Optical Coherence Tomography and Visual Field Patterns in Eyes with Anomalous Optic Discs and Acquired Optic Neuropathy. <i>Neuro-Ophthalmology</i> , <b>2012</b> , 36, 9-13                    | 0.9 |  | 1   |
| 358 | Color vision is strongly associated with retinal thinning in multiple sclerosis. <b>2012</b> , 18, 991-9  |     |  | 56  |
| 357 | The Relationship Between Optical Coherence Tomography and Visually Evoked Potentials and Disability in Patients with Multiple Sclerosis. <i>Neuro-Ophthalmology</i> , <b>2012</b> , 36, 175-179 | 0.9 |  | 1   |
| 356 | Ganglion cell loss in relation to visual disability in multiple sclerosis. <i>Ophthalmology</i> , <b>2012</b> , 119, 1250-7   | 7.3 |  | 217 |
| 355 | Diagnostic ability of a linear discriminant function for spectral-domain optical coherence tomography in patients with multiple sclerosis. <i>Ophthalmology</i> , <b>2012</b> , 119, 1705-11    | 7.3 |  | 31  |
| 354 | Multifocal visual evoked potentials are influenced by variable contrast stimulation in MS. <b>2012</b> , 79, 797-801  |     |  | 19  |
| 353 | Progressive degeneration of the retinal nerve fiber layer in patients with multiple sclerosis. <b>2012</b> , 53, 8344-9   |     |  | 41  |
| 352 | Low-contrast acuity measures visual improvement in phase 3 trial of natalizumab in relapsing MS. <b>2012</b> , 318, 119-24  |     |  | 43  |
| 351 | Objective characterization of the relative afferent pupillary defect in MS. <b>2012</b> , 323, 193-200  |     |  | 12  |
| 350 | Neurodegeneration in multiple sclerosis: novel treatment strategies. <b>2012</b> , 12, 1061-76; quiz 1077   |     |  | 66  |
| 349 | Clinically isolated syndromes suggestive of multiple sclerosis: an optical coherence tomography study. <b>2012</b> , 7, e33907  |     |  | 14  |
| 348 | Retinal axonal loss begins early in the course of multiple sclerosis and is similar between progressive phenotypes. <b>2012</b> , 7, e36847   |     |  | 75  |
| 347 | Time-Domain and Spectral-Domain Optical Coherence Tomography of Retinal Nerve Fiber Layer in MS Patients and Healthy Controls. <b>2012</b> , 2012, 564627                                       |     |  | 18  |

|     |   |     |     |
|-----|---|-----|-----|
| 346 | SIRT1 activating compounds reduce oxidative stress and prevent cell death in neuronal cells. <b>2012</b> , 6, 63  |     | 63  |
| 345 | Clinical Applications of Optical Coherence Tomography in Ophthalmology. <b>2012</b> ,   |     |     |
| 344 | Parkinson Disease. 215-226  |     |     |
| 343 | Multiple Sclerosis. 257-272   |     | 1   |
| 342 | Low limit for effective signal strength in the Stratus OCT in imperative low signal strength cases. <b>2012</b> , 26, 182-8   |     | 5   |
| 341 | Quantification of retinal neural loss in patients with neuromyelitis optica and multiple sclerosis with or without optic neuritis using Fourier-domain optical coherence tomography. <b>2012</b> , 53, 3959-66              |     | 86  |
| 340 | Recent advances in optic neuritis related to multiple sclerosis. <b>2012</b> , 90, 203-9  |     | 13  |
| 339 | Comparison of retinal nerve fibre layer thickness with visual evoked potential and visual field in patients with multiple sclerosis. <b>2012</b> , 40, e25-31   |     | 1   |
| 338 | Evaluation of retinal nerve fibre layer thickness and visual evoked potentials in optic neuritis associated with multiple sclerosis. <b>2012</b> , 95, 223-8  |     | 17  |
| 337 | Analysis of the visual system in Friedreich ataxia. <b>2013</b> , 260, 2362-9   |     | 40  |
| 336 | Effectiveness of averaging strategies to reduce variance in retinal nerve fibre layer thickness measurements using spectral-domain optical coherence tomography. <b>2013</b> , 251, 1841-8                                  |     | 16  |
| 335 | Neuroprotection in multiple sclerosis: a therapeutic approach. <b>2013</b> , 27, 799-815  |     | 14  |
| 334 | The retina as a window to the brain—from eye research to CNS disorders. <b>2013</b> , 9, 44-53  |     | 537 |
| 333 | [Diagnosis and monitoring of multiple sclerosis: the value of optical coherence tomography]. <i>Der Nervenarzt</i> , <b>2013</b> , 84, 483-92   | 0.5 | 11  |
| 332 | Perspectives of an innovative ophthalmological technology: optical coherence tomography (OCT)—what should be of interest to the neurologist?. <i>Clinical Neurology and Neurosurgery</i> , <b>2013</b> , 115 Suppl 1, S55-9 | 2   | 8   |
| 331 | Assessment of structural and functional visual outcomes in relapsing remitting multiple sclerosis with visual evoked potentials and optical coherence tomography. <b>2013</b> , 335, 182-5                                  |     | 17  |
| 330 | Retinal imaging: what the neurologist needs to know. <b>2013</b> , 13, 236-44   |     | 2   |
| 329 | Clinical spectrum and treatment of neuromyelitis optica spectrum disorders: evolution and current status. <b>2013</b> , 23, 647-60  |     | 29  |

|     |   |     |     |
|-----|---|-----|-----|
| 328 | Inflammatory demyelination induces glia alterations and ganglion cell loss in the retina of an experimental autoimmune encephalomyelitis model. <b>2013</b> , 10, 120                                 |     | 83  |
| 327 | Cognitive impairment and optic nerve axonal loss in patients with clinically isolated syndrome. <i>Clinical Neurology and Neurosurgery</i> , <b>2013</b> , 115, 1032-5                                | 2   | 10  |
| 326 | Color-code agreement among stratus, cirrus, and spectralis optical coherence tomography in relapsing-remitting multiple sclerosis with and without prior optic neuritis. <b>2013</b> , 155, 890-7     |     | 20  |
| 325 | Calpain inhibitor attenuated optic nerve damage in acute optic neuritis in rats. <b>2013</b> , 124, 133-46  |     | 44  |
| 324 | Evaluation of inner retinal layers in patients with multiple sclerosis or neuromyelitis optica using optical coherence tomography. <i>Ophthalmology</i> , <b>2013</b> , 120, 387-94                   | 7.3 | 98  |
| 323 | Measures of visual pathway structure and function in MS: Clinical usefulness and role for MS trials. <b>2013</b> , 2, 172-82  |     | 23  |
| 322 | Imaging of Demyelination and Remyelination in Multiple Sclerosis. <b>2013</b> , 233-253   |     | 4   |
| 321 | Designing Clinical Trials to Test Neuroprotective Therapies in Multiple Sclerosis. <b>2013</b> , 255-276  |     |     |
| 320 | Foveal vision is impaired in Parkinson's disease. <b>2013</b> , 19, 1-14  |     | 49  |
| 319 | Low contrast visual acuity testing is associated with cognitive performance in multiple sclerosis: a cross-sectional pilot study. <b>2013</b> , 13, 167   |     | 31  |
| 318 | [Applications of optical coherence tomography (OCT) in neuro-ophthalmology]. <b>2013</b> , 230, 1097-105  |     | 3   |
| 317 | Effect of 4-aminopyridine on vision in multiple sclerosis patients with optic neuropathy. <b>2013</b> , 80, 1862-6  |     | 31  |
| 316 | Optic nerve head component analysis enters the clinic: will multifocal ERG be the next OCT?. <b>2013</b> , 81, 518-9  |     | 1   |
| 315 | Active MS is associated with accelerated retinal ganglion cell/inner plexiform layer thinning. <b>2013</b> , 80, 47-54  |     | 168 |
| 314 | Evaluation of changes in retinal nerve fiber layer thickness and visual functions in cases of optic neuritis and multiple sclerosis. <i>Indian Journal of Ophthalmology</i> , <b>2013</b> , 61, 562-6 | 1.6 | 15  |
| 313 | Alemtuzumab improves contrast sensitivity in patients with relapsing-remitting multiple sclerosis. <b>2013</b> , 19, 1302-9   |     | 12  |
| 312 | Persistent visual impairment in multiple sclerosis: prevalence, mechanisms and resulting disability. <b>2013</b> , 19, 1618-26  |     | 55  |
| 311 | Baseline retinal nerve fiber layer thickness and macular volume quantified by OCT in the North American phase 3 fingolimod trial for relapsing-remitting multiple sclerosis. <b>2013</b> , 33, 322-9  |     | 28  |

|     |   |       |
|-----|---|-------|
| 310 | Electropysiologic evaluation of the visual pathway in patients with multiple sclerosis. <b>2013</b> , 30, 376-81  | 19    |
| 309 | Diagnostic ability of a new method for measuring haemoglobin levels in the optic nerve head in multiple sclerosis patients. <b>2013</b> , 97, 1543-8  | 13    |
| 308 | Wallerian and trans-synaptic degeneration contribute to optic radiation damage in multiple sclerosis: a diffusion tensor MRI study. <b>2013</b> , 19, 1610-7  | 49    |
| 307 | Overexpression of SIRT1 protein in neurons protects against experimental autoimmune encephalomyelitis through activation of multiple SIRT1 targets. <b>2013</b> , 190, 4595-607                       | 93    |
| 306 | Myelin Repair and Neuroprotection in Multiple Sclerosis. <b>2013</b> ,  | 1     |
| 305 | Getting beyond the ganglion cell: morphometric adjustments for retinal optical coherence tomography in multiple sclerosis. <b>2013</b> , 70, 13-5   | 3     |
| 304 | The afferent visual pathway: designing a structural-functional paradigm of multiple sclerosis. <b>2013</b> , 2013, 134858   | 52    |
| 303 | Three-dimensional geometries representing the retinal nerve fiber layer in multiple sclerosis, optic neuritis, and healthy eyes. <b>2013</b> , 50, 72-81  | 3     |
| 302 | The evaluation of the retinal nerve fiber layer in multiple sclerosis with special-domain optical coherence tomography. <b>2013</b> , 230, 116-20   | 10    |
| 301 | "Seeing" in NARCOMS: a look at vision-related quality of life in the NARCOMS registry. <b>2013</b> , 19, 953-60   | 20    |
| 300 | Optical coherence tomography: clinical applications in medical practice. <b>2013</b> , 28, 86-91  | 28    |
| 299 | Prognostic determination using optical coherence tomography compared with visual functions in optic neuritis. <b>2013</b> , 4,  |       |
| 298 | Optical coherence tomography for retinal imaging in multiple sclerosis. <b>2014</b> , 4, 153-162  | 13    |
| 297 | Optical coherence tomography and its use in optic neuritis and multiple sclerosis. <b>2014</b> , 115, 723-9   | 6     |
| 296 | Ganglion cell layer-inner plexiform layer thickness and vision loss in young children with optic pathway gliomas. <b>2014</b> , 55, 1402-8  | 60    |
| 295 | Contrast sensitivity in relapsing-remitting multiple sclerosis assessed by sine-wave gratings and angular frequency stimuli. <b>2014</b> , 31, 381-6  | 6     |
| 294 | Relationship between Structural and Functional Assessment of the Visual System in Mildly Disabled Relapsing-Remitting Multiple Sclerosis Patients. <i>Neuro-Ophthalmology</i> , <b>2014</b> , 38, 1-7 | 0.9 2 |
| 293 | More about retinal disorders. <i>Indian Journal of Ophthalmology</i> , <b>2014</b> , 62, 263-4  | 1.6   |



|     |   |        |
|-----|---|--------|
| 292 | Comparative diagnostic accuracy of ganglion cell-inner plexiform and retinal nerve fiber layer thickness measures by Cirrus and Spectralis optical coherence tomography in relapsing-remitting multiple sclerosis. <b>2014</b> , 2014, 128517 | 53     |
| 291 | Retinal architecture and mfERG: Optic nerve head component response characteristics in MS. <b>2014</b> , 82, 1888-96  | 10     |
| 290 | Detecting Optic Atrophy in Multiple Sclerosis Patients Using New Colorimetric Analysis Software: From Idea to Application. <b>2016</b> , 31, 459-62   | 2      |
| 289 | Functional-structural correlations in the afferent visual pathway in pediatric demyelination. <b>2014</b> , 83, 2147-52   | 28     |
| 288 | [Neurological disorders and glaucoma - an overview]. <b>2014</b> , 231, 130-5   | 4      |
| 287 | Relationship between contrast sensitivity test and disease severity in multiple sclerosis patients. <b>2014</b> , 89, 347-351   | 4      |
| 286 | Retinal nerve fiber layer thickness, brain atrophy, and disability in multiple sclerosis patients. <b>2014</b> , 34, 23-8   | 47     |
| 285 | Clinical trials to clinical use: using vision as a model for multiple sclerosis and beyond. <b>2014</b> , 34 Suppl, S18-23  | 16     |
| 284 | An update on neuro-ophthalmology of multiple sclerosis: the visual system as a model to study multiple sclerosis. <b>2014</b> , 27, 300-8   | 10     |
| 283 | Current and future potential of retinal optical coherence tomography in multiple sclerosis with and without optic neuritis. <b>2014</b> , 4, 165-76   | 22     |
| 282 | An adaptive grid for graph-based segmentation in retinal OCT. <b>2014</b> , 9034,   | 11     |
| 281 | Optical Coherence Tomography as a Biomarker in Clinical Trials for Ophthalmology and Neurology. <b>2014</b> , 277-291   |        |
| 280 | Neurodegeneration and Multiple Sclerosis. <b>2014</b> , 227-245   | 5      |
| 279 | Outcome measures in relapsing-remitting multiple sclerosis: capturing disability and disease progression in clinical trials. <b>2014</b> , 2014, 262350   | 41     |
| 278 | Monocular and binocular low-contrast visual acuity and optical coherence tomography in pediatric multiple sclerosis. <b>2013</b> , 3, 326-334   | 26     |
| 277 | SIRT1 activating compounds reduce oxidative stress mediated neuronal loss in viral induced CNS demyelinating disease. <i>Acta Neuropathologica Communications</i> , <b>2014</b> , 2, 3  | 7-3 48 |
| 276 | Accelerometer measured physical activity and the integrity of the anterior visual pathway in multiple sclerosis. <b>2014</b> , 3, 117-22  | 6      |
| 275 | Optical coherence tomography and visual evoked potentials: which is more sensitive in multiple sclerosis?. <b>2014</b> , 20, 1342-7   | 47     |

|     |  |     |
|-----|--|-----|
| 274 | MRI texture heterogeneity in the optic nerve predicts visual recovery after acute optic neuritis. <b>2014</b> , 4, 302-7   | 6   |
| 273 | Investigation of retinal nerve fiber layer thickness in patients with neurofibromatosis-1. <b>2014</b> , 58, 172-6   | 13  |
| 272 | Advances in multiple sclerosis and its variants: conventional and newer imaging techniques. <b>2014</b> , 52, 321-36   | 13  |
| 271 | Neurodegenerative Diseases. <b>2014</b> ,  | 2   |
| 270 | Medical Imaging in Clinical Trials. <b>2014</b> ,  | 14  |
| 269 | Retinal nerve fiber layer thickness and thalamus pathology in multiple sclerosis patients. <b>2014</b> , 21, 1137-e61  | 15  |
| 268 | Optic neuritis. <b>2014</b> , 13, 83-99  | 329 |
| 267 | Functional assessment of the visual pathway with multifocal visual evoked potentials, and their relationship with disability in patients with multiple sclerosis. <b>2014</b> , 20, 183-91 | 18  |
| 266 | Remyelinating strategies in multiple sclerosis. <b>2014</b> , 14, 1315-34  | 19  |
| 265 | Optical coherence tomography angiography of optic nerve head and parafovea in multiple sclerosis. <b>2014</b> , 98, 1368-73  | 173 |
| 264 | Relationship between contrast sensitivity test and disease severity in multiple sclerosis patients. <b>2014</b> , 89, 347-51   | 7   |
| 263 | One-year follow-up of macular ganglion cell layer and peripapillary retinal nerve fibre layer thickness changes after panretinal photocoagulation. <b>2014</b> , 98, 213-7                 | 19  |
| 262 | Retinal imaging as a source of biomarkers for diagnosis, characterization and prognosis of chronic illness or long-term conditions. <b>2014</b> , 87, 20130832                             | 63  |
| 261 | [Quo vadis neuroimaging? The eye as window to the brain. Current options and future perspectives]. <b>2014</b> , 111, 676-80   | 2   |
| 260 | Multiple sclerosis: diagnosis, differential diagnosis, and clinical presentation. <b>2014</b> , 122, 269-90  | 53  |
| 259 | Axonal loss of retinal neurons in multiple sclerosis associated with optic radiation lesions. <b>2014</b> , 82, 2165-72  | 83  |
| 258 | A review of the anterior visual pathway model and the study of vitamin D in demyelinating disease. <b>2014</b> , 3, 22-7   | 1   |
| 257 | Benign Multiple Sclerosis is Associated with Reduced Thinning of the Retinal Nerve Fiber and Ganglion Cell Layers in Non-Optic-Neuritis Eyes. <b>2015</b> , 11, 241-7                      | 28  |

|     |   |     |     |
|-----|---|-----|-----|
| 256 | An Eye on Brain Integrity: Acute Optic Neuritis Affects Resting State Functional Connectivity. <b>2015</b> , 56, 2541-6   |     | 18  |
| 255 | Optical coherence tomography and visual outcomes in acute optic neuritis. 42-60   |     |     |
| 254 | Optical coherence tomography in acute optic neuritis. 28-41   |     |     |
| 253 | Optical coherence tomography and low-contrast acuity. 61-75   |     | 1   |
| 252 | Meta-analysis of optical coherence tomography in multiple sclerosis. 103-113  |     | 1   |
| 251 | Applying an Open-Source Segmentation Algorithm to Different OCT Devices in Multiple Sclerosis Patients and Healthy Controls: Implications for Clinical Trials. <b>2015</b> , 2015, 136295   |     | 29  |
| 250 | Analysis of the expression and polymorphism of APOE, HSP, BDNF, and GRIN2B genes associated with the neurodegeneration process in the pathogenesis of primary open angle glaucoma. <b>2015</b> , 2015, 258281                     |     | 15  |
| 249 | Optic Neuritis: A Model for the Immuno-pathogenesis of Central Nervous System Inflammatory Demyelinating Diseases. <b>2015</b> , 11, 85-92  |     | 5   |
| 248 | Optical Coherence Tomography for the Neurologist. <b>2015</b> , 35, 564-77  |     | 19  |
| 247 | Re-evaluating the treatment of acute optic neuritis. <b>2015</b> , 86, 799-808  |     | 24  |
| 246 | Neuromyelitis optica and multiple sclerosis: Seeing differences through optical coherence tomography. <b>2015</b> , 21, 678-88  |     | 172 |
| 245 | The temporal evolution of structural and functional measures after acute optic neuritis. <b>2015</b> , 86, 1369-73  |     | 33  |
| 244 | [Optic neuropathy after retrobulbar neuritis in multiple sclerosis: are optical coherence tomography and magnetic resonance imaging useful and necessary follow-up parameters?]. <i>Der Nervenarzt</i> , <b>2015</b> , 86, 187-96 | 0.5 | 4   |
| 243 | Evaluation of retinal nerve fiber layer thickness measured by optical coherence tomography in Moroccan patients with multiple sclerosis. <b>2015</b> , 38, 497-503  |     | 5   |
| 242 | From Imaging the Brain to Imaging the Retina: Optical Coherence Tomography (OCT) in Schizophrenia. <b>2016</b> , 42, 9-14   |     | 35  |
| 241 | Optical coherence tomography findings in Huntington's disease: a potential biomarker of disease progression. <b>2015</b> , 262, 2457-65   |     | 42  |
| 240 | Functional clinical outcomes in multiple sclerosis: Current status and future prospects. <b>2015</b> , 4, 192-201   |     | 19  |
| 239 | Vision in a phase 3 trial of natalizumab for multiple sclerosis: relation to disability and quality of life. <b>2015</b> , 35, 6-11   |     | 15  |

|     |   |     |     |
|-----|---|-----|-----|
| 238 | Vision and vision-related outcome measures in multiple sclerosis. <b>2015</b> , 138, 11-27  |     | 136 |
| 237 | Automatic segmentation of microcystic macular edema in OCT. <b>2015</b> , 6, 155-69   |     | 49  |
| 236 | Clinical update in optic nerve disorders. <b>2015</b> , 10, 145-166   |     |     |
| 235 | The application of optical coherence tomography in neurologic diseases. <b>2015</b> , 5, 460-469  |     | 21  |
| 234 | Temporal retinal nerve fibre layer thinning in cluster headache patients detected by optical coherence tomography. <b>2015</b> , 35, 946-58   |     | 9   |
| 233 | How strong is the relationship between glaucoma, the retinal nerve fibre layer, and neurodegenerative diseases such as Alzheimer's disease and multiple sclerosis?. <b>2015</b> , 29, 1270-84 |     | 41  |
| 232 | Retinal nerve fiber layer thickness and neurologic disability in relapsing-remitting multiple sclerosis. <b>2015</b> , 359, 305-8   |     | 17  |
| 231 | Optical coherence tomography in patients with a history of juvenile multiple sclerosis reveals early retinal damage. <b>2015</b> , 22, 86-92  |     | 9   |
| 230 | OCT: New perspectives in neuro-ophthalmology. <b>2015</b> , 29, 9-25  |     | 68  |
| 229 | Correlation between Visual Acuity and Retinal Nerve Fiber Layer Thickness in Optic Neuropathies. <b>2016</b> , 57, 628  |     | 1   |
| 228 | Modeling the Chronic Loss of Optic Nerve Axons and the Effects on the Retinal Nerve Fiber Layer Structure in Primary Disorder of Myelin. <b>2016</b> , 57, 4859-4868                          |     | 4   |
| 227 | A conceptual model for vision rehabilitation. <b>2016</b> , 53, 693-704   |     | 12  |
| 226 | The clinical utility of measuring the macular outer retinal thickness in patients with glaucoma. <i>European Journal of Ophthalmology</i> , <b>2016</b> , 26, 118-23                          | 1.9 | 4   |
| 225 | Ratiometric analysis of in vivo retinal layer thicknesses in multiple sclerosis. <b>2016</b> , 21, 95001  |     | 2   |
| 224 | Relationship between Visual Dysfunction and Retinal Changes in Patients with Multiple Sclerosis. <b>2016</b> , 11, e0157293   |     | 15  |
| 223 | Comparison of Optical Coherence Tomography Findings in Patients With Primary Open-angle Glaucoma and Parkinson Disease. <b>2016</b> , 25, e639-46   |     | 15  |
| 222 | Treatment of optic neuritis with erythropoietin (TONE): a randomised, double-blind, placebo-controlled trial-study protocol. <b>2016</b> , 6, e010956   |     | 38  |
| 221 | Optical Coherence Tomography for the Detection of Remote Optic Neuritis in Multiple Sclerosis. <b>2016</b> , 26, 283-8  |     | 6   |

|     |   |    |
|-----|---|----|
| 220 | Longitudinal time-domain optic coherence study of retinal nerve fiber layer in IFNβ-treated and untreated multiple sclerosis patients. <b>2016</b> , 12, 190-200      | 6  |
| 219 | Quantitative visual tests after poorly recovered optic neuritis due to multiple sclerosis. <b>2016</b> , 10, 198-203  | 8  |
| 218 | Optical Coherence Tomography in Neuro-Ophthalmology: Do We Really Need It?. <b>2016</b> , 36, 353-355   | 1  |
| 217 | Optical Coherence Tomography (OCT) and Multiple Sclerosis (MS). <b>2016</b> , 87-104  |    |
| 216 | OCT in Central Nervous System Diseases. <b>2016</b> ,   | 1  |
| 215 | Detection of retinal blood vessel changes in multiple sclerosis with optical coherence tomography. <b>2016</b> , 7, 2321-30   | 15 |
| 214 | OCT in Toxic and Nutritional Optic Neuropathies. <b>2016</b> , 215-238  | 1  |
| 213 | Optical Coherence Tomography in Multiple Sclerosis. <b>2016</b> , 36, 177-84  | 7  |
| 212 | Vision Disturbances in Multiple Sclerosis. <b>2016</b> , 36, 185-95   | 39 |
| 211 | Analysis of macular and nerve fibre layer thickness in multiple sclerosis patients according to severity level and optic neuritis episodes. <b>2016</b> , 31, 379-388 |    |
| 210 | Acute ganglion cell loss during rapid visual recovery in optic neuritis. <b>2016</b> , 254, 2355-2360   | 4  |
| 209 | Visual dysfunction and its correlation with retinal changes in patients with Parkinson's disease: an observational cross-sectional study. <b>2016</b> , 6, e009658    | 44 |
| 208 | 20/40 or Better Visual Acuity After Optic Neuritis: Not as Good as We Once Thought?. <b>2016</b> , 36, 369-376  | 22 |
| 207 | Assessment of Visual Function and Structural Retinal Changes in Zen Meditators: Potential Effect of Mindfulness on Visual Ability. <b>2016</b> , 7, 979-987           | 3  |
| 206 | A window to beyond the orbit: the value of optical coherence tomography in non-ocular disease. <b>2016</b> , 94, 533-9  | 6  |
| 205 | Evaluation of Choroidal Vascular Changes in Patients with Multiple Sclerosis Using Enhanced Depth Imaging Optical Coherence Tomography. <b>2016</b> , 235, 65-71      | 31 |
| 204 | Computed Optical Interferometric Imaging: Methods, Achievements, and Challenges. <b>2016</b> , 22,  | 6  |
| 203 | Evaluation of the Innermost Retinal Layers and Visual Evoked Potentials in Patients with Multiple Sclerosis. <b>2016</b> , 41, 1353-1358                              | 11 |

|     |   |     |    |
|-----|---|-----|----|
| 202 | Analysis of macular and nerve fiber layer thickness in multiple sclerosis patients according to severity level and optic neuritis episodes. <b>2016</b> , 31, 379-88                                      |     | 3  |
| 201 | OCT in Relapsing Remitting Multiple Sclerosis (RRMS). <b>2016</b> , 113-133   |     |    |
| 200 | Analysis of retinal nerve fibre layer, visual evoked potentials and relative afferent pupillary defect in multiple sclerosis patients. <b>2016</b> , 127, 821-826   |     | 13 |
| 199 | Optical Coherence Tomography in Multiple Sclerosis. <b>2016</b> ,   |     | 5  |
| 198 | Afferent visual pathways in multiple sclerosis: a review. <b>2017</b> , 45, 62-72   |     | 28 |
| 197 | Retinal Architecture and Melanopsin-Mediated Pupillary Response Characteristics: A Putative Pathophysiologic Signature for the Retino-Hypothalamic Tract in Multiple Sclerosis. <b>2017</b> , 74, 574-582 |     | 20 |
| 196 | Validity of low-contrast letter acuity as a visual performance outcome measure for multiple sclerosis. <b>2017</b> , 23, 734-747  |     | 86 |
| 195 | Intranasal Delivery of A Novel Amnion Cell Secretome Prevents Neuronal Damage and Preserves Function In A Mouse Multiple Sclerosis Model. <b>2017</b> , 7, 41768  |     | 22 |
| 194 | Retinal and Optic Nerve Degeneration in Patients with Multiple Sclerosis Followed up for 5 Years. <i>Ophthalmology</i> , <b>2017</b> , 124, 688-696   | 7-3 | 50 |
| 193 | Monitoring the Course of MS With Optical Coherence Tomography. <b>2017</b> , 19, 15   |     | 28 |
| 192 | Defining Disease Activity and Response to Therapy in MS. <b>2017</b> , 19, 20   |     | 15 |
| 191 | A composite measure to explore visual disability in primary progressive multiple sclerosis. <b>2017</b> , 3, 2055217317-709620  |     |    |
| 190 | Pupil cycle time: as indicator of visual pathway dysfunction in multiple sclerosis. <b>2017</b> , 117, 75-81  |     | 4  |
| 189 | Retinal microvascular network alterations: potential biomarkers of cerebrovascular and neural diseases. <b>2017</b> , 312, H201-H212  |     | 49 |
| 188 | Imaging outcome measures for progressive multiple sclerosis trials. <b>2017</b> , 23, 1614-1626   |     | 42 |
| 187 | Pupillometric evaluation of the melanopsin containing retinal ganglion cells in mitochondrial and non-mitochondrial optic neuropathies. <b>2017</b> , 36, 124-129   |     | 7  |
| 186 | Advances in Neuro-Ophthalmic Imaging. <b>2017</b> , 37, 566-579   |     | 2  |
| 185 | Retinal ganglion cell and axonal loss in optic neuritis: risk factors and visual functions. <b>2017</b> , 31, 467-474   |     | 9  |

|     |   |    |
|-----|---|----|
| 184 | Imaging as an Outcome Measure in Multiple Sclerosis. <b>2017</b> , 14, 24-34  | 39 |
| 183 | Optische Kohärenztomografie in der Neurologie –Methodik und Anwendung in Forschung und Klinik. <b>2017</b> , 48, 211-225  | 0  |
| 182 | Optical Coherence Tomography in Alzheimer’s Disease and Other Neurodegenerative Diseases. <b>2017</b> , 8, 701  | 71 |
| 181 | Campimetry changes, optical coherence tomography and visual function changes in patients with multiple sclerosis. <b>2017</b> , 76,   |    |
| 180 | The value of tests evaluating visual functions in detecting overt or subclinical optic neuritis in multiple sclerosis. <b>2018</b> , 21, 63-68                                | 2  |
| 179 | The optic nerve should be included as one of the typical CNS regions for establishing dissemination in space when diagnosing MS - Yes. <b>2018</b> , 24, 121-122              | 8  |
| 178 | Optimal Intereye Difference Thresholds in Retinal Nerve Fiber Layer Thickness for Predicting a Unilateral Optic Nerve Lesion in Multiple Sclerosis. <b>2018</b> , 38, 451-458 | 33 |
| 177 | Early Nodal and Paranodal Disruption in Autoimmune Optic Neuritis. <b>2018</b> , 77, 361-373  | 10 |
| 176 | Progressive inner nuclear layer dysfunction in non-optic neuritis eyes in MS. <b>2018</b> , 5, e427   | 23 |
| 175 | Frequent retinal ganglion cell damage after acute optic neuritis. <b>2018</b> , 22, 141-147   | 17 |
| 174 | Neurodegeneration and Multiple Sclerosis. <b>2018</b> , 379-400   | 2  |
| 173 | Optical coherence tomography as a biomarker of neurodegeneration in multiple sclerosis: A review. <b>2018</b> , 22, 77-82   | 45 |
| 172 | Optical coherence tomography in diagnosis and monitoring multiple sclerosis. <b>2018</b> , 52, 140-149  | 6  |
| 171 | Neuroimaging diagnostic and monitoring approaches in ophthalmology. <b>2018</b> , 31, 66-73   | 7  |
| 170 | Imaging in neuro-ophthalmology in the context of value-based care. <b>2018</b> , 29, 503-507  | 1  |
| 169 | Investigating possible retinal biomarkers of head trauma in Olympic boxers using optical coherence tomography. <b>2018</b> , 10, 101-110                                      | 9  |
| 168 | Retinal ganglion cell-inner plexiform and nerve fiber layers in neuromyelitis optica. <b>2018</b> , 11, 89-93   | 1  |
| 167 | Pathophysiological basis of low contrast visual acuity loss in multiple sclerosis. <b>2018</b> , 5, 1505-1512   | 3  |

|     |  |    |
|-----|--|----|
| 166 | Ability of Swept-Source Optical Coherence Tomography to Detect Retinal and Choroidal Changes in Patients with Multiple Sclerosis. <b>2018</b> , 2018, 7361212  | 7  |
| 165 | A prospective case-control study comparing optical coherence tomography characteristics in neuromyelitis optica spectrum disorder- optic neuritis and idiopathic optic neuritis. <b>2018</b> , 18, 247 | 5  |
| 164 | Neuronal microRNA regulation in Experimental Autoimmune Encephalomyelitis. <b>2018</b> , 8, 13437  | 18 |
| 163 | Visual Fixation Instability in Multiple Sclerosis Measured Using SLO-OCT. <b>2018</b> , 59, 196-201  | 12 |
| 162 | Pharmacotherapy in Secondary Progressive Multiple Sclerosis: An Overview. <b>2018</b> , 32, 499-526  | 16 |
| 161 | Using the Anterior Visual System to Assess Neuroprotection and Remyelination in Multiple Sclerosis Trials. <b>2018</b> , 18, 49  | 10 |
| 160 | SIRT1 and NRF2 Gene Transfer Mediate Distinct Neuroprotective Effects Upon Retinal Ganglion Cell Survival and Function in Experimental Optic Neuritis. <b>2018</b> , 59, 1212-1220                     | 27 |
| 159 | Evolution of Visual Outcomes in Clinical Trials for Multiple Sclerosis Disease-Modifying Therapies. <b>2018</b> , 38, 202-209  | 13 |
| 158 | 5 Optical Coherence Tomography. <b>2018</b> ,  |    |
| 157 | Optical coherence tomography in acute optic neuritis: A population-based study. <b>2018</b> , 138, 566-573   | 24 |
| 156 | The relationship between age, axial length and retinal nerve fiber layer thickness in the normal elderly population in Taiwan: The Chiayi eye study in Taiwan. <b>2018</b> , 13, e0194116              | 9  |
| 155 | Down-regulation of taurine-up-regulated gene 1 attenuates inflammation by sponging miR-9-5p via targeting NF- $\kappa$ B1/p50 in multiple sclerosis. <b>2019</b> , 233, 116731                         | 28 |
| 154 | Retinal Optical Coherence Tomography Image Analysis. <b>2019</b> ,   | 2  |
| 153 | Retinal Degeneration After First-Ever Optic Neuritis Helps Differentiate Multiple Sclerosis and Neuromyelitis Optica Spectrum Disorder. <b>2019</b> , 10, 1076   | 5  |
| 152 | Functional Evaluation of the Visual Pathway in Patients with Multiple Sclerosis Using a Multifunction Stimulator Monitor. <b>2019</b> , 2019, 2890193  |    |
| 151 | Retinal nerve fiber layer, macular thickness and anterior segment measurements in attention deficit and hyperactivity disorder. <b>2019</b> , 29, 760-764  | 1  |
| 150 | Evaluating optic nerve diameter as a possible biomarker for disability in patients with multiple sclerosis. <b>2019</b> , 15, 2571-2578  | 3  |
| 149 | Eyes are mirror of the brain: comparison of multiple sclerosis patients and healthy controls using OCT. <b>2019</b> , 129, 848-855   | 8  |



|     |   |    |
|-----|---|----|
| 148 | Optical coherence tomography is highly sensitive in detecting prior optic neuritis. <b>2019</b> , 92, e527-e535   | 37 |
| 147 | Amplitude of Accommodation in Patients with Multiple Sclerosis. <b>2019</b> , 44, 1271-1277   | 4  |
| 146 | Evolution of clinical trials in multiple sclerosis. <b>2019</b> , 12, 1756286419826547  | 27 |
| 145 | Optimal intereye difference thresholds by optical coherence tomography in multiple sclerosis: An international study. <b>2019</b> , 85, 618-629                               | 51 |
| 144 | Oral levodopa rescues retinal morphology and visual function in a murine model of human albinism. <b>2019</b> , 32, 657-671   | 7  |
| 143 | Longitudinal study of visual function in patients with relapsing-remitting multiple sclerosis with and without a history of optic neuritis. <b>2019</b> , 34, 241-247         |    |
| 142 | The role of optical coherence tomography in therapeutics and conditions, which primarily have systemic manifestations: a narrative review. <b>2019</b> , 11, 2515841419831155 | 6  |
| 141 | Macular Ganglion Cell-Inner Plexiform Layer, Ganglion Cell Complex, and Outer Retinal Layer Thicknesses in a Large Cohort of Chinese Children. <b>2019</b> , 60, 4792-4802    | 10 |
| 140 | Optical Coherence Tomography in Multiple Sclerosis. <b>2019</b> , 39, 711-717   | 9  |
| 139 | Retinal correlates of neurological disorders. <b>2019</b> , 10, 2040622319882205  | 22 |
| 138 | Computer-Aided Diagnosis of Multiple Sclerosis Using a Support Vector Machine and Optical Coherence Tomography Features. <b>2019</b> , 19,                                    | 15 |
| 137 | Visual Loss. <b>2019</b> , 101-196  | 3  |
| 136 | Novel uses of retinal imaging with optical coherence tomography in multiple sclerosis. <b>2019</b> , 19, 31-43  | 32 |
| 135 | Peripapillary retinal nerve fiber layer thickness measured by optical coherence tomography in different clinical subtypes of multiple sclerosis. <b>2019</b> , 27, 260-268    | 12 |
| 134 | Multifocal visual evoked potentials and contrast sensitivity correlate with ganglion cell-inner plexiform layer thickness in multiple sclerosis. <b>2019</b> , 130, 180-188   | 4  |
| 133 | Image Artifacts in Optical Coherence Tomography Angiography Among Patients With Multiple Sclerosis. <b>2019</b> , 44, 558-563   | 11 |
| 132 | Retinal nerve fibre layer evaluation in multiple sclerosis patients with and without optic neuritis. <b>2019</b> , 97, e662-e663  | 1  |
| 131 | Changes in peripapillary choroidal thickness in patients with multiple sclerosis. <b>2019</b> , 97, e77-e83   | 8  |

|     |  |     |     |
|-----|--|-----|-----|
| 130 | Spectral-Domain OCT Measurements in Alzheimer's Disease: A Systematic Review and Meta-analysis. <i>Ophthalmology</i> , <b>2019</b> , 126, 497-510  | 7-3 | 123 |
| 129 | The loss of macular ganglion cells begins from the early stages of disease and correlates with brain atrophy in multiple sclerosis patients. <b>2019</b> , 25, 31-38   |     | 25  |
| 128 | Longitudinal study of visual function in patients with relapsing-remitting multiple sclerosis with and without a history of optic neuritis. <b>2019</b> , 34, 241-247  |     |     |
| 127 | Optical coherence tomography and multiple sclerosis: Update on clinical application and role in clinical trials. <b>2020</b> , 26, 624-639   |     | 11  |
| 126 | Retinal nerve fibre changes in sports-related repetitive traumatic brain injury. <b>2020</b> , 48, 204-211   |     | 3   |
| 125 | Rodent Models of Optic Neuritis. <b>2020</b> , 11, 580951  |     | 2   |
| 124 | Retinal Spheroids and Axon Pathology Identified in Amyotrophic Lateral Sclerosis. <b>2020</b> , 61, 30   |     | 1   |
| 123 | Heritability of macular ganglion cell inner plexiform layer thickness as determined by optical coherence tomography: the Healthy Twin Study. <b>2021</b> , 105, 1011-1015  |     |     |
| 122 | Cellular Imprinting Proteomics Assay: A Novel Method for Detection of Neural and Ocular Disorders Applied to Congenital Zika Virus Syndrome. <b>2020</b> , 19, 4496-4515   |     | 5   |
| 121 | Alzheimer's Retinopathy: Seeing Disease in the Eyes. <b>2020</b> , 14, 921   |     | 24  |
| 120 | Microperimetry as a diagnostic tool for the detection of early, subclinical retinal damage and visual impairment in multiple sclerosis. <b>2020</b> , 20, 367  |     | 0   |
| 119 | Sprinting into the field of neuro-ophthalmology from the streets of Brooklyn. <b>2020</b> , 7, 10  |     |     |
| 118 | Ganglion Cell Layer Thinning in Alzheimer's Disease. <b>2020</b> , 56,   |     | 2   |
| 117 | Genetic influence on macular retinal nerve fibre layer thickness according to retinal subfield. <b>2020</b> , 104, 1448-1452   |     | 2   |
| 116 | Randomized control trial of evaluation of Clemastine effects on visual evoked potential, nerve fiber layer and ganglion cell layer complex in patients with optic neuritis. <i>Clinical Neurology and Neurosurgery</i> , <b>2020</b> , 193, 105741 | 2   | 0   |
| 115 | Retinal Nerve Fiber Layer Thickness and Total Macular Volume in Multiple Sclerosis Subtypes and Their Relationship with Severity of Disease, a Cross-Sectional Study. <b>2020</b> , 12, 15-23  |     | 9   |
| 114 | Evidence of retinal anterograde neurodegeneration in the very early stages of multiple sclerosis: a longitudinal OCT study. <b>2020</b> , 41, 3175-3183  |     | 5   |
| 113 | Optical coherence tomography (OCT) in neuro-ophthalmology. <b>2021</b> , 35, 17-32   |     | 11  |

|     |   |     |   |
|-----|---|-----|---|
| 112 | Peripapillary and parafoveal microvascular changes in eyes with optic neuritis and their fellow eyes measured by optical coherence tomography angiography: an Exploratory Study. <b>2021</b> , 99, 288-298  |     | 2 |
| 111 | Optical coherence tomography and neurodegeneration in epilepsy. <i>European Journal of Ophthalmology</i> , <b>2021</b> , 31, 252-257  | 1.9 | 3 |
| 110 | Alleviation of extensive visual pathway dysfunction by a remyelinating drug in a chronic mouse model of multiple sclerosis. <b>2021</b> , 31, 312-332   |     | 3 |
| 109 | Imaging in Neuro-Ophthalmology. <b>2021</b> , 1-29  |     |   |
| 108 | Optic Neuritis. <b>2021</b> , 1-29  |     |   |
| 107 | Recent advances and future directions on the use of optical coherence tomography in neuro-ophthalmology. <b>2021</b> , 11, 3-15   |     | 4 |
| 106 | Evaluation of optical coherence tomography angiography findings in patients with multiple sclerosis. <i>Indian Journal of Ophthalmology</i> , <b>2021</b> , 69, 1457-1463   | 1.6 | 1 |
| 105 | Visual deficits and cognitive assessment of multiple sclerosis: confounder, correlate, or both?. <b>2021</b> , 268, 2578-2588   |     | 3 |
| 104 | Bruch's membrane opening-minimum rim width: An alternative OCT biomarker study for multiple sclerosis. <i>European Journal of Ophthalmology</i> , <b>2021</b> , 31, 2141-2149   | 1.9 | 1 |
| 103 | Contrast Sensitivity Loss in Patients With Posttreatment Lyme Disease. <b>2021</b> , 10, 27   |     |   |
| 102 | The effect of optic neuritis attacks on choroidal vascularity index in patients with multiple sclerosis. <b>2021</b> , 259, 2413-2424   |     | 4 |
| 101 | Differential patterns of parafoveal and peripapillary vessel density in multiple sclerosis and neuromyelitis optica spectrum disorder. <b>2021</b> , 49, 102780   |     | 8 |
| 100 | Trans-synaptic degeneration in the visual pathway: Neural connectivity, pathophysiology, and clinical implications in neurodegenerative disorders. <b>2021</b> ,  |     | 1 |
| 99  | Comparison of the Structure and Function of the Retina and the Optic Nerve in Patients with a History of Multiple Sclerosis-Related Demyelinating Retrobulbar Optic Neuritis Treated and Not Treated with Systemic Steroid Therapy. <b>2021</b> , 15, 2253-2261 |     |   |
| 98  | Progression of optic atrophy in traumatic optic neuropathy: retrograde neuronal degeneration in humans. <b>2021</b> , 1   |     | 1 |
| 97  | Macular ganglion cell complex injury in different stages of anterior ischemic optic neuropathy. <b>2021</b> , 9, 5830-5839  |     | 0 |
| 96  | Bruch Membrane Opening Minimum Rim Width in Neuromyelitis Optica. <b>2021</b> ,   |     | 0 |
| 95  | Optical Coherence Tomography and Visual Evoked Potentials as Prognostic and Monitoring Tools in Progressive Multiple Sclerosis. <b>2021</b> , 15, 692599  |     | 4 |

|    |  |    |
|----|--|----|
| 94 | Is retinal nerve fibre layer thickness correlated with visual function in individuals having optic neuritis?. <b>2021</b> , 1-7  |    |
| 93 | Multiple sclerosis reduces synchrony of the magnocellular pathway. <b>2021</b> , 16, e0255324  | 1  |
| 92 | Optical coherence tomography monitoring and diagnosing retinal changes in multiple sclerosis. <b>2021</b> , 11, e2302  | 1  |
| 91 | Protective effect and mechanism of nicotinamide adenine dinucleotide against optic neuritis in mice with experimental autoimmune encephalomyelitis. <b>2021</b> , 98, 107846   | 2  |
| 90 | Novel Foveal Features Associated With Vision Impairment in Multiple Sclerosis. <b>2021</b> , 62, 27  |    |
| 89 | SLM-based interferometer for assessing the polychromatic neural transfer function of the eye. <b>2021</b> , 12, 6040-6054  | 0  |
| 88 | Clinical Approach to Autoimmune and Inflammatory Ophthalmologic Disease. <b>2021</b> , 447-467   |    |
| 87 | OCT and Multiple Sclerosis. <b>2020</b> , 195-233  | 3  |
| 86 | OCT in Toxic and Nutritional Optic Neuropathies. <b>2020</b> , 375-400   | 2  |
| 85 | Imaging the Nerve Fiber Layer and Optic Disc. <b>2008</b> , 99-118   | 1  |
| 84 | Optic Neuritis. <b>2008</b> , 3871-3885  | 1  |
| 83 | Visual loss: optic neuropathies. <b>2010</b> , 103-198   | 3  |
| 82 | Valproic acid attenuates inflammation of optic nerve and apoptosis of retinal ganglion cells in a rat model of optic neuritis. <b>2017</b> , 96, 1363-1370   | 12 |
| 81 | Comparative study of arsenic toxicosis and ocular pathology in wild muskrats ( <i>Ondatra zibethicus</i> ) and red squirrels ( <i>Tamiasciurus hudsonicus</i> ) breeding in arsenic contaminated areas of Yellowknife, Northwest Territories (Canada). <b>2020</b> , 248, 126011 | 3  |
| 80 | Longitudinal study of retinal nerve fiber layer thickness changes in a multiple sclerosis patients cohort: A long term 5 year follow-up. <b>2018</b> , 19, 124-128   | 15 |
| 79 | Early disability in ambulatory patients with multiple sclerosis: optical coherence tomography versus visual evoked potentials, a comparative study. <b>2020</b> , 56,  | 1  |
| 78 | Serum neurofilament light chain and optical coherence tomography measures in MS: A longitudinal study. <b>2020</b> , 7,  | 12 |
| 77 | In vivo evaluation of retinal neurodegeneration in patients with multiple sclerosis. <b>2012</b> , 7, e30922   | 39 |

|    |  |     |    |
|----|--|-----|----|
| 76 | Retinal thinning in amyotrophic lateral sclerosis patients without ophthalmic disease. <b>2017</b> , 12, e0185242  |     | 15 |
| 75 | New imaging techniques in the diagnosis of multiple sclerosis. <b>2008</b> , 2, 1055-65  |     | 6  |
| 74 | Optical coherence tomography in the diagnosis and management of optic neuritis and multiple sclerosis. <b>2011</b> , 42 Suppl, S28-40  |     | 20 |
| 73 | Slit-lamp-adapted ultra-high resolution OCT for imaging the posterior segment of the eye. <b>2012</b> , 43, 76-81  |     | 8  |
| 72 | Association between retinal nerve fiber layer thickness and magnetic resonance imaging findings and intelligence in patients with multiple sclerosis. <b>2015</b> , 4, 223   |     | 7  |
| 71 | Optical Coherence Tomography and Subclinical Optical Neuritis in Longitudinally Extensive Transverse Myelitis. <b>2017</b> , 20, 358-362   |     | 1  |
| 70 | Retinal nerve fiber layer and ganglion cell layer changes on optical coherence tomography in early multiple sclerosis and optic neuritis cases. <i>Indian Journal of Ophthalmology</i> , <b>2018</b> , 66, 114-119 | 1.6 | 12 |
| 69 | Evaluation of retinal nerve fiber layer thickness and optic nerve functions in fellow eye of neuromyelitis optica with unilateral optic neuritis. <b>2020</b> , 10, 189-196  |     | 1  |
| 68 | Optical Coherence Tomography in Optic Nerve Disorders. <b>2007</b> , 235-244   |     |    |
| 67 | Diagnostic accuracy of retinal abnormalities in predicting disease activity in MS. <b>2008</b> , 2008, 99-100  |     |    |
| 66 | Should a young patient with a new diagnosis of optic neuritis have testing and treatment for multiple sclerosis (MS)?. <b>2009</b> , 7-12  |     |    |
| 65 | Inflammation. <b>2010</b> , 216-304  |     |    |
| 64 | Sight-dependent quality of life and ophthalmic findings in a group of Brazilian patients with multiple sclerosis. <b>2011</b> , 69, 809-13   |     |    |
| 63 | Optic Neuritis. <b>2014</b> , 1-40   |     |    |
| 62 | Optische Kohärenztomografie (OCT). <b>2015</b> , 177-184   |     |    |
| 61 | Optical Coherence Tomography of the Optic Disc and the Macula in Neurodegenerative Diseases. <b>2016</b> , 157-170   |     |    |
| 60 | MS-Associated Optic Neuritis (MSON). <b>2016</b> , 47-57   |     |    |
| 59 | [The three-year follow-up study of retinal changes in patients with multiple sclerosis]. <i>Zhurnal Nevrologii I Psikhatrii Imeni S S Korsakova</i> , <b>2016</b> , 116, 35-41                                     | 0.4 | 1  |

|    |   |     |    |
|----|---|-----|----|
| 58 | Monitoring Treatment in Multiple Sclerosis. <b>2016</b> , 161-169   |     |    |
| 57 | Importance of Contrast Sensitivity to High and Low Spatial Frequency and Artificial Neural Networks for Visual Impairment in Multiple Sclerosis. <i>Advances in Ophthalmology &amp; Visual System</i> , <b>2016</b> , 3,                                    | 2   |    |
| 56 | ROLE OF CONTRAST SENSITIVITY AND OPTICAL COHERENCE TOMOGRAPHY (OCT) IN EARLY DETECTION OF ETHAMBUTOL INDUCED TOXIC OPTIC NEUROPATHY A HOSPITAL BASED PROSPECTIVE STUDY. <i>Journal of Evidence Based Medicine and Healthcare</i> , <b>2017</b> , 4, 897-900 | 0   |    |
| 55 | Optical Coherence Tomography and Corpus Callosum Index in Cognitive Assessment of Multiple Sclerosis Patients. <i>Caspian Journal of Neurological Sciences</i> , <b>2018</b> , 4, 108-113   | 2   |    |
| 54 | In Vivo FF-SS-OCT Optical Imaging of Physiological Responses to Photostimulation of Human Photoreceptor Cells. <b>2019</b> , 181-194  |     | 1  |
| 53 | Flammer Syndrome and Autoimmune Inflammatory Conditions of the Central Nervous System: Multifactorial Interrelations. <i>Advances in Predictive, Preventive and Personalised Medicine</i> , <b>2019</b> , 145-163   | 0.4 | 1  |
| 52 | Diagnostic Capability of Optical Coherence Tomography Based Quantitative Analysis for Various Eye Diseases and Additional Factors Affecting Morphological Measurements. <b>2019</b> , 131-167   |     |    |
| 51 | CHAPTER 4. Optical Coherence Tomography in Multiple Sclerosis. <i>RSC Drug Discovery Series</i> , <b>2019</b> , 76-87   | 0.6 |    |
| 50 | Emerging Trends in Optic Neuritis and Associated Demyelinating Diseases. <i>Current Practices in Ophthalmology</i> , <b>2020</b> , 1-15   | 0   |    |
| 49 | The Effects of Different Kinds of Nutrition and Functional Foods on Multiple Sclerosis. <i>Current Nutrition and Food Science</i> , <b>2020</b> , 16, 632-637   | 0.7 |    |
| 48 | Literatur. <b>2022</b> , 468-512  |     |    |
| 47 | Evaluaci3n neurofisiol3gica y estructural del comportamiento de la v3a visual en pacientes con esclerosis mltiple. <i>Acta Mdica Grupo Bgeles</i> , <b>2020</b> , 18, 268-273   | 0   |    |
| 46 | Study of retinal nerve fiber layer analysis using optical coherence tomography in different demyelinating diseases and its correlation with the severity of visual impairment. <i>Indian Journal of Ophthalmology</i> , <b>2020</b> , 68, 1115-1119         | 1.6 |    |
| 45 | Optic coherence tomography findings in relapsing-remitting multiple sclerosis patients of the northwest of Iran. <i>Iranian Journal of Neurology</i> , <b>2013</b> , 12, 81-6   | 0.6 | 6  |
| 44 | Optical coherence tomography versus visual evoked potentials in detecting subclinical visual impairment in multiple sclerosis. <i>Journal of Medicine and Life</i> , <b>2014</b> , 7, 538-41  | 1.5 | 10 |
| 43 | Effects of vitamin D on retinal nerve fiber layer in vitamin D deficient patients with optic neuritis: Preliminary findings of a randomized, placebo-controlled trial. <i>Journal of Research in Medical Sciences</i> , <b>2015</b> , 20, 372-8             | 1.6 | 15 |
| 42 | The role of Optical Coherence Tomography in optic neuropathies. <i>Romanian Journal of Ophthalmology</i> , <b>2018</b> , 62, 3-14   | 1   | 7  |
| 41 | Comparison of Brain Atrophy, Cognition and Optical Coherence Tomography Results Between Multiple Sclerosis Patients and Healthy Controls. <i>Noropsikiyatri Arsivi</i> , <b>2018</b> , 55, 3-8  | 0.4 | 2  |

|    |   |     |   |
|----|---|-----|---|
| 40 | Dimethyl fumarate mitigates optic neuritis. <i>Molecular Vision</i> , <b>2019</b> , 25, 446-461   | 2.3 | 4 |
| 39 | Structural changes in retina (Retinal nerve fiber layer) following mild traumatic brain injury and its association with development of visual field defects. <i>Clinical Neurology and Neurosurgery</i> , <b>2021</b> , 212, 107080 | 2   | 0 |
| 38 | The Retina in Patients With Triple A Syndrome: A Window Into Neurodegeneration?. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 729056   | 5.7 |   |
| 37 | Digital Biomarkers in Multiple Sclerosis. <i>Brain Sciences</i> , <b>2021</b> , 11,   | 3.4 | 4 |
| 36 | [Retrograde degeneration of visual pathway].. <i>Zhurnal Voprosy Neirokhirurgii Imeni N N Burdenko</i> , <b>2021</b> , 85, 92-96  |     | 0 |
| 35 | Brain Volume Loss Can Occur at the Rate of Normal Aging in Patients with Multiple Sclerosis Who Are Free from Disease Activity.. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11,  | 5.1 | 0 |
| 34 | Deciphering the Retinal Epigenome during Development, Disease and Reprogramming: Advancements, Challenges and Perspectives.. <i>Cells</i> , <b>2022</b> , 11,   | 7.9 | 1 |
| 33 | Macular volume and fovea thickness as OCT-criteria for multiple sclerosis. Preliminary results. <i>Acta Biomedica Scientifica</i> , <b>2021</b> , 6, 113-121  | 0.3 |   |
| 32 | Dynamics of the Morpho-Functional State of Retinal Ganglion Cells in Patients with Multiple Sclerosis on the Background of Autologous Transplantation of Mesenchymal Stromal Stem Cells. <b>2020</b> , 293-299                      |     |   |
| 31 | Effect of Vascular Comorbidity on Visual and Disability Outcomes in a Secondary Progressive Multiple Sclerosis Clinical Trial Cohort. <i>International Journal of MS Care</i> , <b>2022</b> ,                                       | 2.3 |   |
| 30 | A Comparison Of The Relations Between Brain Atrophy, Cognition And Optic Coherence Tomography Between Multiple Sclerosis Patients And Healthy Controls. <i>Noropsikiyatri Arsivi</i> , <b>2018</b> , 55, 3-8                        | 0.6 | 2 |
| 29 | Optic Neuritis. <b>2022</b> , 4505-4533   |     |   |
| 28 | Imaging in Neuro-ophthalmology. <b>2022</b> , 4419-4447   |     |   |
| 27 | Retinal Microvascular Changes in Mild Cognitive Impairment and Alzheimer's Disease: A Systematic Review, Meta-Analysis, and Meta-Regression.. <i>Frontiers in Aging Neuroscience</i> , <b>2022</b> , 14, 860759                     | 5.3 | 1 |
| 26 | Cardiovascular Risk Stratification in Diabetic Retinopathy via Atherosclerotic Pathway in COVID-19/non-COVID-19 Frameworks using Artificial Intelligence Paradigm: A Narrative Review. <i>Diagnostics</i> , <b>2022</b> , 12, 1234  | 3.8 | 1 |
| 25 | Multiple Sclerosis: What Methods are Available for the Assessment of Subclinical Visual System Damage?. <i>Neuro-Ophthalmology</i> , 1-8  | 0.9 |   |
| 24 | Die optische Kohärenztomographie in der Differenzialdiagnostik wichtiger neuroophthalmologischer Krankheitsbilder. <i>Der Nervenarzt</i> ,  | 0.5 |   |
| 23 | Association Between Retinal Microanatomy in Preterm Infants and 9-Month Visual Acuity. <i>JAMA Ophthalmology</i> ,  | 3.9 | 1 |

|    |  |     |   |
|----|--|-----|---|
| 22 | Visual imaging as a predictor of neurodegeneration in experimental autoimmune demyelination and multiple sclerosis. <i>Acta Neuropathologica Communications</i> , <b>2022</b> , 10,  | 7.3 | ○ |
| 21 | Retinal nerve fibre layer changes in optic neuritis in Indian population. <i>TNOA Journal of Ophthalmic Science and Research</i> , <b>2022</b> , 60, 162   | 0.1 |   |
| 20 | Association of Optical Coherence Tomography and Optical Coherence Tomography Angiography Retinal Features With Visual Function in Older Adults. <i>JAMA Ophthalmology</i> ,  | 3.9 | ○ |
| 19 | Macular ganglion cell-inner plexiform layer defect patterns in multiple sclerosis patients without optic neuritis: A Spectral-Domain-Optical Coherence Tomography Cross-Sectional, Case-Control, Pilot Study. <i>European Journal of Ophthalmology</i> , 112067212211128 | 1.9 |   |
| 18 | Characteristic retinal atrophy pattern allows differentiation between pediatric MOGAD and MS after a single optic neuritis episode.  |     | ○ |
| 17 | Die optische Kohärenztomographie in der Differenzialdiagnostik wichtiger neuroophthalmologischer Krankheitsbilder.   |     |   |
| 16 | Changes of retinal structure and visual function in patients with demyelinating transverse myelitis.   |     |   |
| 15 | Glaucoma and Cataract in Multiple Sclerosis. <b>2022</b> , 9,  |     |   |
| 14 | Routine clinical measurements effective for the evaluation of the impact of multiple sclerosis on vision-related quality of life early in the disease course?.   |     |   |
| 13 | Optic neuritis and autoimmune optic neuropathies: advances in diagnosis and treatment. <b>2022</b> ,   |     | ○ |
| 12 | Is contrast sensitivity relevant to optometric practice?. <b>2021</b> , 2021, 8515-1   |     | ○ |
| 11 | Structurefunction correlates of vision loss in neuromyelitis optica spectrum disorders. <b>2022</b> , 12,  |     | ○ |
| 10 | OCT and VEP correlate to disability in secondary progressive multiple sclerosis. <b>2022</b> , 68, 104255  |     | ○ |
| 9  | Is there a relationship between the ganglion cell complex thickness and macular thickness in patients with multiple sclerosis?.  |     | ○ |
| 8  | Multi-modal retinal scanning to measure retinal thickness and peripheral blood vessels in multiple sclerosis. <b>2022</b> , 12,  |     | ○ |
| 7  | Multimodal Analysis of the Visual Pathways in Friedreich's Ataxia Reveals Novel Biomarkers.  |     | ○ |
| 6  | Cathepsin-B inhibitor CA-074 attenuates retinopathy and optic neuritis in experimental autoimmune encephalomyelitis induced in SJL/J mice. <b>2022</b> ,   |     | ○ |
| 5  | Treatment with MDL 72527 Ameliorated Clinical Symptoms, Retinal Ganglion Cell Loss, Optic Nerve Inflammation, and Improved Visual Acuity in an Experimental Model of Multiple Sclerosis. <b>2022</b> , 11, 4100  |     | ○ |



- 4 OCT5k: A dataset of multi-disease and multi-graded annotations for retinal layers.
- 3 Vision as a piece of the head trauma puzzle.
- 2 Utility of the visual system to monitor neurodegeneration in multiple sclerosis. 16,
- 1 Reduced cone density is associated with multiple sclerosis.. **2023**, 100308