

# Quantification and Accuracy of Activity Data Measured

Wildlife Society Bulletin

34, 81-92

DOI: [10.2193/0091-7648\(2006\)34\[81:qaaoad\]2.0.co;2](https://doi.org/10.2193/0091-7648(2006)34[81:qaaoad]2.0.co;2)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Is winter diet quality related to body condition of white-tailed deer ( <i>Odocoileus virginianus</i> )? An experiment using urine profiles. <i>Canadian Journal of Zoology</i> , 2006, 84, 1003-1010.	0.4	9
2	Red deer <i>Cervus elaphus</i> resting place characteristics obtained from differential GPS data in a forest habitat. <i>European Journal of Wildlife Research</i> , 2008, 54, 487-494.	0.7	16
3	Distribution and interaction of white-tailed deer and cattle in a semi-arid grazing system. <i>Agriculture, Ecosystems and Environment</i> , 2008, 127, 85-92.	2.5	40
4	Screening Radiolocation Datasets for Movement Strategies With Time Series Segmentation. <i>Journal of Wildlife Management</i> , 2008, 72, 535-542.	0.7	14
5	Grizzly Bear Behavior and Global Positioning System Collar Fix Rates. <i>Journal of Wildlife Management</i> , 2008, 72, 596-602.	0.7	44
6	Trade-offs in activity budget in an alpine ungulate: contrasting lactating and nonlactating females. <i>Animal Behaviour</i> , 2008, 75, 217-227.	0.8	89
7	White-tailed deer distribution in response to patch burning on rangeland. <i>Journal of Arid Environments</i> , 2008, 72, 2026-2033.	1.2	22
8	Experimental influence of population density and vegetation biomass on the movements and activity budget of a large herbivore. <i>Behaviour</i> , 2008, 145, 1167-1194.	0.4	10
9	Examination of captive Japanese black bear activity using activity sensors. <i>Mammal Study</i> , 2008, 33, 115-119.	0.2	47
10	A Preliminary Evaluation of Activity-Sensing GPS Collars for Estimating Daily Activity Patterns of Japanese Black Bears. <i>Ursus</i> , 2008, 19, 154-161.	0.3	55
11	Low-Cost Global Positioning System Harness for Pampas Deer. <i>Journal of Wildlife Management</i> , 2009, 73, 452-457.	0.7	7
12	Effects of social learning on foraging behaviour and live weight gain in first-season grazing calves. <i>Applied Animal Behaviour Science</i> , 2009, 116, 150-155.	0.8	16
13	New Possibilities of Observing Animal Behaviour from a Distance Using Activity Sensors in Gps-Collars: An Attempt to Calibrate Remotely Collected Activity Data with Direct Behavioural Observations in Red Deer ( <i>Cervus elaphus</i> ). <i>Wildlife Biology</i> , 2009, 15, 425-434.	0.6	50
14	Visualising uncertainty in radio-telemetry wildlife-tracking data to aid better study design. <i>Wildlife Research</i> , 2010, 37, 482.	0.7	2
15	Can We Accurately Characterize Wildlife Resource Use When Telemetry Data Are Imprecise?. <i>Journal of Wildlife Management</i> , 2010, 74, 1917-1925.	0.7	33
16	Use of GPS activity sensors to measure active and inactive behaviours of European roe deer ( <i>Capreolus capreolus</i> ). <i>Mammalia</i> , 2010, 74, 355-362.	0.3	17
17	Wildlife tracking data management: a new vision. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2010, 365, 2177-2185.	1.8	98
18	Modelling particles moving in a potential field with pairwise interactions and an application. <i>Brazilian Journal of Probability and Statistics</i> , 2011, 25, .	0.1	8

#	ARTICLE	IF	CITATIONS
19	Using thermosensitive radiotelemetry to document rest and activity in a semifossorial rodent. <i>Wildlife Society Bulletin</i> , 2011, 35, 481-488.	1.6	7
20	Developing a data-transfer model for a novel Wildlife-tracking network. <i>Wildlife Society Bulletin</i> , 2012, 36, 820-827.	1.6	3
21	Complementing GPS Cluster Analysis with Activity Data for Studies of Leopard ( <i>Panthera</i> ). <i>Overlock 10 Tf 50 662</i>	1.4	16
22	The recursive model as a new approach to validate and monitor activity sensors. <i>Behavioral Ecology and Sociobiology</i> , 2012, 66, 1531-1541.	0.6	8
23	Seasonal variation of activity patterns in roe deer in a temperate forested area. <i>Chronobiology International</i> , 2013, 30, 772-785.	0.9	79
24	Where Deer Roam: Chronic Yet Acute Site Exposures Preclude Ecological Risk Assessment. <i>Risk Analysis</i> , 2013, 33, 789-799.	1.5	4
25	Spatiotemporal variations in resources affect activity and movement patterns of white-tailed deer ( <i>Odocoileus virginianus</i> ) at high density. <i>Canadian Journal of Zoology</i> , 2013, 91, 252-263.	0.4	31
26	Long-term measurement of roe deer ( <i>Capreolus capreolus</i> ) (Mammalia: Cervidae) activity using two-axis accelerometers in GPS-collars. <i>Italian Journal of Zoology</i> , 2013, 80, 69-81.	0.6	41
27	Activity patterns of European roe deer ( <i>Capreolus capreolus</i> ) are strongly influenced by individual behaviour. <i>Folia Zoologica</i> , 2013, 62, 67-75.	0.9	25
28	Unmanned Aircraft Systems complement biologging in spatial ecology studies. <i>Ecology and Evolution</i> , 2015, 5, 4808-4818.	0.8	41
29	Inference of herder presence from GPS collar data of semi-free range cattle. <i>Geocarto International</i> , 2015, 30, 905-918.	1.7	5
30	Validation of mercury tip-switch and accelerometer activity sensors for identifying resting and active behavior in bears. <i>Ursus</i> , 2015, 26, 86-96.	0.3	40
31	Activity patterns of the giant panda ( <i>Ailuropoda melanoleuca</i> ). <i>Journal of Mammalogy</i> , 2015, 96, 1116-1127.	0.6	68
32	Application of activity sensors for estimating behavioral patterns. <i>Wildlife Society Bulletin</i> , 2016, 40, 764-771.	1.6	5
33	Sitka black-tailed deer ( <i>Odocoileus hemionus sitkensis</i> ) adjust habitat selection and activity rhythm to the absence of predators. <i>Canadian Journal of Zoology</i> , 2016, 94, 385-394.	0.4	24
34	Human vs robot: Comparing the viability and utility of autonomous underwater vehicles for the acoustic telemetry tracking of marine organisms. <i>Journal of Experimental Marine Biology and Ecology</i> , 2016, 485, 112-118.	0.7	17
35	Modeling activity patterns of wildlife using time-series analysis. <i>Ecology and Evolution</i> , 2017, 7, 2575-2584.	0.8	62
36	A review of camera trapping for conservation behaviour research. <i>Remote Sensing in Ecology and Conservation</i> , 2017, 3, 109-122.	2.2	195

#	ARTICLE	IF	CITATIONS
37	Estimating activity of Japanese macaques ( <i>Macaca fuscata</i> ) using accelerometers. <i>American Journal of Primatology</i> , 2017, 79, e22694.	0.8	4
38	Territorial behaviour of male roe deer: a telemetry study of spatial behaviour and activity levels. <i>Folia Zoologica</i> , 2017, 66, 267-276.	0.9	5
39	Elk responses to trail-based recreation on public forests. <i>Forest Ecology and Management</i> , 2018, 411, 223-233.	1.4	30
40	Chronic wasting disease influences activity and behavior in white-tailed deer. <i>Journal of Wildlife Management</i> , 2018, 82, 138-154.	0.7	18
41	Is camera trap videography suitable for assessing activity patterns in eastern grey kangaroos?. <i>Pacific Conservation Biology</i> , 2018, 24, 134.	0.5	5
42	Assessing the reproductive status of a breeding, translocated female giant panda using data from GPS collar. <i>Folia Zoologica</i> , 2018, 67, 40-46.	0.9	2
43	Effect of activity states on habitat selection by black-tailed deer. <i>Journal of Wildlife Management</i> , 2018, 82, 1711-1724.	0.7	27
44	Influential factors on gray brocket deer ( <i>Mazama gouazoubira</i> ) activity and movement in the Pantanal, Brazil. <i>Journal of Mammalogy</i> , 2019, 100, 454-463.	0.6	11
45	Environmental and landscape influences on the spatial and temporal distribution of a cattle herd in a South Texas rangeland. <i>Ecological Processes</i> , 2020, 9, .	1.6	8
46	Performance Characteristics of Small Global-Positioning-System Tracking Collars. <i>Wildlife Biology in Practice</i> , 2010, 6, .	0.1	17
47	Choosing Sampling Interval Durations for Remotely Classifying Rocky Mountain Elk Behavior. <i>Journal of Fish and Wildlife Management</i> , 2016, 7, 213-221.	0.4	2
48	How often should dead-reckoned animal movement paths be corrected for drift?. <i>Animal Biotelemetry</i> , 2021, 9, 43.	0.8	12
50	Fine-scale habitat selection of a small mammalian urban adapter: the West European hedgehog ( <i>Erinaceus europaeus</i> ). <i>Mammalian Biology</i> , 2022, 102, 387-403.	0.8	7
51	Patterns of white-tailed deer movements in suburban Maryland: implications for zoonotic disease mitigation. <i>Urban Ecosystems</i> , 2022, 25, 1925-1938.	1.1	3
52	Black-tailed deer seasonal habitat selection: accounting for missing global positioning system fixes. <i>Journal of Wildlife Management</i> , 2022, 86, .	0.7	1