

The diagnostic interview for psychoses (DIP): development

Psychological Medicine

36, 69-80

DOI: [10.1017/s0033291705005969](https://doi.org/10.1017/s0033291705005969)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A Randomized Controlled Trial of a Smoking Cessation Intervention Among People With a Psychotic Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1934-1942.	7.2	205
2	Impaired detection of silent interval change in schizophrenia. <i>NeuroReport</i> , 2006, 17, 785-789.	1.2	16
3	Modifiable Risk Factors for Hospitalization Among People with Psychosis: Evidence from the National Study of Low Prevalence (Psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 683-690.	2.3	9
5	Characteristics of smokers with a psychotic disorder and implications for smoking interventions. <i>Psychiatry Research</i> , 2007, 150, 141-152.	3.3	72
6	RBANS neuropsychological profiles within schizophrenia samples recruited from non-clinical settings. <i>Schizophrenia Research</i> , 2007, 89, 232-242.	2.0	39
7	Social and symptomatic outcomes of first-episode bipolar psychoses in an early intervention service. <i>Microbial Biotechnology</i> , 2007, 1, 79-87.	1.7	12
8	Employment functioning and disability among community residents with bipolar affective disorder: results from an Australian community survey. <i>Bipolar Disorders</i> , 2007, 9, 166-182.	1.9	40
9	A descriptive interview with 64 patients discharged from an acute psychiatric inpatient service. <i>Journal of Evaluation in Clinical Practice</i> , 2008, 14, 990-995.	1.8	0
10	Deviant Matters: Duration, Frequency, and Intensity Deviants Reveal Different Patterns of Mismatch Negativity Reduction in Early and Late Schizophrenia. <i>Biological Psychiatry</i> , 2008, 63, 58-64.	1.3	221
11	Remediation of facial emotion perception in schizophrenia: Concomitant changes in visual attention. <i>Schizophrenia Research</i> , 2008, 103, 248-256.	2.0	100
12	Elucidating semantic disorganisation from a word comprehension task: Do patients with schizophrenia and bipolar disorder show differential processing of nouns, verbs and adjectives?. <i>Schizophrenia Research</i> , 2008, 102, 63-68.	2.0	14
13	Do Women Express and Experience Psychosis Differently from Men? Epidemiological Evidence from the Australian National Study of Low Prevalence (Psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 74-82.	2.3	161
14	Delusions and reasoning: A study involving cognitive behavioural therapy. <i>Cognitive Neuropsychiatry</i> , 2008, 13, 148-165.	1.3	23
15	Reliability of Post-Mortem Psychiatric Diagnosis for Neuroscience Research. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 221-227.	2.3	11
16	Correlates of Delusion-Like Experiences in a Non-Psychotic Community Sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 505-508.	2.3	38
17	Taking the Perspective of the Other Contributes to Awareness of Illness in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2009, 35, 1003-1011.	4.3	76
18	Intentional cognitive control impairments in schizophrenia: Generalized or specific?. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 982-989.	1.8	2
19	Does Social Work Make a Difference?. <i>Journal of Social Work</i> , 2009, 9, 285-307.	1.4	12

#	ARTICLE	IF	CITATIONS
20	Coronary Heart Disease Risk Reduction Intervention Among Overweight Smokers with a Psychotic Disorder: Pilot Trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 129-135.	2.3	31
21	Bipolar disorder in the Bulgarian Gypsies: Genetic heterogeneity in a young founder population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 191-201.	1.7	11
22	CTLA-4 single-nucleotide polymorphisms in a Caucasian population with schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2009, 23, 347-350.	4.1	16
23	Relationships between prepulse inhibition and cognition are mediated by attentional processes. <i>Behavioural Brain Research</i> , 2009, 205, 456-467.	2.2	34
24	Compensatory mechanisms underlie intact task-switching performance in schizophrenia. <i>Neuropsychologia</i> , 2010, 48, 1305-1323.	1.6	30
25	Disturbed prepulse inhibition in patients with schizophrenia is consequential to dysfunction of selective attention. <i>Psychophysiology</i> , 2010, 47, 223-235.	2.4	33
26	The Effect of Moderate to Heavy Alcohol Consumption on Neuropsychological Performance as Measured by the Repeatable Battery for the Assessment of Neuropsychological Status. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 443-450.	2.4	79
27	Brief neuropsychological profiles in psychosis: a pilot study using the Audio Recorded Cognitive Screen (ARCS). <i>Acta Neuropsychiatrica</i> , 2010, 22, 243-252.	2.1	6
28	Diagnosing psychotic disorders: validity, reliability and applications of the Diagnostic Interview for Psychosis (DIP). Italian version. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 33-43.	0.9	5
30	Cigarette Smoking And Psychosis: Naturalistic Follow up 4 Years After an Intervention Trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 342-350.	2.3	24
31	CONCEPTUAL BACKGROUND OF IMAGING STUDIES IN PSYCHOTHERAPY RESEARCH: THE EXAMPLE OF CBT INTERVENTIONS IN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 394-395.	2.0	0
32	ATTRIBUTIONAL REASONING BIASES, PARANOIA AND DEPRESSION IN FIRST-EPISODE SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 395.	2.0	0
34	Social cognition, empathy and functional outcome in schizophrenia. <i>Schizophrenia Research</i> , 2010, 122, 172-178.	2.0	144
35	Cannabis use and neuropsychological performance in healthy individuals and patients with schizophrenia. <i>Psychological Medicine</i> , 2010, 40, 1635-1646.	4.5	35
36	Disease-specific, neurosphere-derived cells as models for brain disorders. <i>DMM Disease Models and Mechanisms</i> , 2010, 3, 785-798.	2.4	175
37	Disrupted Axonal Fiber Connectivity in Schizophrenia. <i>Biological Psychiatry</i> , 2011, 69, 80-89.	1.3	404
38	Action (verb) fluency in schizophrenia: Getting a grip on odd speech. <i>Schizophrenia Research</i> , 2011, 126, 138-143.	2.0	21
39	Revisiting the suitability of antisaccade performance as an endophenotype in schizophrenia. <i>Brain and Cognition</i> , 2011, 77, 223-230.	1.8	22

#	ARTICLE	IF	CITATIONS
40	The role of emotion regulation in auditory hallucinations. <i>Psychiatry Research</i> , 2011, 185, 303-308.	3.3	112
41	Evidence of abnormalities in mid-latency auditory evoked responses (MLAER) in cognitive subtypes of patients with schizophrenia. <i>Psychiatry Research</i> , 2011, 187, 317-323.	3.3	19
42	Clinician-assisted computerised versus therapist-delivered treatment for depressive and addictive disorders: a randomised controlled trial. <i>Medical Journal of Australia</i> , 2011, 195, S44-50.	1.7	114
43	An Investigation of the Relationship Between Cortical Connectivity and Schizotypy in the General Population. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 348-353.	1.0	28
44	Polymorphisms associated with normal memory variation also affect memory impairment in schizophrenia. <i>Genes, Brain and Behavior</i> , 2011, 10, 410-417.	2.2	41
45	Neuregulin 3 (NRG3) as a susceptibility gene in a schizophrenia subtype with florid delusions and relatively spared cognition. <i>Molecular Psychiatry</i> , 2011, 16, 860-866.	7.9	65
46	Clinical correlates of olfactory hallucinations in schizophrenia. <i>British Journal of Clinical Psychology</i> , 2011, 50, 145-163.	3.5	21
47	Study protocol: a randomised controlled trial investigating the effect of a healthy lifestyle intervention for people with severe mental disorders. <i>BMC Public Health</i> , 2011, 11, 10.	2.9	43
48	Cannabis use and sensorimotor gating in patients with schizophrenia and healthy controls. <i>Human Psychopharmacology</i> , 2011, 26, 373-385.	1.5	20
49	Gray Matter Deficits, Mismatch Negativity, and Outcomes in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2011, 37, 131-140.	4.3	132
50	Normative Data for Rey's Auditory Verbal Learning Test in Individuals with Schizophrenia. <i>Archives of Clinical Neuropsychology</i> , 2011, 26, 205-213.	0.5	16
51	Cohort Profile: Pathways of risk from conception to disease: the Western Australian schizophrenia high-risk e-Cohort. <i>International Journal of Epidemiology</i> , 2011, 40, 1477-1485.	1.9	20
52	The feasibility of videoconferencing for neuropsychological assessments of rural youth experiencing early psychosis. <i>Journal of Telemedicine and Telecare</i> , 2011, 17, 328-331.	2.7	43
53	Health behaviour risk factors for coronary heart disease (CHD) in smokers with a psychotic disorder: baseline results. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2011, 4, 158-171.	0.5	16
54	A preliminary investigation of olfactory function in olfactory and auditory-verbal hallucinators with schizophrenia, and normal controls. <i>Cognitive Neuropsychiatry</i> , 2012, 17, 315-333.	1.3	6
55	The impact of alcohol and illicit drugs on people with psychosis: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 864-878.	2.3	59
56	Understanding the social costs of psychosis: The experience of adults affected by psychosis identified within the second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 879-889.	2.3	120
57	Cardiometabolic risk factors in people with psychotic disorders: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 753-761.	2.3	166

#	ARTICLE	IF	CITATIONS
58	Imprinted DLK1-DIO3 region of 14q32 defines a schizophrenia-associated miRNA signature in peripheral blood mononuclear cells. <i>Molecular Psychiatry</i> , 2012, 17, 827-840.	7.9	210
59	“Earning and learning”™ in those with psychotic disorders: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 774-785.	2.3	102
60	The experiences of Australian parents with psychosis: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 890-900.	2.3	58
61	Tobacco smoking among people living with a psychotic illness: The second Australian survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 851-863.	2.3	150
62	Intellectual disability and other neuropsychiatric outcomes in high-risk children of mothers with schizophrenia, bipolar disorder and unipolar major depression. <i>British Journal of Psychiatry</i> , 2012, 200, 282-289.	2.8	67
63	The Effect of Cannabis Use and Cognitive Reserve on Age at Onset and Psychosis Outcomes in First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 873-880.	4.3	97
64	Promoter polymorphisms in two overlapping 6p25 genes implicate mitochondrial proteins in cognitive deficit in schizophrenia. <i>Molecular Psychiatry</i> , 2012, 17, 1328-1339.	7.9	19
65	A systematic review of psychological interventions for excessive alcohol consumption among people with psychotic disorders. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 243-255.	4.5	35
66	Voice identity discrimination in schizophrenia. <i>Neuropsychologia</i> , 2012, 50, 2730-2735.	1.6	29
67	Lack of cortico-limbic coupling in bipolar disorder and schizophrenia during emotion regulation. <i>Translational Psychiatry</i> , 2012, 2, e90-e90.	4.8	103
68	People living with psychotic illness in 2010: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 735-752.	2.3	405
69	Stop-signal response inhibition in schizophrenia: Behavioural, event-related potential and functional neuroimaging data. <i>Biological Psychology</i> , 2012, 89, 220-231.	2.2	130
70	Source monitoring and olfactory hallucinations in schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 936-943.	1.9	19
71	Neuropsychological Characteristics Associated with Olfactory Hallucinations in Schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2012, 18, 799-808.	1.8	13
72	Deleterious GRM1 Mutations in Schizophrenia. <i>PLoS ONE</i> , 2012, 7, e32849.	2.5	59
73	Identification of Sialyltransferase 8B as a Generalized Susceptibility Gene for Psychotic and Mood Disorders on Chromosome 15q25-26. <i>PLoS ONE</i> , 2012, 7, e38172.	2.5	60
74	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). <i>Journal of Experimental Psychopathology</i> , 2012, 3, 582-593.	0.8	17
75	Impact of the Reelin signaling cascade (Ligands“Receptors“Adaptor Complex) on cognition in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 392-404.	1.7	29

#	ARTICLE	IF	CITATIONS
76	Comorbid personality traits in schizophrenia: Prevalence and clinical characteristics. <i>Journal of Psychiatric Research</i> , 2012, 46, 353-359.	3.1	29
77	Relationship between childhood adversity and clinical and cognitive features in schizophrenia. <i>Journal of Psychiatric Research</i> , 2012, 46, 600-607.	3.1	52
78	Masked and unmasked priming in schizophrenia. <i>Consciousness and Cognition</i> , 2013, 22, 1206-1213.	1.5	1
79	Reliability of clinical judgements of insight in patients with psychoses. <i>Psychiatry Research</i> , 2013, 208, 291-292.	3.3	1
80	Generalization of cognitive training in an Australian sample of schizophrenia patients. <i>Comprehensive Psychiatry</i> , 2013, 54, 865-872.	3.1	3
81	Cognitive regulation of negative affect in schizophrenia and bipolar disorder. <i>Psychiatry Research</i> , 2013, 208, 21-28.	3.3	61
82	Genome-wide supported variant MIR137 and severe negative symptoms predict membership of an impaired cognitive subtype of schizophrenia. <i>Molecular Psychiatry</i> , 2013, 18, 774-780.	7.9	129
83	Gene expression profiling in treatment-naive schizophrenia patients identifies abnormalities in biological pathways involving AKT1 that are corrected by antipsychotic medication. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1483-1503.	2.1	59
84	Focal Adhesion Dynamics Are Altered in Schizophrenia. <i>Biological Psychiatry</i> , 2013, 74, 418-426.	1.3	70
85	Attributional biases, paranoia, and depression in early psychosis. <i>British Journal of Clinical Psychology</i> , 2013, 52, 408-423.	3.5	22
86	Age at Initiation of Cannabis Use Predicts Age at Onset of Psychosis: The 7- to 8-Year Trend. <i>Schizophrenia Bulletin</i> , 2013, 39, 251-254.	4.3	78
87	Where to for Australian mental health services? Promoting self-efficacy. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 699-702.	2.3	16
88	Does accumulating exposure to illicit drugs bring forward the age at onset in schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 51-58.	2.3	16
89	Memory binding in clinical and non-clinical psychotic experiences: How does the continuum model fare?. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 304-325.	1.3	12
90	Theory of mind performance using a story comprehension task in bipolar mania compared to schizophrenia and healthy controls. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 409-421.	1.3	18
91	A review of the reliability and validity of OPCRIT in relation to its use for the routine clinical assessment of mental health patients. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 110-137.	2.1	17
92	The genomic psychiatry cohort: Partners in discovery. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 306-312.	1.7	66
93	Lost in space. <i>Facilities</i> , 2013, 31, 427-448.	1.6	16

#	ARTICLE	IF	CITATIONS
94	Cardiometabolic Risk Indicators That Distinguish Adults with Psychosis from the General Population, by Age and Gender. PLoS ONE, 2013, 8, e82606.	2.5	41
95	Social cognition and social judgment in schizophrenia. Schizophrenia Research: Cognition, 2014, 1, 171-174.	1.3	21
96	Theory of mind and neurocognition in early psychosis: a quasi-experimental study. BMC Psychiatry, 2014, 14, 316.	2.6	22
97	Patterns of service utilisation in psychosis: Findings of the 2010 Australian National Survey of Psychosis. Australian and New Zealand Journal of Psychiatry, 2014, 48, 341-351.	2.3	26
98	Multivariate neuroanatomical classification of cognitive subtypes in schizophrenia: A support vector machine learning approach. NeuroImage: Clinical, 2014, 6, 229-236.	2.7	70
99	What's intact and what's not within the mismatch negativity system in schizophrenia. Psychophysiology, 2014, 51, 337-347.	2.4	26
100	Predictors of type 2 diabetes in a nationally representative sample of adults with psychosis. World Psychiatry, 2014, 13, 176-183.	10.4	30
101	The perceived risks and benefits of quitting in smokers diagnosed with severe mental illness participating in a smoking cessation intervention: Gender differences and comparison to smokers without mental illness. Drug and Alcohol Review, 2014, 33, 78-85.	2.1	13
102	Determinants of high rates of smoking among people with psychosis living in a socially disadvantaged region in South Australia. Australian and New Zealand Journal of Psychiatry, 2014, 48, 70-79.	2.3	22
103	Inadequate fruit and vegetable intake in people with psychosis. Australian and New Zealand Journal of Psychiatry, 2014, 48, 1025-1035.	2.3	40
104	Correlates of Competitive Versus Noncompetitive Employment Among Adults With Psychotic Disorders. Psychiatric Services, 2014, 65, 476-482.	2.0	17
105	Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. Psychological Medicine, 2014, 44, 2163-2176.	4.5	155
106	The effect of drug use on the age at onset of psychotic disorders in an Australian cohort. Schizophrenia Research, 2014, 156, 211-216.	2.0	28
107	Smoking and suicidality in patients with a psychotic disorder. Psychiatry Research, 2014, 215, 634-640.	3.3	10
108	Theory of mind in early psychosis. Microbial Biotechnology, 2014, 8, 286-290.	1.7	14
109	Combined analysis of exon splicing and genome wide polymorphism data predict schizophrenia risk loci. Journal of Psychiatric Research, 2014, 52, 44-49.	3.1	37
110	Catechol-O-methyltransferase (COMT) genotype moderates the effects of childhood trauma on cognition and symptoms in schizophrenia. Journal of Psychiatric Research, 2014, 49, 43-50.	3.1	73
111	WHEN I LOOK INTO MY BABY'S EYES . . . INFANT EMOTION RECOGNITION BY MOTHERS WITH BORDERLINE PERSONALITY DISORDER. Infant Mental Health Journal, 2014, 35, 21-32.	1.8	42

#	ARTICLE	IF	CITATIONS
112	BDNF SNPs Are Implicated in Comorbid Alcohol Dependence in Schizophrenia But Not in Alcohol-Dependent Patients Without Schizophrenia. <i>Alcohol and Alcoholism</i> , 2014, 49, 491-497.	1.6	20
113	Detecting motion signals of intent in schizophrenia. <i>Psychiatry Research</i> , 2014, 219, 700-702.	3.3	3
114	“Better Health Choices”™ by telephone: A feasibility trial of improving diet and physical activity in people diagnosed with psychotic disorders. <i>Psychiatry Research</i> , 2014, 220, 63-70.	3.3	38
115	Comparing algorithms for deriving psychosis diagnoses from longitudinal administrative clinical records. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1729-1737.	3.1	11
116	Preliminary evidence of an interaction between the FOXP2 gene and childhood emotional abuse predicting likelihood of auditory verbal hallucinations in schizophrenia. <i>Journal of Psychiatric Research</i> , 2014, 50, 66-72.	3.1	33
117	Prevalence and impact of childhood abuse in people with a psychotic illness. Data from the second Australian national survey of psychosis. <i>Schizophrenia Research</i> , 2014, 159, 20-26.	2.0	32
118	Age at initiation of amphetamine use and age at onset of psychosis: The Australian Survey of High Impact Psychosis. <i>Schizophrenia Research</i> , 2014, 152, 300-302.	2.0	19
119	Age effects on cerebral grey matter and their associations with psychopathology, cognition and treatment response in previously untreated schizophrenia patients. <i>Neurology Psychiatry and Brain Research</i> , 2014, 20, 29-36.	2.0	3
120	Gender differences in characteristics and outcomes of smokers diagnosed with psychosis participating in a smoking cessation intervention. <i>Psychiatry Research</i> , 2014, 215, 586-593.	3.3	17
121	Jumping to delusions in early psychosis. <i>Cognitive Neuropsychiatry</i> , 2014, 19, 241-256.	1.3	22
122	Application of the Audio Recorded Cognitive Screen and its relation to functioning in schizophrenia. <i>Acta Neuropsychiatrica</i> , 2015, 27, 279-290.	2.1	0
123	Sociodemographic and clinical correlates of migrant status in adults with psychotic disorders: data from the Australian Survey of High Impact Psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 534-541.	3.9	6
124	Sense of agency across contexts: Insights from schizophrenia and hypnosis.. <i>Psychology of Consciousness: Theory Research, and Practice</i> , 2015, 2, 301-314.	0.4	9
125	The impact of premorbid and current intellect in schizophrenia: cognitive, symptom, and functional outcomes. <i>NPJ Schizophrenia</i> , 2015, 1, 15043.	3.6	60
126	Testing the “Extreme Female Brain”™ Theory of Psychosis in Adults with Autism Spectrum Disorder with or without Co-Morbid Psychosis. <i>PLoS ONE</i> , 2015, 10, e0128102.	2.5	20
127	Gender Differences in the Physical and Psychological Manifestation of Childhood Trauma and/or Adversity in People with Psychosis. <i>Frontiers in Psychology</i> , 2015, 6, 1768.	2.1	35
128	Psychosis, Socioeconomic Disadvantage, and Health Service Use in South Australia: Findings from the Second Australian National Survey of Psychosis. <i>Frontiers in Public Health</i> , 2015, 3, 259.	2.7	23
129	A longitudinal study of the health and wellbeing of culturally and linguistically diverse caregivers of people with psychosis in Australia. <i>International Journal of Social Psychiatry</i> , 2015, 61, 743-753.	3.1	12

#	ARTICLE	IF	CITATIONS
130	Psychosis and cardiovascular disease: Is diet the missing link?. Schizophrenia Research, 2015, 161, 465-470.	2.0	18
131	Reduced integrity of the left arcuate fasciculus is specifically associated with auditory verbal hallucinations in schizophrenia. Schizophrenia Research, 2015, 162, 1-6.	2.0	61
132	Genetic variants in Nogo receptor signaling pathways may be associated with early life adversity in schizophrenia susceptibility. BBA Clinical, 2015, 3, 36-43.	4.1	2
133	Corticostriatal Control of Goal-Directed Action Is Impaired in Schizophrenia. Biological Psychiatry, 2015, 77, 187-195.	1.3	168
134	Cardiovascular risk factor associations in adults with psychosis and adults in a national comparator sample. Australian and New Zealand Journal of Psychiatry, 2015, 49, 714-723.	2.3	11
135	No additive effect of cannabis on cognition in schizophrenia. Schizophrenia Research, 2015, 168, 245-251.	2.0	14
136	Do common genotypes of FK506 binding protein 5 (FKBP5) moderate the effects of childhood maltreatment on cognition in schizophrenia and healthy controls?. Journal of Psychiatric Research, 2015, 70, 9-17.	3.1	26
137	Shared intermediate phenotypes for schizophrenia and bipolar disorder: neuroanatomical features of subtypes distinguished by executive dysfunction. Journal of Psychiatry and Neuroscience, 2015, 40, 58-68.	2.4	28
138	A single dose of oxytocin nasal spray improves higher-order social cognition in schizophrenia. Schizophrenia Research, 2015, 168, 628-633.	2.0	60
139	Re-examining Kohlberg's conception of morality in schizophrenia. Cognitive Neuropsychiatry, 2015, 20, 377-381.	1.3	9
140	Prevalence and correlates of problem gambling in people with psychotic disorders. Comprehensive Psychiatry, 2015, 58, 122-129.	3.1	52
141	A comparative study of the economic and social functioning of Vietnamese-Australians with low English proficiency living with psychotic illness. International Journal of Social Psychiatry, 2015, 61, 319-329.	3.1	2
142	Dysbindin (<i>DTNBP1</i>) variants are associated with hallucinations in schizophrenia. European Psychiatry, 2015, 30, 486-491.	0.2	25
143	Smoking in schizophrenia: cognitive impact of nicotine and relationship to smoking motivators. Schizophrenia Research: Cognition, 2015, 2, 26-32.	1.3	15
144	Loneliness in psychotic disorders and its association with cognitive function and symptom profile. Schizophrenia Research, 2015, 169, 268-273.	2.0	109
145	Effect of age, family history of diabetes, and antipsychotic drug treatment on risk of diabetes in people with psychosis: a population-based cross-sectional study. Lancet Psychiatry, 2015, 2, 1092-1098.	7.4	22
146	Association of NOS1AP variants and depression phenotypes in schizophrenia. Journal of Affective Disorders, 2015, 188, 263-269.	4.1	24
147	Intact speed of processing in a community-based sample of adults with high schizotypy: A marker of reduced psychosis risk?. Psychiatry Research, 2015, 228, 531-537.	3.3	13

#	ARTICLE	IF	CITATIONS
148	Paracingulate sulcus morphology is associated with hallucinations in the human brain. <i>Nature Communications</i> , 2015, 6, 8956.	12.8	86
149	A comparison of schizophrenia, schizoaffective disorder, and bipolar disorder: Results from the Second Australian national psychosis survey. <i>Journal of Affective Disorders</i> , 2015, 172, 30-37.	4.1	44
150	Risk Factors for Obstructive Sleep Apnea Are Prevalent in People with Psychosis and Correlate with Impaired Social Functioning and Poor Physical Health. <i>Frontiers in Psychiatry</i> , 2016, 7, 139.	2.6	15
151	Correlates of physical activity in people living with psychotic illness. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 129-137.	4.5	44
152	Cognitive and clinical indicators of employment assistance needs from a national survey of individuals living with psychosis.. <i>Psychiatric Rehabilitation Journal</i> , 2016, 39, 112-119.	1.1	3
153	Sociodemographic, clinical and childhood correlates of adult violent victimisation in a large, national survey sample of people with psychotic disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 269-279.	3.1	22
154	Metabolic syndrome in people with a psychotic illness: is cannabis protective?. <i>Psychological Medicine</i> , 2016, 46, 1651-1662.	4.5	20
155	Intact unconscious processing of eye contact in schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2016, 3, 15-19.	1.3	22
156	Awareness of Pre-diabetes or Diabetes and Associated Factors in People With Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1280-1289.	4.3	9
157	Abnormal white matter microstructure and increased extracellular free-water in the cingulum bundle associated with delusions in chronic schizophrenia. <i>NeuroImage: Clinical</i> , 2016, 12, 405-414.	2.7	37
158	White Matter Disruptions in Schizophrenia Are Spatially Widespread and Topologically Converge on Brain Network Hubs. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw100.	4.3	85
159	Interaction of multiple gene variants and their effects on schizophrenia phenotypes. <i>Comprehensive Psychiatry</i> , 2016, 71, 63-70.	3.1	4
160	Auditory verbal hallucinations (AVHs) and related psychotic phenomena in mood disorders: analysis of the 2010 Survey of High Impact Psychosis (SHIP) data. <i>Psychiatry Research</i> , 2016, 243, 238-245.	3.3	9
161	The impact of psychotic disorders and co-morbid substance abuse on vocational rehabilitation: results from an Australian national survey of psychosis. <i>British Journal of Occupational Therapy</i> , 2016, 79, 290-298.	0.9	3
162	People living with psychosocial disability: Rehabilitation and recovery-informed service provision within the second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 534-547.	2.3	26
163	Burden associated with smoking as a suicidal risk factor in an Australian sample of patients with psychosis. <i>Australasian Psychiatry</i> , 2016, 24, 437-440.	0.7	4
164	Diurnal cortisol variation and cortisol response to an MRI stressor in schizophrenia and bipolar disorder. <i>Psychoneuroendocrinology</i> , 2016, 67, 61-69.	2.7	21
165	Common familial risk factors for schizophrenia and diabetes mellitus. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 488-494.	2.3	21

#	ARTICLE	IF	CITATIONS
166	Investigating the Lived Experience of Recovery in People Who Hear Voices. <i>Qualitative Health Research</i> , 2016, 26, 1409-1423.	2.1	43
167	Decreased integrity of the fronto-temporal fibers of the left inferior occipito-frontal fasciculus associated with auditory verbal hallucinations in schizophrenia. <i>Brain Imaging and Behavior</i> , 2016, 10, 445-454.	2.1	31
168	Automatic attentional orienting to other people's gaze in schizophrenia. <i>Quarterly Journal of Experimental Psychology</i> , 2017, 70, 1549-1558.	1.1	13
169	Academic Performance in Children of Mothers With Schizophrenia and Other Severe Mental Illness, and Risk for Subsequent Development of Psychosis: A Population-Based Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 205-213.	4.3	23
170	Effects of childhood trauma on working memory in affective and non-affective psychotic disorders. <i>Brain Imaging and Behavior</i> , 2017, 11, 722-735.	2.1	27
171	On the Interconnectedness and Prognostic Value of Visual and Auditory Hallucinations in First-Episode Psychosis. <i>European Psychiatry</i> , 2017, 41, 122-128.	0.2	31
172	Occurrence and co-occurrence of hallucinations by modality in schizophrenia-spectrum disorders. <i>Psychiatry Research</i> , 2017, 252, 154-160.	3.3	96
173	Childhood trauma-related alterations in brain function during a Theory-of-Mind task in schizophrenia. <i>Schizophrenia Research</i> , 2017, 189, 162-168.	2.0	46
174	Assessing early processing of eye gaze in schizophrenia: measuring the cone of direct gaze and reflexive orienting of attention. <i>Cognitive Neuropsychiatry</i> , 2017, 22, 122-136.	1.3	16
175	Characterizing white matter changes in chronic schizophrenia: A free-water imaging multi-site study. <i>Schizophrenia Research</i> , 2017, 189, 153-161.	2.0	56
176	Judgment of moral and social transgression in schizophrenia. <i>Comprehensive Psychiatry</i> , 2017, 76, 160-168.	3.1	7
177	Outcome-focused judgements of moral dilemmas in schizophrenia. <i>Consciousness and Cognition</i> , 2017, 52, 21-31.	1.5	6
178	Impairments of spontaneous and deliberative mentalizing co-occur, yet dissociate, in schizophrenia. <i>British Journal of Clinical Psychology</i> , 2017, 56, 372-387.	3.5	14
179	The impact of current cannabis use on general cognitive function in people with psychotic illness. <i>Schizophrenia Research</i> , 2017, 190, 164-171.	2.0	6
180	The role of arterial elasticity and cardiovascular peripheral resistance as clinically relevant indices of health status in people with psychosis. <i>Schizophrenia Research</i> , 2017, 184, 88-95.	2.0	2
181	A longitudinal population-based study of carers of people with psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 265-275.	3.9	47
182	Exome array analysis suggests an increased variant burden in families with schizophrenia. <i>Schizophrenia Research</i> , 2017, 185, 9-16.	2.0	18
183	Psychosis in autism: Comparison of the features of both conditions in a dually affected cohort. <i>British Journal of Psychiatry</i> , 2017, 210, 269-275.	2.8	89

#	ARTICLE	IF	CITATIONS
184	Early psychosis in central Vietnam: A longitudinal study of short-term functional outcomes and their predictors. <i>International Journal of Social Psychiatry</i> , 2017, 63, 602-613.	3.1	3
185	Action (verb) fluency deficits in schizophrenia spectrum disorders: linking language, cognition and interpersonal functioning. <i>Psychiatry Research</i> , 2017, 257, 203-211.	3.3	16
186	Therapeutic Alliance, Client Need for Approval, and Perfectionism as Differential Moderators of Response to eHealth and Traditionally Delivered Treatments for Comorbid Depression and Substance Use Problems. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 728-739.	1.7	14
187	Applying brain emotional learning based fuzzy inference system for EEG signal classification between schizophrenics and control participant. , 2017, , .		1
188	Indirect task instructions better reveal theory-of-mind impairment, independent of executive dysfunction, in schizophrenia. <i>Psychiatry Research</i> , 2017, 256, 342-344.	3.3	8
189	Men and women with psychosis and the impact of illness-duration on sex-differences: The second Australian national survey of psychosis. <i>Psychiatry Research</i> , 2017, 256, 130-143.	3.3	15
190	Auditory prediction errors as individual biomarkers of schizophrenia. <i>NeuroImage: Clinical</i> , 2017, 15, 264-273.	2.7	37
191	Prevalence and correlates of suboptimal vitamin D status in people living with psychotic disorders: Data from the Australian Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 921-929.	2.3	11
192	The value of counting WHO-defined cardiovascular risk factors for death and disability in a national sample of adults with psychosis. <i>Schizophrenia Research</i> , 2017, 182, 13-18.	2.0	3
193	Clozapine users in Australia: their characteristics and experiences of care based on data from the 2010 National Survey of High Impact Psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 325-337.	3.9	23
194	Interaction of language, auditory and memory brain networks in auditory verbal hallucinations. <i>Progress in Neurobiology</i> , 2017, 148, 1-20.	5.7	169
195	Investigation of candidate genes reveals significant statistical epistasis between <i>DISC1</i> and <i>TPH2</i> in Bulgarian affective disorder patients. <i>Biotechnology and Biotechnological Equipment</i> , 2017, 31, 1178-1183.	1.3	1
196	Psychotropic Medication and Substance Use during Pregnancy by Women with Severe Mental Illness. <i>Frontiers in Psychiatry</i> , 2017, 8, 28.	2.6	4
197	Social Dysfunction and Diet Outcomes in People with Psychosis. <i>Nutrients</i> , 2017, 9, 80.	4.1	12
198	Assessment of Cognition and Personality as Potential Endophenotypes in the Western Australian Family Study of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 908-921.	4.3	12
199	The relationship between illicit amphetamine use and psychiatric symptom profiles in schizophrenia and affective psychoses. <i>Psychiatry Research</i> , 2018, 265, 19-24.	3.3	52
200	Common variation in ZNF804A (rs1344706) is not associated with brain morphometry in schizophrenia or healthy participants. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 82, 12-20.	4.8	4
201	Severity of illness and adaptive functioning predict quality of care of children among parents with psychosis: A confirmatory factor analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 435-445.	2.3	24

#	ARTICLE	IF	CITATIONS
202	Counting up the risks: How common are risk factors for morbidity and mortality in young people with psychosis?. <i>Microbial Biotechnology</i> , 2018, 12, 1045-1051.	1.7	7
203	Comorbid Diabetes and Depression in a National Sample of Adults With Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 84-92.	4.3	10
204	Randomised controlled trial of a healthy lifestyle intervention among smokers with psychotic disorders: Outcomes to 36 months. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 239-252.	2.3	27
205	The longevity gene <i>Klotho</i> is differentially associated with cognition in subtypes of schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 348-353.	2.0	12
206	Effects of childhood trauma on left inferior frontal gyrus function during response inhibition across psychotic disorders. <i>Psychological Medicine</i> , 2018, 48, 1454-1463.	4.5	20
207	Neuregulin-1 (<i>NRG1</i>) polymorphisms linked with psychosis transition are associated with enlarged lateral ventricles and white matter disruption in schizophrenia. <i>Psychological Medicine</i> , 2018, 48, 801-809.	4.5	10
208	Interactions Between Variation in Candidate Genes and Environmental Factors in the Etiology of Schizophrenia and Bipolar Disorder: a Systematic Review. <i>Molecular Neurobiology</i> , 2018, 55, 5075-5100.	4.0	117
209	Treating body, treating mind: The experiences of people with psychotic disorders and their general practitioners – Findings from the Australian National Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 561-572.	2.3	7
210	Hallucinations in Indigenous and non-Indigenous Australians: Findings from the second Australian national survey of psychosis. <i>Schizophrenia Research</i> , 2018, 197, 581-582.	2.0	5
211	Perceived needs of carers of people with psychosis: An Australian longitudinal population-based study of caregivers of people with psychotic disorders. <i>Health and Social Care in the Community</i> , 2018, 26, 412-422.	1.6	16
212	Subjective quality of life and its predictors among people with early psychosis in central Vietnam: a short-term longitudinal study. <i>International Journal of Culture and Mental Health</i> , 2018, 11, 373-388.	0.6	2
213	Recovery for Carers of People with Psychosis: A Longitudinal Population-Based Study with Implications for Social Work. <i>British Journal of Social Work</i> , 2018, 48, 1754-1773.	1.4	9
214	Adaptive sensory coding of gaze direction in schizophrenia. <i>Royal Society Open Science</i> , 2018, 5, 180886.	2.4	11
215	Perceptual integration of head and eye cues to gaze direction in schizophrenia. <i>Royal Society Open Science</i> , 2018, 5, 180885.	2.4	16
216	Poorer Search Efficiency in Healthy Young Adults With High Schizotypal Personality Traits. <i>Frontiers in Psychiatry</i> , 2018, 9, 285.	2.6	0
217	Poorer Integration of Local Orientation Information Occurs in Students With High Schizotypal Personality Traits. <i>Frontiers in Psychiatry</i> , 2018, 9, 518.	2.6	1
218	Cardiovascular disease lifestyle risk factors in people with psychosis: a cross-sectional study. <i>BMC Public Health</i> , 2018, 18, 742.	2.9	8
219	The component structure of the scales for the assessment of positive and negative symptoms in first-episode psychosis and its dependence on variations in analytic methods. <i>Psychiatry Research</i> , 2018, 270, 869-879.	3.3	15

#	ARTICLE	IF	CITATIONS
220	Exploring the moderating effects of dopaminergic polymorphisms and childhood adversity on brain morphology in schizophrenia-spectrum disorders. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 61-68.	1.8	10
221	Is cannabis a risk factor for suicide attempts in men and women with psychotic illness?. <i>Psychopharmacology</i> , 2018, 235, 2275-2285.	3.1	10
222	Modelling reaction time distribution of fast decision tasks in schizophrenia: Evidence for novel candidate endophenotypes. <i>Psychiatry Research</i> , 2018, 269, 212-220.	3.3	12
223	Receipt and targeting of evidence-based psychosocial interventions for people living with psychoses: findings from the second Australian national survey of psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 613-629.	3.9	12
224	Is there a discrete negative symptom syndrome in people who use methamphetamine?. <i>Comprehensive Psychiatry</i> , 2019, 93, 27-32.	3.1	9
225	Responding to joint attention bids in schizophrenia: An interactive eye-tracking study. <i>Quarterly Journal of Experimental Psychology</i> , 2019, 72, 2068-2083.	1.1	10
226	A study protocol for the N-ICE trial: A randomised double-blind placebo-controlled study of the safety and efficacy of N-acetyl-cysteine (NAC) as a pharmacotherapy for methamphetamine (â€œiceâ€) dependence. <i>Trials</i> , 2019, 20, 325.	1.6	14
227	Protocol and Rationale: A 24-week Double-blind, Randomized, Placebo Controlled Trial of the Efficacy of Adjunctive <i>Garcinia mangostana</i> Linn. (Mangosteen) Pericarp for Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 297-307.	2.0	5
228	Empathy for othersâ€™ pain is disrupted at the neurophysiological level in schizophrenia. <i>British Journal of Clinical Psychology</i> , 2019, 58, 406-426.	3.5	3
229	Intact prioritisation of unconscious face processing in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 135-151.	1.3	9
230	Caregiving by people with psychotic disorders in the second Australian prevalence study of psychosis. <i>Health and Social Care in the Community</i> , 2019, 27, 1042-1052.	1.6	7
231	Are socioenvironmental factors associated with psychotic symptoms in people with first-episode psychosis? A cross-sectional study of a West London clinical sample. <i>BMJ Open</i> , 2019, 9, e030448.	1.9	10
232	Assessment of People with Psychotic and Bipolar Disorders. , 2019, , 360-370.		0
233	Loneliness in psychotic illness and its association with cardiometabolic disorders. <i>Schizophrenia Research</i> , 2019, 204, 90-95.	2.0	20
234	Association between childhood trauma exposure and pro-inflammatory cytokines in schizophrenia and bipolar-I disorder. <i>Psychological Medicine</i> , 2019, 49, 2736-2744.	4.5	22
235	No association between common genetic variation in FOXP2 and language impairment in schizophrenia. <i>Psychiatry Research</i> , 2019, 271, 590-597.	3.3	7
236	Sex differences in the cardiometabolic health of cannabis users with a psychotic illness. <i>Drug and Alcohol Dependence</i> , 2019, 194, 447-452.	3.2	6
237	Intact spontaneous emotional expressivity to non-facial but not facial stimuli in schizophrenia: An electromyographic study. <i>Schizophrenia Research</i> , 2019, 206, 37-42.	2.0	5

#	ARTICLE	IF	CITATIONS
238	The Impact of Childhood Adversity on Cognitive Development in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 140-153.	4.3	31
239	Serum lipids and suicidality among patients with schizophrenia. <i>Schizophrenia Research</i> , 2020, 215, 479-481.	2.0	15
240	Cognitive reserve attenuates age-related cognitive decline in the context of putatively accelerated brain ageing in schizophrenia-spectrum disorders. <i>Psychological Medicine</i> , 2020, 50, 1475-1489.	4.5	12
241	Organization framework and preliminary findings from the Athens First Episode Psychosis Research Study. <i>Microbial Biotechnology</i> , 2020, 14, 343-355.	1.7	10
242	Appearance-based trust processing in schizophrenia. <i>British Journal of Clinical Psychology</i> , 2020, 59, 139-153.	3.5	12
243	Childhood adversity and clinical and psychosocial outcomes in psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e78.	3.9	29
244	Structural brain morphometry associated with theory of mind in bipolar disorder and schizophrenia. <i>PsyCh Journal</i> , 2020, 9, 234-246.	1.1	13
245	Examining which factors influence age of onset in males and females with schizophrenia. <i>Schizophrenia Research</i> , 2020, 223, 265-270.	2.0	15
246	Effect of Sodium Benzoate vs Placebo Among Individuals With Early Psychosis. <i>JAMA Network Open</i> , 2020, 3, e2024335.	5.9	19
247	Adding a Dimension to the Dichotomy: Affective Processes Are Implicated in the Relationship Between Autistic and Schizotypal Traits. <i>Frontiers in Psychiatry</i> , 2020, 11, 712.	2.6	10
248	Anxiety and Adverse Life Events in Professional Creative and Early Psychosis Populations. <i>Psychiatry (New York)</i> , 2020, 83, 328-343.	0.7	0
249	Unveiling Sex-Based Differences in the Effects of Alcohol Abuse: A Comprehensive Functional Meta-Analysis of Transcriptomic Studies. <i>Genes</i> , 2020, 11, 1106.	2.4	19
250	The relationship between cortisol reactivity and emotional brain function is differently moderated by childhood trauma, in bipolar disorder, schizophrenia and healthy individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1089-1109.	3.2	19
251	Mental health recovery and physical health outcomes in psychotic illness: Longitudinal data from the Western Australian survey of high impact psychosis catchments. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 55, 000486742095426.	2.3	13
252	Factors to consider during the implementation of nutrition and physical activity trials for people with psychotic illness into an Australian community setting. <i>BMC Health Services Research</i> , 2020, 20, 743.	2.2	5
253	Familial and socioeconomic contributions to premorbid functioning in psychosis: Impact on age at onset and treatment response. <i>European Psychiatry</i> , 2020, 63, e44.	0.2	11
254	Randomized controlled trial of social cognition and interaction training compared to befriending group. <i>British Journal of Clinical Psychology</i> , 2020, 59, 384-402.	3.5	11
255	Perceiving and attributing intentionality in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2020, 25, 269-280.	1.3	8

#	ARTICLE	IF	CITATIONS
256	Gaze direction biases emotion categorisation in schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2020, 21, 100181.	1.3	3
257	Loneliness and its association with health service utilization in people with a psychotic disorder. <i>Schizophrenia Research</i> , 2020, 223, 105-111.	2.0	14
258	Factors underlying clinicians'™ judgements of patient insight and confidence in using clinical judgement in psycho-legal settings. <i>Psychiatry, Psychology and Law</i> , 2020, 27, 95-109.	1.2	0
259	Systemic inflammation and grey matter volume in schizophrenia and bipolar disorder: Moderation by childhood trauma severity. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 105, 110013.	4.8	23
260	Perception of visual-tactile asynchrony, bodily perceptual aberrations, and bodily illusions in schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 534-540.	2.0	6
261	Understanding the Overlap Between Cannabis Use and Gambling Behaviour: A Systematic Review of Empirical Findings and Consideration of Policy Implications. <i>Current Addiction Reports</i> , 2021, 8, 35-56.	3.4	4
262	The MIR137 VNTR rs58335419 Is Associated With Cognitive Impairment in Schizophrenia and Altered Cortical Morphology. <i>Schizophrenia Bulletin</i> , 2021, 47, 495-504.	4.3	9
263	Spatial working memory, not IQ or executive function, discriminates early psychosis and clinically vulnerable creative individuals. <i>Microbial Biotechnology</i> , 2021, 15, 47-56.	1.7	0
264	White Matter Alterations Between Brain Network Hubs Underlie Processing Speed Impairment in Patients With Schizophrenia. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab033.	1.7	5
265	Bottom-up processing of fearful and angry facial expressions is intact in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2021, 26, 183-198.	1.3	5
266	Network Analysis of Symptom Comorbidity in Schizophrenia: Relationship to Illness Course and Brain White Matter Microstructure. <i>Schizophrenia Bulletin</i> , 2021, 47, 1156-1167.	4.3	10
267	A latent class analysis of psychiatric symptom profiles associated with past-month methamphetamine use. <i>Psychiatry Research</i> , 2021, 298, 113760.	3.3	3
268	Characteristics of people on long-acting injectable antipsychotics in Australia: Data from the 2010 National Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 958-975.	2.3	4
269	Ageing with psychosis " Fifty and beyond. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 39-49.	2.3	3
270	Proposing a causal pathway for health-related quality of life in people with psychotic disorders. <i>Journal of Psychiatric Research</i> , 2021, 138, 550-559.	3.1	7
271	Loneliness, social isolation and suicide risk in people with psychotic disorders. <i>Schizophrenia Research</i> , 2021, 233, 60-61.	2.0	4
272	Characteristics of people on community treatment orders in Australia: Data from the 2010 National Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 788-799.	2.3	1
274	Prediction and Early Detection of First-Episode Psychosis. , 2011, , 207-267.		3

#	ARTICLE	IF	CITATIONS
275	Reasoning Anomalies Associated With Delusions in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2010, 36, 321-330.	4.3	129
276	Schizotypal personality traits and social cognition are associated with childhood trauma exposure. <i>British Journal of Clinical Psychology</i> , 2018, 57, 397-419.	3.5	27
277	Modifiable risk factors for hospitalization among people with psychosis: evidence from the National Study of Low Prevalence (Psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 683-690.	2.3	7
278	The "Clinical Interview for Psychotic Disorders" (CIPD): Development and expert evaluation. <i>International Journal of Clinical Neurosciences and Mental Health</i> , 2015, , 7.	0.7	6
279	Acceptability of a Clinician-Assisted Computerized Psychological Intervention for Comorbid Mental Health and Substance Use Problems: Treatment Adherence Data from a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2011, 13, e11.	4.3	50
280	Australian Schizophrenia Research Bank: a database of comprehensive clinical, endophenotypic and genetic data for aetiological studies of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 1029-35.	2.3	90
281	Anxiety symptoms in psychotic disorders. <i>Clinical Schizophrenia and Related Psychoses</i> , 2013, , 1-22.	1.4	8
282	The Role of Personality in Schizophrenia and Psychosis: A Systematic Review.. , 2021, 18, 28-40.		5
283	IT DEVELOPMENT AND MANAGEMENT OF A LIVE E-RESEARCH SYSTEM - Experiences with the Australian Schizophrenia Research Bank. , 2012, , .		0
284	Longitudinal, Whole-population Data Examining Pathways of Risk from Conception to Disease: The Western Australian Schizophrenia High-risk e-Cohort. <i>Open Health Data</i> , 2014, 2, .	3.7	0
287	Sub-optimal modulation of gain by the cognitive control system in young adults with early psychosis. <i>Translational Psychiatry</i> , 2021, 11, 549.	4.8	5
288	The relation of integrated psychological therapy to resting state functional brain connectivity networks in patients with schizophrenia. <i>Psychiatry Research</i> , 2021, 306, 114270.	3.3	6
289	Visual processing of social context during mental state perception in schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2008, 33, 34-42.	2.4	49
291	Cumulative sociodemographic disadvantage partially mediates associations between childhood trauma and schizotypy. <i>British Journal of Clinical Psychology</i> , 2021, , .	3.5	3
292	Association between exposome score for schizophrenia and functioning in first-episode psychosis: results from the Athens first-episode psychosis research study. <i>Psychological Medicine</i> , 2023, 53, 2609-2618.	4.5	9
293	The relationship between early symptom severity, improvement and remission in first episode psychosis with jumping to conclusions. <i>Schizophrenia Research</i> , 2022, 240, 24-30.	2.0	4
294	Health-related quality of life in people with psychotic disorders: The role of loneliness and its contributors. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1421-1433.	2.3	2
295	Thinking biases and their role in persecutory delusions: A systematic review. <i>Microbial Biotechnology</i> , 2022, 16, 1278-1296.	1.7	2

#	ARTICLE	IF	CITATIONS
301	Age of onset by sex in schizophrenia: Proximal and distal characteristics. <i>Journal of Psychiatric Research</i> , 2022, 151, 454-460.	3.1	7
302	Convolutional neural network propagation on electroencephalographic scalograms for detection of schizophrenia. <i>Clinical Neurophysiology</i> , 2022, 139, 90-105.	1.5	8
303	Hospital inpatient admissions of children of mothers with severe mental illness: A Western Australian cohort study. <i>Australian and New Zealand Journal of Psychiatry</i> , 0, , 000486742211001.	2.3	0
304	Interactive effects of polygenic risk and cognitive subtype on brain morphology in schizophrenia spectrum and bipolar disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1205-1218.	3.2	3
305	Don't blame psychosis, blame the lack of services: a message for early intervention from the Greek standard care model. <i>BMC Psychiatry</i> , 2022, 22, .	2.6	1
306	Affinity scores: An individual-centric fingerprinting framework for neuropsychiatric disorders. <i>Translational Psychiatry</i> , 2022, 12, .	4.8	1
307	Discontinuing cannabis use: Symptomatic and functional outcomes in people with an established psychotic disorder. <i>Schizophrenia Research</i> , 2023, 254, 118-124.	2.0	0
308	How does a family history of psychosis influence the risk of methamphetamine-related psychotic symptoms: Evidence from longitudinal panel data. <i>Addiction</i> , 0, , .	3.3	0
309	Role of Clinical Insight at First Month in Predicting Relapse at the Year in First Episode of Psychosis (FEP) Patients. <i>Journal of Clinical Medicine</i> , 2023, 12, 4261.	2.4	0
310	Inflammatory subgroups of schizophrenia and their association with brain structure: A semi-supervised machine learning examination of heterogeneity. <i>Brain, Behavior, and Immunity</i> , 2023, 113, 166-175.	4.1	3
311	Exploring the relationship between baseline health-related quality of life (AQoL-4D utility values) and mortality during long-term follow-up for people living with a psychotic disorder. <i>Schizophrenia Research</i> , 2023, 262, 121-129.	2.0	0
312	miRNA cargo in circulating vesicles from neurons is altered in individuals with schizophrenia and associated with severe disease. <i>Science Advances</i> , 2023, 9, .	10.3	1
313	Revisiting delusion subtypes in schizophrenia based on their underlying structures. <i>Journal of Psychiatric Research</i> , 2024, 171, 75-83.	3.1	0
314	Diminished social motivation in early psychosis is associated with polygenic liability for low vitamin D. <i>Translational Psychiatry</i> , 2024, 14, .	4.8	0