

CITATION REPORT

List of articles citing

Deaths from all causes in a long-term follow-up study of 11,583 deliberate self-harm patients

DOI: 10.1017/s0033291705006914

Psychological Medicine, 2006, 36, 397-405.

Source: <https://exaly.com/paper-pdf/40213254/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
95	Deliberate self-harm patients of no fixed abode: a study of characteristics and subsequent deaths in patients presenting to a general hospital. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 918-25	4.5	22
94	Familial pathways to early-onset suicidal behavior: familial and individual antecedents of suicidal behavior. <i>American Journal of Psychiatry</i> , 2007 , 164, 1364-70	11.9	134
93	Self-Harm Experiences Among Hispanic and Non-Hispanic White Young Adults. <i>Hispanic Journal of Behavioral Sciences</i> , 2007 , 29, 242-253	0.7	15
92	Bibliography. Current world literature. Child and adolescent psychiatry. <i>Current Opinion in Psychiatry</i> , 2007 , 20, 417-22	4.9	1
91	Repetition of deliberate self-harm: a study of the characteristics and subsequent deaths in patients presenting to a general hospital according to extent of repetition. <i>Suicide and Life-Threatening Behavior</i> , 2007 , 37, 379-96	3.9	72
90	Re-presentation and suicide rates in emergency department patients who self-harm. <i>EMA - Emergency Medicine Australasia</i> , 2008 , 20, 322-7	1.5	27
89	Deliberate self-harm by under-15-year-olds: characteristics, trends and outcome. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008 , 49, 441-8	7.9	89
88	Repeat suicide attempts in Hong Kong community adolescents. <i>Social Science and Medicine</i> , 2008 , 66, 232-41	5.1	34
87	Determinants and outcomes of serious attempted suicide: a nationwide study in Finland, 1996-2003. <i>American Journal of Epidemiology</i> , 2008 , 167, 1155-63	3.8	120
86	Psychosocial and clinical correlates of suicidal acts: results from a national population survey. <i>British Journal of Psychiatry</i> , 2008 , 192, 279-84	5.4	41
85	Risk of suicide after suicide attempt according to coexisting psychiatric disorder: Swedish cohort study with long term follow-up. <i>BMJ, The</i> , 2008 , 337, a2205	5.9	230
84	Effect of withdrawal of co-proxamol on prescribing and deaths from drug poisoning in England and Wales: time series analysis. <i>BMJ, The</i> , 2009 , 338, b2270	5.9	59
83	Cause-specific excess mortality in suicidal patients: gender differences in mortality patterns. <i>General Hospital Psychiatry</i> , 2009 , 31, 67-74	5.6	4
82	Detailed analyses of self-poisoning episodes presenting to a large regional teaching hospital in the UK. <i>British Journal of Clinical Pharmacology</i> , 2009 , 68, 260-8	3.8	79
81	Beyond randomized controlled trials in attempted suicide research. <i>Suicide and Life-Threatening Behavior</i> , 2009 , 39, 396-407	3.9	11
80	Self-harm in adolescents. <i>Advances in Psychiatric Treatment</i> , 2009 , 15, 434-441		8
79	Aggression and the risk for suicidal behaviors among children. <i>Suicide and Life-Threatening Behavior</i> , 2010 , 40, 337-45	3.9	27

78	Epidemiology and trends in non-fatal self-harm in three centres in England: 2000-2007. <i>British Journal of Psychiatry</i> , 2010 , 197, 493-8	5.4	121
77	Familism, parent-adolescent conflict, self-esteem, internalizing behaviors and suicide attempts among adolescent Latinas. <i>Child Psychiatry and Human Development</i> , 2010 , 41, 425-40	3.3	97
76	Six year follow-up of a clinical sample of self-harm patients. <i>Journal of Affective Disorders</i> , 2010 , 121, 247-52	6.6	44
75	Cancer risk from diagnostic radiology in a deliberate self-harm patient. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 427-30	6.5	4
74	Mortality in 272 European regions, 2002-2004. An update. <i>European Journal of Epidemiology</i> , 2010 , 25, 77-85	12.1	28
73	Is organizational change associated with increased rates of readmission to general hospital in suicide attempters? A 10-year prospective catchment area study. <i>Archives of Suicide Research</i> , 2010 , 14, 171-81	2.3	7
72	. 2011 ,		50
71	Clinical Care of Deliberate Self-Harm Patients: An Evidence-Based Approach. 2011 , 329-351		5
70	All-cause mortality after non-fatal self-poisoning: a cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 455-62	4.5	15
69	Te Ira Tangata: a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in Maori who present to hospital after self harm. <i>Trials</i> , 2011 , 12, 117	2.8	6
68	The ACCESS study a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in people who present to hospital after self-harm: study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 135	2.8	4
67	Deliberate self-harm patients in the emergency department: factors associated with repeated self-harm among 1524 patients. <i>Emergency Medicine Journal</i> , 2011 , 28, 1019-25	1.5	42
66	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. <i>Psychological Medicine</i> , 2012 , 42, 727-41	6.9	39
65	Suicide and non-suicide mortality after self-harm in Taipei City, Taiwan. <i>British Journal of Psychiatry</i> , 2012 , 200, 405-11	5.4	39
64	Premature death after self-harm: a multicentre cohort study. <i>Lancet, The</i> , 2012 , 380, 1568-74	4.0	194
63	Tobacco control: learning from Uruguay. <i>Lancet, The</i> , 2012 , 380, 1538-40	4.0	2
62	Self-harm behaviour: rethinking physical and mental health. <i>Lancet, The</i> , 2012 , 380, 1536-8	4.0	2
61	Prognosis in patients presenting with non-traumatic coma. <i>Journal of Emergency Medicine</i> , 2012 , 42, 249-53	15.3	16

60	Treatment received, satisfaction with health care services, and psychiatric symptoms 3 months after hospitalization for self-poisoning. <i>Annals of General Psychiatry</i> , 2012 , 11, 10	3.4	9
59	A cross-sectional survey of prevalence and correlates of suicidal ideation and suicide attempts among prisoners in New South Wales, Australia. <i>BMC Public Health</i> , 2012 , 12, 14	4.1	58
58	Self-harm and attempted suicide within inpatient psychiatric services: a review of the literature. <i>International Journal of Mental Health Nursing</i> , 2012 , 21, 301-9	3.8	67
57	Cancer mortality in patients with psychiatric diagnoses: a higher hazard of cancer death does not lead to a higher cumulative risk of dying from cancer. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1289-95	4.5	26
56	Long-term mortality in patients hospitalized due to acute drug poisoning: 14-years follow-up study with controls. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2013 , 21, 79-86	1.4	1
55	Recurrent self-harm. 2014 , 67-84		
54	Change in access to prescribed medication following an episode of deliberate self-poisoning: a multilevel approach. <i>PLoS ONE</i> , 2014 , 9, e98086	3.7	14
53	Factors associated with self-cutting as a method of self-harm: findings from the Irish National Registry of Deliberate Self-Harm. <i>European Journal of Public Health</i> , 2014 , 24, 292-7	2.1	16
52	Comparison of clinical and demographic characteristics among borderline personality disorder patients with and without suicidal attempts and non-suicidal self-injury behaviors. <i>Psychiatry Research</i> , 2014 , 220, 935-40	9.9	14
51	MIDSHIPS: multicentre intervention designed for self-harm using interpersonal problem-solving: protocol for a randomised controlled feasibility study. <i>Trials</i> , 2014 , 15, 163	2.8	8
50	Sociological Approaches to Self-injury. <i>Sociology Compass</i> , 2015 , 9, 1005-1014	1.9	6
49	Suicide following self-harm: findings from the Multicentre Study of self-harm in England, 2000-2012. <i>Journal of Affective Disorders</i> , 2015 , 175, 147-51	6.6	175
48	The ACCESS study: Zelen randomised controlled trial of a package of care for people presenting to hospital after self-harm. <i>British Journal of Psychiatry</i> , 2015 , 206, 229-36	5.4	15
47	Psychosocial therapy and causes of death after deliberate self-harm: a register-based, nationwide multicentre study using propensity score matching. <i>Psychological Medicine</i> , 2016 , 46, 3419-3427	6.9	15
46	Suicide attempts and self-harm during a dramatic national economic transition: a population-based study in Iceland. <i>European Journal of Public Health</i> , 2017 , 27, 339-345	2.1	2
45	Premature mortality after suicide attempt in relation to living arrangements. A register-based study in Finland in 1988-2007. <i>European Journal of Public Health</i> , 2017 , 27, 73-79	2.1	
44	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring: A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1015-1022	14.5	33
43	Suicide Attempt as a Risk Factor for Completed Suicide: Even More Lethal Than We Knew. <i>American Journal of Psychiatry</i> , 2016 , 173, 1094-1100	11.9	276

42	Royal Australian and New Zealand College of Psychiatrists clinical practice guideline for the management of deliberate self-harm. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 939-1000	2.6	81
41	Clinical Care of Self-Harm Patients. 2016 , 362-386		
40	Routine biological tests in self-poisoning patients: results from an observational prospective multicenter study. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 1383-8	2.9	4
39	Exploring the validity of the Fantastic Lifestyle Checklist in an inner city population of people presenting with suicidal behaviours. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 128-34	2.6	7
38	Suicide and Self-directed Violence. 2017 , 115-123		2
37	Clinical pathways for suicidality in emergency settings: a public health priority. <i>Australian Health Review</i> , 2017 , 41, 182-184	1.8	2
36	Involving people with lived experience in research on suicide prevention. <i>Cmaj</i> , 2018 , 190, S13-S14	3.5	7
35	Risk profile of young people admitted to hospital for suicidal behaviour in Melbourne, Australia. <i>Journal of Paediatrics and Child Health</i> , 2018 , 54, 1213-1220	1.3	5
34	Self-Harm among Young People Detained in the Youth Justice System in Sri Lanka. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	1
33	Dual-harm, complex needs, and the challenges of multisectoral service coordination. <i>Lancet Public Health</i> , 2019 , 4, e210-e211	22.4	1
32	Prevalence of non-suicidal self-harm and service contact in England, 2000-14: repeated cross-sectional surveys of the general population. <i>Lancet Psychiatry</i> , 2019 , 6, 573-581	23.3	144
31	Responding to the rising prevalence of self-harm. <i>Lancet Psychiatry</i> , 2019 , 6, 548-549	23.3	5
30	Prognoses after self-harm in youth: exploring the gender factor. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 437-444	4.5	5
29	Psychotropic medication use before and after suicidal presentations to the emergency department: A longitudinal analysis. <i>General Hospital Psychiatry</i> , 2020 , 63, 68-75	5.6	7
28	Recurrence and mortality 1 year after hospital admission for non-fatal self-harm: a nationwide population-based study. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e20	5.1	11
27	Development of a Clinical Pathway for the Assessment and Management of Suicidality on a Pediatric Psychiatric Inpatient Unit. <i>Adolescent Health, Medicine and Therapeutics</i> , 2020 , 11, 123-133	2.7	
26	Young Peoples' Perspectives on the Role of Harm Reduction Techniques in the Management of Their Self-Harm: A Qualitative Study. <i>Archives of Suicide Research</i> , 2020 , 1-15	2.3	5
25	The BEACON study: protocol for a cohort study as part of an evaluation of the effectiveness of smartphone-assisted problem-solving therapy in men who present with intentional self-harm to emergency departments in Ontario. <i>Trials</i> , 2020 , 21, 925	2.8	0

24	Should we increase the focus on diet when considering associations between lifestyle habits and deliberate self-harm?. <i>BMC Psychiatry</i> , 2020 , 20, 560	4.2	
23	Increased burden of cardiovascular risk among youth suicide attempters. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	0
22	Incidence and general hospital costs of self-harm across England: estimates based on the multicentre study of self-harm. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e108	5.1	10
21	The cost-effectiveness of banning highly hazardous pesticides to prevent suicides due to pesticide self-ingestion across 14 countries: an economic modelling study. <i>The Lancet Global Health</i> , 2021 , 9, e291-e300	13.6	9
20	DSM-V and the future of suicidology. <i>Crisis</i> , 2011 , 32, 233-9	2.8	40
19	Suicide after nonfatal self-harm. <i>Crisis</i> , 2015 , 36, 65-70	2.8	8
18	High prevalence of health and social risk behaviours among men experiencing suicidal thoughts and behaviour: The imperative to undertake holistic assessments. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 797-807	2.6	2
17	Self-relevant disgust and self-harm urges in patients with borderline personality disorder and depression: a pilot study with a newly designed psychological challenge. <i>PLoS ONE</i> , 2014 , 9, e99696	3.7	11
16	[Self-harm - what approach should we take?]. <i>Tidsskrift for Den Norske Laegeforening</i> , 2009 , 129, 759-62	3.5	4
15	Objectively Assessed Sleep Variability as an Acute Warning Sign of Suicidal Ideation in a Longitudinal Evaluation of Young Adults at High Suicide Risk. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e678-e687	4.6	63
14	Bibliographie. 2010 , 307-344		
13	The Disease Burden of Suicide: Conceptual Challenges and Measurement Standards. 2010 , 1569-1590		
12	Einflussfaktoren für Suizid und Suizidalität im Alter. 2014 , 35-45		2
11	OBSOLETE: Suicide and Self-Directed Violence. 2017 ,		
10	Five-year mortality after hospitalisation for suicide attempt with a violent method. <i>Journal of Psychosomatic Research</i> , 2022 , 110949	4.1	
9	Associating factors of suicide and repetition following self-harm: A systematic review and meta-analysis of longitudinal studies. <i>EclinicalMedicine</i> , 2022 , 49, 101461	11.3	1
8	Excess mortality by suicide in high-risk subgroups of suicide attempters: a prospective study of standardised mortality rates in suicide attempters examined at a medical emergency inpatient unit. <i>BMJ Open</i> , 2022 , 12, e054898	3	0
7	Understanding self-harm urges and behavior amongst non-binary young adults: A grounded theory study. <i>Journal of Gay and Lesbian Mental Health</i> , 1-31	2.1	0

6	Utilization and Acceptability of Formal and Informal Support for Adolescents Following Self-Harm Before and During the First COVID-19 Lockdown: Results From a Large-Scale English Schools Survey. <i>Frontiers in Psychiatry</i> , 13,	5	2
5	The Association of Physical and Mental Illness and Self-Harm Resulting in Hospitalization: A Population-Based Study of Older Adults in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8303	4.6	0
4	Adversity, social support and risk of self-harm during the COVID-19 pandemic. <i>BJPsych Open</i> , 2022, 8,	5	
3	Suicide stigma measures: A scoping review. 2023, 321, 114-125		1
2	Management of Incisional Self-Harm of the Upper Limb: A Systematic Review. 2023,		0
1	The riddle of deliberate self-harm: Physiological and subjective effects of self-cutting cues in patients with borderline personality disorder and healthy controls.		0