

Therapeutic Drug Monitoring of Mycophenolate Mofetil

Therapeutic Drug Monitoring

28, 145-154

DOI: [10.1097/01.ftd.0000199358.80013.bd](https://doi.org/10.1097/01.ftd.0000199358.80013.bd)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A comparison of measured trough levels and abbreviated AUC estimation by limited sampling strategies for monitoring mycophenolic acid exposure in stable heart transplant patients receiving cyclosporin Aâ€”Containing and cyclosporin Aâ€”Free immunosuppressive regimens. <i>Clinical Therapeutics</i> , 2006, 28, 893-905.	1.1	18
2	The Role of Therapeutic Drug Monitoring in Individualizing Immunosuppressive Drug Therapy: Recent Developments. <i>Therapeutic Drug Monitoring</i> , 2006, 28, 719-725.	1.0	64
4	CEDIA® Mycophenolic Acid Assay Compared With HPLC-UV in Specimens From Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2006, 28, 632-636.	1.0	25
5	Rifampin induces alterations in mycophenolic acid glucuronidation and elimination: Implications for drug exposure in renal allograft recipients. <i>Clinical Pharmacology and Therapeutics</i> , 2006, 80, 509-521.	2.3	73
6	Total and free mycophenolic acid and its 7-O-glucuronide metabolite in Chinese adult renal transplant patients: pharmacokinetics and application of limited sampling strategies. <i>European Journal of Clinical Pharmacology</i> , 2006, 63, 27-37.	0.8	35
7	Pharmacokinetics of Mycophenolic Acid and Its Glucuronidated Metabolites in Stable Lung Transplant Recipients. <i>Annals of Pharmacotherapy</i> , 2006, 40, 1509-1516.	0.9	21
8	Hearing the Voices of Adolescent Boys in Choral Music: A Self-Story. <i>Research Studies in Music Education</i> , 2006, 27, 69-81.	0.8	22
9	Mycophenolic acid trough level monitoring in solid organ transplant recipients treated with mycophenolate mofetil: association with clinical outcome. <i>Current Medical Research and Opinion</i> , 2006, 22, 2355-2364.	0.9	39
10	Mycophenolate mofetil: long-term outcomes in solid organ transplantation. <i>Expert Review of Clinical Immunology</i> , 2006, 2, 495-518.	1.3	5
11	Therapeutic Drug Monitoring of Mycophenolic Acid. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 1062-1072.	2.2	74
12	C-440T/T-331C polymorphisms in the UGT1A9 gene affect the pharmacokinetics of mycophenolic acid in kidney transplantation. <i>Pharmacogenomics</i> , 2007, 8, 1127-1141.	0.6	86
13	Therapeutic Monitoring of Mycophenolate Mofetil. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 184-191.	2.2	99
14	Therapeutic drug monitoring of mycophenolic acid: does it improve patient outcome?. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2007, 3, 251-261.	1.5	32
15	Effects of a Mycophenolate Mofetil-Based Immunosuppressive Regimen in Chagasâ€² Heart Transplant Recipients. <i>Transplantation</i> , 2007, 84, 441-442.	0.5	33
16	The Magnitude and Time Course of Changes in Mycophenolic Acid 12-Hour Predose Levels During Antibiotic Therapy in Mycophenolate Mofetil-Based Renal Transplantation. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 122-126.	1.0	41
17	Monitoring of Inosine Monophosphate Dehydrogenase Activity as a Biomarker for Mycophenolic Acid Effect: Potential Clinical Implications. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 141-149.	1.0	39
18	Enteric-Coated Mycophenolate Sodium Provides Higher Mycophenolic Acid Predose Levels Compared With Mycophenolate Mofetil: Implications for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 381-384.	1.0	34
19	Evaluation of the Practicability of Limited Sampling Strategies for the Estimation of Mycophenolic Acid Exposure in Chinese Adult Renal Recipients. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 600-606.	1.0	9

#	ARTICLE	IF	CITATIONS
20	Concentrations of Mycophenolic Acid and Glucuronide Metabolites Under Concomitant Therapy With Cyclosporine or Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 87-95.	1.0	20
21	The Impact of Renal Allograft Function on Exposure and Elimination of Mycophenolic Acid (MPA) and Its Metabolite MPA 7-O-glucuronide. <i>Transplantation</i> , 2007, 84, 362-373.	0.5	52
22	Mycophenolate Mofetil Levels in Stable Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2007, 39, 2182-2184.	0.3	4
23	Variability of Mycophenolate Mofetil Trough Levels in Stable Kidney Transplant Patients. <i>Transplantation Proceedings</i> , 2007, 39, 2185-2186.	0.3	7
24	Elective Conversion from CellCept to Myfortic Under Control of Mycophenolic Acid Concentration in Stable Heart Transplant Recipients. <i>Journal of Heart and Lung Transplantation</i> , 2007, 26, 303-304.	0.3	2
25	Safety considerations with mycophenolate sodium. <i>Expert Opinion on Drug Safety</i> , 2007, 6, 445-449.	1.0	19
26	Pharmacokinetics of Mycophenolic Acid and Estimation of Exposure Using Multiple Linear Regression Equations in Chinese Renal Allograft Recipients. <i>Clinical Pharmacokinetics</i> , 2007, 46, 389-401.	1.6	22
27	Development of a CE method for the determination of mycophenolic acid in human plasma: A comparison with HPLC. <i>Electrophoresis</i> , 2007, 28, 3908-3914.	1.3	8
28	Validation of limited sampling strategy for the estimation of mycophenolic acid exposure in Chinese adult liver transplant recipients. <i>Liver Transplantation</i> , 2007, 13, 1684-1693.	1.3	18
29	Therapeutic drug measurement of mycophenolic acid derivatives in transplant patients. <i>Clinical Biochemistry</i> , 2007, 40, 752-764.	0.8	35
30	Liquid chromatographic determination of mycophenolic acid and its metabolites in human kidney transplant plasma: Pharmacokinetic application. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 859, 276-281.	1.2	27
31	Pharmacokinetics of enteric-coated mycophenolate sodium in stable liver transplant recipients. <i>Clinical Transplantation</i> , 2007, 21, 413-416.	0.8	10
32	Effects of gastric emptying on oral mycophenolic acid pharmacokinetics in stable renal allograft recipients. <i>British Journal of Clinical Pharmacology</i> , 2007, 63, 541-547.	1.1	22
33	Time-dependent clearance of mycophenolic acid in renal transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2007, 63, 741-752.	1.1	63
34	Pharmacokinetics, safety, and efficacy of mycophenolate mofetil in combination with sirolimus or ciclosporin in renal transplant patients. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 070621084156014-???.	1.1	20
35	Lack of an Effect of Oral Iron Administration on Mycophenolic Acid Pharmacokinetics in Stable Renal Transplant Recipients. <i>Pharmacotherapy</i> , 2007, 27, 1272-1278.	1.2	9
36	Pharmacokinetic and Pharmacodynamic Comparison of Enteric-Coated Mycophenolate Sodium and Mycophenolate Mofetil in Maintenance Renal Transplant Patients. <i>American Journal of Transplantation</i> , 2007, 7, 888-898.	2.6	103
37	One-Year Results with Extended-Release Tacrolimus/MMF, Tacrolimus/MMF and Cyclosporine/MMF in De Novo Kidney Transplant Recipients. <i>American Journal of Transplantation</i> , 2007, 7, 595-608.	2.6	170

#	ARTICLE	IF	CITATIONS
38	Plasma Concentrations of Mycophenolic Acid Acyl Glucuronide Are Not Associated with Diarrhea in Renal Transplant Recipients. <i>American Journal of Transplantation</i> , 2007, 7, 1822-1831.	2.6	65
39	Therapeutic Monitoring of Mycophenolic Acid: Is There Clinical Utility?. <i>American Journal of Transplantation</i> , 2007, 7, 2441-2442.	2.6	14
40	Individualized Mycophenolate Mofetil Dosing Based on Drug Exposure Significantly Improves Patient Outcomes After Renal Transplantation. <i>American Journal of Transplantation</i> , 2007, 7, 2496-2503.	2.6	368
41	Pharmacogenetic effect of the UGT polymorphisms on mycophenolate is modified by calcineurin inhibitors. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 1047-1056.	0.8	43
42	Comparison of high-performance liquid chromatography and enzyme-multiplied immunoassay technique to monitor mycophenolic acid in paediatric renal recipients. <i>Pediatric Nephrology</i> , 2008, 23, 1859-1865.	0.9	23
43	Comparison of a new enzymatic assay with a high-performance liquid chromatography/ ultraviolet detection method for therapeutic drug monitoring of mycophenolic acid in adult liver transplant recipients. <i>Liver Transplantation</i> , 2008, 14, 1745-1751.	1.3	17
44	Simultaneous determination of mycophenolic acid and its glucuronides in human plasma using isocratic ion pair high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 46, 603-608.	1.4	34
46	Targeting mycophenolate mofetil for graft-versus-host disease prophylaxis after allogeneic blood stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2008, 42, 113-120.	1.3	32
47	Calcineurin-inhibitor avoidance in elderly renal allograft recipients using ATG and basiliximab combined with mycophenolate mofetil. <i>Transplant International</i> , 2008, 21, 637-645.	0.8	18
48	Population pharmacokinetic modelling for enterohepatic circulation of mycophenolic acid in healthy Chinese and the influence of polymorphisms in UGT1A9. <i>British Journal of Clinical Pharmacology</i> , 2008, 65, 893-907.	1.1	59
49	A Review of Albumin Binding in CKD. <i>American Journal of Kidney Diseases</i> , 2008, 51, 839-850.	2.1	99
50	Pharmacokinetic Study of Mycophenolate Mofetil in Patients with Systemic Lupus Erythematosus and Design of Bayesian Estimator Using Limited Sampling Strategies. <i>Clinical Pharmacokinetics</i> , 2008, 47, 277-284.	1.6	48
51	Population Pharmacokinetics of Mycophenolic Acid. <i>Clinical Pharmacokinetics</i> , 2008, 47, 827-838.	1.6	79
52	Handbook of Drug Monitoring Methods. , 2008, , .		13
53	Performance of Limited Sampling Strategies for Predicting Mycophenolic Acid Area Under the Curve in Thoracic Transplant Recipients. <i>Journal of Heart and Lung Transplantation</i> , 2008, 27, 325-328.	0.3	11
54	Stability of mycophenolic acid and glucuronide metabolites in human plasma and the impact of deproteinization methodology. <i>Clinica Chimica Acta</i> , 2008, 389, 87-92.	0.5	32
55	Current target ranges of mycophenolic acid exposure and drug-related adverse events: A 5-year, open-label, prospective, clinical follow-up study in renal allograft recipients. <i>Clinical Therapeutics</i> , 2008, 30, 673-683.	1.1	100
56	Models for the prediction of mycophenolic acid area under the curve using a limited-sampling strategy and an enzyme multiplied immunoassay technique in chinese patients undergoing liver transplantation. <i>Clinical Therapeutics</i> , 2008, 30, 2387-2401.	1.1	15

#	ARTICLE	IF	CITATIONS
57	Higher Mycophenolate Dose Requirements in Children Undergoing Hematopoietic Cell Transplant (HCT). <i>Journal of Clinical Pharmacology</i> , 2008, 48, 485-494.	1.0	19
59	Association between mycophenolic acid 12-h trough levels and clinical endpoints in patients with autoimmune disease on mycophenolate mofetil. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3514-3520.	0.4	77
60	Therapeutic drug monitoring for mycophenolic acid in patients with autoimmune diseases. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3386-3388.	0.4	18
62	Preliminary Experience With Renal Transplantation in HIV+ Recipients: Low Acute Rejection and Infection Rates. <i>Transplantation</i> , 2008, 86, 269-274.	0.5	56
63	Pharmacodynamics of Mycophenolic Acid in CD4+ Cells: A Single-Dose Study of IMPDH and Purine Nucleotide Responses in Healthy Individuals. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 647-655.	1.0	19
64	First Clinical Experience With the New Once-Daily Formulation of Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 159-166.	1.0	53
65	Impact of Changing From Cyclosporine to Tacrolimus on Pharmacokinetics of Mycophenolic acid in Renal Transplant Recipients With Diabetes. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 591-596.	1.0	13
66	Long-Term Pharmacokinetics of Mycophenolic Acid in Pediatric Renal Transplant Recipients Over 3 Years Posttransplant. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 570-575.	1.0	33
67	Individualization of immunosuppression: concepts and rationale. <i>Current Opinion in Organ Transplantation</i> , 2008, 13, 604-608.	0.8	36
68	Comparing Mycophenolate Mofetil Regimens for de Novo Renal Transplant Recipients: The Fixed-Dose Concentration-Controlled Trial. <i>Transplantation</i> , 2008, 86, 1043-1051.	0.5	238
69	Immunosuppression in Pediatric Kidney Transplantation. , 2008, , 905-929.		5
70	Defining Algorithms for Efficient Therapeutic Drug Monitoring of Mycophenolate Mofetil in Heart Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 419-427.	1.0	26
71	Mycophenolate mofetil: safety and efficacy in the prophylaxis of acute kidney transplantation rejection. <i>Therapeutics and Clinical Risk Management</i> , 2009, 5, 139.	0.9	17
72	Clinical utility of therapeutic drug monitoring of mycophenolic acid in transplantation medicine: Where are we? / Der klinische Nutzen des Therapeutischen Drug Monitoring von MycophenolsÄure in der Transplantationsmedizin: Wo stehen wir?. <i>Laboratoriums Medizin</i> , 2009, 33, 88-98.	0.1	1
73	Mycophenolate mofetil in patients with systemic lupus erythematosus: a prospective pharmacokinetic study. <i>Lupus</i> , 2009, 18, 441-447.	0.8	36
74	Fixed- or Controlled-Dose Mycophenolate Mofetil with Standard- or Reduced-Dose Calcineurin Inhibitors: The Opticcept Trial. <i>American Journal of Transplantation</i> , 2009, 9, 1607-1619.	2.6	160
75	Proton Pump Inhibitors Reduce Mycophenolate Exposure in Heart Transplant Recipients-A Prospective Case-Controlled Study. <i>American Journal of Transplantation</i> , 2009, 9, 1650-1656.	2.6	49
77	Enhanced detection in capillary electrophoresis: Example determination of serum mycophenolic acid. <i>Electrophoresis</i> , 2009, 30, 1516-1521.	1.3	10

#	ARTICLE	IF	CITATIONS
78	Comparison of pharmacokinetics of mycophenolic acid and its metabolites between living donor liver transplant recipients and deceased donor liver transplant recipients. <i>Liver Transplantation</i> , 2009, 15, 1473-1480.	1.3	6
79	Pharmacokinetic role of protein binding of mycophenolic acid and its glucuronide metabolite in renal transplant recipients. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 2009, 36, 541-564.	0.8	73
80	Two sampling time profiles for the abbreviated estimation of mycophenolic acid area under the curve in adult renal transplant recipients treated with mycophenolate mofetil and concomitant tacrolimus. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2009, 34, 531-537.	0.7	2
81	Increased Mycophenolic Acid Exposure in Stable Kidney Transplant Recipients on Tacrolimus as Compared With Those on Sirolimus: Implications for Pharmacokinetics. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 86, 411-415.	2.3	20
82	Population Pharmacokinetics and Pharmacogenetics of Tacrolimus in De Novo Pediatric Kidney Transplant Recipients. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 86, 609-618.	2.3	142
83	UGT Genotype May Contribute to Adverse Events Following Medication With Mycophenolate Mofetil in Pediatric Kidney Transplant Recipients. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 85, 495-500.	2.3	38
84	Combination of CsA, MTX and low-dose, short-course mycophenolate mofetil for GVHD prophylaxis. <i>Bone Marrow Transplantation</i> , 2009, 43, 61-67.	1.3	19
85	Comparison of two mycophenolate mofetil dosing regimens after hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2009, 44, 113-120.	1.3	26
86	Analysis of mycophenolic acid in dried blood spots using reversed phase high performance liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 3916-3919.	1.2	30
87	Pharmacokinetics of Mycophenolic Acid Administered 3 Times Daily after Hematopoietic Stem Cell Transplantation with Reduced-Intensity Regimen. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 1134-1139.	2.0	15
88	Graft Outcome and Mycophenolic Acid Trough Level Monitoring in Kidney Transplantation. <i>Transplantation Proceedings</i> , 2009, 41, 2102-2103.	0.3	4
89	The Prevalence of Uridine Diphosphate-Glucuronosyltransferase 1A9 (UGT1A9) Gene Promoter Region Single-Nucleotide Polymorphisms T-275A and C-2152T and Its Influence on Mycophenolic Acid Pharmacokinetics in Stable Renal Transplant Patients. <i>Transplantation Proceedings</i> , 2009, 41, 2313-2316.	0.3	38
90	Mycophenolate Mofetil Absorption Quotient: Interest to Clinical Practice. <i>Transplantation Proceedings</i> , 2009, 41, 2317-2319.	0.3	2
91	Validation of Limited Sampling Strategy for Estimation of Mycophenolic Acid Exposure During the First Year After Heart Transplantation. <i>Transplantation Proceedings</i> , 2009, 41, 4277-4284.	0.3	11
92	Proton Pump Inhibitor Co-medication Reduces Mycophenolate Acid Drug Exposure in Heart Transplant Recipients. <i>Journal of Heart and Lung Transplantation</i> , 2009, 28, 605-611.	0.3	52
93	Mycophenolic Acid Exposure after Administration of Mycophenolate Mofetil in the Presence and Absence of Ciclosporin in Renal Transplant Recipients. <i>Clinical Pharmacokinetics</i> , 2009, 48, 329-341.	1.6	40
94	Pharmacokinetic Modelling and Development of Bayesian Estimators for Therapeutic Drug Monitoring of Mycophenolate Mofetil in Reduced-Intensity Haematopoietic Stem Cell Transplantation. <i>Clinical Pharmacokinetics</i> , 2009, 48, 667-675.	1.6	30
95	Pharmacokinetic Optimization of Immunosuppressive Therapy in Thoracic Transplantation: Part I. <i>Clinical Pharmacokinetics</i> , 2009, 48, 419-462.	1.6	55

#	ARTICLE	IF	CITATIONS
96	Pharmacokinetic Optimization of Immunosuppressive Therapy in Thoracic Transplantation: Part II. <i>Clinical Pharmacokinetics</i> , 2009, 48, 489-516.	1.6	38
97	Treatment Strategies to Minimize or Prevent Chronic Allograft Dysfunction in Pediatric Renal Transplant Recipients. <i>Paediatric Drugs</i> , 2009, 11, 381-396.	1.3	31
98	A Fast Ultra-Performance Liquid Chromatography Method for Simultaneous Quantification of Mycophenolic Acid and Its Phenol- and Acyl-Glucuronides in Human Plasma. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 110-115.	1.0	24
99	Differential Proteomic Analysis of Lymphocytes Treated With Mycophenolic Acid Reveals Caspase 3-Induced Cleavage of Rho GDP Dissociation Inhibitor 2. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 211-217.	1.0	12
100	Clinical Utility of a New Enzymatic Assay for Determination of Mycophenolic Acid in Comparison With an Optimized LC-MS/MS Method. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 218-223.	1.0	19
101	Comparison of 3 Estimation Methods of Mycophenolic Acid AUC based on a Limited Sampling Strategy in Renal Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 224-232.	1.0	11
102	The Challenge of Achieving Target Drug Concentrations in Clinical Trials: Experience From the Symphony Study. <i>Transplantation</i> , 2009, 87, 1360-1366.	0.5	55
103	Pharmacokinetics of Mycophenolic Acid and Its Glucuronide Metabolites in Stable Adult Liver Transplant Recipients With Renal Dysfunction on a Low-Dose Calcineurin Inhibitor Regimen and Mycophenolate Mofetil. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 205-210.	1.0	13
104	Limited Sampling Strategies for Therapeutic Drug Monitoring of Mycophenolate Mofetil Therapy in Patients With Autoimmune Disease. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 382-390.	1.0	31
105	New Insights Into the Pharmacokinetics and Pharmacodynamics of the Calcineurin Inhibitors and Mycophenolic Acid: Possible Consequences for Therapeutic Drug Monitoring in Solid Organ Transplantation. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 416-435.	1.0	146
106	Mycophenolic Acid 12-Hour Area Under the Curve in De Novo Liver Transplant Patients Given Mycophenolate Mofetil at Fixed Versus Concentration-Controlled Doses. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 451-456.	1.0	7
107	Performance of the New Mycophenolate Assay Based on IMPDH Enzymatic Activity for Pharmacokinetic Investigations and Setup of Bayesian Estimators in Different Populations of Allograft Recipients. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 443-450.	1.0	11
108	Therapeutic Monitoring of Mycophenolate in Transplantation: Is It Justified?. <i>Current Drug Metabolism</i> , 2009, 10, 179-187.	0.7	32
109	Limited Sampling Strategies Drawn Within 3 Hours Postdose Poorly Predict Mycophenolic Acid Area-Under-the-Curve After Enteric-Coated Mycophenolate Sodium. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 585-591.	1.0	27
110	Investigation of the Crossreactivity of Mycophenolic Acid Glucuronide Metabolites and of Mycophenolate Mofetil in the Cedia MPA Assay. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 79-85.	1.0	27
111	Evaluation of the Mycophenolic Acid Exposure Estimation Methods Used in the APOMYGERE, FDCC, and Opticet Trials. <i>Transplantation</i> , 2010, 90, 44-51.	0.5	21
112	Biomarkers as a Tool for Management of Immunosuppression in Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 560-572.	1.0	54
113	Target Enzyme Activity as a Biomarker for Immunosuppression. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 257-260.	1.0	6

#	ARTICLE	IF	CITATIONS
114	Evaluation of Limited Sampling Strategies for Mycophenolic Acid After Mycophenolate Mofetil Intake in Adult Kidney Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 723-733.	1.0	26
115	Cost-Effectiveness Analysis of Individualized Mycophenolate Mofetil Dosing in Kidney Transplant Patients in the APOMYGRE Trial. <i>Transplantation</i> , 2010, 89, 1255-1262.	0.5	15
116	Renal Transplant Patients at High Risk of Acute Rejection Benefit From Adequate Exposure to Mycophenolic Acid. <i>Transplantation</i> , 2010, 89, 595-599.	0.5	48
117	A Reliable Limited Sampling Strategy for the Estimation of Mycophenolic Acid Area Under the Concentration Time Curve in Adult Renal Transplant Patients in the Stable Posttransplant Period. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 136-140.	1.0	19
118	Use of two validated in vitro tests to assess the embryotoxic potential of mycophenolic acid. <i>Archives of Toxicology</i> , 2010, 84, 37-43.	1.9	23
119	Pharmacogenetic Impact of UDP-Glucuronosyltransferase Metabolic Pathway and Multidrug Resistance-Associated Protein 2 Transport Pathway on Mycophenolic Acid in Thoracic Transplant Recipients: An Exploratory Study. <i>Pharmacotherapy</i> , 2010, 30, 1097-1108.	1.2	21
120	Mycophenolic acid area under the curve correlates with disease activity in lupus patients treated with mycophenolate mofetil. <i>Arthritis and Rheumatism</i> , 2010, 62, 2047-2054.	6.7	85
121	A therapeutic exploratory study to determine the efficacy and safety of calcineurin-inhibitor-free de-novo immunosuppression after liver transplantation: CILT. <i>BMC Surgery</i> , 2010, 10, 15.	0.6	11
122	Correlation of <i>IMPDH1</i> Gene Polymorphisms with Subclinical Acute Rejection and Mycophenolic Acid Exposure Parameters on Day 28 after Renal Transplantation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2010, 107, 631-636.	1.2	34
123	Inosine monophosphate dehydrogenase variability in renal transplant patients on long-term mycophenolate mofetil therapy. <i>British Journal of Clinical Pharmacology</i> , 2010, 69, 38-50.	1.1	39
124	Pharmacokinetic and pharmacodynamic analysis of enteric-coated mycophenolate sodium: limited sampling strategies and clinical outcome in renal transplant patients. <i>British Journal of Clinical Pharmacology</i> , 2010, 69, 346-357.	1.1	57
125	Population pharmacokinetics and Bayesian estimator of mycophenolic acid in children with idiopathic nephrotic syndrome. <i>British Journal of Clinical Pharmacology</i> , 2010, 69, 358-366.	1.1	34
126	Population pharmacokinetics of mycophenolic acid in children and young people undergoing blood or marrow and solid organ transplantation. <i>British Journal of Clinical Pharmacology</i> , 2010, 70, 567-579.	1.1	25
127	Randomized crossover study to assess the inter- and intrasubject variability of morning mycophenolic acid concentrations from enteric-coated mycophenolate sodium and mycophenolate mofetil in stable renal transplant recipients. <i>Clinical Transplantation</i> , 2010, 24, E116-23.	0.8	11
128	Consensus Report on Therapeutic Drug Monitoring of Mycophenolic Acid in Solid Organ Transplantation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 341-358.	2.2	276
129	Immunsuppressiva-Medikamentenspiegelmessung â€“ reine Routine? / Immunosuppressant drug monitoring: a routine undertaking?. <i>Laboratoriums Medizin</i> , 2010, 34, 117-128.	0.1	1
130	Immunosuppressant drug monitoring â€“ a routine undertaking? 1. <i>Laboratoriums Medizin</i> , 2010, 34, -.	0.1	0
131	State of the art in therapeutic drug monitoring. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 437-446.	1.4	16

#	ARTICLE	IF	CITATIONS
132	Population Pharmacokinetics and Pharmacogenetics of Mycophenolic Acid Following Administration of Mycophenolate Mofetil in De Novo Pediatric Renal Transplant Patients. <i>Journal of Clinical Pharmacology</i> , 2010, 50, 1280-1291.	1.0	61
133	<i>SLCO1B1</i> genetic polymorphism influences mycophenolic acid tolerance in renal transplant recipients. <i>Pharmacogenomics</i> , 2010, 11, 1703-1713.	0.6	48
134	Pharmacokinetics and Pharmacodynamics of Intensified versus Standard Dosing of Mycophenolate Sodium in Renal Transplant Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 503-511.	2.2	40
135	Pharmacogenetic influences on mycophenolate therapy. <i>Pharmacogenomics</i> , 2010, 11, 369-390.	0.6	47
136	Can mycophenolic acid dose requirement during the first transplant help predict dosing for the second transplant?. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3449-3452.	0.4	2
137	Toxicity and Monitoring of Immunosuppressive Therapy Used in Systemic Autoimmune Diseases. <i>Clinics in Chest Medicine</i> , 2010, 31, 565-588.	0.8	31
138	Feasibility of, and critical paths for mycophenolate mofetil Bayesian dose adjustment: Pharmacological re-appraisal of a concentration-controlled versus fixed-dose trial in renal transplant recipients. <i>Pharmacological Research</i> , 2010, 61, 167-174.	3.1	13
139	Mycophenolate Pharmacokinetics and Association with Response to Acute Graft-versus-Host Disease Treatment from the Blood and Marrow Transplant Clinical Trials Network. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 421-429.	2.0	32
140	LC-MS/MS for immunosuppressant therapeutic drug monitoring. <i>Bioanalysis</i> , 2010, 2, 1141-1153.	0.6	21
141	Development of a Bayesian estimator for the therapeutic drug monitoring of mycophenolate mofetil in children with idiopathic nephrotic syndrome. <i>Pharmacological Research</i> , 2011, 63, 423-431.	3.1	44
142	The Evolution of Population Pharmacokinetic Models to Describe the Enterohepatic Recycling of Mycophenolic Acid in Solid Organ Transplantation and Autoimmune Disease. <i>Clinical Pharmacokinetics</i> , 2011, 50, 1-24.	1.6	50
143	UPLC MS/MS method for quantification of mycophenolic acid and metabolites in human plasma: Application to pharmacokinetic study. <i>Clinica Chimica Acta</i> , 2011, 412, 59-65.	0.5	34
145	Clinical Pharmacokinetics of Triple Immunosuppression Scheme in Kidney Transplant (Tacrolimus, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50		
146	Safety and Efficacy of Intensified Versus Standard Dosing Regimens of Enteric-Coated Mycophenolate Sodium in De Novo Renal Transplant Patients. <i>Transplantation</i> , 2011, 91, 779-785.	0.5	26
147	Therapeutic Drug Monitoring of Mycophenolic Acid After Lung Transplantation—Is It Clinically Relevant?. <i>Transplantation</i> , 2011, 91, e33-e34.	0.5	2
148	Large Scale Analysis of Routine Dose Adjustments of Mycophenolate Mofetil Based on Global Exposure in Renal Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2011, 33, 285-294.	1.0	44
149	Early Steroid Withdrawal and Optimization of Mycophenolic Acid Exposure in Kidney Transplant Recipients Receiving Mycophenolate Mofetil. <i>Transplantation</i> , 2011, 92, 1244-1251.	0.5	24
150	Monitoring of Mycophenolic Acid Predose Concentrations in the Maintenance Phase More Than One Year After Renal Transplantation. <i>Therapeutic Drug Monitoring</i> , 2011, 33, 295-302.	1.0	15

#	ARTICLE	IF	CITATIONS
151	Mycophenolate, clinical pharmacokinetics, formulations, and methods for assessing drug exposure. <i>Transplantation Reviews</i> , 2011, 25, 47-57.	1.2	116
152	Pediatric aspects of therapeutic drug monitoring of mycophenolic acid in renal transplantation. <i>Transplantation Reviews</i> , 2011, 25, 78-89.	1.2	66
153	Therapeutic drug monitoring of mycophenolates in kidney transplantation: report of The Transplantation Society consensus meeting. <i>Transplantation Reviews</i> , 2011, 25, 58-64.	1.2	65
154	Pharmacokinetics-based optimal dose prediction of donor source-dependent response to mycophenolate mofetil in unrelated hematopoietic cell transplantation. <i>International Journal of Hematology</i> , 2011, 94, 193-202.	0.7	22
155	A limited sampling strategy for estimation of the area under the curve (0 to 8 hours) of mycophenolic acid administered three times daily to liver transplant recipients. <i>Upsala Journal of Medical Sciences</i> , 2011, 116, 47-51.	0.4	2
156	Immunosuppressive and Cytotoxic Therapy: Pharmacology, Toxicities, and Monitoring. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2011, 32, 346-370.	0.8	11
157	Limited Sampling Strategy for Estimating Individual Exposure of Tacrolimus in Pediatric Kidney Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2011, 33, 681-687.	1.0	23
158	Performance of the Roche Total Mycophenolic Acid [®] assay on the Cobas Integra 400 [®] , Cobas 6000 [®] and comparison to LC-MS/MS in liver transplant patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1159-65.	1.4	15
159	UGT1A9, UGT2B7, and MRP2 Genotypes Can Predict Mycophenolic Acid Pharmacokinetic Variability in Pediatric Kidney Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 671-679.	1.0	48
160	Immunosuppressive Drug Monitoring. , 2012, , 323-348.		2
161	Therapeutic Monitoring of Immunotherapies in Autoimmune Diseases. <i>Current Pharmaceutical Design</i> , 2012, 18, 4550-4555.	0.9	5
162	Randomized Trial Comparing Late Concentration-Controlled Calcineurin Inhibitor or Mycophenolate Mofetil Withdrawal. <i>Transplantation</i> , 2012, 93, 887-894.	0.5	32
163	Pharmacokinetics of free mycophenolic acid and limited sampling strategy for the estimation of area under the curve in liver transplant patients. <i>European Journal of Pharmaceutical Sciences</i> , 2012, 47, 636-641.	1.9	10
164	Current trends in immunosuppressive therapies for renal transplant recipients. <i>American Journal of Health-System Pharmacy</i> , 2012, 69, 1961-1975.	0.5	51
165	New-Onset Diabetes After Renal Transplantation. <i>Diabetes Care</i> , 2012, 35, 181-188.	4.3	105
166	Inosine 5 ^α -monophosphate dehydrogenase activity as a biomarker in the field of transplantation. <i>Clinica Chimica Acta</i> , 2012, 413, 1391-1397.	0.5	25
167	Monitoring of Nonsteroidal Immunosuppressive Drugs in Patients With Lung Disease and Lung Transplant Recipients. <i>Chest</i> , 2012, 142, e1S-e111S.	0.4	52
168	Significance of Mycophenolate Monitoring in Liver Transplant Recipients: Toward the Cut-off Level. <i>Transplantation Proceedings</i> , 2012, 44, 2157-2161.	0.3	6

#	ARTICLE	IF	CITATIONS
171	Immunosuppressive Therapy for Autoimmune Lung Diseases. <i>Immunology and Allergy Clinics of North America</i> , 2012, 32, 633-669.	0.7	12
172	Effective plasma concentrations of mycophenolic acid and its glucuronide in systemic lupus erythematosus patients in the remission-maintenance phase. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2012, 37, 217-220.	0.7	11
173	Pharmacokinetics and pharmacodynamics of mycophenolate sodium (ECâ€MPS) coâ€administered with cyclosporine in the earlyâ€phase postâ€kidney transplantation. <i>Clinical Transplantation</i> , 2012, 26, 57-66.	0.8	14
174	Polymorphisms of UGT1A9 and UGT2B7 influence the pharmacokinetics of mycophenolic acid after a single oral dose in healthy Chinese volunteers. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 843-849.	0.8	31
175	Clinical Pharmacokinetics and Pharmacodynamics of Mycophenolate in Patients with Autoimmune Disease. <i>Clinical Pharmacokinetics</i> , 2013, 52, 303-331.	1.6	65
176	Concentration-controlled treatment of lupus nephritis with mycophenolate mofetil. <i>Lupus</i> , 2013, 22, 171-179.	0.8	28
177	Clinical evaluation of a dried blood spot method for determination of mycophenolic acid in renal transplant patients. <i>Clinical Biochemistry</i> , 2013, 46, 1905-1908.	0.8	30
178	Genes and beans: pharmacogenomics of renal transplant. <i>Pharmacogenomics</i> , 2013, 14, 769-781.	0.6	15
179	Therapeutic dose monitoring of mycophenolate mofetil in dermatologic diseases. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, 36-40.	0.6	14
180	Controlled-Dose Versus Fixed-Dose Mycophenolate Mofetil for Kidney Transplant Recipients. <i>Transplantation</i> , 2013, 96, 361-367.	0.5	19
181	A Protocol for the Pharmacokinetics of Enteric Coated Mycophenolate Sodium in Lupus Nephritis (POEMSLUN): an open-label, randomised controlled trial. <i>BMJ Open</i> , 2013, 3, e003511.	0.8	2
182	Combined approach with therapeutic drug monitoring and pharmacogenomics in renal transplant recipients. <i>Indian Journal of Nephrology</i> , 2013, 23, 71.	0.2	2
183	Evaluation of Mycophenolic Acid Exposure Using a Limited Sampling Strategy in Renal Transplant Recipients. <i>American Journal of Nephrology</i> , 2013, 37, 534-540.	1.4	12
184	Longâ€term outcomes after cyclosporine or mycophenolate withdrawal in kidney transplantation â€ results from an aborted trial. <i>Clinical Transplantation</i> , 2013, 27, E151-6.	0.8	13
185	Limited Sampling Strategy for the Estimation of Mycophenolic Acid Area under the Concentrationâ€Time Curve Treated in Japanese Living-Related Renal Transplant Recipients with Concomitant Extended-Release Tacrolimus. <i>Biological and Pharmaceutical Bulletin</i> , 2013, 36, 1036-1039.	0.6	12
186	Monitoring of Inosine Monophosphate Dehydrogenase Activity and Expression during the Early Period of Mycophenolate Mofetil Therapy in De Novo Renal Transplant Patients. <i>Drug Metabolism and Pharmacokinetics</i> , 2013, 28, 109-117.	1.1	14
187	Contemporary management of pemphigus. <i>Expert Opinion on Orphan Drugs</i> , 2013, 1, 295-314.	0.5	6
188	Modulation of <i>Candida albicans</i> Virulence by Antirejection Immunosuppressant Drugs. <i>Transplantation</i> , 2013, 95, e16-e18.	0.5	0

#	ARTICLE	IF	CITATIONS
189	Dose-normalization for exposure to mycophenolic acid and the early clinical outcome in patients taking tacrolimus after heart transplantation. <i>Annals of Transplantation</i> , 2013, 18, 43-52.	0.5	7
190	Clinical Pharmacology and Therapeutic Drug Monitoring of Immunosuppressive Agents. , 2013, , .		1
191	Limited Sampling Model for Advanced Mycophenolic Acid Therapeutic Drug Monitoring After Liver Transplantation. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 141-147.	1.0	19
192	Similar MPA Exposure on Modified Release and Regular Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 353-357.	1.0	7
193	Unusually late-onset mycophenolate mofetil-related colitis. <i>American Journal of Health-System Pharmacy</i> , 2014, 71, 1858-1861.	0.5	10
194	Determination of mycophenolic acid in human plasma by ultra performance liquid chromatography tandem mass spectrometry. <i>Journal of Pharmaceutical Analysis</i> , 2014, 4, 205-216.	2.4	14
195	How Accurate and Precise Are Limited Sampling Strategies in Estimating Exposure to Mycophenolic Acid in People with Autoimmune Disease?. <i>Clinical Pharmacokinetics</i> , 2014, 53, 227-245.	1.6	14
196	Mycophenolate mofetil in patients with anti-neutrophil cytoplasmic antibody-associated vasculitis: a prospective pharmacokinetics and clinical study. <i>Clinical and Experimental Immunology</i> , 2014, 176, 172-179.	1.1	10
197	Successful treatment of BK virus nephropathy using therapeutic drug monitoring of mycophenolic acid. <i>Nephrology</i> , 2014, 19, 37-41.	0.7	4
198	Short-term therapeutic drug monitoring of mycophenolic acid reduces infection: a prospective, single-center cohort study in Chinese living-related kidney transplantation. <i>Transplant Infectious Disease</i> , 2014, 16, 760-766.	0.7	6
199	Acute mycophenolate overdose: case series and systematic literature analysis. <i>Expert Opinion on Drug Safety</i> , 2014, 13, 525-534.	1.0	10
200	Validation of an LC-MS/MS method for the quantification of mycophenolic acid in human kidney transplant biopsies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 945-946, 171-177.	1.2	18
201	The effect of MMF dose and trough levels on adverse effects in pediatric heart transplant recipients. <i>Pediatric Transplantation</i> , 2015, 19, 618-622.	0.5	8
202	What is the inpatient variability of mycophenolic acid trough levels?. <i>Pediatric Transplantation</i> , 2015, 19, 669-674.	0.5	19
203	A Comparison of the Immunochemical Methods, PETINIA and EMIT, With That of HPLC-UV for the Routine Monitoring of Mycophenolic Acid in Heart Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 311-318.	1.0	22
204	Clinically-relevant cyclosporin and rapamycin concentrations enhance regulatory T cell function to a similar extent but with different mechanisms: An in-vitro study in healthy humans. <i>International Immunopharmacology</i> , 2015, 24, 276-284.	1.7	15
205	Mycophenolic mofetil optimized pharmacokinetic modelling, and exposure-effect associations in adult heart transplant recipients. <i>Pharmacological Research</i> , 2015, 99, 308-315.	3.1	22
206	The evaluation of enteric-coated mycophenolate sodium in cardiac deceased donor liver transplant patients in China. <i>Immunopharmacology and Immunotoxicology</i> , 2015, 37, 508-512.	1.1	3

#	ARTICLE	IF	CITATIONS
207	Optimizing the dose of mycophenolate mofetil for the maintenance treatment of lupus nephritis by therapeutic drug monitoring. <i>Clinical Rheumatology</i> , 2015, 34, 171-174.	1.0	22
208	A comprehensive review of the published assays for the quantitation of the immunosuppressant drug mycophenolic acid and its glucuronidated metabolites in biological fluids. <i>Biomedical Chromatography</i> , 2016, 30, 721-748.	0.8	15
209	Pharmacokinetics and target attainment of mycophenolate in pediatric renal transplant patients. <i>Pediatric Transplantation</i> , 2016, 20, 492-499.	0.5	14
210	Therapeutic Drug Monitoring of Everolimus. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 143-169.	1.0	102
211	Therapeutic Drug Monitoring of Mycophenolic Acid. <i>Advances in Clinical Chemistry</i> , 2016, 76, 165-184.	1.8	21
212	Pharmacokinetics of mycophenolate sodium co-administered with tacrolimus in the first year after renal transplantation. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2016, 41, 331-338.	0.6	8
213	Application of liquid chromatography combined with mass spectrometry or tandem mass spectrometry for therapeutic drug monitoring of immunosuppressants. , 2016, , 57-81.		5
214	Graft-derived cell-free DNA as a marker of graft integrity after transplantation. , 2016, , 153-176.		2
215	Usefulness of mycophenolic acid monitoring with PETINIA for prediction of adverse events in kidney transplant recipients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 296-303.	0.6	7
216	Overview of the pharmacology and toxicology of immunosuppressant agents that require therapeutic drug monitoring. , 2016, , 1-27.		2
217	Metabolic syndrome and new onset diabetes after kidney transplantation. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017, 11, 211-214.	1.8	3
218	Immunology of Liver Transplantation. , 2017, , 333-353.		0
219	Renal Transplant Acute Rejection with Lower Mycophenolate Mofetil Dosing and Proton Pump Inhibitors or Histamine β 2 Receptor Antagonists. <i>Pharmacotherapy</i> , 2017, 37, 1507-1515.	1.2	7
220	Estimation of Mycophenolic Acid Area Under the Curve With Limited-Sampling Strategy in Chinese Renal Transplant Recipients Receiving Enteric-Coated Mycophenolate Sodium. <i>Therapeutic Drug Monitoring</i> , 2017, 39, 29-36.	1.0	16
221	Clinical Pharmacokinetics of Mycophenolic Acid in Hematopoietic Stem Cell Transplantation Recipients. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2017, 42, 183-189.	0.6	22
222	The pharmacokinetics and pharmacodynamics of mycophenolate mofetil in younger and elderly renal transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 812-822.	1.1	30
223	Evaluation of Mycophenolate Mofetil and Low-Dose Steroid Combined Therapy in Moderately Severe Henoch-Sch \ddot{u} lein Purpura Nephritis. <i>Medical Science Monitor</i> , 2017, 23, 2333-2339.	0.5	10
224	Determination of Mycophenolic Acid and Mycophenolic Acid Glucuronide Using Liquid Chromatography Tandem Mass Spectrometry (LC/MS/MS). <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al]</i> , 2018, 75, 18.21.1-18.21.8.	1.1	3

#	ARTICLE	IF	CITATIONS
225	Randomized open-label crossover assessment of Prograf vs Advagraf on immunosuppressant pharmacokinetics and pharmacodynamics in simultaneous pancreas-kidney patients. <i>Clinical Transplantation</i> , 2018, 32, e13180.	0.8	9
226	Monitoring of Mycophenolic Acid Trough Concentration in Kidney Transplant under Cyclosporine Is Beneficial in Reducing Acute Rejection within 1 Year. <i>The Journal of the Korean Society for Transplantation</i> , 2018, 32, 75.	0.2	0
227	Population Pharmacokinetics and Bayesian Estimation of Mycophenolic Acid Exposure in Chinese Renal Allograft Recipients After Administration of EC-MPS. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 578-589.	1.0	13
228	Review of approaches and examples for monitoring biotransformation in protein and peptide therapeutics by MS. <i>Bioanalysis</i> , 2018, 10, 1877-1890.	0.6	18
229	Replacement of mycophenolate mofetil with a JAK inhibitor, AS2553627, in combination with low-dose tacrolimus, for renal allograft rejection in non-human primates. <i>International Immunopharmacology</i> , 2018, 64, 201-207.	1.7	4
230	Pharmacokinetics Evaluation of Mycophenolic Acid and Its Glucuronide Metabolite in Chinese Renal Transplant Recipients Receiving Enteric-Coated Mycophenolate Sodium and Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2018, 40, 572-580.	1.0	4
231	Mycophenolic acid concentrations in peripheral blood mononuclear cells are associated with the incidence of rejection in renal transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2433-2442.	1.1	15
232	Efficacy, Tolerance, and Plasma Levels of Abiraterone and Its Main Metabolites in a Patient With Metastatic Castration-resistant Prostate Cancer With a Hepatic Transplant. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e893-e896.	0.9	0
233	The development of a population physiologically based pharmacokinetic model for mycophenolic mofetil and mycophenolic acid in humans using data from plasma, saliva, and kidney tissue. <i>Biopharmaceutics and Drug Disposition</i> , 2019, 40, 325-340.	1.1	13
234	Low incidence of acute rejection within 6 months of kidney transplantation in HIV-infected recipients treated with raltegravir: the Agence Nationale de Recherche sur le Sida et les Hépatites Virales (ANRS) 153 TREVE trial. <i>HIV Medicine</i> , 2019, 20, 202-213.	1.0	7
235	Macrophage lipid accumulation in the presence of immunosuppressive drugs mycophenolate mofetil and cyclosporin A. <i>Inflammation Research</i> , 2019, 68, 787-799.	1.6	9
236	Early pharmacokinetics of low dosage mycophenolate exposure in Thai kidney transplant recipients. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 1047-1055.	1.0	3
237	Influence of Calcineurin Inhibitor and Sex on Mycophenolic Acid Pharmacokinetics and Adverse Effects Post-Renal Transplant. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 1351-1365.	1.0	9
238	Therapeutic Drug Monitoring of Micophenolate Mofetil in Cardiac Transplant Patients by Limited Sampling Strategy: An Update. , 2019, , .		3
239	Immunosuppressants in Organ Transplantation. <i>Handbook of Experimental Pharmacology</i> , 2019, 261, 441-469.	0.9	31
240	Longitudinal Pharmacokinetics of Mycophenolic Acid in Elderly Renal Transplant Recipients Compared to a Younger Control Group: Data from the nEverOld Trial. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2019, 44, 189-199.	0.6	9
241	The utility of trough mycophenolic acid levels for the management of lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 83-89.	0.4	19
242	Mycophenolic Acid and Its Pharmacokinetic Drug-Drug Interactions in Humans: Review of the Evidence and Clinical Implications. <i>Journal of Clinical Pharmacology</i> , 2020, 60, 295-311.	1.0	19

#	ARTICLE	IF	CITATIONS
243	Mycophenolates: The latest modern and potent immunosuppressive drugs in adult kidney transplantation: What we should know about them?. <i>Artificial Organs</i> , 2020, 44, 561-576.	1.0	10
244	Mycophenolate mofetil for systemic sclerosis: drug exposure exhibits considerable inter-individual variation—a prospective, observational study. <i>Arthritis Research and Therapy</i> , 2020, 22, 230.	1.6	7
245	A new model to determine Optimal Exposure to Tacrolimus and Mycophenolate Mofetil after renal transplantation. <i>Clinical Transplantation</i> , 2020, 34, e13893.	0.8	4
247	A short overview on mycophenolic acid pharmacology and pharmacokinetics. <i>Clinical Transplantation</i> , 2020, 34, e13997.	0.8	25
248	Population pharmacokinetics of mycophenolic acid in Mexican patients with lupus nephritis. <i>Lupus</i> , 2020, 29, 1067-1077.	0.8	8
249	Effect of the proton-pump inhibitor pantoprazole on Mycophenolic Acid exposure in kidney and liver transplant recipients (IMPACT study): a randomized trial. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1060-1070.	0.4	8
250	Immunosuppressive therapy post-transplantation in children: what the clinician needs to know. <i>Expert Review of Clinical Immunology</i> , 2020, 16, 139-154.	1.3	12
251	Effect of Protein Binding on Exposure of Unbound and Total Mycophenolic Acid: A Population Pharmacokinetic Analysis in Chinese Adult Kidney Transplant Recipients. <i>Frontiers in Pharmacology</i> , 2020, 11, 340.	1.6	11
252	Mycophenolic acid drug monitoring in patients with systemic sclerosis associated with diffuse skin and/or pulmonary involvement: A monocentric and retrospective French study. <i>Journal of Scleroderma and Related Disorders</i> , 2021, 6, 87-95.	1.0	1
253	Pharmacokinetics of Enteric-Coated Mycophenolate Sodium Metabolites in Patients Over 60 Years Old Within the First Year After Renal Transplantation. <i>Transplantation Proceedings</i> , 2021, 53, 1001-1004.	0.3	2
254	Quantification of mycophenolic acid in human plasma by liquid chromatography with time-of-flight mass spectrometry for therapeutic drug monitoring. <i>Biomedical Chromatography</i> , 2021, 35, e5011.	0.8	2
255	Therapeutic drug monitoring. , 2021, , 243-262.		4
256	Towards therapeutic drug monitoring of mycophenolic acid in mucous membrane pemphigoid: A retrospective single-centre study. <i>Fundamental and Clinical Pharmacology</i> , 2021, 35, 1179-1187.	1.0	3
257	Association of <i>ABCC2</i> Haplotypes to Mycophenolic Acid Pharmacokinetics in Stable Kidney Transplant Recipients. <i>Journal of Clinical Pharmacology</i> , 2021, 61, 1592-1605.	1.0	3
258	Effect of mycophenolic acid and tacrolimus on the incidence of infectious complications after kidney transplantation. <i>International Immunopharmacology</i> , 2021, 98, 107908.	1.7	1
259	Immunosuppressive Drugs. , 2008, , 165-199.		4
260	Treatment of Acute Graft-vs-Host Disease. , 2010, , 747-765.		2
261	Immunosuppression in Pediatric Kidney Transplantation. , 2016, , 1767-1802.		5

#	ARTICLE	IF	CITATIONS
262	Therapeutic Drugs and Their Management. , 2012, , 1057-1108.		3
263	Multicenter Evaluation of a New Inosine Monophosphate Dehydrogenase Inhibition Assay for Quantification of Total Mycophenolic Acid in Plasma. Therapeutic Drug Monitoring, 2008, 30, 428-433.	1.0	29
264	A Possible Simplification for the Estimation of Area Under the Curve (AUC ₀₋₁₂) of Enteric-Coated Mycophenolate Sodium in Renal Transplant Patients Receiving Tacrolimus. Therapeutic Drug Monitoring, 2011, 33, 165-170.	1.0	15
265	Clinical Implication of Mycophenolic Acid Trough Concentration Monitoring in Kidney Transplant Patients on a Tacrolimus Triple Maintenance Regimen: A Single-Center Experience. Annals of Transplantation, 2017, 22, 707-718.	0.5	7
266	Safety of reduced dose of mycophenolate mofetil combined with tacrolimus in living-donor liver transplantation. Clinical and Molecular Hepatology, 2014, 20, 291.	4.5	11
267	PK/PD Study of Mycophenolate Mofetil in Children With Systemic Lupus Erythematosus to Inform Model-Based Precision Dosing. Frontiers in Pharmacology, 2020, 11, 605060.	1.6	7
268	Generics in transplantation medicine: Randomized comparison of innovator and substitution products containing mycophenolate mofetil. International Journal of Clinical Pharmacology and Therapeutics, 2019, 57, 506-519.	0.3	7
269	Mycophenolate Mofetil-related Pancolitis in a Kidney Transplant Recipient. Experimental and Clinical Transplantation, 2012, 10, 501-505.	0.2	6
270	Herz- und Herz-Lungen-Transplantation. , 2010, , 831-846.		0
272	Clinical Pharmacologic Principles and Immunosuppression. , 2011, , 87-109.		0
273	Mycophenolic acid agents: is enteric coating the answer?. Transplant Research and Risk Management, 0, , 45.	0.7	0
274	Kapitel E1 Literaturverzeichnis zu Peter, Pichler, MÃ¼ller-Ladner (Hrsg.): Klinische Immunologie. , 2012, , e1-e80.		0
275	Immunology of Liver Transplantation. , 2015, , 1-22.		0
276	Immunology of Liver Transplantation. , 2016, , 1-22.		0
277	Induction and Maintenance Agents. Organ and Tissue Transplantation, 2019, , 1-11.	0.0	0
278	The scientific and practical substantiation of the therapeutic drug monitoring procedure: validation of the analytical method of valproic acid measurement. Clinical Pharmacy, 2019, 23, 19-26.	0.2	0
279	Induction and Maintenance Agents. Organ and Tissue Transplantation, 2020, , 193-203.	0.0	0
280	Lack of concordance between EMIT assay and LC-MS/MS for Therapeutic Drug Monitoring of Mycophenolic Acid: Potential increased risk for graft rejection?. Journal of Pharmaceutical and Biomedical Analysis, 2020, 187, 113337.	1.4	3

#	ARTICLE	IF	CITATIONS
281	Pharmacokinetics of mycophenolic acid after haplo-hematopoietic stem cell transplantation in Japanese recipients. <i>Journal of Oncology Pharmacy Practice</i> , 2022, 28, 31-38.	0.5	1
282	Therapeutic drug monitoring of immunosuppressants. , 2020, , 317-332.		0
284	Is the failure of recent trials on withdrawal of calcineurin inhibitors due to inadequate mycophenolic acid dosing?. <i>Journal of Nephrology</i> , 2022, , 1.	0.9	0
285	No Influence of Everolimus on Mycophenolic Acid Area Under the Concentrationâ€‘Time Curve: Limited Sampling Strategy for Mycophenolic Acid in Japanese Kidney Transplant Recipients Treated With Tacrolimus, Mycophenolate Mofetil, Steroid, and Everolimus. <i>Transplantation Proceedings</i> , 2022, 54, 286-292.	0.3	1
286	Twoâ€‘year outcomes of lowâ€‘exposure extendedâ€‘release tacrolimus and mycophenolate mofetil regimen in <i>de novo</i> kidney transplantation: A multiâ€‘center randomized controlled trial. <i>Clinical Transplantation</i> , 2022, , e14655.	0.8	0
292	Population Pharmacokinetics of Mycophenolic Acid in Renal Transplant Patients: A Comparison of the Early and Stable Posttransplant Stages. <i>Frontiers in Pharmacology</i> , 2022, 13, .	1.6	4
294	Renal Transplantation: Immunosuppression and Managing Allograft Rejection. , 2022, , 1927-1958.		0
295	The combination of exposure to Tacrolimus, mycophenolic acid, Inosine 5â€‘Monophosphate Dehydrogenase activity and inhibition in the first week define early histological outcomes in renal transplant recipients. <i>Clinical Transplantation</i> , 2022, 36, .	0.8	0
296	Therapeutic Drug Monitoring and Toxicology of Immunosuppressant. , 2022, , 181-196.		0
297	Individualization of Mycophenolic Acid Therapy through Pharmacogenetic, Pharmacokinetic and Pharmacodynamic Testing. <i>Biomedicines</i> , 2022, 10, 2882.	1.4	4
298	Quantitation of Mycophenolic Acid and Mycophenolic Acid Glucuronide in Serum or Plasma by LCâ€‘MS/MS. <i>Current Protocols</i> , 2023, 3, .	1.3	0
299	Impact of Fasting Status and Circadian Variation on the Pharmacokinetics of Mycophenolate Mofetil and the Glucuronide Metabolite in Renal Transplant Recipients. <i>Transplantation Direct</i> , 2023, 9, e1448.	0.8	0
300	Immunosuppression in Pediatric Kidney Transplantation. , 2023, , 1849-1886.		0
301	Tacrolimus and Mycophenolic Acid Exposure Are Associated with Biopsyâ€‘Proven Acute Rejection: A Study to Provide Evidence for Longerâ€‘Term Target Ranges. <i>Clinical Pharmacology and Therapeutics</i> , 2023, 114, 192-200.	2.3	4