Urokinase-type plasminogen activator supports liver repair independent of its cellular receptor

DOI: 10.1186/1471-230x-6-40
BMC Gastroenterology, 2006, 6, 40.

#	Paper	IF	Citations
36	Urochordate whole body regeneration inaugurates a diverse innate immune signaling profile. *Developmental Biology*, **2007**, 312, 131-46	3.1	27
35	Ultra-rapid cardiotoxicity of the hepatitis C virus protease inhibitor BILN 2061 in the urokinase-type plasminogen activator mouse. *Gastroenterology*, **2007**, 133, 1144-55	13.3	48
34	Systemic administration of anti-urokinase plasminogen activator receptor monoclonal antibodies induces hepatic fibrin deposition in tissue-type plasminogen activator deficient mice. *Journal of Thrombosis and Haemostasis*, **2007**, 5, 1936-44	15.4	17
33	Role of Fibrinolysis in Hepatic Regeneration. **2008**, 336-347		1
32	Direct effects of alcohol on hepatic fibrinolytic balance: implications for alcoholic liver disease. *Journal of Hepatology*, **2008**, 48, 614-27	13.4	44
31	Antibody-mediated targeting of the urokinase-type plasminogen activator proteolytic function neutralizes fibrinolysis in vivo. *Journal of Biological Chemistry*, **2008**, 283, 32506-15	5.4	31
30	Urokinase and its receptors in chronic kidney disease. *Frontiers in Bioscience - Landmark*, **2008**, 13, 5462-78	3.8	28
29	Plasmin-mediated proteolysis is required for hepatocyte growth factor activation during liver repair. *Journal of Biological Chemistry*, **2009**, 284, 12917-23	5.4	29
28	Selective abrogation of the uPA-uPAR interaction in vivo reveals a novel role in suppression of fibrin-associated inflammation. *Blood*, **2010**, 116, 1593-603	2.2	71
27	Lack of guanylate cyclase C results in increased mortality in mice following liver injury. *BMC Gastroenterology*, **2010**, 10, 86	3	6
26	Alcohol, signaling, and ECM turnover. *Alcoholism: Clinical and Experimental Research*, **2010**, 34, 4-18	3.7	29
25	Pathogenesis of alcohol-induced liver disease: classical concepts and recent advances. *Journal of Gastroenterology and Hepatology (Australia)*, **2011**, 26, 1089-105	4	115
24	Silymarin Accelerates Liver Regeneration after Partial Hepatectomy. *Evidence-based Complementary and Alternative Medicine*, **2015**, 2015, 603529	2.3	8
23	Human urokinase-type plasminogen activator gene-modified bone marrow-derived mesenchymal stem cells attenuate liver fibrosis in rats by down-regulating the Wnt signaling pathway. *World Journal of Gastroenterology*, **2016**, 22, 2092-103	5.6	23
22	A CCR2 macrophage endocytic pathway mediates extravascular fibrin clearance in vivo. *Blood*, **2016**, 127, 1085-96	2.2	30
21	The intriguing role of soluble urokinase receptor in inflammatory diseases. *Critical Reviews in Clinical Laboratory Sciences*, **2017**, 54, 117-133	9.4	52
20	Cell Therapy for Liver Failure: A New Horizon. **2017**, 455-474		

19	Effects of pharmacological inhibition of plasminogen binding on liver regeneration in rats. *Bioscience, Biotechnology and Biochemistry*, **2017**, 81, 2105-2111	2.1	1
18	Transcriptomic pathway analysis of urokinase receptor silenced breast cancer cells: a microarray study. *Oncotarget*, **2017**, 8, 101572-101590	3.3	8
17	Kinetics of the soluble urokinase plasminogen activator receptor (suPAR) in cirrhosis. *PLoS ONE*, **2019**, 14, e0220697	3.7	3
16	Searching for the link; mechanisms underlying liver regeneration and recurrence of colorectal liver metastasis post partial hepatectomy. *Journal of Gastroenterology and Hepatology (Australia)*, **2019**, 34, 1276-1286	4	8
15	Elevated levels of serum urokinase plasminogen activator predict poor prognosis in hepatocellular carcinoma after resection. *BMC Cancer*, **2019**, 19, 1169	4.8	7
14	Liver regeneration and liver metastasis. *Seminars in Cancer Biology*, **2021**, 71, 86-97	12.7	2
13	Tranexamic acid rapidly inhibits fibrinolysis, yet transiently enhances plasmin generation in vivo. *Blood Coagulation and Fibrinolysis*, **2021**, 32, 172-179	1	2
12	Fibrinolytic Serine Proteases, Therapeutic Serpins and Inflammation: Fire Dancers and Firestorms. *Frontiers in Cardiovascular Medicine*, **2021**, 8, 648947	5.4	6
11	A cytokine receptor-masked IL2 prodrug selectively activates tumor-infiltrating lymphocytes for potent antitumor therapy. *Nature Communications*, **2021**, 12, 2768	17.4	8
10	Critical Role of LSEC in Post-Hepatectomy Liver Regeneration and Failure. *International Journal of Molecular Sciences*, **2021**, 22,	6.3	4
9	Coexpression of Smad7 and UPA attenuates carbon tetrachloride-induced rat liver fibrosis. *Medical Science Monitor*, **2012**, 18, BR394-401	3.2	9
8	Interleukin-6 mediates angiotensinogen gene expression during liver regeneration. *PLoS ONE*, **2013**, 8, e67868	3.7	19
7	Osteopontin is an important mediator of alcoholic liver disease via hepatic stellate cell activation. *World Journal of Gastroenterology*, **2014**, 20, 13088-104	5.6	35
6	Liver regeneration and fibrinolytic system. *Japanese Journal of Thrombosis and Hemostasis*, **2008**, 19, 216-225	0	
5	Role of the fibrinolytic system in recovery responses after liver injury. *Japanese Journal of Thrombosis and Hemostasis*, **2013**, 24, 501-506	0	
4	Cell Therapy for Liver Failure: A New Horizon. **2015**, 1-23		
3	Cell Therapy for Liver Failure: A New Horizon. **2016**, 1-23		
2	Brahma compensates the role of brahma-related gene 1 in liver regeneration of mice. *International Journal of Clinical and Experimental Pathology*, **2017**, 10, 11563-11571	1.4	

1	The role of liver sinusoidal endothelial cells in liver remodeling after injury. **2022**,	0