The pharmacological effects of Salvia species on the cen-

Phytotherapy Research 20, 427-437

DOI: 10.1002/ptr.1898

Citation Report

#	Article	IF	CITATIONS
1	<i>Salvia divinorum</i> and Salvinorin A: An Update on Pharmacology and Analytical Methodology. Planta Medica, 2007, 73, 1039-1046.	0.7	57
2	Role of P-glycoprotein in restricting the brain penetration of tanshinone IIA, a major active constituent from the root of <i>Salvia miltiorrhiza < /i></i> Bunge, across the bloodâ€"brain barrier. Xenobiotica, 2007, 37, 635-678.	0.5	40
3	Herbal Drugs of Abuse: An Emerging Problem. Emergency Medicine Clinics of North America, 2007, 25, 435-457.	0.5	38
4	An extract of Salvia (sage) with anticholinesterase properties improves memory and attention in healthy older volunteers. Psychopharmacology, 2008, 198, 127-139.	1.5	129
5	Comparative in vitro study on the anti-herpetic effect of phytochemically characterized aqueous and ethanolic extracts of Salvia officinalis grown at two different locations. Phytomedicine, 2008, 15, 62-70.	2.3	48
6	Internet access to Salvia divinorum: Implications for policy, prevention, and treatment. Journal of Substance Abuse Treatment, 2008, 35, 22-27.	1.5	31
7	Preclinical factors affecting the pharmacokinetic behaviour of tanshinone IIA, an investigational new drug isolated from <i>Salvia miltiorrhiza </i> for the treatment of ischaemic heart diseases. Xenobiotica, 2008, 38, 185-222.	0.5	51
8	Chapter 18 Toxicological aspects of herbal remedies. Handbook of Analytical Separations, 2008, , 589-610.	0.8	5
9	First Evidence for an Anxiolytic Effect of a Diterpenoid from Salvia Cinnabarina. Natural Product Communications, 2009, 4, 1934578X0900400.	0.2	9
10	Traditional Medicine for Memory Enhancement. , 2009, , 239-291.		11
10	Traditional Medicine for Memory Enhancement. , 2009, , 239-291. Danshen extracts decrease blood c reactive protein and prevent ischemic stroke recurrence: a controlled pilot study. Phytotherapy Research, 2009, 23, 1721-1725.	2.8	36
	Danshen extracts decrease blood c reactive protein and prevent ischemic stroke recurrence: a	2.8	
11	Danshen extracts decrease blood c reactive protein and prevent ischemic stroke recurrence: a controlled pilot study. Phytotherapy Research, 2009, 23, 1721-1725. Salvinorin A inhibits colonic transit and neurogenic ion transport in mice by activating κâ€opioid and		36
11	Danshen extracts decrease blood c reactive protein and prevent ischemic stroke recurrence: a controlled pilot study. Phytotherapy Research, 2009, 23, 1721-1725. Salvinorin A inhibits colonic transit and neurogenic ion transport in mice by activating îºâ€opioid and cannabinoid receptors. Neurogastroenterology and Motility, 2009, 21, 1326. Qualitative and quantitative analysis of diterpenoids in Salvia species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of	1.6	36 62
11 12 13	Danshen extracts decrease blood c reactive protein and prevent ischemic stroke recurrence: a controlled pilot study. Phytotherapy Research, 2009, 23, 1721-1725. Salvinorin A inhibits colonic transit and neurogenic ion transport in mice by activating îºâ€opioid and cannabinoid receptors. Neurogastroenterology and Motility, 2009, 21, 1326. Qualitative and quantitative analysis of diterpenoids in Salvia species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 4847-4858. Rapid optimization of dual-mode gradient high performance liquid chromatographic separation of Radix et Rhizoma Salviae Miltiorrhizae by response surface methodology. Journal of Chromatography	1.6	36 62 64
11 12 13	Danshen extracts decrease blood c reactive protein and prevent ischemic stroke recurrence: a controlled pilot study. Phytotherapy Research, 2009, 23, 1721-1725. Salvinorin A inhibits colonic transit and neurogenic ion transport in mice by activating lºa€opioid and cannabinoid receptors. Neurogastroenterology and Motility, 2009, 21, 1326. Qualitative and quantitative analysis of diterpenoids in Salvia species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 4847-4858. Rapid optimization of dual-mode gradient high performance liquid chromatographic separation of Radix et Rhizoma Salviae Miltiorrhizae by response surface methodology. Journal of Chromatography A, 2009, 1216, 7007-7012. Antimutagenic effect of sage tea in the wing spot test of Drosophila melanogaster. Food and Chemical	1.6 1.8	36 62 64 21
11 12 13 14	Danshen extracts decrease blood c reactive protein and prevent ischemic stroke recurrence: a controlled pilot study. Phytotherapy Research, 2009, 23, 1721-1725. Salvinorin A inhibits colonic transit and neurogenic ion transport in mice by activating κâ€opioid and cannabinoid receptors. Neurogastroenterology and Motility, 2009, 21, 1326. Qualitative and quantitative analysis of diterpenoids in Salvia species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 4847-4858. Rapid optimization of dual-mode gradient high performance liquid chromatographic separation of Radix et Rhizoma Salviae Miltiorrhizae by response surface methodology. Journal of Chromatography A, 2009, 1216, 7007-7012. Antimutagenic effect of sage tea in the wing spot test of Drosophila melanogaster. Food and Chemical Toxicology, 2009, 47, 180-183.	1.6 1.8 1.8	36 62 64 21 28

#	ARTICLE	IF	CITATIONS
19	Anti-inflammatory Activity of Salvianolic Acid B in Microglia Contributes to its Neuroprotective Effect. Neurochemical Research, 2010, 35, 1029-1037.	1.6	93
20	A novel approach to rapidly explore analytical markers for quality control of Radix Salviae Miltiorrhizae extract granules by robust principal component analysis with ultra-high performance liquid chromatography–ultraviolet–quadrupole time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis. 2010. 53. 279-286.	1.4	28
21	Keloids: a new challenge for nutrition. Nutrition Reviews, 2010, 68, 409-417.	2.6	7
22	Kangen-karyu improves memory deficit caused by aging through normalization of neuro-plasticity-related signaling system and VEGF system in the brain. Journal of Ethnopharmacology, 2010, 131, 377-385.	2.0	26
23	Hypnotic effects and binding studies for GABAA and 5-HT2C receptors of traditional medicinal plants used in Asia for insomnia. Journal of Ethnopharmacology, 2010, 132, 225-232.	2.0	62
24	Salvia leriifolia Benth (Lamiaceae) extract demonstrates in vitro antioxidant properties and cholinesterase inhibitory activity. Nutrition Research, 2010, 30, 823-830.	1.3	67
25	Salvianolic acid B attenuates brain damage and inflammation after traumatic brain injury in mice. Brain Research Bulletin, 2011, 84, 163-168.	1.4	139
26	Diabetes-Induced Central Cholinergic Neuronal Loss and Cognitive Deficit Are Attenuated by Tacrine and a Chinese Herbal Prescription, Kangen-Karyu: Elucidation in Type 2 Diabetes db/db Mice. Journal of Pharmacological Sciences, 2011, 117, 230-242.	1.1	52
27	Antioxidant capacity and polyphenolic composition as quality indicators for aqueous infusions of Salvia officinalis L. (sage tea). Frontiers in Pharmacology, 2011, 2, 79.	1.6	58
28	Antidiarrheal and antispasmodic activities of Salvia officinalis are mediated through activation of K+ channels. Bangladesh Journal of Pharmacology, $2011, 6, .$	0.1	34
29	Prescriptions of Chinese Herbal Medicines for Insomnia in Taiwan during 2002. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-9.	0.5	66
30	A Report of Nausea and Vomiting with Discontinuation of Chronic Use of Salvia divinorum. Case Reports in Medicine, 2012, 2012, 1-4.	0.3	8
31	Herbal Natural Products As a Source of Monoamine Oxidase Inhibitors: A Review. Current Topics in Medicinal Chemistry, 2012, 12, 2131-2144.	1.0	50
32	Constituents from <i>Salvia</i> Species and Their Biological Activities. Chemical Reviews, 2012, 112, 5967-6026.	23.0	348
33	Onâ€line ionic liquidâ€based dynamic microwaveâ€assisted extractionâ€high performance liquid chromatography for the determination of lipophilic constituents in root of <scp>S</scp> alvia miltiorrhiza Bunge. Journal of Separation Science, 2012, 35, 2813-2821.	1.3	17
34	Sage. , 2012, , 521-530.		0
35	Promising Therapeutics with Natural Bioactive Compounds for Improving Learning and Memory â€" A Review of Randomized Trials. Molecules, 2012, 17, 10503-10539.	1.7	53
36	Evaluation of the Efficacy and Safety of <i>Salvia officinalis</i> in Controlling Hot Flashes in Prostate Cancer Patients Treated with Androgen Deprivation. Phytotherapy Research, 2012, 26, 208-213.	2.8	20

#	Article	IF	CITATIONS
37	The antialgal activity of 40 medicinal plants against Microcystis aeruginosa. Journal of Applied Phycology, 2012, 24, 847-856.	1.5	32
38	Tanshinone IIA protects PC12 cells from β-amyloid25–35-induced apoptosis via PI3K/Akt signaling pathway. Molecular Biology Reports, 2012, 39, 6495-6503.	1.0	31
39	Danshensu ameliorates the cognitive decline in streptozotocin-induced diabetic mice by attenuating advanced glycation end product-mediated neuroinflammation. Journal of Neuroimmunology, 2012, 245, 79-86.	1.1	49
40	A necrodane monoterpenoid from <i>Lavandula luisieri</i> essential oil as a cellâ€permeable inhibitor of BACEâ€1, the <i>β</i> à€secretase in Alzheimer's disease. Flavour and Fragrance Journal, 2013, 28, 380-388.	1.2	23
41	Screening and determination of potential xanthine oxidase inhibitors from Radix Salviae Miltiorrhizae using ultrafiltration liquid chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 923-924, 48-53.	1.2	16
42	Psychodysleptica., 2013, , 1-320.		0
43	Current "Legal Highs― Journal of Emergency Medicine, 2013, 44, 1108-1115.	0.3	91
44	Medicinal plant complexes of Salvia subgenus Calosphace: An ethnobotanical study of new world sages. Journal of Ethnopharmacology, 2013, 146, 214-224.	2.0	45
45	Chemical Composition and Insecticidal Properties of the Essential Oil of <i>Salvia leriifolia</i> Benth (Lamiaceae) at Two Developmental Stages. Journal of Essential Oil-bearing Plants: JEOP, 2013, 16, 806-816.	0.7	8
46	Investigation of Anticholinesterase Activity of a Series of Salvia Extracts and the Constituents of Salvia staminea. Natural Products Journal, 2013, 3, 3-9.	0.1	22
47	The Globalization of Traditional Medicine in Northern Peru: From Shamanism to Molecules. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-46.	0.5	38
48	Pharmacological activity of Salvia lavandulifolia and chemical components of its essential oil. A Review. Lazaroa, 2013, 34, 237-254.	0.8	15
49	Salvianolic Acid B Attenuates Toxin-Induced Neuronal Damage via Nrf2-Dependent Glial Cells-Mediated Protective Activity in Parkinson's Disease Models. PLoS ONE, 2014, 9, e101668.	1.1	43
50	Comparative pharmacokinetics of borneol in cerebral ischemia-reperfusion and sham-operated rats. Journal of Zhejiang University: Science B, 2014, 15, 84-91.	1.3	14
51	Systematic Review of Clinical Trials Assessing Pharmacological Properties of <i><scp>S</scp>alvia</i> Species on Memory, Cognitive Impairment and <scp>A</scp> lzheimer's Disease. CNS Neuroscience and Therapeutics, 2014, 20, 485-495.	1.9	66
52	Phytotherapy of Opioid Dependence and Withdrawal Syndrome: A Review. Phytotherapy Research, 2014, 28, 811-830.	2.8	35
53	Regenerative medicine in Alzheimer's disease. Translational Research, 2014, 163, 432-438.	2.2	34
54	Evaluation of <i><scp>S</scp>alvia officinalis</i> <â€ <scp>L</scp> . (sage) leaves on morphineâ€induced memory impairment in adult male rats. Focus on Alternative and Complementary Therapies, 2014, 19, 156-162.	0.1	8

#	Article	IF	CITATIONS
55	Application of a simple and rapid LC-MS/MS method for determination of danshensu in human plasma for an oral pharmacokinetic study of Danshen granules in Chinese healthy subjects. Analytical Methods, 2014, 6, 1956-1962.	1.3	3
56	SIMULTANEOUS DETERMINATION OF ROSMARINIC ACID, SALVIANOLIC ACID B AND CAFFEIC ACID IN <i>SALVIA LERIIFOLIA</i> BENTH. ROOT, LEAF AND CALLUS EXTRACTS USING A HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY WITH DIODE-ARRAY DETECTION TECHNIQUE. Journal of Liquid Chromatography and Related Technologies. 2014. 37. 1721-1730.	0.5	20
57	Identifying Chinese herbal medicine for premenstrual syndrome: implications from a nationwide database. BMC Complementary and Alternative Medicine, 2014, 14, 206.	3.7	26
58	Chemistry, Pharmacology, and Medicinal Property of Sage (Salvia) to Prevent and Cure Illnesses such as Obesity, Diabetes, Depression, Dementia, Lupus, Autism, Heart Disease, and Cancer. Journal of Traditional and Complementary Medicine, 2014, 4, 82-88.	1.5	176
59	Why Do Plants Contain Biologically Active Compounds?., 2014, , 18-25.		0
60	Studies on Bronchodilator Activity of <i>Salvia officinalis</i> (Sage): Possible Involvement of K ⁺ Channel Activation and Phosphodiesterase Inhibition. Phytotherapy Research, 2015, 29, 1323-1329.	2.8	5
61	Medicinal Property of Sage (Saliva) for Curing Illnesses Such as Obesity, Diabetes, Depression, Dementia, Lupus, Autism, Heart Disease and Cancer: A Brief Review. Archives in Cancer Research, 2015, 3, .	0.3	3
62	Optimization of Micellar Electrokinetic Chromatography Method for the Simultaneous Determination of Seven Hydrophilic and Four Lipophilic Bioactive Components in Three Salvia Species. Molecules, 2015, 20, 15304-15318.	1.7	8
63	AN ANCIENT APPROACH BUT TURNING INTO FUTURE POTENTIAL SOURCE OF THERAPEUTICS IN ALZHEIMERââ,¬â,,¢S DISEASE. International Research Journal of Pharmacy, 2015, 6, 10-21.	0.0	2
64	Tanshinone I selectively suppresses pro-inflammatory genes expression in activated microglia and prevents nigrostriatal dopaminergic neurodegeneration in a mouse model of Parkinson׳s disease. Journal of Ethnopharmacology, 2015, 164, 247-255.	2.0	92
65	Frequencies and prescription patterns of traditional Chinese medicine use among elderly patients in Taiwan: A population-based study. Journal of Ethnopharmacology, 2015, 169, 328-334.	2.0	22
66	<i>Salvia officinalis</i> L. attenuates morphine analgesic tolerance and dependence in rats: possible analgesic and sedative mechanisms. American Journal of Drug and Alcohol Abuse, 2015, 41, 405-413.	1.1	11
67	Multiple pro-apoptotic targets of abietane diterpenoids from Salvia species. Fìtoterapìâ, 2015, 100, 118-132.	1.1	62
68	Antibacterial and Antigelatinolytic Effects of <i>Satureja hortensis</i> L. Essential Oil on Epithelial Cells Exposed to <i>Fusobacterium nucleatum</i> Journal of Medicinal Food, 2015, 18, 503-506.	0.8	12
69	Dose-dependent effects of ethanol extract of <i> Salvia haematodes </i> Wall roots on reproductive function and copulatory behaviour in male rats. Andrologia, 2015, 47, 266-275.	1.0	7
70	Synthetic and Natural Monoamine Oxidase Inhibitors as Potential Lead Compounds for Effective Therapeutics. Central Nervous System Agents in Medicinal Chemistry, 2016, 16, 81-97.	0.5	13
71	Vascular Contributions to Cognitive Impairment and Treatments with Traditional Chinese Medicine. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-12.	0.5	18
72	Depressant Effects of Salvia divinorum Involve Disruption of Physiological Sleep. Phytotherapy Research, 2016, 30, 1137-1145.	2.8	9

#	Article	IF	Citations
73	Preventive effects of Salvia officinalis L. against learning and memory deficit induced by diabetes in rats: Possible hypoglycaemic and antioxidant mechanisms. Neuroscience Letters, 2016, 622, 72-77.	1.0	40
74	<scp><i>S</i></scp> <i>and addiction processes. Asia-Pacific Psychiatry, 2016, 8, 23-31.</i>	1.2	13
75	Salvia divinorum: toxicological aspects and analysis in human biological specimens. Bioanalysis, 2016, 8, 1415-1425.	0.6	4
76	Lumbee traditional medicine: Neuroprotective activities of medicinal plants used to treat Parkinson's disease-related symptoms. Journal of Ethnopharmacology, 2017, 206, 408-425.	2.0	29
77	A unique natural selective kappa -opioid receptor agonist, salvinorin A, and its roles in human therapeutics. Phytochemistry, 2017, 137, 9-14.	1.4	26
78	Chemical Composition of the Essential Oils and Volatiles of < i > Salvia leriifolia < /i > by Three Different Extraction Methods Prior to Gas Chromatographic-Mass Spectrometric Determination: Comparison of HD with SFME and HS-SPME. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 410-425.	0.7	25
79	Salvia fruticosa Induces Vasorelaxation In Rat Isolated Thoracic Aorta: Role of the PI3K/Akt/eNOS/NO/cGMP Signaling Pathway. Scientific Reports, 2017, 7, 686.	1.6	50
80	Determination of phenolic compounds in medicinal plants from the Lamiaceae family. Journal of Analytical Chemistry, 2017, 72, 342-348.	0.4	31
81	Graphene nanoplatelets based matrix solid-phase dispersion microextraction for phenolic acids by ultrahigh performance liquid chromatography with electrochemical detection. Scientific Reports, 2017, 7, 7496.	1.6	14
82	Salvia Biotechnology., 2017,,.		7
83	Chinese Herbal Medicine for the Treatment of Drug Addiction. International Review of Neurobiology, 2017, 135, 279-295.	0.9	31
84	Recent Studies on the Neuropharmacological Effects of Salvia officinalis L.: A Promising Candidate for Alzheimer's Disease. , 2017, 7, .		3
85	HERBAL MEDICINES AS NEUROPROTECTIVE AGENT: A MECHANISTIC APPROACH. International Journal of Pharmacy and Pharmaceutical Sciences, 2017, 9, 1.	0.3	72
86	Ecophysiological and phytochemical responses of Salvia sinaloensis Fern. to drought stress. Plant Growth Regulation, 2018, 84, 383-394.	1.8	56
87	Thermodynamic and Mechanistic Study of the Electrochemical Oxidation of Rosmarinic Acid. Journal of the Electrochemical Society, 2018, 165, H698-H704.	1.3	7
88	Psychodysleptica., 2018, , 1-392.		0
89	Antidiarrheal, vasorelaxant, and neuropharmacological actions of the diterpene tilifodiolide. Drug Development Research, 2019, 80, 981-991.	1.4	3
91	Extraction and chromatographic determination of phenolic compounds from medicinal herbs in the Lamiaceae and Hypericaceae families: A review. Microchemical Journal, 2019, 145, 1036-1049.	2.3	35

#	Article	IF	CITATIONS
92	Inhibitory effect of effective fraction of Salvia officinalis on aldose reductase activity: strategy to reduce complications of type 2 diabetes. Oriental Pharmacy and Experimental Medicine, 2019, 19, 211-216.	1.2	5
93	Antinociceptive effects of Salvia divinorum and bioactive salvinorins in experimental pain models in mice. Journal of Ethnopharmacology, 2020, 248, 112276.	2.0	14
94	In vitro antioxidant, anticholinesterases, antiâ€Î±â€amylase, and antiâ€Î±â€glucosidase effects of Algerian <i>Salvia aegyptiaca</i> and <i>Salvia verbenaca</i> . Journal of Food Biochemistry, 2020, 44, e13472.	1.2	13
95	Clary Sage Essential Oil and Its Effect on Human Mood and Pulse Rate: An in vivo Pilot Study. Planta Medica, 2020, 86, 1125-1132.	0.7	3
96	Comparative evaluation of some herbs and their suitability for skimmed milk yoghurt and cast Kariesh cheese fortification as functional foods. Annals of Agricultural Sciences, 2020, 65, 6-12.	1,1	18
97	Antinociceptive and anxiolytic-like effects of a <i>neo</i> -clerodane diterpene from <i>Salvia semiatrata</i> aerial parts. Pharmaceutical Biology, 2020, 58, 620-629.	1.3	13
98	Tanshinone IIA Improves Depression-like Behavior in Mice by Activating the ERK-CREB-BDNF Signaling Pathway. Neuroscience, 2020, 430, 1-11.	1.1	39
99	Neo-clerodane diterpenic influence in the antinociceptive and anti-inflammatory properties of Salvia circinnata Cav Journal of Ethnopharmacology, 2021, 268, 113550.	2.0	8
100	Anxiolytic effect of an extract of Salvia miltiorrhiza Bunge (Danshen) in mice. Journal of Ethnopharmacology, 2021, 264, 113285.	2.0	24
101	Abietane diterpenoids from Salvia officinalis leaves as aryl hydrocarbon receptor ligands. Phytochemistry Letters, 2021, 41, 78-82.	0.6	3
102	Biologically active compounds from Lamiaceae family: Central nervous system effects. Studies in Natural Products Chemistry, 2021, 68, 255-315.	0.8	4
103	Plants with Anti-Addictive Potential. Advances in Experimental Medicine and Biology, 2021, 1308, 185-215.	0.8	2
104	Traditional treatment strategies for alcoholism and the withdrawal symptoms. , 2021, , 213-280.		0
105	SPECTROPHOTOMETRIC DETERMINATION OF PHENOL COMPOUNDS FROM HERBS OF CORNFLOWER BLUE. Khimiya Rastitel'nogo Syr'ya, 2019, , 145-152.	0.0	2
106	Members of the family <i>Lamiaceae</i> Lindl. as sources of medicinal plant raw materials to obtain neurotropic drugs. Farmatsiya I Farmakologiya, 2020, 8, 4-28.	0.2	11
107	Anticholinesterase and Antioxidant Activities of Natural Abietane Diterpenoids with Molecular Docking Studies. Current Alzheimer Research, 2020, 17, 269-284.	0.7	8
108	Cytotoxic Effects of Salvinorin A, A Major Constituent of Salvia divinorum. Medicinal Chemistry, 2016, 12, 432-440.	0.7	4
109	Neuroprotetive Effect of Curcuma longa Alcoholic Extract on Peripheral Nerves Degeneration after Sciatic Nerve Compression in Rats. Journal of Biological Sciences, 2009, 9, 889-893.	0.1	8

#	Article	IF	CITATIONS
110	The Effects of Root Aquatic Extract of Salvia staminea on Neuronal Density of Alpha Motoneurons in Spinal Cord Anterior Horn after Sciatic Nerve Compression in Rats. Journal of Biological Sciences, 2009, 10, 48-52.	0.1	2
111	Purification and Characterization of Alcohol Dehydrogenase from Gluconobacter suboxydans. Pakistan Journal of Biological Sciences, 2008, 11, 208-213.	0.2	4
112	Composition of the Essential Oils of Salvia leriifolia Benth. Growing Wild in Around of Two Mine in Iran. Research Journal of Phytochemistry, 2010, 4, 13-17.	0.1	8
113	GABAA Receptor Modulation by Compounds Isolated from & amp; lt; i& amp; gt; Salvia triloba& amp; lt; /i& amp; gt; L Advances in Biological Chemistry, 2014, 04, 148-159.	0.2	24
114	Plants and Plant Products with Potential Anticonvulsant Activity – A Review. Pharmacognosy Communications, 2012, 2, 3-99.	0.4	18
115	Effects of rosmarinic acid on cognitive and biochemical alterations in ovariectomized rats treated with D-galactose. Folia Histochemica Et Cytobiologica, 2016, 53, 283-293.	0.6	23
116	Atividade antiulcerogênica do extrato aquoso de Salvia officinalis L. (Lamiaceae). Revista Brasileira De Plantas Medicinais, 2015, 17, 774-781.	0.3	1
117	Salvia spp.: An Updated on Antioxidant Activity and Pharmacological Uses. , 2017, , 151-177.		0
118	Salvia miltiorrhiza Resources, Cultivation, and Breeding. Compendium of Plant Genomes, 2019, , 17-32.	0.3	1
119	Antinociceptive effect of Salvia Sharifii Rech. F. & Esfand seed's oil in formalin test in mice. Medical Sciences Journal, 2019, 29, 18-26.	0.1	0
120	Antidepressant Effects of the Aqueous and Hydroalcoholic Extracts of Salvia mirzayanii and Salvia macrosiphon in Male Mice. Shiraz E Medical Journal, 2019, 21, .	0.1	2
121	Herbal Medicine as Neuroprotective Potential Agent in Human and Animal Models: A Historical Overview. Journal of Pharmaceutical Care, 0, , .	0.0	8
122	Salvia officinalis L./Salvia haematodes Wall. (Lamiaceae/Labiatae). , 2020, , 1581-1599.		0
123	Salvia officinalis L. and Salvia fruticosa Mill.: Dalmatian and Three-Lobed Sage. Handbook of Plant Breeding, 2020, , 523-537.	0.1	3
124	Effects of Hydroalcoholic Extract from Salvia verticillata on Pharmacological Models of Seizure, Anxiety and Depression in Mice. Iranian Journal of Pharmaceutical Research, 2011, 10, 535-45.	0.3	7
125	Ethnomedicinal uses of plants for the treatment of nervous disorders at the herbal markets of Bojnord, North Khorasan Province, Iran. Avicenna Journal of Phytomedicine, 2019, 9, 153-163.	0.1	7
126	Evaluación farmacológica de la actividad antinociceptiva y análisis fitoquÃmico de los extractos activos de Salvia purpurea Cav Botanical Sciences, 2022, 100, 383-396.	0.3	1
128	Lamiaceae in Mexican Species, a Great but Scarcely Explored Source of Secondary Metabolites with Potential Pharmacological Effects in Pain Relief. Molecules, 2021, 26, 7632.	1.7	8

#	Article	IF	CITATIONS
129	The neuroprotective roles of Dietary Micronutrients on Parkinson's disease: a review. Molecular Biology Reports, 2022, 49, 8051-8060.	1.0	4
130	Comparing the Fatty Acid Composition and Neuroprotective Effects of Some Lamiaceae Taxa from Turkey. Chemistry of Natural Compounds, 2022, 58, 208.	0.2	O
132	Assessing the Influence of Salvia triloba on Memory Deficit Caused by Sleep Deprivation in the Context of Oxidative Stress. Current Alzheimer Research, 2022, 19, 440-448.	0.7	1
133	Herbal Drug Addiction: Latest Information on Trends and Outlines. Pharmacophore, 2022, 13, 86-90.	0.2	O
134	Ultrasoundâ€assisted facile synthesis of Boronâ€Heckâ€coupled sclareol analogues as potential antibacterial agents against <i>Staphylococcus aureus</i> . Journal of Applied Microbiology, 0, , .	1.4	0
135	Ethnomedicinal Plants with Protective Effects against Beta-Amyloid Peptide (Aβ)1-42 Indicate Therapeutic Potential in a New In Vivo Model of Alzheimer's Disease. Antioxidants, 2022, 11, 1865.	2.2	6
136	A new diterpenoid from <i>Salvia santolinifolia</i> boiss. Natural Product Research, 0, , 1-7.	1.0	0
137	A Focused Review on Cognitive Improvement by the Genus Salvia L. (Sage)â€"From Ethnopharmacology to Clinical Evidence. Pharmaceuticals, 2023, 16, 171.	1.7	6
138	Morphological and anatomical analysis of the clary sage herbal drug (Salviae sclareae herba). Lekovite Sirovine, 2022, , 24-33.	0.8	0
140	Recent Advances in Nanoformulation-Based Intranasal Delivery of Bioactive Compounds and Biologics for Neurodegenerative Disorders (NDDs). Lecture Notes in Mechanical Engineering, 2023, , 61-76.	0.3	О