Porcine Acute Phase Protein Concentrations in Differen

Zoonoses and Public Health 53, 488-493 DOI: 10.1111/j.1439-0450.2006.01002.x

Citation Report

#	Article	IF	CITATIONS
1	Expression of C-reactive protein in myointimal hyperplasia in a porcine arteriovenous graft model. Nephrology Dialysis Transplantation, 2007, 22, 2469-2475.	0.7	13
2	Use of ProteinChip technology for identifying biomarkers of parasitic diseases: The example of porcine cysticercosis (Taenia solium). Experimental Parasitology, 2008, 120, 320-329.	1.2	16
3	Relationship between serum acute phase protein concentrations and lesions in finishing pigs. Veterinary Journal, 2008, 177, 369-373.	1.7	32
4	C-reactive protein measurements in meat juice of pigs. Veterinary Immunology and Immunopathology, 2008, 122, 250-255.	1.2	8
5	Pig peripheral blood mononuclear leucocyte subsets are heritable and genetically correlated with performance. Animal, 2008, 2, 1575-1584.	3.3	42
6	Pharmacokinetics of ceftiofur hydrochloride in pigs infected with porcine reproductive and respiratory syndrome virus. Journal of Antimicrobial Chemotherapy, 2008, 63, 369-373.	3.0	24
7	Presence of free haptoglobin alpha 1S-subunit in acute porcine reproductive and respiratory syndrome virus infection. Journal of General Virology, 2008, 89, 2746-2753.	2.9	11
8	Serum Amyloid A Protein Regulates the Expression of Porcine Genes Related to Lipid Metabolism3. Journal of Nutrition, 2008, 138, 674-679.	2.9	31
9	Evaluation of an immunoassay for determination of haptoglobin concentration in various biological specimens from swine. American Journal of Veterinary Research, 2009, 70, 691-696.	0.6	42
10	C-reactive protein quantification in porcine saliva: A minimally invasive test for pig health monitoring. Veterinary Journal, 2009, 181, 261-265.	1.7	47
11	Traits associated with innate and adaptive immunity in pigs: heritability and associations with performance under different health status conditions. Genetics Selection Evolution, 2009, 41, 54.	3.0	88
12	Pig-major acute phase protein and haptoglobin serum concentrations correlate with PCV2 viremia and the clinical course of postweaning multisystemic wasting syndrome. Veterinary Microbiology, 2009, 138, 53-61.	1.9	37
13	Effect of feeding intact brown seaweed <i>Ascophyllum nodosum</i> on some digestive parameters and on iodine content in edible tissues in pigs. Journal of the Science of Food and Agriculture, 2009, 89, 584-594.	3.5	94
14	Bovine Viral Diarrhea Virus infection affects the expression of proteins related to professional antigen presentation in bovine monocytes. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2009, 1794, 14-22.	2.3	28
15	Use of saliva for haptoglobin and C-reactive protein quantifications in porcine respiratory and reproductive syndrome affected pigs in field conditions. Veterinary Immunology and Immunopathology, 2009, 132, 218-223.	1.2	37
16	The index herd with PMWS in Sweden: Presence of serum amyloid A, circovirus 2 viral load and ant antibody levels in healthy and PMWS-affected pigs. Acta Veterinaria Scandinavica, 2009, 51, 13.	1.6	15
17	Haptoglobin serum concentration is a suitable biomarker to assess the efficacy of a feed additive in pigs. Animal, 2010, 4, 1561-1567.	3.3	9
18	Docosahexaenoic acid regulates serum amyloid A protein to promote lipolysis through down regulation of perilipin. Journal of Nutritional Biochemistry, 2010, 21, 317-324.	4.2	38

#	ARTICLE	IF	CITATIONS
19	Tail biting induces a strong acute phase response and tail-end inflammation in finishing pigs. Veterinary Journal, 2010, 184, 303-307.	1.7	56
20	Haptoglobin and C-reactive protein as biomarkers in the serum, saliva and meat juice of pigs experimentally infected with porcine reproductive and respiratory syndrome virus. Veterinary Journal, 2010, 185, 83-87.	1.7	34
21	Acute phase response in porcine reproductive and respiratory syndrome virus infection. Comparative Immunology, Microbiology and Infectious Diseases, 2010, 33, e51-e58.	1.6	42
22	Validation of an immunoturbidimetric method for determination of porcine serum C-reactive protein. Research in Veterinary Science, 2010, 89, 159-162.	1.9	10
23	Characterisation of plasma acute phase protein concentrations in a high health boar herd. Veterinary Immunology and Immunopathology, 2011, 139, 107-112.	1.2	11
24	Serum acute phase proteins as biomarkers of pleuritis and cranio-ventral pulmonary consolidation in slaughter-aged pigs. Research in Veterinary Science, 2011, 91, 52-57.	1.9	17
25	Acute Phase Proteins as Biomarkers in Animal Health and Welfare. , 0, , .		10
26	The Effects of Acute Exposure to Deoxynivalenol on Some Inflammatory Parameters in Miniature Pigs. Journal of Veterinary Medical Science, 2011, 73, 665-671.	0.9	13
27	Acute phase protein response in experimental canine leishmaniosis. Veterinary Parasitology, 2011, 180, 197-202.	1.8	43
28	Development and validation of a novel competitive ELISA for the detection of serum amyloid A in pigs. Veterinary Journal, 2011, 190, e7-e11.	1.7	6
29	Optimal combinations of acute phase proteins for detecting infectious disease in pigs. Veterinary Research, 2011, 42, 50.	3.0	82
30	Quantitative proteomics by 2â€DE, ¹⁶ O/ ¹⁸ O labelling and linear ion trap mass spectrometry analysis of lymph nodes from piglets inoculated by porcine circovirus type 2. Proteomics, 2011, 11, 3452-3469.	2.2	22
31	Fast measurement of serum amyloid A in different specimens from swine by using a new one-step time-resolved fluorescent immunoassay. Journal of Veterinary Diagnostic Investigation, 2011, 23, 902-908.	1.1	12
32	Effects of different antimicrobial treatments on serum acute phase responses and leucocyte counts in pigs after a primary and a secondary challenge infection with <i>Actinobacillus pleuropneumoniae</i>). Veterinary Record, 2011, 169, 70-70.	0.3	9
33	Immune and acute phase response in pigs experimentally infected with H1N2 swine influenza virus. FEMS Immunology and Medical Microbiology, 2012, 66, 334-342.	2.7	22
34	Acute phase protein response during subclinical infection of pigs with H1N1 swine influenza virus. Veterinary Microbiology, 2012, 159, 499-503.	1.9	26
35	Microarray analysis of mediastinal lymph node of pigs naturally affected by postweaning multisystemic wasting syndrome. Virus Research, 2012, 165, 134-142.	2.2	9
36	Serum amyloid A measurements in saliva and serum in growing pigs affected by porcine respiratory and reproductive syndrome in field conditions. Research in Veterinary Science, 2012, 93, 1266-1270.	1.9	12

CITATION REPORT

#	Article	IF	CITATIONS
37	Acute Phase Proteins in Animals. Progress in Molecular Biology and Translational Science, 2012, 105, 113-150.	1.7	143
38	Mannan oligosaccharide increases serum concentrations of antibodies and inflammatory mediators in weanling pigs experimentally infected with porcine reproductive and respiratory syndrome virus1,2. Journal of Animal Science, 2012, 90, 2784-2793.	0.5	30
39	Activation of NF-κB contributes to production of pig-major acute protein and serum amyloid A in pigs experimentally infected with porcine circovirus type 2. Research in Veterinary Science, 2013, 95, 1235-1240.	1.9	18
40	Towards a better understanding of salivary and meat juice acute phase proteins determination in pigs: An expression study. Veterinary Immunology and Immunopathology, 2013, 156, 91-98.	1.2	13
41	Modulation of Systemic Immune Responses through Commensal Gastrointestinal Microbiota. PLoS ONE, 2013, 8, e53969.	2.5	42
42	Restricting sulfur amino acid intake in growing pigs challenged with lipopolysaccharides decreases plasma protein and albumin synthesis. Canadian Journal of Animal Science, 2013, 93, 505-515.	1.5	8
43	Selected hematological and immunological parameters in pigs transferred from the rearing unit to the finishing house. African Journal of Biotechnology, 2013, 12, 5258-5266.	0.6	0
44	Proteomics on porcine haptoglobin and IgG/IgA show protein species distribution and glycosylation pattern to remain similar in PCV2-SD infection. Journal of Proteomics, 2014, 101, 205-216.	2.4	16
45	Effects of feeding different roughage components to sows in gestation on bacteriological and immunological parameters in colostrum and immune response of piglets. Archives of Animal Nutrition, 2014, 68, 29-41.	1.8	9
46	ACUTE-PHASE RESPONSES IN HEALTHY AND DISEASED RHESUS MACAQUES (MACACA MULATTA). Journal of Zoo and Wildlife Medicine, 2014, 45, 306-314.	0.6	15
47	Infection dynamics and acute phase response of an Actinobacillus pleuropneumoniae field isolate of moderate virulence in pigs. Veterinary Microbiology, 2014, 173, 332-339.	1.9	12
48	Immune and inflammatory response in pigs during acute influenza caused by H1N1 swine influenza virus. Archives of Virology, 2014, 159, 2605-2614.	2.1	33
49	Diagnostic accuracy of porcine acute phase proteins in meat juice for detecting disease at abattoir. Veterinary Record, 2015, 177, 15-15.	0.3	6
50	Effects of Oxytocin Administration on the Response of Piglets to Weaning. Animals, 2015, 5, 545-560.	2.3	11
51	The Pig PeptideAtlas: A resource for systems biology in animal production and biomedicine. Proteomics, 2016, 16, 634-644.	2.2	47
52	2-DE-MS based proteomic investigation of dairy cows with footrot. Journal of Veterinary Research (Poland), 2016, 60, 63-69.	1.0	3
53	C-reactive protein, haptoglobin and Pig-Major acute phase protein profiles of pigs infected experimentally by different isolates of porcine reproductive and respiratory syndrome virus. Veterinary Microbiology, 2016, 183, 9-15.	1.9	13
54	Dietary Amino Acid Deficiency Reduces the Utilization of Amino Acids for Growth in Growing Pigs after a Period of Poor Health. Journal of Nutrition, 2016, 146, 51-58.	2.9	22

#	Article	IF	CITATIONS
55	Comparison of sample types and diagnostic methods for in vivo detection of Mycoplasma hyopneumoniae during early stages of infection. Veterinary Microbiology, 2017, 203, 103-109.	1.9	60
56	Haptoglobin and serum amyloid A in goats with clinical form of caprine arthritis-encephalitis. Small Ruminant Research, 2017, 156, 73-77.	1.2	7
57	Effect of oral KETOPROFEN treatment in acute respiratory disease outbreaks in finishing pigs. Porcine Health Management, 2018, 4, 7.	2.6	1
58	Porcine serum amyloid A3 is expressed in extrahepatic tissues and facilitates viral replication during porcine respiratory and reproductive syndrome virus infection. Developmental and Comparative Immunology, 2018, 79, 51-58.	2.3	4
59	Changes in the Acute-Phase Protein Concentrations and Activities of Some Enzymes in Pigs Following the Repair of Experimentally Induced Articular Cartilage Defects Using Two Types of Biocement Powder. Animals, 2019, 9, 931.	2.3	9
60	Haptoglobin and C-Reactive Protein—Non-specific Markers for Nursery Conditions in Swine. Frontiers in Veterinary Science, 2019, 6, 92.	2.2	7
61	I-FABP, Pig-MAP and TNF-α as biomarkers for monitoring gut-wall integrity in front of Salmonella Typhimurium and ETEC K88 infection in a weaned piglet model. Research in Veterinary Science, 2019, 124, 426-432.	1.9	16
62	Towards salivary C-reactive protein as a viable biomarker of systemic inflammation. Clinical Biochemistry, 2019, 68, 1-8.	1.9	60
63	Porcine Breed, Sex, and Production Stage Influence the Levels of Health Status Biomarkers in Saliva Samples. Frontiers in Veterinary Science, 2019, 6, 32.	2.2	10
64	Serum haptoglobin response in red deer naturally infected with tuberculosis. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 64, 25-30.	1.6	7
65	Haemato-biochemical alterations and oxidative stress associated with naturally occurring porcine circovirus2 infection in pigs. Tropical Animal Health and Production, 2020, 52, 2243-2250.	1.4	3
66	Analytical characterization of trace elements (zinc, copper, cadmium, lead and selenium) in saliva of pigs under common pathological conditions in the field: a pilot study. BMC Veterinary Research, 2020, 16, 27.	1.9	8
67	The Effect of Feed Supplementation with EM Bokashi® Multimicrobial Probiotic Preparation on Selected Parameters of Sow Colostrum and Milk as Indicators of the Specific and Nonspecific Immune Response. Probiotics and Antimicrobial Proteins, 2022, 14, 1029-1041.	3.9	2
68	Caracterización de proteÃnas de fase aguda asociadas con un brote de virus de diarrea epidémica porcina en lechones y cerdas lactantes en México. TIP Revista Especializada En Ciencias QuÃmico-Biológicas, 2018, 22, 1-8.	0.3	1
69	A Methodology to Quantify Resilience in Growing Pigs. Animals, 2021, 11, 2970.	2.3	4
70	Dynamics of Salivary Adenosine Deaminase, Haptoglobin, and Cortisol in Lipopolysaccharide-Challenged Growing Pigs. Frontiers in Veterinary Science, 2021, 8, 698628.	2.2	7
71	Haptoglobin in oral fluid samples from pens of pigs can potentially be used to estimate herd inflammatory status. Animal Production Science, 2017, 57, 2495.	1.3	0
73	Acute phase response in animals: a review. Comparative Medicine, 2009, 59, 517-26.	1.0	523

CITATION REPORT

IF ARTICLE CITATIONS # Dual-label time-resolved fluoroimmunoassay for simultaneous quantification of haptoglobin and 74 0.2 4 C-reactive protein in meat juice from pigs. Ćanadian Journal of Veterinary Research, 2012, 76, 136-42. Inflammation and necrosis syndrome is associated with alterations in blood and metabolism in pigs. BMC Veterinary Research, 2022, 18, 50. Biomarkers of sepsis in pigs, horses and cattle: from acute phase proteins to procalcitonin. Animal 78 3.18 Health Research Reviews, 2022, 23, 82-99. Formulating Diets for Improved Health Status of Pigs: Current Knowledge and Perspectives. Animals, 2022, 12, 2877. Acute phase proteins in cattle and swine: A review. Veterinary Clinical Pathology, 2023, 52, 50-63. 80 0.7 5 Changes in salivary biomarkers of stress, inflammation, redox status, and muscle damage due to Streptococcus suis infection in pigs. BMC Veterinary Research, 2023, 19, . Pentraxins in invertebrates and vertebrates: From structure, function and evolution to clinical 82 2.3 0 applications. Developmental and Comparative Immunology, 2023, 149, 105064. Feed Additives as Immune-Boosting Factors in Swine Health., 2023, , 747-774.

CITATION REPORT