

CITATION REPORT

List of articles citing

Quantification of breath carbon disulphide and acetone following a single dose of disulfiram (Antabuse) using selected ion flow tube mass spectrometry (SIFT-MS)

DOI: 10.1111/j.1369-1600.2006.00015.x
Addiction Biology, 2006, 11, 163-9.

Source: <https://exaly.com/paper-pdf/40351303/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
23	Current literature in mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2007 , 42, 407-18	2.2	
22	Halitosis associated volatiles in breath of healthy subjects. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 853, 54-61	3.2	87
21	Selected ion flow tube mass spectrometry of 3-hydroxybutyric acid, acetone and other ketones in the headspace of aqueous solution and urine. <i>International Journal of Mass Spectrometry</i> , 2008 , 272, 78-85	1.9	25
20	A study of sulfur-containing compounds in mouth- and nose-exhaled breath and in the oral cavity using selected ion flow tube mass spectrometry. <i>Journal of Breath Research</i> , 2008 , 2, 046004	3.1	55
19	Development of Formaldehyde Standard Gas Generator Based on Gravitational Dispensing-Vaporization and Its Application to Breath Formaldehyde Determination. <i>Bunseki Kagaku</i> , 2008 , 57, 605-611	0.2	9
18	Development of sensitive carbon disulfide sensor by using its cataluminescence on nanosized-CeO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2009 , 136, 218-223	8.5	40
17	Kinetics of ethanol decay in mouth- and nose-exhaled breath measured on-line by selected ion flow tube mass spectrometry following varying doses of alcohol. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 1066-74	2.2	19
16	. <i>IEEE Sensors Journal</i> , 2010 , 10, 185-210	4	52
15	Progress in SIFT-MS: breath analysis and other applications. <i>Mass Spectrometry Reviews</i> , 2011 , 30, 236-67	11	250
14	Is breath acetone a biomarker of diabetes? A historical review on breath acetone measurements. <i>Journal of Breath Research</i> , 2013 , 7, 037109	3.1	150
13	Recent SIFT-MS Studies of Volatile Compounds in Physiology, Medicine and Cell Biology. 2013 , 48-76		6
12	On the features, successes and challenges of selected ion flow tube mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2013 , 19, 225-46	1.1	20
11	Product ion distributions for the reactions of NO(+) with some physiologically significant volatile organosulfur and organoselenium compounds obtained using a selective reagent ionization time-of-flight mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 1683-90	2.2	9
10	Measuring breath acetone for monitoring fat loss: Review. <i>Obesity</i> , 2015 , 23, 2327-34	8	86
9	SIFT-MS and FA-MS methods for ambient gas phase analysis: developments and applications in the UK. <i>Analyst</i> , 2015 , 140, 2573-91	5	32
8	Breath acetone as a potential marker in clinical practice. <i>Journal of Breath Research</i> , 2017 , 11, 024002	3.1	71
7	Continuous Monitoring of Breath Acetone, Blood Glucose and Blood Ketone in 20 Type 1 Diabetic Outpatients Over 30 Days. <i>Journal of Analytical & Bioanalytical Techniques</i> , 2017 , 08,		8

6	Ex vivo emission of volatile organic compounds from gastric cancer and non-cancerous tissue. <i>Journal of Breath Research</i> , 2018 , 12, 046005	3.1	16
5	Highly-sensitive carbon disulfide on-line detection system based on deep ultraviolet absorption spectroscopy, and its application in liquid-seal reliability assessment. <i>Applied Optics</i> , 2018 , 57, 6213-6218 ¹⁻⁷		5
4	Real-time pharmacokinetics via online analysis of exhaled breath. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 205, 114311	3.5	1
3	Increased breath ethane and pentane concentrations in currently unmedicated patients with schizophrenia. <i>Open Journal of Psychiatry</i> , 2011 , 01, 1-7	0.2	10
2	Urinary Volatile Organic Compound Testing in Fast-Track Patients With Suspected Colorectal Cancer. <i>SSRN Electronic Journal</i> ,	1	
1	Urinary Volatile Organic Compound Testing in Fast-Track Patients with Suspected Colorectal Cancer.. <i>Cancers</i> , 2022 , 14,	6.6	0