

# CITATION REPORT

List of articles citing

**No rest for the wounded: early ambulation after hip surgery accelerates recovery**

**DOI: 10.1111/j.1445-2197.2006.03786.x**  
**ANZ Journal of Surgery, 2006, 76, 607-11.**

**Source:** <https://exaly.com/paper-pdf/40362597/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
182	Clinical features and risk factors of postsurgical gout. <b>2008</b> , 67, 1271-5		40
181	Non-invasive interactive neurostimulation in the post-operative recovery of patients with a trochanteric fracture of the femur. A randomised, controlled trial. <b>2007</b> , 89, 1488-94		29
180	Differences in complications and length of stay between patients with a hip fracture treated in an orthopaedic department and patients treated in other hospital departments. <b>2008</b> , 12, 13-25		12
179	Weight bearing orders after hip fracture surgery: A quality assurance project. <b>2008</b> , 12, 151-158		1
178	Post-fracture management of patients with hip fracture: a perspective. <b>2008</b> , 24, 2841-51		28
177	Minimum detectable change in gait velocity during acute rehabilitation following hip fracture. <i>Journal of Geriatric Physical Therapy</i> , <b>2008</b> , 31, 53-6	3.2	65
176	Nonpharmacological approaches to improve bone health and reduce osteoporosis. <b>2008</b> , 20, 213-7		21
175	High intertester reliability of the cumulated ambulation score for the evaluation of basic mobility in patients with hip fracture. <i>Clinical Rehabilitation</i> , <b>2009</b> , 23, 1116-23	3.3	45
174	Factors associated with an immediate weight-bearing and early ambulation program for older adults after hip fracture repair. <b>2009</b> , 90, 1495-8		22
173	Maintaining independence after a fall. <b>2009</b> , 19, 61-69		3
172	The impact of race/ethnicity on preoperative time to hip stabilization procedure after hip fracture. <b>2010</b> , 103, 414-8		7
171	Small animal post-operative orthopaedic rehabilitation. <b>2010</b> , 1, 12-21		5
170	A randomised clinical trial comparing minimally invasive surgery to conventional approach for endoprosthesis in elderly patients with hip fractures. <i>Injury</i> , <b>2010</b> , 41, 365-9	2.5	23
169	Evidence-based guidelines for the management of hip fractures in older persons: an update. <b>2010</b> , 192, 37-41		134
168	Older adult recovery from hip fracture: A literature review. <i>International Journal of Orthopaedic and Trauma Nursing</i> , <b>2011</b> , 15, 18-28	1.1	25
167	Australian and New Zealand Society for Geriatric Medicine. Position statement--orthogeriatric care. <b>2011</b> , 30, 162-9		11
166	Interventions for improving mobility after hip fracture surgery in adults. <i>The Cochrane Library</i> , <b>2011</b> , CD001704	5.2	96

165	The surgical intensive care unit optimal mobility score predicts mortality and length of stay. <b>2012</b> , 40, 1122-8		74
164	The orthogeriatrics model of care: systematic review of predictors of institutionalization and mortality in post-hip fracture patients and evidence for interventions. <i>Journal of the American Medical Directors Association</i> , <b>2012</b> , 13, 770-7	5.9	43
163	Postoperative ambulation in thoracic surgery patients: standard versus modern ambulation methods. <b>2012</b> , 17, 130-7		3
162	Time to surgery and rehabilitation resources affect outcomes in orthogeriatric units. <i>Archives of Gerontology and Geriatrics</i> , <b>2012</b> , 55, 316-22	4	25
161	Evaluation of a multisite educational intervention to improve mobilization of older patients in hospital: protocol for mobilization of vulnerable elders in Ontario (MOVE ON). <b>2013</b> , 8, 76		17
160	Physical Therapy, Physical Modalities, and Exercise Regimens in the Management of Osteoporosis. <b>2013</b> , 1667-1689		
159	Scheduled analgesic regimen improves rehabilitation after hip fracture surgery. <b>2013</b> , 471, 2349-60		29
158	A plea for an early mobilization after hip fractures. The geriatric point of view. <b>2013</b> , 4, 40-42		3
157	Multi-disciplinary care of the patient with acute hip fracture: How to optimise the care for the elderly, traumatised patient at and around the time of the fracture to ensure the best short-term outcome as a foundation for the best long-term outcome. <b>2013</b> , 27, 717-30		12
156	In vivo hip joint loading during post-operative physiotherapeutic exercises. <i>PLoS ONE</i> , <b>2013</b> , 8, e77807	3.7	31
155	Role of comprehensive geriatric assessment in the management of osteoporotic hip fracture in the elderly: an overview. <i>Disability and Rehabilitation</i> , <b>2013</b> , 35, 758-65	2.4	28
154	Dedicated hip fracture service: implementing a novel model of care. <i>ANZ Journal of Surgery</i> , <b>2013</b> , 83, 559-63	1	24
153	Physical therapy in the postoperative of proximal femur fracture in elderly. Literature review. <b>2013</b> , 21, 175-8		15
152	Feasibility of progressive strength training implemented in the acute ward after hip fracture surgery. <i>PLoS ONE</i> , <b>2014</b> , 9, e93332	3.7	26
151	Physical behavior and function early after hip fracture surgery in patients receiving comprehensive geriatric care or orthopedic care--a randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2014</b> , 69, 338-45	6.4	66
150	Association of early ambulation with length of stay and costs in total knee arthroplasty: retrospective cohort study. <b>2014</b> , 93, 962-70		38
149	An intensive physiotherapy program improves mobility for trauma patients. <b>2014</b> , 76, 101-6		13
148	Rasch analysis of the Iowa Level of Assistance Scale in patients with total hip and knee arthroplasty. <b>2014</b> , 37, 118-24		8

147	Enhanced recovery for fractured neck of femur: a report of 3 cases. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2014</b> , 5, 37-42	2	3
146	Outcomes of inpatient mobilization: a literature review. <b>2014</b> , 23, 1486-501		86
145	The effectiveness of prehabilitation or preoperative exercise for surgical patients: a systematic review. <b>2015</b> , 13, 146-87		81
144	Physical Activity Levels During Acute Inpatient Admission After Hip Fracture are Very Low. <b>2015</b> , 20, 174-81		43
143	Length of hospital stay and discharge disposition in older trauma patients. <b>2015</b> , 36, S3-9		7
142	Study protocol for two randomized controlled trials examining the effectiveness and safety of current weekend allied health services and a new stakeholder-driven model for acute medical/surgical patients versus no weekend allied health services. <b>2015</b> , 16, 133		27
141	Who Will Walk Again? Effects of Rehabilitation on the Ambulatory Status in Elderly Patients Undergoing Hemiarthroplasty for Femoral Neck Fracture. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2015</b> , 6, 168-72	2	11
140	Orthogeriatric care: improving patient outcomes. <i>Clinical Interventions in Aging</i> , <b>2016</b> , 11, 843-56	4	38
139	HIP4Hips (High Intensity Physiotherapy for Hip fractures in the acute hospital setting): a randomised controlled trial. <b>2016</b> , 205, 73-8		27
138	Short-Term Intensive Rehabilitation Induces Recovery of Physical Function After 7 Days of Bed Rest in Older Adults. <b>2016</b> , 7, 156-163		2
137	Interdisciplinary management of hip fracture. <b>2016</b> , 16, 541-544		15
136	Rehabilitation in the elderly. <b>2016</b> , 613-629		
135	Are process performance measures associated with clinical outcomes among patients with hip fractures? A population-based cohort study. <b>2016</b> , 28, 698-708		27
134	Physical Activity in the Acute Ward Following Hip Fracture Surgery is Associated with Less Fear of Falling. <b>2016</b> , 24, 525-532		23
133	Is immediate weight bearing safe for periprosthetic distal femur fractures treated by locked plating? A feasibility study in 52 consecutive patients. <b>2016</b> , 10, 26		22
132	The effect of lower limb rehabilitation gymnastics on postoperative rehabilitation in elderly patients with femoral shaft fracture: A retrospective case-control study. <b>2016</b> , 95, e4548		8
131	Complications of Flat Bed Rest After Incidental Durotomy. <b>2016</b> , 29, 281-4		35
130	Factors Associated With Early Functional Outcome After Hip Fracture Surgery. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2016</b> , 7, 3-8	2	12

129	Structured exercise improves mobility after hip fracture: a meta-analysis with meta-regression. <b>2016</b> , 50, 346-55		57
128	Assessing the Reliability and Validity of a Physical Therapy Functional Measurement Tool--the Modified Iowa Level of Assistance Scale--in Acute Hospital Inpatients. <b>2016</b> , 96, 176-82		20
127	EULAR/EFORT recommendations for management of patients older than 50 years with a fragility fracture and prevention of subsequent fractures. <b>2017</b> , 76, 802-810		64
126	Stair negotiation as a rehabilitation intervention for enhancing recovery following total hip and knee replacement surgery. <i>International Journal of Orthopaedic and Trauma Nursing</i> , <b>2017</b> , 25, 3-10	1.1	7
125	Pain and Analgesia Requirements With Hip Fracture Surgery. <b>2017</b> , 36, 224-228		6
124	Early Ambulation Decreases Length of Hospital Stay, Perioperative Complications and Improves Functional Outcomes in Elderly Patients Undergoing Surgery for Correction of Adult Degenerative Scoliosis. <b>2017</b> , 42, 1420-1425		37
123	What makes weekend allied health services effective and cost-effective (or not) in acute medical and surgical wards? Perceptions of medical, nursing, and allied health workers. <b>2017</b> , 17, 345		11
122	Reliability of 4-meter and 10-meter walk tests after lower extremity surgery. <i>Disability and Rehabilitation</i> , <b>2017</b> , 39, 2572-2576	2.4	30
121	Early mobilisation after total hip or knee arthroplasty: A multicentre prospective observational study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179820	3.7	31
120	Assessing the effectiveness of routine use of post-operative in-patient physical therapy services. <b>2017</b> , 3, 149-154		1
119	Mobility one week after a hip fracture - can it be predicted?. <i>International Journal of Orthopaedic and Trauma Nursing</i> , <b>2018</b> , 29, 3-9	1.1	14
118	Is prescribed lower extremity weight-bearing status after geriatric lower extremity trauma associated with increased mortality?. <i>Injury</i> , <b>2018</b> , 49, 404-408	2.5	3
117	Medical Management. <b>2018</b> , 141-149		
116	Exploring Canadian surgeons' decisions about postoperative weight bearing for their hip fracture patients. <b>2018</b> , 24, 42-47		8
115	Which factors are independent predictors of early recovery of mobility in the older adults' population after hip fracture? A cohort prognostic study. <i>Archives of Orthopaedic and Trauma Surgery</i> , <b>2018</b> , 138, 35-41	3.6	14
114	The validity, reliability, and responsiveness of the modified Iowa Level of Assistance scale in hospitalized older adults in subacute care. <i>Disability and Rehabilitation</i> , <b>2018</b> , 40, 2931-2937	2.4	4
113	Predictors and Sequelae of Postoperative Delirium in Geriatric Hip Fracture Patients. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2018</b> , 9, 2151459318814823	2	22
112	Early Out-of-Bed Functional Exercise Benefits Elderly Patients Following Hip Fracture: A Retrospective Cohort Study. <b>2018</b> , 246, 205-212		6

111	Rehabilitation Therapy After Surgery in Osteoporotic Patients. <b>2018</b> , 313-324		0
110	Multidisciplinary Approach to Osteoporosis. <b>2018</b> ,		1
109	Surgical Technical Evidence Review of Hip Fracture Surgery Conducted for the AHRQ Safety Program for Improving Surgical Care and Recovery. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2018</b> , 9, 2151459318769215	2	7
108	Physiotherapy following fragility fractures. <i>Injury</i> , <b>2018</b> , 49, 1413-1417	2.5	30
107	The effect of immediate controlled forces on periodontal healing of teeth replanted after short dry time in dogs. <b>2018</b> , 34, 336-346		3
106	To what extent do current total hip and knee replacement patient information resources adhere to enhanced recovery after surgery principles?. <b>2018</b> , 104, 327-337		9
105	Outcomes of Mobilisation of Vulnerable Elders in Ontario (MOVE ON): a multisite interrupted time series evaluation of an implementation intervention to increase patient mobilisation. <i>Age and Ageing</i> , <b>2018</b> , 47, 112-119	3	50
104	Management of hyperuricemia and gout in obese patients undergoing bariatric surgery. <b>2018</b> , 130, 523-535		6
103	Early inpatient rehabilitation for acutely hospitalized older patients: a systematic review of outcome measures. <i>BMC Geriatrics</i> , <b>2019</b> , 19, 189	4.1	13
102	Scaling-up implementation in community hospitals: a multisite interrupted time series design of the Mobilization of Vulnerable Elders (MOVE) program in Alberta. <i>BMC Geriatrics</i> , <b>2019</b> , 19, 288	4.1	1
101	Conceptual Framework for an Episode of Rehabilitative Care After Surgical Repair of Hip Fracture. <b>2019</b> , 99, 276-285		6
100	Predictors of In-Hospital Ambulatory Status Following Low-Energy Hip Fracture Surgery. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2019</b> , 10, 2151459318814825	2	2
99	48h for femur fracture treatment: are we choosing the wrong quality index?. <b>2019</b> , 20, 11		2
98	The association between weight-bearing status and early complications in hip fractures. <b>2019</b> , 29, 1419-1427		14
97	Can the effects of the mobilization of vulnerable elders in Ontario (MOVE ON) implementation be replicated in new settings: an interrupted time series design. <i>BMC Geriatrics</i> , <b>2019</b> , 19, 99	4.1	6
96	Factors Associated With Inability to Bear Weight Following Hip Fracture Surgery: An Analysis of the ACS-NSQIP Hip Fracture Procedure Targeted Database. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2019</b> , 10, 2151459319837481	2	5
95	Early Mobilization Post-Hip Fracture Surgery. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2019</b> , 10, 2151459319826431	2	25
94	Regaining Versus Not Regaining Function Following Hip Fracture-A Descriptive Study. <i>Geriatrics (Switzerland)</i> , <b>2019</b> , 4,	2.2	

93	Locating the lived body in client-nurse interactions: Embodiment, intersubjectivity and intercorporeality. <b>2019</b> , 20, e12241		13
92	Influence of mobilization and weight bearing on in-hospital outcome in geriatric patients with hip fractures. <b>2019</b> , 5, 4		23
91	Intensive In-Hospital Rehabilitation After Hip Fracture Surgery and Activities of Daily Living in Patients With Dementia: Retrospective Analysis of a Nationwide Inpatient Database. <b>2019</b> , 100, 2301-2307		12
90	Association Between Frailty Status and Odontoid Fractures After Traumatic Falls: Investigation of Varying Injury Mechanisms Among 70 Elderly Odontoid Fracture Patients. <i>Journal of Orthopaedic Trauma</i> , <b>2019</b> , 33, e484-e488	3.1	6
89	Compassionate Coverage: A Patient Access Linen System. <b>2019</b> , 6, 185-193		2
88	Precontoured Quadrilateral Surface Acetabular Plate Fixation Demonstrates Increased Stability When Compared With Pelvic Reconstruction Plates: A Biomechanical Study. <i>Journal of Orthopaedic Trauma</i> , <b>2019</b> , 33, e325-e330	3.1	3
87	Advocacy for use of the modified Iowa Level of Assistance Scale for clinical use in patients after hip replacement: an observational study. <b>2019</b> , 105, 108-113		6
86	The implementation of a clinical pathway enhancing early surgery for geriatric hip fractures: how to maintain a success story?. <i>European Journal of Trauma and Emergency Surgery</i> , <b>2019</b> , 45, 199-205	2.3	3
85	[Geriatric Trauma Center DGU] : Evaluation of clinical and economic parameters : A pilot study in a German university hospital]. <b>2019</b> , 122, 134-146		17
84	Direct supervision of physiotherapists improves compliance with clinical practice guidelines for patients with hip fracture: a controlled before-and-after study. <i>Disability and Rehabilitation</i> , <b>2020</b> , 42, 3825-3832	2.4	5
83	Measurement of mobility and physical function in hospitalised trauma patients: A systematic review of instruments and their measurement properties. <b>2020</b> , 22, 7-17		1
82	Rehabilitation protocols in unstable trochanteric fractures treated with cephalomedullary nails in elderly: current practices and outcome. <i>European Journal of Trauma and Emergency Surgery</i> , <b>2020</b> , 46, 1267-1280	2.3	4
81	Postoperative Physical Therapy to Prevent Hospital-acquired Pneumonia in Patients Over 80 Years Undergoing Hip Fracture Surgery-A Quasi-experimental Study. <i>Clinical Interventions in Aging</i> , <b>2020</b> , 15, 1821-1829	4	3
80	Initial functional recovery as a measure for rehabilitation outcome in post-acute hip fractured patients. <i>Archives of Gerontology and Geriatrics</i> , <b>2020</b> , 89, 104070	4	4
79	Using a Wearable Activity Monitor to Accurately Measure Mobility After Surgery for Hip Fractures (MASH)-A Feasibility Study Protocol. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , <b>2020</b> , 11, 2151459320964086		
78	The effectiveness pre-operative exercise of muscle strength for early ambulation on lower limb fracture with measurement tool [The Modified Iowa Level of Assistance Scale (MILAS)] in hospital inpatients. <i>Enfermería Clínica</i> , <b>2020</b> , 30, 151-156	0.6	
77	What Predicts Health-Related Quality of Life for Patients With Displaced Femoral Neck Fractures Managed With Arthroplasty? A Secondary Analysis of the HEALTH Trial. <i>Journal of Orthopaedic Trauma</i> , <b>2020</b> , 34 Suppl 3, S29-S36	3.1	1
76	Management of hip fractures during the COVID-19 pandemic at a high-volume hip fracture unit in the United Kingdom. <i>Journal of Orthopaedics</i> , <b>2020</b> , 20, 332-337	1.6	29

75	Exercise for people with a fragility fracture of the pelvis or lower limb: a systematic review of interventions evaluated in clinical trials and reporting quality. <i>BMC Musculoskeletal Disorders</i> , <b>2020</b> , 21, 435	2.8	1
74	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. <i>The Cochrane Library</i> , <b>2020</b> , 2, CD010569	5.2	15
73	Effects of early mobilization and weight bearing on postoperative walking ability and pain in geriatric patients operated due to hip fracture: a retrospective analysis. <i>Turkish Journal of Medical Sciences</i> , <b>2020</b> , 50, 117-125	2.7	9
72	Implementation of a Spine-Centered Care Pathway at a Regional Academic Spine Center. <i>Global Spine Journal</i> , <b>2020</b> , 10, 365-405	2.7	0
71	Prognostic factors for inpatient functional recovery following total hip and knee arthroplasty: a systematic review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2020</b> , 91, 313-318	4.3	3
70	Baring all: The impact of the hospital gown on patient well-being. <i>British Journal of Health Psychology</i> , <b>2020</b> , 25, 452-473	8.3	2
69	Important perioperative factors, guidelines and outcomes in the management of hip fracture. <i>Journal of Perioperative Practice</i> , <b>2021</b> , 31, 140-146	0.4	2
68	Addition of aerobic training to conventional rehabilitation after hip fracture: a randomized, controlled, pilot feasibility study. <i>Clinical Rehabilitation</i> , <b>2021</b> , 35, 568-577	3.3	3
67	The use of an activity tracker to objectively measure inpatient activity after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , <b>2021</b> , 17, 90-95	3	1
66	Identification of hip fracture patients at risk for postoperative mobilisation complications via handgrip strength assessment. <i>Archives of Orthopaedic and Trauma Surgery</i> , <b>2021</b> , 1	3.6	0
65	Factors Impacting Early Mobilization Following Hip Fracture: An Observational Study. <i>Journal of Geriatric Physical Therapy</i> , <b>2021</b> , 44, 88-93	3.2	3
64	Is Immediate Weight-Bearing Safe After Single Implant Fixation of Elderly Distal Femur Fractures?. <i>Journal of Orthopaedic Trauma</i> , <b>2021</b> , 35, 49-55	3.1	6
63	Physical Therapy Management of Older Adults With Hip Fracture. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2021</b> , 51, CPG1-CPG81	4.2	20
62	Relationship Between Mobile Digital Sensor Monitoring and Perioperative Outcomes: Systematic Review. <i>JMIR Perioperative Medicine</i> , <b>2021</b> , 4, e21571	1.5	0
61	Bone cement augmentation of femoral nail head elements increases their cut-out resistance in poor bone quality- A biomechanical study. <i>Journal of Biomechanics</i> , <b>2021</b> , 118, 110301	2.9	5
60	Very Distal Femoral Periprosthetic Fractures: Replacement Versus Fixation: A Systematic Review. <i>Journal of Orthopaedic Trauma</i> , <b>2021</b> , 35, 573-583	3.1	1
59	Post-hospital care pathway for individuals with hip fracture: what is the optimal setting and rehabilitation intensity? An observational study. <i>Disability and Rehabilitation</i> , <b>2021</b> , 1-8	2.4	3
58	Early Ambulation After Hip Fracture Surgery Is Associated With Decreased 30-Day Mortality. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , <b>2021</b> , 29, e238-e242	4.5	8

57	Does additional weekend and holiday physiotherapy benefit geriatric patients with hip fracture? A case-historical control study. <i>Hong Kong Physiotherapy Journal</i> , <b>2021</b> , 41, 109-118	1	1
56	Early Predictors for Discharge to Geriatric Rehabilitation after Hip Fracture Treatment of Older Patients. <i>Journal of the American Medical Directors Association</i> , <b>2021</b> , 22, 2454-2460	5.9	4
55	The effect of the COVID-19 lockdown on the epidemiology of hip fractures in the elderly: a multicentre cohort study. <i>Annals of the Royal College of Surgeons of England</i> , <b>2021</b> , 103, 337-344	1.4	5
54	Clinical Practice Guideline for Postoperative Rehabilitation in Older Patients With Hip Fractures. <i>Annals of Rehabilitation Medicine</i> , <b>2021</b> , 45, 225-259	1.7	5
53	Immediate weight-bearing is safe following lateral locked plate fixation of periprosthetic distal femoral fractures. <i>Knee Surgery and Related Research</i> , <b>2021</b> , 33, 19	2.5	1
52	Recumbent cycling to improve outcomes in people with hip fracture: a feasibility randomized trial. <i>BMC Geriatrics</i> , <b>2021</b> , 21, 394	4.1	1
51	The 30-day survival and recovery after hip fracture by timing of mobilization and dementia : a UK database study. <i>Bone and Joint Journal</i> , <b>2021</b> , 103-B, 1317-1324	5.6	6
50	A health care record review of early mobility activities after fragility hip fracture: Utilizing the French systematic method to inform future interventions. <i>International Journal of Orthopaedic and Trauma Nursing</i> , <b>2021</b> , 42, 100846	1.1	1
49	Optimization of transdisciplinary management of elderly with femur proximal extremity fracture: A patient-tailored plan from orthopaedics to rehabilitation. <i>World Journal of Orthopedics</i> , <b>2021</b> , 12, 456-466	2.2	10
48	Exercise therapy is effective at improving short- and long-term mobility, ADL and balance in older patients following hip fracture: a systematic review and meta-analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2021</b> ,	6.4	6
47	Mobilisation and physiotherapy intervention following hip fracture: snapshot survey across six countries from the Fragility Fracture Network Physiotherapy Group. <i>Disability and Rehabilitation</i> , <b>2021</b> , 1-8	2.4	1
46	Rehabilitation After Geriatric Hip Fractures. <b>2021</b> , 175-185		
45	Get up and get moving-early mobilisation after hip fracture surgery. <i>Age and Ageing</i> , <b>2021</b> , 50, 356-357	3	1
44	Timing of rehabilitation on length of stay and cost in patients with hip or knee joint arthroplasty: A systematic review with meta-analysis. <i>PLoS ONE</i> , <b>2017</b> , 12, e0178295	3.7	51
43	Developing a multidisciplinary rehabilitation package following hip fracture and testing in a randomised feasibility study: Fracture in the Elderly Multidisciplinary Rehabilitation (FEMuR). <i>Health Technology Assessment</i> , <b>2017</b> , 21, 1-528	4.4	16
42	Short-term Outcomes of Femoral Neck Fractures Treated With Hemiarthroplasty Using the Anterior Approach. <i>Orthopedics</i> , <b>2015</b> , 38, e1091-7	1.5	8
41	Postoperative Rehabilitation after Hip Fracture: A Literature Review. <i>Hip and Pelvis</i> , <b>2020</b> , 32, 125-131	1.5	7
40	Development, implementation and evaluation of an optimized cross-sectoral rehabilitation program after acute hip fracture surgery: A mixed-methods study. <i>Evaluation and Program Planning</i> , <b>2021</b> , 102021	1.7	

39	Addendum: heupfracturen. <b>2007</b> , 51-64		
38	Addendum: heupfracturen. <b>2010</b> , 440-448		
37	Rehabilitation. <b>2011</b> , 229-242		
36	Best Surgical Practices. <b>2011</b> , 265-283		
35	Cesarean delivery. 130-146		
34	Clinical impact of recovery room on post-operative walking performance in elderly patients submitted to hip surgery: a real-world analysis. <i>Aging Clinical and Experimental Research</i> , <b>2018</b> , 30, 999-1003	4.8	
33	Distal Femur Fractures. <b>2018</b> , 237-247		
32	Early Mobilization Versus Splinting After Surgical Management of Distal Radius Fractures. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2020</b> , 117, 445-451	2.5	2
31	Shorter acute hospital length of stay in hip fracture patients after surgery predicted by early surgery and mobilization. <i>Archives of Osteoporosis</i> , <b>2021</b> , 16, 162	2.9	1
30	Biomechanical analysis of recently released cephalomedullary nails for trochanteric femoral fracture fixation in a human cadaveric model. <i>Archives of Orthopaedic and Trauma Surgery</i> , <b>2021</b> , 1	3.6	0
29	Occupational advice to help people return to work following lower limb arthroplasty: the OPAL intervention mapping study. <i>Health Technology Assessment</i> , <b>2020</b> , 24, 1-408	4.4	2
28	Hip fracture. <i>Clinical Evidence</i> , <b>2010</b> , 2010,		3
27	Short Term Complications in Geriatric Ankle Fractures Using a Protocolized Approach to Surgical Treatment: Is Early Weight Bearing Safe?. <i>Iowa orthopaedic journal, The</i> , <b>2020</b> , 40, 159-165	1.1	
26	The effect of early mobilization on functional outcomes after hip surgery in the Chinese population - A multicenter prospective cohort study. <i>Journal of Orthopaedic Surgery</i> , <b>2021</b> , 29, 23094990211058902 <sup>1.4</sup>		0
25	Short vs. long intramedullary nail systems in trochanteric fractures: A randomized prospective single center study.. <i>Experimental and Therapeutic Medicine</i> , <b>2022</b> , 23, 106	2.1	0
24	Literature review on the management of simultaneous bilateral extracapsular hip fractures in the elderly. <i>Current Orthopaedic Practice</i> , <b>2022</b> , Publish Ahead of Print,	0.4	0
23	A comparative study of hip fracture care and outcomes in major trauma centres versus trauma units.. <i>Injury</i> , <b>2022</b> ,	2.5	
22	Influence of the timing of hip fracture surgery on final treatment outcomes. <i>Srpski Medicinski Ősopis Lekarske Komore</i> , <b>2022</b> , 3, 55-61	0.1	

21	Relation of mobilization after hip fractures on day of surgery to length of stay.. <i>Baylor University Medical Center Proceedings</i> , <b>2022</b> , 35, 305-308	0.6	
20	Hip fracture and orthogeriatrics. <b>2022</b> , 992-1006		
19	Factors Influencing Length of Stay and Discharge Destination of Patients with Hip Fracture Rehabilitating in a Private Care Setting.. <i>Geriatrics (Switzerland)</i> , <b>2022</b> , 7,	2.2	1
18	The influence of weight-bearing status on post-operative mobility and outcomes in geriatric hip fracture.. <i>European Journal of Trauma and Emergency Surgery</i> , <b>2022</b> , 1	2.3	1
17	Patient-related healthcare disparities in the quality of acute hip fracture care: a 10-year nationwide population-based cohort study.. <i>BMJ Open</i> , <b>2021</b> , 11, e051424	3	
16	Anthropometric, biochemical, and nutritional risk factors for osteoporosis in Korean adults based on a large cross-sectional study.. <i>PLoS ONE</i> , <b>2021</b> , 16, e0261361	3.7	o
15	Patterns of Physical Activity Over Time in Older Patients Rehabilitating after Hip Fracture Surgery: A Preliminary Study.		
14	Ambulation on hip fracture postoperative day 1: a marker for better outcomes following hip fracture surgery in patients 55 years or older. <i>HIP International</i> , 112070002211078	1.7	
13	Impact of concomitant upper-extremity injuries in patients with hip fractures: a systematic review and meta-analysis.		o
12	Multiple field tests on landing day: Early mobility may improve postural recovery following spaceflight. 13,		o
11	Interventions for improving mobility after hip fracture surgery in adults. <b>2022</b> , 2022,		o
10	Measurement of Mobility and Physical Function in Patients Who Are Hospitalized With Hip Fracture: A Systematic Review of Instruments and Their Measurement Properties.		o
9	Changes in activity of daily living performance and quality of life 3 months after hip fracture surgery may predict 1-year surgical outcomes in Taiwanese older adults: A prospective cohort study.		o
8	Functional Aspects and Physiotherapy Education in Home Between Intra- and Extra-Capsular Femoral Fractures of Hospitalized Elderly. 6, 5-12		o
7	The impact of early mobility on functional recovery after hip fracture surgery. 1-6		o
6	Acute gout attacks during the perioperative period and risk factors of recurrence after orthopedic surgery among untreated gout patients. <b>2023</b> , 18,		o
5	Rest is essential for effective therapies, and so it is for preparing a manuscript. <b>2023</b> , 72, 102921		o
4	Heupfracturen. <b>2021</b> , 83-95		o

- 3 Effect of Postoperative Non-Weight-Bearing in Trochanteric Fracture of the Femur: A Retrospective Cohort Study Using Propensity Score Matching. **2023**, 14, 215145932311609 ○
- 2 Barriers and facilitators of weight bearing after hip fracture surgery among older adults. A scoping review. ○
- 1 The Effect of Postoperative Physical Therapy Following Hip Fracture: A Literature Review. **2023**, ○