

CONCEPTS OF SEROMA FORMATION AND PREVENTION

ANZ Journal of Surgery

76, 1088-1095

DOI: [10.1111/j.1445-2197.2006.03949.x](https://doi.org/10.1111/j.1445-2197.2006.03949.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	REVIEW OF CONCEPTS OF SEROMA FORMATION AND PREVENTION IN BREAST CANCER SURGERY. ANZ Journal of Surgery, 2006, 76, 1046-1046.	0.3	1
2	PR12 A RETROSPECTIVE REVIEW OF SEROMA COMPLICATIONS FOLLOWING LATISSIMUS DORSI MUSCLE HARVEST. ANZ Journal of Surgery, 2007, 77, A64-A64.	0.3	0
3	Fibrin sealant does not decrease seroma output or time to drain removal following inguino-femoral lymph node dissection in melanoma patients: A randomized controlled trial (NCT00506311). World Journal of Surgical Oncology, 2008, 6, 63.	0.8	55
4	Materials in Surgery: A Review of Biomaterials in Postsurgical Tissue Adhesion and Seroma Prevention. Tissue Engineering - Part B: Reviews, 2008, 14, 377-391.	2.5	27
5	Collaboration in developing a protocol for nurse-led seroma aspiration. British Journal of Nursing, 2008, 17, 956-960.	0.3	1
6	Use of Multiple Drains After Mastectomy Is Associated With More Patient Discomfort and Longer Postoperative Stay. Clinical Breast Cancer, 2009, 9, 243-246.	1.1	33
7	Influence of Fibrin Glue on Seroma Formation after Modified Radical Mastectomy: A Prospective Randomized Study. Breast Journal, 2009, 15, 671-672.	0.4	8
8	Change in Seroma Volume During Whole-Breast Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2009, 75, 89-93.	0.4	45
9	When to Use Drains in Breast Reduction Surgery?. Annals of Plastic Surgery, 2009, 63, 135-137.	0.5	15
10	Factors Affecting Seroma Formation after Mastectomy with Full Axillary Dissection. Acta Chirurgica Belgica, 2009, 109, 481-483.	0.2	26
11	Prevalence, Risk Factors, and Management of Seroma Formation After Breast Approach Endoscopic Thyroidectomy. World Journal of Surgery, 2010, 34, 1817-1822.	0.8	11
12	Flap Anchoring Following Primary Breast Cancer Surgery Facilitates Early Hospital Discharge and Reduces Costs. Breast Care, 2010, 5, 97-101.	0.8	42
13	Design of an injectable synthetic and biodegradable surgical biomaterial. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 11014-11019.	3.3	55
14	Prevention of seroma formation after mastectomy and axillary dissection by lymph vessel ligation and dead space closure: a randomized trial. American Journal of Surgery, 2010, 200, 352-356.	0.9	60
15	Prevention of seroma formation after axillary dissection in breast cancer: A systematic review. European Journal of Surgical Oncology, 2011, 37, 829-835.	0.5	127
16	Electrothermal bipolar vessel sealing system in axillary dissection: A prospective randomized clinical study. International Journal of Surgery, 2011, 9, 636-640.	1.1	31
17	<i>Application of Subcutaneous Talc in Hernia Repair and Wide Subcutaneous Dissection Dramatically Reduces Seroma formation and Postoperative Wound Complications</i>. American Surgeon, 2011, 77, 888-894.	0.4	25
18	Vacuum-assisted sterile drainage of large post-operative seromas: the Royal Marsden technique. Annals of the Royal College of Surgeons of England, 2011, 93, 646-647.	0.3	2

#	ARTICLE	IF	CITATIONS
19	Whether drainage should be used after surgery for breast cancer? A systematic review of randomized controlled trials. <i>Medical Oncology</i> , 2011, 28, 22-30.	1.2	47
20	Computer Simulation of Pectoralis Major Muscle Strain to Guide Exercise Protocols for Patients After Breast Cancer Surgery. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 417-426.	1.7	15
21	Upper Quadrant Impairments Associated With Cancer Treatment. <i>Topics in Geriatric Rehabilitation</i> , 2011, 27, 222-233.	0.2	2
22	Usefulness of Harmonic Focus During Axillary Lymph Node Dissection. <i>Surgical Innovation</i> , 2011, 18, 231-234.	0.4	10
23	Effect of a mixed solution of sodium hyaluronate and carboxymethyl cellulose on upper limb dysfunction after total mastectomy: a double-blind, randomized clinical trial. <i>Breast Cancer Research and Treatment</i> , 2012, 136, 187-194.	1.1	11
24	Harmonic Focus Versus Electrocautery in Axillary Lymph Node Dissection for Breast Cancer: A Randomized Clinical Study. <i>Clinical Breast Cancer</i> , 2012, 12, 454-458.	1.1	21
25	Practical Use of the Extended No Action Level (eNAL) Correction Protocol for Breast Cancer Patients With Implanted Surgical Clips. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1031-1037.	0.4	26
26	Preventing seroma formation after axillary dissection for breast cancer: a randomized clinical trial. <i>American Journal of Surgery</i> , 2012, 203, 708-714.	0.9	48
27	Collagen sealant patch to reduce lymphatic drainage after lymph node dissection. <i>World Journal of Surgical Oncology</i> , 2012, 10, 275.	0.8	42
28	Interfraction accumulation of seroma during accelerated partial breast irradiation: Preliminary results of a prospective study. <i>Brachytherapy</i> , 2012, 11, 374-379.	0.2	5
29	Evaluation of the harmonic scalpel in breast conserving and axillary staging surgery. <i>Journal of the Chinese Medical Association</i> , 2012, 75, 519-523.	0.6	13
30	Axillary dissection in primary breast cancer: variations of the surgical technique and influence on morbidity. <i>Cancer Management and Research</i> , 2012, 4, 121.	0.9	14
31	Racial disparities in physical and functional domains in women with breast cancer. <i>Supportive Care in Cancer</i> , 2012, 20, 1839-1847.	1.0	19
32	Rotation flap approach mastectomy. <i>ANZ Journal of Surgery</i> , 2013, 83, 139-145.	0.3	5
33	Ultrasonic dissection system technology in breast cancer: a caseâ€“control study in a large cohort of patients requiring axillary dissection. <i>Breast Cancer Research and Treatment</i> , 2013, 142, 399-404.	1.1	15
34	Clinical Outcomes of Percutaneous Drainage of Breast Fluid Collections after Mastectomy with Expander-based Breast Reconstruction. <i>Journal of Vascular and Interventional Radiology</i> , 2013, 24, 1369-1374.	0.2	4
35	Does the reconstruction method influence development of mastectomy flap complications in nipple-sparing mastectomy?. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 1543-1550.	0.5	25
36	Lumpectomy Closure Technique Does Not Affect Dosimetry in Patients Undergoing External-Beam-Based Accelerated Partial Breast Irradiation. <i>Annals of Surgical Oncology</i> , 2013, 20, 1323-1328.	0.7	6

#	ARTICLE	IF	CITATIONS
37	Modified radical mastectomy: A pilot clinical trial comparing the use of conventional electric scalpel and harmonic scalpel. International Journal of Surgery, 2013, 11, 496-500.	1.1	19
38	Does Non-Placement of a Drain in Breast Surgery Increase the Rate of Complications and Revisions?. Geburtshilfe Und Frauenheilkunde, 2013, 73, 1128-1134.	0.8	8
39	Endoscopic groin lymph node dissection as a preferable technique for malignant skin neoplasms. Journal of Plastic Surgery and Hand Surgery, 2013, 47, 248-251.	0.4	3
40	Prevention of Seroma Formation after Axillary Dissection-A Comparative Randomized Clinical Trial of Three Methods. Breast Journal, 2013, 19, n/a-n/a.	0.4	30
41	Wound drainage after axillary dissection for carcinoma of the breast. The Cochrane Library, 2021, 2021, CD006823.	1.5	32
42	Analysis of selected factors influencing seroma formation in breast cancer patients undergoing mastectomy. Archives of Medical Science, 2013, 1, 86-92.	0.4	40
43	Can polyglactin mesh be used for prevention of seroma after mastectomy: an experimental study. European Surgery - Acta Chirurgica Austriaca, 2014, 46, 268-272.	0.3	0
45	The effects of low-thrombin fibrin sealant on wound serous drainage, seroma formation and length of postoperative stay in patients undergoing axillary node dissection for breast cancer. A randomized controlled trial. International Journal of Surgery, 2014, 12, 1210-1215.	1.1	34
46	Recent Advances in Glycerol Polymers: Chemistry and Biomedical Applications. Macromolecular Rapid Communications, 2014, 35, 1906-1924.	2.0	114
47	The volume and duration of wound drainage are independent prognostic factors for breast cancer. Tumor Biology, 2014, 35, 3563-3568.	0.8	2
48	Quilting Prevents Seroma Formation Following Breast Cancer Surgery: Closing the Dead Space by Quilting Prevents Seroma Following Axillary Lymph Node Dissection and Mastectomy. Annals of Surgical Oncology, 2014, 21, 802-807.	0.7	68
49	No-drain mastectomy - Preventing seroma using TissuGlu®: A small case series. Annals of Medicine and Surgery, 2014, 3, 82-84.	0.5	6
50	Continuous High-Pressure Negative Suction Drain. Journal of Craniofacial Surgery, 2014, 25, 1427-1431.	0.3	4
51	Pro-oncogenic cytokines and growth factors are differentially expressed in the post-surgical wound fluid from malignant compared to benign breast lesions. SpringerPlus, 2015, 4, 483.	1.2	10
52	Randomized clinical trial of prevention of seroma formation after mastectomy by local methylprednisolone injection. British Journal of Surgery, 2015, 102, 1195-1203.	0.1	19
53	Ultrasound-guided scraping of fibrous capsule plus bilayered negative pressure wound therapy for treatment of refractory postmastectomy seroma. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2015, 68, 403-409.	0.5	8
54	Quilting Suture of Mastectomy Dead Space Compared with Conventional Closure with Drain. Annals of Surgical Oncology, 2015, 22, 4233-4240.	0.7	40
55	Early removal of drains and the incidence of seroma after breast surgery. Breast Cancer, 2015, 22, 79-83.	1.3	25

#	ARTICLE	IF	CITATIONS
56	Dead space closure with quilting suture versus conventional closure with drainage for the prevention of seroma after mastectomy for breast cancer (QUISERMAS): protocol for a multicentre randomised controlled trial: TableÂ1. BMJ Open, 2016, 6, e009903.	0.8	27
57	A randomized controlled study comparing a vessel sealing system with the conventional technique in axillary lymph node dissection for primary breast cancer. SpringerPlus, 2016, 5, 1004.	1.2	12
58	Prospective randomized controlled study to assess the value of a hemostatic and sealing agent for preventing seroma after axillary lymphadenectomy. Journal of Surgical Oncology, 2016, 114, 423-427.	0.8	12
59	Symptomatic Axillary Seroma after Sentinel Lymph Node Biopsy: Incidence and Treatment. Annals of Surgical Oncology, 2016, 23, 3347-3353.	0.7	18
60	Seroma in Prosthetic Breast Reconstruction. Plastic and Reconstructive Surgery, 2016, 137, 1104-1116.	0.7	77
61	The impact of tissue glue in wound healing of head and neck patients undergoing neck dissection. European Archives of Oto-Rhino-Laryngology, 2016, 273, 245-250.	0.8	10
62	Drainless mastectomy: Is it safe and effective?. Journal of the Royal College of Surgeons of Edinburgh, 2017, 15, 267-271.	0.8	27
63	Use of Low-Thrombin Fibrin Sealant Glue After Axillary Lymphadenectomy for Breast Cancer to Reduce Hospital Length and Seroma. Clinical Breast Cancer, 2017, 17, 293-297.	1.1	20
64	A Prospective Randomized Trial of the Efficacy of Fibrin Glue, Triamcinolone Acetonide, and Quilting Sutures in Seroma Prevention after Latissimus Dorsi Breast Reconstruction. Plastic and Reconstructive Surgery, 2017, 139, 854e-863e.	0.7	38
65	A prospective randomised trial of LigaSure Small JawÂ® <i>versus</i> conventional neck dissection in head and neck cancer patients. Clinical Otolaryngology, 2017, 42, 245-251.	0.6	5
66	Prospective comparison of Sapylin and Avitene for reducing hydrops after axillary lymphadenectomy in breast cancer patients. Journal of Surgical Research, 2017, 210, 8-14.	0.8	1
67	Predisposing factors for seroma formation in patients undergoing thyroidectomy: Cross-sectional study. Annals of Medicine and Surgery, 2017, 23, 8-12.	0.5	13
68	Barbed Ribbon Device for Progressive Tension Closure Reduces Seroma After Breast Reconstruction. Annals of Plastic Surgery, 2017, 79, 541-545.	0.5	2
69	Surgical Indications and Outcomes of Mastectomy in Transmen: A Prospective Study of Technical and Self-Reported Measures. Plastic and Reconstructive Surgery, 2017, 140, 415e-424e.	0.7	46
70	Effect of Drain Placement on Infection, Seroma, and Return to Operating Room in Expander-Based Breast Reconstruction. Annals of Plastic Surgery, 2017, 79, 536-540.	0.5	16
71	Evaluation of factors in seroma formation and complications in sentinel and radical lymph node dissections in skin cancer patients. European Journal of Plastic Surgery, 2017, 40, 39-46.	0.3	4
72	OK-432 (Sapylin) Reduces Seroma Formation After Axillary Lymphadenectomy in Breast Cancer. Journal of Investigative Surgery, 2017, 30, 1-5.	0.6	14
73	Evaluation of adaptive radiotherapy (ART) by use of replanning the tumor bed boost with repeated computed tomography (CT) simulation after whole breast irradiation (WBI) for breast cancer patients having clinically evident seroma. Japanese Journal of Radiology, 2018, 36, 401-406.	1.0	27

#	ARTICLE	IF	CITATIONS
74	Complications of Breast Surgery and Their Management. , 2018, , 411-423.		1
75	A systematic review of flap fixation techniques in reducing seroma formation and its sequelae after mastectomy. Breast Cancer Research and Treatment, 2018, 167, 409-416.	1.1	37
76	Prevention of seroma following inguinal lymph node dissection with prophylactic, incisional, negative-pressure wound therapy (SEROMA trial): study protocol for a randomized controlled trial. Trials, 2018, 19, 441.	0.7	8
77	Can Gentamicin-collagen Sponges Prevent Seroma Formation Following Mastectomy?. Clinical Breast Cancer, 2018, 18, e1023-e1026.	1.1	8
78	A Feasibility Study on the Identification of Postlumpectomy Seromas by a Radiation Therapist Compared with That by Radiation Oncologists in Radiation Therapy Planning for Early Stage Breast Cancer. Journal of Medical Imaging and Radiation Sciences, 2018, 49, 173-178.	0.2	4
79	A multi-center, double blind randomized controlled trial evaluating flap fixation after mastectomy using sutures or tissue glue versus conventional closure: protocol for the Seroma reduction After Mastectomy (SAM) trial. BMC Cancer, 2018, 18, 830.	1.1	19
80	Management of chronic abdominal wall seroma with Doxycycline sclerotherapy using a Negative Pressure Wound Therapy System KCI-V.A.C.Ultra„A case report. International Journal of Surgery Case Reports, 2018, 51, 25-28.	0.2	8
81	Efficacy and safety of a vessel sealing system in oral cancer resection and reconstructive surgery. Acta Oto-Laryngologica, 2018, 138, 759-762.	0.3	6
82	The use of ultrasonic scalpel lowers the risk of post-mastectomy seroma formation in obese women. Journal of Cancer, 2019, 10, 3481-3485.	1.2	7
83	Effect of topical microporous polysaccharide hemospheres on the duration and amount of fluid drainage following mastectomy: a prospective randomized clinical trial. BMC Cancer, 2019, 19, 99.	1.1	10
84	Fibrin-thrombin sealant does not reduce lymphocele formation in patients with inguinofemoral lymphadenectomy for vulvar cancer. Cancer Management and Research, 2019, Volume 11, 3575-3582.	0.9	2
85	Omitting Postoperative Wound Drainage After Mastectomy With Skin-Flap Quilting. Annals of Surgical Oncology, 2019, 26, 2773-2778.	0.7	9
86	A Retrospective Head-to-head Comparison Between TiLoop Bra/TiMesh® and Seragyn® in 320 Cases of Reconstructive Breast Surgery. Anticancer Research, 2019, 39, 2599-2605.	0.5	21
87	Reducing seroma formation and its sequelae after mastectomy by closure of the dead space: The interim analysis of a multi-center, double-blind randomized controlled trial (SAM trial). Breast, 2019, 46, 81-86.	0.9	26
88	Advanced hemostasis in axillary lymph node dissection for locally advanced breast cancer: new technology devices compared in the prevention of seroma formation. BMC Surgery, 2019, 18, 125.	0.6	24
89	Sapylin (OK-432) alters inflammation and angiogenesis in vivo and vitro. Biomedicine and Pharmacotherapy, 2019, 113, 108706.	2.5	3
90	Arnica Montana and Bellis Perennis for Seroma Reduction Following Mastectomy and Immediate Breast Reconstruction. Plastic and Reconstructive Surgery - Global Open, 2019, 7, 24-25.	0.3	0
91	Breast Reconstruction Using a 3-dimensional Absorbable Mesh Scaffold and Autologous Fat Grafting. Plastic and Reconstructive Surgery - Global Open, 2019, 7, 23-24.	0.3	1

#	ARTICLE	IF	CITATIONS
92	Surgical wound fluids from patients treated with intraoperative radiotherapy induce radiobiological response in breast cancer cells. <i>Medical Oncology</i> , 2019, 36, 14.	1.2	16
94	Arnica montana and Bellis perennis for seroma reduction following mastectomy and immediate breast reconstruction: randomized, double-blind, placebo- controlled trial. <i>European Journal of Plastic Surgery</i> , 2020, 43, 285-294.	0.3	7
95	Sclerotherapy With OK-432 for the Treatment of Symptomatic Lymphocele After Lymph Node Dissection. <i>Annals of Plastic Surgery</i> , 2020, 85, 407-412.	0.5	6
96	A single-center, randomized, non-inferiority study evaluating seroma formation after mastectomy combined with flap fixation with or without suction drainage: protocol for the Seroma reduction and drAin fRee mAstectomy (SARA) trial. <i>BMC Cancer</i> , 2020, 20, 735.	1.1	11
97	Prepectoral Dual-Port Tissue Expander Placement. <i>Annals of Plastic Surgery</i> , 2020, 85, S60-S62.	0.5	4
98	Refractory Donor-Site Seroma Following DIEP Breast Reconstruction. <i>Plastic Surgery Case Studies</i> , 2020, 6, 2513826X1989883.	0.1	0
99	Comparing Breast Conservation Surgery Seromas Contoured by Radiation Therapists versus those Contoured by a Radiation Oncologist in Radiation Therapy Planning for Early-Stage Breast Cancer. <i>Journal of Medical Imaging and Radiation Sciences</i> , 2020, 51, 108-116.	0.2	2
100	Quilting suture is better than conventional suture with drain in preventing seroma formation at pectoral area after mastectomy. <i>BMC Surgery</i> , 2020, 20, 65.	0.6	17
101	Reducing Seroma Formation and Its Sequelae After Mastectomy by Closure of the Dead Space: A Multi-center, Double-Blind Randomized Controlled Trial (SAM-Trial). <i>Annals of Surgical Oncology</i> , 2021, 28, 2599-2608.	0.7	21
102	A systematic review of seroma formation following drain-free mastectomy. <i>European Journal of Surgical Oncology</i> , 2021, 47, 757-763.	0.5	9
103	Development and validation of a nomogram to predict drainage duration in patients with breast cancer treated with modified radical mastectomy. <i>Scientific Reports</i> , 2021, 11, 2533.	1.6	3
104	A Prospective Randomised Controlled Study Comparing Ultrasonic Dissector with Electrocautery for Axillary Dissection in Patients of Carcinoma Breast. <i>The Malaysian Journal of Medical Sciences</i> , 2021, 28, 97-104.	0.3	3
105	Novel Use of a Porcine Bladder Extracellular Matrix Scaffold to Treat Postoperative Seroma in a Total Knee Arthroplasty Patient. <i>Arthroplasty Today</i> , 2021, 7, 143-147.	0.8	3
106	Vertical Scar Versus Inverted-T Scar Reduction Mammoplasty: A Meta-Analysis and Systematic Review. <i>Aesthetic Plastic Surgery</i> , 2021, 45, 1385-1396.	0.5	5
107	Flap fixation in preventing seroma formation after mastectomy: an updated meta-analysis. <i>Updates in Surgery</i> , 2021, 73, 1307-1314.	0.9	9
108	Prediction of seroma after total mastectomy using an artificial neural network algorithm. <i>Breast Disease</i> , 2021, 41, 21-26.	0.4	2
109	Evaluating the Efficacy of Povidone-Iodine Solution Infection Prophylaxis in Immediate Tissue Expander-Based Breast Reconstruction: A Controlled Retrospective Analysis. <i>Plastic Surgery</i> , 0, , 229255032110247.	0.4	0
110	A Randomized Controlled Study of Quilting with Axillary Lymphatic Ligation Versus Conventional Modified Radical Mastectomy in Patients with Breast Cancer. <i>Indian Journal of Surgical Oncology</i> , 0, , 1.	0.3	0

#	ARTICLE	IF	CITATIONS
111	Effect of quilting on seroma formation in mastectomies: A meta-analysis. <i>Surgical Oncology</i> , 2021, 39, 101665.	0.8	5
112	Effectiveness of Cyanoacrylate in Reducing Seroma Formation in Breast Cancer Patients Post-Axillary Dissection: A Randomized Controlled Trial. <i>Frontiers in Oncology</i> , 2020, 10, 580861.	1.3	1
113	Dexamethasone Dose and Early Postoperative Recovery after Mastectomy. <i>Anesthesiology</i> , 2020, 132, 678-691.	1.3	17
115	The Use of Fibrin-based Tissue Adhesives for Breast in Reconstructive and Plastic Surgery. <i>Current Topics in Medicinal Chemistry</i> , 2020, 19, 2985-2990.	1.0	6
116	The Use of TissuGlu® Surgical Adhesive for Mastectomy with or Without Lymphonodectomy. <i>In Vivo</i> , 2018, 32, 625-631.	0.6	13
117	Axillary “Exclusion” A Successful Technique for Reducing Seroma Formation after Mastectomy and Axillary Dissection. <i>Advances in Breast Cancer Research</i> , 2013, 02, 1-6.	0.1	6
118	Electrothermal Bipolar Vessel Sealing System Dissection Reduces Drainage Fluid Output or Time to Drain Removal Following Axillary and Ilio-Inguinal Node Dissection in Melanoma Patients: A Pilot Study. <i>Journal of Cancer Therapy</i> , 2018, 09, 613-622.	0.1	1
119	Quilting after mastectomy significantly reduces seroma formation. <i>South African Journal of Surgery</i> , 2015, 53, 50.	0.1	6
120	Mastectomy for Invasive Breast Cancer. , 2015, , 215-222.		0
121	Seromas and Punctures after Complete Axillary Node Dissection for Breast Cancer: Differences between Mastectomy and Lumpectomy. <i>Journal of Surgery (Northborough, Mass)</i> , 2015, 3, .	0.0	2
122	Managing Complications of Open Hernia Repair. , 2016, , 207-222.		0
123	Clinical Experiences with the Scapular Fascial Free Flap. <i>Archives of Plastic Surgery</i> , 2016, 43, 438-445.	0.4	0
124	Modified Lisfranc Amputation to Reduce Hematoma Rate in Diabetic Foot Ulcer. <i>Journal of Wound Management and Research</i> , 2017, 13, 40-43.	0.1	0
125	Examination of the effects of celecoxib on postmastectomy seroma and wound healing. <i>Sisli Etfal Hastanesi Tip Bulteni</i> , 2018, 52, 212-219.	0.1	1
126	Evaluation of Fixation of Mastectomy Flaps in Reduction of Seroma Formation in Breast Cancer Patients. <i>The Egyptian Journal of Hospital Medicine</i> , 2018, 72, 4218-4223.	0.0	0
127	Modified Toe Amputation Reduces Hematoma Rate in Diabetic Foot Ulcer. <i>Journal of Wound Management and Research</i> , 2018, 14, 68-73.	0.1	0
128	Long-Term Complications and Management. , 2019, , 781-787.		0
129	Mastectomy Without Drains Reduces Cost with No Detriment to Patient Outcome. <i>Cureus</i> , 2019, 11, e5160.	0.2	2

#	ARTICLE	IF	CITATIONS
130	Interest of the Padding in the Prevention of Lymphocele Production after Mastectomy with Axillary Dissection for Breast Cancer at Joliot Curie Cancer Center. Journal of Cancer Therapy, 2020, 11, 824-831.	0.1	0
131	Prevention of Prolonged Lymphorrhea in Minor Pectoral Myoplasty in Women after Breast Cancer Surgery: Anatomical and Physiological Aspects. Journal of Experimental and Clinical Surgery, 2020, 13, 98-102.	0.1	0
132	Effect of early functional exercise in rehabilitation workshop on postoperative complications and functional rehabilitation of affected limbs in patients with breast cancer. Minerva Surgery, 2021, , .	0.1	0
133	THE USE OF THE PROPELLER FLAP FOR COVERING SKIN DEFECT AFTER AXILLARY LYMPHADENECTOMY FOR BREAST CANCER. Siberian Journal of Oncology, 2021, 20, 41-48.	0.1	0
134	A Study of Factors Influencing Seroma Formation after Radical Modified Mastectomy. Journal of Evidence Based Medicine and Healthcare, 2020, 7, 743-747.	0.0	1
135	Effect of Octreotide on Lymphorrhea in Patients After Modified Radical Mastectomy for Carcinoma Breast: A Randomized Controlled Trial. Cureus, 2021, 13, e19225.	0.2	3
136	Influence of Fibrin Glue on Seroma Formation After Modified Radical Mastectomy: A Prospective Randomized Study. Breast Journal, 2009, , .	0.4	0
137	Vacuum-assisted sterile drainage of large post-operative seromas: the Royal Marsden technique. Annals of the Royal College of Surgeons of England, 2011, 93, 646-7.	0.3	1
138	Sapylin promotes wound healing in mouse skin flaps. American Journal of Translational Research (discontinued), 2017, 9, 3017-3026.	0.0	3
140	Usefulness of using additional ultrasonic dissection device in breast cancer surgery: a retrospective cohort study. Gland Surgery, 2021, 10, 0-0.	0.5	1
141	Quilting following mastectomy reduces seroma, associated complications and health care consumption without impairing patient comfort. Journal of Surgical Oncology, 2022, 125, 369-376.	0.8	10
142	Method of internal drainage of seroma after hernioplasty. Klinicheskaia Meditsina, 2021, 99, 347-352.	0.2	0
144	Comparison of Flap Fixation to Its Bed and Conventional Wound Closure with Drainage in Preventing Seroma Formation Following Mastectomy for Breast Cancer: Systematic Review and Meta-analysis. Aesthetic Plastic Surgery, 2022, 46, 1180-1188.	0.5	3
145	Breast adenoid cystic carcinoma: a report of seven cases and literature review. BMC Surgery, 2022, 22, 113.	0.6	6
146	Changes in the Pattern of Superficial Lymphatic Drainage of the Abdomen after Abdominoplasty. Plastic and Reconstructive Surgery, 2022, 149, 1106e-1113e.	0.7	6
147	A simple method of securing the safety wire during ureteroscopy. Annals of the Royal College of Surgeons of England, 2011, 93, 646-646.	0.3	1
148	Vacuum-assisted sterile drainage of large post-operative seromas: the Royal Marsden technique. Annals of the Royal College of Surgeons of England, 2011, 93, 646-647.	0.3	2
149	A comparative study of Drain in Oncoplastic Breast Conserving Surgery (therapeutic mammoplasty and) Tj ETQq1 1 0.784314 rgBT /Ove 2022, , .	1.1	0

#	ARTICLE	IF	CITATIONS
150	The efficacy of oxidized regenerated cellulose (SurgiGuard®) in breast cancer patients who undergo total mastectomy with node surgery: A prospective randomized study in 94 patients. PLoS ONE, 2022, 17, e0267694.	1.1	0
151	Shedding Light on T2 Bright Masses on Breast MRI: Benign and Malignant Causes. Journal of Breast Imaging, 2022, 4, 430-440.	0.5	4
152	Evidence from Clinical Studies Related to Dermatologic Surgeries for Skin Cancer. Cancers, 2022, 14, 3835.	1.7	3
153	Management of Postoperative Seroma: Recommendations Based on a 12-Year Retrospective Study. Journal of Clinical Medicine, 2022, 11, 5062.	1.0	1
154	Seroma as a rare complication of autologous arteriovenous fistula creation in the forearm of a hemodialysis patient: a case report. Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona Sudońska, 2022, 22, 240-244.	0.7	1
156	Ethanol Sclerotherapy for Postoperative Seroma of the Breast and Axilla. Journal of Breast Imaging, 2023, 5, 167-173.	0.5	0
157	Indo-cyanine green administration to identify loss of lymph after axillary lymph node dissection. Frontiers in Oncology, 0, 13, .	1.3	0
158	The Use of Wound Infiltration for Postoperative Pain Management after Breast Cancer Surgery: A Randomized Clinical Study. Biomedicines, 2023, 11, 1195.	1.4	1