CITATION REPORT List of articles citing

Is there an association between sweetened beverages and adiposity?

DOI: 10.1111/j.1753-4887.2006.tb00199.x Nutrition Reviews, 2006, 64, 153-74.

Source: https://exaly.com/paper-pdf/40368598/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
144	Beverage intake among preschool children and its effect on weight status. 2006 , 118, e1010-8		215
143	Crisis and chaos in behavioral nutrition and physical activity. 2006 , 3, 27		18
142	Reply to RJ Kaplan. 2006 , 84, 1249-1251		
141	Criteria for diagnosing the metabolic syndrome. 2006 , 84, 1251-2; author reply 1252		9
140	Beverage guidance system is not evidence-based. 2006 , 84, 1248-9; author reply 1249-50		1
139	The possible role of sugar-sweetened beverages in obesity etiology: a review of the evidence. <i>International Journal of Obesity</i> , 2006 , 30, S28-S36	5.5	104
138	Sugar intake, soft drink consumption and body weight among British children: further analysis of National Diet and Nutrition Survey data with adjustment for under-reporting and physical activity. 2007 , 58, 445-60		65
137	The real contribution of added sugars and fats to obesity. 2007 , 29, 160-71		148
136	Lack of findings for the association between obesity risk and usual sugar-sweetened beverage consumption in adultsa primary analysis of databases of CSFII-1989-1991, CSFII-1994-1998, NHANES III, and combined NHANES 1999-2002. 2007 , 45, 1523-36		46
135	Assessment of child and adolescent overweight and obesity. 2007, 120 Suppl 4, S193-228		614
134	Commentary on Gibson S. A. (1996) Are diets high in non-milk extrinsic sugars conducive to obesity? An analysis from the Dietary and Nutritional Survey of British Adults. Journal of Human Nutrition and Dietetics; 9, 283-292. <i>Journal of Human Nutrition and Dietetics</i> , 2007 , 20, 239-40	3.1	6
133	Predictor factors for childhood obesity in a Spanish case-control study. <i>Nutrition</i> , 2007 , 23, 379-84	4.8	58
132	Is sugar-sweetened beverage consumption associated with increased fatness in children?. <i>Nutrition</i> , 2007 , 23, 557-63	4.8	142
131	Beverage consumption patterns of children born at different risk of obesity. 2008, 16, 1802-8		60
130	Consumption of 'extra' foods by Australian children: types, quantities and contribution to energy and nutrient intakes. 2008 , 62, 356-64		101
129	Sucres et poids corporel : analyse des donnès pidmiologiques. 2008 , 43, 2S21-2S28		1
128	Association between sweetened beverage consumption and body mass index, proportion of body fat and body fat distribution in Mexican adolescents. 2008 , 53, 245-51		24

(2009-2008)

127	Sugar-sweetened soft drinks and obesity: a systematic review of the evidence from observational studies and interventions. 2008 , 21, 134-47	157
126	Metabolic and endocrine profiles in response to systemic infusion of fructose and glucose in rhesus macaques. 2008 , 149, 3002-8	27
125	Konsum von Erfrischungsgeträken und Entwicklung des Käpergewichts im Kindes- und Jugendalter - Gibt es eine Verbindung?. 2008 , 33, 123-131	4
124	The role of sugar-sweetened beverage consumption in adolescent obesity: a review of the literature. 2008 , 24, 3-12	124
123	Increasing caloric contribution from sugar-sweetened beverages and 100% fruit juices among US children and adolescents, 1988-2004. 2008 , 121, e1604-14	491
122	Sugar-sweetened beverages, weight gain and nutritional epidemiological study design. <i>British Journal of Nutrition</i> , 2008 , 99, 1169-70	10
121	The level of carbonation of a sugar-sweetened beverage preload affects satiety and short-term energy and food intakes. <i>British Journal of Nutrition</i> , 2008 , 99, 1362-9	14
120	Sugar-sweetened beverages and body mass index in children and adolescents: a meta-analysis. 2008 , 87, 1662-71	233
119	Effects of replacing the habitual consumption of sugar-sweetened beverages with milk in Chilean children. 2008 , 88, 605-11	90
118	. 2008,	7
118	. 2008, Weak association between sweeteners or sweetened beverages and diabetes. 2008, 138, 138; author reply 139	7
	Weak association between sweeteners or sweetened beverages and diabetes. 2008 , 138, 138;	
117	Weak association between sweeteners or sweetened beverages and diabetes. 2008 , 138, 138; author reply 139	3
117 116	Weak association between sweeteners or sweetened beverages and diabetes. 2008, 138, 138; author reply 139 Eating patterns and overweight status in young adults: the Bogalusa Heart Study. 2009, 60 Suppl 3, 14-25 Reduction in consumption of sugar-sweetened beverages is associated with weight loss: the	3 16 155
117 116 115	Weak association between sweeteners or sweetened beverages and diabetes. 2008, 138, 138; author reply 139 Eating patterns and overweight status in young adults: the Bogalusa Heart Study. 2009, 60 Suppl 3, 14-25 Reduction in consumption of sugar-sweetened beverages is associated with weight loss: the PREMIER trial. 2009, 89, 1299-306 Sweets and sugar-sweetened soft drink intake in childhood in relation to adult BMI and overweight.	3 16 155
117 116 115	Weak association between sweeteners or sweetened beverages and diabetes. 2008, 138, 138; author reply 139 Eating patterns and overweight status in young adults: the Bogalusa Heart Study. 2009, 60 Suppl 3, 14-25 Reduction in consumption of sugar-sweetened beverages is associated with weight loss: the PREMIER trial. 2009, 89, 1299-306 Sweets and sugar-sweetened soft drink intake in childhood in relation to adult BMI and overweight. The Cardiovascular Risk in Young Finns Study. Public Health Nutrition, 2009, 12, 2018-26 A high-sucrose isocaloric pair-fed model induces obesity and impairs NDUFB6 gene function in rat	3 16 155 65
117 116 115 114	Weak association between sweeteners or sweetened beverages and diabetes. 2008, 138, 138; author reply 139 Eating patterns and overweight status in young adults: the Bogalusa Heart Study. 2009, 60 Suppl 3, 14-25 Reduction in consumption of sugar-sweetened beverages is associated with weight loss: the PREMIER trial. 2009, 89, 1299-306 Sweets and sugar-sweetened soft drink intake in childhood in relation to adult BMI and overweight. The Cardiovascular Risk in Young Finns Study. Public Health Nutrition, 2009, 12, 2018-26 A high-sucrose isocaloric pair-fed model induces obesity and impairs NDUFB6 gene function in rat adipose tissue. 2009, 2, 267-72 Impact of dairy and sweetened beverage consumption on diet and weight of a multiethnic	3 16 155 65

109	Use of artificial sweeteners and fat-modified foods in weight loss maintainers and always-normal weight individuals. <i>International Journal of Obesity</i> , 2009 , 33, 1183-90	5.5	50
108	Intake of calorically sweetened beverages and obesity. 2009 , 10, 68-75		133
107	On the role and fate of sugars in human nutrition and health. Introduction. 2009 , 10 Suppl 1, 1-8		14
106	Steps in the design, development and formative evaluation of obesity prevention-related behavior change trials. 2009 , 6, 6		105
105	Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association. 2009 , 120, 1011-20		805
104	Is sugar consumption detrimental to health? A review of the evidence 1995-2006. 2010 , 50, 1-19		91
103	Soft drinks and body weight development in childhood: is there a relationship?. 2009 , 12, 596-600		64
102	Correlates of soft drink and fruit juice consumption among Swedish adolescents. <i>British Journal of Nutrition</i> , 2009 , 101, 1541-8	3.6	17
101	Dietary Fiber and Associated Phytochemicals in Prevention and Reversal of Diabetes. 2009 , 97-125		3
100	Consumption of 100% fruit juice and risk of obesity and metabolic syndrome: findings from the national health and nutrition examination survey 1999-2004. 2010 , 29, 625-9		30
99	Trends in energy and sugar intakes and body mass index between 1983 and 1997 among children in Great Britain. <i>Journal of Human Nutrition and Dietetics</i> , 2010 , 23, 371-81	3.1	20
98	Risk associations of obesity with sugar-sweetened beverages and lifestyle factors in Chinese: the 'Better Health for Better Hong Kong' health promotion campaign. 2010 , 64, 1386-92		16
97	A new classification of foods based on the extent and purpose of their processing. 2010 , 26, 2039-49		312
96	Increasing consumption of ultra-processed foods and likely impact on human health: evidence from Brazil. <i>Public Health Nutrition</i> , 2011 , 14, 5-13	3.3	530
95	The health implications of sucrose, high-fructose corn syrup, and fructose: what do we really know?. 2010 , 4, 1008-11		14
94	Sugar-Sweetened Beverage Intake Trends in US Adolescents and Their Association with Insulin Resistance-Related Parameters. 2010 , 2010,		38
93	The effect of sugar-sweetened beverage intake on energy intake in an ad libitum 6-month low-fat high-carbohydrate diet. 2010 , 57, 116-23		5
92	Intake of added sugars and selected nutrients in the United States, National Health and Nutrition Examination Survey (NHANES) 2003-2006. 2010 , 50, 228-58		181

91	The worldwide battle against soft drinks in schools. 2010 , 38, 457-61		25
90	Are caloric beverages compensated for in the short-term by young adults? An investigation with particular focus on gender differences. <i>Appetite</i> , 2010 , 55, 137-46	4.5	39
89	Prevalence and predictors of weight-loss maintenance in a biracial cohort: results from the coronary artery risk development in young adults study. 2010 , 39, 546-54		47
88	Soft drink and juice consumption and risk of physician-diagnosed incident type 2 diabetes: the Singapore Chinese Health Study. 2010 , 171, 701-8		121
87	Components of the diet associated with child adiposity: a cross-sectional study. 2011, 30, 536-46		10
86	Quelle place pour les boissons aux difffents ges de la vie ?. 2011 , 46, H54-H60		1
85	Intake of added sugars is not associated with weight measures in children 6 to 18 years: National Health and Nutrition Examination Surveys 2003-2006. 2011 , 31, 338-46		14
84	Soft drinks consumption, diet quality and BMI in a Mediterranean population. <i>Public Health Nutrition</i> , 2011 , 14, 778-84	3.3	10
83	Childhood obesity and dental caries among paediatric dental clinic attenders. 2011 , 21, 217-22		21
82	Does the sale of sweetened beverages at school affect children's weight?. 2011 , 73, 1332-9		12
81	[Approaches for the prevention of overweight through modified beverage consumption in the elementary school setting. The "trinkfit" study]. 2011 , 54, 339-48		12
80	Quality of reviews on sugar-sweetened beverages and health outcomes: a systematic review. 2011 , 94, 1340-7		42
79	Behavioral science in video games for children's diet and physical activity change: key research needs. 2011 , 5, 229-33		55
78	Direction of associations between added sugar intake in early childhood and body mass index at age 7 years may depend on intake levels. 2011 , 141, 1348-54		27
77	Dietary Sugars Predict Chronic Disease Risk Factors in College Students. 2011 , 26, 324-334		4
76	Hydration. 2012 , 47, S1-S2		
<i>75</i>	School-based obesity-prevention interventions in low- and middle-income countries: do they really work?. 2012 , 96, 227-8		9
74	Association between commercial and traditional sugar-sweetened beverages and measures of adiposity in Costa Rica. <i>Public Health Nutrition</i> , 2012 , 15, 1347-54	3.3	8

73	Intake of liquid and solid sucrose in relation to changes in body fatness over 6 years among 8- to 10-year-old children: the European Youth Heart Study. 2012 , 5, 506-12	23
72	Family- and school-based correlates of energy balance-related behaviours in 10-12-year-old children: a systematic review within the ENERGY (EuropeaN Energy balance Research to prevent excessive weight Gain among Youth) project. <i>Public Health Nutrition</i> , 2012 , 15, 1380-95	101
71	Fluid intake patterns: an epidemiological study among children and adolescents in Brazil. 2012, 12, 1005	33
70	The effects of four hypocaloric diets containing different levels of sucrose or high fructose corn syrup on weight loss and related parameters. 2012 , 11, 55	32
69	Beverage patterns among Canadian children and relationship to overweight and obesity. 2012 , 37, 900-6	29
68	Decrease in television viewing predicts lower body mass index at 1-year follow-up in adolescents, but not adults. 2012 , 44, 415-22	16
67	Consumption of sugar-sweetened beverages in relation to the metabolic syndrome among Iranian adults. 2012 , 5, 527-37	17
66	Fruit drink consumption is associated with overweight and obesity in Canadian women. 2012 , 103, 178-82	12
65	Games and Childhood Obesity. 2013 , 2, 113-5	7
64	High-fructose corn syrup and sucrose have equivalent effects on energy-regulating hormones at normal human consumption levels. 2013 , 33, 1043-52	39
63	Evidence mapping: methodologic foundations and application to intervention and observational research on sugar-sweetened beverages and health outcomes. 2013 , 98, 755-68	32
62	Is the intake of sugar-containing beverages during adolescence related to adult weight status?. Public Health Nutrition, 2013 , 16, 1257-62	9
61	Family- and school-based predictors of energy balance-related behaviours in children: a 6-year longitudinal study. <i>Public Health Nutrition</i> , 2013 , 16, 202-11	17
60	Does consumption of high-fructose corn syrup beverages cause obesity in children?. <i>Pediatric Obesity</i> , 2013 , 8, 249-54	29
59	Association between sweet drink intake and adiposity in Danish children participating in a long-term intervention study. <i>Pediatric Obesity</i> , 2013 , 8, 259-70	22
58	Soft drinks and obesity in children: an intricate puzzle. 2013 , 8, 5-7	
57	Consistency between increasing trends in added-sugar intake and body mass index among adults: the Minnesota Heart Survey, 1980-1982 to 2007-2009. 2013 , 103, 501-7	30
56	The effects of fructose-containing sugars on weight, body composition and cardiometabolic risk factors when consumed at up to the 90th percentile population consumption level for fructose. 6.7 Nutrients, 2014, 6, 3153-68	49

55	Bebidas azucaradas, m que un simple refresco. 2014 , 41, 90-97		3
54	Sugar-sweetened beverages consumption in relation to changes in body fatness over 6 and 12 years among 9-year-old children: the European Youth Heart Study. 2014 , 68, 77-83		44
53	Sugar-sweetened beverage consumption among a subset of Canadian youth. 2014 , 84, 168-76		14
52	Association of beverage consumption with obesity in Mexican American children. <i>Public Health Nutrition</i> , 2014 , 17, 338-44	3.3	32
51	Is there an association between food portion size and BMI among British adolescents?. <i>British Journal of Nutrition</i> , 2014 , 112, 841-51	3.6	42
50	Sugar-sweetened and artificially-sweetened beverages in relation to obesity risk. <i>Advances in Nutrition</i> , 2014 , 5, 797-808	10	89
49	Systematic review of the evidence for an association between sugar-sweetened beverage consumption and risk of obesity. <i>Nutrition Reviews</i> , 2014 , 72, 566-74	6.4	67
48	Reviews examining sugar-sweetened beverages and body weight: correlates of their quality and conclusions. 2014 , 99, 1096-104		40
47	The effect of normally consumed amounts of sucrose or high fructose corn syrup on lipid profiles, body composition and related parameters in overweight/obese subjects. <i>Nutrients</i> , 2014 , 6, 1128-44	6.7	39
46	Replacing sugary drinks with milk is inversely associated with weight gain among young obesity-predisposed children. <i>British Journal of Nutrition</i> , 2015 , 114, 1448-55	3.6	22
45	Impact of bottle size on in-home consumption of sugar-sweetened beverages: protocol for a feasibility and acceptability study. 2015 , 1, 41		4
44	Maternal depression, stress and feeding styles: towards a framework for theory and research in child obesity. <i>British Journal of Nutrition</i> , 2015 , 113 Suppl, S55-71	3.6	67
43	Fructose-containing sugars and cardiovascular disease. Advances in Nutrition, 2015, 6, 430-9	10	41
42	Association between dairy intake and caries among children and adolescents. results from the Danish EYHS follow-up study. <i>Caries Research</i> , 2015 , 49, 251-8	4.2	10
41	Is Sugar the new Tobacco? Insights from Laboratory Studies, Consumer Surveys and Public Health. <i>Current Obesity Reports</i> , 2015 , 4, 111-21	8.4	8
40	Trends in consumption of ultra-processed foods and obesity in Sweden between 1960 and 2010. <i>Public Health Nutrition</i> , 2015 , 18, 3096-107	3.3	112
39	Liquid versus solid energy intake in relation to body composition among Australian children. <i>Journal of Human Nutrition and Dietetics</i> , 2015 , 28 Suppl 2, 70-9	3.1	23
38	Substituting sugar-sweetened beverages with water or milk is inversely associated with body fatness development from childhood to adolescence. <i>Nutrition</i> , 2015 , 31, 38-44	4.8	48

37	Functionality of Sugars in Foods and Health. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2016 , 15, 433-470	16.4	97
36	Reasons for Specifically Targeting Sugar-Sweetened Beverages. 2016 , 35-57		
35	Beverage intake and obesity in early childhood: evidence form primary health care clients in Northwest Argentina. <i>Journal of Developmental Origins of Health and Disease</i> , 2016 , 7, 244-252	2.4	2
34	A Multicomponent Intervention Helped Reduce Sugar-Sweetened Beverage Intake in Economically Disadvantaged Hispanic Children. <i>American Journal of Health Promotion</i> , 2016 , 30, 594-603	2.5	8
33	Assessment of weight status, dietary habits and beliefs, physical activity, and nutritional knowledge among university students. <i>Perspectives in Public Health</i> , 2016 , 136, 231-44	1.4	82
32	The relative reinforcing value of sweet versus savory snack foods after consumption of sugar- or non-nutritive sweetened beverages. <i>Appetite</i> , 2017 , 112, 143-149	4.5	19
31	A modeling study of beverage substitution and obesity outcomes among Australian adults. <i>Nutrition</i> , 2017 , 39-40, 71-75	4.8	3
30	Effectiveness of behavioral interventions to reduce the intake of sugar-sweetened beverages in children and adolescents: a systematic review and meta-analysis. <i>Nutrition Reviews</i> , 2018 , 76, 88-107	6.4	35
29	Dietary sugar intake was associated with increased body fatness but decreased cardiovascular mortality in Chinese elderly: an 11-year prospective study of Mr and Ms OS of Hong Kong. <i>International Journal of Obesity</i> , 2018 , 42, 808-816	5.5	11
28	Impact of warning labels on sugar-sweetened beverages on parental selection: An online experimental study. <i>Preventive Medicine Reports</i> , 2018 , 12, 259-267	2.6	79
27	Sugar-Sweetened Beverages Contribute Significantly to College Students' Daily Caloric Intake in Jordan: Soft Drinks Are Not the Major Contributor. <i>Nutrients</i> , 2019 , 11,	6.7	10
26	Modelling the Effects of Beverage Substitution during Adolescence on Later Obesity Outcomes in Early Adulthood: Results from the Raine Study. <i>Nutrients</i> , 2019 , 11,	6.7	1
25	The impact of 'on-pack' pictorial health warning labels and calorie information labels on drink choice: A laboratory experiment. <i>Appetite</i> , 2020 , 145, 104484	4.5	11
24	Soft Drinks: Public Health Perspective. 2020 , 325-369		2
23	The Association between Portion Sizes from High-Energy-Dense Foods and Body Composition in European Adolescents: The HELENA Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
22	Fructose, High Fructose Corn Syrup, Sucrose, and Health: Modern Scientific Understandings. 2014 , 3-12		3
21	Worldwide Consumption of Sweeteners and Recent Trends. 2014 , 87-111		4
20	Tissue Changes in the Development of Fatty Liver by Chronic Ingestion of Sucrose Associated with Obesity and Dyslipidemia in Rats. <i>International Journal for Vitamin and Nutrition Research</i> , 2018 , 88, 117-	-125	2

19	Association of Total Sugars Intake with Nutrient Density and Obesity Degree in Elementary School Students in Chungnam. <i>Journal of the East Asian Society of Dietary Life</i> , 2017 , 27, 176-184	0.5	5
18	Lise ve Dengi Okullardaki Bencilerin Fast Food TRetim Kararlar (<i>Kahramanmard</i> (Mahama) Diversitesi Tar (Mahama) Diversitesi Dive		1
17	Contribution of Different Food Groups to the Energy Intake and Weight Status of Adults: A Cross-Sectional Study in a Malaysian Public University. <i>Asian Journal of Clinical Nutrition</i> , 2015 , 7, 45-54	O	1
16	Prevalence of Obesity: A Public Health Problem Poorly Understood. <i>AIMS Public Health</i> , 2014 , 1, 109-122	2 1.9	8
15	Fluids and childrenâl health. 2011 , 26-43		
14	Dietary Intake of Children over Two Decades in a Community and an Approach for Modification. 2011 , 155-183		
13	Beverage Interventions to Prevent Child Obesity. 2011 , 389-400		
12	The Young and Adolescents: Initiating Change in Childrenâl Eating Behavior. 2011 , 3285-3294		
11	Crisis and Chaos in Behavioral Nutrition and Physical Activity. 2011 , 14-21		
10	Sugars and Cardiovascular Disease. 2014 , 341-356		
9	The Effects of Sweeteners on Energy Regulating Hormones. 2014 , 169-185		
8	Soft drinks and weight gain: how strong is the link?. Medscape Journal of Medicine, 2008, 10, 189		38
7	Is beverage intake related to overweight and obesity in school children?. Hippokratia, 2013, 17, 42-6	0.4	25
6	Sugar-sweetened beverages intake and the risk of obesity in children: An updated systematic review and dose-response meta-analysis <i>Pediatric Obesity</i> , 2022 , e12914	4.6	1
5	Nutritional Value of Canteen Menus and Dietary Habits and Intakes of University Students in Indonesia <i>Nutrients</i> , 2022 , 14,	6.7	
4	Sugar-sweetened beverages consumption in a multi-ethnic population of middle-aged men and association with sociodemographic variables and obesity. 9,		1
3	Effects of early-life voluntary exercise and fructose on adult activity levels, body composition, aerobic capacity, and organ masses in mice bred for high voluntary wheel-running behavior. 1-12		0
2	The moderating role of physical fitness in the relationship between sugar-sweetened beverage consumption and adiposity in schoolchildren. 2022 , 12,		O

Sugar-Sweetened Beverages Consumption in a Multi-Ethnic Population of Young Men and Association with Sociodemographic Characteristics and Obesity. **2023**, 20, 4861

О