

CITATION REPORT

List of articles citing

Bitter Gourd (*Momordica charantia*): a Dietary Approach to Hyperglycemia

DOI: 10.1111/j.1753-4887.2006.tb00217.x
Nutrition Reviews, 2006, 64, 331-337.

Source: <https://exaly.com/paper-pdf/40368616/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
164	Dietary management of the metabolic syndrome beyond macronutrients. <i>Nutrition Reviews</i> , 2008 , 66, 429-44	6.4	51
163	Comparative analysis of genetic diversity in Indian bitter melon (<i>Momordica charantia</i> L.) using RAPD and ISSR markers for developing crop improvement strategies. 2008 , 115, 209-217		43
162	Bitter melon (<i>Momordica charantia</i> L.) inhibits adipocyte hypertrophy and down regulates lipogenic gene expression in adipose tissue of diet-induced obese rats. 2008 , 99, 230-9		59
161	Efficacy of dietary supplementation with botanicals on carbohydrate metabolism in humans. 2008 , 8, 78-81		43
160	Taiwanofungus camphoratus activates peroxisome proliferator-activated receptors and induces hypotriglyceride in hypercholesterolemic rats. 2008 , 72, 1704-13		8
159	. 2008 ,		7
158	Serum sialic acid changes in non-insulin-dependant diabetes mellitus (NIDDM) patients following bitter melon (<i>Momordica charantia</i>) and rosiglitazone (Avandia) treatment. 2009 , 16, 401-5		37
157	Osthole, a potential antidiabetic agent, alleviates hyperglycemia in db/db mice. 2009 , 181, 309-15		82
156	Ribosome-inactivating proteins isolated from dietary bitter melon induce apoptosis and inhibit histone deacetylase-1 selectively in premalignant and malignant prostate cancer cells. 2009 , 125, 774-82		77
155	Validation et contribution à l'étude de l'effet antihyperglycémique d'une plante médicinale, le <i>Momordica charantia</i> L.. 2009 , 7, 191-196		3
154	Hypoglycemic herbs and their action mechanisms. 2009 , 4, 11		104
153	Indigenous drugs in ischemic heart disease in patients with diabetes. 2009 , 15, 1215-21		11
152	Induction of hepatocyte growth factor production in human dermal fibroblasts and their proliferation by the extract of bitter melon pulp. 2009 , 46, 119-26		9
151	Suppressive effects of wild bitter melon (<i>Momordica charantia</i> Linn. var. <i>abbreviata</i> ser.) fruit extracts on inflammatory responses in RAW264.7 macrophages. <i>Journal of Ethnopharmacology</i> , 2009 , 122, 227-33	5	60
150	No effect of acute, single dose oral administration of <i>Momordica charantia</i> Linn., on glycemia, energy expenditure and appetite: a pilot study in non-diabetic overweight men. <i>Journal of Ethnopharmacology</i> , 2009 , 126, 127-33	5	17
149	The Okinawan diet: health implications of a low-calorie, nutrient-dense, antioxidant-rich dietary pattern low in glycaemic load. 2009 , 28 Suppl, 500S-516S		182
148	Modulation of Insulin Action by Botanical Therapeutics. 2009 , 5, 277-281		3

147	Fenugreek and Traditional Antidiabetic Herbs of Indian Origin. 2009 , 311-378		
146	Potential treatments for insulin resistance in the horse: a comparative multi-species review. 2010 , 186, 282-91		13
145	. 2010 ,		1
144	Teratogenic effect of the water extract of bitter gourd (<i>Momordica charantia</i>) on the Sprague Dawley rats. 2009 , 7, 24-33		5
143	Complementary and Alternative Medicine Therapies for Diabetes: A Clinical Review. 2010 , 28, 147-155		35
142	Antidiabetic effects of bitter gourd extracts in insulin-resistant db/db mice. 2010 , 104, 1613-20		50
141	Pharmacology and chemistry of diabetes mellitus and antidiabetic drugs: a critical review. 2010 , 17, 4405-23		27
140	Bitter Gourd: Botany, Horticulture, Breeding. 2010 , 101-141		17
139	Chemical Constituents and Pharmacological Properties of Capsule Gurmar - A New Anti-diabetic Formulation of Hamdard Laboratories (Waqf) Bangladesh. 2011 , 3, 18-27		1
138	Nutrition-related health management in a Bangladeshi community. 2011 , 70, 129-34		10
137	Genetic Diversity Studies in Cucurbits Using Molecular Tools. 2011 , 140-198		6
136	Bioactives from bitter melon enhance insulin signaling and modulate acyl carnitine content in skeletal muscle in high-fat diet-fed mice. 2011 , 22, 1064-73		57
135	Bitter melon (<i>Momordica charantia</i>) extract suppresses cytokine-induced activation of MAPK and NF- κ B in pancreatic β Cells. 2011 , 20, 531-535		12
134	Mechanism of action of natural products used in the treatment of diabetes mellitus. 2011 , 17, 563-74		105
133	Indian culinary plants enhance glucose-induced insulin secretion and glucose consumption in INS-1 β cells and 3T3-L1 adipocytes. <i>Food Chemistry</i> , 2011 , 129, 1120-5	8.5	8
132	Quantification of antidiabetic extracts and compounds in bitter gourd varieties. <i>Food Chemistry</i> , 2011 , 126, 172-176	8.5	39
131	Bitter gourd (<i>Momordica charantia</i>) is a cornucopia of health: a review of its credited antidiabetic, anti-HIV, and antitumor properties. 2011 , 11, 417-36		67
130	Supplementation of bitter melon to rats fed a high-fructose diet during gestation and lactation ameliorates fructose-induced dyslipidemia and hepatic oxidative stress in male offspring. 2011 , 141, 1664-72		39

129	Traditional chinese medicines in treatment of patients with type 2 diabetes mellitus. 2011 , 2011, 726723	67
128	Effect of superfine grinding on antidiabetic activity of bitter melon powder. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 14203-18	6.3 27
127	Momordica charantia. 2012 , 331-368	4
126	Angewandte Ernährungstherapie bei nichtinsulinpflichtigem Diabetes mellitus Typ 2 nach den Richtlinien der TCM. 2012 , 27, 207-225	1
125	Combined extractives of red yeast rice, bitter melon, chlorella, soy protein, and licorice improve total cholesterol, low-density lipoprotein cholesterol, and triglyceride in subjects with metabolic syndrome. 2012 , 32, 85-92	26
124	Momordica charantia extract, a herbal remedy for type 2 diabetes, contains a specific 11 β hydroxysteroid dehydrogenase type 1 inhibitor. 2012 , 128, 51-5	27
123	Wild bitter melon (<i>Momordica charantia</i> Linn. var. <i>abbreviata</i> Ser.) extract and its bioactive components suppress <i>Propionibacterium acnes</i> -induced inflammation. <i>Food Chemistry</i> , 2012 , 135, 976-84 ^{8.5}	51
122	In vitro and in vivo anticarcinogenic effects of RNase MC2, a ribonuclease isolated from dietary bitter melon, toward human liver cancer cells. 2012 , 44, 1351-60	23
121	Overcoming undernutrition with local resources in Africa, Asia and Latin America. <i>Journal of the Science of Food and Agriculture</i> , 2012 , 92, 2757-9	4.3 9
120	Cytotoxicity Analysis of Active Components in Bitter Melon (<i>Momordica charantia</i>) Seed Extracts Using Human Embryonic Kidney and Colon Tumor Cells. 2012 , 7, 1934578X1200700	5
119	Antihyperglycemic and Antihyperlipidemic of Karala (<i>Momordica charantia</i>) Fruits in Streptozotocin Induced Diabetic Rats. 2012 , 5, 29-37	4
118	Mechanisms underlying decreased hepatic triacylglycerol and cholesterol by dietary bitter melon extract in the rat. 2012 , 47, 495-503	15
117	Wild bitter melon improves metabolic syndrome: a preliminary dietary supplementation trial. 2012 , 11, 4	48
116	Long-chain alkanes: allelochemicals for host location by the insect pest, <i>Epilachna dodecastigma</i> (Coleoptera: Coccinellidae). 2013 , 48, 171-179	33
115	A comparative study of antioxidant potential of commonly used antidiabetic plants in Bangladesh. 2013 , 13, 21-28	6
114	Antidiabetic effects of <i>Momordica charantia</i> (bitter melon) and its medicinal potency. 2013 , 3, 93-102	181
113	Olfactory responses of <i>Epilachna dodecastigma</i> (Coleoptera: Coccinellidae) to long-chain fatty acids from <i>Momordica charantia</i> leaves. 2013 , 7, 339-348	25
112	Wild bitter melon increased metabolic rate and up-regulated genes related to mitochondria biogenesis and UCP-1 in mice. <i>Journal of Functional Foods</i> , 2013 , 5, 668-678	5.1 7

111	Natural health products. <i>Canadian Journal of Diabetes</i> , 2013 , 37 Suppl 1, S97-9	2.1	8
110	Produits de sant� naturels. <i>Canadian Journal of Diabetes</i> , 2013 , 37, S471-S473	2.1	
109	Kuguacin J, a Triterpenoid from <i>Momordica charantia</i> Linn: A Comprehensive Review of Anticarcinogenic Properties. 2013 ,		4
108	<i>Momordica charantia</i> and its novel polypeptide regulate glucose homeostasis in mice via binding to insulin receptor. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 2461-8	5.7	49
107	Role of GLP-1 in the Hypoglycemic Effects of Wild Bitter Gourd. 2013 , 2013, 625892		19
106	Traditional Indian medicines used for the management of diabetes mellitus. 2013 , 2013, 712092		48
105	Evaluation of <i>Mallotus oppositifolius</i> Methanol Leaf Extract on the Glycaemia and Lipid Peroxidation in Alloxan-Induced Diabetic Rats: A Preliminary Study. 2013 , 2013, 527205		3
104	Bitter melon juice activates cellular energy sensor AMP-activated protein kinase causing apoptotic death of human pancreatic carcinoma cells. 2013 , 34, 1585-92		45
103	Phytochemical Principles in the Traditional Indian System of Medicine used for the Management of Metabolic Syndrome. 2013 , 261-274		1
102	CHARACTERIZATION OF MOLLUSCICIDAL COMPONENT OF <i>Moringa oleifera</i> LEAF AND <i>Momordica charantia</i> FRUITS AND THEIR MODES OF ACTION IN SNAIL <i>Lymnaea acuminata</i> . 2013 , 55, 251-259		5
101	<i>Momordica charantia</i> ointment accelerates diabetic wound healing and enhances transforming growth factor- β expression. 2014 , 23, 400, 402, 404-7		17
100	Bittergourd (<i>Momordica charantia</i>) scavenges free radicals by enhancing the expression of superoxide dismutase in in vitro models of diabetes and cancer. 2014 , 12, 378-382		6
99	Healthy aging diets other than the Mediterranean: a focus on the Okinawan diet. 2014 , 136-137, 148-62		128
98	Bitter gourd inhibits the development of obesity-associated fatty liver in C57BL/6 mice fed a high-fat diet. 2014 , 144, 475-83		36
97	The anti-diabetic potential of polysaccharides extracted from members of the cucurbit family: A review. 2014 , 3, 106-114		49
96	Anti-inflammatory effect of <i>Momordica charantia</i> in sepsis mice. <i>Molecules</i> , 2014 , 19, 12777-88	4.8	38
95	Effect of wild bitter gourd treatment on inflammatory responses in BALB/c mice with sepsis. 2014 , 4, 17		23
94	Attraction of <i>Epilachna dodecastigma</i> (Coleoptera: Coccinellidae) to <i>Momordica charantia</i> (Cucurbitaceae) leaf volatiles. 2015 , 147, 169-180		25

93	Better bitter gourd: a food-based approach to manage type 2 diabetes and promote health in developing countries. 2015 , 161-168		1
92	Bitter Gourd. 2015 , 54-56		
91	Beneficial role of bitter melon supplementation in obesity and related complications in metabolic syndrome. 2015 , 2015, 496169		55
90	Supplementation of fresh ucche (<i>Momordica charantia</i> L. var. <i>muricata</i> Willd) prevented oxidative stress, fibrosis and hepatic damage in CCl4 treated rats. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 115	4-7	34
89	Traditional and ayurvedic foods of Indian origin. 2015 , 2, 97-109		81
88	Free fatty acids from <i>Momordica charantia</i> L. flower surface waxes influencing attraction of <i>Epilachna dodecastigma</i> (Wied.) (Coleoptera: Coccinellidae). 2015 , 61, 47-53		22
87	Methanol Extract of Bitter Melon Alleviates UVB-Induced MMPs Expression via MAP Kinase and AP-1 Signaling in Human Dermal Fibroblasts in vitro. 2016 , 30, 1519-26		12
86	Safety assessment of McB-E60 (extract of a sp.): Subchronic toxicity study in rats. 2016 , 3, 481-489		4
85	Medicinal plants used in the traditional management of diabetes and its sequelae in Central America: A review. <i>Journal of Ethnopharmacology</i> , 2016 , 184, 58-71	5	54
84	Antidiabetic dietary materials and animal models. 2016 , 85, 315-331		21
83	Influence of pomegranate seed oil and bitter melon aqueous extract on polyunsaturated fatty acids and their lipoxygenase metabolites concentration in serum of rats. <i>Prostaglandins and Other Lipid Mediators</i> , 2016 , 126, 29-37	3-7	12
82	A formulation of grape seed, Indian gooseberry, turmeric and fenugreek helps controlling type 2 diabetes mellitus in advanced-stage patients. 2016 , 8, 645-653		9
81	Diversity Among a Wide Asian Collection of Bitter Gourd Landraces and their Genetic Relationships with Commercial Hybrid Cultivars. 2016 , 141, 475-484		14
80	Antifungal activity of <i>Momordica charantia</i> seed extracts toward the pathogenic fungus <i>Fusarium solani</i> L. 2016 , 24, 881-887		23
79	Bitter melon (<i>Momordica charantia</i> L.) bioactive composition and health benefits: A review. 2016 , 32, 181-202		59
78	Bitter melon: a panacea for inflammation and cancer. 2016 , 14, 81-100		64
77	Determination of metrafenone in bitter gourd and soil by GC with ECD. <i>Food Chemistry</i> , 2016 , 196, 170-38.5		1
76	Varietal and harvesting stage variation in the content of carotenoids, ascorbic acid and tocopherols in the fruit of bitter gourd (<i>Momordica charantia</i> L.). 2017 , 15, 248-259		10

75	Review of antidiabetic fruits, vegetables, beverages, oils and spices commonly consumed in the diet. <i>Journal of Ethnopharmacology</i> , 2017 , 201, 26-41	5	53
74	Anti-diabetic effects of natural products an overview of therapeutic strategies. 2017 , 13, 1-20		27
73	Influence of sodium chloride treatment and polysaccharides as debittering agent on the physicochemical properties, antioxidant capacity and sensory characteristics of bitter gourd () juice. 2017 , 54, 228-235		11
72	Gastro-Resistant Insulin Receptor-Binding Peptide from <i>Momordica charantia</i> Improved the Glucose Tolerance in Streptozotocin-Induced Diabetic Mice via Insulin Receptor Signaling Pathway. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9266-9274	5.7	17
71	Characterization of Antioxidant Activity of <i>Momordica Charantia</i> Fruit by Infrared-Based Fingerprinting. 2017 , 50, 1977-1991		7
70	Effects of Karela (Bitter Melon; <i>Momordica charantia</i>) on genes of lipids and carbohydrates metabolism in experimental hypercholesterolemia: biochemical, molecular and histopathological study. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 319	4.7	17
69	Metabolomics Reveals that <i>Momordica charantia</i> Attenuates Metabolic Changes in Experimental Obesity. 2017 , 31, 296-302		11
68	Effect of Intrauterine Infusion of L. on Oxidative Stress and Pregnancy Rate in Infertile Cows. 2017 , 61, 489-496		1
67	Recent Advances in <i>Momordica charantia</i> : Functional Components and Biological Activities. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	117
66	Customized Cooking Methods Enhance Antioxidant, Antiglycemic, and Insulin-Like Properties of <i>Momordica charantia</i> and <i>Moringa oleifera</i> . 2017 , 2017, 1-9		13
65	New Insights into the Mechanisms of Chinese Herbal Products on Diabetes: A Focus on the "Bacteria-Mucosal Immunity-Inflammation-Diabetes" Axis. 2017 , 2017, 1813086		24
64	Complementary and Alternative Medicine for Diabetes. <i>Canadian Journal of Diabetes</i> , 2018 , 42 Suppl 1, S154-S161	2.1	20
63	Selected Other Vegetables. 2018 , 863-887		1
62	Bitter gourd reduces elevated fasting plasma glucose levels in an intervention study among prediabetics in Tanzania. <i>Journal of Ethnopharmacology</i> , 2018 , 216, 1-7	5	29
61	Benefits of the soluble and insoluble fractions of bitter gourd in mice fed a high-fat diet. <i>Journal of Functional Foods</i> , 2018 , 42, 216-223	5.1	4
60	Recommended Medicinal Plants as Source of Natural Products: A Review. <i>Digital Chinese Medicine</i> , 2018 , 1, 131-142	0.8	27
59	ETHNOPHARMACOLOGICAL REVIEW OF NATURAL PRODUCTS IN CANCER PREVENTION AND THERAPY. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 2018 , 11, 32	0.4	1
58	Antidiabetic Plants of Pakistan. 2018 , 463-545		6

57	GLP-I secretion in healthy and diabetic Wistar rats in response to aqueous extract of <i>Momordica charantia</i> . <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 162	4.7	14
56	Evaluation of bitter melon (<i>Momordica charantia</i>) cultivars grown in Texas and levels of various phytonutrients. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 379-390	4.3	8
55	Susceptibility of poultry associated bacterial pathogens to <i>Momordica charantia</i> fruits and evaluation of in vitro biological properties. <i>Microbial Pathogenesis</i> , 2019 , 132, 222-229	3.8	8
54	Mammary cancer risk and serum lipid profile of rats supplemented with pomegranate seed oil and bitter melon extract. <i>Prostaglandins and Other Lipid Mediators</i> , 2019 , 142, 33-45	3.7	11
53	Predisposing factors of type 2 diabetes mellitus and the potential protective role of native plants with functional properties. <i>Journal of Functional Foods</i> , 2019 , 53, 115-124	5.1	13
52	<i>Momordica charantia</i> L. lowers elevated glycaemia in type 2 diabetes mellitus patients: Systematic review and meta-analysis. <i>Journal of Ethnopharmacology</i> , 2019 , 231, 311-324	5	32
51	Identification of functional properties of non-timber forest produce and locally available food resources in promoting food security among Irula tribes of South India. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2020 , 28, 503-515	1.4	2
50	Pomegranate Seed Oil and Bitter Melon Extract Affect Fatty Acids Composition and Metabolism in Hepatic Tissue in Rats. <i>Molecules</i> , 2020 , 25,	4.8	0
49	Bitter gourd (<i>Momordica charantia</i>) as an emerging therapeutic agent: Modulating metabolic regulation and cell signaling cascade. <i>Studies in Natural Products Chemistry</i> , 2020 , 67, 221-268	1.5	2
48	Long-read bitter gourd () genome and the genomic architecture of nonclassic domestication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 14543-14551	11.5	19
47	The Pharmacological Properties and Therapeutic Use of Bitter Melon (<i>Momordica charantia</i> L.). <i>Current Pharmacology Reports</i> , 2020 , 6, 103-109	5.5	3
46	Probiotics Fermented Bitter Melon Juice as Promising Complementary Agent for Diabetes Type 2: Study on Animal Model. <i>Journal of Nutrition and Metabolism</i> , 2020 , 2020, 6369873	2.7	6
45	DNA barcoding of <i>Momordica</i> species and assessment of adulteration in <i>Momordica</i> herbal products, an anti-diabetic drug. <i>Plant Gene</i> , 2020 , 22, 100227	3.1	7
44	Optimization of ultrasound-assisted extraction (UAE) process for the recovery of bioactive compounds from bitter gourd using response surface methodology (RSM). <i>Food and Bioprocess Technology</i> , 2020 , 120, 114-122	4.9	35
43	Antioxidant, Antibacterial, and Anticancer Activities of Bitter Gourd Fruit Extracts at Three Different Cultivation Stages. <i>Journal of Chemistry</i> , 2020 , 2020, 1-10	2.3	2
42	Computational exploration of vicine - an alkaloid glycoside mediated pathological hallmark of adenosine kinase to promote neurological disorder. <i>Metabolic Brain Disease</i> , 2021 , 36, 653-667	3.9	
41	Metabolite Profile of Cucurbitane-Type Triterpenoids of Bitter Melon (Fruit of) and Their Inhibitory Activity against Protein Tyrosine Phosphatases Relevant to Insulin Resistance. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 1816-1830	5.7	5
40	Beneficial Impacts of Alpha-Eleostearic Acid from Wild Bitter Melon and Curcumin on Promotion of CDGSH Iron-Sulfur Domain 2: Therapeutic Roles in CNS Injuries and Diseases. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2

39	Potential of Natural Bioactive Compounds in Management of Diabetes: Review of Preclinical and Clinical Evidence. <i>Current Pharmacology Reports</i> , 2021 , 7, 107-122	5.5	2
38	Phytochemical Profile and Antiobesity Potential of <i>Momordica charantia</i> Linn..		
37	Three Selected Edible Crops of the Genus as Potential Sources of Phytochemicals: Biochemical, Nutritional, and Medicinal Values. <i>Frontiers in Pharmacology</i> , 2021 , 12, 625546	5.6	4
36	Comparative Analysis of Metabolite Profiling of Leaf and the Anti-Obesity Effect through Regulating Lipid Metabolism. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
35	The promising roles of medicinal plants and bioactive compounds on hepatic lipid metabolism in the treatment of non-alcoholic fatty liver disease in animal models: molecular targets. <i>Archives of Physiology and Biochemistry</i> , 2021 , 1-17	2.2	2
34	Applied mutagenesis could improve economically important traits in bitter melon (<i>Momordica charantia</i> L.). <i>Journal of Genetics</i> , 2021 , 100, 1	1.2	0
33	Therapeutic potential of targeting intestinal bitter taste receptors in diabetes associated with dyslipidemia. <i>Pharmacological Research</i> , 2021 , 170, 105693	10.2	1
32	Isolation and functionalities of bioactive peptides from fruits and vegetables: A reviews. <i>Food Chemistry</i> , 2022 , 366, 130494	8.5	11
31	Botanical Description of Bitter Melon. <i>Compendium of Plant Genomes</i> , 2020 , 7-31	0.8	2
30	Ethnobotany and Nutritive Value. 2013 , 61-76		2
29	Long-read bitter melon (<i>Momordica charantia</i>) genome and the genomic architecture of domestication.		3
28	Diabetes and Herbal (Botanical) Medicine. <i>Oxidative Stress and Disease</i> , 2011 , 405-418		6
27	Bitter Melon (<i>Momordica charantia</i> L) Fruit Decreased Blood Glucose Level and Improved Lipid Profile of Streptozotocin Induced Hyperglycemia Rats. <i>Current Research in Nutrition and Food Science</i> , 2018 , 6, 359-370	1.1	6
26	A Review on Salient Pharmacological Features of <i>Momordica charantia</i> . <i>International Journal of Pharmacology</i> , 2015 , 11, 405-413	0.7	20
25	Hypoglycemic, Antidiabetic and Toxicological Evaluation of <i>Momordica dioica</i> Fruit Extracts in Alloxan Induced Diabetic Rats. <i>Journal of Pharmacology and Toxicology</i> , 2011 , 6, 454-467	0.4	7
24	Evaluation of Antioxidant, Antiinflammatory and Antiulcer Potential of <i>Momordica charantia</i> Methanolic Seed Extract. <i>Research Journal of Phytochemistry</i> , 2012 , 6, 96-104	1	5
23	Clinicopathological Study on the Effects of <i>Momordica charantia</i> on Streptozotocin-Induced Diabetic Wistar Rats. <i>Open Journal of Veterinary Medicine</i> , 2017 , 07, 49-62	0.3	3
22	Virtual screening of functional foods and dissecting their roles in modulating gene functions to support post COVID-19 complications. <i>Journal of Food Biochemistry</i> , 2021 , 45, e13961	3.3	1

21	Evaluation of Supplementation of Bittergourd Fermented Beverage to Diabetic Subjects. <i>Journal of Pharmacy and Nutrition Sciences (discontinued)</i> , 0.3 2
20	References. 2016 , 441-567
19	Effects of New Variety Selection of Bitter Melon on Modulation of Cell Cycle in 3T3-L1 Preadipocytes. <i>Hans Journal of Agricultural Sciences</i> , 2017 , 07, 128-139 0
18	Effects of Bitter Melon (<i>Momordica charantia</i>) Juice Powder on Lipid Metabolism in Rats. <i>Journal of the Japanese Society for Food Science and Technology</i> , 2018 , 65, 45-54 0.2
17	Antidiabetic and Antioxidative Effects of Bitter Melon on Streptozotocin-induced Diabetic Rats. <i>Korean Journal of Clinical Laboratory Science</i> , 2019 , 51, 504-513 0.4
16	Natural Products from Medicinal Plants against Phytopathogenic Species: Current Research Endeavours, Challenges and Prospects. <i>Molecules</i> , 2021 , 26, 4.8 7
15	<i>Momordica charantia</i> L. (Cucurbitaceae). 2020 , 1195-1219 1
14	Bitter Gourd. 2020 , 175-189
13	<i>Momordica</i> Species. 2020 , 668-682
12	Efficacy of Bottle Gourd Seeds' Extracts in Chemical Hazard Reduction Secreted as Toxigenic Fungi Metabolites. <i>Toxins</i> , 2021 , 13, 4.9 2
11	Combinatorial interactive effect of vegetable and condiments with potato on starch digestibility and estimated in vitro glyceamic response. <i>Journal of Food Measurement and Characterization</i> , 1 2.8 2
10	Lipidomic Profile and Enzymes Activity in Hepatic Microsomes of Rats in Physiological and Pathological Conditions.. <i>International Journal of Molecular Sciences</i> , 2021 , 23, 6.3 0
9	History of Research on Medicinal Plants in India. <i>Medicinal and Aromatic Plants of the World</i> , 2022 , 35-61 0.1 1
8	Diversity of nutrient and nutraceutical contents in the fruits and its relationship to morphological traits in bitter gourd (<i>Momordica charantia</i> L.). 2022 , 305, 111414
7	Transcript expression level analysis of phytoene synthase and phytoene desaturase associated with β -carotene content in selected Kenyan Bitter melon. 0
6	<i>Momordica charantia</i> (bitter melon) efficacy and safety on glucose metabolism in Korean prediabetes participants: a 12-week, randomized clinical study. 0
5	Healthy Eating in Population Models of Nutrition: Asian Diet Style Summary. 2023 , 18, 692-702 0
4	Variation of Mineral Composition in Different Fruit Parts of Bitter Gourd (<i>Momordica charantia</i> L.). 0

- 3 Phytochemically Rich Medicinally Important Plant Families. **2022**, 35-68 ○
- 2 The Effects of Momordica charantia on Type 2 Diabetes Mellitus and Alzheimer's Disease. **2023**, 24, 4643 ○
- 1 Relevance of Indian traditional tisanes in the management of type 2 diabetes mellitus: A review. **2023**, ○