

# CITATION REPORT

List of articles citing

Timing of placental delivery to prevent post-partum haemorrhage: lessons learned from an abandoned randomised clinical trial

DOI: 10.1111/j.1479-828x.2006.00658.x

Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 549-51.

**Source:** <https://exaly.com/paper-pdf/40373893/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
18	[Active management of the third stage of labor: Prevention and management of postpartum hemorrhage]. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2009</b> , 31, 1068-1084	1.3	1
17	Policies for manual removal of placenta at vaginal delivery: variations in timing within Europe. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2009</b> , 116, 119-24	3.7	19
16	Active management of the third stage of labour: prevention and treatment of postpartum hemorrhage. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2009</b> , 31, 980-993	1.3	208
15	Active versus expectant management for women in the third stage of labour. <i>Cochrane Database of Systematic Reviews</i> , <b>2010</b> , CD007412		48
14	Active versus expectant management for women in the third stage of labour. <i>Cochrane Database of Systematic Reviews</i> , <b>2011</b> , CD007412		145
13	Inability to predict postpartum hemorrhage: insights from Egyptian intervention data. <i>BMC Pregnancy and Childbirth</i> , <b>2011</b> , 11, 97	3.2	32
12	[Clinical and pharmacological procedures for the prevention of postpartum haemorrhage in the third stage of labor]. <i>Journal De Gynécologie, Obstétrique Et Biologie De La Reproduction</i> , <b>2014</b> , 43, 966-97		11
11	Active versus expectant management for women in the third stage of labour. <i>The Cochrane Library</i> , <b>2015</b> , CD007412	5.2	71
10	Timing of manual placenta removal to prevent postpartum hemorrhage: is it time to act?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2016</b> , 29, 3930-3	2	7
9	Anaesthesia/analgesia for manual removal of retained placenta. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	78
8	The duration of the third stage in relation to postpartum hemorrhage. <i>Birth</i> , <b>2019</b> , 46, 602-607	3.1	3
7	Retained placenta and postpartum hemorrhage: time is not everything. <i>Archives of Gynecology and Obstetrics</i> , <b>2021</b> , 304, 903-911	2.5	1
6	Active versus expectant management for women in the third stage of labour. <i>The Cochrane Library</i> , <b>2019</b> , 2, CD007412	5.2	25
5	Risk factors for a prolonged third stage of labor and postpartum hemorrhage. <i>Southern Medical Journal</i> , <b>2013</b> , 106, 131-5	0.6	8
4	Association of the Length of the Third Stage of Labor and Blood Loss Following Vaginal Delivery. <i>Southern Medical Journal</i> , <b>2018</b> , 111, 178-182	0.6	3
3	Anaesthesia/analgesia for manual removal of retained placenta. <i>The Cochrane Library</i> , <b>2020</b> , 6, CD013013	3.2	1
2	Recommandations de pratiques professionnelles 2022 Prise en charge des urgences obstétricales en médecine d'urgence. <b>2022</b> , 12, 249-265		

- 1 Guidelines for the management of urgent obstetric situations in emergency medicine, 2022. **2022**, 41, 101127

o