

CITATION REPORT

List of articles citing

A critical role for the glial-derived neuromodulator D-serine in the age-related deficits of cellular mechanisms of learning and memory

DOI: 10.1111/j.1474-9726.2006.00216.x
Aging Cell, 2006, 5, 267-74.

Source: <https://exaly.com/paper-pdf/40377419/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|----|-----------|
| 138 | D-serine signalling in the brain: friend and foe. 2006 , 29, 481-91 | | 132 |
| 137 | Molecular determinants of D-serine-mediated gliotransmission: from release to function. <i>Glia</i> , 2006 , 54, 726-37 | 9 | 59 |
| 136 | The function of the glutamate-nitric oxide-cGMP pathway in brain in vivo and learning ability decrease in parallel in mature compared with young rats. 2007 , 14, 254-8 | | 32 |
| 135 | Simultaneous analysis of D- and L-serine in cerebrospinal fluid by use of HPLC. 2007 , 53, 1489-94 | | 13 |
| 134 | Glia: they make your memories stick!. 2007 , 30, 417-24 | | 99 |
| 133 | D-serine relieves chronic lead exposure-impaired long-term potentiation in the CA1 region of the rat hippocampus in vitro. 2007 , 417, 118-22 | | 5 |
| 132 | Deficit of NMDA receptor activation in CA1 hippocampal area of aged rats is rescued by D-cycloserine. 2007 , 25, 2260-8 | | 77 |
| 131 | D-serine: a new word in the glutamatergic neuro-glial language. 2007 , 33, 563-74 | | 30 |
| 130 | NMDA receptor regulation by D-serine: new findings and perspectives. 2007 , 36, 152-64 | | 137 |
| 129 | D-amino acids in the brain: D-serine in neurotransmission and neurodegeneration. 2008 , 275, 3514-26 | | 208 |
| 128 | D-serine signalling as a prominent determinant of neuronal-glia dialogue in the healthy and diseased brain. 2008 , 12, 1872-84 | | 33 |
| 127 | Adult-onset calorie restriction attenuates kainic acid excitotoxicity in the rat hippocampal slice. 2008 , 431, 118-22 | | 16 |
| 126 | Bell-shaped D-serine actions on hippocampal long-term depression and spatial memory retrieval. 2008 , 18, 2391-401 | | 69 |
| 125 | D-aspartate exerts an opposing role upon age-dependent NMDAR-related synaptic plasticity and memory decay. 2008 , | | |
| 124 | D-cycloserine enhances short-delay, but not long-delay, conditioned taste aversion learning in rats. 2009 , 91, 596-603 | | 5 |
| 123 | Proteome alteration of U251 human astrocytoma cell after inhibiting retinoic acid synthesis. 2009 , 323, 185-93 | | 5 |
| 122 | Molecular cloning and expression in <i>Escherichia coli</i> of an active fused <i>Zea mays</i> L. D-amino acid oxidase. 2009 , 74, 137-44 | | 9 |

| | | | |
|-----|--|-----|-----------------|
| 121 | Regulation of N-methyl-D-aspartate receptors by astrocytic D-serine. <i>Neuroscience</i> , 2009 , 158, 275-83 | 3.9 | 105 |
| 120 | D-serine regulation: a possible therapeutic approach for central nervous diseases and chronic pain. 2009 , 9, 813-9 | | 14 |
| 119 | Modulation of long-term potentiation in the hippocampus by pharmacological approach: A novel strategy for the development of cognitive enhancers. 2010 , 55, 3374-3382 | | |
| 118 | The involvement of the NMDA receptor D-serine/glycine site in the pathophysiology and treatment of schizophrenia. 2010 , 34, 351-72 | | 104 |
| 117 | Reduction in glutamate uptake is associated with extrasynaptic NMDA and metabotropic glutamate receptor activation at the hippocampal CA1 synapse of aged rats. <i>Aging Cell</i> , 2010 , 9, 722-35 | 9.9 | 53 |
| 116 | Reversal of aging-associated hippocampal synaptic plasticity deficits by reductants via regulation of thiol redox and NMDA receptor function. <i>Aging Cell</i> , 2010 , 9, 709-21 | 9.9 | 49 |
| 115 | Environmental impoverishment and aging alter object recognition, spatial learning, and dentate gyrus astrocytes. 2010 , 32, 509-19 | | 61 |
| 114 | Contribution of the d-Serine-Dependent Pathway to the Cellular Mechanisms Underlying Cognitive Aging. 2010 , 2, 1 | | 34 ^o |
| 113 | Long-term depression in the hippocampal CA1 area of aged rats, revisited: contribution of temporal constraints related to slice preparation. 2010 , 5, e9843 | | 9 |
| 112 | EphrinBs regulate D-serine synthesis and release in astrocytes. 2010 , 30, 16015-24 | | 61 |
| 111 | Preserved memory capacities in aged Lou/C/Jall rats. 2010 , 31, 129-42 | | 39 |
| 110 | A new look at glutamate and ischemia: NMDA agonist improves long-term functional outcome in a rat model of stroke. 2011 , 6, 823-834 | | 46 |
| 109 | Serine racemase and the serine shuttle between neurons and astrocytes. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011 , 1814, 1558-66 | 4 | 108 |
| 108 | The N-methyl-D-aspartate receptor modulator GLYX-13 enhances learning and memory, in young adult and learning impaired aging rats. 2011 , 32, 698-706 | | 69 |
| 107 | Reduced serine racemase expression contributes to age-related deficits in hippocampal cognitive function. 2011 , 32, 1495-504 | | 62 |
| 106 | Protein kinase C activity regulates D-serine availability in the brain. <i>Journal of Neurochemistry</i> , 2011 , 116, 281-90 | 6 | 28 |
| 105 | Cognitive enhancers for facilitating drug cue extinction: insights from animal models. 2011 , 99, 229-44 | | 43 |
| 104 | Continuous enriched environment improves learning and memory in adult NMRI mice through theta burst-related-LTP independent mechanisms but is not efficient in advanced aged animals. 2011 , 132, 240-8 | | 46 |

| | | |
|-----|--|--------|
| 103 | D-serine: the right or wrong isoform?. 2011 , 1401, 104-17 | 27 |
| 102 | D-amino acids in normal ageing and pathogenesis of neurodegenerative diseases. 2011 , 5, 100-114 | 16 |
| 101 | Aquaporin-4 deficiency impairs synaptic plasticity and associative fear memory in the lateral amygdala: involvement of downregulation of glutamate transporter-1 expression. 2012 , 37, 1867-78 | 74 |
| 100 | D-Serine Production, Degradation, and Transport in ALS: Critical Role of Methodology. 2012 , 2012, 625245 | 9 |
| 99 | Plasma levels of D-serine in Brazilian individuals with schizophrenia. 2012 , 142, 83-7 | 60 |
| 98 | Contributions of the D-serine pathway to schizophrenia. 2012 , 62, 1484-503 | 90 |
| 97 | Amperometric microbiosensor as an alternative tool for investigation of D-serine in brain. 2012 , 43, 1887-94 | 9 |
| 96 | Alteration of intrinsic amounts of D-serine in the mice lacking serine racemase and D-amino acid oxidase. 2012 , 43, 1919-31 | 37 |
| 95 | Reversal of age-related oxidative stress prevents hippocampal synaptic plasticity deficits by protecting D-serine-dependent NMDA receptor activation. <i>Aging Cell</i> , 2012 , 11, 336-44 | 9.9 63 |
| 94 | Modulation of the extinction of two different fear-motivated tasks in three distinct brain areas. 2012 , 232, 210-6 | 98 |
| 93 | Nicotine uses neuron-glia communication to enhance hippocampal synaptic transmission and long-term memory. 2012 , 7, e49998 | 24 |
| 92 | D-Amino acids in brain neurotransmission and synaptic plasticity. 2012 , 43, 1851-60 | 68 |
| 91 | New insights on the role of free D-aspartate in the mammalian brain. 2012 , 43, 1861-71 | 66 |
| 90 | Brain magnesium homeostasis as a target for reducing cognitive ageing. 99-112 | 2 |
| 89 | Gliotransmission and the tripartite synapse. 2012 , 970, 307-31 | 134 |
| 88 | Glial D-serine gates NMDA receptors at excitatory synapses in prefrontal cortex. 2012 , 22, 595-606 | 137 |
| 87 | Restoration of synaptic plasticity and learning in young and aged NCAM-deficient mice by enhancing neurotransmission mediated by GluN2A-containing NMDA receptors. 2012 , 32, 2263-75 | 36 |
| 86 | Nutritional and medicinal aspects of D-amino acids. 2012 , 42, 1553-82 | 114 |

| | | |
|----|--|--------|
| 85 | Timing-dependent reduction in ethanol sedation and drinking preference by NMDA receptor co-agonist d-serine. 2012 , 46, 389-400 | 11 |
| 84 | Consequences of pilocarpine-induced status epilepticus in immunodeficient mice. 2012 , 1450, 125-37 | 4 |
| 83 | Glutamate signaling in the pathophysiology and therapy of schizophrenia. 2012 , 100, 665-77 | 106 |
| 82 | Acute, but not chronic, exposure to d-cycloserine facilitates extinction and modulates spontaneous recovery of a conditioned taste aversion. 2012 , 105, 417-27 | 15 |
| 81 | Microelectrode Biosensors. 2013 , | 4 |
| 80 | Impaired D-serine-mediated cotransmission mediates cognitive dysfunction in epilepsy. 2013 , 33, 13066-80 | 32 |
| 79 | Serine racemase as a prime target for age-related memory deficits. 2013 , 37, 1931-8 | 26 |
| 78 | The serine shuttle between glia and neurons: implications for neurotransmission and neurodegeneration. 2013 , 41, 1546-50 | 56 |
| 77 | Peripheral administration of D-cycloserine rescues memory consolidation following bacterial endotoxin exposure. 2013 , 243, 38-43 | 12 |
| 76 | Regulation of Extracellular Concentrations of d-Serine in the Central Nervous System Revealed by d-Amino Acid Oxidase Microelectrode Biosensors. 2013 , 201-219 | |
| 75 | Neuronal D-serine and glycine release via the Asc-1 transporter regulates NMDA receptor-dependent synaptic activity. 2013 , 33, 3533-44 | 154 |
| 74 | The NMDA receptor as a target for cognitive enhancement. 2013 , 64, 13-26 | 175 |
| 73 | The effects of subchronic d-serine on left-right discrimination learning, social interaction, and exploratory activity in APP ^{swE} /PS1 mice. 2013 , 701, 152-8 | 9 |
| 72 | D-serine increases adult hippocampal neurogenesis. <i>Frontiers in Neuroscience</i> , 2013 , 7, 155 | 5.1 20 |
| 71 | Increased sensitivity to inflammatory pain induced by subcutaneous formalin injection in serine racemase knock-out mice. 2014 , 9, e105282 | 8 |
| 70 | D-Serine in Neuropsychiatric Disorders: New Advances. 2014 , 2014, 1-16 | 14 |
| 69 | Serine racemase: a key player in apoptosis and necrosis. 2014 , 6, 9 | 18 |
| 68 | Effects of lead exposure on D-serine metabolism in the hippocampus of mice at the early developmental stages. 2014 , 325, 189-99 | 11 |

| | | | |
|----|---|-----|-----|
| 67 | FBXO22 protein is required for optimal synthesis of the N-methyl-D-aspartate (NMDA) receptor coagonist D-serine. 2014 , 289, 33904-15 | | 12 |
| 66 | Exocytosis of gliotransmitters from cortical astrocytes: implications for synaptic plasticity and aging. 2014 , 42, 1275-81 | | 51 |
| 65 | Role of astrocytes in memory and psychiatric disorders. 2014 , 108, 240-51 | | 40 |
| 64 | Circuit-specific changes in D-serine-dependent activation of the N-methyl-D-aspartate receptor in the aging hippocampus. 2014 , 36, 9698 | | 4 |
| 63 | D-Serine in neurobiology: CNS neurotransmission and neuromodulation. 2014 , 41, 164-76 | | 18 |
| 62 | Time and space profiling of NMDA receptor co-agonist functions. <i>Journal of Neurochemistry</i> , 2015 , 135, 210-25 | 6 | 63 |
| 61 | sAPP β Improves Hippocampal NMDA-Dependent Functional Alterations Linked to Healthy Aging. <i>Journal of Alzheimer's Disease</i> , 2015 , 48, 927-35 | 4.3 | 23 |
| 60 | NMDA Receptor Function During Senescence: Implication on Cognitive Performance. <i>Frontiers in Neuroscience</i> , 2015 , 9, 473 | 5.1 | 58 |
| 59 | D-Serine in the aging hippocampus. 2015 , 116, 18-24 | | 24 |
| 58 | Identity of the NMDA receptor coagonist is synapse specific and developmentally regulated in the hippocampus. 2015 , 112, E204-13 | | 78 |
| 57 | Astrocyte-mediated metaplasticity in the hippocampus: Help or hindrance?. <i>Neuroscience</i> , 2015 , 309, 113-24 | 3.9 | 19 |
| 56 | The Rise and Fall of the d-Serine-Mediated Gliotransmission Hypothesis. 2016 , 39, 712-721 | | 110 |
| 55 | Restoration of visual performance by d-serine in models of inner and outer retinal dysfunction assessed using sweep VEP measurements in the conscious rat and rabbit. 2016 , 127, 35-48 | | 3 |
| 54 | Physiological Roles of d-Serine in the Central Nervous System. 2016 , 27-50 | | |
| 53 | Dynamics of Spontaneous Peptidization of l-, d- and dl-Serine in an Abiotic Solution as Investigated with Use of TLC-Densitometry and the Auxiliary Chromatographic Techniques. 2016 , 54, 1090-5 | | 2 |
| 52 | DHA-PC and DHA-PS improved A β 40 induced cognitive deficiency uncoupled with an increase in brain DHA in rats. 2016 , 22, 417-430 | | 53 |
| 51 | D-Serine in the nucleus accumbens region modulates behavioral sensitization and extinction of conditioned place preference. 2016 , 143, 44-56 | | 15 |
| 50 | Simultaneous determination of 18 D-amino acids in rat plasma by an ultrahigh-performance liquid chromatography-tandem mass spectrometry method: application to explore the potential relationship between Alzheimer's disease and D-amino acid level alterations. 2016 , 408, 141-50 | | 37 |

| | | | |
|----|--|------|-----|
| 49 | Astrocytes: Orchestrating synaptic plasticity?. <i>Neuroscience</i> , 2016 , 323, 43-61 | 3.9 | 141 |
| 48 | Development of an UPLC-MS/MS method for simultaneous quantitation of 11 d-amino acids in different regions of rat brain: Application to a study on the associations of d-amino acid concentration changes and Alzheimer's disease. 2017 , 1058, 40-46 | | 20 |
| 47 | Activity-Dependent Sulfhydration Signal Controls N-Methyl-D-Aspartate Subtype Glutamate Receptor-Dependent Synaptic Plasticity via Increasing d-Serine Availability. 2017 , 27, 398-414 | | 18 |
| 46 | Age-dependent alteration in the expression of oligodendrocyte-specific protein in the gerbil hippocampus. 2018 , 17, 3615-3620 | | |
| 45 | Clinical and biochemical study of d-serine metabolism among schizophrenia patients. 2017 , 13, 1057-1063 | | 14 |
| 44 | Inflammatory cytokine-mediated induction of serine racemase in atopic dermatitis. 2018 , 22, 3133-3138 | | 6 |
| 43 | The poly-omics of ageing through individual-based metabolic modelling. 2018 , 19, 415 | | 16 |
| 42 | Changes in Serine Racemase-Dependent Modulation of NMDA Receptor: Impact on Physiological and Pathological Brain Aging. <i>Frontiers in Molecular Biosciences</i> , 2018 , 5, 106 | 5.6 | 11 |
| 41 | Human D-Amino Acid Oxidase: Structure, Function, and Regulation. <i>Frontiers in Molecular Biosciences</i> , 2018 , 5, 107 | 5.6 | 36 |
| 40 | Asc-1 transporter activation: an alternative to rescue age-related alterations in functional plasticity at rat hippocampal CA3/CA1 synapses. <i>Journal of Neurochemistry</i> , 2018 , 147, 514-525 | 6 | 7 |
| 39 | Diversity of Astroglial Effects on Aging- and Experience-Related Cortical Metaplasticity. 2018 , 11, 239 | | 16 |
| 38 | Physiology of Astroglia. <i>Physiological Reviews</i> , 2018 , 98, 239-389 | 47.9 | 573 |
| 37 | Biochemical Properties of Human D-amino Acid Oxidase Variants and Their Potential Significance in Pathologies. <i>Frontiers in Molecular Biosciences</i> , 2018 , 5, 55 | 5.6 | 16 |
| 36 | Hydrogen Sulfide Reverses Aging-Associated Amygdalar Synaptic Plasticity and Fear Memory Deficits in Rats. <i>Frontiers in Neuroscience</i> , 2018 , 12, 390 | 5.1 | 20 |
| 35 | Impairments in remote memory caused by the lack of Type 2 IP receptors. <i>Glia</i> , 2019 , 67, 1976-1989 | 9 | 23 |
| 34 | βCarotene: A Natural Compound Improves Cognitive Impairment and Oxidative Stress in a Mouse Model of Streptozotocin-Induced Alzheimer's Disease. <i>Biomolecules</i> , 2019 , 9, | 5.9 | 37 |
| 33 | Age-dependent decline in neurogenesis of the hippocampus and extracellular nucleotides. <i>Human Cell</i> , 2019 , 32, 88-94 | 4.5 | 18 |
| 32 | The glycine site of NMDA receptors: A target for cognitive enhancement in psychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 387-404 | 5.5 | 35 |

| | | | |
|----|---|------|----|
| 31 | Citrulline prevents age-related LTP decline in old rats. <i>Scientific Reports</i> , 2019 , 9, 20138 | 4.9 | 6 |
| 30 | Alteration in NMDA Receptor Mediated Glutamatergic Neurotransmission in the Hippocampus During Senescence. <i>Neurochemical Research</i> , 2019 , 44, 38-48 | 4.6 | 27 |
| 29 | The effects of glial cells inhibition on spatial reference, reversal and working memory deficits in a rat model of traumatic brain injury (TBI). <i>International Journal of Neuroscience</i> , 2020 , 1-11 | 2 | 4 |
| 28 | The phosphodiesterase-4 and glycine transporter-1 inhibitors enhance in vivo hippocampal theta network connectivity and synaptic plasticity, whereas D-serine does not. <i>Translational Psychiatry</i> , 2020 , 10, 197 | 8.6 | 6 |
| 27 | Neurosecretion: Secretory Mechanisms. <i>Masterclass in Neuroendocrinology</i> , 2020 , | 0.2 | 0 |
| 26 | Modulation of NMDA Receptors by G-protein-coupled receptors: Role in Synaptic Transmission, Plasticity and Beyond. <i>Neuroscience</i> , 2021 , 456, 27-42 | 3.9 | 11 |
| 25 | d-serine in physiological and pathological brain aging. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2021 , 1869, 140542 | 4 | 8 |
| 24 | Targeting redox-altered plasticity to reactivate synaptic function: A novel therapeutic strategy for cognitive disorder. <i>Acta Pharmaceutica Sinica B</i> , 2021 , 11, 599-608 | 15.5 | 2 |
| 23 | D-serine reduces memory impairment and neuronal damage induced by chronic lead exposure. <i>Neural Regeneration Research</i> , 2021 , 16, 836-841 | 4.5 | 1 |
| 22 | The Role of D-Amino Acids in Alzheimer's Disease. <i>Journal of Alzheimers Disease</i> , 2021 , 80, 475-492 | 4.3 | 7 |
| 21 | Flavonoid fisetin reverses impaired hippocampal synaptic plasticity and cognitive function by regulating the function of AMPARs in a male rat model of schizophrenia. <i>Journal of Neurochemistry</i> , 2021 , 158, 413-428 | 6 | 3 |
| 20 | Simultaneous Determination of D-amino Acids in Rat Urine by Highperformance Liquid Chromatography-tandem Mass Spectrometry Method: Application to Investigate the Clinical Value of D-amino Acids in the Early Diagnosis of Alzheimer's Disease. <i>Current Pharmaceutical Analysis</i> , 2021 , 17, 1021-1027 | 0.6 | |
| 19 | NMDA Receptor Hypofunction in the Aging-Associated Malfunction of Peripheral Tissue. <i>Frontiers in Physiology</i> , 2021 , 12, 687121 | 4.6 | 1 |
| 18 | Astrocyte-neuron metabolic cooperation shapes brain activity. <i>Cell Metabolism</i> , 2021 , 33, 1546-1564 | 24.6 | 18 |
| 17 | Cystine/Glutamate Antiporter in Schizophrenia: From Molecular Mechanism to Novel Biomarker and Treatment. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 3 |
| 16 | Astrocytic contribution to glutamate-related central respiratory chemoreception in vertebrates. <i>Respiratory Physiology and Neurobiology</i> , 2021 , 294, 103744 | 2.8 | 2 |
| 15 | The effect of D-serine administration on cognition and mood in older adults. <i>Oncotarget</i> , 2016 , 7, 11881-83 | 3 | 27 |
| 14 | An Overview of the Involvement of D-Serine in Cognitive Impairment in Normal Aging and Dementia. <i>Frontiers in Psychiatry</i> , 2021 , 12, 754032 | 5 | 1 |

13 Glia-derived D-serine and synaptic plasticity. **2009**, 417-441

12 Secretary Astrocytes. *Masterclass in Neuroendocrinology*, **2020**, 127-160

0.2

11 Complex processes underlying the dynamic changes of D-serine level in AD brains.. *Current Alzheimer Research*, **2022**,

3 0

10 The post-translational modification induced by hydrogen sulfide in vivo makes it a potential drug target. *Genes and Diseases*, **2022**,

6.6

9 AGING-ASSOCIATED COGNITIVE DECLINE IS REVERSED BY D-SERINE SUPPLEMENTATION.. *ENeuro*, **2022**,

3.9 1

8 Emerging evidence for astrocyte dysfunction in schizophrenia. *Glia*,

9 1

7 Rational and Translational Implications of D-Amino Acids for Treatment-Resistant Schizophrenia: From Neurobiology to the Clinics. *Biomolecules*, **2022**, 12, 909

5.9 2

6 Serine racemase expression differentiates aging from Alzheimer's brain. **2022**, 19,

1

5 Improved NMDA Receptor Activation by the Secreted Amyloid-Protein Precursor- β in Healthy Aging: A Role for D-Serine?. **2022**, 23, 15542

1

4 Neuroprotective Efficacy of Euopinidin in Streptozotocin-Induced Memory Impairment by Modulation of Oxidative Stress, Inflammatory Mediators, and Cholinesterase Activity in Rats. **2023**, 2023, 1-11

0

3 In Silico and In Vitro Screening of Serine Racemase Agonist and In Vivo Efficacy on Alzheimer's Disease *Drosophila melanogaster*. **2023**, 16, 280

0

2 Detection and analysis of chiral molecules as disease biomarkers.

0

1 Viral vector-mediated upregulation of serine racemase expression in medial prefrontal cortex improves learning and synaptic function in middle age rats. **2023**, 15, 2433-2449

0