CITATION REPORT List of articles citing

Genetic structure at range edge: low diversity and high inbreeding in Southeast Asian mangrove (Avicennia marina) populations

DOI: 10.1111/j.1365-294x.2006.02997.x Molecular Ecology, 2006, 15, 3515-25.

Source: https://exaly.com/paper-pdf/40420367/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
165	Population genetics of a marine bivalve, Pinctada maxima, throughout the Indo-Australian Archipelago shows differentiation and decreased diversity at range limits. <i>Molecular Ecology</i> , 2007 , 16, 5193-203	5.7	40
164	Range-edge effects promote clonal growth in peripheral populations of the one-sided wintergreen Orthilia secunda. <i>Diversity and Distributions</i> , 2008 , 14, 546-555	5	46
163	Genetic variation across species' geographical ranges: the central-marginal hypothesis and beyond. <i>Molecular Ecology</i> , 2008 , 17, 1170-88	5.7	1068
162	Post-glacial history of the dominant alpine sedge Carex curvula in the European Alpine System inferred from nuclear and chloroplast markers. <i>Molecular Ecology</i> , 2008 , 17, 2417-29	5.7	48
161	Mating system, pollen and propagule dispersal, and spatial genetic structure in a high-density population of the mangrove tree Kandelia candel. <i>Molecular Ecology</i> , 2008 , 17, 4724-39	5.7	50
160	Genetic differentiation and secondary contact zone in the seagrass Cymodocea nodosa across the Mediterranean Atlantic transition region. <i>Journal of Biogeography</i> , 2008 , 35, 1279-1294	4.1	87
159	Genetic diversity of the threatened aquatic plant Ottelia alismoides in the Yangtze River. <i>Aquatic Botany</i> , 2008 , 88, 10-16	1.8	24
158	Molecular ecology and biogeography of mangrove trees towards conceptual insights on gene flow and barriers: A review. <i>Aquatic Botany</i> , 2008 , 89, 138-154	1.8	81
157	Genetic variation in central and peripheral populations of Excoecaria agallocha from Indo-West Pacific. <i>Aquatic Botany</i> , 2008 , 89, 57-62	1.8	27
156	Geographical structuring of genetic diversity across the whole distribution range of Narcissus longispathus, a habitat-specialist, Mediterranean narrow endemic. 2008 , 102, 183-94		57
155	Phenotypic leaf variation in Avicennia marina in tropical Australia: can discrete subpopulations be recognised in the field?. 2008 , 56, 487		4
154	Geographic range limits: achieving synthesis. 2009 , 276, 1395-406		386
153	Genetic variability of Italian southern Scots pine (Pinus sylvestris L.) populations: the rear edge of the range. 2009 , 128, 377-386		36
152	Intra-population genetic diversity of two wheatgrass species along altitude gradients on the Qinghai-Tibetan Plateau: its implication for conservation and utilization. <i>Conservation Genetics</i> , 2009 , 10, 359-367	2.6	14
151	Contrasting patterns of genetic diversity at three different genetic markers in a marine mammal metapopulation. <i>Molecular Ecology</i> , 2009 , 18, 2961-78	5.7	35
150	Geographical genetics and the conservation of forest trees. 2009, 11, 157-189		69
149	Levels and patterns of DNA variation in two sympatric mangrove species, Rhizophora apiculata and R. mucronata from Thailand. 2009 , 84, 277-86		18

(2012-2010)

148	Genetic differences between continuous and disjunct populations: some insights from sal (Shorea robusta Roxb.) in Nepal. <i>Conservation Genetics</i> , 2010 , 11, 977-984	2.6	6
147	Enhancing the survival and expansion potential of a founder population through clonality. 2010 , 188, 868-78		22
146	Microgeographic genetic isolation in chub (Cyprinidae: Squalius cephalus) population of the Durance River: estimating fragmentation by dams. 2010 , 19, 267-278		25
145	Evolutionary ecology at the extremes of species anges. 2010 , 18, 1-20		137
144	Genetic Variation ofBromus hordeaceus s. lato(Poaceae) Over Its Core Distribution Range. 2010 , 47, 161-174		3
143	Ecology of Hericium cirrhatum, H. coralloides and H. erinaceus in the UK. 2011 , 4, 163-173		26
142	Plastid DNA diversity is higher in the island endemic Guadalupe cypress than in the continental Tecate cypress. <i>PLoS ONE</i> , 2011 , 6, e16133	3.7	12
141	Limited phenotypic plasticity in range-edge populations: a comparison of co-occurring populations of two Agrimonia species with different geographical distributions. 2011 , 13, 177-84		23
140	Genetic structure in species with shallow evolutionary lineages: a case study of the rare flatfish Verasper variegatus. <i>Conservation Genetics</i> , 2011 , 12, 139-159	2.6	12
139	Genetic variability among male populations of a minor mangrove Excoecaria agallocha L. as evident by chromosome morphology and DNA markers. 2011 , 54, 39-47		6
138	Diverse spore rains and limited local exchange shape fern genetic diversity in a recently created habitat colonized by long-distance dispersal. 2012 , 109, 965-78		26
137	Leading-edge populations do not show low genetic diversity or high differentiation in a wind-pollinated tree. 2012 , 54, 591-600		21
136	Analyses of genetic population structure of two ecologically important mangrove tree species, Bruguiera gymnorrhiza and Kandelia obovata from different river basins of Iriomote Island of the Ryukyu Archipelago, Japan. 2012 , 8, 1247-1260		11
135	Low genetic diversity within Caribbean patches of Pelliciera rhizophorae, a Neotropical mangrove species with reduced distribution. <i>Aquatic Botany</i> , 2012 , 96, 48-51	1.8	8
134	Genetic population structure of red mangrove (Rhizophora mangle L.) along the northwestern coast of Mexico. <i>Aquatic Botany</i> , 2012 , 99, 20-26	1.8	38
133	Environmental diel variation, parasite loads, and local population structuring of a mixed-mating mangrove fish. <i>Ecology and Evolution</i> , 2012 , 2, 1682-95	2.8	22
132	Genetic diversity analysis of Rhododendron aureum Georgi (Ericaceae) located on Changbai Mountain using ISSR and RAPD markers. 2012 , 298, 921-930		22
131	Range-edge genetic diversity: locally poor extant southern patches maintain a regionally diverse hotspot in the seagrass Zostera marina. <i>Molecular Ecology</i> , 2012 , 21, 1647-57	5.7	61

130	Genetic structure of the shrub Daphne laureola across the Baetic Ranges, a Mediterranean glacial refugium and biodiversity hotspot. 2012 , 14, 515-24		10
129	Inter-and intraspecific variation in fern mating systems after long-distance colonization: the importance of selfing. 2012 , 12, 3		38
128	Stronger spatial genetic structure in recolonized areas than in refugia in the European beech. <i>Molecular Ecology</i> , 2013 , 22, 4397-412	5.7	51
127	Apodemia mormo in Canada: population genetic data support prior conservation ranking. 2013 , 17, 155	5-170	6
126	High and distinct range-edge genetic diversity despite local bottlenecks. <i>PLoS ONE</i> , 2013 , 8, e68646	3.7	66
125	Population expansion and genetic structure in Carcharhinus brevipinna in the southern Indo-Pacific. <i>PLoS ONE</i> , 2013 , 8, e75169	3.7	16
124	Nonindigenous Plant Advantage in Native and Exotic Australian Grasses under Experimental Drought, Warming, and Atmospheric CO2 Enrichment. 2013 , 2, 481-513		8
123	Transcriptome sequencing and analysis of leaf tissue of Avicennia marina using the Illumina platform. <i>PLoS ONE</i> , 2014 , 9, e108785	3.7	15
122	Genetic diversity at the edge: comparative assessment of Y-chromosome and autosomal diversity in eastern chimpanzees (Pan troglodytes schweinfurthii) of Ugalla, Tanzania. <i>Conservation Genetics</i> , 2014 , 15, 495-507	2.6	4
121	Low genetic diversity and limited gene flow in a dominant mangrove tree species (Rhizophora stylosa) at its northern biogeographical limit across the chain of three Sakishima islands of the Japanese archipelago as revealed by chloroplast and nuclear SSR analysis. 2014 , 300, 1123-1136		23
120	Efficiency of ISSR and RAPD markers in genetic divergence analysis and conservation management of Justicia adhatoda L., a medicinal plant. 2014 , 300, 1409-1420		52
119	The Kuroshio current influences genetic diversity and population genetic structure of a tropical seagrass, Enhalus acoroides. <i>Molecular Ecology</i> , 2014 , 23, 6029-44	5.7	38
118	Genetic fragmentation in India's third longest river system, the Narmada. 2014 , 3, 385		4
117	Genetic diversity in threatened Posidonia australis seagrass meadows. <i>Conservation Genetics</i> , 2014 , 15, 717-728	2.6	37
116	Genetic structure and diversity of two highly vulnerable carcharhinids in Australian waters. 2014 , 24, 45-60		17
115	Genetic variation in a peripheral and declining population of black-tailed prairie dogs (Cynomys ludovicianus) from Mexico. 2014 , 95, 467-479		7
114	Multiple-geographic-scale genetic structure of two mangrove tree species: the roles of mating system, hybridization, limited dispersal and extrinsic factors. <i>PLoS ONE</i> , 2015 , 10, e0118710	3.7	39
113	Genetic diversity and structure of the tropical seagrass Cymodocea serrulata spanning its central diversity hotspot and range edge. 2015 , 49, 357-372		19

(2016-2015)

112	Ancient woodlands in the limelight: delineation and genetic structure of ancient woodland species Tilia cordata and Tilia platyphyllos (Tiliaceae) in the UK. 2015 , 11, 1	17
111	Spatial distribution of genetic variation of Stenocereus pruinosus (Otto) Buxb. in Mexico: analysing evidence on the origins of its domestication. 2015 , 62, 893-912	6
110	Closer to the rear edge: ecology and genetic diversity down the core-edge gradient of a marine macroalga. 2015 , 6, art23	28
109	Environmental heterogeneity leads to higher plasticity in dry-edge populations of a semi-arid Chilean shrub: insights into climate change responses. 2015 , 103, 338-350	72
108	RAPD and ISSR marker mediated genetic polymorphism of two mangroves Bruguiera gymnorrhiza and Heritiera fomes from Indian Sundarbans in relation to their sustainability. 2015 , 21, 375-84	12
107	Structure of genetic diversity in marginal populations of black poplar (Populus nigra L.). 2015 , 61, 297-302	12
106	Small Urban Stands of the Mangrove Avicennia marina are Genetically Diverse but Experience Elevated Inbreeding. 2015 , 38, 1898-1907	11
105	Efficacy of RAPD, ISSR and DAMD markers in assessment of genetic variability and population structure of wild Musa acuminata colla. 2015 , 21, 349-58	23
104	Genetic differentiation and phylogeography of partially sympatric species complex Rhizophora mucronata Lam. and R. stylosa Griff. using SSR markers. 2015 , 15, 57	40
103	Species distribution and introgressive hybridization of two Avicennia species from the Western Hemisphere unveiled by phylogeographic patterns. 2015 , 15, 61	17
102	Closely related and sympatric but not all the same: genetic variation of Indo-West Pacific Rhizophora mangroves across the Malay Peninsula. <i>Conservation Genetics</i> , 2015 , 16, 137-150	28
101	Genetic differentiation of species for landscape formation in tropical and subtropical coastal ecosystems. 2016 , 33, 7-18	
100	Population genetic structure and demographic history of the black fly vector, Simulium nodosum in Thailand. 2016 , 30, 286-92	4
99	Wolf population genetics at the south-eastern edge of their European range. 2016 , 81, 506-510	4
98	Great Gray Owls Nesting in Atypical, Low-Elevation Habitat in the Sierra Nevada, California. 2016 , 50, 194-206	2
97	The mangroves of South Africa: An ecophysiological review. 2016 , 107, 101-113	49
96	Analysis of intraspecific genetic variation in Musa balbisiana Colla from Meghalaya as revealed by Single Primer Amplification Reaction approach. 2016 , 59, 25-34	1
95	Population differentiation in a Mediterranean relict shrub: the potential role of local adaptation for coping with climate change. 2016 , 180, 1075-90	14

94	Extremely low genetic diversity of the northern limit populations of Nypa fruticans (Arecaceae) on Iriomote Island, Japan. <i>Conservation Genetics</i> , 2016 , 17, 221-228	2.6	4
93	Isolation and characterization of microsatellite markers for Viola mirabilis (Violaceae) using a next-generation sequencing platform. <i>Plant Species Biology</i> , 2017 , 32, 448-454	1.3	3
92	Climatic stability and contemporary human impacts affect the genetic diversity and conservation status of a tropical palm in the Atlantic Forest of Brazil. <i>Conservation Genetics</i> , 2017 , 18, 467-478	2.6	22
91	Effects of Pleistocene sea-level fluctuations on mangrove population dynamics: a lesson from Sonneratia alba. 2017 , 17, 22		25
90	Hidden founders? Strong bottlenecks and fine-scale genetic structure in mangrove populations of the Cameroon Estuary complex. 2017 , 803, 189-207		14
89	Closely related octopus species show different spatial genetic structures in response to the Antarctic seascape. <i>Ecology and Evolution</i> , 2017 , 7, 8087-8099	2.8	12
88	Marginal distribution and high heterozygosity of asexual Caloglossa vieillardii (Delesseriaceae, Rhodophyta) along the Australian coasts. 2017 , 53, 1283-1293		5
87	Responsible genetic approach to stock restoration, sea ranching and stock enhancement of marine fishes and invertebrates. 2017 , 27, 615-649		34
86	Population size, center-periphery, and seed dispersers' effects on the genetic diversity and population structure of the Mediterranean relict shrub. <i>Ecology and Evolution</i> , 2017 , 7, 7231-7242	2.8	10
85	Biodiversity. 2017 , 55-86		6
84	Bidirectional gene flow on a mangrove river landscape and between-catchment dispersal of Rhizophora racemosa (Rhizophoraceae). 2017 , 790, 93-108		13
83	Fine- and local- scale genetic structure of Dysoxylum malabaricum, a late-successional canopy tree species in disturbed forest patches in the Western Ghats, India. <i>Conservation Genetics</i> , 2017 , 18, 1-15	2.6	18
82	Putative origins of the fungus Leptographium procerum. 2017 , 121, 82-94		11
81	Assessment of genetic diversity among six populations of Rhododendron triflorum in Tibet using ISSR and AFLP markers. 2017 , 108, 175-183		1
8o	Geographic variation in genetic and demographic performance: new insights from an old biogeographical paradigm. <i>Biological Reviews</i> , 2017 , 92, 1877-1909	13.5	175
79	Vicariance and Oceanic Barriers Drive Contemporary Genetic Structure of Widespread Mangrove Species Sonneratia alba J. Sm in the Indo-West Pacific. <i>Forests</i> , 2017 , 8, 483	2.8	17
78	Historical Losses of Mangrove Systems in South America from Human-Induced and Natural Impacts. 2018 , 155-171		4
77	Geographical Distance and Large Rivers Shape Genetic Structure of Avicennia officinalis in the Highly Dynamic Sundarbans Mangrove Forest and Ganges Delta Region. 2018 , 41, 908-920		7

76	History-driven population structure and asymmetric gene flow in a recovering large carnivore at the rear-edge of its European range. 2018 , 120, 168-182		41
75	Genetic structure and genetic diversity of the endangered grassland plant Crepis mollis (Jacq.) Asch. as a basis for conservation management in Germany. <i>Conservation Genetics</i> , 2018 , 19, 527-543	2.6	2
74	Transcriptome sequencing and identification of cytochrome P450 monooxygenases involved in the biosynthesis of maslinic acid and corosolic acid in. 2018 , 35, 341-348		4
73	Short-distance barriers affect genetic variability of L. in the Yucatan Peninsula. <i>Ecology and Evolution</i> , 2018 , 8, 11083-11099	2.8	8
72	Migrant pool model of dispersal explains strong connectivity of Avicennia officinalis within Sundarban mangrove areas: Effect of fragmentation and replantation. <i>Estuarine, Coastal and Shelf Science</i> , 2018 , 214, 38-47	2.9	5
71	The impact of floral morphology on genetic differentiation in two closely related biennial plant species. <i>AoB PLANTS</i> , 2018 , 10, ply051	2.9	1
70	Genetic diversity and genotypic stability in Prunus avium L. at the northern parts of species distribution range. 2018 , 75, 1		4
69	Phenotypic variation of the mangrove species Avicennia marina (Forssk.) Vierh. from seven provenances around Australia. <i>Aquatic Botany</i> , 2018 , 149, 28-32	1.8	4
68	Multiple introductions and population structure during the rapid expansion of the invasive Sahara mustard (). <i>Ecology and Evolution</i> , 2019 , 9, 7928-7941	2.8	6
67	Mangrove Biogeography of the Indo-Pacific. 2019, 379-400		10
66	Rare and rear: population genetics of marsh-specialist Crocidura suaveolens populations in the Gulf of Cliz. 2019 , 100, 92-102		2
	of Chiz. 2019, 100, 92-102		3
65	A general framework for propagule dispersal in mangroves. <i>Biological Reviews</i> , 2019 , 94, 1547-1575	13.5	42
6 ₅		13.5	
	A general framework for propagule dispersal in mangroves. <i>Biological Reviews</i> , 2019 , 94, 1547-1575 Phylogeography of the Assassin Bug in East Asia Inferred From Mitochondrial and Nuclear Gene		42
64	A general framework for propagule dispersal in mangroves. <i>Biological Reviews</i> , 2019 , 94, 1547-1575 Phylogeography of the Assassin Bug in East Asia Inferred From Mitochondrial and Nuclear Gene Sequences. <i>International Journal of Molecular Sciences</i> , 2019 , 20, Avicennia marina maintains genetic structure whereas Rhizophora stylosa connects mangroves in a	6.3	42
64	A general framework for propagule dispersal in mangroves. <i>Biological Reviews</i> , 2019 , 94, 1547-1575 Phylogeography of the Assassin Bug in East Asia Inferred From Mitochondrial and Nuclear Gene Sequences. <i>International Journal of Molecular Sciences</i> , 2019 , 20, Avicennia marina maintains genetic structure whereas Rhizophora stylosa connects mangroves in a flooded, former inner sea (Vietnam). <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 222, 195-204 Adaptive marine conservation planning in the face of climate change: What can we learn from	6.3	4 ² 2
646362	A general framework for propagule dispersal in mangroves. <i>Biological Reviews</i> , 2019 , 94, 1547-1575 Phylogeography of the Assassin Bug in East Asia Inferred From Mitochondrial and Nuclear Gene Sequences. <i>International Journal of Molecular Sciences</i> , 2019 , 20, Avicennia marina maintains genetic structure whereas Rhizophora stylosa connects mangroves in a flooded, former inner sea (Vietnam). <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 222, 195-204 Adaptive marine conservation planning in the face of climate change: What can we learn from physiological, ecological and genetic studies?. <i>Global Ecology and Conservation</i> , 2019 , 17, e00566 Structural characterization, reproductive phenology and anthropogenic disturbance of mangroves in Costa do Sol, Bons Sinais Estuary and Pemba-Metuge from Mozambique. <i>Journal of Sustainable</i>	6.3 2.9 2.8	4 ² 2 5 38

58	Repeated jumps from Northwest Africa to the European continent: The case of peripheral populations of an annual plant. <i>Journal of Systematics and Evolution</i> , 2020 , 58, 487-503	2.9	O
57	Publisher's note: [Mating system variation in neotropical black mangrove, Avicennia germinans, at three spatial scales towards an expanding northern distributional limit[]Estuarine, Coastal and Shelf Science, 2020 , 238, 106712	2.9	
56	Land masses and oceanic currents drive population structure of , a widespread mangrove in the Indo-West Pacific. <i>Ecology and Evolution</i> , 2020 , 10, 7349-7363	2.8	6
55	Landscape and Climate Influence the Patterns of Genetic Diversity and Inbreeding in Cerrado Plant Species. <i>Diversity</i> , 2020 , 12, 421	2.5	2
54	Variation in reproductive effort, genetic diversity and mating systems across seagrass meadows in Western Australia. <i>AoB PLANTS</i> , 2020 , 12, plaa038	2.9	3
53	Long-lived larch clones may conserve adaptations that could restrict treeline migration in northern Siberia. <i>Ecology and Evolution</i> , 2020 , 10, 10017-10030	2.8	3
52	Spatial Structure and Genetic Variation of a Mangrove Species (Avicennia marina (Forssk.) Vierh) in the Farasan Archipelago. <i>Forests</i> , 2020 , 11, 1287	2.8	3
51	Geographical Gradients of Genetic Diversity and Differentiation among the Southernmost Marginal Populations of Abies sachalinensis Revealed by EST-SSR Polymorphism. <i>Forests</i> , 2020 , 11, 233	2.8	12
50	Phenotypic Variability and Genetic Diversity in a Clonal Trial in Northeastern China. <i>Genes</i> , 2020 , 11,	4.2	6
49	Spatial genetic structure of a keystone long-lived semiarid shrub: historical effects prevail but do not cancel the impact of recent severe habitat loss on genetic diversity. <i>Conservation Genetics</i> , 2020 , 21, 853-867	2.6	4
48	Using genomic information for management planning of an endangered perennial,. <i>Ecology and Evolution</i> , 2020 , 10, 2638-2649	2.8	3
47	Is the central-marginal hypothesis a general rule? Evidence from three distributions of an expanding mangrove species, Avicennia germinans (L.) L. <i>Molecular Ecology</i> , 2020 , 29, 704-719	5.7	18
46	Mating system variation in neotropical black mangrove, Avicennia germinans, at three spatial scales towards an expanding northern distributional limit. <i>Estuarine, Coastal and Shelf Science</i> , 2021 , 248, 1067	· 2 :4	4
45	Ocean Currents Drove Genetic Structure of Seven Dominant Mangrove Species Along the Coastlines of Southern China. <i>Frontiers in Genetics</i> , 2021 , 12, 615911	4.5	4
44	Genomic consequences of human-mediated translocations in margin populations of an endangered amphibian. <i>Evolutionary Applications</i> , 2021 , 14, 1623-1634	4.8	1
43	Ecotypic differentiation of a circumpolar Arctic-alpine species at mid-latitudes: variations in the ploidy level and reproductive system of. <i>AoB PLANTS</i> , 2021 , 13, plab015	2.9	O
42	Genetic diversity and contemporary population genetic structure of Avicennia marina from Mozambique. <i>Aquatic Botany</i> , 2021 , 171, 103374	1.8	
41	Genetic Distinctiveness but Low Diversity Characterizes Rear-Edge Thuja standishii (Gordon) Carr. (Cupressaceae) Populations in Southwest Japan. <i>Diversity</i> , 2021 , 13, 185	2.5	1

(2014-2021)

40	Connectivity of Avicennia marina populations within a proposed marine transboundary conservation area between Kenya and Tanzania. <i>Biological Conservation</i> , 2021 , 256, 109040	6.2	O
39	Recovery process of genetic diversity through seed and pollen immigration at the northernmost leading-edge population of Fagus crenata. <i>Plant Species Biology</i> , 2021 , 36, 489-502	1.3	O
38	Deciphering the global phylogeography of a coastal shrub (Scaevola taccada) reveals the influence of multiple forces on contemporary population structure. <i>Journal of Systematics and Evolution</i> ,	2.9	О
37	Persistent Clones and Local Seed Recruitment Contribute to the Resilience of Populations Under Disturbance. <i>Frontiers in Plant Science</i> , 2021 , 12, 658213	6.2	2
36	Draining the Swamping Hypothesis: Little Evidence that Gene Flow Reduces Fitness at Range Edges. <i>Trends in Ecology and Evolution</i> , 2021 , 36, 533-544	10.9	13
35	Threatened Mangroves in the Anthropocene: Habitat Fragmentation in Urban Coastalscapes of Pelliciera spp. (Tetrameristaceae) in Northern South America. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	2
34	Avicennia Genetic Diversity and Fine-Scaled Structure Influenced by Coastal Proximity of Mangrove Fragments. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	1
33	Genetic Diversity and Structure of Rear Edge Populations of (Rosaceae) in the Hyrcanian Forest. <i>Plants</i> , 2021 , 10,	4.5	0
32	Morphological and Chemical Diversity and Antioxidant Capacity of the Service Tree (L.) Fruits from Two Eco-Geographical Regions. <i>Plants</i> , 2021 , 10,	4.5	3
31	Barrier to Gene Flow of Grey Mangrove Avicennia marina Populations in the Malay Peninsula as Revealed From Nuclear Microsatellites and Chloroplast Haplotypes. <i>Frontiers in Conservation Science</i> , 2021 , 2,	О	2
30	Equivalence of trophic structure between a tropical and temperate mangrove ecosystem in the Indo-Pacific. <i>Marine and Freshwater Research</i> , 2019 , 70, 1436	2.2	3
29	Population structure and geographically structured reproductive strategies of the haplodiplontic seaweed Dictyota dichotoma.		1
28	The Ecology and Management of Temperate Mangroves. Oceanography and Marine Biology, 2010, 43-10	60	57
27	Population genetics of an ecosystem-defining reef coral Pocillopora damicornis in the Tropical Eastern Pacific. <i>PLoS ONE</i> , 2011 , 6, e21200	3.7	47
26	Lowered Diversity and Increased Inbreeding Depression within Peripheral Populations of Wild Rice Oryza rufipogon. <i>PLoS ONE</i> , 2016 , 11, e0150468	3.7	7
25	Contrasting Effects of Historical Sea Level Rise and Contemporary Ocean Currents on Regional Gene Flow of Rhizophora racemosa in Eastern Atlantic Mangroves. <i>PLoS ONE</i> , 2016 , 11, e0150950	3.7	28
24	Mitochondrial DNA variation in natural populations of Japanese larch (Larix kaempferi). <i>Silvae Genetica</i> , 2009 , 58, 234-241	1.1	9
23	An l Isis del sistema de apareamiento de poblaciones tropicales del mangle negro, Avicemia germinans (L.) L. (Avicenniaceae). <i>Botanical Sciences</i> , 2014 , 91, 115	1.4	7

22	Dispersal limitation of the mangrove Avicennia marina at its South African range limit in strong contrast to connectivity in its core East African region. <i>Marine Ecology - Progress Series</i> , 2016 , 545, 123	-1 3 4 ⁶	25
21	The Small Giant Clam, Tridacna maxima Exhibits Minimal Population Genetic Structure in the Red Sea and Genetic Differentiation From the Gulf of Aden. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	3
20	History or demography? Determining the drivers of genetic variation in North American plants. <i>Molecular Ecology</i> , 2021 ,	5.7	0
19	The Genetic and Environmental Adaptation of the Associated Liana Species Derris trifoliata Lour. (Leguminosae) in Mangroves. <i>Forests</i> , 2021 , 12, 1375	2.8	O
18	Introgression of Austrian fire-bellied toads (Bombina bombina) into northern German populations confirmed by complete mitochondrial genomes and transcriptome-wide Single Nucleotide Polymorphisms (SNPs).		1
17	Population genetic structure of a broadcast-spawning coral across a tropical memberate transition zone reveals regional differentiation and high-latitude reef isolation. <i>Journal of Biogeography</i> ,	4.1	1
16	Population transcriptomics reveals the effect of gene flow on the evolution of range limits <i>Scientific Reports</i> , 2022 , 12, 1318	4.9	
15	Genetic Diversity and Mating System of Two Mangrove Species (Rhizophora apiculata and Avicennia marina) in a Heavily Disturbed Area of China. <i>Diversity</i> , 2022 , 14, 115	2.5	1
14	Population genetics of three at-risk tiger beetles Habroscelimorpha dorsalis dorsalis, H. d. media, and Ellipsoptera puritana. <i>Conservation Genetics</i> , 1	2.6	
13	Data_Sheet_1.docx. 2020 ,		
13	Data_Sheet_1.docx. 2020, Extremely Stochastic Connectivity of Island Mangroves. Frontiers in Marine Science, 9,	4.5	
		4·5 3·7	0
12	Extremely Stochastic Connectivity of Island Mangroves. <i>Frontiers in Marine Science</i> , 9, Genetic Structure of Natural Northern Range-Margin Mainland, Peninsular, and Island Populations		O 1
12	Extremely Stochastic Connectivity of Island Mangroves. <i>Frontiers in Marine Science</i> , 9, Genetic Structure of Natural Northern Range-Margin Mainland, Peninsular, and Island Populations of Northern Red Oak (Quercus rubra L.). <i>Frontiers in Ecology and Evolution</i> , 10, Seagrass Connectivity on the West Coast of Africa Supports the Hypothesis of Grazer-Mediated	3.7	
12 11 10	Extremely Stochastic Connectivity of Island Mangroves. <i>Frontiers in Marine Science</i> , 9, Genetic Structure of Natural Northern Range-Margin Mainland, Peninsular, and Island Populations of Northern Red Oak (Quercus rubra L.). <i>Frontiers in Ecology and Evolution</i> , 10, Seagrass Connectivity on the West Coast of Africa Supports the Hypothesis of Grazer-Mediated Seed Dispersal. <i>Frontiers in Marine Science</i> , 9, Gene Flow and Recruitment Patterns among Disjunct Populations of Allocasuarina verticillata	3·7 4·5	
12 11 10 9	Extremely Stochastic Connectivity of Island Mangroves. <i>Frontiers in Marine Science</i> , 9, Genetic Structure of Natural Northern Range-Margin Mainland, Peninsular, and Island Populations of Northern Red Oak (Quercus rubra L.). <i>Frontiers in Ecology and Evolution</i> , 10, Seagrass Connectivity on the West Coast of Africa Supports the Hypothesis of Grazer-Mediated Seed Dispersal. <i>Frontiers in Marine Science</i> , 9, Gene Flow and Recruitment Patterns among Disjunct Populations of Allocasuarina verticillata (Lam.) L.A.S. Johnson. <i>Forests</i> , 2022, 13, 1152 Tissue-Specific Transcriptomes Outline Halophyte Adaptive Strategies in the Gray Mangrove	3·7 4·5	1
12 11 10 9 8	Extremely Stochastic Connectivity of Island Mangroves. <i>Frontiers in Marine Science</i> , 9, Genetic Structure of Natural Northern Range-Margin Mainland, Peninsular, and Island Populations of Northern Red Oak (Quercus rubra L.). <i>Frontiers in Ecology and Evolution</i> , 10, Seagrass Connectivity on the West Coast of Africa Supports the Hypothesis of Grazer-Mediated Seed Dispersal. <i>Frontiers in Marine Science</i> , 9, Gene Flow and Recruitment Patterns among Disjunct Populations of Allocasuarina verticillata (Lam.) L.A.S. Johnson. <i>Forests</i> , 2022, 13, 1152 Tissue-Specific Transcriptomes Outline Halophyte Adaptive Strategies in the Gray Mangrove (Avicennia marina). 2022, 12, 2030 Plastome Characterization, Phylogenetic Relationships, and Regional Conservation Status of Ficus populifolia Vahl. (Moraceae), a Peripherally Isolated Plant Population in the Arabian Peninsula.	3·7 4·5	0

CITATION REPORT

4	Mapping the Link between Climate Change and Mangrove Forest: A Global Overview of the Literature. 2023 , 14, 421	O
3	Genetic and Epigenetic Diversity of Mangrove Plants: Markers of Adaptation in a Changing Environment. 2023 , 87-98	0
2	Assessment of the Genetic Diversity and Population Structure of Rhizophora mucronata along Coastal Areas in Thailand. 2023 , 12, 484	0
1	Phenotypic Diversity and Variation in Natural Populus euphratica Populations Shaped by Environmental Factors. 2023 , 16, 230-252	О