

CITATION REPORT

List of articles citing

Impact of endoscopist withdrawal speed on polyp yield: implications for optimal colonoscopy withdrawal time

DOI: 10.1111/j.1365-2036.2006.03080.x

Alimentary Pharmacology and Therapeutics, 2006, 24, 965-71

Source: <https://exaly.com/paper-pdf/40426025/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
211	Patients with functional constipation do not have increased prevalence of colorectal cancer precursors. 2007 , 56, 451-2		9
210	Response to Lee et al.. 2007 , 102, 905-906		
209	Argument on statement 46 in the Montreal definition of gastroesophageal reflux disease: does reflux laryngitis patient always have heartburn?. 2007 , 102, 911-2		0
208	Amyloidoma of the esophagus. 2007 , 102, 910-1		4
207	Type 2 diabetes mellitus, smoking, and colorectal cancer. 2007 , 102, 909-10		2
206	Upper endoscope for colonoscopy: evidence is still too sparse to utilize. 2007 , 102, 905; author reply 905-6		
205	How deep should "deep sedation" be?. 2007 , 102, 906-7; author reply 907-8		1
204	Response to Weinstock et al.'s Comments. 2007 , 102, 907-908		
203	Good colon preparation guarantees a higher diagnostic yield of colonoscopy-timing is most crucial. 2007 , 102, 908; author reply 908-9		7
202	Response to Parra-Blanco et al.. 2007 , 102, 908-909		2
201	Prevalence of colorectal neoplasm among patients with newly diagnosed coronary artery disease. 2007 , 298, 1412-9		100
200	Is the rate of adenoma detection in colonoscopy influenced by the duration of colonoscope withdrawal?. 2007 , 4, 428-9		
199	Bibliography. Current world literature. <i>Pancreas</i> . 2007 , 23, 556-78		
198	High yields of small and flat adenomas with high-definition colonoscopes using either white light or narrow band imaging. 2007 , 133, 42-7		341
197	Colonoscopy: Not quite the gold standard. 2007 , 39, 690-1		1
196	Enhancing the quality of colonoscopy: the importance of bowel purgatives. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 565-73	5.2	72
195	Arthemis: annotation software in an integrated capturing and analysis system for colonoscopy. 2007 , 88, 152-63		14

194 Critères de qualité de la coloscopie en 2007. **2007**, 1, 152-156

193 Factors affecting cecal and ileal intubation time in colonoscopy. **2008**, 103, 477-81

23

192 Evaluation of formal feedback on endoscopic competence among trainees: the EFFECT trial. **2008**, 177, 253-6

25

191 Adenoma detection rate and the quality of colonoscopy: the sword has two edges. **2008**, 51, 520-3

28

190 Future expectations in digestive endoscopy: competition with other novel imaging techniques. **2008**, 22, 971-87

9

189 Is diagnostic and therapeutic endoscopy currently appropriate?: suggestions for improvement. **2008**, 22, 959-70

5

188 A comparative study of standard vs. high definition colonoscopy for adenoma and hyperplastic polyp detection with optimized withdrawal technique. *Alimentary Pharmacology and Therapeutics*, **2008**, 28, 768-76

6.1 93

187 Screening, surveillance, and primary prevention for colorectal cancer: a review of the recent literature. **2008**, 135, 380-99

98

186 Effect of institution-wide policy of colonoscopy withdrawal time > or = 7 minutes on polyp detection. **2008**, 135, 1892-8

164

185 Novel endoscopic approaches in detecting colorectal neoplasia: macroscopes, microscopes, and metal detectors. **2008**, 135, 1035-7

4

184 El tiempo también cuenta en la colonoscopia. **2008**, 7, 133-135

183 Considerations regarding the present and future roles of colonoscopy in colorectal cancer prevention. **2008**, 6, 506-14

51

182 Gastrointestinal endoscopy nurse experience and polyp detection during screening colonoscopy. **2008**, 6, 1342-7

19

181 Asia Pacific consensus recommendations for colorectal cancer screening. **2008**, 57, 1166-76

266

180 [Update S3-guideline "colorectal cancer" 2008]. **2008**, 46, 799-840

207

179 Colonoscopy, tumors, and inflammatory bowel disease. **2008**, 40, 147-51

3

178 Miss rate for colorectal neoplastic polyps: a prospective multicenter study of back-to-back video colonoscopies. **2008**, 40, 284-90

386

177 A pilot study to assess the safety and efficacy of the Third Eye retrograde auxiliary imaging system during colonoscopy. **2008**, 40, 478-82

47

176	Do we need to embrace adenoma detection rate as the main quality control parameter during colonoscopy?. 2008 , 40, 523-8		24
175	Prospektive Multizenterstudie zur Bersehungsrade neoplastischer kolorektaler Polypen mit Back-to-Back Videokoloskopien. 2008 , 21, 106-113		1
174	Canadian credentialing guidelines for colonoscopy. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2008 , 22, 17-22		32
173	The quality of screening colonoscopies in an office-based endoscopy clinic. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2009 , 23, 41-7		16
172	Efficacy of cap-assisted colonoscopy in comparison with regular colonoscopy: a randomized controlled trial. 2009 , 104, 41-6		106
171	Computed virtual chromoendoscopy versus standard colonoscopy with targeted indigocarmine chromoscopy: a randomised multicentre trial. 2009 , 58, 73-8		118
170	Quality control of colonoscopy procedures: a prospective validated method for the evaluation of professional practices applicable to all endoscopic units. 2009 , 33, 103-8		9
169	[Are diminutive colonic polyps dangerous?]. 2009 , 33, 253-7		1
168	Targeting Withdrawal Time to 6 Minutes can Increase Polyp Detection During Colonoscopy. 2009 , 21, 222-226		
167	Impact of operator fatigue on endoscopy performance: implications for procedure scheduling. 2009 , 54, 1656-61		24
166	Adenomas are detected more often in morning than in afternoon colonoscopy. 2009 , 104, 1659-64; quiz 1665		104
165	Variation in polyp detection rates at screening colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 1288-95		113
164	Inequities in colonoscopy: variation in performance and outcomes of colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 1296-8	5.2	4
163	Does trainee participation during colonoscopy affect adenoma detection rates?. 2009 , 52, 1337-44		21
162	Diagnostic et traitement des polypes colorectaux. 2009 , 4, 1-13		
161	Computer simulator among experts involved in screening colonoscopy. 2010 , 22, 61-6		4
160	The effect of nonmedical factors on variations in the performance of colonoscopy among different health care settings. 2010 , 48, 101-9		1
159	Withdrawal times and associated factors in colonoscopy: a quality assurance multicenter assessment. 2010 , 44, e80-6		40

158	Colonoscopy versus computed tomography colonography for colorectal cancer screening. 2010 , 77, 214-24		2
157	An endoscopic training model to improve accuracy of colonic polyp size measurement. 2010 , 25, 655-60		11
156	Quality Criteria for a Good Screening Colonoscopy. 2010 , 6, 38-43		1
155	Variation in colonoscopic technique and adenoma detection rates at an academic gastroenterology unit. 2010 , 55, 166-71		42
154	User's perspectives of barriers and facilitators to implementing quality colonoscopy services in Canada: a study protocol. 2010 , 5, 85		2
153	Transparent cap improves patients' tolerance of colonoscopy and shortens examination time by inexperienced endoscopists. 2010 , 11, 364-8		23
152	A back-to-back comparison of white light video endoscopy with autofluorescence endoscopy for adenoma detection in high-risk subjects. 2010 , 59, 785-93		53
151	Colonoscopy withdrawal time and risk of neoplasia at 5 years: results from VA Cooperative Studies Program 380. 2010 , 105, 1746-52		30
150	The impact of videorecording on the quality of colonoscopy performance: a pilot study. 2010 , 105, 2312-7		67
149	S3 guidelines for colorectal carcinoma: results of an evidence-based consensus conference on February 6/7, 2004 and June 8/9, 2007 (for the topics IV, VI and VII). 2010 , 48, 65-136		73
148	Assessment of the multiple components of the variability in the adenoma detection rate in sigmoidoscopy screening, and lessons for training. 2010 , 42, 448-55		15
147	Current status of chromoendoscopy and narrow band imaging in colonoscopy. 2010 , 23, 21-30		16
146	Finding polyps at colonoscopy previously noted on CT colonography. 2010 , 20, 293-304		
145	Efficacy and effectiveness of colonoscopy: how do we bridge the gap?. 2010 , 20, 673-84		28
144	Variations between endoscopists in rates of detection of colorectal neoplasia and their impact on a regional screening program based on colonoscopy after fecal occult blood testing. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 335-41	5.2	56
143	Effect of simply recording colonoscopy withdrawal time on polyp and adenoma detection rates. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 782-6	5.2	44
142	Impact of experience with a retrograde-viewing device on adenoma detection rates and withdrawal times during colonoscopy: the Third Eye Retroscope study group. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 542-50	5.2	119
141	Inflationary caution in GI endoscopy. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 789-91	5.2	2

140	The effect of periodic monitoring and feedback on screening colonoscopy withdrawal times, polyp detection rates, and patient satisfaction scores. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 1253-9	5.2	56
139	Performing a quality colonoscopy: just slow down!. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 787-8	5.2	9
138	Colorectal cancer: national and international perspective on the burden of disease and public health impact. 2010 , 138, 2177-90		120
137	Specialty differences in polyp detection, removal, and biopsy during colonoscopy. 2010 , 123, 528-35		53
136	Guidelines for colorectal cancer screening and surveillance in moderate and high risk groups (update from 2002). 2010 , 59, 666-89		843
135	Variation in the detection of serrated polyps in an average risk colorectal cancer screening cohort. 2010 , 105, 2656-64		245
134	Time of day variation in polyp detection rate for colonoscopies performed on a 3-hour shift schedule. <i>Gastrointestinal Endoscopy</i> , 2011 , 73, 467-75	5.2	44
133	Polypectomy rate as a quality measure for colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2011 , 73, 498-506	5.2	62
132	Effect of a retrograde-viewing device on adenoma detection rate during colonoscopy: the TERRACE study. <i>Gastrointestinal Endoscopy</i> , 2011 , 73, 480-9	5.2	157
131	Application of a conversion factor to estimate the adenoma detection rate from the polyp detection rate. <i>Gastrointestinal Endoscopy</i> , 2011 , 73, 493-7	5.2	89
130	Quality of colonoscopy withdrawal technique and variability in adenoma detection rates (with videos). <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 128-34	5.2	117
129	Participation by experienced endoscopy nurses increases the detection rate of colon polyps during a screening colonoscopy: a multicenter, prospective, randomized study. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 1094-102	5.2	77
128	Measurement of adenoma detection and discrimination during colonoscopy in routine practice: an exploratory study. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 1325-36	5.2	34
127	Colonoscopic polypectomy--evaluation of the effectiveness and safety (single center experience). 2011 , 83, 438-42		
126	Narrow-band imaging does not improve detection of colorectal polyps when compared to conventional colonoscopy: a randomized controlled trial and meta-analysis of published studies. 2011 , 11, 100		50
125	Quality of colonoscopy performance among gastroenterology and surgical trainees: a need for common training standards for all trainees?. 2011 , 43, 935-40		36
124	Influence of the insertion time and number of polyps on miss rate in colonoscopy. 2011 , 46, 634-9		18
123	Quality in screening colonoscopy: position statement of the European Society of Gastrointestinal Endoscopy (ESGE). 2012 , 44, 957-68		199

122	Longer mean colonoscopy withdrawal time is associated with increased adenoma detection: evidence from the Bowel Cancer Screening Programme in England. 2013 , 45, 20-6		84
121	Should patients expect their colonoscopy to reach the standards experienced by bowel cancer screening patients?. 2012 , 3, 122-123		0
120	Detectability of colon polyp using computed virtual chromoendoscopy with flexible spectral imaging color enhancement. 2012 , 2012, 596303		4
119	Hyoscine butylbromide administered at the cecum increases polyp detection: a randomized double-blind placebo-controlled trial. 2012 , 44, 917-22		43
118	Withdrawal time as a quality indicator for colonoscopy - a nationwide analysis. 2012 , 44, 476-81		44
117	Time out! Surveying surgical barriers. 2012 , 6, 32-38		
116	Cap-assisted colonoscopy (CAC) significantly extends visualization in the right colon. 2012 , 50, 279-84		8
115	Qualität der Screening-Koloskopie: Positionspapier der Europäischen Gesellschaft für Gastrointestinale Endoskopie. 2012 , 25, 276-288		
114	Time out! Surveying surgical barriers. 2012 , 43, 38-44		1
113	Sedation in screening colonoscopy: impact on quality indicators and complications. 2012 , 107, 1837-48		59
112	The 'difficult' polyp: pitfalls for endoscopic removal. 2012 , 30 Suppl 2, 74-80		13
111	Computer simulators: the present and near future of training in digestive endoscopy. 2012 , 44, 106-10		6
110	Evaluation of hands-on training in colonoscopy: is a computer-based simulator useful?. 2012 , 44, 580-4		12
109	The impact of video recording colonoscopy on adenoma detection rates. <i>Gastrointestinal Endoscopy</i> , 2012 , 75, 127-33	5.2	28
108	The effect of colonoscopy preparation quality on adenoma detection rates. <i>Gastrointestinal Endoscopy</i> , 2012 , 75, 545-53	5.2	73
107	Adenoma detection rates vary minimally with time of day and case rank: a prospective study of 2139 first screening colonoscopies. <i>Gastrointestinal Endoscopy</i> , 2012 , 75, 554-60	5.2	27
106	Colonoscopy core curriculum. <i>Gastrointestinal Endoscopy</i> , 2012 , 76, 482-90	5.2	49
105	[Korean guidelines for colorectal cancer screening and polyp detection]. 2012 , 59, 65-84		16

104	Korean Guidelines for Colorectal Cancer Screening and Polyp Detection. 2012 , 66, 385		3
103	Guidelines for an Optimum Screening Colonoscopy. 2012 , 8, 6-15		1
102	Avoiding and defending malpractice suits for postcolonoscopy cancer: advice from an expert witness. 2013 , 11, 768-73		21
101	Quality indicators for colorectal cancer screening for colonoscopy. 2013 , 15, 59-68		18
100	The new view of colon cancer screening: forwards and backwards. 2013 , 23, 647-61		
99	Training and teaching innovations in colonoscopy. 2013 , 42, 659-70		4
98	Reliability of adenoma detection rate is based on procedural volume. <i>Gastrointestinal Endoscopy</i> , 2013 , 77, 376-80	5.2	71
97	Transparent cap colonoscopy versus standard colonoscopy: a systematic review and meta-analysis. 2013 , 17, 353-60		15
96	Quality colonoscopy: a matter of time, technique or technology?. 2013 , 19, 1517-22		7
95	Factors determining the quality of screening colonoscopy: a prospective study on adenoma detection rates, from 12,134 examinations (Berlin colonoscopy project 3, BECOP-3). 2013 , 62, 236-41		146
94	[S3-guideline colorectal cancer version 1.0]. 2013 , 51, 753-854		149
93	Clinical practice variation in the management of diminutive colorectal polyps: results of a national survey of gastroenterologists. 2013 , 108, 873-8		27
92	Colonoscopy quality assurance in Ontario: Systematic review and clinical practice guideline. 2014 , 28, 251-74		21
91	Difference in adenoma detection rates according to colonoscopic withdrawal times and the level of expertise. 2014 , 64, 278-83		5
90	[Experience of operator may be more crucial than withdrawal time of colonoscopy for the detection of colonic neoplasm]. 2014 , 64, 253-5		
89	Withdrawal time in excellent or very poor bowel preparation qualities. 2014 , 6, 186-92		4
88	Quality in colonoscopy: European perspectives and practice. 2014 , 8, 29-47		17
87	Colonoscopic factors associated with adenoma detection in a national colorectal cancer screening program. 2014 , 46, 203-11		73

86	Experience of the endoscopist increases detection rates of smaller size and higher histological grade polyps. 2014 , 29, 1237-41	13
85	Physician perceptions on colonoscopy quality: results of a national survey of gastroenterologists. 2014 , 2014, 510494	5
84	New Imaging Modalities for Identification of Hidden Polyps. 2014 , 10, 9-19	1
83	The mean number of adenomas per procedure should become the gold standard to measure the neoplasia yield of colonoscopy: a population-based cohort study. 2014 , 46, 176-81	26
82	Serrated and adenomatous polyp detection increases with longer withdrawal time: results from the New Hampshire Colonoscopy Registry. 2014 , 109, 417-26	128
81	Consensus on the Prevention, Screening, Early Diagnosis and Treatment of Colorectal Tumors in China: Chinese Society of Gastroenterology, October 14-15, 2011, Shanghai, China. 2014 , 1, 53-75	19
80	[S2k guideline: quality requirements for gastrointestinal endoscopy, AWMF registry no. 021-022]. 2015 , 53, E1-227	25
79	Monitoring quality indicators for screening colonoscopies. 2015 ,	
78	Effects of Experience, Withdrawal Speed and Monitor Size on Colonoscopists' Visual detection of polyps. 2015 , 59, 471-475	
77	Adenoma detection rates decline with increasing procedural hours in an endoscopist's workload. 2015 , 29, 304-8	21
76	Colonoscopy: quality indicators. 2015 , 6, e77	51
75	Quality indicators for colonoscopy. 2015 , 110, 72-90	266
74	Quality indicators for colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 31-53	5.2 614
73	Crohn's Disease. 2015 ,	1
72	Adenoma detection at colonoscopy by polypectomy in withdrawal only versus both insertion and withdrawal: a randomized controlled trial. 2015 , 29, 692-9	15
71	UK key performance indicators and quality assurance standards for colonoscopy. 2016 , 65, 1923-1929	164
70	Expert opinions and scientific evidence for colonoscopy key performance indicators. 2016 , 65, 2045-2060	45
69	Technical interventions to increase adenoma detection rate in colonoscopy. 2016 , 10, 1349-1358	5

68	Colorectal Cancer Screening: a North American Point of View. 2016 , 12, 241-250		
67	International collaboration between Japan and Chile to improve detection rates in colorectal cancer screening. 2016 , 122, 71-7		11
66	A novel quality scoring system for the evaluation of individual colonoscopy: A multicenter retrospective study. 2016 , 31, 172-9		
65	Improving the utility of colonoscopy: Recent advances in practice. 2016 , 31, 32-44		6
64	Factors associated with colorectal cancer occurrence after colonoscopy that did not diagnose colorectal cancer. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 287-295.e1	5.2	22
63	Monitoring colonoscopy withdrawal time significantly improves the adenoma detection rate and the performance of endoscopists. 2016 , 48, 256-62		34
62	Should Assessment of Quality Indicator of Colonoscopy Be Varied Depending on the Colonoscopic Technique Level?. 2016 , 61, 731-6		3
61	Screening colonoscopy volume and detection of colorectal neoplasms: a state-wide study from Bavaria, Germany. 2017 , 26, 181-188		6
60	The impact of pre-resection endoscopic examination time on the rate of synchronous gastric neoplasms missed during endoscopic treatment. 2017 , 31, 3952-3960		6
59	Safety of Large-Volume, Same-Day Oral Bowel Preparations During Deep Sedation: A Prospective Observational Study. 2017 , 125, 469-476		11
58	Detection: (CQI) Quality Measures and Tools for Improvement. 2017 , 131-140		
57	Advanced Colonoscopy and Endoluminal Surgery. 2017 ,		4
56	Adenoma miss rates associated with a 3-minute versus 6-minute colonoscopy withdrawal time: a prospective, randomized trial. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 1273-1280	5.2	40
55	Impact of feedback and monitoring on colonoscopy withdrawal times and polyp detection rates. 2017 , 4, e000142		7
54	Improvement of Quality of Nonanesthetic Colonoscopy by Preoperative Administration of Pinaverium Bromide. 2017 , 130, 631-635		3
53	Polyp detection rate in transverse and sigmoid colon significantly increases with longer withdrawal time during screening colonoscopy. 2017 , 12, e0174155		15
52	Assessing colonoscopic inspection skill using a virtual withdrawal simulation: a preliminary validation of performance metrics. 2017 , 17, 118		3
51	A novel summary report of colonoscopy: timeline visualization providing meaningful colonoscopy video information. 2018 , 33, 549-559		6

50	Colonoscopic withdrawal time and adenoma detection in the right colon. 2018 , 97, e12113	6
49	Risk factors associated with the detection and missed diagnosis of colorectal flat adenoma: a Chinese multicenter observational study. 2018 , 53, 1519-1525	5
48	Bowel preparation quality scales for colonoscopy. 2018 , 24, 2833-2843	60
47	Video-Based Assessments of Colonoscopy Inspection Quality Correlate With Quality Metrics and Highlight Areas for Improvement. 2019 , 17, 691-700	7
46	Efficacy of withdrawal time monitoring in adenoma detection with or without the aid of a full-spectrum scope. 2019 , 7, E1135-E1142	1
45	The significance of retroflexion technique in the right colon on adenoma detection rates during colonoscopy. 2019 , 39, 197-202	1
44	Factors associated with polyp detection during colonoscopy: A retrospective observational study. 2019 , 35, 572-577	2
43	Real-time gastric polyp detection using convolutional neural networks. 2019 , 14, e0214133	43
42	Determination of withdrawal times in individualized opportunistic screening colonoscopies. 2019 , 98, e16819	0
41	Impact of Electronic Chromoendoscopy on Adenoma Miss Rates During Colonoscopy: A Systematic Review and Meta-analysis. 2019 , 62, 1124-1134	5
40	Quality indicators for screening colonoscopy and colonoscopist performance and the subsequent risk of interval colorectal cancer: a systematic review. 2019 , 17, 2265-2300	20
39	Sub-10-minute High-quality Diagnostic Colonoscopy With Terminal Ileum Intubation in Children Is Feasible and Safe. 2019 , 69, 6-12	3
38	Colonoscopy core curriculum. <i>Gastrointestinal Endoscopy</i> , 2021 , 93, 297-304	5.2 3
37	Withdrawal Time: Is Nine the New Six?. 2021 ,	0
36	Colonoscopy quality indicators in patients with and without prior colonic resection: A single-centre prospective comparative study. 2021 , 23, 1755-1764	1
35	Colonoscopy screening and surveillance guidelines. 2021 , 33, 486-519	8
34	Implementation effect of institutional policy of EGD observation time on neoplasm detection. <i>Gastrointestinal Endoscopy</i> , 2021 , 93, 1152-1159	5.2 5
33	Striving for quality improvement: can artificial intelligence help?. 2021 , 52-53, 101722	1

32	Impact of the National Endoscopy Database (NED) on colonoscopy withdrawal time: a tertiary centre experience. 2021 , 8,	
31	Tissue Sampling, Specimen Handling, and Chromoendoscopy. 2012 , 54-68	1
30	The colorectal cancer screening: the current global situation and the main standards for the quality of screening colonoscopy recommended by the European Society of Gastrointestinal Endoscopy (ESGE). 2017 , 6, 32	2
29	Prospective randomized controlled trial evaluating cap-assisted colonoscopy vs standard colonoscopy. 2010 , 16, 3905-10	61
28	Retrograde-viewing device improves adenoma detection rate in colonoscopies for surveillance and diagnostic workup. 2012 , 18, 3400-8	36
27	Endoscopy and polyps-diagnostic and therapeutic advances in management. 2013 , 19, 4277-88	11
26	Risk factors associated with missed colorectal flat adenoma: a multicenter retrospective tandem colonoscopy study. 2014 , 20, 10927-37	42
25	Comparison of Pentax HiLine and Olympus Lucera systems at screening colonoscopy. 2013 , 5, 62-6	3
24	Quality indicators for colonoscopy: Current insights and caveats. 2014 , 6, 571-83	34
23	Polyp detection rates using magnification with narrow band imaging and white light. 2015 , 7, 555-62	2
22	Multicenter randomised controlled trial comparing the high definition white light endoscopy and the bright narrow band imaging for colon polyps. 2017 , 9, 273-281	7
21	The Miss Rate for Colorectal Adenoma Determined by Quality-Adjusted, Back-to-Back Colonoscopies. 2012 , 6, 64-70	125
20	Prevalence of proximal serrated polyps and conventional adenomas in an asymptomatic average-risk screening population. 2013 , 7, 524-31	18
19	Korean Guidelines for Colorectal Cancer Screening and Polyp Detection. 2012 , 10, 67	4
18	Korean guidelines for colorectal cancer screening and polyp detection. 2012 , 45, 25-43	67
17	Identification of cecum time-location in a colonoscopy video by deep learning analysis of colonoscope movement. 2019 , 7, e7256	3
16	Management and Treatment of Complications in Diagnostic and Therapeutic Lower Gastrointestinal Tract Endoscopy. 2009 , 149-159	
15	Les critères de qualité de la coloscopie. 2010 , 193-201	

14	Quality measures and credentialing in gastrointestinal endoscopy. 2010 , 26, 459-65		2
13	Acceptance of American society for gastrointestinal endoscopy guidelines for endoscopy reports. 2012 , 02, 209-214		1
12	Colonoscopy Technique: The Ins and Outs. 46-68		
11	The Role of Endoscopy in the Diagnosis and Management of Crohn's Disease. 2015 , 23-32		
10	A survey-based analysis on endoscopic quality indicators compliance among Spanish endoscopists. <i>Revista Espanola De Enfermedades Digestivas</i> , 2017 , 109, 33-48	0.9	3
9	The impact of colonoscopy indication on polyp detection rate. <i>Annals of Gastroenterology</i> , 2019 , 32, 278-282		4
8	Cancer Care Ontario Colonoscopy Standards: standards and evidentiary base. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2007 , 21 Suppl D, 5D-24D		15
7	Measuring and Improving Quality of Colonoscopy for Colorectal Cancer Screening. <i>Techniques and Innovations in Gastrointestinal Endoscopy</i> , 2021 ,	1.3	
6	Colonoscope retraction technique and predicting adenoma detection rate: a multicenter study.. <i>Gastrointestinal Endoscopy</i> , 2021 ,	5.2	0
5	Design of a Split Ring Resonator Integrated with On-Chip Terahertz Waveguides for Colon Cancer Detection. <i>Advanced Theory and Simulations</i> , 2200313	3.5	1
4	Adenoma detection rate using narrow-band imaging is inferior to high-definition white light colonoscopy in screening and surveillance colonoscopies in daily clinical care: A randomized controlled trial. 2022 , 101, e29858		
3	Estimating Withdrawal Time in Colonoscopies. 2023 , 495-512		0
2	Sedation Is Associated with Higher Polyp and Adenoma Detection Rates during Colonoscopy: A Retrospective Cohort Study. 2023 , 2023, 1-8		0
1	Unlocking quality in endoscopic mucosal resection. 15, 338-353		0