

Rapid analysis of T-cell selection in vivo using T cellâ€™

Nature Methods

3, 191-197

DOI: [10.1038/nmeth858](https://doi.org/10.1038/nmeth858)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Retroviral TCR gene transduction: 2A for two. <i>Nature Methods</i> , 2006, 3, 162-164.	9.0	2
3	Generation of T-cell receptor retrogenic mice. <i>Nature Protocols</i> , 2006, 1, 406-417.	5.5	230
5	The Use of Retroviral Vectors for Gene Transfer into Hematopoietic Stem Cells. <i>Methods in Enzymology</i> , 2006, 420, 82-100.	0.4	1
6	General Nature of the STAT3-Activated Anti-Inflammatory Response. <i>Journal of Immunology</i> , 2006, 177, 7880-7888.	0.4	197
7	Antigen-Specific CD8+T Cells Respond to <i>Chlamydia trachomatis</i> in the Genital Mucosa. <i>Journal of Immunology</i> , 2006, 177, 7974-7979.	0.4	37
8	T-cell receptor gene therapy for cancer: the progress to date and future objectives. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 1207-1218.	1.4	20
9	Functional Human Antigen-Specific T Cells Produced In Vitro Using Retroviral T Cell Receptor Transfer into Hematopoietic Progenitors. <i>Journal of Immunology</i> , 2007, 179, 4959-4968.	0.4	44
10	Monoclonal T-Cell Receptors: New Reagents for Cancer Therapy. <i>Molecular Therapy</i> , 2007, 15, 1744-1750.	3.7	50
11	Quantitative comparison of click beetle and firefly luciferases for in vivo bioluminescence imaging. <i>Journal of Biomedical Optics</i> , 2007, 12, 054018.	1.4	42
12	Redirecting T lymphocyte specificity by T cell receptor gene transfer – A new era for immunotherapy. <i>Molecular Aspects of Medicine</i> , 2007, 28, 115-142.	2.7	40
13	Viral 2A peptides allow expression of multiple proteins from a single ORF in transgenic zebrafish embryos. <i>Genesis</i> , 2007, 45, 625-629.	0.8	177
14	Humanized mice in translational biomedical research. <i>Nature Reviews Immunology</i> , 2007, 7, 118-130.	10.6	1,189
15	The inhibitory cytokine IL-35 contributes to regulatory T-cell function. <i>Nature</i> , 2007, 450, 566-569.	13.7	1,678
16	Enhanced functionality of T cell receptor-redirected T cells is defined by the transgene cassette. <i>Journal of Molecular Medicine</i> , 2008, 86, 573-583.	1.7	108
17	Development of optimal bicistronic lentiviral vectors facilitates high-level TCR gene expression and robust tumor cell recognition. <i>Gene Therapy</i> , 2008, 15, 1411-1423.	2.3	159
18	Scalable signaling mediated by T cell antigen receptor – CD3 ITAMs ensures effective negative selection and prevents autoimmunity. <i>Nature Immunology</i> , 2008, 9, 658-666.	7.0	147
19	The TLR2-MyD88-NOD2-RIPK2 signalling axis regulates a balanced pro-inflammatory and IL-10-mediated anti-inflammatory cytokine response to Gram-positive cell walls. <i>Cellular Microbiology</i> , 2008, 10, 2067-2077.	1.1	82
20	Rapid identification of MHC class I-restricted antigens relevant to autoimmune diabetes using retrogenic T cells. <i>Journal of Immunological Methods</i> , 2008, 335, 106-115.	0.6	13

#	ARTICLE	IF	CITATIONS
21	Instant conditional transgenesis in the mouse hematopoietic compartment. <i>Journal of Immunological Methods</i> , 2008, 339, 259-263.	0.6	3
22	Retrogenic Modeling of Experimental Allergic Encephalomyelitis Associates T Cell Frequency but Not TCR Functional Affinity with Pathogenicity. <i>Journal of Immunology</i> , 2008, 181, 136-145.	0.4	32
23	On the Pathogenicity of Autoantigen-Specific T-Cell Receptors. <i>Diabetes</i> , 2008, 57, 1321-1330.	0.3	89
24	Expression of heterologous genes in oncolytic adenoviruses using picornaviral 2A sequences that trigger ribosome skipping. <i>Journal of General Virology</i> , 2008, 89, 389-396.	1.3	51
25	Inhibition of Tumor Growth by NK1.1+ Cells and CD8+ T Cells Activated by IL-15 through Receptor β^2 /Common β^3 Signaling in <i>trans</i> . <i>Journal of Immunology</i> , 2008, 181, 8237-8247.	0.4	27
26	Lentiviral Vectors Encoding Human Immunodeficiency Virus Type 1 (HIV-1)-Specific T-Cell Receptor Genes Efficiently Convert Peripheral Blood CD8 T Lymphocytes into Cytotoxic T Lymphocytes with Potent In Vitro and In Vivo HIV-1-Specific Inhibitory Activity. <i>Journal of Virology</i> , 2008, 82, 3078-3089.	1.5	82
27	T Cell Receptor Gene Therapy for Cancer. <i>Human Gene Therapy</i> , 2009, 20, 1240-1248.	1.4	86
28	T cell receptors in an IL-10-secreting amino acid copolymer-specific regulatory T cell line that mediates bystander immunosuppression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3336-3341.	3.3	8
29	Characterization of Genetically Modified T-Cell Receptors that Recognize the CEA:691-699 Peptide in the Context of HLA-A2.1 on Human Colorectal Cancer Cells. <i>Clinical Cancer Research</i> , 2009, 15, 169-180.	3.2	112
30	Cooperation between Molecular Targets of Costimulation in Promoting T Cell Persistence and Tumor Regression. <i>Journal of Immunology</i> , 2009, 182, 6744-6752.	0.4	17
31	Subtle Affinity-Enhancing Mutations in a Myelin Oligodendrocyte Glycoprotein-Specific TCR Alter Specificity and Generate New Self-Reactivity. <i>Journal of Immunology</i> , 2009, 182, 4439-4447.	0.4	23
32	Immunomodulation in the treatment of haematological malignancies. <i>Clinical and Experimental Medicine</i> , 2009, 9, 81-92.	1.9	7
33	T Cell Islet Accumulation in Type 1 Diabetes Is a Tightly Regulated, Cell-Autonomous Event. <i>Immunity</i> , 2009, 31, 643-653.	6.6	142
34	TCR transgenes and transgene cassettes for TCR gene therapy: status in 2008. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 809-822.	2.0	58
35	Generation of iPS cells using defined factors linked via the self-cleaving 2A sequences in a single open reading frame. <i>Cell Research</i> , 2009, 19, 296-306.	5.7	74
36	Organization of proximal signal initiation at the TCR:CD3 complex. <i>Immunological Reviews</i> , 2009, 232, 7-21.	2.8	103
37	2A to the Fore – Research, Technology and Applications. <i>Biotechnology and Genetic Engineering Reviews</i> , 2009, 26, 223-260.	2.4	44
38	Generation of Full-Length Functional Antibody against PreS2 of Hepatitis B Virus in Hepatic Cells In Vitro from Bicistrons Mediated by Gutless Adenovirus. <i>BioDrugs</i> , 2009, 23, 391-397.	2.2	1

#	ARTICLE	IF	CITATIONS
40	Precise Control of Protein Concentration in Living Cells. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 8458-8461.	7.2	17
41	Tonic ubiquitylation controls T-cell receptor:CD3 complex expression during T-cell development. <i>EMBO Journal</i> , 2010, 29, 1285-1298.	3.5	40
42	The structural basis for autonomous dimerization of the pre-T-cell antigen receptor. <i>Nature</i> , 2010, 467, 844-848.	13.7	68
43	Substrate elasticity provides mechanical signals for the expansion of hemopoietic stem and progenitor cells. <i>Nature Biotechnology</i> , 2010, 28, 1123-1128.	9.4	244
44	Central Nervous System Destruction Mediated by Glutamic Acid Decarboxylase-Specific CD4+ T Cells. <i>Journal of Immunology</i> , 2010, 184, 4863-4870.	0.4	61
45	Different Roles of G Protein Subunits $\beta 1$ and $\beta 2$ in Neutrophil Function Revealed by Gene Expression Silencing in Primary Mouse Neutrophils. <i>Journal of Biological Chemistry</i> , 2010, 285, 24805-24814.	1.6	25
46	Luciferase expression and bioluminescence does not affect tumor cell growth in vitro or in vivo. <i>Molecular Cancer</i> , 2010, 9, 299.	7.9	77
47	Dendritic Cell Protocols. <i>Methods in Molecular Biology</i> , 2010, , .	0.4	3
48	Polyswitch Lentivectors: "All-in-One" Lentiviral Vectors for Drug-Inducible Gene Expression, Live Selection, and Recombination Cloning. <i>Human Gene Therapy</i> , 2011, 22, 1255-1267.	1.4	27
49	Peripheral education of the immune system by colonic commensal microbiota. <i>Nature</i> , 2011, 478, 250-254.	13.7	920
50	Posttranslational Modification of Gluten Shapes TCR Usage in Celiac Disease. <i>Journal of Immunology</i> , 2011, 187, 3064-3071.	0.4	92
51	Generation of diffuse large B cell lymphoma-associated antigen-specific $\beta 13$ T cells by TCR gene transfer. <i>Journal of Hematology and Oncology</i> , 2011, 4, 2.	6.9	20
52	Genetically Encoding Unnatural Amino Acids in Neural Stem Cells and Optically Reporting Voltage-Sensitive Domain Changes in Differentiated Neurons. <i>Stem Cells</i> , 2011, 29, 1231-1240.	1.4	65
53	Interplay between Wnt2 and Wnt2bb controls multiple steps of early foregut-derived organ development. <i>Development (Cambridge)</i> , 2011, 138, 3557-3568.	1.2	62
54	High Cleavage Efficiency of a 2A Peptide Derived from Porcine Teschovirus-1 in Human Cell Lines, Zebrafish and Mice. <i>PLoS ONE</i> , 2011, 6, e18556.	1.1	1,107
55	ATF6 β is a host cellular target of the <i>Toxoplasma gondii</i> virulence factor ROP18. <i>Journal of Experimental Medicine</i> , 2011, 208, 1533-1546.	4.2	133
56	Single-chain $\beta 2$ T-cell receptors function without mispairing with endogenous TCR chains. <i>Gene Therapy</i> , 2012, 19, 365-374.	2.3	44
57	Development and Use of TCR Transgenic Mice for Malaria Immunology Research. <i>Methods in Molecular Biology</i> , 2012, 923, 481-491.	0.4	7

#	ARTICLE	IF	CITATIONS
58	Synthetic immune signaling. <i>Current Opinion in Biotechnology</i> , 2012, 23, 780-784.	3.3	8
59	Retroviral transduction of lineage antigen-negative (Lin ⁻) cells: A valuable alternative for the generation of T cell receptor (TCR) retrogenic mice. <i>Journal of Immunological Methods</i> , 2012, 384, 103-110.	0.6	1
60	Towards Optimising the Production of and Expression from Polycistronic Vectors in Embryonic Stem Cells. <i>PLoS ONE</i> , 2012, 7, e48668.	1.1	20
61	Translating 2A Research into Practice. , 0, , .		2
62	Design and Construction of 2A Peptide-Linked Multicistronic Vectors. <i>Cold Spring Harbor Protocols</i> , 2012, 2012, pdb.ip067876.	0.2	188
63	T _H cell receptor retrogenic mice: a rapid, flexible alternative to T _H cell receptor transgenic mice. <i>Immunology</i> , 2012, 136, 265-272.	2.0	24
64	Orchestrated Intron Retention Regulates Normal Granulocyte Differentiation. <i>Cell</i> , 2013, 154, 583-595.	13.5	408
65	Cellular Reprogramming of Human Peripheral Blood Cells. <i>Genomics, Proteomics and Bioinformatics</i> , 2013, 11, 264-274.	3.0	50
66	Development of transgenic mice expressing a coronavirus-specific public CD4 T cell receptor. <i>Journal of Immunological Methods</i> , 2013, 396, 56-64.	0.6	3
67	Distinct TCR signaling pathways drive proliferation and cytokine production in T cells. <i>Nature Immunology</i> , 2013, 14, 262-270.	7.0	188
68	Type 1 diabetes: translating mechanistic observations into effective clinical outcomes. <i>Nature Reviews Immunology</i> , 2013, 13, 243-256.	10.6	195
69	The cancer testis antigen BORIS phenocopies the tumor suppressor CTCF in normal and neoplastic cells. <i>International Journal of Cancer</i> , 2013, 133, 1603-1613.	2.3	48
70	Sim1a and Arnt2 contribute to hypothalamo-spinal axon guidance by regulating Robo2 activity via a Robo3-dependent mechanism. <i>Development (Cambridge)</i> , 2013, 140, 93-106.	1.2	22
71	Enhanced-affinity murine T-cell receptors for tumor/self-antigens can be safe in gene therapy despite surpassing the threshold for thymic selection. <i>Blood</i> , 2013, 122, 348-356.	0.6	61
72	Towards the Generation of B-Cell Receptor Retrogenic Mice. <i>PLoS ONE</i> , 2014, 9, e109199.	1.1	12
73	Membrane Association of the CD3 ζ Signaling Domain Is Required for Optimal T Cell Development and Function. <i>Journal of Immunology</i> , 2014, 193, 258-267.	0.4	29
74	A Dual Small-Molecule Rheostat for Precise Control of Protein Concentration in Mammalian Cells. <i>ChemBioChem</i> , 2014, 15, 805-809.	1.3	10
75	C-terminal COOH of Integrin β 1 Is Necessary for β 1 Association with the Kindlin-2 Adapter Protein. <i>Journal of Biological Chemistry</i> , 2014, 289, 11183-11193.	1.6	10

#	ARTICLE	IF	CITATIONS
76	IL-27 and IL-12 oppose pro-inflammatory IL-23 in CD4+ T cells by inducing Blimp1. <i>Nature Communications</i> , 2014, 5, 3770.	5.8	90
77	Immunotherapy with TCR-Redirected T Cells: Comparison of TCR-Transduced and TCR-Engineered Hematopoietic Stem Cell-Derived T Cells. <i>Journal of Immunology</i> , 2014, 192, 206-213.	0.4	27
78	T-Helper Cells. <i>Methods in Molecular Biology</i> , 2014, , .	0.4	1
79	TCR Affinity and Tolerance Mechanisms Converge To Shape T Cell Diabetogenic Potential. <i>Journal of Immunology</i> , 2014, 193, 571-579.	0.4	35
80	Identification of nuclear-enriched miRNAs during mouse granulopoiesis. <i>Journal of Hematology and Oncology</i> , 2014, 7, 42.	6.9	29
81	Î±Î² T Cell Receptors Expressed by CD4 ⁺ CD8 ⁺ Intraepithelial T Cells Drive Their Fate into a Unique Lineage with Unusual MHC Reactivities. <i>Immunity</i> , 2014, 41, 207-218.	6.6	68
82	Human biliverdin reductase-based peptides activate and inhibit glucose uptake through direct interaction with the kinase domain of insulin receptor. <i>FASEB Journal</i> , 2014, 28, 2478-2491.	0.2	38
83	2A self-cleaving peptide-based multi-gene expression system in the silkworm <i>Bombyx mori</i> . <i>Scientific Reports</i> , 2015, 5, 16273.	1.6	102
84	Growing Uses of 2A in Plant Biotechnology. , 0, , .		5
85	Inducible T-cell receptor expression in precursor T cells for leukemia control. <i>Leukemia</i> , 2015, 29, 1530-1542.	3.3	8
86	The T Cell Repertoire-Diversifying Enzyme TSSP Contributes to Thymic Selection of Diabetogenic CD4 T Cell Specificities Reactive to ChgA and IAPP Autoantigens. <i>Journal of Immunology</i> , 2015, 195, 1964-1973.	0.4	17
87	Human and Murine Clonal CD8+ T Cell Expansions Arise during Tuberculosis Because of TCR Selection. <i>PLoS Pathogens</i> , 2015, 11, e1004849.	2.1	29
88	Identification of the Docking Site for CD3 on the T Cell Receptor Î² Chain by Solution NMR. <i>Journal of Biological Chemistry</i> , 2015, 290, 19796-19805.	1.6	36
89	CEACAM1 regulates TIM-3-mediated tolerance and exhaustion. <i>Nature</i> , 2015, 517, 386-390.	13.7	525
90	Tailored chemokine receptor modification improves homing of adoptive therapy T cells in a spontaneous tumor model. <i>Oncotarget</i> , 2016, 7, 43010-43026.	0.8	29
91	Nanoparticle Delivered Human Biliverdin Reductase-Based Peptide Increases Glucose Uptake by Activating IRK/Akt/GSK3 Axis: The Peptide Is Effective in the Cell and Wild-Type and Diabetic Ob/Ob Mice. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-15.	1.0	23
92	Rapid identification and expression of human TCRs in retrogenic mice. <i>Journal of Immunological Methods</i> , 2016, 439, 29-36.	0.6	7
93	Discrete TCR Binding Kinetics Control Invariant NKT Cell Selection and Central Priming. <i>Journal of Immunology</i> , 2016, 197, 3959-3969.	0.4	30

#	ARTICLE	IF	CITATIONS
94	Retroviral Transduction of Bone Marrow Progenitor Cells to Generate T-cell Receptor Retrogenic Mice. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	9
95	Apoptosis-Inducing-Factor-Dependent Mitochondrial Function Is Required for T Cell but Not B Cell Function. <i>Immunity</i> , 2016, 44, 88-102.	6.6	69
96	Atypical natural killer T-cell receptor recognition of CD1dâ€“lipid antigens. <i>Nature Communications</i> , 2016, 7, 10570.	5.8	34
97	Egr2 and 3 control adaptive immune responses by temporally uncoupling expansion from T cell differentiation. <i>Journal of Experimental Medicine</i> , 2017, 214, 1787-1808.	4.2	66
98	Induced prodrug activation by conditional protein degradation. <i>Journal of Biotechnology</i> , 2017, 260, 62-66.	1.9	6
99	Streamlined Single Cell TCR Isolation and Generation of Retroviral Vectors for In Vitro and In Vivo Expression of Human TCRs. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	3
100	Cutting Edge: CD3 ITAM Diversity Is Required for Optimal TCR Signaling and Thymocyte Development. <i>Journal of Immunology</i> , 2017, 199, 1555-1560.	0.4	23
101	Generation of higher affinity T cell receptors by antigen-driven differentiation of progenitor T cells in vitro. <i>Nature Biotechnology</i> , 2017, 35, 1188-1195.	9.4	33
102	T Cells Redirected to a Minor Histocompatibility Antigen Instruct Intratumoral TNFÎ± Expression and Empower Adoptive Cell Therapy for Solid Tumors. <i>Cancer Research</i> , 2017, 77, 658-671.	0.4	30
103	Using the 2A Protein Coexpression System: Multicistronic 2A Vectors Expressing Gene(s) of Interest and Reporter Proteins. <i>Methods in Molecular Biology</i> , 2018, 1755, 31-48.	0.4	11
104	T cell autoreactivity directed toward CD1c itself rather than toward carried self lipids. <i>Nature Immunology</i> , 2018, 19, 397-406.	7.0	52
105	DHAV-1 2A1 Peptide â€“ A Newly Discovered Co-expression Tool That Mediates the Ribosomal â€œSkippingâ€• Function. <i>Frontiers in Microbiology</i> , 2018, 9, 2727.	1.5	12
106	Using single cell analysis for translational studies in immune mediated diseases: Opportunities and challenges. <i>Molecular Immunology</i> , 2018, 103, 191-199.	1.0	7
107	Intraspinal serotonergic signaling suppresses locomotor activity in larval zebrafish. <i>Developmental Neurobiology</i> , 2018, 78, 807-827.	1.5	22
108	â€œTherapeutic applications of the â€“NPGPâ€™ family of viral 2Asâ€•. <i>Reviews in Medical Virology</i> , 2018, 28, e2001.	3.9	13
109	Position Î²57 of I-A ^{g7} controls early anti-insulin responses in NOD mice, linking an MHC susceptibility allele to type 1 diabetes onset. <i>Science Immunology</i> , 2019, 4, .	5.6	37
110	Genetically modified hematopoietic stem/progenitor cells that produce IL-10â€“secreting regulatory T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 2634-2639.	3.3	3
111	The early proximal Î±Î² TCR signalosome specifies thymic selection outcome through a quantitative protein interaction network. <i>Science Immunology</i> , 2019, 4, .	5.6	21

#	ARTICLE	IF	CITATIONS
112	TCR Retrogenic Mice as a Model To Map Self-Tolerance Mechanisms to the Cancer Mucosa Antigen GUCY2C. <i>Journal of Immunology</i> , 2019, 202, 1301-1310.	0.4	6
113	T-cell acute lymphoblastic leukemias express a unique truncated FAT1 isoform that cooperates with NOTCH1 in leukemia development. <i>Haematologica</i> , 2019, 104, e204-e207.	1.7	6
114	Conditional Protein Rescue by Binding-Induced Protective Shielding. <i>ACS Synthetic Biology</i> , 2020, 9, 2639-2647.	1.9	1
115	An Engineered T Cell Receptor Variant Realizes the Limits of Functional Binding Modes. <i>Biochemistry</i> , 2020, 59, 4163-4175.	1.2	6
116	Establishing Polycistronic Expression in the Model Microorganism <i>Ustilago maydis</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 1384.	1.5	20
117	A single-domain bispecific antibody targeting CD1d and the NKT T-cell receptor induces a potent antitumor response. <i>Nature Cancer</i> , 2020, 1, 1054-1065.	5.7	21
118	Orthotopic T-Cell Receptor Replacement An "Enabler" for TCR-Based Therapies. <i>Cells</i> , 2020, 9, 1367.	1.8	12
119	Reverse TCR repertoire evolution toward dominant low-affinity clones during chronic CMV infection. <i>Nature Immunology</i> , 2020, 21, 434-441.	7.0	85
120	Pre-processing visualization of hyperspectral fluorescent data with Spectrally Encoded Enhanced Representations. <i>Nature Communications</i> , 2020, 11, 726.	5.8	16
121	Using a viral 2A peptide-based strategy to reconstruct the bovine P450 _{scc} steroidogenic system in <i>S. cerevisiae</i> . <i>Journal of Biotechnology</i> , 2021, 325, 186-195.	1.9	4
123	A Method for the Generation of TCR Retrogenic Mice. <i>Methods in Molecular Biology</i> , 2014, 1193, 117-126.	0.4	2
124	Mouse Models of Viral Infection: Influenza Infection in the Lung. <i>Methods in Molecular Biology</i> , 2010, 595, 299-318.	0.4	9
125	Optimized P2A for reporter gene insertion into Nipah virus results in efficient ribosomal skipping and wild-type lethality. <i>Journal of General Virology</i> , 2016, 97, 839-843.	1.3	10
126	A TCR α framework-centered codon shapes a biased T cell repertoire through direct MHC and CDR3 β interactions. <i>JCI Insight</i> , 2017, 2, .	2.3	15
127	Comparison of IRES and F2A-Based Locus-Specific Multicistronic Expression in Stable Mouse Lines. <i>PLoS ONE</i> , 2011, 6, e28885.	1.1	74
128	CRISPR/Cas9 Allows Efficient and Complete Knock-In of a Destabilization Domain-Tagged Essential Protein in a Human Cell Line, Allowing Rapid Knockdown of Protein Function. <i>PLoS ONE</i> , 2014, 9, e95101.	1.1	38
129	P2A-Fluorophore Tagging of BRAF Tightly Links Expression to Fluorescence In Vivo. <i>PLoS ONE</i> , 2016, 11, e0157661.	1.1	2
132	Egr2 and 3 control inflammation, but maintain homeostasis, of PD-1 ^{high} memory phenotype CD4 T cells. <i>Life Science Alliance</i> , 2020, 3, e202000766.	1.3	7

#	ARTICLE	IF	CITATIONS
135	T Cell Epitope Discovery in the Context of Distinct and Unique Indigenous HLA Profiles. <i>Frontiers in Immunology</i> , 2022, 13, .	2.2	4
136	Signatures of recent activation identify a circulating T cell compartment containing tumor-specific antigen receptors with high avidity. <i>Science Immunology</i> , 2022, 7, .	5.6	8
137	Identification of T cell antigens in the 21st century, as difficult as ever. <i>Seminars in Immunology</i> , 2022, 60, 101659.	2.7	0
138	Plant Metabolic Engineering by Multigene Stacking: Synthesis of Diverse Mogrosides. <i>International Journal of Molecular Sciences</i> , 2022, 23, 10422.	1.8	5