

Eisosomes mark static sites of endocytosis

Nature

439, 998-1003

DOI: [10.1038/nature04472](https://doi.org/10.1038/nature04472)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Functions and metabolism of sphingolipids in <i>Saccharomyces cerevisiae</i> . <i>Progress in Lipid Research</i> , 2006, 45, 447-465.	5.3	244
2	Eisosomes: endocytic portals. <i>Nature Cell Biology</i> , 2006, 8, 310-310.	4.6	1
4	Big gulps: specialized membrane domains for rapid receptor-mediated endocytosis. <i>Trends in Cell Biology</i> , 2006, 16, 487-492.	3.6	29
5	The budding yeast endocytic pathway. <i>Journal of Cell Science</i> , 2006, 119, 4585-4587.	1.2	78
6	Profile of Peter Walter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 5259-5261.	3.3	0
7	The Yeast Actin Cytoskeleton: from Cellular Function to Biochemical Mechanism. <i>Microbiology and Molecular Biology Reviews</i> , 2006, 70, 605-645.	2.9	329
8	A large-scale full-length cDNA analysis to explore the budding yeast transcriptome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 17846-17851.	3.3	213
9	Rho/ROCK and myosin II control the polarized distribution of endocytic clathrin structures at the uropod of moving T lymphocytes. <i>Journal of Cell Science</i> , 2007, 120, 3534-3543.	1.2	44
10	Modeling complex genetic interactions in a simple eukaryotic genome: actin displays a rich spectrum of complex haploinsufficiencies. <i>Genes and Development</i> , 2007, 21, 148-159.	2.7	80
11	Sterol-Rich Plasma Membrane Domains in Fungi. <i>Eukaryotic Cell</i> , 2007, 6, 755-763.	3.4	139
12	Cellular Processes and Pathways That Protect <i>Saccharomyces cerevisiae</i> Cells against the Plasma Membrane-Perturbing Compound Chitosan. <i>Eukaryotic Cell</i> , 2007, 6, 600-608.	3.4	62
13	Evidence for Coupled Biogenesis of Yeast Gap1 Permease and Sphingolipids: Essential Role in Transport Activity and Normal Control by Ubiquitination. <i>Molecular Biology of the Cell</i> , 2007, 18, 3068-3080.	0.9	68
14	Probing the Membrane Environment of the TOR Kinases Reveals Functional Interactions between TORC1, Actin, and Membrane Trafficking in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2007, 18, 2779-2794.	0.9	91
15	Key Role for Intracellular K ⁺ and Protein Kinases Sat4/Hal4 and Hal5 in the Plasma Membrane Stabilization of Yeast Nutrient Transporters. <i>Molecular and Cellular Biology</i> , 2007, 27, 5725-5736.	1.1	43
16	Yeast sphingolipids: Recent developments in understanding biosynthesis, regulation, and function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 421-431.	1.2	116
17	Association of putative ammonium exporters Ato with detergent-resistant compartments of plasma membrane during yeast colony development: pH affects Ato1p localisation in patches. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007, 1768, 1170-1178.	1.4	22
18	In 75 semesters, from mannan and dolichol to Pir proteins and membrane compartmentation: personal recollections. <i>Yeast</i> , 2007, 24, 221-228.	0.8	1
19	Membrane potential governs lateral segregation of plasma membrane proteins and lipids in yeast. <i>EMBO Journal</i> , 2007, 26, 1-8.	3.5	235

#	ARTICLE	IF	CITATIONS
20	Pkh-kinases control eisosome assembly and organization. <i>EMBO Journal</i> , 2007, 26, 4946-4955.	3.5	117
21	The SpoMBe pathway drives membrane bending necessary for cytokinesis and spore formation in yeast meiosis. <i>EMBO Journal</i> , 2008, 27, 2363-2374.	3.5	21
22	Preferential localization of the endocytic internalization machinery to hyphal tips underlies polarization of the actin cytoskeleton in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2008, 67, 891-905.	1.2	140
23	Yeast and fungal morphogenesis from an evolutionary perspective. <i>Seminars in Cell and Developmental Biology</i> , 2008, 19, 224-233.	2.3	19
24	The Sphingolipid Long-chain Base-Pkh1/2-Ypk1/2 Signaling Pathway Regulates Eisosome Assembly and Turnover. <i>Journal of Biological Chemistry</i> , 2008, 283, 10433-10444.	1.6	107
25	The Sur7 Protein Regulates Plasma Membrane Organization and Prevents Intracellular Cell Wall Growth in <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2008, 19, 5214-5225.	0.9	77
26	Assembly of the PtdIns 4-kinase Stt4 complex at the plasma membrane requires Ypp1 and Efr3. <i>Journal of Cell Biology</i> , 2008, 183, 1061-1074.	2.3	150
27	Spatiotemporal activation of Rac1 for engulfment of apoptotic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 9198-9203.	3.3	95
28	TOR1 and TOR2 Have Distinct Locations in Live Cells. <i>Eukaryotic Cell</i> , 2008, 7, 1819-1830.	3.4	136
29	Distinct Roles for Arp2/3 Regulators in Actin Assembly and Endocytosis. <i>PLoS Biology</i> , 2008, 6, e1.	2.6	134
30	Plasma membrane microdomains regulate turnover of transport proteins in yeast. <i>Journal of Cell Biology</i> , 2008, 183, 1075-1088.	2.3	207
31	Preformed cell structure and cell heredity. <i>Prion</i> , 2008, 2, 1-8.	0.9	57
32	A new model for hemoglobin ingestion and transport by the human malaria parasite <i>Plasmodium falciparum</i> . <i>Journal of Cell Science</i> , 2008, 121, 1937-1949.	1.2	89
33	Chapter 5 A Botanist Going Astray: 77 Semesters of Studying Membrane Transport and Protein Glycosylation. <i>Comprehensive Chemical Kinetics</i> , 2008, 46, 335-396.	2.3	0
34	Endocytosis Is Crucial for Cell Polarity and Apical Membrane Recycling in the Filamentous Fungus <i>Aspergillus oryzae</i> . <i>Eukaryotic Cell</i> , 2009, 8, 37-46.	3.4	87
35	Pil1 Controls Eisosome Biogenesis. <i>Molecular Biology of the Cell</i> , 2009, 20, 809-818.	0.9	62
36	A Complex-based Reconstruction of the <i>Saccharomyces cerevisiae</i> Interactome. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1361-1381.	2.5	96
37	Follicle-Stimulating Hormone Peptide Can Facilitate Paclitaxel Nanoparticles to Target Ovarian Carcinoma <i>In vivo</i> . <i>Cancer Research</i> , 2009, 69, 6506-6514.	0.4	83

#	ARTICLE	IF	CITATIONS
38	The Sur7 protein resides in punctate membrane subdomains and mediates spatial regulation of cell wall synthesis in <i>Candida albicans</i> . <i>Communicative and Integrative Biology</i> , 2009, 2, 76-77.	0.6	24
39	The Signaling Mucins Msb2 and Hkr1 Differentially Regulate the Filamentation Mitogen-activated Protein Kinase Pathway and Contribute to a Multimodal Response. <i>Molecular Biology of the Cell</i> , 2009, 20, 3101-3114.	0.9	87
40	Unifying Fluorescence Microscopy and Mass Spectrometry for Studying Protein Complexes in Cells. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1413-1423.	2.5	44
41	TORC2 Plasma Membrane Localization Is Essential for Cell Viability and Restricted to a Distinct Domain. <i>Molecular Biology of the Cell</i> , 2009, 20, 1565-1575.	0.9	176
42	A genome-wide screen for genes affecting eisosomes reveals Nce102 function in sphingolipid signaling. <i>Journal of Cell Biology</i> , 2009, 185, 1227-1242.	2.3	123
43	ABC Transporter Pdr10 Regulates the Membrane Microenvironment of Pdr12 in <i>Saccharomyces cerevisiae</i> . <i>Journal of Membrane Biology</i> , 2009, 229, 27-52.	1.0	41
44	Recent advances in yeast organelle and membrane proteomics. <i>Proteomics</i> , 2009, 9, 4731-4743.	1.3	24
45	The tetraspan protein Dni1p is required for correct membrane organization and cell wall remodelling during mating in <i>Schizosaccharomyces pombe</i> . <i>Molecular Microbiology</i> , 2009, 73, 695-709.	1.2	16
46	Systematic Definition of Protein Constituents along the Major Polarization Axis Reveals an Adaptive Reuse of the Polarization Machinery in Pheromone-Treated Budding Yeast. <i>Journal of Proteome Research</i> , 2009, 8, 6-19.	1.8	28
47	Differential endocytic trafficking of neuropathy-associated antibodies to GM1 ganglioside and cholera toxin in epithelial and neural cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009, 1788, 2526-2540.	1.4	28
48	Furrow-like invaginations of the yeast plasma membrane correspond to membrane compartment of Can1. <i>Journal of Cell Science</i> , 2009, 122, 2887-2894.	1.2	145
49	<i>Candida albicans</i> SUR7 contributes to secretion, biofilm formation, and macrophage killing. <i>BMC Microbiology</i> , 2010, 10, 133.	1.3	49
50	Reconstitution and Protein Composition Analysis of Endocytic Actin Patches. <i>Current Biology</i> , 2010, 20, 1890-1899.	1.8	59
51	Protein phosphorylation in mitochondria – A study on fermentative and respiratory growth of <i>Saccharomyces cerevisiae</i> . <i>Electrophoresis</i> , 2010, 31, 2869-2881.	1.3	14
52	The lateral compartmentation of the yeast plasma membrane. <i>Yeast</i> , 2010, 27, 473-478.	0.8	77
53	Traffic of a Viral Movement Protein Complex to the Highly Curved Tubules of the Cortical Endoplasmic Reticulum. <i>Traffic</i> , 2010, 11, 912-930.	1.3	39
54	A plasma-membrane E-MAP reveals links of the eisosome with sphingolipid metabolism and endosomal trafficking. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 901-908.	3.6	93
55	Plants and fungi in the era of heterogeneous plasma membranes*. <i>Plant Biology</i> , 2010, 12, 94-98.	1.8	10

#	ARTICLE	IF	CITATIONS
56	Temporal and Spatial Regulation of Gene Expression During Asexual Development of <i>Neurospora crassa</i> . <i>Genetics</i> , 2010, 186, 1217-1230.	1.2	47
57	Comparative Analysis of Transcriptome and Fitness Profiles Reveals General and Condition-Specific Cellular Functions Involved in Adaptation to Environmental Change in <i>Saccharomyces cerevisiae</i> . <i>OMICS A Journal of Integrative Biology</i> , 2010, 14, 603-614.	1.0	8
58	Identification of novel filament-forming proteins in <i>Saccharomyces cerevisiae</i> and <i>Drosophila melanogaster</i> . <i>Journal of Cell Biology</i> , 2010, 190, 541-551.	2.3	272
59	Eisosome Organization in the Filamentous Ascomycete <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2010, 9, 1441-1454.	3.4	59
60	A protein kinase network regulates the function of aminophospholipid flippases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 34-39.	3.3	158
61	Ypk1, the yeast orthologue of the human serum- and glucocorticoid-induced kinase, is required for efficient uptake of fatty acids. <i>Journal of Cell Science</i> , 2010, 123, 2218-2227.	1.2	33
62	C Terminus of Nce102 Determines the Structure and Function of Microdomains in the <i>Saccharomyces cerevisiae</i> Plasma Membrane. <i>Eukaryotic Cell</i> , 2010, 9, 1184-1192.	3.4	41
63	TORC2 and Sphingolipid Biosynthesis and Signaling. <i>The Enzymes</i> , 2010, , 177-197.	0.7	2
64	Roles for Sphingolipids in <i>Saccharomyces cerevisiae</i> . <i>Advances in Experimental Medicine and Biology</i> , 2010, 688, 217-231.	0.8	85
65	Lateral reorganization of plasma membrane is involved in the yeast resistance to severe dehydration. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2010, 1798, 975-985.	1.4	101
66	Three unrelated sphingomyelin analogs spontaneously cluster into plasma membrane micrometric domains. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2010, 1798, 909-927.	1.4	53
67	Adaptive Changes of the Yeast Mitochondrial Proteome in Response to Salt Stress. <i>OMICS A Journal of Integrative Biology</i> , 2010, 14, 541-552.	1.0	16
68	Sphingolipids as Signaling and Regulatory Molecules. <i>Advances in Experimental Medicine and Biology</i> , 2010, , .	0.8	23
69	Recycling of <i>Solanum</i> Sucrose Transporters Expressed in Yeast, Tobacco, and in Mature Phloem Sieve Elements. <i>Molecular Plant</i> , 2010, 3, 1064-1074.	3.9	35
70	Actin organization and dynamics in filamentous fungi. <i>Nature Reviews Microbiology</i> , 2011, 9, 876-887.	13.6	142
71	Eisosome-driven plasma membrane organization is mediated by BAR domains. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 854-856.	3.6	77
72	Pun1p is a metal ion-inducible, calcineurin/Crz1p-regulated plasma membrane protein required for cell wall integrity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011, 1808, 1108-1119.	1.4	15
73	Hypertonic conditions trigger transient plasmolysis, growth arrest and blockage of transporter endocytosis in <i>Aspergillus nidulans</i> and <i>Saccharomyces cerevisiae</i> . <i>Molecular Membrane Biology</i> , 2011, 28, 54-68.	2.0	7

#	ARTICLE	IF	CITATIONS
74	Pil1, an eisosome organizer, plays an important role in the recruitment of synaptojanins and amphiphysins to facilitate receptor-mediated endocytosis in yeast. <i>European Journal of Cell Biology</i> , 2011, 90, 825-833.	1.6	25
75	Requirements of Slm proteins for proper eisosome organization, endocytic trafficking and recycling in the yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Biosciences</i> , 2011, 36, 79-96.	0.5	28
76	Dual-colour fluorescence microscopy using yEmCherry and GFP tagging of eisosome components Pil1 and Lsp1 in <i>Candida albicans</i> . <i>Yeast</i> , 2011, 28, 331-338.	0.8	28
77	Yeast dynamin implicated in endocytic scission and the disassembly of endocytic components. <i>Communicative and Integrative Biology</i> , 2011, 4, 178-181.	0.6	7
78	Reassessment of the role of plasma membrane domains in the regulation of vesicular traffic in yeast. <i>Journal of Cell Science</i> , 2011, 124, 328-337.	1.2	77
79	Existence of a novel clathrin-independent endocytic pathway in yeast that depends on Rho1 and formin. <i>Journal of Cell Biology</i> , 2011, 195, 657-671.	2.3	62
80	The <i>Candida albicans</i> Sur7 Protein Is Needed for Proper Synthesis of the Fibrillar Component of the Cell Wall That Confers Strength. <i>Eukaryotic Cell</i> , 2011, 10, 72-80.	3.4	50
81	The eisosome core is composed of BAR domain proteins. <i>Molecular Biology of the Cell</i> , 2011, 22, 2360-2372.	0.9	91
82	Endocytosis is essential for dynamic translocation of a syntaxin 1 orthologue during fission yeast meiosis. <i>Molecular Biology of the Cell</i> , 2011, 22, 3658-3670.	0.9	16
83	Motor-driven intracellular transport powers bacterial gliding motility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7559-7564.	3.3	153
84	Eisosome proteins assemble into a membrane scaffold. <i>Journal of Cell Biology</i> , 2011, 195, 889-902.	2.3	103
85	The filament-forming protein Pil1 assembles linear eisosomes in fission yeast. <i>Molecular Biology of the Cell</i> , 2011, 22, 4059-4067.	0.9	66
86	Rapid Response of the Yeast Plasma Membrane Proteome to Salt Stress. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M111.009589.	2.5	46
87	Eisosomes and membrane compartments in the ascomycetes. <i>Communicative and Integrative Biology</i> , 2011, 4, 64-68.	0.6	9
88	Formation and stability of eisosomes in the filamentous fungus <i>Ashbya gossypii</i> . <i>Journal of Cell Science</i> , 2011, 124, 1629-1634.	1.2	43
89	Characterization of Mug33 reveals complementary roles for actin cable-dependent transport and exocyst regulators in fission yeast exocytosis. <i>Journal of Cell Science</i> , 2011, 124, 2187-2199.	1.2	33
90	How eisosomes help the plasma membrane get organized. <i>Journal of Cell Biology</i> , 2011, 195, 705-705.	2.3	0
91	Srf1 Is a Novel Regulator of Phospholipase D Activity and Is Essential to Buffer the Toxic Effects of C16:0 Platelet Activating Factor. <i>PLoS Genetics</i> , 2011, 7, e1001299.	1.5	12

#	ARTICLE	IF	CITATIONS
92	Membrane Compartment Occupied by Can1 (MCC) and Eisosome Subdomains of the Fungal Plasma Membrane. <i>Membranes</i> , 2011, 1, 394-411.	1.4	35
93	HacA-Independent Functions of the ER Stress Sensor IreA Synergize with the Canonical UPR to Influence Virulence Traits in <i>Aspergillus fumigatus</i> . <i>PLoS Pathogens</i> , 2011, 7, e1002330.	2.1	101
94	The dual PH domain protein Opy1 functions as a sensor and modulator of PtdIns(4,5)P ₂ synthesis. <i>EMBO Journal</i> , 2012, 31, 2882-2894.	3.5	20
95	Lipid raft involvement in yeast cell growth and death. <i>Frontiers in Oncology</i> , 2012, 2, 140.	1.3	52
96	Seg1 controls eisosome assembly and shape. <i>Journal of Cell Biology</i> , 2012, 198, 405-420.	2.3	54
98	Sur7 Promotes Plasma Membrane Organization and Is Needed for Resistance to Stressful Conditions and to the Invasive Growth and Virulence of <i>Candida albicans</i> . <i>MBio</i> , 2012, 3, .	1.8	63
99	Vesicle trafficking from a lipid perspective. <i>Cellular Logistics</i> , 2012, 2, 151-160.	0.9	20
100	Plasma membrane proteins Slm1 and Slm2 mediate activation of the AGC kinase Ypk1 by TORC2 and sphingolipids in <i>S. cerevisiae</i> . <i>Cell Cycle</i> , 2012, 11, 3745-3749.	1.3	36
101	Toxicity Mechanisms of Amphotericin B and Its Neutralization by Conjugation with Arabinogalactan. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 5603-5611.	1.4	56
102	From mosaic to patchwork: Matching lipids and proteins in membrane organization. <i>Molecular Membrane Biology</i> , 2012, 29, 186-196.	2.0	27
103	Eisosomes and plasma membrane organization. <i>Molecular Genetics and Genomics</i> , 2012, 287, 607-620.	1.0	33
104	Membrane Protein Rim21 Plays a Central Role in Sensing Ambient pH in <i>Saccharomyces cerevisiae</i> *. <i>Journal of Biological Chemistry</i> , 2012, 287, 38473-38481.	1.6	58
105	Precise, Correlated Fluorescence Microscopy and Electron Tomography of Lowicryl Sections Using Fluorescent Fiducial Markers. <i>Methods in Cell Biology</i> , 2012, 111, 235-257.	0.5	130
106	Distribution of Cortical Endoplasmic Reticulum Determines Positioning of Endocytic Events in Yeast Plasma Membrane. <i>PLoS ONE</i> , 2012, 7, e35132.	1.1	37
107	Proteomic Analysis of Rta2p-Dependent Raft-Association of Detergent-Resistant Membranes in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2012, 7, e37768.	1.1	7
108	High-resolution three-dimensional reconstruction of a whole yeast cell using focused-ion beam scanning electron microscopy. <i>BioTechniques</i> , 2012, 53, 41-48.	0.8	79
109	BUHO: A MATLAB Script for the Study of Stress Granules and Processing Bodies by High-Throughput Image Analysis. <i>PLoS ONE</i> , 2012, 7, e51495.	1.1	7
110	Plasma membrane stress induces relocalization of Slm proteins and activation of TORC2 to promote sphingolipid synthesis. <i>Nature Cell Biology</i> , 2012, 14, 542-547.	4.6	303

#	ARTICLE	IF	CITATIONS
111	Patchwork organization of the yeast plasma membrane into numerous coexisting domains. <i>Nature Cell Biology</i> , 2012, 14, 640-648.	4.6	210
112	The plasma membrane-enriched fraction proteome response during adaptation to hydrogen peroxide in <i>Saccharomyces cerevisiae</i> . <i>Free Radical Research</i> , 2012, 46, 1267-1279.	1.5	9
113	Insights into eisosome assembly and organization. <i>Journal of Biosciences</i> , 2012, 37, 295-300.	0.5	8
114	The role of flotillin FloA and stomatin StoA in the maintenance of apical sterol-rich membrane domains and polarity in the filamentous fungus <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2012, 83, 1136-1152.	1.2	35
115	NCE102 homologue in <i>Aspergillus fumigatus</i> is required for normal sporulation, not hyphal growth or pathogenesis. <i>FEMS Microbiology Letters</i> , 2012, 329, 138-145.	0.7	9
116	Clathrin-mediated endocytosis in budding yeast. <i>Trends in Cell Biology</i> , 2012, 22, 1-13.	3.6	217
117	Organized living: formation mechanisms and functions of plasma membrane domains in yeast. <i>Trends in Cell Biology</i> , 2012, 22, 151-158.	3.6	70
118	Membrane-Sculpting BAR Domains Generate Stable Lipid Microdomains. <i>Cell Reports</i> , 2013, 4, 1213-1223.	2.9	134
119	RNA-seq analyses of gene expression in the microsclerotia of <i>Verticillium dahliae</i> . <i>BMC Genomics</i> , 2013, 14, 607.	1.2	75
120	Mechanisms of spindle positioning. <i>Journal of Cell Biology</i> , 2013, 200, 131-140.	2.3	163
121	Rax2 is important for directional establishment of growth sites, but not for reorientation of growth axes, during <i>Candida albicans</i> hyphal morphogenesis. <i>Fungal Genetics and Biology</i> , 2013, 56, 116-124.	0.9	5
122	Functional analysis of Abp1p-interacting proteins involved in endocytosis of the MCC component in <i>Aspergillus oryzae</i> . <i>Fungal Genetics and Biology</i> , 2013, 56, 125-134.	0.9	15
123	The effect of natamycin on the transcriptome of conidia of <i>Aspergillus niger</i> . <i>Studies in Mycology</i> , 2013, 74, 71-85.	4.5	36
124	An expanded view of the eukaryotic cytoskeleton. <i>Molecular Biology of the Cell</i> , 2013, 24, 1615-1618.	0.9	8
125	LDLR-mediated peptide-22-conjugated nanoparticles for dual-targeting therapy of brain glioma. <i>Biomaterials</i> , 2013, 34, 9171-9182.	5.7	186
126	Eisosome distribution and localization in the meiotic progeny of <i>Aspergillus nidulans</i> . <i>Fungal Genetics and Biology</i> , 2013, 53, 84-96.	0.9	19
127	Iron, glucose and intrinsic factors alter sphingolipid composition as yeast cells enter stationary phase. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 726-736.	1.2	26
128	Membrane Microdomains, Rafts, and Detergent-Resistant Membranes in Plants and Fungi. <i>Annual Review of Plant Biology</i> , 2013, 64, 501-529.	8.6	152

#	ARTICLE	IF	CITATIONS
129	Amyloid cannot resist identification. <i>Prion</i> , 2013, 7, 464-468.	0.9	5
130	The MARVEL Domain Protein Nce102 Regulates Actin Organization and Invasive Growth of <i>Candida albicans</i> . <i>MBio</i> , 2013, 4, e00723-13.	1.8	34
131	Global Analysis of Condition-specific Subcellular Protein Distribution and Abundance. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 1421-1435.	2.5	19
132	Phosphoproteomic Analysis of Protein Kinase C Signaling in <i>Saccharomyces cerevisiae</i> Reveals Slf2 Mitogen-activated Protein Kinase (MAPK)-dependent Phosphorylation of Eisosome Core Components. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 557-574.	2.5	52
133	Microcompartments within the yeast plasma membrane. <i>Biological Chemistry</i> , 2013, 394, 189-202.	1.2	23
134	Alteration of Plasma Membrane Organization by an Anticancer Lysophosphatidylcholine Analogue Induces Intracellular Acidification and Internalization of Plasma Membrane Transporters in Yeast. <i>Journal of Biological Chemistry</i> , 2013, 288, 8419-8432.	1.6	32
135	Snap-, CLIP- and Halo-Tag Labelling of Budding Yeast Cells. <i>PLoS ONE</i> , 2013, 8, e78745.	1.1	86
136	Ultrastructural Imaging of Endocytic Sites in <i>Saccharomyces cerevisiae</i> by Transmission Electron Microscopy and Immunolabeling. <i>Microscopy and Microanalysis</i> , 2013, 19, 381-392.	0.2	35
137	Functional Characterization of <i>Aspergillus nidulans</i> ypkA, a Homologue of the Mammalian Kinase SGK. <i>PLoS ONE</i> , 2013, 8, e57630.	1.1	24
138	The Non-classical Pathway is the Major Pathway to Secrete Proteins in <i>Saccharomyces cerevisiae</i> . <i>Clinical & Experimental Pharmacology</i> , 2014, 04, .	0.3	2
139	Fungal Membrane Organization: The Eisosome Concept. <i>Annual Review of Microbiology</i> , 2014, 68, 377-393.	2.9	118
140	A role for eisosomes in maintenance of plasma membrane phosphoinositide levels. <i>Molecular Biology of the Cell</i> , 2014, 25, 2797-2806.	0.9	41
141	A Neurotoxic Glycerophosphocholine Impacts PtdIns-4, 5-Bisphosphate and TORC2 Signaling by Altering Ceramide Biosynthesis in Yeast. <i>PLoS Genetics</i> , 2014, 10, e1004010.	1.5	4
142	A Pil1-Sle1-Syj1-Tax4 functional pathway links eisosomes with PI(4,5)P2 regulation. <i>Journal of Cell Science</i> , 2014, 127, 1318-26.	1.2	28
143	Endocytosis-mediated HIV-1 entry and its significance in the elusive behavior of the virus in astrocytes. <i>Virology</i> , 2014, 456-457, 1-19.	1.1	55
144	Insight into Tor2, a budding yeast microdomain protein. <i>European Journal of Cell Biology</i> , 2014, 93, 87-97.	1.6	11
145	Loss of hydroxyl groups from the ceramide moiety can modify the lateral diffusion of membrane proteins in <i>S. cerevisiae</i> . <i>Journal of Lipid Research</i> , 2014, 55, 1343-1356.	2.0	23
146	Identification of long-lived proteins retained in cells undergoing repeated asymmetric divisions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14019-14026.	3.3	70

#	ARTICLE	IF	CITATIONS
147	BEM46 Shows Eisosomal Localization and Association with Tryptophan-Derived Auxin Pathway in <i>Neurospora crassa</i> . <i>Eukaryotic Cell</i> , 2014, 13, 1051-1063.	3.4	11
148	Protein-Induced Membrane Curvature Alters Local Membrane Tension. <i>Biophysical Journal</i> , 2014, 107, 751-762.	0.2	109
149	HIV-1 endocytosis in astrocytes: A kiss of death or survival of the fittest?. <i>Neuroscience Research</i> , 2014, 88, 16-22.	1.0	22
150	EGFP-EGF1-conjugated nanoparticles for targeting both neovascular and glioma cells in therapy of brain glioma. <i>Biomaterials</i> , 2014, 35, 4133-4145.	5.7	61
151	TOR Complex 2-Ypk1 Signaling Maintains Sphingolipid Homeostasis by Sensing and Regulating ROS Accumulation. <i>Cell Reports</i> , 2014, 6, 541-552.	2.9	59
152	Endocytosis and early endosome motility in filamentous fungi. <i>Current Opinion in Microbiology</i> , 2014, 20, 10-18.	2.3	88
153	Specific β -Arrestins Negatively Regulate <i>Saccharomyces cerevisiae</i> Pheromone Response by Down-Modulating the G-Protein-Coupled Receptor Ste2. <i>Molecular and Cellular Biology</i> , 2014, 34, 2660-2681.	1.1	87
154	Characterization of AnNce102 and its role in eisosome stability and sphingolipid biosynthesis. <i>Scientific Reports</i> , 2015, 5, 15200.	1.6	21
155	Plasma Membrane Proteolipid 3 Protein Modulates Amphotericin B Resistance through Sphingolipid Biosynthetic Pathway. <i>Scientific Reports</i> , 2015, 5, 9685.	1.6	29
156	Form, Fabric, and Function of a Flagellum-Associated Cytoskeletal Structure. <i>Cells</i> , 2015, 4, 726-747.	1.8	20
157	Evolutionarily Conserved 5 ^{â€™} -3 ^{â€™} Exoribonuclease Xrn1 Accumulates at Plasma Membrane-Associated Eisosomes in Post-Diauxic Yeast. <i>PLoS ONE</i> , 2015, 10, e0122770.	1.1	25
158	Overview of a Surface-Ripened Cheese Community Functioning by Meta-Omics Analyses. <i>PLoS ONE</i> , 2015, 10, e0124360.	1.1	114
159	TORC2 and eisosomes are spatially interdependent, requiring optimal level of phosphatidylinositol 4, 5-bisphosphate for their integrity. <i>Journal of Biosciences</i> , 2015, 40, 299-311.	0.5	13
160	Eisosomes Are Dynamic Plasma Membrane Domains Showing Pil1-Lsp1 Heteroligomer Binding Equilibrium. <i>Biophysical Journal</i> , 2015, 108, 1633-1644.	0.2	24
161	Building a patchwork â€” The yeast plasma membrane as model to study lateral domain formation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 767-774.	1.9	25
162	The Yeast BDF1 Regulates Endocytosis via LSP1 Under Salt Stress. <i>Current Microbiology</i> , 2015, 70, 671-678.	1.0	3
163	Rom2-dependent Phosphorylation of Elo2 Controls the Abundance of Very Long-chain Fatty Acids. <i>Journal of Biological Chemistry</i> , 2015, 290, 4238-4247.	1.6	26
164	Eisosome Ultrastructure and Evolution in Fungi, Microalgae, and Lichens. <i>Eukaryotic Cell</i> , 2015, 14, 1017-1042.	3.4	45

#	ARTICLE	IF	CITATIONS
165	The yeast Pmp3p has a significant role in plasma membrane organization. <i>Journal of Cell Science</i> , 2015, 128, 3646-59.	1.2	18
166	Endocytosis of human immunodeficiency virus 1 (HIV-1) in astrocytes: A fiery path to its destination. <i>Microbial Pathogenesis</i> , 2015, 78, 1-6.	1.3	28
167	Assembly of fission yeast eisosomes in the plasma membrane of budding yeast: Import of foreign membrane microdomains. <i>European Journal of Cell Biology</i> , 2015, 94, 1-11.	1.6	15
168	Disentangling metabolic pathways involved in copper resistance in <i>Candida fukuyamaensis</i> indigenous yeast. <i>Journal of Basic Microbiology</i> , 2016, 56, 698-710.	1.8	6
169	Sng1 associates with Nce102 to regulate the yeast Pkh-Ypk signalling module in response to sphingolipid status. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 1319-1333.	1.9	28
170	Eisosomes promote the ability of Sur7 to regulate plasma membrane organization in <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2016, 27, 1663-1675.	0.9	32
171	Protein engineering strategies with potential applications for altering clinically relevant cellular pathways at the protein level. <i>Expert Review of Proteomics</i> , 2016, 13, 481-493.	1.3	3
172	New Insight Into the Roles of Membrane Microdomains in Physiological Activities of Fungal Cells. <i>International Review of Cell and Molecular Biology</i> , 2016, 325, 119-180.	1.6	25
173	<i>Aspergillus fumigatus</i> spore proteomics and genetics reveal that VeA represses DefA-mediated DNA damage response. <i>Journal of Proteomics</i> , 2016, 148, 26-35.	1.2	2
174	Toxicological effects of multi-walled carbon nanotubes on <i>Saccharomyces cerevisiae</i> : The uptake kinetics and mechanisms and the toxic responses. <i>Journal of Hazardous Materials</i> , 2016, 318, 650-662.	6.5	55
175	A particle-based moving interface method (PMIM) for modeling the large deformation of boundaries in soft matter systems. <i>International Journal for Numerical Methods in Engineering</i> , 2016, 107, 923-946.	1.5	8
176	Taming the sphinx: Mechanisms of cellular sphingolipid homeostasis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 784-792.	1.2	56
177	At-line determination of spore inoculum quality in <i>Penicillium chrysogenum</i> bioprocesses. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 5363-5373.	1.7	20
178	Plasma membrane organization promotes virulence of the human fungal pathogen <i>Candida albicans</i> . <i>Journal of Microbiology</i> , 2016, 54, 178-191.	1.3	29
179	The yeast Ste2p G protein-coupled receptor dimerizes on the cell plasma membrane. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 698-711.	1.4	13
180	Two eisosome proteins play opposite roles in autophagic control and sustain cell integrity, function and pathogenicity in <i>Beauveria bassiana</i> . <i>Environmental Microbiology</i> , 2017, 19, 2037-2052.	1.8	36
181	Vps15p regulates the distribution of cup-shaped organelles containing the major eisosome protein Pil1p to the extracellular fraction required for endocytosis of extracellular vesicles carrying metabolic enzymes. <i>Biology of the Cell</i> , 2017, 109, 190-209.	0.7	9
182	mRNA decay is regulated via sequestration of the conserved 5'-3' exoribonuclease Xrn1 at eisosome in yeast. <i>European Journal of Cell Biology</i> , 2017, 96, 591-599.	1.6	17

#	ARTICLE	IF	CITATIONS
183	A stabilized finite element formulation for liquid shells and its application to lipid bilayers. <i>Journal of Computational Physics</i> , 2017, 330, 436-466.	1.9	54
184	Quantitative Global Proteomics of Yeast PBP1 Deletion Mutants and Their Stress Responses Identifies Glucose Metabolism, Mitochondrial, and Stress Granule Changes. <i>Journal of Proteome Research</i> , 2017, 16, 504-515.	1.8	22
185	Heat stress-induced activation of a <i>Trichoderma harzianum</i> PIL superfamily gene. <i>Gene Reports</i> , 2017, 6, 44-48.	0.4	0
186	Irreversible thermodynamics of curved lipid membranes. <i>Physical Review E</i> , 2017, 96, 042409.	0.8	32
187	The Shape of Vesicle-Containing Organelles Is Critical for Their Functions in Vesicle Endocytosis. <i>DNA and Cell Biology</i> , 2017, 36, 909-921.	0.9	4
188	Single-molecule imaging of the BAR-domain protein Pil1p reveals filament-end dynamics. <i>Molecular Biology of the Cell</i> , 2017, 28, 2251-2259.	0.9	21
189	Study of the Plasma Membrane Proteome Dynamics Reveals Novel Targets of the Nitrogen Regulation in Yeast. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 1652-1668.	2.5	16
190	MCC/Eisosomes Regulate Cell Wall Synthesis and Stress Responses in Fungi. <i>Journal of Fungi (Basel)</i> , 2018, 4, 1-10.	1.5	91
191	Budding Yeast: An Ideal Backdrop for In vivo Lipid Biochemistry. <i>Frontiers in Cell and Developmental Biology</i> , 2016, 4, 156.	1.8	12
192	The TORC2-Dependent Signaling Network in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Biomolecules</i> , 2017, 7, 66.	1.8	56
193	Steric exclusion and protein conformation determine the localization of plasma membrane transporters. <i>Nature Communications</i> , 2018, 9, 501.	5.8	65
194	Characterisation of the biological response of <i>Saccharomyces cerevisiae</i> to the loss of an allele of the eukaryotic initiation factor 4A. <i>Biochemical and Biophysical Research Communications</i> , 2018, 496, 1082-1087.	1.0	0
195	The Fungal MCC/Eisosome Complex: An Unfolding Story. , 2018, , 119-130.		2
196	Eisosomes. <i>Current Biology</i> , 2018, 28, R376-R378.	1.8	24
197	Conformation-dependent partitioning of yeast nutrient transporters into starvation-protective membrane domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E3145-E3154.	3.3	66
198	Heterologous mammalian Akt disrupts plasma membrane homeostasis by taking over TORC2 signaling in <i>Saccharomyces cerevisiae</i> . <i>Scientific Reports</i> , 2018, 8, 7732.	1.6	6
199	Sphingolipids inhibit endosomal recycling of nutrient transporters by inactivating ARF6. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	15
200	Cellular Organization of the Gastrointestinal Tract. , 2018, , 107-199.		0

#	ARTICLE	IF	CITATIONS
201	Functional patchworking at the plasma membrane. <i>EMBO Journal</i> , 2018, 37, .	3.5	4
202	Phosphatidylserine and GTPase activation control Cdc42 nanoclustering to counter dissipative diffusion. <i>Molecular Biology of the Cell</i> , 2018, 29, 1299-1310.	0.9	40
203	Lateral plasma membrane compartmentalization links protein function and turnover. <i>EMBO Journal</i> , 2018, 37, .	3.5	53
204	The role of mitochondria in anchoring dynein to the cell cortex extends beyond clustering the anchor protein. <i>Cell Cycle</i> , 2018, 17, 1345-1357.	1.3	18
205	Correlative Microscopy of Vitreous Sections Provides Insights into BAR-Domain Organization In Situ. <i>Structure</i> , 2018, 26, 879-886.e3.	1.6	43
206	The Gpr1-regulated Sur7 family protein Sfp2 is required for hyphal growth and cell wall stability in the mycoparasite <i>Trichoderma atroviride</i> . <i>Scientific Reports</i> , 2018, 8, 12064.	1.6	25
207	Decrease in plasma membrane tension triggers PtdIns(4,5)P2 phase separation to inactivate TORC2. <i>Nature Cell Biology</i> , 2018, 20, 1043-1051.	4.6	114
208	Mechanical signals regulate TORC2 activity. <i>Nature Cell Biology</i> , 2018, 20, 994-995.	4.6	3
209	Eisosomes are metabolically regulated storage compartments for APC-type nutrient transporters. <i>Molecular Biology of the Cell</i> , 2018, 29, 2113-2127.	0.9	40
210	Role of MCC/Eisosome in Fungal Lipid Homeostasis. <i>Biomolecules</i> , 2019, 9, 305.	1.8	36
211	Proteome analysis of <i>Candida albicans</i> cells undergoing chlamydosporulation. <i>Journal of Proteins and Proteomics</i> , 2019, 10, 269-290.	1.0	3
212	Regulation of Amino Acid Transport in <i>Saccharomyces cerevisiae</i> . <i>Microbiology and Molecular Biology Reviews</i> , 2019, 83, .	2.9	65
213	Fungal plasma membrane domains. <i>FEMS Microbiology Reviews</i> , 2019, 43, 642-673.	3.9	46
214	Genome-Wide Studies of Rho5-Interacting Proteins That Are Involved in Oxidant-Induced Cell Death in Budding Yeast. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 921-931.	0.8	9
215	Back to the Salt Mines: Genome and Transcriptome Comparisons of the Halophilic Fungus <i>Aspergillus salisburgensis</i> and Its Halotolerant Relative <i>Aspergillus sclerotialis</i> . <i>Genes</i> , 2019, 10, 381.	1.0	17
216	Regulation of TORC2 function and localization by Rab5 GTPases in <i>Saccharomyces cerevisiae</i> . <i>Cell Cycle</i> , 2019, 18, 1084-1094.	1.3	6
217	Asymmetric distribution of glucose transporter mRNA provides a growth advantage in yeast. <i>EMBO Journal</i> , 2019, 38, .	3.5	9
218	Lipid determinants of endocytosis and exocytosis in budding yeast. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1005-1016.	1.2	22

#	ARTICLE	IF	CITATIONS
219	Improved in vivo detection of atherosclerotic plaques with a tissue factor-targeting magnetic nanoprobe. <i>Acta Biomaterialia</i> , 2019, 90, 324-336.	4.1	22
220	The Yin and Yang of Current Antifungal Therapeutic Strategies: How Can We Harness Our Natural Defenses?. <i>Frontiers in Pharmacology</i> , 2019, 10, 80.	1.6	49
221	Role of membrane compartment occupied by Can1 (MCC) and eisosome subdomains in plant pathogenicity of the necrotrophic fungus <i>Alternaria brassicicola</i> . <i>BMC Microbiology</i> , 2019, 19, 295.	1.3	6
222	<i>Magnaporthe oryzae</i> Abp1, a MoArk1 Kinase-Interacting Actin Binding Protein, Links Actin Cytoskeleton Regulation to Growth, Endocytosis, and Pathogenesis. <i>Molecular Plant-Microbe Interactions</i> , 2019, 32, 437-451.	1.4	11
223	A conserved mechanism for mitochondria-dependent dynein anchoring. <i>Molecular Biology of the Cell</i> , 2019, 30, 691-702.	0.9	19
224	Yeast transformation efficiency is enhanced by TORC1 and eisosome-dependent signaling. <i>MicrobiologyOpen</i> , 2019, 8, e00730.	1.2	5
225	The Composition and the Structure of MCC/Eisosomes in <i>Neurospora crassa</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 2115.	1.5	3
226	The Sur7/Pal family transmembrane protein Tos7 (Yol019w) plays a role in secretion in budding yeast. <i>Fungal Genetics and Biology</i> , 2020, 144, 103467.	0.9	0
227	The yeast β -arrestin Art3 is a key regulator for arginine-induced endocytosis of the high-affinity proline transporter Put4. <i>Biochemical and Biophysical Research Communications</i> , 2020, 531, 416-421.	1.0	16
228	Sphingolipid-enriched domains in fungi. <i>FEBS Letters</i> , 2020, 594, 3698-3718.	1.3	19
229	Plasma Membrane MCC/Eisosome Domains Promote Stress Resistance in Fungi. <i>Microbiology and Molecular Biology Reviews</i> , 2020, 84, .	2.9	30
230	Hog1 Controls Lipids Homeostasis Upon Osmotic Stress in <i>Candida albicans</i> . <i>Journal of Fungi (Basel)</i> Tj ETQq1 1 0,784314 rgBT /Ove	1.5	8
231	The RNA fold interactome of evolutionary conserved RNA structures in <i>S. cerevisiae</i> . <i>Nature Communications</i> , 2020, 11, 2789.	5.8	11
232	Protein phosphorylation networks in spargana of <i>Spirometra erinaceieuropaei</i> revealed by phosphoproteomic analysis. <i>Parasites and Vectors</i> , 2020, 13, 248.	1.0	8
233	Subcellular localization of Sur7 and its pleiotropic effect on cell wall integrity, multiple stress responses, and virulence of <i>Beauveria bassiana</i> . <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 6669-6678.	1.7	6
234	Yeast Sphingolipid-Enriched Domains and Membrane Compartments in the Absence of Mannosyldiinositolphosphorylceramide. <i>Biomolecules</i> , 2020, 10, 871.	1.8	9
235	Stress granules sense metabolic stress at the plasma membrane and potentiate recovery by storing active Pkc1. <i>Science Signaling</i> , 2020, 13, .	1.6	18
236	Plasma Membrane Furrows Control Plasticity of ER-PM Contacts. <i>Cell Reports</i> , 2020, 30, 1434-1446.e7.	2.9	18

#	ARTICLE	IF	CITATIONS
237	Correlating single-molecule characteristics of the yeast aquaglyceroporin Fps1 with environmental perturbations directly in living cells. <i>Methods</i> , 2021, 193, 46-53.	1.9	10
238	Lymphocyte-specific protein 1 (LSP1) regulates bone marrow stromal cell antigen 2 (BST-2)-mediated intracellular trafficking of HIV-1 in dendritic cells. <i>FEBS Letters</i> , 2020, 594, 1947-1959.	1.3	3
239	Overview of <i>Alternaria alternata</i> Membrane Proteins. <i>Indian Journal of Microbiology</i> , 2020, 60, 269-282.	1.5	4
240	The Arrestin family of ubiquitin ligase adaptors links metabolism with selective endocytosis. <i>Biology of the Cell</i> , 2021, 113, 183-219.	0.7	38
241	A glucose-starvation response governs endocytic trafficking and eisosomal retention of surface cargoes in budding yeast. <i>Journal of Cell Science</i> , 2021, 134, .	1.2	23
242	Endocytosis of nutrient transporters in fungi: The ART of connecting signaling and trafficking. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 1713-1737.	1.9	22
243	Fungal Extracellular Vesicles in Pathophysiology. <i>Sub-Cellular Biochemistry</i> , 2021, 97, 151-177.	1.0	5
244	The cytoskeleton influences the formation and distribution of eisosomes in <i>Neurospora crassa</i> . <i>Biochemical and Biophysical Research Communications</i> , 2021, 545, 62-68.	1.0	2
245	Characterization of micron-scale protein-depleted plasma membrane domains in phosphatidylserine-deficient yeast cells. <i>Journal of Cell Science</i> , 2022, 135, .	1.2	8
246	A virulence-related lectin traffics into eisosome and contributes to functionality of cytomembrane and cell-wall in the insect-pathogenic fungus <i>Beauveria bassiana</i> . <i>Fungal Biology</i> , 2021, 125, 914-922.	1.1	9
250	Yeast Ist2 Recruits the Endoplasmic Reticulum to the Plasma Membrane and Creates a Ribosome-Free Membrane Microcompartment. <i>PLoS ONE</i> , 2012, 7, e39703.	1.1	71
251	A humanized yeast-based toolkit for monitoring phosphatidylinositol 3-kinase activity at both single cell and population levels. <i>Microbial Cell</i> , 2018, 5, 545-554.	1.4	7
252	Quick-Freeze, Deep-Etch Electron Microscopy Reveals the Characteristic Architecture of the Fission Yeast Spore. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 7.	1.5	6
253	Eisosomes and membrane compartments in the ascomycetes: A view from <i>Aspergillus nidulans</i> . <i>Communicative and Integrative Biology</i> , 2011, 4, 64-8.	0.6	6
254	Single-molecule turnover dynamics of actin and membrane coat proteins in clathrin-mediated endocytosis. <i>ELife</i> , 2019, 8, .	2.8	21
255	Periprotein lipidomes of <i>Saccharomyces cerevisiae</i> provide a flexible environment for conformational changes of membrane proteins. <i>ELife</i> , 2020, 9, .	2.8	43
256	Intimate and Facultative? Regulation of Clathrin-Mediated Endocytosis by the Actin Cytoskeleton. , 2013, , 33-56.		1
263	Physical, genetic and functional interactions between the eisosome protein Pil1 and the MBOAT O-acyltransferase Gup1. <i>FEMS Yeast Research</i> , 2021, 21, .	1.1	0

#	ARTICLE	IF	CITATIONS
268	Hierarchical integration of mitochondrial and nuclear positioning pathways by the Num1 EF hand. <i>Molecular Biology of the Cell</i> , 2022, 33, mbcE21120610T.	0.9	4
269	Erg25 Controls Host-Cholesterol Uptake Mediated by Aus1p-Associated Sterol-Rich Membrane Domains in <i>Candida glabrata</i> . <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 820675.	1.8	9
270	Coordinated regulation of TORC2 signaling by MCC/eisosome-associated proteins, Pil1 and tetraspan membrane proteins during the stress response. <i>Molecular Microbiology</i> , 2022, 117, 1227-1244.	1.2	9
276	Microdomain Protein Nce102 Is a Local Sensor of Plasma Membrane Sphingolipid Balance. <i>Microbiology Spectrum</i> , 2022, 10, .	1.2	9
278	Correlation analyses reveal differential diffusion behavior of eisosomal proteins between mother and daughter cells. <i>Methods and Applications in Fluorescence</i> , 2022, 10, 044012.	1.1	1
279	Eisosome protein Pil1 regulates mitochondrial morphology, mitophagy, and cell death in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2022, 298, 102533.	1.6	2
280	Loss of Num1-mediated cortical dynein anchoring negatively impacts respiratory growth. <i>Journal of Cell Science</i> , 2022, 135, .	1.2	2
281	The eisosomes contribute to acid tolerance of yeast by maintaining cell membrane integrity. <i>Food Microbiology</i> , 2023, 110, 104157.	2.1	4
282	The Yin-Yang of the Green Fluorescent Protein: Impact on <i>Saccharomyces cerevisiae</i> stress resistance. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2023, 238, 112603.	1.7	0
284	Lsp1 partially substitutes for Pil1 function in eisosome assembly under stress conditions. <i>Journal of Cell Science</i> , 2023, 136, .	1.2	4
285	A member of the claudin superfamily influences formation of the front domain in pheromone-responding yeast cells. <i>Journal of Cell Science</i> , 2023, 136, .	1.2	1
286	Complementation of an Eisosomal Yeast pil1 Mutant and Characteristics of Eisosomal Distribution in Hyphae of <i>Neurospora crassa</i> Germinating from Two Different Spore Types. <i>Journal of Fungi (Basel)</i> , 2023, 9, 314.	1.0	0
287	Divergent Evolution of Early Terrestrial Fungi Reveals the Evolution of Mucormycosis Pathogenicity Factors. <i>Genome Biology and Evolution</i> , 2023, 15, .	1.1	7
304	Pathogenesis of fungal infections. , 2024, , 2797-2812.		0