Broad-band optical parametric gain on a silicon photon

Nature

441, 960-963

DOI: 10.1038/nature04932

Citation Report

#	Article	IF	Citations
4	Modulation instability in silicon photonic nanowires. Optics Letters, 2006, 31, 3609.	1.7	50
5	Imaging highly confined modes in sub-micron scale silicon waveguides using Transmission-based Near-field Scanning Optical Microscopy. Optics Express, 2006, 14, 10588.	1.7	48
6	Demonstration of wavelength conversion at 40 Gb/s data rate in silicon waveguides. Optics Express, 2006, 14, 11721.	1.7	150
7	Energy harvesting in silicon wavelength converters. Optics Express, 2006, 14, 12327.	1.7	64
8	Modulational instability of discrete solitons in coupled waveguides with group velocity dispersion. Optics Express, 2006, 14, 12347.	1.7	19
9	Ultrafast-pulse self-phase modulation and third-order dispersion in Si photonic wire-waveguides. Optics Express, 2006, 14, 12380.	1.7	134
10	Generation of correlated photons in nanoscale silicon waveguides. Optics Express, 2006, 14, 12388.	1.7	317
11	Silicon Photonics. Journal of Lightwave Technology, 2006, 24, 4600-4615.	2.7	1,202
12	Nanowire photonics. Materials Today, 2006, 9, 36-45.	8.3	408
13	Applications of nanophotonics to classical and quantum information technology. , 2006, , .		1
14	Silicon Photonics: Recent Development on Silicon Based Laser Amplifier and Wavelength Converter. , 2006, , .		0
15	Dispersion Engineering of Highly Nonlinear As<inf>2</inf>S<inf>3</inf> Waveguides for Parametric Gain and Wavelength Conversion. , 2007, , .		3
16	Integrated Optical Regenerator on a Silicon Chip. , 2007, , .		1
18	Broadband Raman amplification in silicon. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	3
19	Applications of Nanophotonics to Classical and Quantum Information Technology. , 2007, , .		2
20	Effect of TPA and FCA Interplay on Pulse Compression in Silicon. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	0
21	Light diffusion and localization in three-dimensional nonlinear disordered media. Physical Review A, 2007, 75, .	1.0	31
22	Four-wave-mixing parametric oscillations in dispersion-compensated high-<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>Q</mml:mi></mml:math>silica microspheres. Physical Review A, 2007, 76, .	1.0	100

#	Article	IF	Citations
23	Influence of nonlinear loss competition on pulse compression and nonlinear optics in silicon. Applied Physics Letters, 2007, 91, 201115.	1.5	13
24	Time dependent density of free carriers generated by two photon absorption in silicon waveguides. Applied Physics Letters, 2007, 90, 211105.	1.5	49
25	Dispersion of silicon nonlinearities in the near infrared region. Applied Physics Letters, 2007, 91, .	1.5	197
26	Silicon based organic semiconductor laser. Applied Physics Letters, 2007, 91, 051124.	1.5	20
27	Anisotropic nonlinear response of silicon in the near-infrared region. Applied Physics Letters, 2007, 91, 071113.	1.5	59
28	Grating-assisted superresolution of slow waves in Fourier space. Physical Review B, 2007, 76, .	1.1	23
29	Enhancement of Self Phase Modulation Induced Spectral Broadening in Silicon Waveguides by Ion Implantation. , 2007, , .		1
30	Dispersion Inversion in High Index Contrast AlGaAs-Nanowires. , 2007, , .		0
31	Prospects for future developments. , 0, , 315-332.		0
32	Analysis of a third-order optical parametric oscillator in TiO 2. , 2007, , .		0
33	Soliton fission and supercontinuum generation in silicon waveguides. Optics Letters, 2007, 32, 391.	1.7	283
34	Multichannel dispersion compensation using a silicon waveguide-based optical phase conjugator. Optics Letters, 2007, 32, 2393.	1.7	29
35	Solid phase formation of silicon nanocrystals by bulk ultrafast laser-matter interaction. Optics Letters, 2007, 32, 3474.	1.7	3
36	Raman amplification of 40 Gb/s data in low-loss silicon waveguides. Optics Express, 2007, 15, 357.	1.7	28
37	Cross-phase modulation-induced spectral and temporal effects on co-propagating femtosecond pulses in silicon photonic wires. Optics Express, 2007, 15, 1135.	1.7	107
38	Pulse compression and modelocking by using TPA in silicon waveguides. Optics Express, 2007, 15, 6500.	1.7	56
39	Multiple-channel silicon micro-resonator based filters for WDM applications. Optics Express, 2007, 15, 7489.	1.7	145
40	Optical solitons in a silicon waveguide. Optics Express, 2007, 15, 7682.	1.7	94

#	Article	IF	Citations
41	All-optical regeneration on a silicon chip. Optics Express, 2007, 15, 7802.	1.7	64
42	Dispersion engineering of highly nonlinear As_2S_3 waveguides for parametric gain and wavelength conversion. Optics Express, 2007, 15, 9458.	1.7	85
43	All-optical compact silicon comb switch. Optics Express, 2007, 15, 9600.	1.7	111
44	High speed and high responsivity germanium photodetector integrated in a Silicon-On-Insulator microwaveguide. Optics Express, 2007, 15, 9843.	1.7	196
45	Group velocity inversion in AlGaAs nanowires. Optics Express, 2007, 15, 12755.	1.7	30
46	Nonlinear optical phenomena in silicon waveguides: modeling and applications. Optics Express, 2007, 15, 16604.	1.7	774
47	Two-Photon Photovoltaic Effect in Silicon. IEEE Journal of Quantum Electronics, 2007, 43, 1211-1217.	1.0	33
48	Ultrafast nonlinear all-optical processes in silicon-on-insulator waveguides. Journal Physics D: Applied Physics, 2007, 40, R249-R271.	1.3	149
49	Dispersion compensation by optical phase conjugation in silicon waveguide. Electronics Letters, 2007, 43, 1037.	0.5	14
50	Two-photon absorption and Kerr coefficients of silicon for 850â€“2200nm. Applied Physics Letters, 2007, 90, 191104.	1.5	537
51	Integrated micro- and nanophotonic dynamic devices: a review. Journal of Nanophotonics, 2007, 1, 012504.	0.4	19
52	Anisotropic nonlinear response of silicon in the near-infrared region. , 2007, , .		1
53	Spectral narrowing and optical soliton formation in SOI waveguides. , 2007, , .		0
54	Error-free wavelength conversion via cross phase modulation in As<inf>2</inf>S<inf>3</inf> chalcogenide glass rib waveguides. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	0
55	Spectral measurements of the third-order nonlinearity of bulk silicon in the near infrared region. , 2007, , .		0
56	Energy Harvesting in Silicon Photonics. , 2007, , .		0
57	Extraordinary optical gain from silicon implanted with erbium. Applied Physics Letters, 2007, 91, 141122.	1.5	22
58	Error-free wavelength conversion via cross-phase modulation in 5â€…cm of As2S3 chalcogenide glass rib waveguide. Electronics Letters, 2007, 43, 945.	0.5	36

#	Article	IF	Citations
59	Silicon as an emissive optical medium. Laser and Photonics Reviews, 2007, 1, 334-348.	4.4	45
60	Amplified spontaneous emission from GaSb quantum dots in Si grown by MBE. Journal of Crystal Growth, 2007, 301-302, 718-721.	0.7	7
61	Low-threshold continuous-wave Raman silicon laser. Nature Photonics, 2007, 1, 232-237.	15.6	259
62	Teaching silicon new tricks. Nature Photonics, 2007, 1, 193-195.	15.6	46
63	Changing the colour of light in a silicon resonator. Nature Photonics, 2007, 1, 293-296.	15.6	268
64	All-optical injection of ballistic electrical currents in unbiased silicon. Nature Physics, 2007, 3, 632-635.	6.5	72
65	Optical frequency comb generation from a monolithic microresonator. Nature, 2007, 450, 1214-1217.	13.7	1,686
66	All-optical injection of ballistic electrical currents in unbiased silicon. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 340-342.	0.8	1
67	Can silicon change photonics?. Physica Status Solidi (A) Applications and Materials Science, 2008, 205, 213-224.	0.8	47
68	Weak-guidance-theory review of dispersion and birefringence management by laser inscription. Laser Physics Letters, 2008, 5, 11-20.	0.6	7
69	Silicon-chip-based ultrafast optical oscilloscope. Nature, 2008, 456, 81-84.	13.7	442
70	Signal regeneration using low-power four-wave mixing on silicon chip. Nature Photonics, 2008, 2, 35-38.	15.6	350
71	Brillouin bioimaging. Nature Photonics, 2008, 2, 13-14.	15.6	5
72	Nanoscale signal regeneration. Nature Photonics, 2008, 2, 12-13.	15.6	7
73	Low-power continuous-wave nonlinear optics in doped silica glass integrated waveguide structures. Nature Photonics, 2008, 2, 737-740.	15.6	328
74	Inducing Photonic Transitions between Discrete Modes in a Silicon Optical Microcavity. Physical Review Letters, 2008, 100, 033904.	2.9	100
75	All-optical coherent control of electrical currents in centrosymmetric semiconductors. Physical Review B, 2008, 77, .	1.1	39
76	Nonlinear optical properties of silicon waveguides. Semiconductor Science and Technology, 2008, 23, 064007.	1.0	129

#	Article	IF	Citations
77	Silicon Photonic Applications. , 0, , 297-325.		3
78	Polymer Silicon Hybrid Systems: A Platform for Practical Nonlinear Optics. Journal of Physical Chemistry C, 2008, 112, 8085-8090.	1.5	63
79	Silicon photonics. , 2008, , 381-429.		5
80	Single-photon level ultrafast all-optical switching. Applied Physics Letters, 2008, 92, .	1.5	33
81	Optical time lens based on four-wave mixing on a silicon chip. Optics Letters, 2008, 33, 1047.	1.7	199
82	Conformal dielectric overlayers for engineering dispersion and effective nonlinearity of silicon nanophotonic wires. Optics Letters, 2008, 33, 2889.	1.7	68
83	Chip-scale dispersion engineering using chirped vertical gratings. Optics Letters, 2008, 33, 3013.	1.7	81
84	Nonlinear-Optical Phase Control in Dispersion-Engineered Si Photonic Wires. Optics Express, 2008, 16, 1280.	1.7	93
85	Nonlinear optics in photonic nanowires. Optics Express, 2008, 16, 1300.	1.7	363
86	Solitons and spectral broadening in long silicon-on- insulator photonic wires. Optics Express, 2008, 16, 3310.	1.7	38
87	Ultra-low power parametric frequency conversion in a silicon microring resonator. Optics Express, 2008, 16, 4881.	1.7	247
88	Multi-order dispersion engineering for optimal four-wave mixing. Optics Express, 2008, 16, 7551.	1.7	29
89	Electrical control of parametric processes in silicon waveguides. Optics Express, 2008, 16, 9838.	1.7	15
90	Large tunable delays using parametric mixing and phase conjugation in Si nanowaveguides. Optics Express, 2008, 16, 10349.	1.7	40
91	Gain and noise characteristics of high-bit-rate silicon parametric amplifiers. Optics Express, 2008, 16, 13122.	1.7	54
92	Characterization of efficient wavelength conversion by four-wave mixing in sub-micron silicon waveguides. Optics Express, 2008, 16, 16735.	1.7	100
93	Growth, processing, and optical properties of epitaxial Er_2O_3 on silicon. Optics Express, 2008, 16, 19649.	1.7	55
94	Net-gain from a parametric amplifier on a chalcogenide optical chip. Optics Express, 2008, 16, 20374.	1.7	85

#	Article	IF	Citations
95	Silicon photonics: The inside story. , 2008, , .		0
96	Fiber Optic Mechanical Sensor Based on a Triangular-lattice Photonic Crystal. , 2008, , .		2
97	Pico Sensors for All Seasons â€" When Light Performs Its Marvels. , 2008, , .		0
98	High-Repetition-Rate Pulsed-Pump Optical Parametric Amplification in Silicon Waveguides. , 2008, , .		0
99	Dual-wavelength mode-locked laser in silicon. , 2008, , .		0
100	Ultra-low power CW λ-conversion in silica glass micro-ring resonators. , 2008, , .		0
101	Ultrafast pulse characterization using XPM in silicon. Proceedings of SPIE, 2008, , .	0.8	1
102	Low-power optical regeneration using four-wave mixing in a silicon chip. , 2008, , .		5
103	Implementation of a coupling-tunable resonator for efficient high-bandwidth nonlinear silicon photonics applications. , 2008, , .		0
104	Silicon waveguide based nonlinear directional coupler as a soliton switch. Optical Engineering, 2008, 47, 120503.	0.5	5
105	Dislocation-engineered silicon light emitters for photonic integration. Semiconductor Science and Technology, 2008, 23, 064005.	1.0	5
106	Broadband Raman amplification in silicon. Applied Physics Letters, 2008, 93, 191105.	1.5	17
107	Temperature dependence of ambipolar diffusion in silicon on insulator. Applied Physics Letters, 2008, 92, .	1.5	31
108	Three photon absorption in silicon for 2300â€"3300nm. Applied Physics Letters, 2008, 93, .	1.5	89
109	Electrical tuning of birefringence in silicon waveguides. Applied Physics Letters, 2008, 92, 061109.	1.5	29
110	Ultra-low CW power wavelength conversion in high-index glass micro ring resonators. , 2008, , .		0
111	Ion implantion in silicon waveguides for nonlinear effective length enhancement and power monitoring applications. , 2008, , .		0
112	Development of Silicon Photonics Devices Using Microelectronic Tools for the Integration on Top of a CMOS Wafer. Advances in Optical Technologies, 2008, 2008, 1-15.	0.8	57

#	Article	IF	Citations
113	Adaptive Subband Selection in OFDM-BasedCognitive Radios. , 0, , .		0
114	Four-wave Mixing in Integrated Silicon Nitride Waveguides. , 2009, , .		7
115	OPTIMAL DESIGN OF A SILICON-ON-INSULATOR NANOWIRE WAVEGUIDE FOR BROADBAND WAVELENGTH CONVERSION. Progress in Electromagnetics Research, 2009, 89, 183-198.	1.6	31
116	Hybrid InP-based photonic crystal lasers on silicon on insulator wires. Applied Physics Letters, 2009, 95, 201119.	1.5	21
117	Silicon photonics: the optical spice rack. Electronics Letters, 2009, 45, 576.	0.5	21
118	Nanophotonic interferometer realizing all-optical exclusive or gate on a silicon chip. Optical Engineering, 2009, 48, 064601.	0.5	10
119	Silicon Nanocrystals as an Enabling Material for Silicon Photonics. Proceedings of the IEEE, 2009, 97, 1250-1268.	16.4	74
120	Nanosilicon photonics. Laser and Photonics Reviews, 2009, 3, 508-534.	4.4	147
121	Enhanced parametric amplification in slow-light photonic crystal waveguides. Science Bulletin, 2009, 54, 2221-2224.	1.7	4
122	Direct observation of an exoplanet. Nature Photonics, 2009, 3, 10-10.	15.6	2
123	Silicon's time lens. Nature Photonics, 2009, 3, 8-10.	15.6	23
124	Ultrafast waveform compression using a time-domain telescope. Nature Photonics, 2009, 3, 581-585.	15.6	158
125	Performance investigation of microphotonic-silicon devices in a field-trial all-optical network. Optics Communications, 2009, 282, 849-855.	1.0	5
126	Effects of waveguide length and pump power on the efficiency of wavelength conversion in silicon nanowire waveguides. Optics Letters, 2009, 34, 3502.	1.7	11
127	Ultrashort pulse polarization control in silicon waveguides. Optics Express, 2009, 17, 1795.	1.7	1
128	Dispersion engineered As_2S_3 planar waveguides for broadband four-wave mixing based wavelength conversion of 40 Gb/s signals. Optics Express, 2009, 17, 3514.	1.7	75
129	High-speed optical sampling using a silicon-chip temporal magnifier. Optics Express, 2009, 17, 4324.	1.7	125
130	High-resolution spectroscopy using a frequency magnifier. Optics Express, 2009, 17, 5691.	1.7	40

#	Article	IF	Citations
131	Coupling induced anomalous group velocity dispersion in nonlinear arrays of silicon photonic wires. Optics Express, 2009, 17, 5879.	1.7	25
132	Continuous wave photon pair generation in silicon-on-insulator waveguides and ring resonators. Optics Express, 2009, 17, 16558.	1.7	231
133	Spectral phase conjugation via temporal imaging. Optics Express, 2009, 17, 20605.	1.7	43
134	Engineering nonlinearities in nanoscale optical systems: physics and applications in dispersion-engineered silicon nanophotonic wires. Advances in Optics and Photonics, 2009, 1, 162.	12.1	221
135	Demonstration of Broadband Wavelength Conversion at 40 Gb/s in Silicon Waveguides. IEEE Photonics Technology Letters, 2009, 21, 182-184.	1.3	97
136	Total gain of silicon Raman amplifiers: Scaling with group velocity in slow-light waveguides. , 2009, , .		0
137	Interactive hierarchical RSM applied to parameter optimization of photonic crystal nanocavities. , 2009, , .		1
138	Silicon-based ultra-wide discrete band conversion. Proceedings of SPIE, 2010, , .	0.8	0
139	Nonlinear silicon photonics. Proceedings of SPIE, 2010, , .	0.8	1
140	Integrated photonic devices based on silicon photonic wire waveguide platform. Proceedings of SPIE, 2010, , .	0.8	1
141	On-the-Fly Wavelength Conversion of Photons by Dynamic Control of Photonic Waveguides. Applied Physics Express, 2010, 3, 062001.	1.1	46
142	Spectral Amplitude and Phase Measurement of Ultrafast Pulses Using All-Optical Differential Tomography. , 2010, , .		0
143	Spatiotemporal nonlinear optics in arrays of subwavelength waveguides. Physical Review A, 2010, 82, .	1.0	25
144	Cross-talk dynamics of optical solitons in a broadband Kerr nonlinear system with weak cubic loss. Physical Review A, 2010, 82, .	1.0	29
145	Nontransparency and optical phase erasure characteristic ofÂfour-wave mixing. Applied Physics B: Lasers and Optics, 2010, 98, 821-830.	1.1	0
146	Performance analysis of dual-pump optical parametric amplifiers in silicon waveguide. Optics Communications, 2010, 283, 3043-3048.	1.0	9
147	Theoretical Analysis of Pulse Dynamics in Silicon Photonic Crystal Wire Waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 257-266.	1.9	47
148	All-Optical Format Conversion of NRZ-OOK to RZ-OOK in a Silicon Nanowire Utilizing Either XPM or FWM and Resulting in a Receiver Sensitivity Gain of sim2.5 dB. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 234-249.	1.9	40

#	Article	IF	Citations
149	Polarization-Independent Wavelength Conversion Using an Angled-Polarization Pump in a Silicon Nanowire Waveguide. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 250-256.	1.9	31
150	All-Optical Wavelength Conversion of 10 Gb/s RZ-OOK Data in a Silicon Nanowire via Cross-Phase Modulation: Experiment and Theoretical Investigation. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 1448-1459.	1.9	18
151	Optical amplitude multiplexing through parametric amplification in optical fibers. Optics Communications, 2010, 283, 454-463.	1.0	5
152	Nano-engineered silicon light emitting diodes and optically active waveguides. Optical Materials, 2010, 32, 1601-1605.	1.7	2
153	Photoluminescence study of thulium-doped silicon substrates for light emitting diodes. Optical Materials, 2010, 32, 1597-1600.	1.7	7
154	Subwavelength confinement of electromagnetic field by guided modes of dielectric micro- and nanowaveguides. JETP Letters, 2010, 91, 378-381.	0.4	3
155	CMOS-compatible multiple-wavelength oscillator for on-chip optical interconnects. Nature Photonics, 2010, 4, 37-40.	15.6	847
156	Mid-infrared wavelength conversion in silicon waveguides using ultracompact telecom-band-derived pump source. Nature Photonics, 2010, 4, 561-564.	15.6	253
157	Mid-infrared optical parametric amplifier using silicon nanophotonic waveguides. Nature Photonics, 2010, 4, 557-560.	15.6	377
158	Nonlinear optics in the mid-infrared. Nature Photonics, 2010, 4, 506-508.	15.6	103
159	A spooky light-emitting diode. Nature Photonics, 2010, 4, 508-509.	15.6	3
160	Nonlinear silicon photonics. Nature Photonics, 2010, 4, 535-544.	15.6	1,073
161	Nonlinear Optics in Doped Silica Glass Integrated Waveguide Structures. , 0, , .		1
162	Observation of Four-Wave Mixing Conversion Efficiency and Bandwidth in Silicon Photonic Crystal Waveguides. , 2010, , .		1
163	High efficiency harmonic generation in LiNbO3 membranes. , 2010, , .		0
164	High-gain Si-chip optical parametric mixing beyond two-photon absorption. , 2010, , .		0
165	Broadband optical parametric amplifier in ultra-compact plasmonic waveguide. , 2010, , .		2
166	Self-phase modulation at visible wavelengths in nonlinear ZnO channel waveguides. Applied Physics Letters, 2010, 97, .	1.5	21

#	Article	IF	Citations
167	Group velocity dispersion and self phase modulation in silicon nitride waveguides. Applied Physics Letters, 2010, 96, .	1.5	112
168	Mid-infrared nonlinear optics in silicon photonic wire waveguides. , 2010, , .		2
169	Nonlinear optics and group velocity dispersion engineering in silicon nitride waveguides. , 2010, , .		1
170	Monolithic nonlinear pulse compressor on a silicon chip. Nature Communications, 2010, 1, 116.	5.8	96
171	Silicon Photonic Modulation Circuitry. , 2010, , 79-97.		0
172	All-optical time-division demultiplexing at 160Gb/s and 640Gb/s via FWM in a silicon nanowire. , 2010, , .		0
173	Experimental demonstration of on-chip optical parametric oscillation in planar tantalum pentoxide waveguides. Proceedings of SPIE, 2010, , .	0.8	2
174	Broadband optical parametric amplifier in ultra-compact plasmonic waveguide. Proceedings of SPIE, 2010, , .	0.8	0
175	Modulation Instability in Silicon Optical Waveguide Considering Linear Loss and Two-Photonic Absorption. , 2010, , .		3
176	Power-Attenuated Optimization for Four-Wave Mixing-Based Wavelength Conversion in Silicon Nanowire Waveguides. Journal of Electromagnetic Waves and Applications, 2010, 24, 1255-1265.	1.0	14
177	VLSI Photonics: How Can We Approach Using Micro/Nano-Materials?. Molecular Crystals and Liquid Crystals, 2010, 522, 159/[459]-171/[471].	0.4	0
178	Ultrashort free-carrier lifetime in low-loss silicon nanowaveguides. Optics Express, 2010, 18, 3582.	1.7	176
179	Efficient wavelength conversion and net parametric gain via Four Wave Mixing in a high index doped silica waveguide. Optics Express, 2010, 18, 7634.	1.7	110
180	Flat and low dispersion in highly nonlinear slot waveguides. Optics Express, 2010, 18, 13187.	1.7	91
181	Temporal-imaging system with simple external-clock triggering. Optics Express, 2010, 18, 14262.	1.7	37
182	Low loss shallow-ridge silicon waveguides. Optics Express, 2010, 18, 14474.	1.7	134
183	Observation of four-wave mixing in slow-light silicon photonic crystal waveguides. Optics Express, 2010, 18, 15484.	1.7	87
184	Wavelength multicasting in silicon photonic nanowires. Optics Express, 2010, 18, 18047.	1.7	77

#	Article	IF	Citations
185	Time-domain measurement of optical transport in silicon micro-ring resonators. Optics Express, 2010, 18, 18438.	1.7	50
186	Dispersion engineered Ge_115As_24Se_645 nanowires with a nonlinear parameter of 136W^-1m^-1 at 1550nm. Optics Express, 2010, 18, 18866.	1.7	74
187	Discrete parametric band conversion in silicon for mid-infrared applications. Optics Express, 2010, 18, 21981.	1.7	57
188	Four-wave mixing in slow light engineered silicon photonic crystal waveguides. Optics Express, 2010, 18, 22915.	1.7	134
189	Low-power continuous-wave generation of visible harmonics in silicon photonic crystal nanocavities. Optics Express, 2010, 18, 26613.	1.7	113
190	Time and frequency domain measurements of solitons in subwavelength silicon waveguides using a cross-correlation technique. Optics Express, 2010, 18, 26625.	1.7	44
191	Broadband coherent anti-Stokes Raman scattering in silicon. Optics Letters, 2010, 35, 351.	1.7	8
192	Performance Evaluation of Nondegenerate Wavelength Conversion in a Silicon Nanowire Waveguide. Journal of Lightwave Technology, 2010, , .	2.7	5
193	Vectorial nonlinear propagation in silicon nanowire waveguides: polarization effects. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 956.	0.9	61
194	Frequency conversion over two-thirds of an octave in silicon nanowaveguides. Optics Express, 2010, 18, 1904.	1.7	136
195	1.1 to 1.6 µm silicon light emitting diodes and optical gain. , 2010, , .		0
196	Two-photon-absorption-based optical power monitor in silicon rib waveguides. , 2010, , .		2
197	Phase-sensitive parametric amplifiers in silicon waveguides. Journal of Modern Optics, 2011, 58, 1246-1251.	0.6	4
198	Nonlinear Mixing in Nanowire Subwavelength Waveguides. Nano Letters, 2011, 11, 3022-3025.	4.5	48
199	Continuous Wavelength Conversion of 40-Gb/s Data Over 100 nm Using a Dispersion-Engineered Silicon Waveguide. IEEE Photonics Technology Letters, 2011, 23, 73-75.	1.3	24
200	Cascaded third harmonic generation in lithium niobate nanowaveguides. Applied Physics Letters, 2011, 98, .	1.5	26
201	Silicon Photonic Wire Waveguides: Fundamentals and Applications. Topics in Applied Physics, 2011, , 1-29.	0.4	25
202	Travelling-wave resonant four-wave mixing breaks the limits of cavity-enhanced all-optical wavelength conversion. Nature Communications, 2011, 2, 296.	5.8	96

#	Article	IF	Citations
203	Structured Organic Non-Linear Optics. , 2011, , 143-187.		7
204	Non-linear absorption of 1.3-Î¼m wavelength femtosecond laser pulses focused inside semiconductors: Finite difference time domain-two temperature model combined computational study. Journal of Applied Physics, 2011, 110, .	1.1	18
205	Surface-induced nonlinearity enhancement in subwavelength rod waveguides. Physical Review A, 2011, 84, .	1.0	22
206	Large-scale integrated photonics for high-performance interconnects. ACM Journal on Emerging Technologies in Computing Systems, 2011, 7, 1-54.	1.8	60
207	Silicon-Chip-Based Real-Time Dispersion Monitoring for 640 Gbit/s DPSK Signals. Journal of Lightwave Technology, 2011, 29, 1790-1796.	2.7	44
208	Efficient Wavelength Conversion in Optimized SOI Waveguides Via Pulsed Four-Wave Mixing. Journal of Lightwave Technology, 2011, 29, 3523-3535.	2.7	13
209	Optical frequency conversion in integrated devices [Invited]. Journal of the Optical Society of America B: Optical Physics, 2011, 28, A67.	0.9	31
210	Dispersion engineering of a silicon-nanocrystal-based slot waveguide for broadband wavelength conversion. Applied Optics, 2011, 50, 1260.	2.1	51
211	Influence of spectral broadening on femtosecond wavelength conversion based on four-wave mixing in silicon waveguides. Applied Optics, 2011, 50, 5430.	2.1	14
212	Microresonator-Based Optical Frequency Combs. Science, 2011, 332, 555-559.	6.0	1,685
213	Carrier and thermal dynamics of silicon photonic resonators at cryogenic temperatures. Optics Express, 2011, 19, 3290.	1.7	21
214	Self-phase modulation and nonlinear loss in silicon nanophotonic wires near the mid-infrared two-photon absorption edge. Optics Express, 2011, 19, 7778.	1.7	47
215	Dispersion of nonlinearity and modulation instability in subwavelength semiconductor waveguides. Optics Express, 2011, 19, 9345.	1.7	4
216	Integrated GaN photonic circuits on silicon (100) for second harmonic generation. Optics Express, 2011, 19, 10462.	1.7	176
217	Harmonic generation in silicon nitride ring resonators. Optics Express, 2011, 19, 11415.	1.7	255
218	Simultaneous wavelength conversion of ASK and DPSK signals based on four-wave-mixing in dispersion engineered silicon waveguides. Optics Express, 2011, 19, 12172.	1.7	13
219	Compact highly-nonlinear AlGaAs waveguides for efficient wavelength conversion. Optics Express, 2011, 19, 12440.	1.7	63
220	Si micro-ring MUX/DeMUX WDM filters. Optics Express, 2011, 19, 13531.	1.7	52

#	Article	IF	Citations
221	Scalable ultrahigh-speed optical transmultiplexer using a time lens. Optics Express, 2011, 19, 14051.	1.7	15
222	Direction-dependent optical modes in nanoscale Silicon waveguides. Optics Express, 2011, 19, 18380.	1.7	3
223	Optimized wavelength conversion in silicon waveguides based on â€œoff-Raman-resonanceâ€•operation: extending the phase mismatch formalism. Optics Express, 2011, 19, 18810.	1.7	7
224	Ultra-high-speed wavelength conversion in a silicon photonic chip. Optics Express, 2011, 19, 19886.	1.7	72
225	One-to-six WDM multicasting of DPSK signals based on dual-pump four-wave mixing in a silicon waveguide. Optics Express, 2011, 19, 24448.	1.7	40
226	Impact of dispersion profiles of silicon waveguides on optical parametric amplification in the femtosecond regime. Optics Express, 2011, 19, 24730.	1.7	16
227	Nonlinear properties of and nonlinear processing in hydrogenated amorphous silicon waveguides. Optics Express, 2011, 19, B146.	1.7	108
228	Broadband stimulated four-wave parametric conversion on a tantalum pentoxide photonic chip. Optics Express, 2011, 19, 26343.	1.7	10
229	On-chip parametric amplification with 265â€‰dB gain at telecommunication wavelengths using CMOS-compatible hydrogenated amorphous silicon waveguides. Optics Letters, 2011, 36, 552.	1.7	94
230	Continuous-wave mid-infrared frequency conversion in silicon nanowaveguides. Optics Letters, 2011, 36, 1263.	1.7	62
231	Observation of parametric gain due to four-wave mixing in dispersion engineered GaInP photonic crystal waveguides. Optics Letters, 2011, 36, 2629.	1.7	18
232	Low-power continuous-wave four-wave mixing in silicon coupled-resonator optical waveguides. Optics Letters, 2011, 36, 2964.	1.7	25
233	Efficient parametric interactions in a low loss GaInP photonic crystal waveguide. Optics Letters, 2011, 36, 3936.	1.7	9
234	50 dB parametric on-chip gain in silicon photonic wires. Optics Letters, 2011, 36, 4401.	1.7	70
235	Structured Organic Non-Linear Optics. , 2011, , 261-296.		1
236	Four-Wave Mixing in Silicon Nanowire Waveguides and Its Applications in Wavelength Conversion. , 0, , .		1
237	Title is missing!. Journal of the European Optical Society-Rapid Publications, 0, 6, .	0.9	3
238	Active and Passive Devices Based on Silicon-on-Insulator Waveguides. Recent Patents on Engineering, 2011, 5, 68-79.	0.3	1

#	Article	IF	Citations
239	Maximization of Gain in Slow-Light Silicon Raman Amplifiers. International Journal of Optics, 2011, 2011, 1-7.	0.6	7
240	Continuous-Wave Mid-Infrared Frequency Conversion in Silicon Nanowaveguides. , 2011, , .		0
241	Four-Wave-Mixing Gain and All-optical Signal Processing in Silicon Nanowires. , 2011, , .		0
242	Broadband Wavelength Conversion of Incoherent Light in Silicon Nanowaveguides. , 2011, , .		0
243	Mapping the modal effective area in submicrometer strip and slot waveguides. , 2011, , .		0
244	Efficient Frequency Conversion at Low-Powers in a Silicon Microresonator Using Carrier Extraction. , 2011, , .		2
245	Crystalline-silicon-based infra-red LEDs and routes to laser diodes. Thin Solid Films, 2011, 519, 8441-8445.	0.8	4
246	Low-power nanophotonic devices based on photonic crystals towards dense photonic network on chip. IET Circuits, Devices and Systems, 2011, 5, 84.	0.9	60
247	Wavelength Conversion Based on Raman- and Non-Resonant Four-Wave Mixing in Silicon Nanowire Rings Without Dispersion Engineering. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1078-1091.	1.9	31
248	Electrically Controlled Nonlinear Generation of Light with Plasmonics. Science, 2011, 333, 1720-1723.	6.0	240
249	Influence of the initial chirp on the supercontinuum generation in silicon-on-insulator waveguide. Applied Physics B: Lasers and Optics, 2011, 104, 867-871.	1.1	19
250	Silicon slow light photonic crystals structures: present achievements and future trends. Frontiers of Optoelectronics in China, 2011, 4, 243-253.	0.2	4
251	Modulation instability in lossy silicon optical waveguide. Indian Journal of Physics, 2011, 85, 607-614.	0.9	9
252	Modulation instability in silicon optical waveguide considering linear loss. Optik, 2011, 122, 1388-1391.	1.4	5
253	All-optically tunable waveform synthesis by a silicon nanowaveguide ring resonator coupled with a photonic-crystal fiber frequency shifter. Optics Communications, 2011, 284, 1652-1655.	1.0	6
254	Analysis of the Nonlinear Optical Parameter of ZnO Channel Waveguides. Japanese Journal of Applied Physics, 2011, 50, 04DG01.	0.8	2
255	On-chip Spectrally-Bright Photon-Pair Source from SiN Ring Micro-Cavity. , 2011, , .		0
256	Phase Sensitive Fiber Optic Parametric Amplifiers. , 2011, , .		2

#	Article	IF	Citations
257	Laser control of free-carrier density in solids through field-enhanced multiphonon tunneling recombination. Journal of Applied Physics, 2011, 109, 033109.	1.1	8
258	15-THz Tunable Wavelength Conversion of Picosecond Pulses in a Silicon Waveguide. IEEE Photonics Technology Letters, 2011, 23, 1409-1411.	1.3	19
259	Nonlinear silicon nanophotonics for mid-infrared applications. , 2011, , .		1
260	Optimization of Optical Wavelength Conversion in SOI Waveguide. Applied Mechanics and Materials, 0, 110-116, 4498-4504.	0.2	0
261	Nonlinear Optics in Silicon Wire Waveguides: Towards Integrated Long Wavelength Light Sources. Materials Research Society Symposia Proceedings, 2012, 1437, 58.	0.1	0
262	Breakthroughs in Nonlinear Silicon Photonics 2011. IEEE Photonics Journal, 2012, 4, 601-606.	1.0	11
263	Dispersion engineering of thick high-Q silicon nitride ring-resonators via atomic layer deposition. Optics Express, 2012, 20, 27661.	1.7	88
264	Widely tunable femtosecond optical parametric oscillator based on silicon-on-insulator waveguides. Optics Express, 2012, 20, 3490.	1.7	16
265	Wavelength conversion and unicast of 10-Gb/s data spanning up to 700 nm using a silicon nanowaveguide. Optics Express, 2012, 20, 6488.	1.7	17
266	Highly nonlinear fiber with dispersive characteristic invariant to fabrication fluctuations. Optics Express, 2012, 20, 7716.	1.7	35
267	High efficiency and ultra broadband optical parametric four-wave mixing in chalcogenide-PMMA hybrid microwires. Optics Express, 2012, 20, 9572.	1.7	50
268	Highly efficient CW parametric conversion at 1550 nm in SOI waveguides by reverse biased p-i-n junction. Optics Express, 2012, 20, 13100.	1.7	70
269	Polarization insensitive wavelength conversion in a dispersion-engineered silicon waveguide. Optics Express, 2012, 20, 16374.	1.7	25
270	Continuous-wave, short-wavelength infrared mixer using dispersion-stabilized highly-nonlinear fiber. Optics Express, 2012, 20, 18422.	1.7	64
271	Second-order nonlinear silicon-organic hybrid waveguides. Optics Express, 2012, 20, 20506.	1.7	38
272	Amorphous silicon nanowires combining high nonlinearity, FOM and optical stability. Optics Express, 2012, 20, 22609.	1.7	99
273	Spoof four-wave mixing for all-optical wavelength conversion. Optics Express, 2012, 20, 24030.	1.7	17
274	Modulational instability in a silicon-on-insulator directional coupler: role of the coupling-induced group velocity dispersion. Optics Letters, 2012, 37, 668.	1.7	10

#	Article	IF	Citations
275	Low-noise chip-based frequency conversion by four-wave-mixing Bragg scattering in SiN_x waveguides. Optics Letters, 2012, 37, 2997.	1.7	50
276	Chip-scale parametric amplifier with 11ÂdB gain at 1550Ânm based on a slow-light GaInP photonic crystal waveguide. Optics Letters, 2012, 37, 3996.	1.7	18
277	Ultracompact polarization converter with a dual subwavelength trench built in a silicon-on-insulator waveguide. Optics Letters, 2012, 37, 365.	1.7	92
278	Silicon nanowire arrays with enhanced optical properties. Optics Letters, 2012, 37, 4194.	1.7	26
279	Nonlinear optical properties of low temperature annealed silicon-rich oxide and silicon-rich nitride materials for silicon photonics. Applied Physics Letters, 2012, 100, .	1.5	31
280	Efficient four-wave-mixing-based wavelength conversion in silicon nanowire rings without dispersion engineering. Proceedings of SPIE, 2012, , .	0.8	0
281	Extending the phase mismatch formalism for silicon-based wavelength converters. , 2012, , .		0
282	Identification of localized group-velocity dispersion of nanostructured silicon waveguide devices using white-light interferometry. , 2012, , .		0
283	Giant Raman gain in silicon nanocrystals. Nature Communications, 2012, 3, 1220.	5.8	91
284	Optical Bistability in a Silicon Waveguide Distributed Bragg Reflector Fabryâ€"PÃ©rot Resonator. Journal of Lightwave Technology, 2012, 30, 2352-2355.	2.7	37
285	ALD-Assisted Multiorder Dispersion Engineering of Nanophotonic Strip Waveguides. Journal of Lightwave Technology, 2012, 30, 2488-2493.	2.7	15
286	Efficient terahertz-wave generation via four-wave mixing in silicon membrane waveguides. Optics Express, 2012, 20, 8920.	1.7	37
287	Wavelength-Converted/Selective Waveguiding Based on Composition-Graded Semiconductor Nanowires. Nano Letters, 2012, 12, 5003-5007.	4.5	87
288	Optimizing initial chirp for efficient femtosecond wavelength conversion in silicon waveguide by split-step Fourier method. Applied Mathematics and Computation, 2012, 218, 11970-11975.	1.4	4
289	Stimulated supercontinuum generation extends broadening limits in silicon. Applied Physics Letters, 2012, 100, .	1.5	13
290	Four wave mixing in silicon hybrid and silicon heterogeneous micro photonic structures. Proceedings of SPIE, 2012, , .	0.8	4
291	Anisotropic Third-Order Optical Nonlinearity of a single ZnO Micro/Nanowire. Nano Letters, 2012, 12, 833-838.	4.5	60
292	A wideband, low-noise superconducting amplifier with high dynamic range. Nature Physics, 2012, 8, 623-627.	6.5	280

#	Article	IF	Citations
293	Quasi-soliton propagation in dispersion-engineered silicon nanowires. Optics Communications, 2012, 285, 3306-3311.	1.0	6
294	Breakthroughs in Photonics 2011. IEEE Photonics Journal, 2012, 4, 561-656.	1.0	1
295	IIIâ€"V/Silicon Photonics for Short-Wave Infrared Spectroscopy. IEEE Journal of Quantum Electronics, 2012, 48, 292-298.	1.0	8
296	Time-Lens Measurement of Subpicosecond Optical Pulses in CMOS Compatible High-Index Glass Waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 2012, 18, 629-636.	1.9	24
297	Mid-Infrared Wavelength Conversion in Silicon Waveguides Pumped by Silica-Fiber-Based Source. IEEE Journal of Selected Topics in Quantum Electronics, 2012, 18, 612-620.	1.9	8
298	Photonic-Chip-Based Ultrafast Waveform Analysis and Optical Performance Monitoring. IEEE Journal of Selected Topics in Quantum Electronics, 2012, 18, 834-846.	1.9	3
299	Silicon microring resonators. Laser and Photonics Reviews, 2012, 6, 47-73.	4.4	1,788
300	The first decade of coupled resonator optical waveguides: bringing slow light to applications. Laser and Photonics Reviews, 2012, 6, 74-96.	4.4	140
301	Nonlinear refractive properties of 1D periodically nanostructured silicon-on-insulator investigated by reflection I-Scan. , 2013, , .		1
302	A silicon nanowire factorable photon pair source. Optical and Quantum Electronics, 2013, 45, 357-364.	1.5	0
303	New CMOS-compatible platforms based on silicon nitride and Hydex for nonlinear optics. Nature Photonics, 2013, 7, 597-607.	15.6	1,042
304	Hydrogenated amorphous silicon nanowires with high nonlinear figure of merit and stable nonlinear optical response. Proceedings of SPIE, 2013, , .	0.8	1
305	All-optical signal-conversion efficiency with a parameter-dependent four-wave-mixing process in a silicon nanowaveguide. Journal of the Korean Physical Society, 2013, 62, 428-434.	0.3	4
306	Tailorable stimulated Brillouin scattering in nanoscale silicon waveguides. Nature Communications, 2013, 4, 1944.	5.8	269
307	All-Optical Regeneration of Phase Encoded Signals. , 2013, , 589-639.		2
308	Ultra-High-Speed Optical Time Division Multiplexing. , 2013, , 641-707.		1
309	Near-infrared optical parametric oscillator in a III-V semiconductor waveguide. Applied Physics Letters, 2013, 103, .	1.5	35
310	Advancements in Silicon Photonics. SpringerBriefs in Materials, 2013, , 33-52.	0.1	0

#	Article	IF	Citations
312	Engineered transitions in molecule — A photonic system. , 2013, , .		0
313	Enhanced second harmonic generation from InAs nano-wing structures on silicon. Nanoscale, 2013, 5, 10163.	2.8	15
314	Global optimization of silicon nanowires for efficient parametric processes. , 2013, , .		0
315	A comparison of nonlinear media for parametric all-optical signal processing. , 2013, , .		1
316	Use of Amorphous Silicon for Active Photonic Devices. IEEE Transactions on Electron Devices, 2013, 60, 1495-1505.	1.6	36
317	Optical signal processing using four wave mixing in highly nonlinear silicon nano-wire. Optik, 2013, 124, 3439-3442.	1.4	4
318	Technologies and Building Blocks for On-Chip Optical Interconnects. Embedded Systems, 2013, , 27-78.	0.6	1
319	Measurements of giant second harmonic generation from vertically aligned silicon nanowires. , 2013, , .		1
320	Silicon-organic hybrid devices. Proceedings of SPIE, 2013, , .	0.8	6
321	Generation of second harmonic radiation from sub-stoichiometric silicon nitride thin films. Applied Physics Letters, 2013, 102, 141114.	1.5	21
322	Tailorable stimulated Brillouin scattering in silicon nanophotonics. , 2013, , .		0
323	High conversion efficiency femtosecond optical parametric amplifier based on silicon waveguide in mid-infrared. Optics and Laser Technology, 2013, 50, 87-92.	2.2	7
324	Unravelling Nonlinear Spectral Evolution Using Nanoscale Photonic Near-Field Point-to-Point Measurements. Nano Letters, 2013, 13, 5858-5865.	4.5	8
325	Wavelength-converted wave-guiding in dye-doped polymer nanofibers. Scientific Reports, 2013, 3, 1674.	1.6	32
326	Ultra-compact and fabrication-tolerant polarization rotator based on a bend asymmetric-slab waveguide. Applied Optics, 2013, 52, 990.	0.9	21
327	Inducing and harnessing stimulated Brillouin scattering in photonic integrated circuits. Advances in Optics and Photonics, 2013, 5, 536.	12.1	253
328	Broad-bandwidth Near-IR Parametric Amplification in Amorphous Silicon Waveguides. , 2013, , .		1
329	Solitons supported by localized parametric gain. Optics Letters, 2013, 38, 480.	1.7	11

#	Article	IF	Citations
330	Influence of three-photon absorption on Mid-infrared cross-phase modulation in silicon-on-sapphire waveguides. Optics Express, 2013, 21, 1840.	1.7	21
331	Theory of nonlinear pulse propagation in silicon-nanocrystal waveguides. Optics Express, 2013, 21, 2832.	1.7	11
332	A silicon-based widely tunable short-wave infrared optical parametric oscillator. Optics Express, 2013, 21, 5931.	1.7	39
333	FWM-based wavelength conversion of 40 Gbaud PSK signals in a silicon germanium waveguide. Optics Express, 2013, 21, 16683.	1.7	38
334	A chip-scale, telecommunications-band frequency conversion interface for quantum emitters. Optics Express, 2013, 21, 21628.	1.7	31
335	All-optical 10 Gb/s AND logic gate in a silicon microring resonator. Optics Express, 2013, 21, 25772.	1.7	34
336	Integrated CARS source based on seeded four-wave mixing in silicon nitride. Optics Express, 2013, 21, 32123.	1.7	18
337	Quasi-phase-matched second harmonic generation in silicon nitride ring resonators controlled by static electric field. Optics Express, 2013, 21, 32690.	1.7	11
338	A reconfigurable microwave photonic filter based on four wave mixing in a silicon nanophotonic waveguide. Proceedings of SPIE, 2013, , .	0.8	0
339	Engineering of phase matching for mid-infrared coherent anti-Stokes Raman wavelength conversion with orthogonally polarized pump and Stokes waves in silicon-on-sapphire waveguides. Applied Optics, 2013, 52, 8095.	0.9	0
340	A new scheme for novel all-optical wavelength conversion with ultrabroad conversion tunability and modulation-transparency. Proceedings of SPIE, 2013, , .	0.8	0
341	Nanoscale dynamics by short-wavelength four wave mixing experiments. New Journal of Physics, 2013, 15, 123023.	1.2	33
342	Enhanced acousto-optic interaction in two-dimensional phoxonic crystals with a line defect. Journal of Applied Physics, 2013, 113, .	1.1	38
343	Record 11 dB phase sensitive amplification in sub-millimeter silicon waveguides. , 2013, , .		3
344	Optical properties of silicon germanium waveguides at telecommunication wavelengths. Optics Express, 2013, 21, 16690.	1.7	44
345	Highly linear silicon traveling wave Mach-Zehnder carrier depletion modulator based on differential drive. Optics Express, 2013, 21, 3818.	1.7	75
346	Role of Computational Intelligence in Nanophotonics Technology. , 2013, , 21-64.		0
347	Nonlinear Optics in Silicon. Series in Optics and Optoelectronics, 2013, , 197-248.	0.0	2

#	Article	IF	Citations
349	Highly Efficient Broadly Tunable Four-Wave Mixing in AlGaAs Nanowires. , 2013, , .		0
350	Photonicsâ€"Advances in Fundamental Sciences and Engineering Technologies of Light. Photonics, 2014, 1, 1-8.	0.9	4
351	Engineering chromatic dispersion and effective nonlinearity in a dual-slot waveguide. Applied Optics, 2014, 53, 6302.	0.9	5
352	Low-power-penalty wavelength multicasting for 36â€‰â€‰Gbit/s 16-QAM coherent optical signals in a silicon waveguide. Optics Letters, 2014, 39, 6907.	1.7	13
353	Integrated Optomechanical Circuits and Nonlinear Dynamics. , 2014, , 169-194.		0
354	Optical Signal Processing with Enhanced Nonlinearity in Photonic Crystals. , 2014, , 283-292.		0
355	Enhanced broadband parametric wavelength conversion in silicon waveguide with the multi-period grating. IEEE Photonics Journal, 2014, , 1-1.	1.0	6
356	Wavelength conversion of 80 Gb/s RZ-DPSK Pol-MUX signals in a silicon nanowire. , 2014, , .		0
357	Double-Layer Crystalline Silicon on Insulator Material Platform for Integrated Photonic Applications. IEEE Photonics Journal, 2014, 6, 1-8.	1.0	7
358	Analysis of a polarization-independent nonlinear cross-slot waveguide with Fourier Modal Method (FMM). , 2014, , .		0
359	Silicon Photonic Modulation Circuitry. , 2014, , 83-101.		0
360	Mode and Wavelength Conversion Based on Inter-Modal Four-Wave Mixing in a Highly Nonlinear Few-Mode Fiber. , 2014, , .		4
361	Theoretical Description of Pulse Evolution and Phase Sensitive Amplification in Silicon Waveguides. , 2014, , .		0
362	GHz Near-IR Optical Parametric Amplifier using a Hydrogenated Amorphous Silicon Waveguide. , 2014, , .		3
363	Opportunities for Raman wavelength conversion with silicon microdisks. , 2014, , .		0
364	Bandwidth scaling of a phase-modulated continuous-wave comb through four-wave mixing in a silicon nano-waveguide. Optics Letters, 2014, 39, 6478.	1.7	5
365	Pulse compression in adiabatically tapered silicon photonic wires. Optics Express, 2014, 22, 6296.	1.7	31
366	Frequency non-degenerate phase-sensitive optical parametric amplification based on four-wave-mixing in width-modulated silicon waveguides. Optics Express, 2014, 22, 31486.	1.7	16

#	Article	IF	Citations
367	Dispersion engineered silicon nitride waveguides by geometrical and refractive-index optimization. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 2846.	0.9	55
368	Ultra-large nonlinear parameter in graphene-silicon waveguide structures. Optics Express, 2014, 22, 22820.	1.7	50
369	Pulse evolution and phase-sensitive amplification in silicon waveguides. Optics Letters, 2014, 39, 5329.	1.7	11
370	Potential for large optical gain improvement of erbium-doped slot waveguide amplifiers in silicon photonics. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 2021.	0.9	16
371	Wavelength conversion and parametric amplification of optical pulses via quasi-phase-matched four-wave mixing in long-period Bragg silicon waveguides. Optics Letters, 2014, 39, 4017.	1.7	19
372	Pump-degenerate phase-sensitive amplification in chalcogenide waveguides. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 780.	0.9	19
373	In-situ weak-beam and polarization control of multidimensional laser sidebands for ultrafast optical switching. Applied Physics Letters, 2014, 104, .	1.5	9
374	Integrated nonlinear photonics: emerging applications and ongoing challenges [Invited]. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 3193.	0.9	39
375	Free-Electron Laser Design for Four-Wave Mixing Experiments with Soft-X-Ray Pulses. Physical Review Letters, 2014, 113, 024801.	2.9	27
376	High-efficiency degenerate four-wave mixing in triply resonant nanobeam cavities. Physical Review A, 2014, 89, .	1.0	14
377	Observation of Optical Undular Bores in Multiple Four-Wave Mixing. Physical Review X, 2014, 4, .	2.8	49
378	Controlling free-carrier temporal effects in silicon by dispersion engineering. Optica, 2014, 1, 299.	4.8	27
379	High-efficiency terahertz-wave generation in silicon membrane waveguides. , 2014, , .		0
380	Quasi-phase-matched four-wave-mixing of optical pulses in periodically modulated silicon photonic wires. , 2014, , .		1
381	Coherent and transient states studied with extreme ultraviolet and X-ray free electron lasers: present and future prospects. Advances in Physics, 2014, 63, 327-404.	35.9	15
382	Low-loss titanium-dioxide strip waveguides by atomic layer deposition. Proceedings of SPIE, 2014, , .	0.8	0
383	Temporal spying and concealing process in fibre-optic data transmission systems through polarization bypass. Nature Communications, 2014, 5, 4678.	5.8	35
384	Toward fJ/bit optical communication in a chip. Optics Communications, 2014, 314, 3-17.	1.0	58

#	Article	IF	Citations
385	Tunable nonlinear optical properties in nanocrystalline Si/SiO2 multilayers under femtosecond excitation. Nanoscale Research Letters, 2014, 9, 28.	3.1	20
386	Nonlinear Oscillations and Bifurcations in Silicon Photonic Microresonators. Physical Review Letters, 2014, 112, 123901.	2.9	13
387	Diamond nonlinear photonics. Nature Photonics, 2014, 8, 369-374.	15.6	291
388	Low-Loss Titanium Dioxide Strip Waveguides Fabricated by Atomic Layer Deposition. Journal of Lightwave Technology, 2014, 32, 208-212.	2.7	52
389	Parametric amplification-assisted cascaded four-wave mixing for ultrabroad laser sideband generation in a thin transparent medium. Laser Physics Letters, 2014, 11, 075301.	0.6	4
390	Modeling nonlinear optical phenomena in silicon-nanocrystal composites and waveguides. Journal of Optics (United Kingdom), 2014, 16, 015207.	1.0	7
391	Integrated optical auto-correlator based on third-harmonic generation in a silicon photonic crystal waveguide. Nature Communications, 2014, 5, 3246.	5.8	79
392	Dispersion engineering of high-Q silicon microresonators via thermal oxidation. Applied Physics Letters, 2014, 105, .	1.5	13
393	Electrically tunable optical polarization rotation on a silicon chip using Berryâ€™s phase. Nature Communications, 2014, 5, 5337.	5.8	43
394	Noiseless intensity amplification of repetitive signals by coherent addition using the temporal Talbot effect. Nature Communications, 2014, 5, 5163.	5.8	65
395	Polarization-Insensitive Wavelength Conversion by FWM of 100-GHz-Spaced DWDM 4$,imes,$10 Gb/s RZ-BPSK Signals in a Birefringent Nonlinear AlGaAs Waveguide. IEEE Journal of Quantum Electronics, 2014, 50, 74-84.	1.0	7
396	Circuit optomechanics: concepts and materials. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2014, 61, 1889-1898.	1.7	3
397	Nonmonotonic Wavelength-Dependent Power Scaling in Silicon-on-Insulator Waveguides via Nonlinear Optical Effect Conglomeration. ACS Photonics, 2014, 1, 576-581.	3.2	8
398	Spatial solitons supported by localized gain [Invited]. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 2460.	0.9	47
399	Enhanced four-wave mixing in graphene-silicon slow-light photonic crystal waveguides. Applied Physics Letters, 2014, 105, .	1.5	67
400	Two-photon quantum state engineering in nonlinear photonic nanowires. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 1581.	0.9	16
401	Inverse dispersion engineering in silicon waveguides. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 1829.	0.9	23
402	Phase-sensitive amplification in silicon photonic crystal waveguides. Optics Letters, 2014, 39, 363.	1.7	46

#	Article	IF	Citations
403	Hybrid 2Dâ€"3D optical devices for integrated optics by direct laser writing. Light: Science and Applications, 2014, 3, e175-e175.	7.7	134
404	Raman Stokes/Anti-Stokes Wavelength Conversion in â€œAutomaticallyâ€•Quasi-Phase-Matched Silicon Microdisk Resonators. Journal of Lightwave Technology, 2014, 32, 2939-2950.	2.7	0
405	Efficient four-wave mixing by phase-mismatch switching. , 2014, , .		0
406	Traveling-wave photon-phonon coupling as the basis for new signal processing technologies. , 2014, , .		2
407	Nonlinear Group IV photonics based on silicon and germanium: from near-infrared to mid-infrared. Nanophotonics, 2014, 3, 247-268.	2.9	219
408	GHz-rate optical parametric amplifier in hydrogenated amorphous silicon. Journal of Optics (United) Tj ETQq1 1 0.784314 rgBT /Overlo	1.0	18
409	All-Optical Ultrafast Wavelength and Mode Converter Based on Inter-Modal Nonlinear Wave Mixing in Few-Mode Fibers. , 2015, , .		2
410	Field renormalization in photonic crystal waveguides. Physical Review A, 2015, 92, .	1.0	6
411	Tunable fast and slow light in a hybrid optomechanical system. Physical Review A, 2015, 92, .	1.0	105
412	Squeezing Light in Wires: Fundamental Optical Properties of Si Nanowire Waveguides. Journal of Lightwave Technology, 2015, 33, 3116-3131.	2.7	10
413	High spectral purity silicon ring resonator photon-pair source. , 2015, , .		8
414	Lowâ€Cost Synthesis of Porous Silicon via Ferriteâ€Assisted Chemical Etching and Their Application as Siâ€Based Anodes for Liâ€Ion Batteries. Advanced Electronic Materials, 2015, 1, 1400059.	2.6	18
415	Phase-sensitive amplifiers for long-haul transmission systems. , 2015, , .		1
416	Surface-normal coupled four-wave mixing in a high contrast gratings resonator. Optics Express, 2015, 23, 29565.	1.7	17
417	Advanced nonlinear signal processing in silicon-based waveguides. , 2015, , .		0
418	Simultaneous Quasi-Phase Matching of Two Arbitrary Four-Wave-Mixing Processes. Journal of Lightwave Technology, 2015, 33, 1726-1736.	2.7	4
419	Compact picosecond nondegenerate four-wave mixing mirrorless optical parametric oscillator in silicon waveguide. Modern Physics Letters B, 2015, 29, 1550001.	1.0	0
420	160-Gb/s Silicon All-Optical Packet Switch for Buffer-less Optical Burst Switching. Journal of Lightwave Technology, 2015, 33, 843-848.	2.7	12

#	Article	IF	Citations
421	Enhancing and inhibiting stimulated Brillouin scattering in photonic integrated circuits. Nature Communications, 2015, 6, 6396.	5.8	73
422	Strong Modulation Instability in a Siliconâ€"Organic Hybrid Slot Waveguide. IEEE Photonics Journal, 2015, 7, 1-8.	1.0	3
423	Neurophotonics: optical methods to study and control the brain. Physics-Uspekhi, 2015, 58, 345-364.	0.8	38
424	Multi-mode interference revealed by two photon absorption in silicon rich SiO2 waveguides. Applied Physics Letters, 2015, 106, .	1.5	5
425	All-optical ultrafast wavelength and mode converter based on inter-modal four-wave mixing in few-mode fibers. Optics Communications, 2015, 348, 7-12.	1.0	15
426	Electrospun Amplified Fiber Optics. ACS Applied Materials & Interfaces, 2015, 7, 5213-5218.	4.0	17
427	Four-wave mixing experiments with extreme ultraviolet transient gratings. Nature, 2015, 520, 205-208.	13.7	184
428	Broadband cascaded four-wave mixing and supercontinuum generation in a tellurite microstructured optical fiber pumped at 2 Î¼m. Optics Express, 2015, 23, 4125.	1.7	59
429	Enhanced parametric frequency conversion in a compact silicon-graphene microring resonator. Optics Express, 2015, 23, 18679.	1.7	67
430	Fabrication of nanoscale lithium niobate waveguides for second-harmonic generation. Optics Letters, 2015, 40, 2715.	1.7	103
431	Increased bandwidth with flattened and low dispersion in a horizontal double-slot silicon waveguide. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 26.	0.9	30
432	Cross-polarized photon-pair generation and bi-chromatically pumped optical parametric oscillation on a chip. Nature Communications, 2015, 6, 8236.	5.8	110
433	Exploring High Refractive Index Silicon-Rich Nitride Films by Low-Temperature Inductively Coupled Plasma Chemical Vapor Deposition and Applications for Integrated Waveguides. ACS Applied Materials & Interfaces, 2015, 7, 21884-21889.	4.0	74
434	High-gain optical waveguide amplifier based on proton beam writing of Nd:YAG crystal. Optics Express, 2015, 23, 14612.	1.7	13
435	Non-degenerate two-photon absorption in silicon waveguides: analytical and experimental study. Optics Express, 2015, 23, 17101.	1.7	23
436	109â€‰â€‰MHz optical tomography using temporal magnification. Optics Letters, 2015, 40, 2965.	1.7	15
437	Terahertz nonlinear conduction and absorption saturation in silicon waveguides. Optica, 2015, 2, 553.	4.8	12
438	Broadband cascaded four-wave mixing in As2S3 chalcogenide waveguide with optical feedback and Machâ€"Zehnder interferometer. Modern Physics Letters B, 2015, 29, 1550115.	1.0	4

#	Article	IF	Citations
439	Efficient and broadband wavelength conversion in a slot waveguide with the periodic structure altering the phase-mismatch. Applied Optics, 2015, 54, 7753.	2.1	3
440	Broadband and transparent wavelength conversion based on dispersion-flattened double-slot waveguide. Applied Optics, 2015, 54, 7520.	2.1	1
441	Modulated coupled nanowires for ultrashort pulses. Optics Letters, 2015, 40, 4078.	1.7	1
442	Formation of Mach angle profiles during wet etching of silica and silicon nitride materials. Applied Surface Science, 2015, 359, 679-686.	3.1	11
443	Fiber optical parametric amplifiers in optical communication systems. Laser and Photonics Reviews, 2015, 9, 50-74.	4.4	104
444	Integrated nonlinear interferometer with wavelength multicasting functionality. Optics Express, 2016, 24, 18217.	1.7	2
445	Self-homodyne 24Ã—32-QAM superchannel receiver enabled by all-optical comb regeneration using brillouin amplification. Optics Express, 2016, 24, 29714.	1.7	34
446	Dispersion-optimized multicladding silicon nitride waveguides for nonlinear frequency generation from ultraviolet to mid-infrared. Journal of the Optical Society of America B: Optical Physics, 2016, 33, 2402.	0.9	10
447	Phase-Sensitive Amplification in Silicon and Chalcogenide Waveguides. , 2016, , .		0
448	Wavelengthâ€Tunable Microlasers Based on the Encapsulation of Organic Dye in Metalâ€“Organic Frameworks. Advanced Materials, 2016, 28, 7424-7429.	11.1	103
449	Pulse generation and compression using an asymmetrical porous silicon-based Machâ€“Zehnder interferometer configuration. Pramana - Journal of Physics, 2016, 87, 1.	0.9	3
450	On-chip integratable all-optical quantizer using strong cross-phase modulation in a silicon-organic hybrid slot waveguide. Scientific Reports, 2016, 6, 19528.	1.6	11
451	Efficient and low-noise single-photon-level frequency conversion interfaces using silicon nanophotonics. Nature Photonics, 2016, 10, 406-414.	15.6	184
452	Generation and manipulation of entangled photons on silicon chips. Nanophotonics, 2016, 5, 440-455.	2.9	9
453	On Frequency Combs in Monolithic Resonators. Nanophotonics, 2016, 5, 363-391.	2.9	38
454	Group delay and dispersion tailoring in nonadiabatic tapered fibers. Optical Fiber Technology, 2016, 31, 130-133.	1.4	1
455	Comparison of wavelength conversion efficiency between silicon waveguide and microring resonator. Frontiers of Optoelectronics, 2016, 9, 390-394.	1.9	3
456	Sixâ€wave mixing induced by freeâ€carrier plasma in silicon nanowire waveguides. Laser and Photonics Reviews, 2016, 10, 1054-1061.	4.4	6

#	Article	IF	Citations
457	Measurement of fiber non-linearity based on four-wave mixing with an ASE source. Optical Fiber Technology, 2016, 32, 23-29.	1.4	4
458	Interplay of phase-sensitive amplification and cascaded four-wave mixing in dispersion-controlled waveguides. Physical Review A, 2016, 94, .	1.0	5
459	Enabling arbitrary wavelength frequency combs on chip. Laser and Photonics Reviews, 2016, 10, 158-162.	4.4	36
460	The influence of thermal and free carrier dispersion effects on all-optical wavelength conversion in a silicon racetrack-shaped microring resonator. Laser Physics, 2016, 26, 075403.	0.6	7
461	Dispersion engineering of a As2Se3-based strip/slot hybrid waveguide for mid-infrared broadband wavelength conversion. Modern Physics Letters B, 2016, 30, 1650336.	1.0	7
462	On-Chip Strong Coupling and Efficient Frequency Conversion between Telecom and Visible Optical Modes. Physical Review Letters, 2016, 117, 123902.	2.9	138
463	Foundry-compatible SOI waveguides with a graphene top layer for wideband wavelength conversion. , 2016, , .		3
464	Theory of pulsed four-wave mixing in one-dimensional silicon photonic crystal slab waveguides. Physical Review B, 2016, 93, .	1.1	19
465	Size-, electric-field- and frequency-dependent third-order nonlinear optical properties of hydrogenated silicon nanoclusters. Scientific Reports, 2016, 6, 28067.	1.6	19
466	Super-continuum generation of an optical pulse in a silicon micro-ring resonator. Optical and Quantum Electronics, 2016, 48, 1.	1.5	1
467	Giant Kerr response of ultrathin gold films from quantum size effect. Nature Communications, 2016, 7, 13153.	5.8	89
468	Exploiting metamaterials, plasmonics and nanoantennas concepts in silicon photonics. Journal of Optics (United Kingdom), 2016, 18, 123001.	1.0	36
469	Nonlinear optics with coherent free electron lasers. Physica Scripta, 2016, T169, 014003.	1.2	5
470	On-chip realization of quantum circuits by using waveguides on Si3N4. Journal of Physics: Conference Series, 2016, 741, 012104.	0.3	0
471	Silicon nanophotonics for scalable quantum coherent feedback networks. EPJ Quantum Technology, 2016, 3, .	2.9	6
472	Excimer Emission in Selfâ€Assembled Organic Spherical Microstructures: An Effective Approach to Wavelength Switchable Microlasers. Advanced Optical Materials, 2016, 4, 1009-1014.	3.6	50
473	Siliconâ€Modified Rareâ€Earth Transitionsâ€"A New Route to Nearâ€•and Midâ€IR Photonics. Advanced Functional Materials, 2016, 26, 1986-1994.	7.8	9
474	Time-frequency representation measurement based on temporal Fourier transformation. Optics Communications, 2016, 376, 86-91.	1.0	5

#	Article	IF	Citations
475	Large Brillouin amplification in silicon. Nature Photonics, 2016, 10, 463-467.	15.6	200
476	Ultraflat and low dispersion in a horizontal silicon nitride slot waveguide at near-infrared wavelengths. Optical Engineering, 2016, 55, 037109.	0.5	11
477	Silicon Quantum Photonics. Topics in Applied Physics, 2016, , 41-82.	0.4	13
478	Polarization Insensitive Wavelength Conversion in a Low-Birefringence SiGe Waveguide. IEEE Photonics Technology Letters, 2016, 28, 1221-1224.	1.3	8
479	Opportunities for Wideband Wavelength Conversion in Foundry-Compatible Silicon Waveguides Covered With Graphene. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 347-359.	1.9	19
480	Nonlinear optical interactions in silicon waveguides. Nanophotonics, 2017, 6, 377-392.	2.9	18
481	Pushing the limits of CMOS optical parametric amplifiers with USRN:Si7N3 above the two-photon absorption edge. Nature Communications, 2017, 8, 13878.	5.8	155
482	Demonstration of a Silicon Photonic Circuit for Half-Add Operations Using Cascaded Microring Resonators. IEEE Photonics Journal, 2017, 9, 1-9.	1.0	3
483	Feasibility study of optical parametric amplification using CMOS compatible ring resonators. , 2017, , .		0
484	High-brightness lasers on silicon by beam combining. , 2017, , .		3
485	Semiconductor optical amplifiers at 2.0â€Âµm wavelength on silicon. Laser and Photonics Reviews, 2017, 11, 1600165.	4.4	37
486	Controllable optical response by modifying the gain and loss of a mechanical resonator and cavity mode in an optomechanical system. Physical Review A, 2017, 95, .	1.0	67
487	All-Optical Wavelength Conversion Based on Four-Wave Mixing in Dispersion-Engineered Silicon Nanowaveguides. Journal of Russian Laser Research, 2017, 38, 204-210.	0.3	1
488	Integrated nanoplasmonic waveguides for magnetic, nonlinear, and strong-field devices. Nanophotonics, 2017, 6, 235-257.	2.9	20
489	Extracting loss from asymmetric resonances in micro-ring resonators. Journal of Optics (United) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 18	1.0	4
490	Nonlinear silicon photonics. Journal of Optics (United Kingdom), 2017, 19, 093002.	1.0	85
491	Nonclassical light sources for silicon photonics. Photonics and Nanostructures - Fundamentals and Applications, 2017, 26, 24-34.	1.0	1
492	Photonic crystal waveguides based on wide-gap semiconductor alloys. Journal of Optics (United) Tj ETQq1 1 0.784314 rgBT /Overlock 1	1.0	2

#	Article	IF	Citations
493	Free Carrier Front Induced Indirect Photonic Transitions: A New Paradigm for Frequency Manipulation on Chip. ACS Photonics, 2017, 4, 2751-2758.	3.2	18
494	Toward an ideal nanomaterial for on-chip Raman laser. Journal of Nonlinear Optical Physics and Materials, 2017, 26, 1750039.	1.1	13
495	Broadband reconfigurable logic gates in phonon waveguides. Scientific Reports, 2017, 7, 12745.	1.6	15
496	Electrically Tunable Optical Nonlinearities in Graphene-Covered SiN Waveguides Characterized by Four-Wave Mixing. ACS Photonics, 2017, 4, 3039-3044.	3.2	78
497	Tailoring the Structure of Multilayered Hybrid Silicon Vertical Waveguide to Achieve Anomalous Dispersion. IEEE Photonics Journal, 2017, 9, 1-8.	1.0	1
498	Integrated all-optical wavelength multicasting for 40 Gbit/s PDM-QPSK signals using a single silicon waveguide. Optics and Laser Technology, 2017, 94, 261-266.	2.2	2
499	Si-rich Silicon Nitride for Nonlinear Signal Processing Applications. Scientific Reports, 2017, 7, 22.	1.6	111
500	Expanding the Silicon Photonics Portfolio With Silicon Nitride Photonic Integrated Circuits. Journal of Lightwave Technology, 2017, 35, 639-649.	2.7	232
501	The theoretical investigation of the impact of two-photon absorption and free-carrier absorption on phase-sensitive amplification in silicon waveguides. Journal of Modern Optics, 2017, 64, 93-99.	0.6	1
502	Frequency-degenerate parametric generation through IFWM effect in nanowaveguides. Modern Physics Letters B, 2017, 31, 1750266.	1.0	1
503	Optimum silicon taper structures with minimum temporal walk-off for nonlinear optical signal processing applications. , 2017, , .		0
504	Dispersion tailoring of a silicon strip waveguide employing Titania-Alumina thin-film coating. , 2017, , .		0
505	Dispersion control of silicon nanophotonic waveguides using sub-wavelength grating metamaterials in near- and mid-IR wavelengths. Optics Express, 2017, 25, 19468.	1.7	36
506	Advances in stimulated Raman scattering in nanostructures. Advances in Optics and Photonics, 2017, 9, 169.	12.1	40
507	Ultra-broadband two-pump optical parametric amplifier in tellurite waveguides with engineered dispersion. Optics Express, 2017, 25, 4268.	1.7	10
508	Exploiting high-order phase-shift keying modulation and direct-detection in silicon photonic systems. Optics Express, 2017, 25, 8611.	1.7	4
509	Full-vectorial propagation model and modified effective mode area of four-wave mixing in straight waveguides. Optics Letters, 2017, 42, 3670.	1.7	11
510	Towards on-chip net-gain in CMOS-compatible waveguides. , 2017, , .		0

#	Article	IF	Citations
511	All-Polymer Integrated Optical Resonators by Roll-to-Roll Nanoimprint Lithography. ACS Photonics, 2018, 5, 1839-1845.	3.2	44
512	Center-of-Mass Acceleration in Coupled Nanowaveguides Due to Transverse Optical Beating Force. Journal of Lightwave Technology, 2018, 36, 1608-1614.	2.7	5
513	Characterization of ultrafast free-electron laser pulses using extreme-ultraviolet transient gratings. Journal of Synchrotron Radiation, 2018, 25, 32-38.	1.0	12
514	Low-threshold parametric oscillation in organically modified microcavities. Science Advances, 2018, 4, eaao4507.	4.7	38
515	Frequency-degenerate phase-sensitive optical parametric amplification based on four-wave mixing in grapheneâ€"silicon slot waveguide. Applied Physics Express, 2018, 11, 062201.	1.1	1
516	Experimentally Validated Dispersion Tailoring in a Silicon Strip Waveguide With Alumina Thin-Film Coating. IEEE Photonics Journal, 2018, 10, 1-8.	1.0	3
517	Advances in instrumentation for FEL-based four-wave-mixing experiments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 907, 132-148.	0.7	18
518	Micro-combs: A novel generation of optical sources. Physics Reports, 2018, 729, 1-81.	10.3	448
519	Ultralow-power chip-based soliton microcombs for photonic integration. Optica, 2018, 5, 1347.	4.8	143
520	Inter-Modal Wavelength Conversion in Silicon Waveguide. , 2018, , .		1
521	High Resolution Brillouin Sensing of Micro-Scale Structures. Applied Sciences (Switzerland), 2018, 8, 2572.	1.3	6
522	An All-Optical Buffer Based on Non-Degenerate Phase-Sensitive Parametric Amplification. Journal of Lightwave Technology, 2018, 36, 5949-5955.	2.7	2
523	Gate-Tunable Nonlinear Refraction and Absorption in Graphene-Covered Silicon Nitride Waveguides. ACS Photonics, 2018, 5, 4944-4950.	3.2	25
524	Parametric Nonlinear Silicon-Based Photonics. Proceedings of the IEEE, 2018, 106, 2196-2208.	16.4	9
525	Conditions for Parametric and Free-Carrier Oscillation in Silicon Ring Cavities. Journal of Lightwave Technology, 2018, 36, 4671-4677.	2.7	15
526	Experimentally validated full-vectorial model of wavelength multicasting via four-wave mixing in straight waveguides. Scientific Reports, 2018, 8, 13030.	1.6	0
527	Adiabatic four-wave mixing frequency conversion. Optics Express, 2018, 26, 25582.	1.7	16
528	Self-phase modulation and spectral broadening in millimeter long self-written polymer waveguide integrated with single mode fibers. Optical Materials, 2018, 86, 172-177.	1.7	10

#	Article	IF	Citations
529	Four wave mixing in 3C SiC ring resonators. Applied Physics Letters, 2018, 112, .	1.5	33
530	Surface plasmon polariton waveguides with subwavelength confinement. Chinese Physics B, 2018, 27, 094216.	0.7	19
531	Low-threshold optical bistability in field-enhanced nonlinear guided-mode resonance grating nanostructure. Optics Letters, 2018, 43, 4156.	1.7	9
532	Nonlinear Optics in Hydrogenated Amorphous Silicon. IEEE Journal of Selected Topics in Quantum Electronics, 2018, 24, 1-12.	1.9	7
533	Optical free-carrier generation in silicon nano-waveguides at 1550â€‰nm. Applied Physics Letters, 2018, 112, .	1.5	13
534	Intermodal four-wave mixing in silicon waveguides. Photonics Research, 2018, 6, 805.	3.4	45
535	Spatial-mode-coupling-based dispersion engineering for integrated optical waveguide. Optics Express, 2018, 26, 2807.	1.7	15
536	Four-wave mixing and nonlinear parameter measurement in a gallium-nitride ridge waveguide. Optical Materials Express, 2018, 8, 66.	1.6	22
537	Impacts of doping on epitaxial germanium thin film quality and Si-Ge interdiffusion. Optical Materials Express, 2018, 8, 1117.	1.6	11
538	Hybrid silicon nonlinear photonics [Invited]. Photonics Research, 2018, 6, B13.	3.4	30
539	Nonlinear optics on silicon-rich nitrideâ€”a high nonlinear figure of merit CMOS platform [Invited]. Photonics Research, 2018, 6, B50.	3.4	85
540	Double inverse nanotapers for efficient light coupling to integrated photonic devices. Optics Letters, 2018, 43, 3200.	1.7	50
541	Electric field effects on nonlinear optical rectification in symmetric coupled AlxGa1âˆ’xAs/GaAs quantum wells. Thin Solid Films, 2018, 662, 27-32.	0.8	19
542	Parametric amplification of Rydberg six- and eight-wave mixing processes. Photonics Research, 2018, 6, 713.	3.4	7
543	Analytic description of four-wave mixing in silicon-on-insulator waveguides. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 702.	0.9	2
544	Low-power broadband all-optical switching via intermodal cross-phase modulation in integrated optical waveguides. Optics Letters, 2018, 43, 1631.	1.7	7
545	Impact of two-photon absorption and free-carrier effects on time lens based on four-wave mixing in silicon waveguides. Applied Physics Express, 2018, 11, 082204.	1.1	5
546	3-D Multilayer S-Bend Silicon Waveguide Optical Interconnect. IEEE Photonics Technology Letters, 2018, 30, 1040-1043.	1.3	5

#	Article	IF	Citations
547	Effect of coherence on all-optical signal amplification by supercontinuum generation. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 140.	0.9	2
548	Dissipative Kerr solitons in optical microresonators. Science, 2018, 361, .	6.0	1,069
549	Sevenâ€Photonâ€Excited Upconversion Lasing at Room Temperature. Advanced Optical Materials, 2018, 6, 1800518.	3.6	14
550	Towards integrated tunable all-silicon free-electron light sources. Nature Communications, 2019, 10, 3176.	5.8	55
551	Nanowires for Photonics. Chemical Reviews, 2019, 119, 9153-9169.	23.0	173
552	Generation and dynamics of solitonic pulses due to pump amplitude modulation at normal group-velocity dispersion. Physical Review A, 2019, 100, .	1.0	37
553	Characterize and optimize the four-wave mixing in dual-interferometer coupled silicon microrings. Chinese Physics B, 2019, 28, 104211.	0.7	7
554	Net optical parametric gain in a submicron silicon core fiber pumped in the telecom band. APL Photonics, 2019, 4, .	3.0	20
555	Fiber Integrated Wavelength Converter Based on a Silicon Core Fiber With a Nano-Spike Coupler. IEEE Photonics Technology Letters, 2019, 31, 1561-1564.	1.3	10
556	Four Wave Mixing control in a photonic molecule made by silicon microring resonators. Scientific Reports, 2019, 9, 408.	1.6	11
557	Temperature Dependence of the Kerr Nonlinearity and Two-Photon Absorption in a Silicon Waveguide at 1.55 <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" overflow="scroll"><mml:mi>Î¼</mml:mi><mml:mrow><mml:mrow><mml:mi mathvariant="normal">m</mml:mi></mml:mrow></mml:mrow></mml:math>. Physical Review Applied, 2019, 11, .	1.5	14
558	Localized Faraday patterns under heterogeneous parametric excitation. Physical Review E, 2019, 99, 033115.	0.8	9
559	Enhanced optical Kerr nonlinearity of graphene/Si hybrid waveguide. Applied Physics Letters, 2019, 114, .	1.5	50
560	Phase-matched nonlinear second-harmonic generation in plasmonic metasurfaces. Nanophotonics, 2019, 8, 607-612.	2.9	10
561	Photonic-chip-based frequency combs. Nature Photonics, 2019, 13, 158-169.	15.6	618
562	Ultra-compact silicon-graphene waveguide device for high-speed wavelength conversion. , 2019, , .		0
563	Broad-Band Optical Parametric Amplification in a Tapered Silicon Core Fiber Pumped in the Telecom Band. , 2019, , .		0
564	Slow-Light Frequency Combs and Dissipative Kerr Solitons in Coupled-Cavity Waveguides. Physical Review Applied, 2019, 12, .	1.5	7

#	Article	IF	Citations
565	A multi-layer platform for low-loss nonlinear silicon photonics. APL Photonics, 2019, 4, .	3.0	12
566	Astrocombs: Recent Advances. IEEE Photonics Technology Letters, 2019, 31, 1890-1893.	1.3	10
567	Experimental Demonstration of Dynamical Input Isolation in Nonadiabatically Modulated Photonic Cavities. ACS Photonics, 2019, 6, 162-169.	3.2	13
568	Temporal analog optical computing using an on-chip fully reconfigurable photonic signal processor. Optics and Laser Technology, 2019, 111, 66-74.	2.2	10
569	Self-Adaptive Waveguide Boundary for Inter-Mode Four-Wave Mixing. IEEE Journal of Selected Topics in Quantum Electronics, 2020, 26, 1-8.	1.9	3
570	Chip-based frequency combs for wavelength-division multiplexing applications. , 2020, , 51-102.		1
571	Enhanced four-wave mixing with MoS₂ on a silicon waveguide. Journal of Optics (United) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.6	21
572	Observation of Stimulated Brillouin Scattering in Silicon Nitride Integrated Waveguides. Physical Review Letters, 2020, 124, 013902.	2.9	67
573	Bi³⁺-Sensitized La₂Zr₂O₇:Er³⁺ Transparent Ceramics with Efficient Up/Down-Conversion Luminescence Properties for Photonic Applications. Journal of Physical Chemistry C, 2020, 124, 913-920.	1.5	18
574	Enhanced Fourâ€Wave Mixing in Silicon Nitride Waveguides Integrated with 2D Layered Graphene Oxide Films. Advanced Optical Materials, 2020, 8, 2001048.	3.6	52
575	Theoretical investigation of nano-photonic graphene-based waveguide. Modern Physics Letters B, 2020, 34, 2050350.	1.0	0
576	Monolithically Integrated Parametric Mixers With Time-Varying Transmission Lines (TVTLs). IEEE Transactions on Microwave Theory and Techniques, 2020, 68, 4479-4490.	2.9	6
577	Tunable microwave-photonic filtering with high out-of-band rejection in silicon. APL Photonics, 2020, 5, .	3.0	31
578	Sub-milliwatt optical frequency combs in dual-pumped high-Q multimode silicon resonators. Applied Physics Letters, 2020, 117, .	1.5	9
579	Three-dimensional polymer wire bonds on a chip: morphology and functionality. Journal Physics D: Applied Physics, 2020, 53, 355102.	1.3	7
580	3D Hybrid Plasmonic Framework with Au Nanopillars Embedded in Nitride Multilayers Integrated on Si. Advanced Materials Interfaces, 2020, 7, 2000493.	1.9	18
581	Silicon Photonics Optical Frequency Synthesizer. Laser and Photonics Reviews, 2020, 14, 1900449.	4.4	17
582	On-Chip Fabryâ€"Perot Bragg Grating Cavity Enhanced Four-Wave Mixing. ACS Photonics, 2020, 7, 1009-1015.	3.2	13

#	Article	IF	Citations
583	Microwave Filtering Using Forward Brillouin Scattering in Photonic-Phononic Emit-Receive Devices. Journal of Lightwave Technology, 2020, 38, 5248-5261.	2.7	16
584	Integrated Raman Laser: A Review of the Last Two Decades. Micromachines, 2020, 11, 330.	1.4	21
585	Characterization of Four-Wave Mixing in Specialty Silica Fibers at 2 Î¼m Using Continuous-Wave Pumps. IEEE Photonics Technology Letters, 2020, 32, 542-545.	1.3	0
586	2D Layered Graphene Oxide Films Integrated with Microâ€Ring Resonators for Enhanced Nonlinear Optics. Small, 2020, 16, e1906563.	5.2	75
587	Tunable wavelength conversion based on a nanoscale slot waveguide in communication bands. Modern Physics Letters B, 2020, 34, 2050260.	1.0	1
588	Nanowaveguide Designs in 220-nm SOI for Ultra-Broadband FWM at Telecom Wavelengths. IEEE Journal of Quantum Electronics, 2020, 56, 1-8.	1.0	6
589	A review of nonlinear applications in silicon optical fibers from telecom wavelengths into the mid-infrared spectral region. Optics Communications, 2020, 463, 125437.	1.0	10
590	Gain characteristics of the hybrid slot waveguide amplifiers integrated with NaYF₄:Er³⁺ NPs-PMMA covalently linked nanocomposites. RSC Advances, 2020, 10, 11148-11155.	1.7	8
591	Tunable four-wave mixing in AlGaAs waveguides of three different geometries. Optics Communications, 2021, 479, 126450.	1.0	9
592	Four-Wave Mixing-Based Wavelength Conversion and Parametric Amplification in Submicron Silicon Core Fibers. IEEE Journal of Selected Topics in Quantum Electronics, 2021, 27, 1-11.	1.9	22
593	Graphene Oxide for Integrated Photonics and Flat Optics. Advanced Materials, 2021, 33, e2006415.	11.1	72
594	Phase Controlled Bistability in Silicon Microring Resonators for Nonlinear Photonics. IEEE Journal of Selected Topics in Quantum Electronics, 2021, 27, 1-9.	1.9	10
595	Design and Optimization of Four-Wave Mixing in Microring Resonators Integrated With 2D Graphene Oxide Films. Journal of Lightwave Technology, 2021, 39, 6553-6562.	2.7	19
597	Graphene oxide for enhanced optical nonlinear performance in CMOS compatible integrated devices. , 2021, , .		7
599	Low-Loss Integrated Nanophotonic Circuits with Layered Semiconductor Materials. Nano Letters, 2021, 21, 2709-2718.	4.5	24
600	Frequencyâ€Upconverted Stimulated Emission by Up to Sixâ€Photon Excitation from Highly Extended Spiroâ€Fused Ladderâ€Type Oligo(p â€phenylene)s. Angewandte Chemie, 2021, 133, 10095-10103.	1.6	6
601	Frequencyâ€Upconverted Stimulated Emission by Up to Sixâ€Photon Excitation from Highly Extended Spiroâ€Fused Ladderâ€Type Oligo(pâ€phenylene)s. Angewandte Chemie - International Edition, 2021, 60, 10007-10015.	7.2	60
602	High-yield, wafer-scale fabrication of ultralow-loss, dispersion-engineered silicon nitride photonic circuits. Nature Communications, 2021, 12, 2236.	5.8	157

#	Article	IF	Citations
603	Robust frequency-upconversion lasing operated at 400 K from inorganic perovskites microcavity. Nano Research, 2022, 15, 492-501.	5.8	9
604	Analysis of Four-Wave Mixing in Silicon Nitride Waveguides Integrated With 2D Layered Graphene Oxide Films. Journal of Lightwave Technology, 2021, 39, 2902-2910.	2.7	33
605	Far-detuned mid-IR wavelength conversion at 4.05 Âµm in a tellurium oxide rib waveguide pumped at 1550Ânm: Design and analysis. AIP Advances, 2021, 11, 055110.	0.6	0
606	On-chip non-Hermitian optical parametric amplifiers with a large bandwidth. Journal of the Optical Society of America B: Optical Physics, 2021, 38, 2160.	0.9	5
607	Microresonators in Lithium Niobate Thin Films. Advanced Optical Materials, 2021, 9, 2100539.	3.6	19
608	Reconfigurable Parametric Amplifications of Spoof Surface Plasmons. Advanced Science, 2021, 8, e2100795.	5.6	21
609	An approach for realizing four-wave-mixing experiments stimulated by two-color extreme ultraviolet pulses. , 2021, , .		2
610	Observation of Ultrashort Laser Pulse Evolution in a Silicon Photonic Crystal Waveguide. Micromachines, 2021, 12, 911.	1.4	1
611	Pedestal waveguides based on GeO2-Bi2O3, GeO2-PbO, Ta2O5 and SiOxNy cores as platforms for optical amplifiers and nonlinear optics applications: Review of recent advances. Journal of Luminescence, 2021, 236, 118113.	1.5	6
612	Controllable Photonic Structures on Silicon-on-Insulator Devices Fabricated Using Femtosecond Laser Lithography. ACS Applied Materials & Interfaces, 2021, 13, 43622-43631.	4.0	13
613	An optical parametric Bragg amplifier on a CMOS chip. Nanophotonics, 2021, 10, 3507-3518.	2.9	9
614	Enhancing the Refractive Index of Polymers with a Plantâ€Based Pigment. Small, 2021, 17, e2103061.	5.2	13
615	Near-infrared frequency comb generation from a silicon microresonator. Journal of Optics (United) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.0	1
616	Inâ€Volume Laser Direct Writing of Siliconâ€"Challenges and Opportunities. Laser and Photonics Reviews, 2021, 15, 2100140.	4.4	38
617	Investigation of low-power comb generation in silicon microresonators from dual pumps. Journal of Optics (United Kingdom), 2021, 23, 10LT03.	1.0	3
618	Overcoming the quantum limit of optical amplification in monolithic waveguides. Science Advances, 2021, 7, eabi8150.	4.7	56
620	Nonlinear optics in ultra-silicon-rich nitride devices: recent developments and future outlook. Advances in Physics: X, 2021, 6, .	1.5	13
621	Silicon Photonic Integrated Circuits. Springer Series in Optical Sciences, 2017, , 673-737.	0.5	1

#	Article	IF	Citations
623	Experimental Realization of 1400â€“2100 nm Broadband Emission for Wide-Bandwidth Optical Communication in Erâ€“Tm Codoped ZnO Films and Devices. Journal of Physical Chemistry C, 2020, 124, 3747-3755.	1.5	2
624	Electrically pumped efficient broadband CW frequency conversion in diode lasers using bulk Ï‡2. APL Photonics, 2020, 5, 011301.	3.0	12
625	Linear optics control of sideband instability for improved free-electron laser spectral brightness. Physical Review Accelerators and Beams, 2020, 23, .	0.6	5
626	Stretching the spectra of Kerr frequency combs with self-adaptive boundary silicon waveguides. Advanced Photonics, 2020, 2, 1.	6.2	10
627	Rectangular-cladding silicon slot waveguide with improved nonlinear performance. Optical Engineering, 2018, 57, 1.	0.5	1
628	Reduction of phase noise to amplitude noise conversion in silicon waveguide-based phase-sensitive amplification. Applied Optics, 2016, 55, 3140.	0.9	3
629	Performance evaluation of continuous-wave mid-infrared wavelength conversion in silicon waveguides. Applied Optics, 2019, 58, 2584.	0.9	4
630	Emerging material systems for integrated optical Kerr frequency combs. Advances in Optics and Photonics, 2020, 12, 135.	12.1	75
631	Mid-Infrared Four-Wave Mixing in Silicon Waveguides Using Telecom-Compatible Light Sources. , 2009, , .		2
632	Parity-Time (PT) symmetric photonic system based on Parametric Gain. , 2018, , .		1
633	High-gain, low-threshold and small-footprint optical parametric amplifier for photonic integrated circuits. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 362.	0.9	15
634	Design of mid-infrared nonlinear siliconâ€“germanium waveguides for broadband/discrete-band wavelength conversion. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 741.	0.9	6
635	Tailoring mode splitting and degeneracy in silicon triply resonant nanobeam cavities. Journal of the Optical Society of America B: Optical Physics, 2019, 36, 1267.	0.9	2
636	Efficient, broadband third-harmonic generation in silicon nanophotonic waveguides spectrally shaped by nonlinear propagation. Optics Express, 2019, 27, 4990.	1.7	8
637	Evanescent-wave coupling phase-matching for ultrawidely tunable frequency conversion in silicon-waveguide chips. Optics Express, 2019, 27, 28866.	1.7	5
638	Time-division-multiplexed observation bandwidth for ultrafast parametric spectro-temporal analyzer. Optics Express, 2019, 27, 30441.	1.7	7
639	Waveguide tapering for improved parametric amplification in integrated nonlinear Si₃N₄ waveguides. Optics Express, 2020, 28, 23467.	1.7	12
640	High-Q titanium dioxide micro-ring resonators for integrated nonlinear photonics. Optics Express, 2020, 28, 39084.	1.7	16

#	Article	IF	Citations
641	Frequency conversion of mid-infrared optical signals into the telecom band using nonlinear silicon nanophotonic wires. , 2011, , .		6
642	Ultrafast Nonlinear Signal Processing in Silicon Waveguides. , 2012, , .		3
643	Second- and third-order nonlinear wavelength conversion in an all-optically poled Si₃N₄ waveguide. Optics Letters, 2019, 44, 106.	1.7	20
644	Visible blue-to-red 10â€‰â€‰GHz frequency comb via on-chip triple-sum-frequency generation. Optics Letters, 2019, 44, 5290.	1.7	20
645	Resonantly enhanced nonreciprocal silicon Brillouin amplifier. Optica, 2019, 6, 1117.	4.8	39
646	Inverse photonic-crystal-fiber design through geometrical and material scalings. OSA Continuum, 2021, 4, 55.	1.8	1
647	Nonlinear silicon photonics on CMOS-compatible tellurium oxide. Photonics Research, 2020, 8, 1904.	3.4	8
648	High-efficiency and broadband four-wave mixing in a silicon-graphene strip waveguide with a windowed silica top layer. Photonics Research, 2018, 6, 965.	3.4	20
649	Intermodal frequency generation in silicon-rich silicon nitride waveguides. Photonics Research, 2019, 7, 615.	3.4	19
650	Third-order nonlinear optical susceptibility of crystalline oxide yttria-stabilized zirconia. Photonics Research, 2020, 8, 110.	3.4	19
652	Phase-Matching and Parametric Conversion for the Mid-Infrared in As₂S₃ Waveguides. Optics and Photonics Journal, 2012, 02, 260-264.	0.3	4
653	Analysis of the Nonlinear Optical Parameter of ZnO Channel Waveguides. Japanese Journal of Applied Physics, 2011, 50, 04DG01.	0.8	1
654	Optical Frequency Comb Generation in Normal Dispersion Microresonators with Coupled-ring Structure. , 2021, , .		0
655	Low-Noise Integrated Phase-Sensitive Waveguide Parametric Amplifiers. Journal of Lightwave Technology, 2022, 40, 128-135.	2.7	11
656	Low-Noise Phase-sensitive Parametric Amplifiers Based on Integrated Silicon-Nitride-Waveguides for Optical Signal Processing. Journal of Lightwave Technology, 2022, 40, 1847-1854.	2.7	5
657	Raman scattering noise in phase-insensitive and phase-sensitive parametric processes in fibers. , 2006, , .		0
658	Broad-band continuous-wave four-wave mixing in silicon wire waveguides. , 2007, , .		1
659	Broadband optical amplification on a silicon chip. SPIE Newsroom, 2007, , .	0.1	0

#	Article	IF	Citations
660	Optical Regeneration in a Silicon Waveguide. , 2007, , .		0
661	All Optical Wavelength Conversion and Nonlinear Functions Enhanced in Ultra-small Silicon Waveguides. , 2007, , .		0
662	Efficient four-wave mixing in dispersion engineered As2S3 highly nonlinear waveguides. , 2008, , .		0
663	Optimal Design of Silicon-on-Insulator Nano-Wire Waveguides for Broadband Wavelength Conversion. , 2008, , .		1
664	Noise figure of high-repetition-rate optical parametric amplifiers in silicon. , 2008, , .		0
665	Ultra-low-power parametric frequency conversion of high data rates on-chip. , 2008, , .		1
666	Dispersion engineering of silicon nanophotonic wires using a thin film cladding. , 2008, , .		1
667	Ultrafast self-pulsation in a silicon microdisk. , 2008, , .		0
668	Slow Light in Optical Waveguides. Optical Science and Engineering, 2008, , .	0.1	0
669	Two-Pump Four-Wave Mixing in Silicon Waveguides. , 2009, , .		2
670	Ultra-Low Power Frequency Conversion in High-Index Doped Silica Glass Micro-Ring Resonators. , 2009, , .		0
671	High efficiency harmonic generation in LiNbO3 membranes. , 2010, , .		0
672	Silicon nanophotonic mid-infrared optical parametric amplifier with 25 dB gain. , 2010, , .		0
673	Four-wave mixing in short silicon slow-light engineered photonic crystal waveguides. , 2011, , .		0
675	Stress and Piezoelectric Tuning of Siliconâ€™s Optical Properties. , 2011, , 77-106.		0
676	Engineered Transitions in Photonic Cavities. Optics and Photonics Journal, 2012, 02, 255-259.	0.3	0
677	Energy efficient nonlinear optics in silicon: are slow-light structures more efficient than nanowires?. , 2012, , .		1
678	Phase-Sensitive Fiber-Optic Parametric Amplifiers and their Applications. , 2012, , .		0

#	Article	IF	Citations
679	Applications of Phase-Sensitive Parametric Amplification. , 2012, , .		1
680	Advanced Integrated Photonics in Doped Silica Glass. Springer Series in Optical Sciences, 2012, , 47-92.	0.5	1
681	Polarization Insensitive Wavelength Conversion Based on Four-Wave Mixing in a Silicon Nanowire. , 2012, , .		1
682	Four Wave Mixing in Silicon Photonics. SpringerBriefs in Materials, 2013, , 101-115.	0.1	0
683	Systematic Comparison of FWM Conversion Efficiency in Silicon Waveguides and MRRs. , 2013, , .		0
684	Bandwidth Scaling of Phase-modulated CW Comb through Four-Wave Mixing on Silicon Nano-waveguide. , 2013, , .		0
685	Phase-Sensitive Fiber-Optic Parametric Amplifiers and their Applications. , 2013, , .		0
686	Experimental Demonstration of Phase Sensitive Parametric Processes in a Nano-Engineered Silicon Waveguide. , 2013, , .		1
687	105 nm Wavelength Conversion of 40-Gb/s DPSK in a Dispersion-Engineered Silicon Waveguide. , 2013, , .		0
688	Silicon Photonics. The Review of Laser Engineering, 2013, 41, 768.	0.0	0
690	Evaluation of Chromatic-Dispersion-Dependent Four-Wave-Mixing Efficiency in Hydrogenated Amorphous Silicon Waveguides. Journal of the Optical Society of Korea, 2013, 17, 433-440.	0.6	1
691	All-optical regeneration experiment based on data-pump four-wave mixing in silicon waveguide. , 2015, , .		0
692	Large Amplification in Silicon via Stimulated Brillouin Scattering. , 2016, , .		0
693	Optical Fiber-based Phase Sensitive Amplifiers and their Application in Optical Communication Systems. , 2016, , .		0
694	Free Carrier induced Nonlinear Six-wave Mixing in Silicon. , 2016, , .		0
695	Approach to Energy-Efficient Ultra-Fast All-Optical Gates. Nanoscience and Technology, 2017, , 107-137.	1.5	0
696	Chapter 13: Integrated nonlinear photonics. Series in Optics and Optoelectronics, 2017, , 275-304.	0.0	0
697	Midinfrared wavelength conversion in hydrogenated amorphous silicon waveguides. Optical Engineering, 2017, 56, 1.	0.5	1

#	Article	IF	Citations
698	Silicon-Graphene Hybrid Slot Waveguide with Enhanced Four-Wave Mixing Efficiency. , 2018, , .		1
699	Brillouin lasers and amplifiers in silicon photonics. , 2018, , .		0
700	Enhanced third-harmonic generation in silicon metasurface. Wuli Xuebao/Acta Physica Sinica, 2019, 68, 214207.	0.2	2
701	Extended L-band observation of the ultrafast parametric spectro-temporal analyzer. , 2019, , .		0
702	Brillouin-Based Nonreciprocity and Laser Cooling in Silicon Photonics. , 2019, , .		0
703	Enhanced four-wave mixing in hybrid integrated waveguides with graphene oxide. , 2019, , .		0
704	Optical frequency comb with ultra-stable repetition rate generated in a micro-ring resonator. , 2019, , .		0
705	GHz-rate positive conversion efficiency via FWM in multi-layer SiNx/a-Si:H waveguides. , 2020, , .		2
706	Enhanced optical nonlinearity in a siliconâ€“organic hybrid slot waveguide for all-optical signal processing. Photonics Research, 2022, 10, 50.	3.4	14
707	Overcoming the Quantum Noise Limit with Continuous-wave Phase-Sensitive Parametric Amplification Based on a Single Integrated Silicon-Nitride Waveguide. , 2021, , .		3
708	Impact of third-order dispersion and three-photon absorption on mid-infrared time magnification via four-wave mixing in Si_{0.8}Ge_{0.2} waveguides. Applied Optics, 2020, 59, 1187.	0.9	1
709	Single-mode, single-polarization and dispersion-flattened waveguides based on silicon carbide and diamond. Optics and Laser Technology, 2022, 148, 107692.	2.2	1
710	Raman Enhanced Four-Wave Mixing in Silicon Core Fibers. , 2021, , .		0
711	Advances in Chipâ€Scale Quantum Photonic Technologies. Advanced Quantum Technologies, 2021, 4, .	1.8	13
712	Fingerprint of the Interbond Electron Hopping in Second-Order Harmonic Generation. Physical Review Letters, 2022, 128, 027401.	2.9	6
713	Polarization selective ultra-broadband wavelength conversion in silicon nitride waveguides. Optics Express, 2022, 30, 4342.	1.7	7
714	Silicon-integrated nonlinear III-V photonics. Photonics Research, 2022, 10, 535.	3.4	13
715	Impact of nonlocal response in plasmonic metasurfaces on four-wave mixing. New Journal of Physics, 2021, 23, 125005.	1.2	1

#	Article	IF	Citations
716	Enhanced four-wave mixing from multi-resonant silicon dimer-hole membrane metasurfaces. New Journal of Physics, 2022, 24, 035002.	1.2	17
717	Optimization of quantum light sources and four-wave mixing based on a reconfigurable silicon ring resonator. Optics Express, 2022, 30, 9992.	1.7	3
718	Enhanced nonlinear optics in nanowires, waveguides, and ring resonators integrated with graphene oxide films. , 2022, , .		0
719	Raman enhanced four-wave mixing in silicon core fibers. Optics Letters, 2022, 47, 1626.	1.7	10
720	High-efficiency four-wave mixing in low-loss silicon photonic spiral waveguides beyond the singlemode regime. Optics Express, 2022, 30, 16362.	1.7	7
721	Third harmonic generation from the gold/amorphous silicon hybrid metasurface. Nanophotonics, 2022, 11, 2245-2251.	2.9	5
723	Ultralow-loss Silicon Nitride Waveguides for Parametric Amplification. , 2022, , .		0
724	Ultralow-threshold six-photon-excited upconversion lasing in a plasmonic microcavity. Nanoscale, 2022, 14, 7589-7595.	2.8	2
725	Enhanced Spectral Broadening of Femtosecond Optical Pulses in Silicon Nanowires Integrated with 2D Graphene Oxide Films. Micromachines, 2022, 13, 756.	1.4	15
726	Enhanced self-phase modulation in silicon nitride waveguides integrated with 2D graphene oxide films. IEEE Journal of Selected Topics in Quantum Electronics, 2022, , 1-1.	1.9	17
727	A Theoretical Study of Tunable Brillouin Lasers Based on a Diamond Suspended Waveguide. Frontiers in Physics, 2022, 10, .	1.0	0
728	Relaxed Phase-Matching Constraints in Zero-Index Waveguides. Physical Review Letters, 2022, 128, .	2.9	11
729	Optical parametric wideband frequency modulation. APL Photonics, 2022, 7, .	3.0	8
730	Recent Progresses in Dispersion Engineering for Broadband Nonlinear Applications. , 2022, , .		0
731	Broadband high-Q multimode silicon concentric racetrack resonators for widely tunable Raman lasers. Nature Communications, 2022, 13, .	5.8	15
732	Spectrally-Pure Integrated Telecom-Band Photon Sources in Silicon. Journal of Lightwave Technology, 2022, 40, 7529-7537.	2.7	6
733	An Optical Parametric Amplifier via $ chi ^{(2)}$ in AlGaAs Waveguides. Journal of Lightwave Technology, 2022, 40, 5943-5951.	2.7	3
734	Correlations between Incident and Emission Polarization in Nanowire-particle Coupled Junctions. Optics Express, 0, , .	1.7	0

#	Article	IF	Citations
735	Regulation of soliton inside microresonators with multiphoton absorption and free-carrier effects. Optics Express, 0, , .	1.7	0
736	56 dB Parametric Gain in AlGaAs-on-insulator Nanowaveguides. , 2022, , .		0
737	Quasi-Phase-Matched Four-Wave Mixing Enabled by Grating-Assisted Coupling in a Hybrid Silicon Waveguide. IEEE Access, 2022, 10, 83440-83451.	2.6	0
738	Phase regeneration of 8PSK signal using phase-sensitive amplification based on an organicâ€"Ge hybrid waveguide. Applied Optics, 2022, 61, 7095.	0.9	0
739	Normal mode splitting and four-wave mixing in Kerr-nonlinear optical system containing coupled double quantum dot. Journal of Optics (United Kingdom), 2022, 24, 095501.	1.0	1
740	Broadband EO-Comb Generation Based on Two-Stage Nonlinear System. IEEE Photonics Journal, 2022, 14, 1-5.	1.0	2
741	Dispersion management in integrated lithium niobate photonics enabling on-chip femtosecond pulse generation. , 2022, , .		1
742	Enhanced Spectral Broadening Through Self-phase Modulation of Femtosecond Optical Pulses in Silicon-on-Insulator Nanowires Integrated With Graphene Oxide Films. SSRN Electronic Journal, 0, , .	0.4	0
743	Role of Phase-matching on Raman-enhanced FWM in Silicon Core Fibers. , 2022, , .		0
744	Continous-wave travelling wave optical parametric amplification on a photonic chip. , 2022, , .		0
745	Dissipative Solitons in Microresonators. Springer Series in Optical Sciences, 2022, , 249-272.	0.5	0
746	Non-reciprocal sub-micron waveguide Raman amplifiers, towards loss-less silicon photonics. IEEE Journal of Selected Topics in Quantum Electronics, 2022, , 1-9.	1.9	6
747	Roomâ€Temperature Generation of Heralded Single Photons on Silicon Chip with Switchable Orbital Angular Momentum. Laser and Photonics Reviews, 0, , 2200388.	4.4	0
748	Low-power, high-performance, and small-footprint, single-pump optical parametric amplifier for photonic integrated circuits. Journal of Applied Physics, 2022, 132, .	1.1	1
749	Niobium-tantalum oxide as a material platform for linear and nonlinear integrated photonics. Optics Express, 2022, 30, 42155.	1.7	7
750	Phase-sensitive amplification in integrated waveguides. , 2022, , .		0
751	CMOS-compatible direct laser writing of sulfur-ultrahyperdoped silicon: Breakthrough pre-requisite for UV-THz optoelectronic nano/microintegration. Optics and Laser Technology, 2023, 158, 108873.	2.2	4
752	Applications of optical microcombs. Advances in Optics and Photonics, 2023, 15, 86.	12.1	37

#	Article	IF	Citations
753	Efficient four-wave mixing wavelength conversion in a hybrid silicon slot and polymer microring resonator. Optics Express, 2022, 30, 45499.	1.7	1
754	A photonic integrated continuous-travelling-wave parametric amplifier. Nature, 2022, 612, 56-61.	13.7	30
755	Recent Progress of Supercontinuum Generation in Nanophotonic Waveguides. Laser and Photonics Reviews, 2023, 17, .	4.4	9
756	POViT: Vision Transformer for Multi-Objective Design and Characterization of Photonic Crystal Nanocavities. Nanomaterials, 2022, 12, 4401.	1.9	3
757	Photon-pair generation in a lossy waveguide. Nanophotonics, 2023, .	2.9	1
758	Recent Progress in Short and Mid-Infrared Single-Photon Generation: A Review. Optics, 2023, 4, 13-38.	0.6	3
759	Graphene Oxide for Nonlinear Integrated Photonics. Laser and Photonics Reviews, 2023, 17, .	4.4	19
760	An on-chip atomic layer deposited waveguide amplifier with broadband net gain. , 2022, , .		1
761	Third-Order Optical Nonlinearities of 2D Materials at Telecommunications Wavelengths. Micromachines, 2023, 14, 307.	1.4	14
762	Internal Structuring of Semiconductors with Ultrafast Lasers: Opening a Route to Three-Dimensional Silicon Photonics. Springer Series in Optical Sciences, 2023, , 979-1018.	0.5	0
763	Optical bistability and four-wave mixing response of a quantum dot coupled to an optomechanical photonic crystal nanocavity. Photonics and Nanostructures - Fundamentals and Applications, 2023, 54, 101129.	1.0	1
764	Waveguide Channel Splitting Induced by Artificial Gauge Fields. ACS Photonics, 2023, 10, 632-638.	3.2	1
765	Degenerate optical parametric amplification in CMOS silicon. Optica, 2023, 10, 430.	4.8	2
766	An Introduction to Nonlinear Integrated Photonics: Structures and Devices. Micromachines, 2023, 14, 614.	1.4	5
767	Dispersion engineered SiON ring resonators for integrated photon sources. , 2023, , .		0
768	Ultralinear 140-GHz FMCW signal generation with optical parametric wideband frequency modulation enabling 1-mm range resolution. Optics Express, 2023, 31, 13384.	1.7	4
769	Allâ€Optical Parametricâ€Assisted Oversampling and Decimation for Signal Denoising Amplification. Laser and Photonics Reviews, 2023, 17, .	4.4	2
775	Enhanced self-phase modulation and supercontinuum generation in silicon nitride waveguides with graphene oxide films. , 2023, , .		0

#	Article	IF	Citations
776	High-Gain Parametric Amplification On-Chip at Low Pump Powers. , 2023, , .		0
779	High-Gain Regenerative Parametric Amplification On-Chip. , 2023, , .		0
780	A conformal mapping approach to broadband nonlinear optics on chip. , 2023, , .		0
781	Nonlinear optical phenomena in subwavelength photonic nanowires. , 2024, , 289-355.		0
785	Silicon Photonics - an encyclopedia article. , 2006, , .		0
786	Optical Parametric Amplifiers - an encyclopedia article. , 2005, , .		0
789	Optical coupler of combining lens coupling and edge coupling for the coupling between the chip and the laser off the chip. , 2023, , .		0
790	Optical Nonlinearity Enhancement in Silicon Nitride Organic Hybrid Strip Waveguide. , 2023, , .		0