

Methane bubbling from Siberian thaw lakes as a positive

Nature

443, 71-75

DOI: [10.1038/nature05040](https://doi.org/10.1038/nature05040)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Seasonal changes in the age and structure of dissolved organic carbon in Siberian rivers and streams. <i>Geophysical Research Letters</i> , 2006, 33, .	1.5	216
2	Permafrost carbon: Stock and decomposability of a globally significant carbon pool. <i>Geophysical Research Letters</i> , 2006, 33, .	1.5	257
3	The carbon balance of North American wetlands. <i>Wetlands</i> , 2006, 26, 889-916.	0.7	728
4	Methane bubbling from northern lakes: present and future contributions to the global methane budget. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2007, 365, 1657-1676.	1.6	294
5	Ecosystems and climate interactions in the boreal zone of northern Eurasia. <i>Environmental Research Letters</i> , 2007, 2, 045033.	2.2	44
6	Methane and nitrous oxide in the ice core record. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2007, 365, 1775-1792.	1.6	33
7	A catchment-scale carbon and greenhouse gas budget of a subarctic landscape. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2007, 365, 1643-1656.	1.6	76
8	Critical issues in trace gas biogeochemistry and global change. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2007, 365, 1629-1642.	1.6	23
9	Confidence, uncertainty and decision-support relevance in climate predictions. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2007, 365, 2145-2161.	1.6	338
10	Dangerous human-made interference with climate: a GISS modelE study. <i>Atmospheric Chemistry and Physics</i> , 2007, 7, 2287-2312.	1.9	211
11	Impeding ecological sustainability through selective moral disengagement. <i>International Journal of Innovation and Sustainable Development</i> , 2007, 2, 8.	0.3	155
12	Diurnal exchanges of CO ₂ and CH ₄ across the water-atmosphere interface in a water chestnut meadow (<i>Trapa natans</i> L.). <i>Aquatic Botany</i> , 2007, 87, 43-48.	0.8	48
13	Thermokarst Lakes as a Source of Atmospheric CH ₄ During the Last Deglaciation. <i>Science</i> , 2007, 318, 633-636.	6.0	287
14	Feedbacks of Terrestrial Ecosystems to Climate Change. <i>Annual Review of Environment and Resources</i> , 2007, 32, 1-29.	5.6	268
15	Variation in methane production pathways associated with permafrost decomposition in collapse scar bogs of Alberta, Canada. <i>Global Biogeochemical Cycles</i> , 2007, 21, .	1.9	48
16	Global inundation dynamics inferred from multiple satellite observations, 1993-2000. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	385
17	Oxidation, efflux, and isotopic fractionation of methane during autumnal turnover in a polyhumic, boreal lake. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	88
18	The arctic freshwater system: Changes and impacts. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	203

#	ARTICLE	IF	CITATIONS
19	UK peatland streams release old carbon dioxide to the atmosphere and young dissolved organic carbon to rivers. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	75
20	Solubility of Carbon Dioxide in Natural Systems. , 2007, , 189-203.		3
21	The Science of Climate Change: Scale of the Environment Challenge. , 0, , 3-24.		3
22	Global warming and changes of continentality since 1948. <i>Weather</i> , 2007, 62, 215-221.	0.6	8
23	A world melting from the top down. <i>Nature</i> , 2007, 446, 718-721.	13.7	40
24	Melting Moments: The Future of Polar Oceans Governance in a Warming World. <i>Review of European Community and International Environmental Law</i> , 2007, 16, 196-216.	0.6	14
25	The disappearance of relict permafrost in boreal north America: Effects on peatland carbon storage and fluxes. <i>Global Change Biology</i> , 2007, 13, 1922-1934.	4.2	190
26	A possible impact crater for the 1908 Tunguska Event. <i>Terra Nova</i> , 2007, 19, 245-251.	0.9	44
27	Biogeochemistry of methane and methanogenic archaea in permafrost. <i>FEMS Microbiology Ecology</i> , 2007, 61, 1-15.	1.3	118
28	The paleoclimatology of Lake Baikal: A diatom synthesis and prospectus. <i>Earth-Science Reviews</i> , 2007, 82, 181-215.	4.0	58
29	The millennial atmospheric lifetime of anthropogenic CO ₂ . <i>Climatic Change</i> , 2008, 90, 283-297.	1.7	244
30	Incorporating organic soil into a global climate model. <i>Climate Dynamics</i> , 2008, 30, 145-160.	1.7	306
31	Methane production and bubble emissions from arctic lakes: Isotopic implications for source pathways and ages. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	170
32	Vulnerability of Permafrost Carbon to Climate Change: Implications for the Global Carbon Cycle. <i>BioScience</i> , 2008, 58, 701-714.	2.2	1,379
33	Vulnerability of permafrost carbon to global warming. Part I: model description and role of heat generated by organic matter decomposition. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 60, 250.	0.8	87
34	Vulnerability of permafrost carbon to global warming. Part II: sensitivity of permafrost carbon stock to global warming. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 60, 265.	0.8	57
35	Large tundra methane burst during onset of freezing. <i>Nature</i> , 2008, 456, 628-630.	13.7	283
36	Simulation of characteristics of thermal and hydrologic soil regimes in equilibrium numerical experiments with a climate model of intermediate complexity. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2008, 44, 548-566.	0.2	13

#	ARTICLE	IF	CITATIONS
37	The Potential Use of Synthetic Aperture Radar for Estimating Methane Ebullition From Arctic Lakes¹. Journal of the American Water Resources Association, 2008, 44, 305-315.	1.0	32
38	Sixty years of environmental change in the world's largest freshwater lake – Lake Baikal, Siberia. Global Change Biology, 2008, 14, 1947-1958.	4.2	288
39	Landscape controls of CH₄ fluxes in a catchment of the forest tundra ecotone in northern Siberia. Global Change Biology, 2008, 14, 2040-2056.	4.2	51
40	Uncoupling of acetate degradation from methane formation in Alaskan wetlands: Connections to vegetation distribution. Global Biogeochemical Cycles, 2008, 22, .	1.9	94
41	Inundation of freshwater peatlands by sea level rise: Uncertainty and potential carbon cycle feedbacks. Journal of Geophysical Research, 2008, 113, .	3.3	33
42	Implications of “peak oil” for atmospheric CO₂ and climate. Global Biogeochemical Cycles, 2008, 22, .	1.9	87
43	Environmental controls on ecosystem-scale CH₄ emission from polygonal tundra in the Lena River Delta, Siberia. Journal of Geophysical Research, 2008, 113, .	3.3	132
44	CH₄ and N₂O emissions from a forested ecosystem in the permafrost taiga forest region, eastern Siberia, Russia. Journal of Geophysical Research, 2008, 113, .	3.3	58
45	Fates of methane from different lake habitats: Connecting whole-lake budgets and CH₄ emissions. Journal of Geophysical Research, 2008, 113, .	3.3	392
46	A snapshot of CO₂ and CH₄ evolution in a thermokarst pond near Igarka, northern Siberia. Journal of Geophysical Research, 2008, 113, .	3.3	14
47	Seasonal, synoptic, and diurnal-scale variability of biogeochemical trace gases and O₂ from a 300-m tall tower in central Siberia. Global Biogeochemical Cycles, 2008, 22, .	1.9	43
48	Cryopreservation of Phytodiversity: A Critical Appraisal of Theory & Practice. Critical Reviews in Plant Sciences, 2008, 27, 141-219.	2.7	224
49	Noble gas anomalies related to high-intensity methane gas seeps in the Black Sea. Earth and Planetary Science Letters, 2008, 265, 396-409.	1.8	19
50	Continental climate in the East Siberian Arctic during the last interglacial: Implications from palaeobotanical records. Global and Planetary Change, 2008, 60, 535-562.	1.6	48
51	Vulnerability of east Siberia's frozen carbon stores to future warming. Geophysical Research Letters, 2008, 35, .	1.5	66
52	Estimating the potential for methane clathrate instability in the 1% CO₂ IPCC AR4 simulations. Geophysical Research Letters, 2008, 35, .	1.5	21
53	Total hydrocarbon flux dynamics at a subarctic mire in northern Sweden. Journal of Geophysical Research, 2008, 113, .	3.3	41
54	Introduction to special section on Synthesis of Recent Terrestrial Methane Emission Studies. Journal of Geophysical Research, 2008, 113, .	3.3	5

#	ARTICLE	IF	CITATIONS
55	Methane emissions from upland forest soils and vegetation. <i>Tree Physiology</i> , 2008, 28, 491-498.	1.4	125
56	Changing feedbacks in the climate–biosphere system. <i>Frontiers in Ecology and the Environment</i> , 2008, 6, 313-320.	1.9	247
57	InSAR detects possible thaw settlement in the Alaskan Arctic Coastal Plain. <i>Canadian Journal of Remote Sensing</i> , 2008, 34, 100-112.	1.1	32
58	Short-lived pollutants in the Arctic: their climate impact and possible mitigation strategies. <i>Atmospheric Chemistry and Physics</i> , 2008, 8, 1723-1735.	1.9	346
60	Tundra and permafrost-dominated taiga. , 0, , 344-367.		3
61	An Accounting of the Observed Increase in Oceanic and Atmospheric CO ₂ and the Outlook for the Future. <i>Oceanography</i> , 2009, 22, 26-35.	0.5	96
62	Carbon Cycling in Northern Peatlands. <i>Geophysical Monograph Series</i> , 2009, , .	0.1	31
63	Lakes as sentinels and integrators for the effects of climate change on watersheds, airsheds, and landscapes. <i>Limnology and Oceanography</i> , 2009, 54, 2349-2358.	1.6	239
64	Ocean methane hydrates as a slow tipping point in the global carbon cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20596-20601.	3.3	313
65	Atmospheric composition change: Climate–Chemistry interactions. <i>Atmospheric Environment</i> , 2009, 43, 5138-5192.	1.9	243
66	Changes in thaw lake drainage in the Western Canadian Arctic from 1950 to 2000. <i>Hydrological Processes</i> , 2009, 23, 145-158.	1.1	120
67	Impacts of permafrost degradation on arctic river biogeochemistry. <i>Hydrological Processes</i> , 2009, 23, 169-182.	1.1	534
68	Effect of atmospheric pressure and temperature on entrapped gas content in peat. <i>Hydrological Processes</i> , 2009, 23, 2970-2980.	1.1	34
69	Northern Delta Lakes as Summertime CO ₂ Absorbers Within the Arctic Landscape. <i>Ecosystems</i> , 2009, 12, 144-157.	1.6	65
70	An updated assessment of the risks from climate change based on research published since the IPCC Fourth Assessment Report. <i>Climatic Change</i> , 2009, 97, 469-482.	1.7	122
71	Application of stable isotope analysis for improved understanding of the methane budget: comparison of TROICA measurements with TM3 model simulations. <i>Journal of Atmospheric Chemistry</i> , 2009, 63, 49-71.	1.4	10
72	Diurnal and seasonal variation in methane emissions in a northern Canadian peatland measured by eddy covariance. <i>Global Change Biology</i> , 2010, 16, 2420-2435.	4.2	64
73	The changing global carbon cycle: linking plant–soil carbon dynamics to global consequences. <i>Journal of Ecology</i> , 2009, 97, 840-850.	1.9	262

#	ARTICLE	IF	CITATIONS
74	Large N ₂ O emissions from cryoturbated peat soil in tundra. <i>Nature Geoscience</i> , 2009, 2, 189-192.	5.4	171
75	Changes in climatic characteristics of Northern Hemisphere extratropical land in the 21st century: Assessments with the IAP RAS climate model. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2009, 45, 271-283.	0.2	16
76	CH ₄ emission from different stages of thermokarst formation in Central Yakutia, East Siberia. <i>Soil Science and Plant Nutrition</i> , 2009, 55, 558-570.	0.8	38
77	Chemical and Physical Controls on the Oxygen Regime of Ice-Covered Arctic Lakes and Reservoirs. <i>Journal of the American Water Resources Association</i> , 2009, 45, 500-511.	1.0	29
78	Vegetation patterns, recent pollen deposition and distribution of non-pollen palynomorphs in a polygon mire near Chokurdakh (NE Yakutia, NE Siberia). <i>Boreas</i> , 2009, 38, 39-58.	1.2	25
79	Land cover classification of tundra environments in the Arctic Lena Delta based on Landsat 7 ETM+ data and its application for upscaling of methane emissions. <i>Remote Sensing of Environment</i> , 2009, 113, 380-391.	4.6	123
80	Spectral characterization of periglacial surfaces and geomorphological units in the Arctic Lena Delta using field spectrometry and remote sensing. <i>Remote Sensing of Environment</i> , 2009, 113, 1220-1235.	4.6	51
81	Thaw lake expansion in a two-dimensional coupled model of heat transfer, thaw subsidence, and mass movement. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	68
82	Impact of terrestrial carbon input on methane emissions from an Alaskan Arctic lake. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	9
83	Methane efflux from bubbles suspended in ice-covered lakes in Syowa Oasis, East Antarctica. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	11
84	Methane. , 2009, , 783-805.		72
85	Effects of Climate Change on Lakes. , 2009, , 55-60.		57
86	Sensitivity of the carbon cycle in the Arctic to climate change. <i>Ecological Monographs</i> , 2009, 79, 523-555.	2.4	814
87	Limnological properties of permafrost thaw ponds in northeastern Canada. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2009, 66, 1635-1648.	0.7	71
88	Abrupt changes of thermokarst lakes in Western Siberia: impacts of climatic warming on permafrost melting. <i>International Journal of Environmental Studies</i> , 2009, 66, 423-431.	0.7	32
89	Eddy covariance measurements of surface energy budget and evaporation in a cool season over southern open water in Mississippi. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	76
90	Impact of manipulated drought and heavy rainfall events on peat mineralization processes and source-sink functions of an acidic fen. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	40
91	Global Methan Emissions From Wetlands, Rice Paddies, and Lakes. <i>Eos</i> , 2009, 90, 37-38.	0.1	49

#	ARTICLE	IF	CITATIONS
92	Monitoring Algal Blooms in a Southwestern U.S. Reservoir System. <i>Eos</i> , 2009, 90, 38-39.	0.1	7
93	The Northern Eurasia Earth Science Partnership: An Example of Science Applied to Societal Needs. <i>Bulletin of the American Meteorological Society</i> , 2009, 90, 671-688.	1.7	44
94	Arctic Cloud Fraction and Radiative Fluxes in Atmospheric Reanalyses. <i>Journal of Climate</i> , 2009, 22, 2316-2334.	1.2	113
95	Estimating soil thaw energy in sub-Alpine tundra at the hillslope scale, Wolf Creek, Yukon Territory, Canada. <i>Hydrology Research</i> , 2009, 40, 1-18.	1.1	8
97	Lakes and reservoirs as regulators of carbon cycling and climate. <i>Limnology and Oceanography</i> , 2009, 54, 2298-2314.	1.6	1,977
98	Lakes and reservoirs as sentinels, integrators, and regulators of climate change. <i>Limnology and Oceanography</i> , 2009, 54, 2273-2282.	1.6	589
100	Isotopes and Methane Cycling. , 2009, , 167-201.		0
101	A sleeping giant?. <i>Nature Climate Change</i> , 2009, 1, 46-49.	8.1	23
102	Wave-induced release of methane: Littoral zones as source of methane in lakes. <i>Limnology and Oceanography</i> , 2010, 55, 1990-2000.	1.6	94
103	Estimating methane emissions from northern lakes using ice-bubble surveys. <i>Limnology and Oceanography: Methods</i> , 2010, 8, 592-609.	1.0	94
104	A low-cost automated trap to measure bubbling gas fluxes. <i>Limnology and Oceanography: Methods</i> , 2010, 8, 363-375.	1.0	29
105	Determination of soil carbon stocks and changes. , 2010, , 49-75.		10
106	Seven Years'™ Observation of Mid-Upper Tropospheric Methane from Atmospheric Infrared Sounder. <i>Remote Sensing</i> , 2010, 2, 2509-2530.	1.8	40
107	Potential remobilization of belowground permafrost carbon under future global warming. <i>Permafrost and Periglacial Processes</i> , 2010, 21, 208-214.	1.5	67
108	Implications of temperature and sediment characteristics on methane formation and oxidation in lake sediments. <i>Biogeochemistry</i> , 2010, 100, 185-196.	1.7	242
109	Tropical wetlands: seasonal hydrologic pulsing, carbon sequestration, and methane emissions. <i>Wetlands Ecology and Management</i> , 2010, 18, 573-586.	0.7	173
111	Geological, hydrodynamic and biogeochemical variability of a New Zealand deep-water methane cold seep during an integrated three-year time-series study. <i>Marine Geology</i> , 2010, 272, 189-208.	0.9	42
112	The carbon budget of the northern cryosphere region. <i>Current Opinion in Environmental Sustainability</i> , 2010, 2, 231-236.	3.1	61

#	ARTICLE	IF	CITATIONS
113	Continuous measurements of methane from a tower network over Siberia. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 62, 403.	0.8	83
114	Environmental controls on CH ₄ emission from polygonal tundra on the microsite scale in the Lena river delta, Siberia. <i>Global Change Biology</i> , 2010, 16, 3096-3110.	4.2	97
115	Terrestrial biogeochemical feedbacks in the climate system. <i>Nature Geoscience</i> , 2010, 3, 525-532.	5.4	486
116	Annual carbon gas budget for a subarctic peatland, Northern Sweden. <i>Biogeosciences</i> , 2010, 7, 95-108.	1.3	118
118	Attribution of spatial and temporal variations in terrestrial methane flux over North America. <i>Biogeosciences</i> , 2010, 7, 3637-3655.	1.3	70
119	Net primary production and seasonal CO ₂ and CH ₄ fluxes in a <i>Trapa natans</i> L. meadow. <i>Journal of Limnology</i> , 2010, 69, 225.	0.3	34
120	Bootstrap current and transport fluxes associated with bounceâ€“transit and drift resonance in tokamaks. <i>Plasma Physics and Controlled Fusion</i> , 2010, 52, 025005.	0.9	0
121	Interband cascade laserâ€“based sensor for ambient CH ₄ . <i>Optical Engineering</i> , 2010, 49, 111118.	0.5	15
122	Satellite microwave remote sensing of North Eurasian inundation dynamics: development of coarse-resolution products and comparison with high-resolution synthetic aperture radar data. <i>Environmental Research Letters</i> , 2010, 5, 015003.	2.2	53
123	High-resolution remote sensing identification of thermokarst lake dynamics in a subarctic peat plateau complex. <i>Canadian Journal of Remote Sensing</i> , 2010, 36, S26-S40.	1.1	31
124	The distribution characteristics of atmospheric methane over Lake Baikal, Siberia by SCIAMACHY remotely sensed data. , 2010, , .		0
125	On the role of the planetary boundary layer depth in the climate system. <i>Advances in Science and Research</i> , 2010, 4, 63-69.	1.0	52
126	Variability in greenhouse gas emissions from permafrost thaw ponds. <i>Limnology and Oceanography</i> , 2010, 55, 115-133.	1.6	198
127	Methane Emissions from Pantanal, South America, during the Low Water Season: Toward More Comprehensive Sampling. <i>Environmental Science & Technology</i> , 2010, 44, 5450-5455.	4.6	178
128	Extensive Methane Venting to the Atmosphere from Sediments of the East Siberian Arctic Shelf. <i>Science</i> , 2010, 327, 1246-1250.	6.0	582
130	Permafrost evidence for severe winter cooling during the Younger Dryas in northern Alaska. <i>Geophysical Research Letters</i> , 2010, 37, .	1.5	70
131	Midâ€“upper tropospheric methane in the high Northern Hemisphere: Spaceborne observations by AIRS, aircraft measurements, and model simulations. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	44
132	Methane emissions from a freshwater marsh in response to experimentally simulated global warming and nitrogen enrichment. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	28

#	ARTICLE	IF	CITATIONS
133	Decadal variations of active layer thickness in moisture-controlled landscapes, Barrow, Alaska. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	138
134	Vegetation height and other controls of spatial variability in methane emissions from the Arctic coastal tundra at Barrow, Alaska. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	63
135	Air-lake exchange of methane during the open water season in Syowa Oasis, East Antarctica. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	6
136	Quantifying the relative importance of lake emissions in the carbon budget of a subarctic catchment. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	52
137	Climate Warming-Induced Intensification of the Hydrologic Cycle. <i>Advances in Agronomy</i> , 2010, 109, 1-53.	2.4	59
139	Policy responses to rapid climate change: An epistemological critique of dominant approaches. <i>Global Environmental Change</i> , 2010, 20, 121-129.	3.6	29
140	Comprehensive conservation planning to protect biodiversity and ecosystem services in Canadian boreal regions under a warming climate and increasing exploitation. <i>Biological Conservation</i> , 2010, 143, 1571-1586.	1.9	101
141	Late-glacial and Holocene $\delta^{15}N$ and $\delta^{13}C$ variation from a Kenai Peninsula, Alaska peatland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 293, 132-143.	1.0	63
142	The importance of northern peatland expansion to the late-Holocene rise of atmospheric methane. <i>Quaternary Science Reviews</i> , 2010, 29, 611-617.	1.4	109
143	Arctic amplification: can the past constrain the future?. <i>Quaternary Science Reviews</i> , 2010, 29, 1779-1790.	1.4	233
144	Permafrost response to last interglacial warming: field evidence from non-glaciated Yukon and Alaska. <i>Quaternary Science Reviews</i> , 2010, 29, 3256-3274.	1.4	75
145	An attempt to quantify the impact of changes in wetland extent on methane emissions on the seasonal and interannual time scales. <i>Global Biogeochemical Cycles</i> , 2010, 24, .	1.9	177
146	Modeling regional to global CH_4 emissions of boreal and arctic wetlands. <i>Global Biogeochemical Cycles</i> , 2010, 24, .	1.9	102
147	Resilience and vulnerability of permafrost to climate change This article is one of a selection of papers from <i>The Dynamics of Change in Alaska's Boreal Forests: Resilience and Vulnerability in Response to Climate Warming</i> . <i>Canadian Journal of Forest Research</i> , 2010, 40, 1219-1236.	0.8	435
148	Strong atmospheric chemistry feedback to climate warming from Arctic methane emissions. <i>Global Biogeochemical Cycles</i> , 2011, 25, n/a-n/a.	1.9	55
149	Initial rise of bubbles in cohesive sediments by a process of viscoelastic fracture. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	76
150	Carbon and hydrogen stable isotopic ratios of methane emitted from wetlands and wildfires in Alaska: Aircraft observations and bonfire experiments. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	10
151	Optical diversity of thaw ponds in discontinuous permafrost: A model system for water color analysis. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	48

#	ARTICLE	IF	CITATIONS
152	Methane and carbon dioxide content in eroding permafrost soils along the Beaufort Sea coast, Alaska. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	9
153	Vulnerability of high-latitude soil organic carbon in North America to disturbance. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	337
154	Warming-induced destabilization of peat plateau/thermokarst lake complexes. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	107
155	A conduit dilation model of methane venting from lake sediments. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	88
156	Arctic methane sources: Isotopic evidence for atmospheric inputs. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	119
157	Diffusive and ebullitive transport of methane and nitrous oxide from streams: Are bubble-mediated fluxes important?. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	86
158	Modern thermokarst lake dynamics in the continuous permafrost zone, northern Seward Peninsula, Alaska. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	250
159	Sedimentology and geochemistry of thermokarst ponds in discontinuous permafrost, subarctic Quebec, Canada. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	32
160	Ecology of Psychrophiles: Subglacial and Permafrost Environments. , 2011, , 755-775.		2
161	Principles of Terrestrial Ecosystem Ecology. , 2011, , .		860
162	Eurasian Arctic Land Cover and Land Use in a Changing Climate. , 2011, , .		16
163	Carbon dioxide reforming of methane over ordered mesoporous NiO-Al ₂ O ₃ composite oxides. <i>Catalysis Science and Technology</i> , 2011, 1, 1032.	2.1	79
164	High risk of permafrost thaw. <i>Nature</i> , 2011, 480, 32-33.	13.7	280
165	Shallow freshwater ecosystems of the circumpolar Arctic. <i>Ecoscience</i> , 2011, 18, 204-222.	0.6	185
166	Sedimentary characteristics and origin of the Late Pleistocene Ice Complex on north-east Siberian Arctic coastal lowlands and islands – A review. <i>Quaternary International</i> , 2011, 241, 3-25.	0.7	182
167	Short-term dynamics of a low-centred ice-wedge polygon near Chokurdakh (NE Yakutia, NE Siberia) and climate change during the last ca 1250 years. <i>Quaternary Science Reviews</i> , 2011, 30, 3013-3031.	1.4	41
168	Fossil organic matter characteristics in permafrost deposits of the northeast Siberian Arctic. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	147
169	Bubbles trapped in arctic lake ice: Potential implications for methane emissions. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	54

#	ARTICLE	IF	CITATIONS
170	Effect of permafrost thawing on organic carbon and trace element colloidal speciation in the thermokarst lakes of western Siberia. <i>Biogeosciences</i> , 2011, 8, 565-583.	1.3	103
171	Organic matter mineralization and trace element post-depositional redistribution in Western Siberia thermokarst lake sediments. <i>Biogeosciences</i> , 2011, 8, 3341-3358.	1.3	64
172	Active pockmarks in a large lake (Lake Constance, Germany): Effects on methane distribution and turnover in the sediment. <i>Limnology and Oceanography</i> , 2011, 56, 379-393.	1.6	22
173	Allied attack: climate change and eutrophication. <i>Inland Waters</i> , 2011, 1, 101-105.	1.1	548
174	The effect of fire and permafrost interactions on soil carbon accumulation in an upland black spruce ecosystem of interior Alaska: implications for post-thaw carbon loss. <i>Global Change Biology</i> , 2011, 17, 1461-1474.	4.2	103
175	Methane oxidation associated with submerged brown mosses reduces methane emissions from Siberian polygonal tundra. <i>Journal of Ecology</i> , 2011, 99, 914-922.	1.9	91
176	Amount and timing of permafrost carbon release in response to climate warming. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2011, 63, 165-180.	0.8	344
177	Methane and megafauna. <i>Nature Geoscience</i> , 2011, 4, 271-272.	5.4	7
178	Reply to "Methane and megafauna". <i>Nature Geoscience</i> , 2011, 4, 272-272.	5.4	3
179	Numerical modeling of methane emissions from lakes in the permafrost zone. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2011, 47, 252-264.	0.2	66
180	Atmospheric methane from organic carbon mobilization in sedimentary basins "The sleeping giant?". <i>Earth-Science Reviews</i> , 2011, 107, 423-442.	4.0	36
181	The Legacy of Fossil Fuels. <i>Chemistry - an Asian Journal</i> , 2011, 6, 768-784.	1.7	73
182	Global atmospheric methane: budget, changes and dangers. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2011, 369, 2058-2072.	1.6	510
183	Methane emissions from permafrost thaw lakes limited by lake drainage. <i>Nature Climate Change</i> , 2011, 1, 119-123.	8.1	149
184	Spatial and temporal dynamics in eddy covariance observations of methane fluxes at a tundra site in northeastern Siberia. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	66
185	Release of CO ₂ and CH ₄ from lakes and drainage ditches in temperate wetlands. <i>Biogeochemistry</i> , 2011, 102, 265-279.	1.7	147
186	Release of aquatic carbon from two peatland catchments in E. Finland during the spring snowmelt period. <i>Biogeochemistry</i> , 2011, 103, 125-142.	1.7	61
187	The land use"climate change"energy nexus. <i>Landscape Ecology</i> , 2011, 26, 755-773.	1.9	161

#	ARTICLE	IF	CITATIONS
188	Interpreting "dangerous"™ in the United Nations framework convention on climate change and the human rights of Inuit. <i>Regional Environmental Change</i> , 2011, 11, 265-274.	1.4	7
189	High precision methane isotopologue ratio measurements at ambient mixing ratios using integrated cavity output spectroscopy. <i>Applied Physics B: Lasers and Optics</i> , 2011, 102, 375-380.	1.1	26
190	Spectroscopy of CH ₄ with a difference-frequency generation laser at 3.3 micron for atmospheric applications. <i>Applied Physics B: Lasers and Optics</i> , 2011, 104, 989-1000.	1.1	19
191	Predictions of 27 Arctic pelagic seabird distributions using public environmental variables, assessed with colony data: a first digital IPY and GBIF open access synthesis platform. <i>Marine Biodiversity</i> , 2011, 41, 141-179.	0.3	52
192	Effects of Changes in Arctic Lake and River Ice. <i>Ambio</i> , 2011, 40, 63-74.	2.8	123
193	Ecological Implications of Changes in the Arctic Cryosphere. <i>Ambio</i> , 2011, 40, 87-99.	2.8	78
194	Expansion rate and geometry of floating vegetation mats on the margins of thermokarst lakes, northern Seward Peninsula, Alaska, USA. <i>Earth Surface Processes and Landforms</i> , 2011, 36, 1889-1897.	1.2	21
195	Hydrogeomorphic processes of thermokarst lakes with grounded-ice and floating-ice regimes on the Arctic coastal plain, Alaska. <i>Hydrological Processes</i> , 2011, 25, 2422-2438.	1.1	106
196	Spatial and temporal variations of summer surface temperatures of high-arctic tundra on Svalbard " Implications for MODIS LST based permafrost monitoring. <i>Remote Sensing of Environment</i> , 2011, 115, 908-922.	4.6	97
197	Decomposition and Ecosystem Carbon Budgets. , 2011, , 183-228.		18
198	The surface energy balance of a polygonal tundra site in northern Siberia " Part 2: Winter. <i>Cryosphere</i> , 2011, 5, 509-524.	1.5	63
199	Regional methane emission from West Siberia mire landscapes. <i>Environmental Research Letters</i> , 2011, 6, 045214.	2.2	77
200	From Dust Bowl to Dust Bowl: Soils are Still Very Much a Frontier of Science. <i>Soil Science Society of America Journal</i> , 2011, 75, 2037-2048.	1.2	79
201	Multiple tracers demonstrate distinct sources of dissolved organic matter to lakes of the Mackenzie Delta, western Canadian Arctic. <i>Limnology and Oceanography</i> , 2011, 56, 1297-1309.	1.6	63
202	West Siberian palsa peatlands: distribution, typology, cyclic development, present day climate-driven changes, seasonal hydrology and impact on CO ₂ cycle. <i>International Journal of Environmental Studies</i> , 2011, 68, 603-623.	0.7	42
203	Spatial analyses of thermokarst lakes and basins in Yedoma landscapes of the Lena Delta. <i>Cryosphere</i> , 2011, 5, 849-867.	1.5	121
204	Performance of a low-cost methane sensor for ambient concentration measurements in preliminary studies. <i>Atmospheric Measurement Techniques</i> , 2012, 5, 1925-1934.	1.2	56
205	Derivation and analysis of a high-resolution estimate of global permafrost zonation. <i>Cryosphere</i> , 2012, 6, 221-233.	1.5	444

#	ARTICLE	IF	CITATIONS
207	Submarine Slope Failure Primed and Triggered by Bottom Water Warming in Oceanic Hydrate-Bearing Deposits. <i>Energies</i> , 2012, 5, 2849-2873.	1.6	28
208	Geopolitics of climate change: A review. <i>Thermal Science</i> , 2012, 16, 629-654.	0.5	24
209	A new method for field measurement of dissolved methane in water using infrared tunable diode laser absorption spectroscopy. <i>Limnology and Oceanography: Methods</i> , 2012, 10, 560-567.	1.0	20
210	Large methane emission upon spring thaw from natural wetlands in the northern permafrost region. <i>Environmental Research Letters</i> , 2012, 7, 034009.	2.2	61
211	Exact de Sitter solutions in quadratic gravitation with torsion. <i>Classical and Quantum Gravity</i> , 2012, 29, 235022.	1.5	10
212	Polarimetric scattering model for methane bubbles trapped in the ice of sub-arctic lakes. , 2012, , .		0
213	Uncertainties in the global temperature change caused by carbon release from permafrost thawing. <i>Cryosphere</i> , 2012, 6, 1063-1076.	1.5	94
215	Advances in the Study on the Relationship between Climate Change and Wetland Ecosystem. <i>Advanced Materials Research</i> , 2012, 518-523, 4953-4960.	0.3	1
216	Gas domes in soft cohesive sediments. <i>Geology</i> , 2012, 40, 379-382.	2.0	32
217	Grain size properties and organic carbon stock of Yedoma Ice Complex permafrost from the Kolyma lowland, northeastern Siberia. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	96
218	Mammoth steppe: a high-productivity phenomenon. <i>Quaternary Science Reviews</i> , 2012, 57, 26-45.	1.4	148
219	Review of Methane Mitigation Technologies with Application to Rapid Release of Methane from the Arctic. <i>Environmental Science & Technology</i> , 2012, 46, 6455-6469.	4.6	76
220	Geologic methane seeps along boundaries of Arctic permafrost thaw and melting glaciers. <i>Nature Geoscience</i> , 2012, 5, 419-426.	5.4	211
222	The physics of bubbles in surficial, soft, cohesive sediments. <i>Marine and Petroleum Geology</i> , 2012, 38, 1-18.	1.5	116
223	Age and source of different forms of carbon released from boreal peatland streams during spring snowmelt in E. Finland. <i>Biogeochemistry</i> , 2012, 111, 273-286.	1.7	35
224	Revised ¹⁴ C dating of ice wedge growth in interior Alaska (USA) to MIS 2 reveals cold paleoclimate and carbon recycling in ancient permafrost terrain. <i>Quaternary Research</i> , 2012, 78, 217-225.	1.0	39
225	Methane in China - 2003 to 2010 from AIRS hyper spectral infrared observations. , 2012, , .		0
226	Eurasian permafrost instability constrained by reduced sea-ice cover. <i>Quaternary Science Reviews</i> , 2012, 34, 16-23.	1.4	52

#	ARTICLE	IF	CITATIONS
227	Drained thaw lake basin recovery on the western Arctic Coastal Plain of Alaska using high-resolution digital elevation models and remote sensing imagery. <i>Remote Sensing of Environment</i> , 2012, 119, 325-336.	4.6	28
228	Cogs in the endless machine: Lakes, climate change and nutrient cycles: A review. <i>Science of the Total Environment</i> , 2012, 434, 130-142.	3.9	129
229	Shifts in Identity and Activity of Methanotrophs in Arctic Lake Sediments in Response to Temperature Changes. <i>Applied and Environmental Microbiology</i> , 2012, 78, 4715-4723.	1.4	78
230	Advances in permafrost and periglacial research in Antarctica: A review. <i>Geomorphology</i> , 2012, 155-156, 1-6.	1.1	15
231	The relative age of mountain permafrost – estimation of Holocene permafrost limits in Norway. <i>Global and Planetary Change</i> , 2012, 92-93, 209-223.	1.6	67
232	Terminating Marine Methane Bubbles by Superhydrophobic Sponges. <i>Advanced Materials</i> , 2012, 24, 5884-5889.	11.1	113
233	Thermokarst Lakes on the Arctic Coastal Plain of Alaska: Spatial and Temporal Variability in Summer Water Temperature. <i>Permafrost and Periglacial Processes</i> , 2012, 23, 207-217.	1.5	26
234	Thermokarst Lakes on the Arctic Coastal Plain of Alaska: Geomorphic Controls on Bathymetry. <i>Permafrost and Periglacial Processes</i> , 2012, 23, 218-230.	1.5	45
235	Upscaling methane fluxes from closed chambers to eddy covariance based on a permafrost biogeochemistry integrated model. <i>Global Change Biology</i> , 2012, 18, 1428-1440.	4.2	70
236	Spatial upscaling using thematic maps: An analysis of uncertainties in permafrost soil carbon estimates. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	52
237	Contributions of natural and anthropogenic sources to atmospheric methane variations over western Siberia estimated from its carbon and hydrogen isotopes. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	30
238	Permafrost degradation as a control on hydrogeological regime shifts in a warming climate. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	113
239	Peat accumulation in drained thermokarst lake basins in continuous, ice-rich permafrost, northern Seward Peninsula, Alaska. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	84
240	Simulating the decadal-to millennial-scale dynamics of morphology and sequestered carbon mobilization of two thermokarst lakes in NW Alaska. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	82
241	Using the deuterium isotope composition of permafrost meltwater to constrain thermokarst lake contributions to atmospheric CH ₄ during the last deglaciation. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	64
242	Time-series analysis of high-resolution ebullition fluxes from a stratified, freshwater lake. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	69
243	An improved lake model for climate simulations: Model structure, evaluation, and sensitivity analyses in CESM1. <i>Journal of Advances in Modeling Earth Systems</i> , 2012, 4, .	1.3	198
244	Soil carbon in the Arctic and the permafrost carbon feedback. <i>Current Opinion in Environmental Sustainability</i> , 2012, 4, 545-551.	3.1	50

#	ARTICLE	IF	CITATIONS
245	Satellite Microwave remote sensing of contrasting surface water inundation changes within the Arcticâ€“Boreal Region. Remote Sensing of Environment, 2012, 127, 223-236.	4.6	56
246	Permafrost â€“ Physical Aspects, Carbon Cycling, Databases and Uncertainties. , 2012, , 159-185.		20
247	Estimating the near-surface permafrost-carbon feedback on global warming. Biogeosciences, 2012, 9, 649-665.	1.3	160
248	Effects of soil rewetting and thawing on soil gas fluxes: a review of current literature and suggestions for future research. Biogeosciences, 2012, 9, 2459-2483.	1.3	378
249	Carbon Cycle in Lakes. Encyclopedia of Earth Sciences Series, 2012, , 121-125.	0.1	1
250	Recarbonization of the Biosphere. , 2012, , .		25
251	Enrichment in $\delta^{13}C$ of atmospheric CH_4 during the Younger Dryas termination. Climate of the Past, 2012, 8, 1177-1197.	1.3	15
252	Net sediment production of methane, distribution of methanogens and methane-oxidizing bacteria, and utilization of methane-derived carbon in an arctic lake. Inland Waters, 2012, 2, 77-88.	1.1	17
253	Gas properties of winter lake ice in Northern Sweden: implication for carbon gas release. Biogeosciences, 2012, 9, 827-838.	1.3	40
254	Sensitivity of wetland methane emissions to model assumptions: application and model testing against site observations. Biogeosciences, 2012, 9, 2793-2819.	1.3	68
255	Soil moisture control over autumn season methane flux, Arctic Coastal Plain of Alaska. Biogeosciences, 2012, 9, 1423-1440.	1.3	71
256	Atmospheric observations of Arctic Ocean methane emissions up to 82° north. Nature Geoscience, 2012, 5, 318-321.	5.4	124
258	Deglaciation and catchment ontogeny in coastal southâ€“west Greenland: implications for terrestrial and aquatic carbon cycling. Journal of Quaternary Science, 2012, 27, 575-584.	1.1	21
259	Carbon quantity defines productivity while its quality defines community composition of bacterioplankton in subarctic ponds. Aquatic Sciences, 2012, 74, 513-525.	0.6	28
260	Reconstruction of past methane availability in an Arctic Alaska wetland indicates climate influenced methane release during the past ~12,000 years. Journal of Paleolimnology, 2012, 48, 27-42.	0.8	59
261	The rate of permafrost carbon release under aerobic and anaerobic conditions and its potential effects on climate. Global Change Biology, 2012, 18, 515-527.	4.2	141
262	Complex terrain leads to bidirectional responses of soil respiration to interannual water availability. Global Change Biology, 2012, 18, 749-756.	4.2	40
263	Effect of rapidly depressurizing and rising temperature on methane hydrate dissociation. Journal of Natural Gas Chemistry, 2012, 21, 91-97.	1.8	16

#	ARTICLE	IF	CITATIONS
264	Effect of long-term free-air CO ₂ enrichment on the diversity and activity of soil methanogens in a periodically waterlogged grassland. <i>Soil Biology and Biochemistry</i> , 2012, 51, 96-103.	4.2	21
265	Identification of functionally active aerobic methanotrophs in sediments from an arctic lake using stable isotope probing. <i>Environmental Microbiology</i> , 2012, 14, 1403-1419.	1.8	73
266	Anaerobic methane oxidation in metalliferous hydrothermal sediments: influence on carbon flux and decoupling from sulfate reduction. <i>Environmental Microbiology</i> , 2012, 14, 2726-2740.	1.8	98
267	A permafrost warming in a cooling Antarctica?. <i>Climatic Change</i> , 2012, 111, 177-195.	1.7	62
268	A retrospective analysis of pan Arctic permafrost using the JULES land surface model. <i>Climate Dynamics</i> , 2013, 41, 1025-1038.	1.7	35
269	Pacific Tsunami Warning and Mitigation System (PTWS). <i>Encyclopedia of Earth Sciences Series</i> , 2013, , 747-748.	0.1	0
270	Acoustic manifestations of frozen bubbles. <i>Proceedings of Meetings on Acoustics</i> , 2013, , .	0.3	0
271	Evolution of thermokarst in East Siberian ice-rich permafrost: A case study. <i>Geomorphology</i> , 2013, 201, 363-379.	1.1	92
272	Palaeolimnological conditions inferred from fossil diatom assemblages and derivative spectral properties of sediments in thermokarst ponds of subarctic Quebec, Canada. <i>Boreas</i> , 2013, 42, 575-595.	1.2	22
274	Biogeochemistry of organic carbon, CO ₂ , CH ₄ , and trace elements in thermokarst water bodies in discontinuous permafrost zones of Western Siberia. <i>Biogeochemistry</i> , 2013, 113, 573-593.	1.7	116
275	Potential controls on cold-season river flow behavior in subarctic river basins of Siberia. <i>Journal of Hydrology</i> , 2013, 489, 214-226.	2.3	16
276	Radiocarbon dating of methane and carbon dioxide evaded from a temperate peatland stream. <i>Biogeochemistry</i> , 2013, 114, 213-223.	1.7	20
277	Wetlands of Northeast Asia and High Asia: an overview. <i>Aquatic Sciences</i> , 2013, 75, 63-71.	0.6	20
278	Quantifying sources of error in multitemporal multisensor lake mapping. <i>International Journal of Remote Sensing</i> , 2013, 34, 7887-7905.	1.3	27
279	Advances in Thermokarst Research. <i>Permafrost and Periglacial Processes</i> , 2013, 24, 108-119.	1.5	335
280	Methane Accumulation and Release from Deep Peat: Measurements, Conceptual Models, and Biogeochemical Significance. <i>Geophysical Monograph Series</i> , 0, , 145-158.	0.1	7
281	Noninvasive Field-Scale Characterization of Gaseous-Phase Methane Dynamics in Peatlands using the Ground-Penetrating Radar Method. <i>Geophysical Monograph Series</i> , 0, , 159-171.	0.1	8
282	Laboratory Investigations of Methane Buildup in, and Release from, Shallow Peats. <i>Geophysical Monograph Series</i> , 0, , 205-218.	0.1	4

#	ARTICLE	IF	CITATIONS
283	Improving Conceptual Models of Water and Carbon Transfer Through Peat. Geophysical Monograph Series, 2013, , 265-275.	0.1	2
284	8.21 Thermokarst Lakes, Drainage, and Drained Basins. , 2013, , 325-353.		194
285	A pollen-climate transfer function from the tundra and taiga vegetation in Arctic Siberia and its applicability to a Holocene record. Palaeogeography, Palaeoclimatology, Palaeoecology, 2013, 386, 702-713.	1.0	61
286	A trace methane gas sensor using mid-infrared quantum cascaded laser at 7.5µm. Applied Physics B: Lasers and Optics, 2013, 113, 491-501.	1.1	20
287	The deep permafrost carbon pool of the Yedoma region in Siberia and Alaska. Geophysical Research Letters, 2013, 40, 6165-6170.	1.5	187
289	Methane emissions from wetlands: biogeochemical, microbial, and modeling perspectives from local to global scales. Global Change Biology, 2013, 19, 1325-1346.	4.2	836
290	Evidence for past variations in methane availability in a Siberian thermokarst lake based on δ ¹³ C of chitinous invertebrate remains. Quaternary Science Reviews, 2013, 66, 74-84.	1.4	49
291	Methane emissions from rice paddies natural wetlands, lakes in China: synthesis new estimate. Global Change Biology, 2013, 19, 19-32.	4.2	166
292	Environmental and physical controls on northern terrestrial methane emissions across permafrost zones. Global Change Biology, 2013, 19, 589-603.	4.2	275
293	Thermokarst Lake Morphometry and Erosion Features in Two Peat Plateau Areas of Northeast European Russia. Permafrost and Periglacial Processes, 2013, 24, 75-81.	1.5	15
294	Climate Change Trends. , 2013, , 97-133.		2
295	Effects of nitrogen addition on soil microbial diversity and methane cycling capacity depend on drainage conditions in a pine forest soil. Soil Biology and Biochemistry, 2013, 62, 119-128.	4.2	20
296	Impacts of Global Warming on Biogeochemical Cycles in Natural Waters. Environmental Science and Engineering, 2013, , 851-914.	0.1	1
297	BUILDING EORA: A GLOBAL MULTI-REGION INPUT-OUTPUT DATABASE AT HIGH COUNTRY AND SECTOR RESOLUTION. Economic Systems Research, 2013, 25, 20-49.	1.2	991
298	The impacts of climate change and human activities on biogeochemical cycles on the Qinghai-Tibetan Plateau. Global Change Biology, 2013, 19, 2940-2955.	4.2	670
299	Constraining spatial variability of methane ebullition seeps in thermokarst lakes using point process models. Journal of Geophysical Research C: Biogeosciences, 2013, 118, 1015-1034.	1.3	60
300	Trajectory of the Arctic as an integrated system. Ecological Applications, 2013, 23, 1837-1868.	1.8	166
302	Quantifying the Likelihood of Regional Climate Change: A Hybridized Approach. Journal of Climate, 2013, 26, 3394-3414.	1.2	29

#	ARTICLE	IF	CITATIONS
304	Rebirth of Indigenous Arctic Nations and polar resource management: critical perspectives from Siberia and Sámi areas of Finland. <i>Biodiversity</i> , 2013, 14, 19-27.	0.5	14
305	Pan-Arctic land-atmospheric fluxes of methane and carbon dioxide in response to climate change over the 21st century. <i>Environmental Research Letters</i> , 2013, 8, 045003.	2.2	18
306	Permafrost degradation and methane: low risk of biogeochemical climate-warming feedback. <i>Environmental Research Letters</i> , 2013, 8, 035014.	2.2	43
307	A stochastic model for the polygonal tundra based on Poisson-Voronoi diagrams. <i>Earth System Dynamics</i> , 2013, 4, 187-198.	2.7	29
308	Synthetic aperture radar (SAR) backscatter response from methane ebullition bubbles trapped by thermokarst lake ice. <i>Canadian Journal of Remote Sensing</i> , 2013, 38, 667-682.	1.1	31
310	A new pathway of freshwater methane emissions and the putative importance of microbubbles. <i>Inland Waters</i> , 2013, 3, 311-320.	1.1	55
311	Impacts of disturbance on the terrestrial carbon budget of North America. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013, 118, 303-316.	1.3	57
312	Multiyear measurements of ebullitive methane flux from three subarctic lakes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013, 118, 1307-1321.	1.3	143
313	Environmental impacts on the diversity of methane-cycling microbes and their resultant function. <i>Frontiers in Microbiology</i> , 2013, 4, 225.	1.5	77
314	Modeling the large-scale effects of surface moisture heterogeneity on wetland carbon fluxes in the West Siberian Lowland. <i>Biogeosciences</i> , 2013, 10, 6559-6576.	1.3	42
315	PERMAFROST AND PERIGLACIAL FEATURES Thermokarst Topography. , 2013, , 574-581.		0
316	PERMAFROST AND PERIGLACIAL FEATURES Permafrost. , 2013, , 464-471.		3
317	Assessing "Dangerous Climate Change": Required Reduction of Carbon Emissions to Protect Young People, Future Generations and Nature. <i>PLoS ONE</i> , 2013, 8, e81648.	1.1	448
318	Water Body Distributions Across Scales: A Remote Sensing Based Comparison of Three Arctic Tundra Wetlands. <i>Remote Sensing</i> , 2013, 5, 1498-1523.	1.8	103
319	Some Challenges to Sustainability. <i>Sustainability</i> , 2013, 5, 3368-3381.	1.6	17
320	Remote Sensing for Mapping and Modeling of Land-Based Carbon Flux and Storage. , 0, , 95-143.		1
321	Radiocarbon age-offsets in an arctic lake reveal the long-term response of permafrost carbon to climate change. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 1630-1651.	1.3	49
322	Role of Megafauna and Frozen Soil in the Atmospheric CH ₄ Dynamics. <i>PLoS ONE</i> , 2014, 9, e93331.	1.1	12

#	ARTICLE	IF	CITATIONS
323	Inferring methane fluxes at a larch forest using Lagrangian, Eulerian, and hybrid inverse models. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 2018-2031.	1.3	9
324	Modeling the impediment of methane ebullition bubbles by seasonal lake ice. <i>Biogeosciences</i> , 2014, 11, 6791-6811.	1.3	63
325	Thermokarst lake waters across the permafrost zones of western Siberia. <i>Cryosphere</i> , 2014, 8, 1177-1193.	1.5	66
326	Response of ice cover on shallow lakes of the North Slope of Alaska to contemporary climate conditions (1950–2011): radar remote-sensing and numerical modeling data analysis. <i>Cryosphere</i> , 2014, 8, 167-180.	1.5	107
327	Spatio-Temporal Analysis of Gyres in Oriented Lakes on the Arctic Coastal Plain of Northern Alaska Based on Remotely Sensed Images. <i>Remote Sensing</i> , 2014, 6, 9170-9193.	1.8	11
328	Vegetation Fires and Global Change. 2013. By Johann G. Goldammer and 58 contributing authors. Kessel Publishing House, Remagen-Oberwinter, Germany. 398 pages. Soft-cover. US\$48 (â,~35). ISBN 978-3-941300-78-1. <i>Fire Ecology</i> , 2014, 10, 84-85.	1.1	1
330	Surface water inundation in the boreal-Arctic: potential impacts on regional methane emissions. <i>Environmental Research Letters</i> , 2014, 9, 075001.	2.2	70
331	Flood effect on CH ₄ emission from the alas in Central Yakutia, East Siberia. <i>Soil Science and Plant Nutrition</i> , 2014, 60, 242-253.	0.8	10
332	Runoff sources and flow paths in a partially burned, upland boreal catchment underlain by permafrost. <i>Water Resources Research</i> , 2014, 50, 8141-8158.	1.7	54
333	An acoustic estimate of methane concentration in a water column in regions of methane bubble release. <i>Acoustical Physics</i> , 2014, 60, 671-677.	0.2	7
334	Fresh Waters, Climate Change and UK Nature Conservation. <i>Freshwater Reviews: A Journal of the Freshwater Biological Association</i> , 2014, 7, 25-75.	1.0	10
335	Morphology-Dependent Water Budgets and Nutrient Fluxes in Arctic Thaw Ponds. <i>Permafrost and Periglacial Processes</i> , 2014, 25, 79-93.	1.5	31
336	Climate trends in the Arctic as observed from space. <i>Wiley Interdisciplinary Reviews: Climate Change</i> , 2014, 5, 389-409.	3.6	236
337	Effect of a thermokarst lake on soil physical properties and infiltration processes in the permafrost region of the Qinghai-Tibet Plateau, China. <i>Science China Earth Sciences</i> , 2014, 57, 2357-2365.	2.3	11
338	Frontiers of stable isotope geoscience. <i>Chemical Geology</i> , 2014, 372, 119-143.	1.4	99
339	Geocryological characteristics of the upper permafrost in a tundra-forest transition of the Indigirka River Valley, Russia. <i>Polar Science</i> , 2014, 8, 96-113.	0.5	37
340	Sensitivity of the regional climate model RegCM4.2 to planetary boundary layer parameterisation. <i>Climate Dynamics</i> , 2014, 43, 1753-1772.	1.7	21
341	Application of a Bayesian belief network for assessing the vulnerability of permafrost to thaw and implications for greenhouse gas production and climate feedback. <i>Environmental Science and Policy</i> , 2014, 38, 28-44.	2.4	13

#	ARTICLE	IF	CITATIONS
342	Substrate limitation of sediment methane flux, methane oxidation and use of stable isotopes for assessing methanogenesis pathways in a small arctic lake. <i>Biogeochemistry</i> , 2014, 117, 325-336.	1.7	26
343	The <i>L</i> -ast <i>P</i> -ermafrost <i>M</i> -aximum (<i>LPM</i>) map of the <i>N</i> -orthern <i>H</i> -emisphere: permafrost extent and mean annual air temperatures, 25°–17°N. <i>Boreas</i> , 2014, 43, 652-666.	1.2	179
344	Influence of weather variables on methane and carbon dioxide flux from a shallow pond. <i>Biogeochemistry</i> , 2014, 119, 403-413.	1.7	93
345	The microbial ecology of permafrost. <i>Nature Reviews Microbiology</i> , 2014, 12, 414-425.	13.6	345
346	Ebullitive methane emissions from oxygenated wetland streams. <i>Global Change Biology</i> , 2014, 20, 3408-3422.	4.2	69
347	Global warming: causes and impacts on agroecosystems productivity and food security with emphasis on cassava comparative advantage in the tropics/subtropics. <i>Photosynthetica</i> , 2014, 52, 161-178.	0.9	52
348	Effect of permafrost properties on gas hydrate petroleum system in the Qilian Mountains, Qinghai, Northwest China. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 2711-2720.	1.7	14
349	Bacterial communities and greenhouse gas emissions of shallow ponds in the High Arctic. <i>Polar Biology</i> , 2014, 37, 1669-1683.	0.5	30
350	A shift of thermokarst lakes from carbon sources to sinks during the Holocene epoch. <i>Nature</i> , 2014, 511, 452-456.	13.7	246
351	Cold carbon storage. <i>Nature</i> , 2014, 511, 415-416.	13.7	1
352	Greenhouse gas production in low-latitude lake sediments responds strongly to warming. <i>Nature Climate Change</i> , 2014, 4, 467-470.	8.1	155
353	Gas hydrate destabilization and methane release events in the Krishna-Godavari Basin, Bay of Bengal. <i>Marine and Petroleum Geology</i> , 2014, 58, 476-489.	1.5	21
354	Temperature dependences of air-broadening, air-narrowing and line-mixing coefficients of the methane ν_3 R(6) manifold lines—Application to in-situ measurements of atmospheric methane. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2014, 133, 206-216.	1.1	21
355	Gas hydrate stability zone migration occurred in the Qilian mountain permafrost, Qinghai, Northwest China: Evidences from pyrite morphology and pyrite sulfur isotope. <i>Cold Regions Science and Technology</i> , 2014, 98, 8-17.	1.6	33
356	Recent air temperature changes in the permafrost landscapes of northeastern Eurasia. <i>Polar Science</i> , 2014, 8, 114-128.	0.5	55
357	Bubble emissions from thermokarst lakes in the Qinghai-Xizang Plateau. <i>Quaternary International</i> , 2014, 321, 65-70.	0.7	14
358	Information from Paleoclimate Archives. , 2014, , 383-464.		95
360	Into the Modern Condition. , 0, , 393-412.		0

#	ARTICLE	IF	CITATIONS
361	Subarctic Thermokarst Ponds: Investigating Recent Landscape Evolution and Sediment Dynamics in Thawed Permafrost of Northern Québec (Canada). <i>Arctic, Antarctic, and Alpine Research</i> , 2014, 46, 251-271.	0.4	61
362	Morphological Characteristics of Thermokarst Lakes along the Qinghai-Tibet Engineering Corridor. <i>Arctic, Antarctic, and Alpine Research</i> , 2014, 46, 963-974.	0.4	23
363	Energy input is primary controller of methane bubbling in subarctic lakes. <i>Geophysical Research Letters</i> , 2014, 41, 555-560.	1.5	96
364	Modeling methane emissions from arctic lakes: Model development and site-level study. <i>Journal of Advances in Modeling Earth Systems</i> , 2015, 7, 459-483.	1.3	71
365	Methane emissions from pan-Arctic lakes during the 21st century: An analysis with process-based models of lake evolution and biogeochemistry. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015, 120, 2641-2653.	1.3	41
366	Testing a simple model of gas bubble dynamics in porous media. <i>Water Resources Research</i> , 2015, 51, 1036-1049.	1.7	22
367	Comparative analysis of land, marine, and satellite observations of methane in the lower Atmosphere in the Russian Arctic under conditions of climate change. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2015, 51, 979-991.	0.2	8
368	Large methane emissions from a subarctic lake during spring thaw: Mechanisms and landscape significance. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015, 120, 2289-2305.	1.3	70
369	Oxygen dynamics in permafrost thaw lakes: Anaerobic bioreactors in the Canadian subarctic. <i>Limnology and Oceanography</i> , 2015, 60, 1656-1670.	1.6	59
370	A pan-Arctic synthesis of CH ₄ and CO ₂ production from anoxic soil incubations. <i>Global Change Biology</i> , 2015, 21, 2787-2803.	4.2	138
371	Resistivity and induced polarization monitoring of biogas combined with microbial ecology at a brownfield site. <i>Interpretation</i> , 2015, 3, SAB43-SAB56.	0.5	4
372	Effects of simulated spring thaw of permafrost from mineral cryosol on CO ₂ emissions and atmospheric CH ₄ uptake. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015, 120, 1764-1784.	1.3	28
373	Eutrophication effects on greenhouse gas fluxes from shallow-lake mesocosms override those of climate warming. <i>Global Change Biology</i> , 2015, 21, 4449-4463.	4.2	132
374	A novel optical sensor designed to measure methane bubble sizes in situ. <i>Limnology and Oceanography: Methods</i> , 2015, 13, 712-721.	1.0	19
375	Chapter 1. Methane is an Important Greenhouse Gas. , 2015, , 1-12.		0
378	Early-Holocene warming in Beringia and its mediation by sea-level and vegetation changes. <i>Climate of the Past</i> , 2015, 11, 1197-1222.	1.3	16
379	Seasonal dynamics of organic carbon and metals in thermokarst lakes from the discontinuous permafrost zone of western Siberia. <i>Biogeosciences</i> , 2015, 12, 3009-3028.	1.3	75
380	Summer methane ebullition from a headwater catchment in Northeastern Siberia. <i>Inland Waters</i> , 2015, 5, 224-230.	1.1	11

#	ARTICLE	IF	CITATIONS
381	Modern to millennium-old greenhouse gases emitted from ponds and lakes of the Eastern Canadian Arctic (Bylot Island, Nunavut). <i>Biogeosciences</i> , 2015, 12, 7279-7298.	1.3	53
382	Reviews and syntheses: Effects of permafrost thaw on Arctic aquatic ecosystems. <i>Biogeosciences</i> , 2015, 12, 7129-7167.	1.3	354
383	A model of the methane cycle, permafrost, and hydrology of the Siberian continental margin. <i>Biogeosciences</i> , 2015, 12, 2953-2974.	1.3	15
384	Carbon dynamics in highly heterotrophic subarctic thaw ponds. <i>Biogeosciences</i> , 2015, 12, 7223-7237.	1.3	23
385	WETCHIMP-WSL: intercomparison of wetland methane emissions models over West Siberia. <i>Biogeosciences</i> , 2015, 12, 3321-3349.	1.3	81
386	Methane Oxidation and Molecular Characterization of Methanotrophs from a Former Mercury Mine Impoundment. <i>Microorganisms</i> , 2015, 3, 290-309.	1.6	19
387	The origin, source, and cycling of methane in deep crystalline rock biosphere. <i>Frontiers in Microbiology</i> , 2015, 6, 725.	1.5	76
388	Patterns and persistence of hydrologic carbon and nutrient export from collapsing upland permafrost. <i>Biogeosciences</i> , 2015, 12, 3725-3740.	1.3	145
389	Geographic and seasonal variation of dissolved methane and aerobic methane oxidation in Alaskan lakes. <i>Biogeosciences</i> , 2015, 12, 4595-4606.	1.3	76
390	A ground temperature map of the North Atlantic permafrost region based on remote sensing and reanalysis data. <i>Cryosphere</i> , 2015, 9, 1303-1319.	1.5	82
391	Amplified Feedback Mechanism of the Forests-Aerosols-Climate System. <i>Journal of Climatology</i> , 2015, 2015, 1-11.	0.7	0
392	Thermokarst lake methanogenesis along a complete talik profile. <i>Biogeosciences</i> , 2015, 12, 4317-4331.	1.3	43
393	Thermal processes of thermokarst lakes in the continuous permafrost zone of northern Siberia – observations and modeling (Lena River Delta, Siberia). <i>Biogeosciences</i> , 2015, 12, 5941-5965.	1.3	38
394	Methane and carbon dioxide emissions from 40 lakes along a north-south latitudinal transect in Alaska. <i>Biogeosciences</i> , 2015, 12, 3197-3223.	1.3	142
395	Resources in the Near-Surface Earth: An Introduction and Overview. , 2015, , 1-18.		0
396	Mapping Permafrost Country: Creating an Environmental Object in the Soviet Union, 1920s-1940s. <i>Environmental History</i> , 2015, 20, 396-421.	0.1	19
397	Environmental and vegetation controls on the spatial variability of CH ₄ emission from wet-sedge and tussock tundra ecosystems in the Arctic. <i>Plant and Soil</i> , 2015, 388, 37-52.	1.8	70
398	Size Does Matter: Importance of Large Bubbles and Small-Scale Hot Spots for Methane Transport. <i>Environmental Science & Technology</i> , 2015, 49, 1268-1276.	4.6	93

#	ARTICLE	IF	CITATIONS
399	Long-term winter warming trend in the Siberian Arctic during the mid- to late Holocene. <i>Nature Geoscience</i> , 2015, 8, 122-125.	5.4	117
400	Landsat-based mapping of thermokarst lake dynamics on the Tuktoyaktuk Coastal Plain, Northwest Territories, Canada since 1985. <i>Remote Sensing of Environment</i> , 2015, 168, 194-204.	4.6	70
401	Ecosystem stewardship: A resilience framework for arctic conservation. <i>Global Environmental Change</i> , 2015, 34, 207-217.	3.6	58
402	Future permafrost conditions along environmental gradients in Zackenberg, Greenland. <i>Cryosphere</i> , 2015, 9, 719-735.	1.5	51
403	Methane efflux and oxidation, and use of methane-derived carbon by larval Chironomini, in arctic lake sediments. <i>Limnology and Oceanography</i> , 2015, 60, 276-285.	1.6	19
404	Abundant Trimethylornithine Lipids and Specific Gene Sequences Are Indicative of Planctomycete Importance at the Oxic/Anoxic Interface in Sphagnum-Dominated Northern Wetlands. <i>Applied and Environmental Microbiology</i> , 2015, 81, 6333-6344.	1.4	41
405	Characterizing C-band backscattering from thermokarst lake ice on the Qinghai-Tibet Plateau. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 104, 63-76.	4.9	16
406	Unified approach to Life Cycle Assessment between three unique algae biofuel facilities. <i>Applied Energy</i> , 2015, 154, 1052-1061.	5.1	39
407	Estimating upper soil horizon carbon stocks in a permafrost watershed of Northeast Siberia by integrating field measurements with Landsat-5 TM and WorldView-2 satellite data. <i>GIScience and Remote Sensing</i> , 2015, 52, 131-157.	2.4	10
408	Frozen ponds: production and storage of methane during the Arctic winter in a lowland tundra landscape in northern Siberia, Lena River delta. <i>Biogeosciences</i> , 2015, 12, 977-990.	1.3	58
409	Methane transport from the active layer to lakes in the Arctic using Toolik Lake, Alaska, as a case study. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3636-3640.	3.3	55
410	Climate change and the permafrost carbon feedback. <i>Nature</i> , 2015, 520, 171-179.	13.7	2,369
411	Ground-Level Concentrations of Atmospheric Methane in Southwest Greenland Evaluated Using Open-Path Laser Spectroscopy and Cavity-Enhanced Absorption Spectroscopy. <i>Arctic, Antarctic, and Alpine Research</i> , 2015, 47, 599-609.	0.4	14
412	Communal visual histories to detect environmental change in northern areas: Examples of emerging North American and Eurasian practices. <i>Ambio</i> , 2015, 44, 766-777.	2.8	14
413	Bubbles attenuate elastic waves at seismic frequencies: First experimental evidence. <i>Geophysical Research Letters</i> , 2015, 42, 3880-3887.	1.5	55
414	Microwave Backscatter From Arctic Lake Ice and Polarimetric Implications. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 5972-5982.	2.7	46
415	Arctic lakes are continuous methane sources to the atmosphere under warming conditions. <i>Environmental Research Letters</i> , 2015, 10, 054016.	2.2	66
416	A refined mapping of Arctic lakes using Landsat imagery. <i>International Journal of Remote Sensing</i> , 2015, 36, 5970-5982.	1.3	42

#	ARTICLE	IF	CITATIONS
417	Continuous Seasonal River Ebullition Measurements Linked to Sediment Methane Formation. <i>Environmental Science & Technology</i> , 2015, 49, 13121-13129.	4.6	72
418	Carbon accumulation in a permafrost polygon peatland: steady long-term rates in spite of shifts between dry and wet conditions. <i>Global Change Biology</i> , 2015, 21, 803-815.	4.2	14
419	Basin evolution and palaeoenvironmental variability of the thermokarst lake <i>E'gene'K'yuele</i> , <i>A'rtic S'iberia</i> . <i>Boreas</i> , 2015, 44, 216-229.	1.2	22
420	Effect of thaw depth on fluxes of CO ₂ and CH ₄ in manipulated Arctic coastal tundra of Barrow, Alaska. <i>Science of the Total Environment</i> , 2015, 505, 385-389.	3.9	34
421	Large-scale patterns in summer diffusive CH ₄ fluxes across boreal lakes, and contribution to diffusive C emissions. <i>Global Change Biology</i> , 2015, 21, 1124-1139.	4.2	116
422	Potential Arctic tundra vegetation shifts in response to changing temperature, precipitation and permafrost thaw. <i>Biogeosciences</i> , 2016, 13, 6229-6245.	1.3	40
423	Impacts of snow and organic soils parameterization on northern Eurasian soil temperature profiles simulated by the ISBA land surface model. <i>Cryosphere</i> , 2016, 10, 853-877.	1.5	91
424	Diploptene <i>δ</i>C values from contemporary thermokarst lake sediments show complex spatial variation. <i>Biogeosciences</i> , 2016, 13, 2611-2621.	1.3	20
425	Dissolved organic carbon, CO ₂ , and CH ₄ concentrations and their stable isotope ratios in thermokarst lakes on the Qinghai-Tibetan Plateau. <i>Journal of Limnology</i> , 0, , .	0.3	5
426	Detection and spatiotemporal analysis of methane ebullition on thermokarst lake ice using high-resolution optical aerial imagery. <i>Biogeosciences</i> , 2016, 13, 27-44.	1.3	25
427	Summer fluxes of methane and carbon dioxide from a pond and floating mat in a continental Canadian peatland. <i>Biogeosciences</i> , 2016, 13, 3777-3791.	1.3	10
428	Phototrophic pigment diversity and picophytoplankton in permafrost thaw lakes. <i>Biogeosciences</i> , 2016, 13, 13-26.	1.3	27
429	A Quantum Cascade Laser-Based Optical Sensor for Continuous Monitoring of Environmental Methane in Dunkirk (France). <i>Sensors</i> , 2016, 16, 224.	2.1	19
430	Optical properties and bioavailability of dissolved organic matter along a flow-path continuum from soil pore waters to the Kolyma River mainstem, East Siberia. <i>Biogeosciences</i> , 2016, 13, 2279-2290.	1.3	54
431	The importance of freshwater systems to the net atmospheric exchange of carbon dioxide and methane with a rapidly changing high Arctic watershed. <i>Biogeosciences</i> , 2016, 13, 5849-5863.	1.3	25
432	InSAR Detection and Field Evidence for Thermokarst after a Tundra Wildfire, Using ALOS-PALSAR. <i>Remote Sensing</i> , 2016, 8, 218.	1.8	40
433	Methane dynamics in the subarctic tundra: combining stable isotope analyses, plot- and ecosystem-scale flux measurements. <i>Biogeosciences</i> , 2016, 13, 597-608.	1.3	37
434	Simulating the thermal regime and thaw processes of ice-rich permafrost ground with the land-surface model CryoGrid 3. <i>Geoscientific Model Development</i> , 2016, 9, 523-546.	1.3	104

#	ARTICLE	IF	CITATIONS
436	Evidence of multiple thermokarst lake generations from an 11,800-year-old permafrost core on the northern Seward Peninsula, Alaska. <i>Boreas</i> , 2016, 45, 584-603.	1.2	24
437	High methane emissions from thermokarst lakes in subarctic peatlands. <i>Limnology and Oceanography</i> , 2016, 61, S150.	1.6	68
438	Greenhouse gas flux from headwater streams in New Hampshire, USA: Patterns and drivers. <i>Limnology and Oceanography</i> , 2016, 61, S165.	1.6	56
439	Transitions in Arctic ecosystems: Ecological implications of a changing hydrological regime. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016, 121, 650-674.	1.3	167
440	Effects of increasing temperatures on methane concentrations and methanogenesis during experimental incubation of sediments from oligotrophic and mesotrophic lakes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016, 121, 1394-1406.	1.3	53
441	Permafrost Warming in a Subarctic Peatland – Which Meteorological Controls are Most Important?. <i>Permafrost and Periglacial Processes</i> , 2016, 27, 177-188.	1.5	41
442	Methane oxidation at the water-ice interface of an ice-covered lake. <i>Limnology and Oceanography</i> , 2016, 61, S78.	1.6	35
443	Carbon cycling fed by methane seepage at the shallow Cumberland Bay, South Georgia, sub-Antarctic. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 1401-1418.	1.0	23
444	Threshold sensitivity of shallow Arctic lakes and sublake permafrost to changing winter climate. <i>Geophysical Research Letters</i> , 2016, 43, 6358-6365.	1.5	68
445	Ephemerality of discrete methane vents in lake sediments. <i>Geophysical Research Letters</i> , 2016, 43, 4374-4381.	1.5	32
446	Biased sampling of methane release from northern lakes: A problem for extrapolation. <i>Geophysical Research Letters</i> , 2016, 43, 1256-1262.	1.5	128
447	Allochthonous carbon is a major regulator to bacterial growth and community composition in subarctic freshwaters. <i>Scientific Reports</i> , 2016, 6, 34456.	1.6	55
448	Rapid degradation of permafrost underneath waterbodies in tundra landscapes – Toward a representation of thermokarst in land surface models. <i>Journal of Geophysical Research F: Earth Surface</i> , 2016, 121, 2446-2470.	1.0	54
449	Double-counting challenges the accuracy of high-latitude methane inventories. <i>Geophysical Research Letters</i> , 2016, 43, 12,569.	1.5	56
450	Diverse origins of Arctic and Subarctic methane point source emissions identified with multiply-substituted isotopologues. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 188, 163-188.	1.6	57
451	Ice processes and surface ablation in a shallow thermokarst lake in the central Qinghai-Tibetan Plateau. <i>Annals of Glaciology</i> , 2016, 57, 20-28.	2.8	12
452	Ground ice melt in the high Arctic leads to greater ecological heterogeneity. <i>Journal of Ecology</i> , 2016, 104, 114-124.	1.9	23
453	Carbon dioxide and methane supersaturation in lakes of semi-humid/semi-arid region, Northeastern China. <i>Atmospheric Environment</i> , 2016, 138, 65-73.	1.9	26

#	ARTICLE	IF	CITATIONS
454	Coupling of sedimentological and limnological dynamics in subarctic thermokarst ponds in Northern Québec (Canada) on an interannual basis. <i>Sedimentary Geology</i> , 2016, 340, 15-24.	1.0	13
455	Biogeochemistry of "pristine" freshwater stream and lake systems in the western Canadian Arctic. <i>Biogeochemistry</i> , 2016, 130, 191-213.	1.7	17
456	Mid-Wisconsin to Holocene Permafrost and Landscape Dynamics based on a Drained Lake Basin Core from the Northern Seward Peninsula, Northwest Alaska. <i>Permafrost and Periglacial Processes</i> , 2016, 27, 56-75.	1.5	26
457	Relationships between Vegetation Succession, Pore Water Chemistry and CH ₄ and CO ₂ Production in a Transitional Mire of Western Siberia (Tyumen Oblast). <i>Wetlands</i> , 2016, 36, 863-874.	0.7	10
458	Methane emissions proportional to permafrost carbon thawed in Arctic lakes since the 1950s. <i>Nature Geoscience</i> , 2016, 9, 679-682.	5.4	150
459	Tidally controlled gas bubble emissions: A comprehensive study using long-term monitoring data from the NEPTUNE cabled observatory offshore Vancouver Island. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 3797-3814.	1.0	69
460	Redox dynamics in the active layer of an Arctic headwater catchment; examining the potential for transfer of dissolved methane from soils to stream water. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016, 121, 2776-2792.	1.3	28
461	Dissolved methane in the Beaufort Sea and the Arctic Ocean, 1992-2009; sources and atmospheric flux. <i>Limnology and Oceanography</i> , 2016, 61, S300.	1.6	26
462	Methane emissions from oceans, coasts, and freshwater habitats: New perspectives and feedbacks on climate. <i>Limnology and Oceanography</i> , 2016, 61, S3.	1.6	39
463	Spatial variation in flux, $\delta^{13}C$ and δ^2H of methane in a small Arctic lake with fringing wetland in western Greenland. <i>Biogeochemistry</i> , 2016, 131, 17-33.	1.7	9
464	Circumpolar distribution and carbon storage of thermokarst landscapes. <i>Nature Communications</i> , 2016, 7, 13043.	5.8	343
465	Determination of Methane sources globally by SCIAMACHY. <i>Journal of the Japan Society of Photogrammetry and Remote Sensing</i> , 2016, 55, 104-116.	0.0	0
466	Inverse modeling of pan-Arctic methane emissions at high spatial resolution: what can we learn from assimilating satellite retrievals and using different process-based wetland and lake biogeochemical models?. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 12649-12666.	1.9	27
467	Pan-Eurasian Experiment (PEEX): towards a holistic understanding of the feedbacks and interactions in the land-atmosphere-ocean-society continuum in the northern Eurasian region. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 14421-14461.	1.9	57
468	Seasonal dynamics of phytoplankton in acidic and humic environment in thaw ponds of discontinuous permafrost zone. <i>Annales De Limnologie</i> , 2016, 52, 47-60.	0.6	15
469	Quantifying emissions of methane derived from anaerobic organic matter respiration and natural gas extraction in Lake Erie. <i>Limnology and Oceanography</i> , 2016, 61, S356.	1.6	32
470	Methane turnover and environmental change from Holocene lipid biomarker records in a thermokarst lake in Arctic Alaska. <i>Holocene</i> , 2016, 26, 1766-1777.	0.9	24
471	Temperature effects on net greenhouse gas production and bacterial communities in arctic thaw ponds. <i>FEMS Microbiology Ecology</i> , 2016, 92, fiw117.	1.3	20

#	ARTICLE	IF	CITATIONS
472	Diffusive summer methane flux from lakes to the atmosphere in the Alaskan arctic zone. <i>Polar Science</i> , 2016, 10, 303-311.	0.5	7
473	A rapid method to collect methane from peatland streams for radiocarbon analysis. <i>Ecohydrology</i> , 2016, 9, 113-121.	1.1	18
474	Climate-sensitive northern lakes and ponds are critical components of methane release. <i>Nature Geoscience</i> , 2016, 9, 99-105.	5.4	357
475	The evolution of a thermokarst-lake landscape: Late Quaternary permafrost degradation and stabilization in interior Alaska. <i>Sedimentary Geology</i> , 2016, 340, 3-14.	1.0	35
476	Dissolved methane and carbon dioxide fluxes in Subarctic and Arctic regions: Assessing measurement techniques and spatial gradients. <i>Earth and Planetary Science Letters</i> , 2016, 436, 43-55.	1.8	23
477	Application of refraction seismics in alpine permafrost studies: A review. <i>Earth-Science Reviews</i> , 2016, 155, 136-152.	4.0	27
478	Land and Water Resources of Siberia, Their Functioning and Ecological State. Springer Water, 2016, , 3-73.	0.2	7
479	Thermokarst dynamics and soil organic matter characteristics controlling initial carbon release from permafrost soils in the Siberian Yedoma region. <i>Sedimentary Geology</i> , 2016, 340, 38-48.	1.0	52
480	Arctic and Sub-Arctic shallow lakes in a multiple-stressor world: a paleoecological perspective. <i>Hydrobiologia</i> , 2016, 778, 253-272.	1.0	28
481	Evaporation and transport of water isotopologues from Greenland lakes: The lake size effect. <i>Quaternary Science Reviews</i> , 2016, 131, 302-315.	1.4	18
482	Moss and Peat Leachate Degradability by Heterotrophic Bacteria: The Fate of Organic Carbon and Trace Metals. <i>Geomicrobiology Journal</i> , 2017, 34, 641-655.	1.0	18
483	Methane emission from aquatic ecosystems of Mexico City. <i>Aquatic Sciences</i> , 2017, 79, 159-169.	0.6	31
484	Dissolved methane concentrations in the water column and surface sediments of Hanna Shoal and Barrow Canyon, Northern Chukchi Sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2017, 144, 92-103.	0.6	15
485	The Contribution from Methane to the Permafrost Carbon Feedback. <i>Current Climate Change Reports</i> , 2017, 3, 58-68.	2.8	6
486	Arctic ice management. <i>Earth's Future</i> , 2017, 5, 107-127.	2.4	28
487	Heatwave effects on greenhouse gas emissions from shallow lake mesocosms. <i>Freshwater Biology</i> , 2017, 62, 1130-1142.	1.2	22
488	Inland waters and their role in the carbon cycle of Alaska. <i>Ecological Applications</i> , 2017, 27, 1403-1420.	1.8	78
489	Mechanistic modeling of microbial interactions at pore to profile scale resolve methane emission dynamics from permafrost soil. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 1216-1238.	1.3	21

#	ARTICLE	IF	CITATIONS
490	Persistence of bubble outlets in soft, methane-generating sediments. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 1298-1320.	1.3	25
491	Observation of atmospheric methane in the Arctic Ocean up to 87° north. <i>Science China Earth Sciences</i> , 2017, 60, 173-179.	2.3	4
492	Effects of artificial thermocline deepening on sedimentation rates and microbial processes in the sediment. <i>Hydrobiologia</i> , 2017, 799, 65-81.	1.0	10
493	Historical and Contemporary Global Methane Cycling. , 2017, , 227-285.		0
494	Microbial Ecosystem Functions in Wetlands under Disturbance. , 2017, , 227-274.		3
495	Validity of radiocarbon ages of Siberian yedoma. <i>GeoResJ</i> , 2017, 13, 83-95.	1.4	21
496	Near-shore talik development beneath shallow water in expanding thermokarst lakes, Old Crow Flats, Yukon. <i>Journal of Geophysical Research F: Earth Surface</i> , 2017, 122, 1070-1089.	1.0	35
497	The interaction of climate change and methane hydrates. <i>Reviews of Geophysics</i> , 2017, 55, 126-168.	9.0	560
498	Contribution of supra-permafrost discharge to thermokarst lake water balances on the northeastern Qinghai-Tibet Plateau. <i>Journal of Hydrology</i> , 2017, 555, 621-630.	2.3	27
499	Wetland management using microbial indicators. <i>Ecological Engineering</i> , 2017, 108, 456-476.	1.6	54
500	Changes of Soil Thermal and Hydraulic Regimes in Northern Hemisphere Permafrost Regions over the 21st Century. <i>Arctic, Antarctic, and Alpine Research</i> , 2017, 49, 305-319.	0.4	12
501	Seasonal and Spatial Dynamics of Gas Ebullition in a Temperate Water-Storage Reservoir. <i>Water Resources Research</i> , 2017, 53, 8266-8276.	1.7	19
502	Modeling CO_2 emissions from Arctic lakes: Model development and site-level study. <i>Journal of Advances in Modeling Earth Systems</i> , 2017, 9, 2190-2213.	1.3	38
503	Periphytic diatom community structure in thermokarst ecosystems of Nunavik (Quebec, Canada). <i>Arctic Science</i> , 2017, , .	0.9	2
504	An enhanced bubble size sensor for long-term ebullition studies. <i>Limnology and Oceanography: Methods</i> , 2017, 15, 821-835.	1.0	18
505	Methane Ebullition in Temperate Hydropower Reservoirs and Implications for US Policy on Greenhouse Gas Emissions. <i>Environmental Management</i> , 2017, 60, 615-629.	1.2	16
506	Strong geologic methane emissions from discontinuous terrestrial permafrost in the Mackenzie Delta, Canada. <i>Scientific Reports</i> , 2017, 7, 5828.	1.6	45
507	Environmental feedbacks in temperate aquatic ecosystems under global change: why do we need to consider chemical stressors?. <i>Regional Environmental Change</i> , 2017, 17, 2079-2096.	1.4	11

#	ARTICLE	IF	CITATIONS
508	Methane Emissions from a Subtropical Grass Marshland, Northern Taiwan. <i>Wetlands</i> , 2017, 37, 1145-1157.	0.7	8
509	Diurnal and seasonal variations of tundra CO ₂ emissions in a polygonal peatland near Salluit, Nunavik, Canada. <i>Arctic Science</i> , 0, , .	0.9	5
510	Spatial and Temporal Variation in Methane Concentrations, Fluxes, and Sources in Lakes in Arctic Alaska. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 2966-2981.	1.3	18
511	Glacial/interglacial wetland, biomass burning, and geologic methane emissions constrained by dual stable isotopic CH ₄ ice core records. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E5778-E5786.	3.3	58
512	A synthesis of the arctic terrestrial and marine carbon cycles under pressure from a dwindling cryosphere. <i>Ambio</i> , 2017, 46, 53-69.	2.8	56
513	BIOCHAR AS A TOOL TO REDUCE THE AGRICULTURAL GREENHOUSE-GAS BURDEN “KNOWN, UNKNOWN AND FUTURE RESEARCH NEEDS. <i>Journal of Environmental Engineering and Landscape Management</i> , 2017, 25, 114-139.	0.4	144
514	Impact of a thermokarst lake on the soil hydrological properties in permafrost regions of the Qinghai-Tibet Plateau, China. <i>Science of the Total Environment</i> , 2017, 574, 751-759.	3.9	26
515	Atmospheric CH ₄ oxidation by Arctic permafrost and mineral cryosols as a function of water saturation and temperature. <i>Geobiology</i> , 2017, 15, 94-111.	1.1	14
516	Plants, microorganisms, and soil temperatures contribute to a decrease in methane fluxes on a drained Arctic floodplain. <i>Global Change Biology</i> , 2017, 23, 2396-2412.	4.2	54
517	Interannual and Seasonal Patterns of Carbon Dioxide, Water, and Energy Fluxes From Ecotonal and Thermokarst-Impacted Ecosystems on Carbon-Rich Permafrost Soils in Northeastern Siberia. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 2651-2668.	1.3	19
518	Multi-Decadal Surface Water Dynamics in North American Tundra. <i>Remote Sensing</i> , 2017, 9, 497.	1.8	41
519	Landsat-Based Trend Analysis of Lake Dynamics across Northern Permafrost Regions. <i>Remote Sensing</i> , 2017, 9, 640.	1.8	110
520	Atmospheric methane control mechanisms during the early Holocene. <i>Climate of the Past</i> , 2017, 13, 1227-1242.	1.3	16
521	Exceptional summer warming leads to contrasting outcomes for methane cycling in small Arctic lakes of Greenland. <i>Biogeosciences</i> , 2017, 14, 559-574.	1.3	9
522	The Geometry of Large Tundra Lakes Observed in Historical Maps and Satellite Images. <i>Remote Sensing</i> , 2017, 9, 1072.	1.8	7
523	Variability in methane emissions from West Siberia's shallow boreal lakes on a regional scale and its environmental controls. <i>Biogeosciences</i> , 2017, 14, 3715-3742.	1.3	32
524	Year-round CH ₄ and CO ₂ flux dynamics in two contrasting freshwater ecosystems of the subarctic. <i>Biogeosciences</i> , 2017, 14, 5189-5216.	1.3	55
525	Palaeoclimate characteristics in interior Siberia of MIS ² : first insights from the Batagay permafrost mega-thaw slump in the Yana Highlands. <i>Climate of the Past</i> , 2017, 13, 795-818.	1.3	39

#	ARTICLE	IF	CITATIONS
526	A simple calculation algorithm to separate high-resolution CH ₄ flux measurements into ebullition- and diffusion-derived components. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 109-118.	1.2	20
527	Gas Bubble Migration and Trapping in Porous Media: Pore-Scale Simulation. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 1060-1071.	1.4	48
528	Seasonal Dynamics of Dissolved Methane in Lakes of the Mackenzie Delta and the Role of Carbon Substrate Quality. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 591-609.	1.3	22
529	Mapping permafrost landscape features using object-based image classification of multi-temporal SAR images. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2018, 141, 10-29.	4.9	23
530	Analyzing floating and bedfast lake ice regimes across Arctic Alaska using 25 years of space-borne SAR imagery. <i>Remote Sensing of Environment</i> , 2018, 209, 660-676.	4.6	57
531	Anaerobic methanotrophic communities thrive in deep submarine permafrost. <i>Scientific Reports</i> , 2018, 8, 1291.	1.6	58
532	Effect of Electric Field on Gas Hydrate Nucleation Kinetics: Evidence for the Enhanced Kinetics of Hydrate Nucleation by Negatively Charged Clay Surfaces. <i>Environmental Science & Technology</i> , 2018, 52, 3267-3274.	4.6	48
533	Tolerance of fen mosses to submergence, and the influence on moss community composition and ecosystem resilience. <i>Journal of Vegetation Science</i> , 2018, 29, 127-135.	1.1	19
534	Greenhouse gas emissions from diverse Arctic Alaskan lakes are dominated by young carbon. <i>Nature Climate Change</i> , 2018, 8, 166-171.	8.1	72
535	Isotopic source signatures: Impact of regional variability on the trend and spatial distribution. <i>Atmospheric Environment</i> , 2018, 174, 99-111.	1.9	24
536	Characterization of labile organic matter in Pleistocene permafrost (NE Siberia), using Thermally assisted Hydrolysis and Methylation (THM-GC-MS). <i>Soil Biology and Biochemistry</i> , 2018, 117, 203-213.	4.2	8
537	A synthesis of carbon dioxide and methane dynamics during the ice-covered period of northern lakes. <i>Limnology and Oceanography Letters</i> , 2018, 3, 117-131.	1.6	98
538	Toward understanding the contribution of waterbodies to the methane emissions of a permafrost landscape on a regional scale—A case study from the Mackenzie Delta, Canada. <i>Global Change Biology</i> , 2018, 24, 3976-3989.	4.2	24
539	Contribution of Methane Formation and Methane Oxidation to Methane Emission from Freshwater Systems. , 2018, , 1-31.		6
540	Minor contribution of small thaw ponds to the pools of carbon and methane in the inland waters of the permafrost-affected part of the Western Siberian Lowland. <i>Environmental Research Letters</i> , 2018, 13, 045002.	2.2	41
541	Soil hydromorphy and soil carbon: A global data analysis. <i>Geoderma</i> , 2018, 324, 9-17.	2.3	27
542	Standing Dead Trees are a Conduit for the Atmospheric Flux of CH ₄ and CO ₂ from Wetlands. <i>Wetlands</i> , 2018, 38, 133-143.	0.7	18
543	Water chemistry of tundra lakes in the periglacial zone of the Bellsund Fjord (Svalbard) in the summer of 2013. <i>Science of the Total Environment</i> , 2018, 624, 1669-1679.	3.9	19

#	ARTICLE	IF	CITATIONS
544	Review: Impacts of permafrost degradation on inorganic chemistry of surface fresh water. <i>Global and Planetary Change</i> , 2018, 162, 69-83.	1.6	91
545	Estimating winter ebullition bubble volume in lake ice using ground-penetrating radar. <i>Geophysics</i> , 2018, 83, H13-H25.	1.4	4
546	The Influence of Temperature and Humidity on Greenhouse Gas Emission in Experiments on Imitation of the Full Vegetation Cycle of Tundra Ecosystems. <i>Doklady Earth Sciences</i> , 2018, 483, 1539-1541.	0.2	0
547	Wonder and the Necessary Alliances of Science and Religion. , 2018, , 291-324.		1
548	First observation of direct methane emission to the atmosphere from the subglacial domain of the Greenland Ice Sheet. <i>Scientific Reports</i> , 2018, 8, 16623.	1.6	23
549	Thermokarst pond dynamics in subarctic environment monitoring with radar remote sensing. <i>Permafrost and Periglacial Processes</i> , 2018, 29, 231-245.	1.5	10
550	Diel and seasonal methane flux across water-air interface of a subtropic eutrophic pond. <i>Toxicological and Environmental Chemistry</i> , 2018, 100, 413-424.	0.6	5
551	Shallow carbon storage in ancient buried thermokarst in the South Kara Sea. <i>Scientific Reports</i> , 2018, 8, 14342.	1.6	7
552	Ecological Response to Permafrost Thaw and Consequences for Local and Global Ecosystem Services. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2018, 49, 279-301.	3.8	116
553	Transient Electromagnetic Surveys for the Determination of Talik Depth and Geometry Beneath Thermokarst Lakes. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 9310-9323.	1.4	21
554	Assessment of methane and carbon dioxide emissions in two sub-basins of a small acidic bog lake artificially divided 30 years ago. <i>Freshwater Biology</i> , 2018, 63, 1534-1549.	1.2	8
555	Quantifying the influence of cold water intrusions in a shallow, coastal system across contrasting years: Green Bay, Lake Michigan. <i>Journal of Great Lakes Research</i> , 2018, 44, 851-863.	0.8	12
556	Increases in temperature and nutrient availability positively affect methane-cycling microorganisms in Arctic thermokarst lake sediments. <i>Environmental Microbiology</i> , 2018, 20, 4314-4327.	1.8	51
557	Current Trends in Climate Change in Yakutia. <i>Geography and Natural Resources</i> , 2018, 39, 153-161.	0.1	18
558	Permafrost and environmental dynamics: A virtual issue of The Holocene. <i>Holocene</i> , 2018, 28, 1201-1204.	0.9	0
559	Eddy covariance measurements of water vapor and energy flux over a lake in the Badain Jaran Desert, China. <i>Journal of Arid Land</i> , 2018, 10, 517-533.	0.9	15
560	Simultaneous detection of ambient methane, nitrous oxide, and water vapor using an external-cavity quantum cascade laser. <i>Atmospheric Environment</i> , 2018, 189, 125-132.	1.9	22
561	Carbon Dioxide and Methane Dynamics in a Small Boreal Lake During Winter and Spring Melt Events. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 2527-2540.	1.3	24

#	ARTICLE	IF	CITATIONS
562	Methane and carbon dioxide emissions from thermokarst lakes on mineral soils. <i>Arctic Science</i> , 2018, 4, 584-604.	0.9	15
563	Recent changes in chironomid communities and hypolimnetic oxygen conditions relate to organic carbon in subarctic ecotonal lakes. <i>Science of the Total Environment</i> , 2019, 646, 238-244.	3.9	9
564	A Learning Pathway to an Integrated Approach Involving Natural, Applied and Social Science, Humanities and Arts to Face Climate Change. <i>Sustainability</i> , 2019, 12, 199-214.	0.9	0
565	Toward Disaster Security. , 2019, , 1-19.		0
566	Compound-Specific Radiocarbon Analysis of Atmospheric Methane: A New Preconcentration and Purification Setup. <i>Radiocarbon</i> , 2019, 61, 1461-1476.	0.8	11
567	Century-scale time since permafrost thaw affects temperature sensitivity of net methane production in thermokarst-lake and talik sediments. <i>Science of the Total Environment</i> , 2019, 691, 124-134.	3.9	18
568	Water-Carbon Dynamics in Eastern Siberia. <i>Ecological Studies</i> , 2019, , .	0.4	6
569	Methane and Biogenic Volatile Organic Compound Emissions in Eastern Siberia. <i>Ecological Studies</i> , 2019, , 101-134.	0.4	2
570	From Lima to New York. , 2019, , 61-86.		0
571	Planning for the Uncertain Future. , 2019, , 182-201.		0
572	Diel methane flux from a subtropical eutrophic pond in November based on continuous monitoring. <i>Acta Geochimica</i> , 2019, 38, 232-240.	0.7	4
573	Upgraded global mapping information for earth system modelling: an application to surface water depth at the ECMWF. <i>Hydrology and Earth System Sciences</i> , 2019, 23, 4051-4076.	1.9	16
574	Long-term Measurements of Methane Ebullition From Thaw Ponds. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019, 124, 2208-2221.	1.3	27
575	Observing Single Hollow Porous Carbon Catalyst Collisions for Oxygen Reduction at Gold Nanoband Electrode. <i>ChemPhysChem</i> , 2019, 20, 529-532.	1.0	2
576	Methane budget estimates in Finland from the CarbonTracker Europe-CH ₄ data assimilation system. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 71, 1565030.	0.8	11
577	Radium isotope fingerprinting of permafrost applications to thawing and intra-permafrost processes. <i>Permafrost and Periglacial Processes</i> , 2019, 30, 104-112.	1.5	2
578	Methane Sources in the Waters of Lake Michigan and Lake Superior as Revealed by Natural Radiocarbon Measurements. <i>Geophysical Research Letters</i> , 2019, 46, 5436-5444.	1.5	10
579	Quantifying Impacts of Mean Annual Lake Bottom Temperature on Talik Development and Permafrost Degradation below Expanding Thermokarst Lakes on the Qinghai-Tibet Plateau. <i>Water (Switzerland)</i> , 2019, 11, 706.	1.2	6

#	ARTICLE	IF	CITATIONS
580	On-line wavenumber optimization for a ground-based CH ₄ -DIAL. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2019, 229, 106-119.	1.1	6
581	An Object-Based Classification Method to Detect Methane Ebullition Bubbles in Early Winter Lake Ice. <i>Remote Sensing</i> , 2019, 11, 822.	1.8	8
582	Dissolved methane in the residual basins of the Aral Sea. <i>Environmental Research Letters</i> , 2019, 14, 065005.	2.2	8
583	First evidence for cold-adapted anaerobic oxidation of methane in deep sediments of thermokarst lakes. <i>Environmental Research Communications</i> , 2019, 1, 021002.	0.9	33
584	Stability Conditions of Peat Plateaus and Palsas in Northern Norway. <i>Journal of Geophysical Research F: Earth Surface</i> , 2019, 124, 705-719.	1.0	31
585	Climate Change Impacts on Drought-Flood Abrupt Alternation and Water Quality in the Hetao Area, China. <i>Water (Switzerland)</i> , 2019, 11, 652.	1.2	25
586	Methane in Gas Shows from Boreholes in Epigenetic Permafrost of Siberian Arctic. <i>Geosciences (Switzerland)</i> , 2019, 9, 67.	1.0	23
587	Seasonal Sources of Whole-Lake CH ₄ and CO ₂ Emissions From Interior Alaskan Thermokarst Lakes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019, 124, 1209-1229.	1.3	23
588	Estimating methane emissions using vegetation mapping in the taiga-tundra boundary of a north-eastern Siberian lowland. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2019, 71, 1581004.	0.8	14
589	Holocene Thermokarst Lake Dynamics in Northern Interior Alaska: The Interplay of Climate, Fire, and Subsurface Hydrology. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	13
590	High carbon emissions from thermokarst lakes of Western Siberia. <i>Nature Communications</i> , 2019, 10, 1552.	5.8	98
591	Methane flux dynamics in a submerged aquatic vegetation zone in a subtropical lake. <i>Science of the Total Environment</i> , 2019, 672, 400-409.	3.9	26
592	Origin and formation of methane in groundwater of glacial origin from the Cambrian-Vendian aquifer system in Estonia. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 251, 247-264.	1.6	9
593	Simulating heat source effect of a thermokarst lake in the first 540 years on the Alaskan Arctic using a simple lake expanding model. <i>Cold Regions Science and Technology</i> , 2019, 160, 176-183.	1.6	6
594	The role of lake size and local phenomena for monitoring ground-fast lake ice. <i>International Journal of Remote Sensing</i> , 2019, 40, 832-858.	1.3	15
595	Geographically widespread ¹³ C-depletion of grazing caddis larvae: A third way of fuelling stream food webs?. <i>Freshwater Biology</i> , 2019, 64, 787-798.	1.2	3
596	Thermokarst Lakes, Ecosystems with Intense Microbial Processes of the Methane Cycle. <i>Microbiology</i> , 2019, 88, 649-661.	0.5	10
597	From Pearl Harbor to Pearl Harbor. , 2019, , 87-112.		0

#	ARTICLE	IF	CITATIONS
598	Obstacles and Opportunities. , 2019, , 161-181.		0
599	Scenario Planning and Complex Scenario Approach. , 2019, , 38-60.		0
600	Advancing Scientific Understanding of the Global Methane Budget in Support of the Paris Agreement. Global Biogeochemical Cycles, 2019, 33, 1475-1512.	1.9	73
602	Environmental Disasters and Risk Assessment. , 2019, , 20-37.		0
603	Beyond Scenarios: Wargames, Simulations, and Net Assessment. , 2019, , 113-136.		0
604	Hybrid Disasters and Security. , 2019, , 137-160.		0
607	Multidecadal climate-induced changes in Arctic tundra lake geochemistry and geomorphology. Limnology and Oceanography, 2019, 64, S179.	1.6	12
608	The unique methodological challenges of winter limnology. Limnology and Oceanography: Methods, 2019, 17, 42-57.	1.0	47
609	Scaling and balancing methane fluxes in a heterogeneous tundra ecosystem of the Lena River Delta. Agricultural and Forest Meteorology, 2019, 266-267, 243-255.	1.9	7
610	The significant contribution of lake depth in regulating global lake diffusive methane emissions. Water Research, 2020, 172, 115465.	5.3	47
611	The impact of permafrost on carbon dioxide and methane fluxes in Siberia: A meta-analysis. Environmental Research, 2020, 182, 109096.	3.7	41
612	Missing atmospheric noble gases in a large, tropical lake: The case of Lake Kivu, East-Africa. Chemical Geology, 2020, 532, 119374.	1.4	7
613	The biogeochemical variability of Arctic thermokarst ponds is reflected by stochastic and niche-driven microbial community assembly processes. Environmental Microbiology, 2020, 22, 4847-4862.	1.8	13
614	The Biogeochemical Methane Cycle. , 2020, , 669-746.		15
615	A synthesis of methane dynamics in thermokarst lake environments. Earth-Science Reviews, 2020, 210, 103365.	4.0	28
616	Upper Midwest lakes are supersaturated with N ₂ . Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 17063-17067.	3.3	27
617	Emission of Greenhouse Gases From Water Tracks Draining Arctic Hillslopes. Journal of Geophysical Research G: Biogeosciences, 2020, 125, e2020JG005889.	1.3	6
618	Inland Waters. , 2020, , 293-360.		4

#	ARTICLE	IF	CITATIONS
619	n-Alkane Characteristics of Thawed Permafrost Deposits Below a Thermokarst Lake on Bykovsky Peninsula, Northeastern Siberia. <i>Frontiers in Environmental Science</i> , 2020, 8, .	1.5	10
620	Interannual, summer, and diel variability of CH ₄ and CO ₂ effluxes from Toolik Lake, Alaska, during the ice-free periods 2010–2015. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 2181-2198.	1.7	3
621	Thawing permafrost and methane emission in Siberia: Synthesis of observations, reanalysis, and predictive modeling. <i>Ambio</i> , 2021, 50, 2050-2059.	2.8	18
622	Remote sensing northern lake methane ebullition. <i>Nature Climate Change</i> , 2020, 10, 511-517.	8.1	45
624	Roles of Thermokarst Lakes in a Warming World. <i>Trends in Microbiology</i> , 2020, 28, 769-779.	3.5	67
625	Rapid Vegetation Succession and Coupled Permafrost Dynamics in Arctic Thaw Ponds in the Siberian Lowland Tundra. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020, 125, e2019JG005618.	1.3	20
626	Patterns and Drivers of Carbon Dioxide Concentrations in Aquatic Ecosystems of the Arctic Coastal Tundra. <i>Global Biogeochemical Cycles</i> , 2020, 34, e2020GB006552.	1.9	9
627	Tipping elements and amplified polar warming during the Last Interglacial. <i>Quaternary Science Reviews</i> , 2020, 233, 106222.	1.4	20
628	Mapping thermokarst lakes and ponds across permafrost landscapes in the Headwater Area of Yellow River on northeastern Qinghai-Tibet Plateau. <i>International Journal of Remote Sensing</i> , 2020, 41, 7042-7067.	1.3	23
629	Permafrost thaw stimulates primary producers but has a moderate effect on primary consumers in subarctic ponds. <i>Ecosphere</i> , 2020, 11, e03099.	1.0	17
630	Synchronous Nutrient Controlled-Release of Greenhouse Gases During Mineralization of Sediments from Different Lakes. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2020, 105, 76-85.	1.3	3
631	Permafrost Landscape Features. , 2020, , 303-320.		1
632	Intra-seasonal hydrological processes on the western Tibetan Plateau: Monsoonal and convective rainfall events at ~7.5 ka. <i>Quaternary International</i> , 2020, 537, 9-23.	0.7	10
633	Inertia Risk: Improving Economic Models of Catastrophes*. <i>Scandinavian Journal of Economics</i> , 2020, 122, 1259-1285.	0.7	3
634	Airborne Mapping Reveals Emergent Power Law of Arctic Methane Emissions. <i>Geophysical Research Letters</i> , 2020, 47, e2019GL085707.	1.5	39
635	Facile synthesis of ultramicroporous carbon adsorbents with ultra-high CH ₄ uptake by in situ ionic activation. <i>AIChE Journal</i> , 2020, 66, e16231.	1.8	39
636	Permafrost Thaw Dominates Mercury Emission in Tibetan Thermokarst Ponds. <i>Environmental Science & Technology</i> , 2020, 54, 5456-5466.	4.6	16
637	Carbon emission from thermokarst lakes in NE European tundra. <i>Limnology and Oceanography</i> , 2021, 66, S216.	1.6	16

#	ARTICLE	IF	CITATIONS
638	High contribution of methane in greenhouse gas emissions from a eutrophic lake: a mass balance synthesis. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2021, 55, 411-430.	0.8	7
639	Bottom-up evaluation of the regional methane budget of northern lands from 1980 to 2015. <i>Polar Science</i> , 2021, 27, 100558.	0.5	5
640	Effects of organic soil in the Noah-MP land-surface model on simulated skin and soil temperature profiles and surface energy exchanges for China. <i>Atmospheric Research</i> , 2021, 249, 105284.	1.8	8
641	Methane emissions during different freezing-thawing periods from a fen on the Qinghai-Tibetan Plateau: Four years of measurements. <i>Agricultural and Forest Meteorology</i> , 2021, 297, 108279.	1.9	16
642	Thermoâ€erosional valleys in Siberian iceâ€rich permafrost. <i>Permafrost and Periglacial Processes</i> , 2021, 32, 59-75.	1.5	18
643	Seasonal patterns in greenhouse gas emissions from lakes and ponds in a High Arctic polygonal landscape. <i>Limnology and Oceanography</i> , 2021, 66, S117.	1.6	24
644	Permafrost and climate change. , 2021, , 281-326.		5
645	The Arctic Carbon Cycle and Its Response to Changing Climate. <i>Current Climate Change Reports</i> , 2021, 7, 14-34.	2.8	38
646	New Catastrophic Gas Blowout and Giant Crater on the Yamal Peninsula in 2020: Results of the Expedition and Data Processing. <i>Geosciences (Switzerland)</i> , 2021, 11, 71.	1.0	34
647	Periglacial Lake Origin Influences the Likelihood of Lake Drainage in Northern Alaska. <i>Remote Sensing</i> , 2021, 13, 852.	1.8	7
648	Decadal-scale hotspot methane ebullition within lakes following abrupt permafrost thaw. <i>Environmental Research Letters</i> , 2021, 16, 035010.	2.2	21
650	Continuous Dynamics of Dissolved Methane Over 2 Years and its Carbon Isotopes ($\delta^{13}C$). <i>Biogeosciences</i> , 2021, 126, e2020JG006038.	1.3	12
651	Methane pathways in winter ice of a thermokarst lakeâ€lagoonâ€coastal water transect in north Siberia. <i>Cryosphere</i> , 2021, 15, 1607-1625.	1.5	7
652	Diverging pond dissolved organic matter characteristics yield similar CO_2 flux potentials in a disturbed High Arctic landscape. <i>Environmental Research Letters</i> , 2021, 16, 044016.	2.2	3
653	Mapping the Main Characteristics of Permafrost on the Basis of a Permafrost-Landscape Map of Yakutia Using GIS. <i>Land</i> , 2021, 10, 462.	1.2	15
654	Radiocarbon Data Reveal Contrasting Sources for Carbon Fractions in Thermokarst Lakes and Rivers of Eastern Canada (Nunavik, Quebec). <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, e2020JG005938.	1.3	6
655	Mapping potential signs of gas emissions in ice of Lake Neyto, Yamal, Russia, using synthetic aperture radar and multispectral remote sensing data. <i>Cryosphere</i> , 2021, 15, 1907-1929.	1.5	7
656	Porewater $\delta^{13}C$ indicates variable extent of degradation in different talik layers of coastal Alaskan thermokarst lakes. <i>Biogeosciences</i> , 2021, 18, 2241-2258.	1.3	3

#	ARTICLE	IF	CITATIONS
657	Biogeochemistry of macrophytes, sediments and porewaters in thermokarst lakes of permafrost peatlands, western Siberia. <i>Science of the Total Environment</i> , 2021, 763, 144201.	3.9	21
658	Ultramicroporous carbon granules with narrow pore size distribution for efficient CH ₄ separation from coalbed gases. <i>AIChE Journal</i> , 2021, 67, e17281.	1.8	29
659	Effects of non-uniform rheology on the motion of bubbles in a yield-stress fluid. <i>Journal of Fluid Mechanics</i> , 2021, 919, .	1.4	12
660	The water column of the Yamal tundra lakes as a microbial filter preventing methane emission. <i>Biogeosciences</i> , 2021, 18, 2791-2807.	1.3	10
661	Spatial Analyses and Susceptibility Modeling of Thermokarst Lakes in Permafrost Landscapes along the Qinghai-Tibet Engineering Corridor. <i>Remote Sensing</i> , 2021, 13, 1974.	1.8	12
662	Ebullition dominates methane fluxes from the water surface across different ecohydrological patches in a temperate freshwater marsh at the end of the growing season. <i>Science of the Total Environment</i> , 2021, 767, 144498.	3.9	24
663	Pore Habit of Gas in Gassy Sediments. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB021511.	1.4	8
665	Dynamical landscape and multistability of a climate model. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2021, 477, 20210019.	1.0	18
666	Spatial-temporal trends of hydrological transitions in thermokarst lakes on Northeast Qinghai-Tibet Plateau based on stable isotopes. <i>Journal of Hydrology</i> , 2021, 597, 126314.	2.3	8
667	Permafrost thaw induced abrupt changes in hydrology and carbon cycling in Lake Wudalianchi, northeastern China. <i>Geology</i> , 2021, 49, 1117-1121.	2.0	9
668	Exploring annual lake dynamics in Xinjiang (China): spatiotemporal features and driving climate factors from 2000 to 2019. <i>Climatic Change</i> , 2021, 166, 1.	1.7	16
669	Applications of large deviation theory in geophysical fluid dynamics and climate science. <i>Rivista Del Nuovo Cimento</i> , 2021, 44, 291-363.	2.0	14
670	Geographic variability in freshwater methane hydrogen isotope ratios and its implications for global isotopic source signatures. <i>Biogeosciences</i> , 2021, 18, 3505-3527.	1.3	6
672	Siberian plants shift their phenology in response to climate change. <i>Global Change Biology</i> , 2021, 27, 4435-4448.	4.2	40
673	Sea-Air Exchange of Methane in Shallow Inshore Areas of the Baltic Sea. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	5
674	Efficient underwater energy harvesting from bubble-driven pipe flow. <i>Applied Energy</i> , 2021, 295, 116987.	5.1	22
675	Methane emission dynamics among CO ₂ -absorbing and thermokarst lakes of a great Arctic delta. <i>Biogeochemistry</i> , 2021, 156, 375-399.	1.7	4
676	Vegetation grows more luxuriantly in Arctic permafrost drained lake basins. <i>Global Change Biology</i> , 2021, 27, 5865-5876.	4.2	13

#	ARTICLE	IF	CITATIONS
677	Greening vs browning? Surface water cover mediates how tundra and boreal ecosystems respond to climate warming. <i>Environmental Research Letters</i> , 2021, 16, 104004.	2.2	6
678	Shrinking thermokarst lakes and ponds on the northeastern Qinghai-Tibet plateau over the past three decades. <i>Permafrost and Periglacial Processes</i> , 2021, 32, 601-617.	1.5	17
679	Integrated approach towards quantifying carbon dioxide and methane release from waste stabilization ponds. <i>Water Research</i> , 2021, 202, 117389.	5.3	3
680	Annual CO ₂ and CH ₄ fluxes in coastal earthen ponds with <i>Litopenaeus vannamei</i> in southeastern China. <i>Aquaculture</i> , 2021, 545, 737229.	1.7	21
681	Satellites for long-term monitoring of inland U.S. lakes: The MERIS time series and application for chlorophyll-a. <i>Remote Sensing of Environment</i> , 2021, 266, 112685.	4.6	46
682	High methane emissions from thermokarst lakes on the Tibetan Plateau are largely attributed to ebullition fluxes. <i>Science of the Total Environment</i> , 2021, 801, 149692.	3.9	27
683	Balloon-borne and airborne measurements. , 2021, , 521-601.		0
684	Confined high dispersion of Ni nanoparticles derived from nickel phyllosilicate structure in silicalite-2 shell for dry reforming of methane with enhanced performance. <i>Microporous and Mesoporous Materials</i> , 2021, 313, 110842.	2.2	16
685	Geochemistry of an endorheic thalassohaline ecosystem: the Dziani Dzaha crater lake (Mayotte) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4.	0.4	6
686	Geomorphological and Climatic Drivers of Thermokarst Lake Area Increase Trend (1999-2018) in the Kolyma Lowland Yedoma Region, North-Eastern Siberia. <i>Remote Sensing</i> , 2021, 13, 178.	1.8	40
688	Landscape Heterogeneity and Ecosystem Dynamics. , 2011, , 369-397.		14
689	Permafrost Carbon Quantities and Fluxes. , 2020, , 179-274.		2
691	Siberia. <i>Encyclopedia of Earth Sciences Series</i> , 2011, , 1028-1031.	0.1	2
692	Key Processes in CH ₄ Dynamics in Wetlands and Possible Shifts with Climate Change. , 2012, , 99-114.		3
693	The Influence of Hydrology on Lacustrine Sediment Contaminant Records. <i>Developments in Paleoenvironmental Research</i> , 2015, , 5-33.	7.5	6
694	Permafrost-Forest Dynamics. <i>Ecological Studies</i> , 2019, , 175-205.	0.4	5
695	Fast and Slow Feedbacks in Future Climates. , 2012, , 99-139.		1
697	Forests and climate change: global understandings and possible responses.. , 2007, , 38-48.		5

#	ARTICLE	IF	CITATIONS
698	Introduction to the limnology of high-latitude lake and river ecosystems. , 2008, , 1-17.		41
699	MEASURING INORGANIC CARBON FLUXES FROM CARBONATE MINERAL WEATHERING FROM LARGE RIVER BASINS: THE OHIO RIVER BASIN. , 2017, , .		1
700	Sources and sinks of carbon in boreal ecosystems of interior Alaska: A review. Elementa, 2014, 2, .	1.1	22
701	Factors Controlling Methane in Arctic Lakes of Southwest Greenland. PLoS ONE, 2016, 11, e0159642.	1.1	13
702	Hydrographic Changes in Nares Strait (Canadian Arctic Archipelago) in Recent Decades Based on $\delta^{18}O$ Profiles of Bivalve Shells. Arctic, 2011, 64, 45.	0.2	13
703	Connections between River Runoff and Limnological Conditions in Adjacent High Arctic Lakes: Cape Bounty, Melville Island, Nunavut. Arctic, 2011, 64, .	0.2	15
704	Causa do aquecimento global: antropogênica versus natural. Terrae Didactica, 2015, 5, 42.	0.0	6
705	Distribution and identity of Bacteria in subarctic permafrost thaw ponds. Aquatic Microbial Ecology, 2013, 69, 231-245.	0.9	29
706	Climate Change and Its Influence on the Active Layer Depth in Central Yakutia. Land, 2021, 10, 3.	1.2	11
707	The Role of Methane and Methane Hydrates in the Evolution of Global Climate. American Journal of Climate Change, 2018, 07, 236-252.	0.5	2
713	Quantifying the impact of aerosol scattering on the retrieval of methane from airborne remote sensing measurements. Atmospheric Measurement Techniques, 2020, 13, 6755-6769.	1.2	8
716	Effect of peat quality on microbial greenhouse gas formation in an acidic fen. Biogeosciences, 2010, 7, 187-198.	1.3	52
735	Using ground-penetrating radar, topography and classification of vegetation to model the sediment and active layer thickness in a periglacial lake catchment, western Greenland. Earth System Science Data, 2016, 8, 663-677.	3.7	5
736	Technical note: Mobile open dynamic chamber measurement of methane macroseeps in lakes. Hydrology and Earth System Sciences, 2020, 24, 6047-6058.	1.9	2
739	Projecting circum-Arctic excess-ground-ice melt with a sub-grid representation in the Community Land Model. Cryosphere, 2020, 14, 4611-4626.	1.5	8
752	Morphological patterns and interface instability during withdrawal of liquid-particle mixtures. Journal of Colloid and Interface Science, 2022, 608, 1598-1607.	5.0	8
754	Melting lakes in Siberia emit greenhouse gas. Nature, 0, , .	13.7	0
755	OS FATORES REGULADORES DO METABOLISMO AQUÁTICO E SUA INFLUÊNCIA SOBRE O FLUXO DE DIÓXIDO DE CARBONO ENTRE OS LAGOS E A ATMOSFERA. Oecologia Brasiliensis, 2006, 10, 177-185.	0.6	2

#	ARTICLE	IF	CITATIONS
756	Observing Trace Gases from Spectrally Resolved Infrared Radiances. , 2007, , .		0
757	Impact of Global Warming on Antarctica and Its Flow on Effect on Australian Environment. , 2008, , 759-775.		0
759	The Northern Eurasia Earth Science Partnership Initiative: An Introduction. NATO Science for Peace and Security Series C: Environmental Security, 2009, , 1-6.	0.1	0
760	Arctic thermokarst lakes and the carbon cycle. PAGES News, 2009, 17, 16-18.	0.3	2
764	Interactions Between Land Cover/Use Change and Hydrology. , 2010, , 137-175.		1
766	Thermokarst. Encyclopedia of Earth Sciences Series, 2011, , 1158-1166.	0.1	0
767	Of Climate Change and Crystal Balls: The Future Consequences of Climate Change in Africa. SSRN Electronic Journal, 0, , .	0.4	0
771	Economic Growth and Wildlife Conservation in the North Pacific Rim, Highlighting Alaska and the Russian Far East. , 2014, , 133-156.		5
779	DETERMINATION OF METHANE SOURCE GLOBALLY BY SCIAMACHY. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLI-B8, 291-298.	0.2	0
780	Determination of bottom gas liberation zones in fresh ice water areas according to radar and radiometric measurements data. Sovremennye Problemy Distantionnogo Zondirovaniya Zemli Iz Kosmosa, 2016, 13, 150-161.	0.1	1
783	La biodiversité des Écarts alpin et subalpin des Montagnes des Carpates et leur potentiel de valorisation. VertigO: La Revue Electronique En Sciences De L'environnement, 2017, , .	0.0	0
784	Gas Bubble Nucleation and Migration in Soils' Pore-Network Model Simulation. Sustainable Civil Infrastructures, 2019, , 27-37.	0.1	0
785	Contribution of Methane Formation and Methane Oxidation to Methane Emission from Freshwater Systems. , 2019, , 401-430.		3
787	Estimation of methane diffusion and ebullition flux and water environmental controls during flooding period in Lake Dongting wetlands. Hupo Kexue/Journal of Lake Sciences, 2019, 31, 1075-1087.	0.3	0
788	Greenhouse Gases and Energy Fluxes at Permafrost Zone. , 2021, , 527-558.		0
789	The Role of Ground Ice. , 2020, , 107-177.		1
791	Sediment Delivery by the Yukon River to the Yukon Flats, Yukon Delta and the Bering Sea. Open Journal of Soil Science, 2020, 10, 410-442.	0.3	3
792	The Biogeochemical Methane Cycle. , 2020, , 1-78.		1

#	ARTICLE	IF	CITATIONS
793	Permafrost in Transition. , 2020, , 275-366.		0
795	Response of Periglacial Geomorphic Processes to Global Change. , 2020, , .		0
796	Climate Feedbacks and Tipping Points. , 2020, , 199-231.		0
797	Methane. , 2020, , 433-463.		0
799	BAWLD-CH<sub>4</sub>: a comprehensive dataset of methane fluxes from boreal and arctic ecosystems. Earth System Science Data, 2021, 13, 5151-5189.	3.7	44
800	Permafrost thaw lake methane flux estimates using GPR. , 2020, , .		0
801	Methane emissions from northern lakes under climate change: a review. SN Applied Sciences, 2021, 3, 1.	1.5	3
802	Eternal Kantele at the End of Time - Reflections on Retraditionalization of Traditional Knowledge In the Face of Rapid Ecological Changes in the Arctic. Nordicum-Mediterraneum, 2008, 3, .	0.0	0
803	A Nationwide Approach on Measuring Householdsâ€™ Resilience by Constructing Climate Resilient Livelihoods Index (CRLI) in Rural Bangladesh. American Journal of Climate Change, 2021, 10, 619-638.	0.5	1
804	Lake and drained lake basin systems in lowland permafrost regions. Nature Reviews Earth & Environment, 2022, 3, 85-98.	12.2	41
806	Distribution of permafrost and gas hydrates in relation to intensive gas emission in the central part of the Laptev Sea (Russian Arctic). Marine and Petroleum Geology, 2022, 138, 105527.	1.5	14
807	Spatial Distribution and Biogeochemistry of Redox Active Species in Arctic Sedimentary Porewaters and Seeps. Environmental Sciences: Processes and Impacts, 2022, , .	1.7	1
808	A sustainable concept for permafrost thermal stabilization. Sustainable Energy Technologies and Assessments, 2022, 52, 102003.	1.7	9
809	Ignoring carbon emissions from thermokarst ponds results in overestimation of tundra net carbon uptake. Biogeosciences, 2022, 19, 1225-1244.	1.3	10
810	Retrieval of Lake Ice Characteristics from SAR Imagery. Canadian Journal of Remote Sensing, 0, , 1-21.	1.1	1
811	Methane production controls in a young thermokarst lake formed by abrupt permafrost thaw. Global Change Biology, 2022, 28, 3206-3221.	4.2	7
812	Diversity and Effect of Increasing Temperature on the Activity of Methanotrophs in Sediments of Fildes Peninsula Freshwater Lakes, King George Island, Antarctica. Frontiers in Microbiology, 2022, 13, 822552.	1.5	12
813	Sedimentary <sc>DNA</sc> identifies modern and past macrophyte diversity and its environmental drivers in highâ€ˆlatitude and highâ€ˆelevation lakes in Siberia and China. Limnology and Oceanography, 2022, 67, 1126-1141.	1.6	13

#	ARTICLE	IF	CITATIONS
814	Carbon storage and burial in thermokarst lakes of permafrost peatlands. <i>Biogeochemistry</i> , 2022, 159, 69-86.	1.7	7
815	Permafrost Landscape Research in the Northeast of Eurasia. <i>Earth</i> , 2022, 3, 460-478.	0.9	6
817	Abundant and Rare Bacterial Taxa Structuring Differently in Sediment and Water in Thermokarst Lakes in the Yellow River Source Area, Qinghai-Tibet Plateau. <i>Frontiers in Microbiology</i> , 2022, 13, 774514.	1.5	15
818	Periglacial Landforms and Fluid Dynamics in the Permafrost Domain: A Case from the Taz Peninsula, West Siberia. <i>Energies</i> , 2022, 15, 2794.	1.6	3
819	Influence of permafrost and hydrogeology on seasonal and spatial variations in water chemistry of an alpine river in the northeastern Qinghai-Tibet Plateau, China. <i>Science of the Total Environment</i> , 2022, 834, 155227.	3.9	8
820	Current warming and likely future impacts. , 0, , 262-366.		0
826	Recent regional warming across the Siberian lowlands: a comparison between permafrost and non-permafrost areas. <i>Environmental Research Letters</i> , 2022, 17, 054047.	2.2	9
827	Microorganisms as biofilters to mitigate greenhouse gas emissions from high-altitude permafrost revealed by nanopore-based metagenomics. , 0, , .		8
828	Biogeography of Micro-Eukaryotic Communities in Sediment of Thermokarst Lakes Are Jointly Controlled by Spatial, Climatic, and Physicochemical Factors Across the Qinghai-Tibet Plateau. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	1.1	3
829	Current knowledge and uncertainties associated with the Arctic greenhouse gas budget. , 2022, , 159-201.		1
830	Metagenomics Unveils Microbial Diversity and Their Biogeochemical Roles in Water and Sediment of Thermokarst Lakes in the Yellow River Source Area. <i>Microbial Ecology</i> , 2023, 85, 904-915.	1.4	2
831	Separation of CH_4 and N_2 by an ultra-stable metal-organic framework with the highest breakthrough selectivity. <i>AIChE Journal</i> , 2022, 68, .	1.8	26
832	Effect of dissolved oxygen on methane production from bottom sediment in a eutrophic stratified lake. <i>Journal of Environmental Sciences</i> , 2023, 125, 61-72.	3.2	7
833	Global increase in methane production under future warming of lake bottom waters. <i>Global Change Biology</i> , 2022, 28, 5427-5440.	4.2	27
834	Abrupt increase in thermokarst lakes on the central Tibetan Plateau over the last 50 years. <i>Catena</i> , 2022, 217, 106497.	2.2	49
835	Anthropogenically driven climate and landscape change effects on inland water carbon dynamics: What have we learned and where are we going?. <i>Global Change Biology</i> , 2022, 28, 5601-5629.	4.2	24
836	Methane Emission From Global Lakes: New Spatiotemporal Data and Observation-Driven Modeling of Methane Dynamics Indicates Lower Emissions. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2022, 127, .	1.3	33
837	Swamp Wetlands in Degraded Permafrost Areas Release Large Amounts of Methane and May Promote Wildfires through Friction Electrification. <i>Sustainability</i> , 2022, 14, 9193.	1.6	2

#	ARTICLE	IF	CITATIONS
838	Microbial iron reduction and greenhouse gas production in response to organic matter amendment and temperature increase of periglacial sediments, Bolterdalen, Svalbard. <i>Arctic, Antarctic, and Alpine Research</i> , 2022, 54, 314-334.	0.4	1
839	Characterization of the gassy sediment layer in shallow water using an acoustical method: Lake Kinneret as a case study. <i>Limnology and Oceanography: Methods</i> , 2022, 20, 581-593.	1.0	3
840	Estimating Drivers and Pathways for Hydroelectric Reservoir Methane Emissions Using a New Mechanistic Model. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2022, 127, .	1.3	6
841	Dynamic chamber as a more reliable technique for measuring methane emissions from aquatic ecosystems. <i>Science of the Total Environment</i> , 2022, 851, 158147.	3.9	3
842	Nonlinear effects of thermokarst lakes on peripheral vegetation greenness across the Qinghai-Tibet Plateau using stable isotopes and satellite detection. <i>Remote Sensing of Environment</i> , 2022, 280, 113215.	4.6	10
843	Bacterial functional redundancy and carbon metabolism potentials in soil, sediment, and water of thermokarst landscapes across the Qinghai-Tibet Plateau: Implications for the fate of permafrost carbon. <i>Science of the Total Environment</i> , 2022, 852, 158340.	3.9	7
844	Man Intervenes. , 2022, , 347-369.		0
845	Permafrost thaw drives surface water decline across lake-rich regions of the Arctic. <i>Nature Climate Change</i> , 2022, 12, 841-846.	8.1	32
846	From permafrost soil to thermokarst lake sediment: A view from C:N:P stoichiometry. <i>Frontiers in Environmental Science</i> , 0, 10, .	1.5	4
849	Faster increase in evapotranspiration in permafrost-dominated basins in the warming Pan-Arctic. <i>Journal of Hydrology</i> , 2022, 615, 128678.	2.3	4
850	Evidence of large-scale absence of frozen ground and gas hydrates in the northern part of the East Siberian Arctic shelf (Laptev and East Siberian seas). <i>Marine and Petroleum Geology</i> , 2023, 148, 106050.	1.5	5
851	High ebullitive, millennial-aged greenhouse gas emissions from thermokarst expansion of peatland lakes in boreal western Canada. <i>Limnology and Oceanography</i> , 0, , .	1.6	2
854	Deglacial records of terrigenous organic matter accumulation off the Yukon and Amur rivers based on lignin phenols and long-chain <i>n</i> -alkanes. <i>Climate of the Past</i> , 2023, 19, 159-178.	1.3	0
855	Meteorological responses of carbon dioxide and methane fluxes in the terrestrial and aquatic ecosystems of a subarctic landscape. <i>Biogeosciences</i> , 2023, 20, 545-572.	1.3	0
856	An Update on Eukaryotic Viruses Revived from Ancient Permafrost. <i>Viruses</i> , 2023, 15, 564.	1.5	17
857	Persistence and Potential Atmospheric Ramifications of Ice-Nucleating Particles Released from Thawing Permafrost. <i>Environmental Science & Technology</i> , 2023, 57, 3505-3515.	4.6	3
858	A Review of Studies on Yedoma Suite (Part 1) : Overview of the research history and connection to climate change. <i>Journal of the Japanese Society of Snow and Ice</i> , 2013, 75, 343-352.	0.0	0
859	High carbon emissions from thermokarst lakes and their determinants in the Tibet Plateau. <i>Global Change Biology</i> , 2023, 29, 2732-2745.	4.2	16

#	ARTICLE	IF	CITATIONS
860	Monitoring Ground Surface Deformation of Ice-Wedge Polygon Areas in Saskylakh, NW Yakutia, Using Interferometric Synthetic Aperture Radar (InSAR) and Google Earth Engine (GEE). Remote Sensing, 2023, 15, 1335.	1.8	3
861	A record-breaking extreme heat event caused unprecedented warming of lakes in China. Science Bulletin, 2023, 68, 578-582.	4.3	7
865	Microporous metal-organic framework materials for efficient capture and separation of greenhouse gases. Science China Chemistry, 2023, 66, 2181-2203.	4.2	3
880	Permafrost. , 2023, , .		0