

CITATION REPORT

List of articles citing

Crossvalidation of anthropometry against magnetic resonance imaging for the assessment of visceral and subcutaneous adipose tissue in children

DOI: 10.1038/sj.ijo.0803163

International Journal of Obesity, 2006, 30, 23-30.

Source: <https://exaly.com/paper-pdf/40448074/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
331	Adipose tissue and metabolic effects: new insight into measurements. <i>International Journal of Obesity</i> , 2005, 29 Suppl 2, S97-100	5.5	35
330	Measuring body composition. 2006, 91, 612-7		457
329	Recent trends in waist circumference and waist-height ratio among US children and adolescents. 2006, 118, e1390-8		336
328	Correlation and prediction of trunk fat mass with four anthropometric indices in Chinese males. 2006, 96, 949-55		5
327	Methods for assessing body composition, cardiovascular and metabolic function in children and adolescents: implications for exercise studies. 2006, 9, 560-7		7
326	Paediatric metabolic syndrome and associated anthropometric indices: the CASPIAN Study. 2006, 95, 1625-34		81
325	Interventions to improve cardiovascular risk factors in obese children. 2006, 43, 433-5		2
324	Changes of cardiovascular risk factors in obese children effects of inpatient and outpatient interventions. 2006, 43, 506-11		9
323	Central adiposity in Brazilian schoolchildren aged 7-10 years. 2007, 97, 799-805		19
322	Science to practice: good fat, bad fat--does location matter?. 2007, 242, 645-6		8
321	Association of anthropometric indices with cardiovascular disease risk factors among children and adolescents: CASPIAN Study. 2007, 117, 340-8		77
320	RozkŁady centylowe obwodu pasa u dzieci i mŁdziej. 2007, 82, 418-424		6
319	[Waist circumference, dyslipidemia and hypertension in prepubertal children]. 2007, 67, 44-50		7
318	Physical activity, overweight and central adiposity in Swedish children and adolescents: the European Youth Heart Study. 2007, 4, 61		116
317	Factor analysis of cardiovascular risk clustering in pediatric metabolic syndrome: CASPIAN study. 2007, 51, 208-15		37
316	Body mass index and waist circumference in midchildhood and adverse cardiovascular disease risk clustering in adolescence. 2007, 86, 549-55		100
315	Visceral abdominal fat is correlated with whole-body fat and physical activity among 8-y-old children at risk of obesity. 2007, 85, 46-53		58

314	Waist circumference and body mass index in Chinese children: cutoff values for predicting cardiovascular risk factors. <i>International Journal of Obesity</i> , 2007 , 31, 550-8	5.5	94
313	Metabolic risk-factor clustering estimation in children: to draw a line across pediatric metabolic syndrome. <i>International Journal of Obesity</i> , 2007 , 31, 591-600	5.5	88
312	Body fat distribution reference standards in Spanish adolescents: the AVENA Study. <i>International Journal of Obesity</i> , 2007 , 31, 1798-805	5.5	64
311	Stress reactivity and adiposity of youth. 2007 , 15, 2303-10		46
310	The metabolic syndrome in children and adolescents - an IDF consensus report. 2007 , 8, 299-306		1143
309	School-based interventions to prevent overweight and obesity in prepubertal children: process and 4-years outcome evaluation of the Kiel Obesity Prevention Study (KOPS). 2007 , 96, 19-25		44
308	The invisible fat. 2007 , 96, 35-8		16
307	Metabolic risk-factor clustering estimation in obese children. 2007 , 63, 347-55		8
306	Markers of insulin resistance are associated with fatness and fitness in school-aged children: the European Youth Heart Study. 2007 , 50, 1401-8		59
305	Methodological considerations for childhood surveillance systems: the case of obesity. 2007 , 15, 147-153		6
304	First reference curves of waist circumference for German children in comparison to international values: the PEP Family Heart Study. 2008 , 4, 259-66		69
303	Harmonization process and reliability assessment of anthropometric measurements in a multicenter study in adolescents. <i>International Journal of Obesity</i> , 2008 , 32 Suppl 5, S58-65	5.5	176
302	Age-variability in body shape associated with excess weight: the UK National Sizing Survey. 2008 , 16, 435-41		37
301	Prevalence and determinants of obesity in children in public schools of Sintra, Portugal. 2008 , 16, 497-500		26
300	Waist circumference cutoff points in school-aged Chinese Han and Uygur children. 2008 , 16, 1687-92		20
299	Evaluation of air-displacement plethysmography and bioelectrical impedance analysis vs dual-energy X-ray absorptiometry for the assessment of fat-free mass in elderly subjects. 2008 , 62, 1282-6		11
298	Growth around puberty as predictor of adult obesity. 2008 , 62, 1405-11		8
297	Whole-body three-dimensional photonic scanning: a new technique for obesity research and clinical practice. <i>International Journal of Obesity</i> , 2008 , 32, 232-8	5.5	51

296	Physical fitness in childhood and adolescence: a powerful marker of health. <i>International Journal of Obesity</i> , 2008 , 32, 1-11	5.5	1246
295	Magnetic resonance imaging of abdominal adiposity in a large cohort of British children. <i>International Journal of Obesity</i> , 2008 , 32, 91-9	5.5	52
294	Metabolically obese normal weight and phenotypically obese metabolically normal youths: the CASPIAN Study. 2008 , 108, 82-90		74
293	Metabolic syndrome rates in United States adolescents, from the National Health and Nutrition Examination Survey, 1999-2002. 2008 , 152, 165-70		244
292	Regulation of fetal growth: consequences and impact of being born small. 2008 , 22, 173-90		23
291	Thrifty energy metabolism in catch-up growth trajectories to insulin and leptin resistance. 2008 , 22, 155-71		80
290	A Review of the Relationship Between 100% Fruit Juice Consumption and Weight in Children and Adolescents. 2008 , 2, 315-354		43
289	Pediatric obesity: the unique issues in Latino-American male youth. 2008 , 34, 153-60		23
288	Central adiposity and left ventricular mass in obese children. 2008 , 18, 613-7		23
287	Adiposity and tendinopathy. 2008 , 30, 1555-62		70
286	Handbook of Childhood and Adolescent Obesity. 2008 ,		7
285	Measurement of waist circumference at four different sites in children, adolescents, and young adults: concordance and correlation with nutritional status as well as cardiometabolic risk factors. 2008 , 1, 243-9		17
284	Association of different obesity indices with blood pressure and blood lipids in children and adolescents. 2008 , 100, 208-18		41
283	Prevention and treatment of pediatric obesity: an endocrine society clinical practice guideline based on expert opinion. 2008 , 93, 4576-99		343
282	Comparison of body fat estimation using waist:height ratio using different waist measurements in Australian adults. 2008 , 100, 1135-41		31
281	Associations between physical activity, body fat, and insulin resistance (homeostasis model assessment) in adolescents: the European Youth Heart Study. 2008 , 87, 586-92		74
280	Oscillometrically measured blood pressure in Hong Kong Chinese children and associations with anthropometric parameters. 2008 , 26, 678-84		47
279	Usefulness of waist circumference for the identification of childhood hypertension. 2008 , 26, 1563-70		73

278	[Methods for the assessment of adolescent obesity in epidemiological studies]. 2008 , 149, 51-7	5
277	Visceral adipose tissue in children and adolescents: a review. 2009 , 22, 137-47	39
276	Prevalence of underweight, overweight and obesity on the basis of body mass index and body fat percentage in Hungarian schoolchildren: representative survey in metropolitan elementary schools. 2009 , 54, 171-6	26
275	Acylated and nonacylated ghrelin levels and their associations with insulin resistance in obese and normal weight children with metabolic syndrome. 2009 , 161, 861-70	72
274	Progress and challenges in metabolic syndrome in children and adolescents: a scientific statement from the American Heart Association Atherosclerosis, Hypertension, and Obesity in the Young Committee of the Council on Cardiovascular Disease in the Young; Council on Cardiovascular Nursing; and Council on Nutrition, Physical Activity, and Metabolism. 2009 , 119, 628-47	525
273	Sugar and fiber intake and type of adiposity: are they related?. 2009 , 90, 1119-20	1
272	Cross sectional study of childhood obesity and prevalence of risk factors for cardiovascular disease and diabetes in children aged 11-13. 2009 , 9, 86	18
271	The pediatric NAFLD fibrosis index: a predictor of liver fibrosis in children with non-alcoholic fatty liver disease. 2009 , 7, 21	98
270	Physical activity and cardiovascular disease risk factors in children and adolescents. 2009 , 3, 281-287	26
269	Measuring abdominal adiposity in 6 to 7-year-old children. 2009 , 63, 835-41	42
268	Truncal and abdominal fat as determinants of high triglycerides and low HDL-cholesterol in adolescents. 2009 , 17, 1086-91	30
267	Assessing Body Fat Changes during Moderate Weight Loss with Anthropometry and Bioelectrical Impedance. 2009 , 3, 209	11
266	School-based exercise program improves fitness, body composition and cardiovascular risk profile in overweight/obese children. 2009 , 96, 337-47	18
265	Insulin Resistance. 2009 ,	
264	Crecimiento pondoestatural normal. 2009 , 44, 1-10	
263	Croissance normale staturopondiale. 2009 , 4, 1-11	1
262	Sex differences in regional body fat distribution from pre- to postpuberty. 2010 , 18, 1410-6	131
261	Randomized controlled trial of the MEND program: a family-based community intervention for childhood obesity. 2010 , 18 Suppl 1, S62-8	204

260	Percentile distributions of waist circumference for 7-19-year-old Polish children and adolescents. 2010 , 11, 281-8	22
259	Developing waist-to-height ratio cut-offs to define overweight and obesity in children and adolescents. 2010 , 13, 1566-74	69
258	Estimation of percentage body fat in 6- to 13-year-old children by skinfold thickness, body mass index and waist circumference. 2010 , 104, 1565-72	30
257	Waist to hip ratio and trunk to extremity fat (DXA) are better surrogates for IMCL and for visceral fat respectively than for subcutaneous fat in adolescent girls. 2010 , 7, 86	32
256	Utility of waist circumference percentile for risk evaluation in obese children. 2010 , 5, 97-101	54
255	Risk factors for liver steatosis in obese children and adolescents. 2010 , 51, 149-54	28
254	Síndrome metabóico en el adolescente. 2010 , 8, 241-249	
253	Comment to "risk factors for serum alanine aminotransferase elevation: a cross-sectional study of healthy adult males in Tokyo, Japan". 2011 , 43, 665-6	1
252	Sex and ethnic differences in the waist circumference of 5-year-old children: findings from the Millennium Cohort Study. 2011 , 6, e196-8	7
251	Waist circumference percentile curves for Malaysian children and adolescents aged 6.0-16.9 years. 2011 , 6, 229-35	59
250	The high burden of obesity and abdominal obesity in urban Indian schoolchildren: a multicentric study of 38,296 children. 2011 , 58, 203-11	60
249	Overweight and obesity in a representative sample of schoolchildren - exploring the urban-rural gradient in Sweden. 2011 , 12, 305-14	78
248	Subcutaneous adipose tissue thickness in adults - correlation with BMI and recommendations for pen needle lengths for subcutaneous self-injection. 2011 , 75, 786-90	26
247	Stress and abdominal fat: preliminary evidence of moderation by the cortisol awakening response in Hispanic peripubertal girls. 2011 , 19, 946-52	25
246	Design and results of the pretest of the IDEFICS study. <i>International Journal of Obesity</i> , 2011 , 35 Suppl 1, S30-44	5.5 48
245	Intra- and inter-observer reliability in anthropometric measurements in children. <i>International Journal of Obesity</i> , 2011 , 35 Suppl 1, S45-51	5.5 123
244	Waist circumference and waist-to-height ratio in Norwegian children 4-18 years of age: reference values and cut-off levels. 2011 , 100, 1576-82	66
243	Decrease in serum adiponectin levels associated with visceral fat accumulation independent of pubertal stage in children and adolescents. 2011 , 42, 115-21	32

242	Preliminary data on the association between waist circumference and insulin resistance in children without a previous diagnosis. 2011 , 170, 35-43	22
241	Waist circumference and waist for height percentiles in urban South Indian children aged 3-16 years. 2011 , 48, 765-71	52
240	Changes in cardiorespiratory fitness predict changes in body composition from childhood to adolescence: findings from the European Youth Heart Study. 2011 , 39, 78-86	13
239	Ethnic group differences in waist circumference percentiles among U.S. children and adolescents: estimates from the 1999-2008 National Health and Nutrition Examination Surveys. 2011 , 9, 297-303	16
238	Independent effects of age-related changes in waist circumference and BMI z scores in predicting cardiovascular disease risk factors in a prospective cohort of adolescent females. 2011 , 93, 392-401	29
237	Assessment of obese children and adolescents: a survey of pediatric obesity-management programs. 2011 , 128 Suppl 2, S51-8	16
236	Health-related fitness in children and adolescents. 2011 , 23, 208-20	46
235	Association of neck circumference with perioperative adverse respiratory events in children. 2011 , 127, e1198-205	22
234	Waist-to-height: cutoff matters in predicting metabolic syndrome in Mexican children. 2011 , 9, 183-90	34
233	The association between morning cortisol and adiposity in children varies by weight status. 2011 , 24, 709-13	7
232	An exploration of the relationship between back muscle endurance and familial, physical, lifestyle, and psychosocial factors in adolescents and young adults. 2011 , 41, 486-95	10
231	Comment on: Rowan et al. Metformin in Gestational diabetes: The Offspring Follow-Up (MiG TOFU): body composition at 2 years of age. <i>Diabetes Care</i> 2011;34:2279-2284. 2012 , 35, e28; author reply e30	5
230	Change of Body Composition and Adipokines and Their Relationship with Insulin Resistance across Pubertal Development in Obese and Nonobese Chinese Children: The BCAMS Study. 2012 , 2012, 389108	33
229	Central adiposity and protein intake are associated with arterial stiffness in overweight children. 2012 , 142, 878-85	30
228	Sex differences in the contributions of visceral and total body fat to blood pressure in adolescence. 2012 , 59, 572-9	44
227	Intramyocellular lipid is associated with visceral adiposity, markers of insulin resistance, and cardiovascular risk in prepubertal children: the EPOCH study. 2012 , 97, E1099-105	28
226	Dual-energy X-ray absorptiometry prediction of adipose tissue depots in children and adolescents. <i>Pediatric Research</i> , 2012 , 72, 420-5	3.2 10
225	Relationship between MRI-measured bone marrow adipose tissue and hip and spine bone mineral density in African-American and Caucasian participants: the CARDIA study. 2012 , 97, 1337-46	76

224	Repletion of TNF α or leptin in calorically restricted mice suppresses post-restriction hyperphagia. 2012 , 5, 83-94	17
223	MRI-measured pelvic bone marrow adipose tissue is inversely related to DXA-measured bone mineral in younger and older adults. 2012 , 66, 983-8	84
222	Developmental perturbation induced by maternal asthma during pregnancy: the short- and long-term impacts on offspring. 2012 , 2012, 741613	12
221	Reference curves for BMI, waist circumference and waist-to-height ratio for Azorean adolescents (Portugal). 2012 , 15, 13-9	9
220	Body fat percentiles for German children and adolescents. 2012 , 5, 77-90	29
219	Increased pancreatic fat fraction is present in obese adolescents with metabolic syndrome. 2012 , 54, 720-6	37
218	Adiposity in children and adolescents: correlates and clinical consequences of fat stored in specific body depots. 2012 , 7, e42-61	50
217	Ethnic and sex differences in bone marrow adipose tissue and bone mineral density relationship. 2012 , 23, 2293-301	19
216	Preterm infants of lower gestational age at birth have greater waist circumference-length ratio and ponderal index at term age than preterm infants of higher gestational ages. 2012 , 161, 735-41.e1	23
215	Changes in waist circumference among adolescents in England from 1977-1987 to 2005-2007. 2012 , 126, 695-701	11
214	Higher waist-to-height ratio and waist circumference are predictive of metabolic syndrome and elevated serum alanine aminotransferase in adolescents and young adults in mainland China. 2012 , 126, 135-42	15
213	Predicting volumes of metabolically important whole-body adipose tissue compartments in overweight and obese adolescents by different MRI approaches and anthropometry. 2012 , 81, 1488-94	18
212	Is skinfold thickness as good as DXA when measuring adiposity contributions to insulin resistance in adolescents?. 2012 , 24, 806-11	8
211	Comparison of two waist circumference measurement protocols: the SEARCH for diabetes in youth study. 2012 , 7, e81-5	13
210	The potential role of fatty liver in paediatric metabolic syndrome: a distinct phenotype with high metabolic risk?. 2012 , 7, e75-80	24
209	Body fat location and cardiovascular disease risk factors in overweight female adolescents and eutrophic female adolescents with a high percentage of body fat. 2012 , 22, 162-9	11
208	Waist circumference percentiles in children and adolescents between 6 and 14 years from Santiago, Chile. 2012 , 59, 296-303	4
207	Waist circumference percentiles in children and adolescents between 6 and 14 years from Santiago, Chile. 2012 , 59, 296-303	10

206	Accuracy of anthropometric measurements in estimating fat mass in individuals with 21-hydroxylase deficiency. 2012 , 28, 984-90		5
205	Ethnic and sex differences in body fat and visceral and subcutaneous adiposity in children and adolescents. <i>International Journal of Obesity</i> , 2012 , 36, 1261-9	5.5	89
204	Determinaci3n del Porcentaje de Masa Grasa, seg3n Mediciones de Per3metros Corporales, Peso y Talla: Un Estudio de Validaci3n. 2012 , 30, 1604-1610		3
203	The Relationship among Insulin Resistance, Blood Profiles and Nutrient Intake in Overweight or Obese Children and Adolescents. 2012 , 17, 530		5
202	Body shape by 3-D photonic scanning in Thai and UK adults: comparison of national sizing surveys. <i>International Journal of Obesity</i> , 2012 , 36, 148-54	5.5	28
201	Preval3ncia de excesso de peso e obesidade em estudantes adolescentes do distrito de Castelo Branco: um estudo centrado no 3ndice de massa corporal, per3metro da cintura e percentagem de massa gorda. 2012 , 30, 47-54		3
200	Use of MRI and CT for fat imaging in children and youth: what have we learned about obesity, fat distribution and metabolic disease risk?. 2012 , 13, 723-32		20
199	Self-reported waist circumference: a screening tool for classifying children with overweight/obesity and cardiometabolic risk factor clustering. 2012 , 7, 110-20		5
198	Overweight and obese teenagers: why is adolescence a critical period?. 2012 , 7, 261-73		179
197	Waist circumference percentiles for Portuguese children and adolescents aged 10 to 18 years. 2012 , 171, 499-505		17
196	Parental education associations with children's body composition: mediation effects of energy balance-related behaviors within the ENERGY-project. 2013 , 10, 80		23
195	Role of the waist/height ratio in the cardiometabolic risk assessment of children classified by body mass index. 2013 , 62, 742-51		159
194	Maturity-associated variation in total and depot-specific body fat in children and adolescents. 2013 , 25, 473-9		10
193	Gender differences in the association of visceral and subcutaneous adiposity with adiponectin in African Americans: the Jackson Heart Study. 2013 , 13, 9		48
192	Physical activity, physical fitness, and overweight in children and adolescents: Evidence from epidemiologic studies. 2013 , 60, 458-469		27
191	The hypertriglyceridemic waist, waist-to-height ratio, and cardiometabolic risk. 2013 , 162, 746-52		23
190	Adiposity among children in Norway by urbanity and maternal education: a nationally representative study. 2013 , 13, 842		31
189	[Physical activity, physical fitness, and overweight in children and adolescents: evidence from epidemiologic studies]. 2013 , 60, 458-69		47

188	The relationships between sugar-sweetened beverage intake and cardiometabolic markers in young children. 2013 , 113, 219-27		96
187	Estimation of percent body fat based on anthropometric measurements in children and adolescents with congenital adrenal hyperplasia due to 21-hydroxylase deficiency. <i>Clinical Nutrition</i> , 2013 , 32, 45-50	5.9	
186	Waist circumference-to-height ratio predicts adiposity better than body mass index in children and adolescents. <i>International Journal of Obesity</i> , 2013 , 37, 943-6	5.5	139
185	Validation of anthropometry and foot-to-foot bioelectrical resistance against a three-component model to assess total body fat in children: the IDEFICS study. <i>International Journal of Obesity</i> , 2013 , 37, 520-6	5.5	14
184	Energy: Adaptation. 2013 , 146-153		
183	References and cutoffs for triceps and subscapular skinfolds in Norwegian children 4-16 years of age. 2013 , 67, 928-33		18
182	Whole body fat: content and distribution. 2013 , 73, 56-80		77
181	Perinatal programming of obesity: an introduction to the topic. <i>Frontiers in Physiology</i> , 2013 , 4, 255	4.6	14
180	Can we define an infant's need from the composition of human milk?. 2013 , 98, 521S-8S		53
179	Early life factors and type 2 diabetes mellitus. 2013 , 2013, 485082		46
178	Adipose tissue: another target organ for lead accumulation? A study on Sardinian children (Italy). 2013 , 25, 789-94		11
177	Changes in cardiovascular disease risk factors from age 9 to 19 and the influence of television viewing. 2013 , 21, 386-93		6
176	Sleep and birthweight predict visceral adiposity in overweight/obese children. 2013 , 8, e41-4		9
175	The obesity-asthma link in different ages and the role of body mass index in its investigation: findings from the Genesis and Healthy Growth Studies. 2013 , 68, 1298-305		19
174	Waist circumference measurement site does not affect relationships with visceral adiposity and cardiometabolic risk factors in children. 2013 , 8, 199-206		30
173	Relation of central fat mass to obstructive sleep apnea in the elderly. 2013 , 36, 501-7		23
172	Clustering of the metabolic syndrome components in adolescence: role of visceral fat. 2013 , 8, e82368		14
171	Comparison among T1-weighted magnetic resonance imaging, modified dixon method, and magnetic resonance spectroscopy in measuring bone marrow fat. 2013 , 2013, 298675		40

170	Cardiometabolic risk assessments by body mass index z-score or waist-to-height ratio in a multiethnic sample of sixth-graders. 2014 , 2014, 421658		15
169	[Old and new anthropometric indices as insulin resistance predictors in adolescents]. 2014 , 58, 838-43		10
168	Measuring growth and obesity across childhood and adolescence. 2014 , 73, 210-7		21
167	Percentile reference values for anthropometric body composition indices in European children from the IDEFICS study. <i>International Journal of Obesity</i> , 2014 , 38 Suppl 2, S15-25	5.5	81
166	Waist Circumference, Waist-to-Height Ratio and Body Mass Index of Thai Children: Secular Changes and Updated Reference Standards. 2014 , 8, PC05-9		11
165	Waist-to-Height Ratio Is a Better Anthropometric Index than Waist Circumference and BMI in Predicting Metabolic Syndrome among Obese Mexican Adolescents. 2014 , 2014, 195407		56
164	Lifestyle Factors Affecting Abdominal Obesity in Children and Adolescents: Risks and Benefits. 2014 , 39-56		0
163	Provision of healthy school meals does not affect the metabolic syndrome score in 8-11-year-old children, but reduces cardiometabolic risk markers despite increasing waist circumference. 2014 , 112, 1826-36		48
162	Ultrasonography is not more reliable than anthropometry for assessing visceral fat in obese children. 2014 , 9, 443-7		11
161	Evaluating the utility of the body adiposity index in adolescent boys and girls. 2014 , 17, 434-8		6
160	Waist circumference percentiles in 2-18 year old Indian children. 2014 , 164, 1358-62.e2		52
159	Park-based afterschool program to improve cardiovascular health and physical fitness in children with disabilities. 2014 , 7, 335-42		11
158	Anthropometric measures of abdominal adiposity for the identification of cardiometabolic risk factors in adolescents. 2014 , 103, e14-7		18
157	Relationship of anthropometric indices to abdominal and total body fat in youth: sex and race differences. 2014 , 22, 1345-50		29
156	Breastfeeding shows a protective trend toward adolescents with higher abdominal adiposity. 2014 , 7, 289-301		4
155	Fitness level and body composition indices: cross-sectional study among Malaysian adolescent. 2014 , 14 Suppl 3, S5		10
154	Adherence to the Mediterranean diet is inversely associated with visceral abdominal tissue in Caucasian subjects. <i>Clinical Nutrition</i> , 2015 , 34, 1266-72	5.9	39
153	Metabolic correlates of subcutaneous and visceral abdominal fat measured by ultrasonography: a comparison with waist circumference. 2016 , 15, 2		24

152	Association of neck circumference and high blood pressure in children and adolescents: a case-control study. 2015 , 15, 127		27
151	Association between anthropometric indices and cardiometabolic risk factors in pre-school children. 2015 , 15, 170		18
150	Measurement site influences abdominal subcutaneous and visceral adipose tissue in obese adolescents before and after exercise. 2015 , 10, 98-104		15
149	BMI, overweight status and obesity adjusted by various factors in all age groups in the population of a city in Northeastern Brazil. 2015 , 12, 4422-38		6
148	In Nonobese Girls, Waist Circumference as a Predictor of Insulin Resistance Is Comparable to MRI Fat Measures and Superior to BMI. <i>Hormone Research in Paediatrics</i> , 2015 , 84, 258-65	3-3	7
147	Sensitivity and specificity of different measures of adiposity to distinguish between low/high motor coordination. 2015 , 91, 44-51		13
146	Sensitivity and specificity of different measures of adiposity to distinguish between low/high motor coordination. 2015 , 91, 44-51		
145	Can the use of blood-based biomarkers in addition to anthropometric indices substantially improve the prediction of visceral fat volume as measured by magnetic resonance imaging?. 2015 , 54, 701-8		7
144	Body composition during fetal development and infancy through the age of 5 years. 2015 , 69, 1279-89		60
143	Association between resting heart rate and cardiovascular risk factors in adolescents. 2015 , 174, 1621-8		27
142	Effect of a park-based after-school program on participant obesity-related health outcomes. 2015 , 29, 217-25		11
141	Estimation of waist and hip circumferences using body mass index in Delhi school girls (6-11 years). 2015 , 47, 554-8		1
140	Predicting hepatic steatosis and liver fat content in obese children based on biochemical parameters and anthropometry. 2015 , 10, 112-7		7
139	Sonographic assessment of abdominal fat distribution during the first year of infancy. <i>Pediatric Research</i> , 2015 , 78, 342-50	3-2	43
138	Diagnostic performance of body mass index to identify obesity as defined by body adiposity in children and adolescents: a systematic review and meta-analysis. 2015 , 10, 234-44		228
137	Association between Body Mass Index, Waist-to-Height Ratio and Adiposity in Children: A Systematic Review and Meta-Analysis. 2016 , 8,		52
136	High Discrepancy in Abdominal Obesity Prevalence According to Different Waist Circumference Cut-Offs and Measurement Methods in Children: Need for Age-Risk-Weighted Standardized Cut-Offs?. 2016 , 11, e0146579		10
135	Reduced Microvascular Density in Omental Biopsies of Children with Chronic Kidney Disease. 2016 , 11, e0166050		11

134	A School-Based Injury Prevention Program to Reduce Sport Injury Risk and Improve Healthy Outcomes in Youth: A Pilot Cluster-Randomized Controlled Trial. 2016 , 26, 291-8		30
133	Longitudinal Associations of Phthalate Exposures During Childhood and Body Size Measurements in Young Girls. 2016 , 27, 492-9		45
132	Sex differences in the associations of visceral adiposity, homeostatic model assessment of insulin resistance, and body mass index with lipoprotein subclass analysis in obese adolescents. 2016 , 10, 757-766		5
131	Relationship between Abdominal Aortic Intima Media Thickness and Central Obesity in Children. <i>Hormone Research in Paediatrics</i> , 2016 , 85, 43-8	3-3	4
130	Waist circumference distribution in Colombian schoolchildren and adolescents: The FUPRECOL Study. 2016 , 63, 265-73		6
129	Association of early protein intake and pre-peritoneal fat at five years of age: Follow-up of a randomized clinical trial. 2016 , 26, 824-32		16
128	Metabolic Syndrome in Children and Adolescents. 2016 , 37, 193-202		48
127	Waist circumference distribution in Colombian schoolchildren and adolescents: The FUPRECOL Study. 2016 , 63, 265-273		3
126	Nuchal Skinfold Thickness: A Novel Parameter for Assessment of Body Composition in Childhood Craniopharyngioma. 2016 , 101, 4922-4930		7
125	Simplifying the screening of abdominal adiposity in Chinese children with waist-to-height ratio. 2016 , 28, 945-949		7
124	Ethnic differences in cardiometabolic risk among adolescents across the waist-height ratio spectrum: National Health and Nutrition Examination Surveys (NHANES). 2016 , 222, 622-628		13
123	Sex Differences in Associations of Adiposity Measures and Insulin Resistance in US Hispanic/Latino Youth: The Hispanic Community Children® Health Study/Study of Latino Youth (SOL Youth). 2017 , 102, 185-194		13
122	. 2016 , 41,		17
121	Sleep duration modifies effects of free ad libitum school meals on adiposity and blood pressure. 2016 , 41, 33-40		12
120	Effects of aerobic training, resistance training, or both on cardiorespiratory and musculoskeletal fitness in adolescents with obesity: the HEARTY trial. 2016 , 41, 255-65		31
119	Segmentation and quantification of adipose tissue by magnetic resonance imaging. 2016 , 29, 259-76		42
118	Identification and comparison of the predictors of maximal inspiratory force and handgrip in a healthy elderly population. The proof study. <i>Clinical Nutrition</i> , 2016 , 35, 963-7	5-9	4
117	Intensified association between waist circumference and hypertension in abdominally overweight children. 2016 , 10, 24-32		14

116	A Review of the Promotion of Fitness Measures and Health Outcomes in Youth. 2017 , 11, 232-242	14
115	What is the appropriate strategy for diagnosing NAFLD using ultrasonography in obese children?. 2017 , 13, 248-254	5
114	An update on the assessment and management of metabolic syndrome, a growing medical emergency in paediatric populations. 2017 , 119, 99-117	35
113	Intra-abdominal and subcutaneous abdominal fat as predictors of cardiometabolic risk in a sample of Mexican children. 2017 , 71, 1068-1073	11
112	Central overweight and obesity in Polish schoolchildren aged 7-18 years: secular changes of waist circumference between 1966 and 2012. 2017 , 176, 909-916	21
111	Combined exercise training reduces blood pressure, arterial stiffness, and insulin resistance in obese prehypertensive adolescent girls. 2017 , 39, 546-552	41
110	Can metabolic function and physical fitness improve without weight loss for inactive, obese, Hispanic adolescents? A feasibility study. 2017 , 33, 278-288	1
109	Impact of a park-based afterschool program replicated over five years on modifiable cardiovascular disease risk factors. 2017 , 95, 66-73	14
108	Abdominal obesity in adolescents: Development of age-specific waist circumference cut-offs linked to adult IDF criteria. 2017 , 29, e23036	7
107	Phenol Concentrations During Childhood and Subsequent Measures of Adiposity Among Young Girls. 2017 , 186, 581-592	30
106	Impact of gender and sleep position on relationships between anthropometric parameters and obstructive sleep apnea syndrome. 2017 , 21, 535-541	3
105	Subtraction of subcutaneous fat to improve the prediction of visceral adiposity: exploring a new anthropometric track in overweight and obese youth. 2017 , 18, 399-404	2
104	Comparison of body mass index with abdominal obesity for identifying elevated blood pressure in children and adolescents: The SNEC study. 2017 , 11, 406-413	1
103	Using LMS tables to determine waist circumference and waist-to-height ratios in Colombian children and adolescents: the FUPRECOL study. 2017 , 17, 162	6
102	Comparison of Visceral Fat Accumulation and Metabolome Markers among Cats of Varying BCS and Novel Classification of Feline Obesity and Metabolic Syndrome. 2017 , 4, 17	12
101	Association of Irisin Plasma Levels with Anthropometric Parameters in Children with Underweight, Normal Weight, Overweight, and Obesity. 2017 , 2017, 2628968	21
100	Comparisons of Waist Circumference Measurements at Five Different Anatomical Sites in Chinese Children. 2017 , 2017, 7678613	6
99	Metabolic syndrome in children and adolescents. 2017 , 6, 397-407	98

98	Waist-to-height ratio is a useful index for nonalcoholic fatty liver disease in children and adolescents: a secondary data analysis. 2017 , 17, 851	26
97	The clinical utility of anthropometric measures to assess adiposity in a cohort of prematurely born infants: Correlations with MRI fat quantification. 2017 , 10, 133-138	2
96	Pharmacotherapy for hyperglycemia in pregnancy - Do oral agents have a place?. 2018 , 145, 51-58	9
95	Effects of insulin resistance on the association between the circulating retinol-binding protein 4 level and clustering of pediatric cardiometabolic risk factors. 2018 , 19, 611-621	5
94	Waist-to-height ratio and sedentary lifestyle as predictors of metabolic syndrome in children in Ecuador. 2017 ,	4
93	The CHANGE! Project: Changes in Body Composition and Cardiorespiratory Fitness in 10- to 11-Year-Old Children After Completing the CHANGE! Intervention. 2018 , 30, 81-89	1
92	Longitudinal Impact of a Park-Based Afterschool Healthy Weight Program on Modifiable Cardiovascular Disease Risk Factors in Youth. 2018 , 43, 103-116	7
91	Associations of adult genetic risk scores for adiposity with childhood abdominal, liver and pericardial fat assessed by magnetic resonance imaging. <i>International Journal of Obesity</i> , 2018 , 42, 897-904	7
90	Tobacco Smoke Exposure Association With Lipid Profiles and Adiposity Among U.S. Adolescents. 2018 , 62, 463-470	16
89	Risk factors associated with abdominal obesity in suburban adolescents from a Malaysian district. 2018 , 59, 104-111	8
88	Estimation of visceral fat in 9- to 13-year-old girls using dual-energy X-ray absorptiometry (DXA) and anthropometry. 2018 , 4, 437-447	5
87	The Effects of a 12-Week Combined Exercise Training Program on Arterial Stiffness, Vasoactive Substances, Inflammatory Markers, Metabolic Profile, and Body Composition in Obese Adolescent Girls. 2018 , 30, 480-486	13
86	Longer-term outcomes in offspring of GDM mothers treated with metformin versus insulin. 2018 , 144, 82-92	3
85	Longitudinal associations of android and gynoid fat mass on cardiovascular disease risk factors in normal weight and overweight boys during puberty. 2018 , 30, e23171	5
84	Ultrasound measurements of subcutaneous adipose tissue thickness show sexual dimorphism in children of three to five years of age. 2019 , 108, 514-521	4
83	Development of a Computational Model to Predict Excess Body Fat in Adolescents through Low Cost Variables. 2019 , 16,	1
82	Associations between body mass index, waist circumference, waist-to-height ratio, and high blood pressure among adolescents: a cross-sectional study. 2019 , 9, 9493	24
81	Anthropometric Indices and Some Aspects of Physical Fitness in Croatian Adolescents by Gender. 2019 , 16,	2

80	Metabolic Syndrome in Children and Adolescents: Diagnostic Criteria, Therapeutic Options and Perspectives. 2019 , 8, 472-479		49
79	Persistent effects of in utero overnutrition on offspring adiposity: the Exploring Perinatal Outcomes among Children (EPOCH) study. 2019 , 62, 2017-2024		12
78	Adiposity, Insulin Resistance, and Bone Mass in Children and Adolescents. 2019 , 104, 892-899		21
77	Changes in cardiovascular health and physical fitness in ethnic youth with intellectual disabilities participating in a park-based afterschool programme for two years. 2019 , 32, 1478-1489		5
76	Association between fat mass through adolescence and arterial stiffness: a population-based study from The Avon Longitudinal Study of Parents and Children. 2019 , 3, 474-481		25
75	Percentile Curves for Body-Mass Index, Waist Circumference, Waist-To-Height Ratio and Waist-To-Height Ratio(Exp) in Croatian Adolescents. 2019 , 16,		2
74	Comparison of various anthropometric indices in predicting abdominal obesity in Chinese children: a cross-sectional study. 2019 , 19, 127		10
73	Strategies for Prevention of Childhood Obesity. 2019 , 299-312		
72	Modifiable Clinical Correlates of Vascular Health in Children and Adolescents with Dyslipidemia. 2019 , 40, 805-812		3
71	The effects of a 12-week jump rope exercise program on abdominal adiposity, vasoactive substances, inflammation, and vascular function in adolescent girls with prehypertension. 2019 , 119, 577-585		14
70	Correlation between DXA and laboratory parameters in normal weight, overweight, and obese patients. 2019 , 61, 143-150		9
69	Lead exposure during childhood and subsequent anthropometry through adolescence in girls. 2019 , 122, 310-315		8
68	Normal weight metabolically unhealthy phenotype in youth: Do definitions matter?. 2019 , 20, 143-151		7
67	Body mass index classification misses to identify children with an elevated waist-to-height ratio at 5 years of age. <i>Pediatric Research</i> , 2019 , 85, 30-35	3.2	1
66	Prevalence of severe/morbid obesity and other weight status and anthropometric reference standards in Spanish preschool children: The PREFIT project. <i>Pediatric Research</i> , 2020 , 87, 501-510	3.2	4
65	Determinants of new onset cardiometabolic risk among normal weight children. <i>International Journal of Obesity</i> , 2020 , 44, 781-789	5.5	4
64	Waist circumference a clinical criterion for prediction of cardio-vascular complications in children and adolescences with overweight and obesity. 2020 , 99, e20923		8
63	Sex differences in the association of abdominal adipose tissue and anthropometric data with untreated hypertension in a Chinese population. 2020 , 11, 38		3

62	Complementary feeding practices and their association with adiposity indicators at 12 months of age. 2021 , 12, 780-787	1
61	Ultrasound imaging, a stethoscope for body composition assessment. 2020 , 10, 1699-1722	7
60	Can environmental pollutant bisphenol A increase metabolic risk in polycystic ovary syndrome?. 2020 , 507, 257-263	6
59	Associations between sleep duration and insulin resistance in European children and adolescents considering the mediating role of abdominal obesity. 2020 , 15, e0235049	4
58	Nutritional Status of Pediatric Patients with Type 1 Diabetes Mellitus from Northeast Poland: A Case-Control Study. 2021 , 12, 329-343	0
57	Association of Body Mass Index and Waist to Hip Ratio With Gallstone Disease in Patients Visiting Rural Tertiary Care Center in North India. 2021 , 28, 48-52	0
56	Development of a mobile-based self-management health alarm program for obese children in South Korea and a test of its feasibility for metabolic outcomes: A study based on the information-motivation-behavioral skills model.. 2021 , 27, 13-23	
55	Waist Circumference Is Not Associated with Impaired Fasting Blood Glucose in a Sample of Mexican Children and Teenagers: Results from a State Screening Program. 2021 , 8,	
54	Gender and age differences in the prevalence and associated factors of metabolic syndrome among children and adolescents in South Korea.. 2021 , 27, 160-170	
53	Determination of Child Waist Circumference Cut Points for Metabolic Risk Based on Acanthosis Nigricans, the Children@ Healthy Living Program. 2021 , 18, E64	1
52	The effect of obesity on periodontitis progression: the 10-year retrospective cohort study. 2021 , 1	3
51	Degree of adiposity and obesity severity is associated with cutaneous microvascular dysfunction in type 2 diabetes. 2021 , 136, 104149	0
50	Anthropometric Indicators as a Tool for Diagnosis of Obesity and Other Health Risk Factors: A Literature Review. 2021 , 12, 631179	7
49	Waist circumference and waist-to-height ratio in 7-year-old children-WHO Childhood Obesity Surveillance Initiative. 2021 , 22 Suppl 6, e13208	1
48	Waist-to-Height Ratio Is a Good Predictor of Metabolic Syndrome in Adolescents: A Report From the Thai National Health Examination Survey V, 2014. 2021 , 10105395211046474	0
47	The Definition and Assessment of Childhood Overweight: A Developmental Perspective. 2008 , 63-72	1
46	Liver Damage Severity Evaluated by Liver Function Tests and the Nutritional Status Estimated by Anthropometric Indicators. 2012 , 2201-2212	2
45	Reference Curves of Waist Circumference in Children and Adolescents. 2012 , 1405-1412	3

44	Physical Activity, Fitness and Fatness in Children and Adolescents. 2011 , 347-366		2
43	Methodological Aspects for Childhood and Adolescence Obesity Epidemiology. 2011 , 21-40		5
42	Estimation of CT-derived abdominal visceral and subcutaneous adipose tissue depots from anthropometry in Europeans, South Asians and African Caribbeans. 2013 , 8, e75085		27
41	Routine clinical measures of adiposity as predictors of visceral fat in adolescence: a population-based magnetic resonance imaging study. 2013 , 8, e79896		19
40	The correlates of body composition with heart rate recovery after step test: an exploratory study of Malaysian adolescents. 2013 , 8, e82893		12
39	Validation of anthropometric indices of adiposity against whole-body magnetic resonance imaging--a study within the German European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts. 2014 , 9, e91586		59
38	Percentile Curves for Anthropometric Measures for Canadian Children and Youth. 2015 , 10, e0132891		14
37	Quantification of Abdominal Fat in Obese and Healthy Adolescents Using 3 Tesla Magnetic Resonance Imaging and Free Software for Image Analysis. 2017 , 12, e0167625		24
36	Association of peptic ulcer disease with obesity, nutritional components, and blood parameters in the Korean population. 2017 , 12, e0183777		10
35	Definition and early diagnosis of metabolic syndrome in children. 2020 , 33, 821-833		9
34	Overweight and Obesity in Italian Adolescents: Examined Prevalence and Socio-Demographic Factors. 2016 , 24, 262-267		4
33	Elevated blood pressure and its predictors among secondary school students in Sarawak: a cross-sectional study. 2018 , 26, 16-21		4
32	Anthropometry and motor fitness in children aged 6-12 years. 2010 , 5, 265-279		13
31	The relationship between thermal imaging and waist circumference in young adults. <i>Health</i> , 2012 , 04, 1485-1491	0.4	8
30	Central body fat distribution indices in Thai preschool children. <i>Open Journal of Pediatrics</i> , 2012 , 02, 47-52.1		4
29	Clinical Predictive Factors for Metabolic Syndrome in Obese Children and Adolescents. <i>The Korean Journal of Obesity</i> , 2016 , 25, 50-55		2
28	Percentile curves for skinfold thickness for Canadian children and youth. <i>PeerJ</i> , 2016 , 4, e2247	3.1	5
27	Evaluation of Nutritional State in Individuals that Practice Fitness. 2007 , 161-170		

26	Metabolic syndrome in children and adolescents. <i>Korean Journal of Pediatrics</i> , 2009 , 52, 737	2.4	4
25	The incidence of abdominal obesity and the associated metabolic disturbances in the children aged 7-13 years. <i>Problemy Endokrinologii</i> , 2011 , 57, 15-23	0	2
24	Assessment of Body Composition and Fat Distribution in Infants, Children, and Adolescents. 2016 , 45-55		
23	WAIST CIRCUMFERENCE AND WAIST-HEIGHT RATIO OF SCHOOL-GOING CHILDREN AGED 5 - 15 YRS. OF MANIPUR, A NORTH-EASTERN STATE OF INDIA AND ITS ASSOCIATION WITH HYPERTENSION. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2018 , 7, 1121-1125	0.1	
22	Ultrasound Evaluation of Visceral Fat Thickness for Prediction of Metabolic Syndrome in the First Trimester of Pregnancy in a Sample of Non-obese Iranian Women. <i>Oman Medical Journal</i> , 2019 , 34, 308-314	1.4	
21	Adiposity Is the Enemy: Body Composition and Insulin Sensitivity. <i>Contemporary Endocrinology</i> , 2020 , 133-153	0.3	
20	Early Adiposity Rebound Predicts Obesity and Adiposity in Youth with Congenital Adrenal Hyperplasia. <i>Hormone Research in Paediatrics</i> , 2020 , 93, 609-615	3.3	3
19	Cardiometabolic and Cardiovascular Complications of Obesity in Children. 2020 , 8, 46-62		
18	Epidemiology of the Metabolic Syndrome and Related Disorders in Children and Adolescents. 2008 , 25-43		
17	Defining central adiposity in terms of clinical practice in children and adolescents. <i>International Journal of Preventive Medicine</i> , 2011 , 2, 1-2	1.6	14
16	Systematic review on the association of abdominal obesity in children and adolescents with cardio-metabolic risk factors. <i>Journal of Research in Medical Sciences</i> , 2015 , 20, 294-307	1.6	78
15	Anthropometric indices as measures of body fat assessed by DXA in relation to cardiovascular risk factors in children and adolescents: NHANES 1999-2004. <i>International Journal of Body Composition Research</i> , 2013 , 11, 85-96		15
14	Effectiveness of a body shape index in predicting pediatric high blood pressure. <i>Pediatric Research</i> , 2021 ,	3.2	0
13	Usefulness of the waist-to-height ratio for predicting cardiometabolic risk in children and its suggested boundary values.. <i>Clinical Nutrition</i> , 2021 , 41, 508-516	5.9	1
12	Mediterranean Diet and Genetic Determinants of Obesity and Metabolic Syndrome in European Children and Adolescents.. <i>Genes</i> , 2022 , 13,	4.2	0
11	Skeletal Muscle Mass Has Stronger Association With the Risk of Hyperuricemia Than Body Fat Mass in Obese Children and Adolescents.. <i>Frontiers in Nutrition</i> , 2022 , 9, 792234	6.2	
10	Defining Optimal Cut-Points for Cardiorespiratory Fitness Associated With Overweight/Obesity in Children: A School-Based Study.. <i>Frontiers in Physiology</i> , 2022 , 13, 784787	4.6	0
9	Nuchal Skinfold Thickness in Pediatric Brain Tumor Patients.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 772856-7	5.7	

8	Relationship of Different Anthropometric Indices with Vascular Ageing in an Adult Population without Cardiovascular Disease-EVA Study.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	0
7	Effect of sports training on morphological characteristics in Bulgarian female tennis players. <i>Folia Medica</i> , 2022 , 64, 309-313	0.5	1
6	A Proposal to Unify the Definition of the Metabolic Syndrome in Children and Adolescents. <i>Frontiers in Endocrinology</i> , 13,	5.7	2
5	Identifying metabolic syndrome in migrant Asian Indian adults with anthropometric and visceral fat action points. <i>Diabetology and Metabolic Syndrome</i> , 2022 , 14,	5.6	
4	Pediatric Obesity. 2020 ,		0
3	Anthropometric equations to predict visceral adipose tissue in European and American youth.. 2022 ,		0
2	The Impact of Exercise Training Intensity on Physiological Adaptations and Insulin Resistance in Women with Abdominal Obesity. 2022 , 10, 2533		0
1	A Combined Region- and Pixel-Based Deep Learning Approach for Quantifying Abdominal Adipose Tissue in Adolescents Using Dixon Magnetic Resonance Imaging. 2023 , 9, 139-149		0