

CITATION REPORT

List of articles citing

Influence of window size on the energy balance of low energy houses

DOI: 10.1016/j.enbuild.2005.05.006
Energy and Buildings, 2006, 38, 181-188.

Source: <https://exaly.com/paper-pdf/40459007/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
171	Energy-efficient terrace houses in Sweden. <i>Energy and Buildings</i> , 2006 , 38, 627-634	7	63
170	Measured and predicted energy demand of a low energy building: important aspects when using Building Energy Simulation. 2007 , 28, 223-235		72
169	An experience on integrating monitoring and simulation tools in the design of energy-saving buildings. <i>Energy and Buildings</i> , 2008 , 40, 987-997	7	26
168	Development and validation of regression models to predict monthly heating demand for residential buildings. <i>Energy and Buildings</i> , 2008 , 40, 1825-1832	7	218
167	Energy and exergy analyses of space heating in buildings. <i>Applied Energy</i> , 2009 , 86, 1939-1948	10.7	88
166	Numerical simulation of passive and active solar strategies in buildings with complex topology. <i>Building Simulation</i> , 2010 , 3, 245-261	3.9	26
165	Housing and energy in Denmark: past, present, and future challenges. 2010 , 38, 92-106		21
164	Numerical Study of the Influence of Opaque External Trees with Pyramidal Shape on the Thermal Behaviour of a School Building in Summer Conditions. 2010 , 19, 657-667		27
163	Improving Indoor Thermal Environment in Cold Seasons by South Window and Solar Floor Radiant Heating. 2010 ,		
162	Thermal performance of building attached sunspace in Jordan climate. 2010 ,		4
161	Assessment of the Variation Impacts of Window on Energy Consumption and Carbon Footprint. 2011 , 21, 820-828		34
160	Investigation of energy performance of newly built low-energy buildings in Sweden. <i>Energy and Buildings</i> , 2011 , 43, 2822-2831	7	50
159	Thermal and economic windows design for different climate zones. <i>Energy and Buildings</i> , 2011 , 43, 3208-3215	7	80
158	An approach in architectural design of energy-efficient timber buildings with a focus on the optimal glazing size in the south-oriented facade. <i>Energy and Buildings</i> , 2011 , 43, 3410-3418	7	71
157	Analysis and modelling of window and glazing systems energy performance for a well insulated residential building. <i>Energy and Buildings</i> , 2011 , 43, 1030-1037	7	135
156	Analysis of the influence of installation thermal bridges on windows performance: The case of clay block walls. <i>Energy and Buildings</i> , 2011 , 43, 1435-1442	7	41
155	Analysis of thermal performance of building attached sunspace. <i>Energy and Buildings</i> , 2011 , 43, 1863-1868		63

154	Affordable passive solar design in a temperate climate: An experiment in residential building orientation. <i>Renewable Energy</i> , 2011 , 36, 568-577	8.1	87
153	Architecture and energy: questioning regulative and architectural paradigms for Danish low-energy housing. 2011 , 15, 165-175		3
152	Influence of Opening Ratio on the Energy Conservation of Residential Building. 2011 , 71-78, 2400-2404		
151	An Efficient Evolutionary Approach to Parameter Identification in a Building Thermal Model. 2012 , 42, 957-969		15
150	Design Approach for the Optimal Model of an Energy-Efficient Timber Building with Enlarged Glazing Surface on the South Façade. <i>Journal of Asian Architecture and Building Engineering</i> , 2012 , 11, 71-78	1	14
149	ENERGY BALANCE OF A LOW ENERGY HOUSE. 2012 , 18, 369-377		9
148	A linear programming approach to household energy conservation: Efficient allocation of budget. <i>Energy and Buildings</i> , 2012 , 49, 200-208	7	24
147	Analysis of the building energy balance to investigate the effect of thermal insulation in summer conditions. <i>Energy and Buildings</i> , 2012 , 52, 168-180	7	46
146	Encyclopedia of Sustainability Science and Technology. 2012 , 10332-10344		
145	IEQ assessment on schools in the design stage. <i>Building and Environment</i> , 2012 , 49, 129-140	6.5	55
144	Financial viability of energy-efficiency measures in a new detached house design in Finland. <i>Applied Energy</i> , 2012 , 92, 76-83	10.7	33
143	Influence of glazing size on energy efficiency of timber-frame buildings. 2012 , 30, 92-99		24
142	Multiple pane window applications in various climatic regions of Turkey. <i>Energy and Buildings</i> , 2012 , 45, 67-71	7	46
141	Optimizing the configuration of a façade module for office buildings by means of integrated thermal and lighting simulations in a total energy perspective. <i>Applied Energy</i> , 2013 , 108, 515-527	10.7	106
140	Comparison of passive house construction types using analytic hierarchy process. <i>Energy and Buildings</i> , 2013 , 64, 258-263	7	43
139	Energy-Efficient Timber-Glass Houses. <i>Green Energy and Technology</i> , 2013 ,	0.6	6
138	Investigation on the influencing factors of energy consumption and thermal comfort for a passive solar house with water thermal storage wall. <i>Energy and Buildings</i> , 2013 , 64, 218-223	7	50
137	Windows in the buildings of tomorrow: Energy losers or energy gainers?. <i>Energy and Buildings</i> , 2013 , 61, 185-192	7	117

136	Optimization of passive solar design strategies: A review. 2013 , 25, 177-196		132
135	Economic viability of energy-efficiency measures in educational buildings in Finland. 2013 , 7, 120-127		5
134	Energy and Environmental Performance of Multi-Story Apartment Buildings Built in Timber Construction Using Passive House Principles. 2013 , 3, 258-277		19
133	Ventilated Double Window for the Preheating of the Ventilation Air Comparison of Its Performance in a Northern and a Southern European Climate. 2013 , 2013, 1-11		6
132	Technoeconomic Assessment of the Impact of Window Improvements on the Heating and Cooling Energy Requirement and Greenhouse Gas Emissions of the Canadian Housing Stock. 2014 , 140, 04013018		8
131	Glass, timber and adhesive joints Innovative load bearing building components. 2014 , 55, 470-478		37
130	Passive performance of glazed components in heating and cooling of an open-space office under controlled indoor thermal comfort. <i>Building and Environment</i> , 2014 , 72, 131-144	6.5	44
129	On the relation between architectural considerations and heating energy performance of Turkish residential buildings in Izmir. <i>Energy and Buildings</i> , 2014 , 72, 38-50	7	21
128	A study on the proposes of energy analysis indicator by the window elements of office buildings in Korea. <i>Energy and Buildings</i> , 2014 , 73, 153-165	7	25
127	Modern insulation requirements change the rules of architectural design in low-energy homes. <i>Renewable Energy</i> , 2014 , 72, 301-310	8.1	12
126	Case analysis of utilizing alternative energy sources and technologies for the single family detached house. <i>Solar Energy</i> , 2014 , 105, 243-263	6.8	22
125	Demand response for residential buildings based on dynamic price of electricity. <i>Energy and Buildings</i> , 2014 , 80, 531-541	7	102
124	Reducing interior temperature resulting from solar energy using three-dimensional surface patterns. 2015 , 7, 168781401558452		2
123	Impact of façade window design on energy, daylighting and thermal comfort in nearly zero-energy houses. <i>Energy and Buildings</i> , 2015 , 102, 149-156	7	90
122	Attenuation of glazing energy using linear patterns on the glass surface. 2015 , 7, 168781401561937		
121	Climatic, parametric and non-parametric analysis of energy performance of double-glazed windows in different climates. 2015 , 4, 307-322		18
120	Primary energy performance and perceived indoor environment quality in Finnish low-energy and conventional houses. <i>Building and Environment</i> , 2015 , 87, 92-101	6.5	15
119	The energy performance of windows in Mediterranean regions. <i>Energy and Buildings</i> , 2015 , 92, 180-187	7	28

118	Influence of thermal storage mass on summer thermal stability in a passive wooden house in the Czech Republic. <i>Energy and Buildings</i> , 2015 , 107, 68-75	7	16
117	A Study on the Variation of Heating and Cooling Load According to the Use of Horizontal Shading and Venetian Blinds in Office Buildings in Korea. <i>Energies</i> , 2015 , 8, 1487-1504	3.1	18
116	How reliable are geometry-based building indices as thermal performance indicators?. 2015 , 101, 561-578		21
115	Reducing solar effect on the glazing material based on using non-linear patterns. <i>Energy and Buildings</i> , 2015 , 109, 369-376	7	
114	Energy labeling of windows [Possibilities and limitations. <i>Solar Energy</i> , 2015 , 120, 158-174	6.8	12
113	Mitigating office performance uncertainty of occupant use of window blinds and lighting using robust design. <i>Building Simulation</i> , 2015 , 8, 621-636	3.9	39
112	Design optimization of insulated cavity rammed earth walls for houses in Australia. <i>Energy and Buildings</i> , 2015 , 86, 852-863	7	11
111	Energy balance calculation of window glazings in the northern latitudes using long-term measured climatic data. 2015 , 89, 896-906		14
110	Flow and heat transfer in double, triple and quadruple pane windows. <i>Energy and Buildings</i> , 2015 , 86, 394-402	7	73
109	A state-of-the-art review on innovative glazing technologies. 2015 , 41, 695-714		189
108	Determination of Optimum Window to External Wall Ratio for Offices in a Hot and Humid Climate. <i>Sustainability</i> , 2016 , 8, 187	3.6	27
107	Assessment of the Impact of Window Size, Position and Orientation on Building Energy Load Using BIM. 2016 , 145, 1424-1431		41
106	Sustainable building design based on building information modeling (BIM). 2016 ,		6
105	Glazed balconies as passive greenhouse systems [Potential of their use in Poland. 2016 , 37, 555-572		8
104	Primary energy implications of different design strategies for an apartment building. 2016 , 104, 132-148		13
103	Study of the effect of sun patch on the transient thermal behaviour of a heating floor in Algeria. <i>Energy and Buildings</i> , 2016 , 133, 257-270	7	14
102	Heated atrium in multi-storey apartment buildings, a design with potential to enhance energy efficiency and to facilitate social interactions. <i>Building and Environment</i> , 2016 , 106, 352-364	6.5	16
101	Detailed and simplified window model and opening effects on optimal window size and heating need. <i>Energy and Buildings</i> , 2016 , 127, 242-251	7	17

100	Cost-effective energy saving measures based on BIM technology: Case study at National Taiwan University. <i>Energy and Buildings</i> , 2016 , 127, 433-441	7	34
99	Influence of the building shape on the energy performance of timber-glass buildings in different climatic conditions. 2016 , 108, 201-211		35
98	Aerogel vs. argon insulation in windows: A greenhouse gas emissions analysis. <i>Building and Environment</i> , 2016 , 101, 64-76	6.5	29
97	Roadmap for improving roof and façade windows in nearly zero-energy houses in Europe. <i>Energy and Buildings</i> , 2016 , 116, 602-613	7	15
96	Passive house analysis in terms of energy performance. <i>Energy and Buildings</i> , 2017 , 144, 74-86	7	48
95	The cost efficiency of improved roof windows in two well-lit nearly zero-energy houses in Copenhagen. <i>Energy and Buildings</i> , 2017 , 140, 399-417	7	2
94	A review on experimental research using scale models for buildings: Application and methodologies. <i>Energy and Buildings</i> , 2017 , 142, 72-110	7	33
93	A method for creating maps of recommended window-to-wall ratios to assign appropriate default values in design performance modeling: A case study of a typical office building in Japan. <i>Energy and Buildings</i> , 2017 , 145, 304-317	7	24
92	The impact of refurbished windows on Portuguese old school buildings. <i>Architectural Engineering and Design Management</i> , 2017 , 13, 185-201	1.2	6
91	Window frame thermal transmittance improvements without frame geometry variations: An experimentally validated CFD analysis. <i>Energy and Buildings</i> , 2017 , 145, 188-199	7	18
90	Assessment of Building Integrated Photovoltaic (BIPV) for sustainable energy performance in tropical regions of Cameroon. 2017 , 80, 1138-1152		19
89	Effect of geometric factors on the energy performance of high-rise office towers in Tianjin, China. <i>Building Simulation</i> , 2017 , 10, 625-641	3.9	19
88	On the modern history of passive solar architecture: exploring the paradox of Nordic environmental design. 2017 , 22, 225-251		5
87	The effect of dynamic solar shading on energy, daylighting and thermal comfort in a nearly zero-energy loft room in Rome and Copenhagen. <i>Energy and Buildings</i> , 2017 , 135, 302-311	7	24
86	Correlations for glazing properties and representation of glazing types with continuous variables for daylight and energy simulations. <i>Solar Energy</i> , 2017 , 141, 159-165	6.8	3
85	Development of the timber-glass upgrade module for the purpose of its installation on energy-inefficient buildings in the refurbishment process. <i>Energy Efficiency</i> , 2017 , 10, 973-988	3	6
84	On input parameters, methods and assumptions for energy balance and retrofit analyses for residential buildings. <i>Energy and Buildings</i> , 2017 , 137, 76-89	7	28
83	Influence of simulation assumptions and input parameters on energy balance calculations of residential buildings. 2017 , 120, 718-730		28

82	Diurnal variation of natural convective wall flows and the resulting air change rate in a homogeneous urban canopy layer. <i>Energy and Buildings</i> , 2017 , 153, 201-208	7	7
81	Does window-to-wall ratio have a significant effect on the energy consumption of buildings? A parametric analysis in Italian climate conditions. <i>Journal of Building Engineering</i> , 2017 , 13, 169-183	5.2	66
80	Effect of design configurations on water flow window performance. <i>Solar Energy</i> , 2017 , 155, 354-362	6.8	25
79	Energy efficiency measures in affordable zero net energy housing: A case study of the UC Davis 2015 Solar Decathlon home. <i>Renewable Energy</i> , 2017 , 101, 1242-1255	8.1	13
78	Effect of Orientation of Window on Building Heat Load: Perspective of N-E India. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 225, 012166	0.4	
77	Analysis of the Performance of Vacuum Glazing in Office Buildings in Korea: Simulation and Experimental Studies. <i>Sustainability</i> , 2017 , 9, 936	3.6	6
76	Energy Efficiency for Airtightness and Exterior Wall Insulation of Passive Houses in Hot Summer and Cold Winter Zone of China. <i>Sustainability</i> , 2017 , 9, 1097	3.6	12
75	Development of Decision Support Process for Building Energy Conservation Measures and Economic Analysis. <i>Energies</i> , 2017 , 10, 324	3.1	8
74	Establishment of Passive Energy Conservation Measure and Economic Evaluation of Fenestration System in Nonresidential Building of Korea. 2017 , 2017, 1-9		4
73	Thermal, Economic and Environmental Analysis of a Low-Cost House in Alice, South Africa. <i>Sustainability</i> , 2017 , 9, 425	3.6	6
72	Effect of climate and design parameters on the temperature distribution of a room. <i>Journal of Building Engineering</i> , 2018 , 17, 115-124	5.2	12
71	Environmental and Infrastructural Features of High-Rise Public Housing Buildings and Their Impact on Resident's Pro-environmental Practices. <i>Water Science and Technology Library</i> , 2018 , 363-383	0.3	
70	Developing a passive house with a double-skin envelope based on energy and airflow performance. <i>Building Simulation</i> , 2018 , 11, 373-388	3.9	6
69	Energy-efficient installation of windows in multi-storey residential buildings. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 365, 022017	0.4	3
68	Energy performance calculations for randomly generated buildings Selected results and possible applications of the developed model. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 415, 012048	0.4	
67	A tool to estimate indoor temperature in buildings with a risk of overheating in the temperate European climate zone. <i>E3S Web of Conferences</i> , 2018 , 49, 00011	0.5	
66	Effect of the Window Position in the Building Envelope on Energy Consumption. <i>International Journal of Engineering and Technology(UAE)</i> , 2018 , 7, 1861	0.8	1
65	Energy savings in hospital patient rooms: the role of windows size and glazing properties. <i>Energy Procedia</i> , 2018 , 148, 1151-1158	2.3	11

64	Energy Retrofitting Strategies and Economic Assessments: The Case Study of a Residential Complex Using Utility Bills. <i>Energies</i> , 2018 , 11, 2055	3.1	14
63	The potential impact of low thermal transmittance construction on the European design guidelines of residential buildings. <i>Energy and Buildings</i> , 2018 , 178, 379-390	7	10
62	Conception of a complex window design method. <i>E3S Web of Conferences</i> , 2019 , 91, 05018	0.5	4
61	Analysis on design method and energy consumption for high thermal performance housings. <i>Japan Architectural Review</i> , 2019 , 2, 603-609	0.8	
60	Smart utilization of solar energy with Optic-Variable Wall (OVW) for thermal comfort. <i>Energy and Buildings</i> , 2019 , 202, 109376	7	3
59	Transient numerical simulation of multiple pane windows filling with radiating gas. <i>International Communications in Heat and Mass Transfer</i> , 2019 , 108, 104291	5.8	4
58	Occupant responses on satisfaction with window size in physical and virtual built environments. <i>Building and Environment</i> , 2019 , 166, 106409	6.5	19
57	Effect of window-to-wall ratio on measured energy consumption in US office buildings. <i>Energy and Buildings</i> , 2019 , 203, 109434	7	33
56	Upscaling urban data science for global climate solutions. <i>Global Sustainability</i> , 2019 , 2,	5.4	41
55	The Optimum Window-to-Wall Ratio in Office Buildings for Hot-Humid, Hot-Dry, and Cold Climates in Iran. <i>Environments - MDPI</i> , 2019 , 6, 45	3.2	20
54	Influence of slat angle and low-emissive partitioning radiant energy veils on the thermal performance of multilayered windows for dynamic facades. <i>Renewable Energy</i> , 2019 , 143, 142-148	8.1	6
53	Integrative Approach to Comprehensive Building Renovations. <i>Green Energy and Technology</i> , 2019 ,	0.6	3
52	Advances in Transparent Wood Composites for Application in Large Office and Mid-Rise Apartment Buildings. 2019 ,		
51	Energy uncertainty of manual solar shades for different window-to-wall ratios. <i>Journal of Asian Architecture and Building Engineering</i> , 2019 , 18, 575-585	1	2
50	Developing a decision-making framework for resolving conflicts when selecting windows and blinds. <i>Architectural Engineering and Design Management</i> , 2019 , 15, 357-381	1.2	4
49	Energy conservation in residential buildings by incorporating Passive Solar and Energy Efficiency Design Strategies and higher thermal mass. <i>Energy and Buildings</i> , 2019 , 182, 205-213	7	41
48	The influence of the envelope in the preventive conservation of books and paper records. Case study: Libraries and archives in La Plata, Argentina. <i>Energy and Buildings</i> , 2019 , 183, 727-738	7	10
47	A tool for the assessment of energy-efficiency retrofit packages based on simulations, for single-family housing in Concepcion, Chile. <i>Energy Efficiency</i> , 2019 , 12, 619-636	3	

46	Architectural window design and energy efficiency: Impacts on heating, cooling and lighting needs in Finnish climates. <i>Journal of Building Engineering</i> , 2020 , 27, 100996	5.2	17
45	Evaluation of School Building Energy Performance and Classroom Indoor Environment. <i>Energies</i> , 2020 , 13, 2489	3.1	9
44	Prospect of achieving net-zero energy building with semi-transparent photovoltaics: A device to system level perspective. <i>Applied Energy</i> , 2020 , 279, 115790	10.7	12
43	Architectural award schemes. <i>Journal of Cultural Heritage Management and Sustainable Development</i> , 2020 , 10, 329-341	1.3	
42	A simulation framework for predicting occupant thermal sensation in perimeter zones of buildings considering direct solar radiation and ankle draft. <i>Building and Environment</i> , 2020 , 183, 107096	6.5	7
41	Analysis of Influence of Glazing Systems on Indoor Environment of a Passive Solar Building in Lhasa. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020 , 525, 012139	0.3	0
40	Thermal performance of passive techniques integrated to a house and the concept of passive house in the six climates of Morocco. <i>Science and Technology for the Built Environment</i> , 2020 , 26, 1490-1508	1.8	7
39	Optimal design of timber-glass upgrade modules for vertical building extension from the viewpoints of energy efficiency and visual comfort. <i>Applied Energy</i> , 2020 , 270, 115173	10.7	1
38	Measurements and Simulation Study of Daylight Availability and Its Impact on the Heating, Cooling and Lighting Energy Demand in an Educational Building. <i>Energies</i> , 2020 , 13, 2555	3.1	8
37	The Energy Saving Potential of Wide Windows in Hospital Patient Rooms, Optimizing the Type of Glazing and Lighting Control Strategy under Different Climatic Conditions. <i>Energies</i> , 2020 , 13, 2116	3.1	8
36	Determining the optimal window size of office buildings considering the workers' task performance and the building's energy consumption. <i>Building and Environment</i> , 2020 , 177, 106872	6.5	20
35	Operating Hardware Impact on the Heat Transfer Properties of Windows. <i>Energies</i> , 2021 , 14, 1145	3.1	
34	Optimization Analysis of the Residential Window-to-Wall Ratio Based on Numerical Calculation of Energy Consumption in the Hot-Summer and Cold-winter Zone of China. <i>Sustainability</i> , 2021 , 13, 6138	3.6	1
33	Empirical analysis of building energy consumption and urban form in a large city: A case of Seoul, South Korea. <i>Energy and Buildings</i> , 2021 , 245, 111046	7	7
32	Development of a Decisional Procedure Based on Fuzzy Logic for the Energy Retrofitting of Buildings. <i>Sustainability</i> , 2021 , 13, 9318	3.6	0
31	A critical review of fenestration/window system design methods for high performance buildings. <i>Energy and Buildings</i> , 2021 , 248, 111184	7	5
30	Ug-value and edge heat loss of triple glazed insulating glass units:A comparison between measured and declared values. <i>Journal of Building Engineering</i> , 2021 , 44, 103031	5.2	2
29	Timber-Glass Prefabricated Buildings. <i>Green Energy and Technology</i> , 2013 , 117-178	0.6	2

28	Evaluating the impact of operating energy reduction measures on embodied energy. <i>Energy and Buildings</i> , 2020 , 226, 110340	7	9
27	OPTIMAL WINDOW GEOMETRY FACTORS FOR ELEMENTARY SCHOOL BUILDINGS IN PORTUGAL. <i>Journal of Green Building</i> , 2018 , 13, 185-198	1.3	3
26	A Numerical Simulation Approach for Sunspot Area Calculation. <i>Engineering, Technology & Applied Science Research</i> , 2018 , 8, 3013-3017	1	1
25	Suitable Glazing Selection for Glass-Curtain Walls in Tropical Climates of India. <i>ISRN Renewable Energy</i> , 2011 , 2011, 1-11		9
24	Analysis of Behavior of Windows in Terms of Saving Energy in Extreme Cold Weather Climes of Iran. <i>International Journal of Engineering and Technology</i> , 2012 , 4, 676-679	0	5
23	Modelling Efficient Building Design: Efficiency for Low Energy or No Energy?. <i>Green Energy and Technology</i> , 2011 , 53-115	0.6	
22	DESIGN OF A LOW-ENERGY ENVELOPE SYSTEM FOR AN APARTMENT BUILDING THROUGH AN INTEGRATED DESIGN PROCESS: A CASE STUDY. <i>Journal of Green Building</i> , 2011 , 6, 106-132	1.3	2
21	Sustainable Built Environments. 2013 , 653-665		
20	Mañenergjo vienbuĩb namo aprĩnimo energija integrutas vertinimas. 2015 ,		1
19	Influencia del acristalamiento sobre los parĩmetros y la calificaciĩ energĩtica de acuerdo con la orientaciĩ del edificio y los porcentajes de aberturas de fachada = The influence of glazing over the parameters and energy rating according to the building orientation and the faĩde openings percentages.. <i>Anales De Edificaciĩ</i> , 2016 , 2, 34	0.1	
18	Encyclopedia of Sustainability Science and Technology. 2018 , 1-16		
17	ANALYSIS ON DESIGN METHOD AND ENERGY CONSUMPTION FOR HIGH THERMAL PERFORMANCE HOUSINGS. <i>Journal of Environmental Engineering (Japan)</i> , 2018 , 83, 515-521	0.3	0
16	Performance energĩtica de una vivienda social en Argentina y su rehabilitaciĩ basada en simulaciĩ tĩmica. <i>Ambiente Construido</i> , 2018 , 18, 215-235	0.4	0
15	Impacts of Common Simulation Assumptions in Sweden on Modelled Energy Balance of a Multi-family Building. <i>Springer Proceedings in Energy</i> , 2019 , 689-699	0.2	
14	Renovation Process Methodology. <i>Green Energy and Technology</i> , 2019 , 35-67	0.6	
13	Window assessment at different level height on a Portuguese typical street canyon. <i>WEENTECH Proceedings in Energy</i> , 2018 , 4, 143-159	0	
12	Rigidity of the Aluminum Window Profiles with Thermal Barrier. <i>Advances in Intelligent Systems and Computing</i> , 2020 , 26-34	0.4	
11	A Review of Retrofit Interventions for Residential Buildings in Hot Humid Climates. <i>International Journal of Environmental Science and Development</i> , 2020 , 11, 251-257	0.4	1

10	Efeito de orientação de janela nas condições térmicas do ambiente e na percepção do usuário. <i>Ambiente Construído</i> , 2020 , 20, 79-98	0.4	
9	Sustainable Heating Ventilation and Air Conditioning. 2020 , 465-479		
8	Reassessment of fenestration characteristics for residential buildings in hot climates: energy and economic analysis. <i>Frontiers in Energy</i> , 1	2.6	
7	Selection of the Optimal Window Type and Orientation for the Two Cities in Serbia and One in Slovakia. <i>Energies</i> , 2022 , 15, 323	3.1	1
6	Heat Flux and Thermal Characteristics of Electrically Heated Windows: A Case Study. <i>Sustainability</i> , 2022 , 14, 481	3.6	2
5	Key drivers of life-cycle environmental and cost assessment of windows for different European climate zones. <i>Journal of Building Engineering</i> , 2022 , 104206	5.2	0
4	Early Design Evaluation of School Building Morphology on Energy Performance: Climatic Contexts of Southeast Europe. <i>SSRN Electronic Journal</i> ,	1	
3	Energy saving potential of photovoltaic windows: Impact of shading, geography and climate. <i>Solar Energy</i> , 2022 , 240, 342-353	6.8	0
2	A review of smart solar shading systems and their applications: Opportunities in cold climate zones. 2023 , 64, 105583		0
1	Early design evaluation of low-rise school building morphology on energy performance: Climatic contexts of Southeast Europe. 2023 , 269, 126790		0