

# CITATION REPORT

List of articles citing

Preparation, thermal performance and application of shape-stabilized PCM in energy efficient buildings

DOI: 10.1016/j.enbuild.2006.02.009  
Energy and Buildings, 2006, 38, 1262-1269.

**Source:** <https://exaly.com/paper-pdf/40459061/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
257	An assessment of mixed type PCM-gypsum and shape-stabilized PCM plates in a building for passive solar heating. <i>Solar Energy</i> , <b>2007</b> , 81, 1351-1360	6.8	116
256	Polyaniline/1-tetradecanol composites. <b>2008</b> , 91, 455-461		21
255	Dynamic characteristics and energy performance of buildings using phase change materials: A review. <b>2009</b> , 50, 3169-3181		234
254	Preparation, characterization, and thermal properties of microPCMs containing n-dodecanol by using different types of styrene-maleic anhydride as emulsifier. <b>2009</b> , 287, 549-560		69
253	Review on thermal performance of phase change energy storage building envelope. <b>2009</b> , 54, 920-928		74
252	Micro-encapsulated paraffin/high-density polyethylene/wood flour composite as form-stable phase change material for thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , <b>2009</b> , 93, 1761-1767	6.4	106
251	Thermal stability, latent heat and flame retardant properties of the thermal energy storage phase change materials based on paraffin/high density polyethylene composites. <i>Renewable Energy</i> , <b>2009</b> , 34, 2117-2123	8.1	136
250	Numerical analysis of effect of shape-stabilized phase change material plates in a building combined with night ventilation. <i>Applied Energy</i> , <b>2009</b> , 86, 52-59	10.7	102
249	Experimental investigation of wallboard containing phase change material: Data for validation of numerical modeling. <i>Energy and Buildings</i> , <b>2009</b> , 41, 561-570	7	166
248	Preparation and application effects of a novel form-stable phase change material as the thermal storage layer of an electric floor heating system. <i>Energy and Buildings</i> , <b>2009</b> , 41, 871-880	7	67
247	Analytical optimization of interior PCM for energy storage in a lightweight passive solar room. <i>Applied Energy</i> , <b>2009</b> , 86, 2013-2018	10.7	100
246	Technology of Latent Heat Storage for High Temperature Application: A Review. <b>2010</b> , 50, 1229-1239		137
245	Thermal characteristics of shape-stabilized phase change material wallboard with periodical outside temperature waves. <i>Applied Energy</i> , <b>2010</b> , 87, 2666-2672	10.7	60
244	Synthesis of shape-stabilized paraffin/silicon dioxide composites as phase change material for thermal energy storage. <b>2010</b> , 45, 1672-1676		36
243	Thermal conductivity enhancement of Ag nanowires on an organic phase change material. <b>2010</b> , 101, 385-389		178
242	Preparation and characterization of flame retardant n-hexadecane/silicon dioxide composites as thermal energy storage materials. <b>2010</b> , 181, 1004-9		65
241	Energy efficient PCM-based variable air volume air conditioning system for modern buildings. <i>Energy and Buildings</i> , <b>2010</b> , 42, 1353-1360	7	62

240	Preparation and characterization of stearic acid/expanded graphite composites as thermal energy storage materials. <i>Energy</i> , <b>2010</b> , 35, 4622-4626	7.9	144
239	A simplified dynamic model of building structures integrated with shaped-stabilized phase change materials. <b>2010</b> , 49, 1722-1731		38
238	Internal surfaces including phase change materials for passive optimal shift of solar heat gain. <b>2010</b> , 49, 2148-2156		26
237	Thermal analysis of a retrofitted direct-gain solar house without auxiliary heat source in southwest Tibet. <b>2010</b> , 5, 175-181		2
236	Thermal properties of shape-stabilized paraffin used for wallboard. <b>2010</b> , 29, 87-95		14
235	The Experimental Research on the Thermal Characterizations of Shape-Stabilized Paraffin to Be Used in a Wall. <b>2010</b> ,		
234	The shape-stabilized phase change materials composed of polyethylene glycol and various mesoporous matrices (AC, SBA-15 and MCM-41). <i>Solar Energy Materials and Solar Cells</i> , <b>2011</b> , 95, 3550-3556	6.4	158
233	Radiant floors integrated with PCM for indoor temperature control. <i>Energy and Buildings</i> , <b>2011</b> , 43, 3019-3026	8.0	80
232	Performance of shape-stabilized phase change material wallboard with periodical outside heat flux waves. <i>Applied Energy</i> , <b>2011</b> , 88, 2113-2121	10.7	44
231	Preparation and characterization of fatty acid ester/building material composites for thermal energy storage in buildings. <i>Energy and Buildings</i> , <b>2011</b> , 43, 1952-1959	7	67
230	Stearic acid/polymethylmethacrylate composite as form-stable phase change materials for latent heat thermal energy storage. <i>Renewable Energy</i> , <b>2011</b> , 36, 1814-1820	8.1	115
229	A review on phase change materials integrated in building walls. <i>Renewable and Sustainable Energy Reviews</i> , <b>2011</b> , 15, 379-391	16.2	669
228	Energy performance of a hybrid space-cooling system in an office building using SSPCM thermal storage and night ventilation. <i>Solar Energy</i> , <b>2011</b> , 85, 477-485	6.8	59
227	Study on preparation and thermal properties of binary fatty acid/diatomite shape-stabilized phase change materials. <i>Solar Energy Materials and Solar Cells</i> , <b>2011</b> , 95, 2412-2416	6.4	120
226	Analysis of heat transfer across phase change material filled reinforced cement concrete roof for thermal management. <b>2012</b> , 226, 2933-2940		2
225	Encapsulated Phase Change Materials and their Applications in Buildings. <b>2012</b> , 509, 82-89		2
224	Electrospun capric acid/polyethylene terephthalate composite nanofibres for storage and retrieval of thermal energy. <b>2012</b> , 16, 429-437		4
223	Fabrication and performances of new kind microencapsulated phase change material based on stearic acid core and polycarbonate shell. <b>2012</b> , 64, 1-7		60

222	Preparation, morphology and thermal properties of electrospun fatty acid eutectics/polyethylene terephthalate form-stable phase change ultrafine composite fibers for thermal energy storage. <b>2012</b> , 64, 245-255		70
221	Thermal enhancement of plastering mortars with Phase Change Materials: Experimental and numerical approach. <i>Energy and Buildings</i> , <b>2012</b> , 49, 16-27	7	102
220	Preparation and thermal properties of n-octadecane/molecular sieve composites as form-stable thermal energy storage materials for buildings. <i>Energy and Buildings</i> , <b>2012</b> , 49, 423-428	7	38
219	Synthesis and thermal properties of poly(styrene-co-ally alcohol)-graft-stearic acid copolymers as novel solid-solid PCMs for thermal energy storage. <i>Solar Energy</i> , <b>2012</b> , 86, 2282-2292	6.8	32
218	Effects of copper nanowires on the properties of an organic phase change material. <i>Solar Energy Materials and Solar Cells</i> , <b>2012</b> , 105, 174-178	6.4	84
217	Thermal behavior of building material containing microencapsulated PCM. <b>2012</b> , 550, 42-47		28
216	Building integrated energy storage opportunities in China. <i>Renewable and Sustainable Energy Reviews</i> , <b>2012</b> , 16, 6191-6211	16.2	25
215	Preparation and thermal properties of form-stable palmitic acid/active aluminum oxide composites as phase change materials for latent heat storage. <b>2012</b> , 137, 558-564		26
214	Verification and validation of EnergyPlus phase change material model for opaque wall assemblies. <i>Building and Environment</i> , <b>2012</b> , 54, 186-196	6.5	198
213	Experimental investigations on phase change material based finned heat sinks for electronic equipment cooling. <b>2012</b> , 55, 1642-1649		169
212	Review on thermal energy storage with phase change materials (PCMs) in building applications. <i>Applied Energy</i> , <b>2012</b> , 92, 593-605	10.7	1097
211	Preparation, characterization and thermal properties of nanocapsules containing phase change material n-dodecanol by miniemulsion polymerization with polymerizable emulsifier. <i>Applied Energy</i> , <b>2012</b> , 91, 7-12	10.7	176
210	Evaluation of the environmental impact of experimental cubicles using Life Cycle Assessment: A highlight on the manufacturing phase. <i>Applied Energy</i> , <b>2012</b> , 92, 534-544	10.7	54
209	Studies on thermal properties and thermal control effectiveness of a new shape-stabilized phase change material with high thermal conductivity. <i>Applied Thermal Engineering</i> , <b>2012</b> , 36, 345-352	5.8	63
208	Fabrication and performances of microencapsulated paraffin composites with polymethylmethacrylate shell based on ultraviolet irradiation-initiated. <b>2012</b> , 135, 181-187		43
207	Form-stable phase change materials for thermal energy storage. <i>Renewable and Sustainable Energy Reviews</i> , <b>2012</b> , 16, 1999-2040	16.2	224
206	Energy saving latent heat storage and environmental friendly humidity-controlled materials for indoor climate. <i>Renewable and Sustainable Energy Reviews</i> , <b>2012</b> , 16, 3136-3145	16.2	59
205	Sustainable thermal energy storage technologies for buildings: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2012</b> , 16, 2394-2433	16.2	212

204	Preparation and thermal energy properties of paraffin/halloysite nanotube composite as form-stable phase change material. <i>Solar Energy</i> , <b>2012</b> , 86, 1142-1148	6.8	69
203	Synthesis and thermal properties of shape-stabilized lauric acid/activated carbon composites as phase change materials for thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , <b>2012</b> , 102, 131-136	6.4	112
202	Organic phase change materials and their textile applications: An overview. <b>2012</b> , 540, 7-60		444
201	Electrospun ultrafine composite fibers of binary fatty acid eutectics and polyethylene terephthalate as innovative form-stable phase change materials for storage and retrieval of thermal energy. <b>2013</b> , 37, 657-664		16
200	Modeling phase change materials embedded in building enclosure: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2013</b> , 21, 659-673	16.2	191
199	Phase change material for enhancing solar water heater, an experimental approach. <b>2013</b> , 71, 138-145		121
198	Dynamics of external wall structures with a PCM (phase change materials) in high latitude countries. <i>Energy</i> , <b>2013</b> , 59, 301-313	7.9	40
197	Preparation and Properties of Microencapsulated Phase Change Materials Containing Two-Phase Core Materials. <b>2013</b> , 52, 14706-14712		30
196	Thermal energy storage cement mortar containing n-octadecane/expanded graphite composite phase change material. <i>Renewable Energy</i> , <b>2013</b> , 50, 670-675	8.1	204
195	Application of PCM thermal energy storage system to reduce building energy consumption. <b>2013</b> , 111, 279-288		117
194	Evaluation of PCM/diatomite composites using exfoliated graphite nanoplatelets (xGnP) to improve thermal properties. <b>2013</b> , 114, 689-698		49
193	A review on phase change cold storage in air-conditioning system: Materials and applications. <i>Renewable and Sustainable Energy Reviews</i> , <b>2013</b> , 22, 108-120	16.2	121
192	Review of passive PCM latent heat thermal energy storage systems towards buildings energy efficiency. <i>Energy and Buildings</i> , <b>2013</b> , 59, 82-103	7	610
191	A simplified dynamic model of double layers shape-stabilized phase change materials wallboards. <i>Energy and Buildings</i> , <b>2013</b> , 67, 508-516	7	21
190	A ventilated cooling ceiling with integrated latent heat storage: test room measurements. <b>2013</b> , 5, 120-132		2
189	. <b>2014</b> ,		3
188	Applications of organic phase change materials for thermal comfort in buildings. <b>2014</b> , 30,		9
187	Numerical study of thermal behaviour of building walls containing a phase change material. <b>2014</b> , 20,		0

186	Fabrication of Stearic Acid/Silicon Dioxide Composite Shape-Stabilized Phase Change Materials for Thermal Energy Storage. <b>2014</b> , 521, 609-612		1
185	Review of thermal energy storage of micro- and nanoencapsulated phase change materials. <b>2014</b> , 18, 541-554		25
184	Energy Impacts of Nonlinear Behavior of Phase Change Materials When Applied to Opaque Building Envelopes. <b>2014</b> , 136,		3
183	Review on the Modeling and Simulation of Thermal Energy Storage Systems. <b>2014</b> , 247-278		
182	Experimental Investigation of the Properties of Lime-Based Plaster-Containing PCM for Enhancing the Heat-Storage Capacity of Building Envelopes. <b>2014</b> , 35, 767-782		39
181	Thermal conductivity and latent heat thermal energy storage properties of LDPE/wax as a shape-stabilized composite phase change material. <b>2014</b> , 77, 586-596		77
180	Structure and properties of mixtures based on long chain polyacrylate and 1-alcohol composites. <b>2014</b> , 143, 1069-1074		10
179	Electrospun Nanofibers for Energy and Environmental Applications. <i>Nanostructure Science and Technology</i> , <b>2014</b> ,	0.9	52
178	Phase change materials integrated in building walls: A state of the art review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2014</b> , 31, 870-906	16.2	389
177	The energy saving index and the performance evaluation of thermochromic windows in passive buildings. <i>Renewable Energy</i> , <b>2014</b> , 66, 215-221	8.1	42
176	Preparation, stability and mechanical property of shape-stabilized phase change materials. <i>Energy and Buildings</i> , <b>2014</b> , 77, 11-16	7	35
175	Nano-encapsulated organic phase change material based on copolymer nanocomposites for thermal energy storage. <i>Energy</i> , <b>2014</b> , 66, 881-890	7.9	160
174	A review of microencapsulation methods of phase change materials (PCMs) as a thermal energy storage (TES) medium. <i>Renewable and Sustainable Energy Reviews</i> , <b>2014</b> , 31, 531-542	16.2	496
173	Energy-Efficient Building Envelopes with Phase-Change Materials: New Understanding and Related Research. <b>2014</b> , 35, 970-984		25
172	Preparation of Silica Encapsulated Stearic Acid as Composite Phase Change Material via Sol-gel Process. <b>2014</b> , 31-38		
171	Performance demonstration and evaluation of the synergetic application of vanadium dioxide glazing and phase change material in passive buildings. <i>Applied Energy</i> , <b>2014</b> , 136, 89-97	10.7	46
170	Preparation and characterization of PVC-based form-stable phase change materials. <i>Solar Energy Materials and Solar Cells</i> , <b>2014</b> , 130, 435-441	6.4	30
169	A ventilated cooling ceiling with integrated latent heat storage Monitoring results. <i>Energy and Buildings</i> , <b>2014</b> , 82, 65-72	7	41

168	Preparation, thermal properties and applications of shape-stabilized thermal energy storage materials. <i>Renewable and Sustainable Energy Reviews</i> , <b>2014</b> , 40, 237-259	16.2	88
167	Progress in Sustainable Energy Technologies Vol II. <b>2014</b> ,		1
166	Thermal behavior of cement based plastering mortar containing hybrid microencapsulated phase change materials. <i>Energy and Buildings</i> , <b>2014</b> , 84, 526-536	7	67
165	Brick masonry walls with PCM macrocapsules: An experimental approach. <i>Applied Thermal Engineering</i> , <b>2014</b> , 67, 24-34	5.8	124
164	Heat transfer analysis in PCM-filled RCC roof for thermal management. <b>2014</b> , 28, 1073-1078		12
163	The performance evaluation of shape-stabilized phase change materials in building applications using energy saving index. <i>Applied Energy</i> , <b>2014</b> , 113, 1118-1126	10.7	82
162	Investigation of carbon dioxide emission in China by primary component analysis. <b>2014</b> , 472, 239-47		33
161	Preparation and thermal properties of stearic acid/titanium dioxide composites as shape-stabilized phase change materials for building thermal energy storage. <i>Energy and Buildings</i> , <b>2014</b> , 80, 352-357	7	41
160	Heat transfer characteristics of thermal energy storage of a composite phase change materials: Numerical and experimental investigations. <i>Energy</i> , <b>2014</b> , 72, 381-392	7.9	47
159	PCM Storage. <b>2015</b> , 1-23		6
158	Phonon transport properties in pillared silicon film. <b>2015</b> , 118, 155103		26
157	Diatomite/Palm Wax Composite as a Phase Change Material for Latent Heat Storage. <b>2015</b> , 1126, 33-38		1
156	Preparation, Mechanical and Thermal Properties of Cement Board with Expanded Perlite Based Composite Phase Change Material for Improving Buildings Thermal Behavior. <i>Materials</i> , <b>2015</b> , 8, 7702-7713	3.5	24
155	Preparation and thermal characterization of composite Paraffin/Red Brick as a novel form-stable of phase change material for thermal energy storage. <b>2015</b> , 40, 13771-13776		20
154	Activated carbon derived from peat soil as a framework for the preparation of shape-stabilized phase change material. <i>Energy</i> , <b>2015</b> , 82, 468-478	7.9	37
153	Modeling and simulation on the performance of a novel double shape-stabilized phase change materials wallboard. <i>Energy and Buildings</i> , <b>2015</b> , 107, 181-190	7	34
152	A simple sonochemical method for fabricating poly(methyl methacrylate)/stearic acid phase change energy storage nanocapsules. <b>2015</b> , 27, 403-407		7
151	Assessing the feasibility of impregnating phase change materials in lightweight aggregate for development of thermal energy storage systems. <b>2015</b> , 89, 48-59		64

150	Thermal performance of a window-based cooling unit using phase change materials combined with night ventilation. <i>Energy and Buildings</i> , <b>2015</b> , 108, 267-278	7	19
149	A novel polynary fatty acid/sludge ceramicsite composite phase change materials and its applications in building energy conservation. <i>Renewable Energy</i> , <b>2015</b> , 76, 45-52	8.1	53
148	Microencapsulation of phase change materials (PCMs) for thermal energy storage systems. <b>2015</b> , 247-284		11
147	Thermal regulation finishes for textiles. <b>2015</b> , 17-98		6
146	Thermal performance of a radiant floor heating system with different heat storage materials and heating pipes. <i>Applied Energy</i> , <b>2015</b> , 138, 648-660	10.7	106
145	Integrating phase change materials (PCMs) in thermal energy storage systems for buildings. <b>2015</b> , 325-353		8
144	On the use of plug-and-play walls (PPW) for evaluating thermal enhancement technologies for building enclosures: Evaluation of a thin phase change material (PCM) layer. <i>Energy and Buildings</i> , <b>2015</b> , 86, 86-92	7	43
143	Disposal and Recycling of Sewage Sludge. <b>2016</b> , 705-736		
142	Energy performance of double shape-stabilized phase change materials wallboards in office building. <i>Applied Thermal Engineering</i> , <b>2016</b> , 105, 180-188	5.8	30
141	Diurnal performance analysis of phase change material walls. <i>Applied Thermal Engineering</i> , <b>2016</b> , 102, 1-8	5.8	29
140	Effect of N-isopropylacrylamide on the preparation and properties of microencapsulated phase change materials. <i>Energy</i> , <b>2016</b> , 106, 221-230	7.9	19
139	Introduction of an organic acid phase changing material into metalorganic frameworks and the study of its thermal properties. <b>2016</b> , 4, 7641-7649		92
138	Energy saving potential of a novel phase change material wallboard in typical climate regions of China. <i>Energy and Buildings</i> , <b>2016</b> , 128, 360-369	7	29
137	Quality criteria for phase change materials selection. <b>2016</b> , 124, 598-606		11
136	Phase-change materials. <b>2016</b> , 179-218		5
135	Metal foam embedded in SEBS/paraffin/HDPE form-stable PCMs for thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , <b>2016</b> , 149, 60-65	6.4	95
134	Research on the preparation and properties of lauric acid/expanded perlite phase change materials. <i>Energy and Buildings</i> , <b>2016</b> , 110, 108-111	7	55
133	Synthesis and characterization of lauric acid/expanded vermiculite as form-stabilized thermal energy storage materials. <i>Energy and Buildings</i> , <b>2016</b> , 116, 677-683	7	83

132	Solar thermal energy storage and heat pumps with phase change materials. <i>Applied Thermal Engineering</i> , <b>2016</b> , 99, 1212-1224	5.8	97
131	Phase change material's (PCM) impacts on the energy performance and thermal comfort of buildings in a mild climate. <i>Building and Environment</i> , <b>2016</b> , 99, 221-238	6.5	90
130	Latent heat storage in building elements: A systematic review on properties and contextual performance factors. <i>Renewable and Sustainable Energy Reviews</i> , <b>2016</b> , 60, 852-866	16.2	50
129	Numerical study on solid-liquid phase change in paraffin as phase change material for battery thermal management. <b>2016</b> , 61, 391-400		27
128	Shape stabilised phase change materials based on a high melt viscosity HDPE and paraffin waxes. <i>Applied Energy</i> , <b>2016</b> , 162, 68-82	10.7	95
127	Literature review on the use of phase change materials in glazing and shading solutions. <i>Renewable and Sustainable Energy Reviews</i> , <b>2016</b> , 53, 515-535	16.2	109
126	Laboratory-Scale Studies on Smart Gypsum Composite Boards Incorporated with Nano-Encapsulated Organic Phase Change Material for Thermal Comfort Building Application. <b>2016</b> , 28, 04015137		8
125	Thermal energy storage in building integrated thermal systems: A review. Part 2. Integration as passive system. <i>Renewable Energy</i> , <b>2016</b> , 85, 1334-1356	8.1	155
124	Adaptability research on phase change materials based technologies in China. <i>Renewable and Sustainable Energy Reviews</i> , <b>2017</b> , 73, 145-158	16.2	29
123	Preparation of Shape-Stabilized Phase Change Energy Storage Aggregate: A Case Study. <i>Key Engineering Materials</i> , <b>2017</b> , 729, 18-23	0.4	
122	A quick-fix design of phase change material by particle blending and spherical agglomeration. <i>Applied Energy</i> , <b>2017</b> , 191, 239-250	10.7	21
121	Energy efficiency and thermal performance of lightweight steel-framed (LSF) construction: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2017</b> , 78, 194-209	16.2	66
120	Phase change materials and carbon nanostructures for thermal energy storage: A literature review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2017</b> , 79, 1212-1228	16.2	119
119	Preparation and analysis of lightweight wall material with expanded graphite (EG)/paraffin composites for solar energy storage. <i>Applied Thermal Engineering</i> , <b>2017</b> , 120, 107-114	5.8	63
118	Improving sustainable office building operation by using historical data and linear models to predict energy usage. <b>2017</b> , 29, 107-117		22
117	Development of thermal energy storage cementitious composites (TESC) containing a novel paraffin/hydrophobic expanded perlite composite phase change material. <i>Solar Energy</i> , <b>2017</b> , 158, 626-635	6.8	50
116	Experimental studies on the applications of PCMs and nano-PCMs in buildings: A critical review. <i>Energy and Buildings</i> , <b>2017</b> , 154, 96-112	7	162
115	High density polyethylene spheres with PCM for domestic hot water applications: Water tank and laboratory scale study. <i>Journal of Energy Storage</i> , <b>2017</b> , 13, 262-267	7.8	37

114	Thermal performance of CaCl <sub>2</sub> ·6H <sub>2</sub> O/expanded perlite composite phase change boards embedded in aluminous gusset plates for building energy conservation. <i>Energy and Buildings</i> , <b>2017</b> , 155, 484-491	7	18
113	Phonon filtering for reduced thermal conductance in unconventional superlattices. <b>2017</b> , 10, 085801		3
112	Experimental analysis of thermal performance in buildings with shape-stabilized phase change materials. <i>Energy and Buildings</i> , <b>2017</b> , 152, 524-533	7	34
111	Development and thermal performance of an expanded perlite-based phase change material wallboard for passive cooling in building. <i>Energy and Buildings</i> , <b>2017</b> , 152, 547-557	7	50
110	Improvement of shape stability and thermal properties of PCM using polyethylene glycol (PEG)/sisal fiber cellulose (SFC)/graphene oxide (GO). <b>2017</b> , 18, 1171-1179		9
109	PCM based heat sinks of paraffin/nanoplatelet graphite composite for thermal management of IGBT. <i>Applied Thermal Engineering</i> , <b>2017</b> , 112, 1129-1136	5.8	37
108	An overview of phase change materials for construction architecture thermal management in hot and dry climate region. <i>Applied Thermal Engineering</i> , <b>2017</b> , 112, 1240-1259	5.8	69
107	Proposal of a PCM Underfloor Heating System Using a Web Construction Method. <b>2017</b> , 2017, 1-10		4
106	Single and combined phase change materials: Their effect on seasonal transition period. <i>Energy and Buildings</i> , <b>2018</b> , 169, 453-472	7	17
105	Thermo-physical characteristics, mechanical performance and long-term stability of high temperature latent heat storages based on paraffin-polymer compounds. <b>2018</b> , 663, 34-45		10
104	Overheating protection of solar thermal façades with latent heat storages based on paraffin-polymer compounds. <i>Energy and Buildings</i> , <b>2018</b> , 169, 254-259	7	16
103	Parametric analysis of a residential building with phase change material (PCM)-enhanced drywall, precooling, and variable electric rates in a hot and dry climate. <i>Applied Energy</i> , <b>2018</b> , 222, 497-514	10.7	48
102	Review on building energy performance improvement using phase change materials. <i>Energy and Buildings</i> , <b>2018</b> , 158, 776-793	7	210
101	Polyethylene Glycol-CaCl <sub>2</sub> Coordination Compounds as a Novel Form-Stable Phase Change Material with Excellent Thermophysical Properties. <b>2018</b> , 20, 1700643		8
100	Numerical and experimental research of cold storage for a novel expanded perlite-based shape-stabilized phase change material wallboard used in building. <b>2018</b> , 155, 20-31		89
99	3D-Printed PCM/HDPE Composites for Battery Thermal Management. <b>2018</b> ,		1
98	2.30 Novel Building Materials. <b>2018</b> , 980-1017		2
97	Energy savings potential by integrating Phase Change Material into hollow bricks: The case of Moroccan buildings. <b>2018</b> , 11, 1109-1122		18

96	Nanoclay and polymer-based nanocomposites: Materials for energy efficiency. <b>2018</b> , 75-103		6
95	Experimental investigation on n̄ctadecane/polystyrene/expanded graphite composites as form̄table thermal energy storage materials. <i>Energy</i> , <b>2018</b> , 157, 625-632	7.9	42
94	Impregnation of PCMs in Building Materials. <b>2019</b> , 17-34		
93	Assessment of the applicability of a phasechange material in horizontal building partitions. <b>2019</b> , 214, 012042		2
92	Application and sensitivity analysis of the phase change material hysteresis method in EnergyPlus: A case study. <i>Applied Thermal Engineering</i> , <b>2019</b> , 162, 114222	5.8	25
91	Symmetrical Fatty Dialkyl Carbonates as Potential Green Phase Change Materials: Synthesis and Characterisation. <b>2019</b> , 89, 1513-1518		0
90	Preparation and thermal performance of binary fatty acid with diatomite as form-stable composite phase change material for cooling asphalt pavements. <b>2019</b> , 226, 616-624		43
89	Validation and integration of a latent heat storage model into building envelopes of a high-order building model for Modelica library AixLib. <i>Energy and Buildings</i> , <b>2019</b> , 202, 109336	7	7
88	Comprehensive evaluation of Paraffin-HDPE shape stabilized PCM with hybrid carbon nano-additives. <i>Applied Thermal Engineering</i> , <b>2019</b> , 163, 114404	5.8	29
87	Phase-Change Materials/HDPE Composite Filament: A First Step Toward Use With 3D Printing for Thermal Management Applications. <b>2019</b> , 11,		4
86	Paraffin@graphene/silicon rubber form-stable phase change materials for thermal energy storage. <b>2019</b> , 27, 626-631		11
85	Dynamic simplified PCM models for the pipe-encapsulated PCM wall system for self-activated heat removal. <b>2019</b> , 144, 27-41		23
84	Synthesis of novel shape-stabilized phase change materials with high latent heat and low supercooling degree for thermal energy storage. <b>2019</b> , 34, 3263-3270		3
83	Challenges in, and the development of, building energy saving techniques, illustrated with the example of an air source heat pump. <b>2019</b> , 10, 337-356		30
82	Effect of High Temperature Circumstance on Lithium-Ion Battery and the Application of Phase Change Material. <b>2019</b> , 166, A559-A567		18
81	Thermal properties and applications of microencapsulated PCM for thermal energy storage: A review. <i>Applied Thermal Engineering</i> , <b>2019</b> , 147, 841-855	5.8	155
80	Novel strategies and supporting materials applied to shape-stabilize organic phase change materials for thermal energy storageA review. <i>Applied Energy</i> , <b>2019</b> , 235, 846-873	10.7	349
79	The year-round thermal performance of a new ventilated Trombe wall integrated with phase change materials in the hot summer and cold winter region of China. <b>2019</b> , 28, 195-216		32

78	Development and experiment validation of variable-resistance-variable-capacitance dynamic simplified thermal models for shape-stabilized phase change material slab. <i>Applied Thermal Engineering</i> , <b>2019</b> , 146, 364-375	5.8	11
77	An innovative PCM system for thermal comfort improvement and energy demand reduction in building under different climate conditions. <b>2019</b> , 44, 120-129		70
76	Cost-effective device to characterize phase change materials. <b>2020</b> , 31, 025903		2
75	Thermal performance evaluation and optimal design of building roof with outer-layer shape-stabilized PCM. <i>Renewable Energy</i> , <b>2020</b> , 145, 2538-2549	8.1	35
74	Form-stable phase change material based on fatty acid/wood flour composite and PVC used for thermal energy storage. <i>Energy and Buildings</i> , <b>2020</b> , 209, 109663	7	11
73	Thermophysical Properties Characterization of Sulphoaluminate Cement Mortars Incorporating Phase Change Material for Thermal Energy Storage. <b>2020</b> , 13, 5024		2
72	Fabrication of a form-stable phase change material with green fatty acid and recycled silica nanoparticles from spent lead-acid battery separators with enhanced thermal conductivity. <b>2020</b> , 693, 178781		8
71	Transient thermal performance using phase change material integrated topology optimized heat sinks. <i>Applied Thermal Engineering</i> , <b>2020</b> , 179, 115723	5.8	12
70	Development of structural layers PVC incorporating phase change materials for thermal energy storage. <i>Applied Thermal Engineering</i> , <b>2020</b> , 179, 115707	5.8	7
69	Preparation and characterization of isopropyl palmitate/expanded perlite and isopropyl palmitate/nanoclay composites as form-stable thermal energy storage materials for buildings. <i>Journal of Energy Storage</i> , <b>2020</b> , 32, 101679	7.8	11
68	Solar Thermal Energy Storage Using Paraffins as Phase Change Materials for Air Conditioning in the Built Environment. <b>2020</b> ,		1
67	Life cycle assessment of novel heat exchanger for dry cooling of power plants based on encapsulated phase change materials. <i>Applied Energy</i> , <b>2020</b> , 271, 115227	10.7	8
66	Review on Nanostructure Supporting Material Strategies in Shape-stabilized Phase Change Materials. <i>Journal of Energy Storage</i> , <b>2020</b> , 29, 101299	7.8	32
65	Preparation and thermal properties of colloidal mixtures of capric acid and Na <sub>2</sub> HPO <sub>4</sub> ·2H <sub>2</sub> O as a phase change material for energy storage. <i>Solar Energy Materials and Solar Cells</i> , <b>2020</b> , 215, 110636	6.4	12
64	Shape-stabilization of polyethylene glycol phase change materials with chitin nanofibers for applications in "smart" windows. <b>2020</b> , 237, 116132		9
63	Highly Accurate Prediction Method for Thermophysical Properties of Cryogenic Phase Change Materials. <b>2020</b> , 43, 1167-1175		
62	Phase Change Material (PCM) Microcapsules for Thermal Energy Storage. <b>2020</b> , 2020, 1-20		50
61	A detailed review on heat transfer rate, supercooling, thermal stability and reliability of nanoparticle dispersed organic phase change material for low-temperature applications. <b>2020</b> , 16, 100408		24

60	Review on optimization of phase change parameters in phase change material building envelopes. <b>2021</b> , 35, 101979		11
59	Latent heat thermal energy storage: A bibliometric analysis explicating the paradigm from 2000-2019. <i>Journal of Energy Storage</i> , <b>2021</b> , 33, 102027	7.8	7
58	Improving the thermal performance of novel low-temperature phase change materials through the configuration of 1-dodecanol-tetradecane nanofluids/expanded graphite composites. <b>2021</b> , 322, 114948		7
57	The utilisation of useful ambient energy in residential dwellings to improve thermal comfort and reduce energy consumption. <i>International Journal of Thermofluids</i> , <b>2021</b> , 9, 100059	5.6	9
56	Investigation and properties of a novel composite bio-PCM to reduce summer energy consumptions in buildings of hot and dry climates. <i>Solar Energy</i> , <b>2021</b> , 214, 119-130	6.8	14
55	Energy Storage Materials in Thermal Storage Applications. <b>2021</b> , 79-117		0
54	Phase Changing Materials Based Super Capacitors. <b>2021</b> ,		
53	Heat Storage of Paraffin-Based Composite Phase Change Materials and Their Temperature Regulation of Underground Power Cable Systems. <i>Materials</i> , <b>2021</b> , 14,	3.5	
52	Parametric and sensitivity analysis of a PCM-integrated wall for optimal thermal load modulation in lightweight buildings. <i>Applied Thermal Engineering</i> , <b>2021</b> , 187, 116568	5.8	21
51	Fused filament fabrication of novel phase-change material functional composites. <i>Additive Manufacturing</i> , <b>2021</b> , 39, 101839	6.1	4
50	Effect of melting point on thermodynamics of thin PCM reinforced residential frame walls in different climate zones. <i>Applied Thermal Engineering</i> , <b>2021</b> , 188, 116615	5.8	14
49	SEBS-based composite phase change material with thermal shape memory for thermal management applications. <i>Energy</i> , <b>2021</b> , 221, 119900	7.9	18
48	Phase Change Materials Technologies Review and Future Application in Lebanon: Part 1. <i>Key Engineering Materials</i> , 886, 228-240	0.4	
47	Lightweight mortar with paraffin/expanded vermiculite-diatomite composite phase change materials: Development, characterization and year-round thermoregulation performance. <i>Solar Energy</i> , <b>2021</b> , 220, 331-342	6.8	8
46	Evaluation of shape-stabilization phase change material sheets to improve the heating load reduction based on the indoor application method. <i>Solar Energy</i> , <b>2021</b> , 220, 1006-1015	6.8	1
45	Thermal function improvement of phase-change material (PCM) using alumina nanoparticles in a circular-rectangular cavity using Lattice Boltzmann method. <i>Journal of Energy Storage</i> , <b>2021</b> , 37, 102493	7.8	4
44	Effect of scale-up on the properties of PCM-impregnated tiles containing glass scraps. <i>Case Studies in Construction Materials</i> , <b>2021</b> , 14, e00526	2.7	1
43	Thermal performance and optimization of a casing pipe solar energy storage floor with phase change material. <i>Energy and Buildings</i> , <b>2021</b> , 111167	7	4

42	Applicability of phase change material according to climate zones as defined in ASHRAE standard 169-2013. <i>Building and Environment</i> , <b>2021</b> , 196, 107771	6.5	1
41	Hierarchical porous carbon foam-based phase change composite with enhanced loading capacity and thermal conductivity for efficient thermal energy storage. <i>Renewable Energy</i> , <b>2021</b> , 172, 599-605	8.1	7
40	PCM embedded radiant chilled ceiling: A state-of-the-art review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2021</b> , 151, 111601	16.2	6
39	Numerical study of the feasibility of coupling vacuum isolation panels with phase change material for enhanced energy-efficient buildings. <i>Energy and Buildings</i> , <b>2021</b> , 251, 111369	7	0
38	Multi-energy driven form-stable phase change materials based on SEBS and reduced graphene oxide aerogel. <i>Solar Energy Materials and Solar Cells</i> , <b>2021</b> , 233, 111390	6.4	4
37	A novel composite phase change material for medium temperature thermal energy storage manufactured with a scalable continuous hot-melt extrusion method. <i>Applied Energy</i> , <b>2021</b> , 303, 117591 <sup>10.7</sup>	10.7	3
36	Performance evaluation of double slope solar still augmented with binary eutectic phase change material and steel wool fibre. <i>Sustainable Energy Technologies and Assessments</i> , <b>2021</b> , 48, 101597	4.7	3
35	Integrating phase change materials in thermal energy storage systems for buildings. <b>2021</b> , 381-422		0
34	Microencapsulation of phase change materials for thermal energy storage systems. <b>2021</b> , 269-329		3
33	The Application of Phase Change Materials to Improve the Climate Resilience of a Low-Energy Prototype House. <b>2014</b> , 135-150		2
32	Electrospinning of Phase-Change Materials for Thermal Energy Storage. <i>Nanostructure Science and Technology</i> , <b>2014</b> , 227-247	0.9	3
31	Hierarchical macro-nanoporous metals for leakage-free high-thermal conductivity shape-stabilized phase change materials. <i>Applied Energy</i> , <b>2020</b> , 269, 115088	10.7	23
30	Solidification behaviors of a molten blast furnace slag droplet cooled by air. <i>Applied Thermal Engineering</i> , <b>2017</b> , 127, 915-924	5.8	10
29	PREPARATION OF PUZZOLANA ACTIVE TWO COMPONENT COMPOSITE FOR LATENT HEAT STORAGE. <i>Ceramics - Silikaty</i> , <b>2016</b> , 291-298	0.6	4
28	Experimental Research of Cement Mortar With Incorporated Lauric Acid/Expanded Perlite Phase-Change Materials. <i>Journal of Testing and Evaluation</i> , <b>2017</b> , 45, 20160021	1	4
27	Suggestion of Thermal Environment Miniature for Evaluation of Heating Efficiency Based on Thermal Conductivity Measurement Method of Building Materials. <i>Journal of the Korean Wood Science and Technology</i> , <b>2011</b> , 39, 269-280	2	4
26	Preparation of Shape Stabilized PCM Using Porous Materials for Application to Buildings. <i>Korean Journal of Air-Conditioning and Refrigeration Engineering</i> , <b>2013</b> , 25, 432-437	0.5	3
25	Study on the Characteristics of Thermal Output and Thermal Storage in a Thermally Activated Building System with Phase Change Material. <i>Korean Journal of Air-Conditioning and Refrigeration Engineering</i> , <b>2013</b> , 25, 647-653	0.5	2

24	Phase-Change Materials in Concrete: Opportunities and Challenges for Sustainable Construction and Building Materials.. <i>Materials</i> , <b>2022</b> , 15,	3.5	8
23	Effective PCM, insulation, natural and/or night ventilation techniques to enhance the thermal performance of buildings located in various climates [A review]. <i>Energy and Buildings</i> , <b>2022</b> , 258, 111840	7	9
22	Increasing the rating performance of paraffin up to 5000 cycles for active latent heat storage by adding high-density polyethylene to form shape-stabilized phase change material. <i>Journal of Energy Storage</i> , <b>2022</b> , 46, 103762	7.8	5
21	Application of phase change material in improving trombe wall efficiency: An up-to-date and comprehensive overview. <i>Energy and Buildings</i> , <b>2022</b> , 258, 111824	7	7
20	Improving the Phase Transition Characteristic and Latent Heat Storage Efficiency by Forming Polymer-Based Shape-Stabilized PCM for Active Latent Storage System. <i>SSRN Electronic Journal</i> ,	1	
19	Cement based-thermal energy storage mortar including blast furnace slag/capric acid shape-stabilized phase change material: Physical, mechanical, thermal properties and solar thermoregulation performance. <i>Energy and Buildings</i> , <b>2022</b> , 258, 111849	7	5
18	Building energy efficiency and load flexibility optimization using phase change materials under futuristic grid scenario. <i>Journal of Cleaner Production</i> , <b>2022</b> , 339, 130561	10.3	4
17	Design, characteristic and application of phase change materials for sustainable and energy efficient buildings: A review. <i>Energy and Buildings</i> , <b>2022</b> , 111923	7	7
16	Influence of surfactants and organic polymers on monolithic shape-stabilized phase change materials synthesized via sol-gel route. <i>Journal of Energy Storage</i> , <b>2022</b> , 49, 104127	7.8	1
15	Phase Change Material with Gelation Imparting Shape Stability.. <i>ACS Omega</i> , <b>2022</b> , 7, 11887-11902	3.9	1
14	A review on the fabrication methods for structurally stabilised composite phase change materials and their impacts on the properties of materials. <i>Renewable and Sustainable Energy Reviews</i> , <b>2022</b> , 159, 112134	16.2	2
13	Synthesis and investigation of form-stable myristic acid based composite phase change material containing styrene ethylene butylene styrene with enhanced properties for thermal energy storage. <i>Journal of Energy Storage</i> , <b>2022</b> , 52, 104594	7.8	1
12	Uso de materiais de mudanç de fase em sistemas construtivos: revisã integrativa de literatura. <i>Ambiente Construído</i> , <b>2022</b> , 22, 67-111	0.4	
11	Experimental and numerical study on the thermal energy storage performance of a novel phase-change material for radiant floor heating systems. <b>2022</b> , 223, 109491		0
10	Multi-scale simulation study on the heat transfer characteristics of phase-change walls. <b>2022</b> , 259, 124896		
9	Shape stabilized phase change materials based on different support structures for thermal energy storage applications[A review]. <b>2023</b> , 262, 125463		1
8	Thermal stress influence on the long-term performance of fast-charging paraffin-based thermal storage. <b>2023</b> , 37, 101546		1
7	Effectiveness assessment of different kinds/configurations of phase-change materials (PCM) for improving the thermal performance of lightweight building walls in summer and winter. <b>2023</b> , 202, 721-735		1

- 6 Increasing the charge/discharge rate for phase-change materials by forming hybrid composite paraffin/ash for an effective thermal energy storage system. **2023**, 10, 70-85
- 5 Shape-stabilized and form-stable PCMs. **2023**, 369-410
- 4 Optimization of a silicon-based microencapsulation technology of phase change material without organic solvents. **2023**, 64, 107122
- 3 Phase change temperature adjustment of  $\text{CH}_3\text{COONa}\cdot\text{BH}_2\text{O}$  to fabricate composite phase change material for radiant floor heating. **2023**, 42, 102773
- 2 Comparative Testing Lightweight Buildings with PCMs within a Whole-Building Simulation Level. **2022**, 58, 689-696
- 1 Mechanical and Thermal Characterization of Phase-Change Material and High-Density Polyethylene Functional Composites for Thermal Energy Storage. **2023**, 145,