

# CITATION REPORT

List of articles citing

Occupant preferences and satisfaction with the luminous environment and control systems in daylight offices: a literature review

DOI: 10.1016/j.enbuild.2006.03.001  
Energy and Buildings, 2006, 38, 728-742.

**Source:** <https://exaly.com/paper-pdf/40459064/citation-report.pdf>

**Version:** 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 373 | A field study on determination of preferences for windows in office environments. <i>Building and Environment</i> , <b>2007</b> , 42, 3660-3668  | 6.5  | 25        |
| 372 | Prospective techniques of effective daylight harvesting in commercial buildings by employing window glazing, dynamic shading devices and dimming control— literature review. <b>2008</b> , 1, 279  |      | 23        |
| 371 | Lighting energy savings in offices using different control systems and their real consumption. <i>Energy and Buildings</i> , <b>2008</b> , 40, 514-523   | 7    | 146       |
| 370 | A study on subjective preference to daylit residential indoor environment using conjoint analysis. <i>Building and Environment</i> , <b>2008</b> , 43, 2101-2111   | 6.5  | 31        |
| 369 | Lighting and discomfort in the classroom. <b>2009</b> , 29, 63-75  |      | 119       |
| 368 | Developing a transparent shading device as a daylighting system. <b>2009</b> , 37, 148-163   |      | 14        |
| 367 | A review of daylight illuminance determinations and energy implications. <i>Applied Energy</i> , <b>2010</b> , 87, 2109-2118   | 10.7 | 115       |
| 366 | On the influence of building design, occupants and heat waves on comfort and greenhouse gas emissions in naturally ventilated offices. A study based on the EN 15251 adaptive thermal comfort model in Athens, Greece. <b>2010</b> , 3, 87-103 |      | 13        |
| 365 | On the unification of thermal perception and adaptive actions. <i>Building and Environment</i> , <b>2010</b> , 45, 2440-2457   | 6.5  | 78        |
| 364 | Assessing the total energy impact of manual and optimized blind control in combination with different lighting schedules in a building simulation environment. <b>2010</b> , 3, 1-16   |      | 21        |
| 363 | Distribution of Emerged Energy for Daylight Illuminate on Prismatic Elements. <b>2011</b> , 133,   |      | 11        |
| 362 | Designing Buildings for Real Occupants: An Agent-Based Approach. <b>2011</b> , 41, 1077-1091   |      | 64        |
| 361 | Energy saving potential and strategies for electric lighting in future North European, low energy office buildings: A literature review. <i>Energy and Buildings</i> , <b>2011</b> , 43, 2572-2582   | 7    | 193       |
| 360 | Multi-objective optimization as a new approach to illumination design of interior spaces. <i>Building and Environment</i> , <b>2011</b> , 46, 331-338  | 6.5  | 29        |
| 359 | Literature survey on how different factors influence human comfort in indoor environments. <i>Building and Environment</i> , <b>2011</b> , 46, 922-937   | 6.5  | 579       |
| 358 | Sol-air temperature and daylight illuminance profiles for the UKCP09 data sets. <i>Building and Environment</i> , <b>2011</b> , 46, 1243-1250  | 6.5  | 13        |
| 357 | Context dependency of comfort and energy performance in mixed-mode offices. <b>2011</b> , 4, 303-322   |      | 8         |

|     |   |     |     |
|-----|---|-----|-----|
| 356 | The relationship between wall reflectance and daylight factor in real rooms. <b>2011</b> , 54, 329-334  |     | 9   |
| 355 | Performance of Light Redirection Systems in Model Buildings Under Typical Sky and Building Obstruction Conditions Encountered in Hong Kong. <b>2011</b> , 20, 638-648   |     | 17  |
| 354 | Dynamic window daylighting systems: electropolymeric technology for solar responsive building envelopes. <b>2011</b> ,  |     | 1   |
| 353 | Daylighting metrics based on illuminance, distribution, glare and directivity. <i>Lighting Research and Technology</i> , <b>2011</b> , 43, 291-307  | 2   | 52  |
| 352 | Identifying parameter values for an I-VT fixation filter suitable for handling data sampled with various sampling frequencies. <b>2012</b> ,  |     | 25  |
| 351 | The Interior Experience of Daylighting Technologies: Histories and Potential Futures. <b>2012</b> , 3, 59-84  |     |     |
| 350 | The Impact of Carbon Emission Reducing Design Features on Office Occupiers's Choice of Premises. <b>2012</b> , 49, 2419-2437  |     | 15  |
| 349 | Effects of a Large Area Glare Source in Cognitive Efficiency and Effectiveness in Visual Display Terminal Work. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , <b>2012</b> , 8, 283-299 | 3.5 | 4   |
| 348 | Building façade design for daylighting quality in typical government office building. <i>Building and Environment</i> , <b>2012</b> , 57, 194-204   | 6.5 | 75  |
| 347 | Windows, Light, Nature, and Color. 203-240  |     | 1   |
| 346 | The effects of achromatic and chromatic color schemes on participants' task performance in and appraisals of an office environment. <b>2012</b> , 37, 359-366   |     | 21  |
| 345 | Factors influencing occupants' blind-control behaviour in a naturally ventilated office building. <i>Building and Environment</i> , <b>2012</b> , 54, 137-147   | 6.5 | 92  |
| 344 | Effects of glazing colour type on perception of daylight quality, arousal, and switch-on patterns of electric light in office rooms. <i>Building and Environment</i> , <b>2012</b> , 56, 223-231                        | 6.5 | 40  |
| 343 | View types and luminance effects on discomfort glare assessment from windows. <i>Energy and Buildings</i> , <b>2012</b> , 46, 139-145   | 7   | 49  |
| 342 | Understanding Controls, Behaviors and Satisfaction in the Daylit Perimeter Office: A Daylight Design Case Study. <b>2012</b> , 37, 17-34  |     | 24  |
| 341 | Investigation of Prismatic Daylight Collectors With Different Apexes. <b>2013</b> , 135,  |     | 3   |
| 340 | A critical review of observation studies, modeling, and simulation of adaptive occupant behaviors in offices. <i>Building and Environment</i> , <b>2013</b> , 70, 31-47   | 6.5 | 173 |
| 339 | Daylight utilisation in perimeter office rooms at high latitudes: Investigation by computer simulation. <i>Lighting Research and Technology</i> , <b>2013</b> , 45, 52-75   | 2   | 23  |

|     |   |     |    |
|-----|---|-----|----|
| 338 | Lighting energy savings potential of split-pane electrochromic windows controlled for daylighting with visual comfort. <i>Energy and Buildings</i> , <b>2013</b> , 61, 8-20 | 7   | 78 |
| 337 | Performance criteria for dynamic window systems using nanostructured behaviors for energy harvesting and environmental comfort. <b>2013</b> ,                               |     | 1  |
| 336 | Post occupancy evaluations relating to discomfort glare: A study of green buildings in Brisbane. <i>Building and Environment</i> , <b>2013</b> , 59, 349-357                | 6.5 | 65 |
| 335 | Importance of a View Window in Rating Green Office Buildings. <b>2013</b> , 689, 180-183  |     | 4  |
| 334 | Effect of Occupants' Behaviour of Daylight Controls on Residential Visual Environment. <b>2013</b> , 22, 191-202  |     | 13 |
| 333 | An investigation on daylighting performance in educational institutions. <b>2013</b> , 31, 121-138  |     | 5  |
| 332 | Iluminaci3n natural en aulas: an3lisis predictivo din3mico del rendimiento lum3nico-energ3tico en clima soleados. <b>2013</b> , 13, 235-248                                 |     | 4  |
| 331 | An Overview of Neglected, but Important Factors Affecting Employee' Productivity, Health and Safety in the Workplace. <b>2014</b> ,   |     |    |
| 330 | Ambient Intelligence. <i>Lecture Notes in Computer Science</i> , <b>2014</b> ,  | 0.9 | 1  |
| 329 | . <b>2014</b> ,   |     | 1  |
| 328 | On adaptive occupant-learning window blind and lighting controls. <b>2014</b> , 42, 739-756   |     | 53 |
| 327 | Comparison between lighting performance of a virtual natural lighting solutions prototype and a real window based on computer simulation. <b>2014</b> , 3, 398-412          |     | 3  |
| 326 | Smart-ECO Buildings towards 2020/2030. <b>2014</b> ,  |     |    |
| 325 | Innovative Technological Solutions. <b>2014</b> , 37-71   |     |    |
| 324 | Lighting Control Systems in Peripheral Offices Rooms at High Latitude: Measurements of Electricity Savings and Users Preferences. <b>2014</b> , 57, 1987-1996               |     | 8  |
| 323 | Impacts of Different Window-Shading Assemblies on Energy, Thermal Comfort and Daylighting for a South-Facing, Mid-Rise Office Building in Florida. <b>2014</b> ,            |     |    |
| 322 | Tolerance of discomfort glare from a large area source for work on a visual display. <i>Lighting Research and Technology</i> , <b>2014</b> , 46, 157-170                    | 2   | 20 |
| 321 | Encyclopedia of Quality of Life and Well-Being Research. <b>2014</b> , 3515-3517  |     | 0  |

|     |  |     |     |
|-----|--|-----|-----|
| 320 | Indoor daylight simulation performed on automatically generated as-built 3D models. <i>Energy and Buildings</i> , <b>2014</b> , 68, 54-62  | 7   | 18  |
| 319 | The D&V analysis method: A method for the analysis of daylight access and view quality. <i>Building and Environment</i> , <b>2014</b> , 79, 101-114  | 6.5 | 31  |
| 318 | Predicting visual comfort in side-lit open-plan core zones: Results of a field study pairing high dynamic range images with subjective responses. <i>Energy and Buildings</i> , <b>2014</b> , 77, 67-79  | 7   | 56  |
| 317 | The contextual factors contributing to occupants' adaptive comfort behaviors in offices â A review and proposed modeling framework. <i>Building and Environment</i> , <b>2014</b> , 77, 77-87  | 6.5 | 161 |
| 316 | Discomfort glare in open plan green buildings. <i>Energy and Buildings</i> , <b>2014</b> , 70, 427-440   | 7   | 87  |
| 315 | Simulation for pre-visualizing and tuning lighting controller behavior. <i>Energy and Buildings</i> , <b>2014</b> , 70, 287-302  | 7   | 16  |
| 314 | Analysis of Various Opening Configurations of a Second-Generation Virtual Natural Lighting Solutions Prototype. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , <b>2014</b> , 10, 223-236                           | 3.5 | 7   |
| 313 | Illumination Balancing Algorithm for Smart Lights. <b>2014</b> , 22, 557-567   |     | 32  |
| 312 | The effects of daylighting and human behavior on luminous comfort in residential buildings: A questionnaire survey. <i>Building and Environment</i> , <b>2014</b> , 81, 51-59  | 6.5 | 83  |
| 311 | Dynamic daylight control system implementing thin cast arrays of polydimethylsiloxane-based millimeter-scale transparent louvers. <i>Building and Environment</i> , <b>2014</b> , 82, 87-96  | 6.5 | 24  |
| 310 | Visual alliesthesia: The gap between comfortable and stimulating illuminance settings. <i>Building and Environment</i> , <b>2014</b> , 82, 42-49   | 6.5 | 17  |
| 309 | Solar shading control strategies in cold climates â Heating, cooling demand and daylight availability in office spaces. <b>2014</b> , 107, 182-194   |     | 67  |
| 308 | Importance of building orientation in determining daylighting quality in student dorm rooms: Physical and simulated daylighting parametersâvalues compared to subjective survey results. <i>Energy and Buildings</i> , <b>2014</b> , 77, 158-170 | 7   | 23  |
| 307 | Building automation and control systems: A case study to evaluate the energy and environmental performances of a lighting control system in offices. <b>2014</b> , 43, 10-22   |     | 71  |
| 306 | Framework for assessing the performance potential of seasonally adaptable facades using multi-objective optimization. <i>Energy and Buildings</i> , <b>2014</b> , 79, 106-113  | 7   | 63  |
| 305 | User satisfaction and interaction with automated dynamic facades: A pilot study. <i>Building and Environment</i> , <b>2014</b> , 78, 44-52   | 6.5 | 68  |
| 304 | Building automation and perceived control: A field study on motorized exterior blinds in Dutch offices. <i>Building and Environment</i> , <b>2014</b> , 79, 66-77  | 6.5 | 71  |
| 303 | Influence of Energy Efficient Elements on Energy Saving in Residential Buildings: Case Study of Three Apartments in Penang. <b>2014</b> , 17, 01019  |     |     |

|     |   |     |     |
|-----|---|-----|-----|
| 302 | Validation of a novel luminance based sensor system for visual environment monitoring and control. <b>2014,</b>   |     | 2   |
| 301 | Occupant Behaviors and Energy Use: Creating High-Performance People for High-Performance Buildings. <b>2015,</b>  |     |     |
| 300 | Perceived Level of Personal Control Over the Work Environment and Employee Satisfaction and Work Performance. <b>2015,</b> 54, 28-35  |     | 11  |
| 299 | A Computational Design Framework Supporting Human Interaction with Environmentally-Responsive Building Envelopes. <b>2015,</b> 13, 1-24   |     | 9   |
| 298 | Occupant Comfort and Satisfaction in Green Healthcare Environments: A Survey Study Focusing on Healthcare Staff. <b>2015,</b> 8,  |     | 11  |
| 297 | Poster Abstract. <b>2015,</b>   |     |     |
| 296 | Perceptive-cognitive aspects investigation in relation to indoor environment satisfaction collected from naturally ventilated multi-storey student accommodations in Malaysia. <b>2015,</b> 24, 116-127             |     | 6   |
| 295 | Older Workers and a Sustainable Office Environment. <b>2015,</b> 18, 57-82  |     | 4   |
| 294 | Dynamic analysis of daylight metrics and energy saving for rooftop window integrated flat roof structure of building. <b>2015,</b> 122, 834-846   |     | 11  |
| 293 | Fuzzy-based model for predicting lighting efficiency in institutional buildings. <b>2015,</b>   |     |     |
| 292 | Continuity and conflict in school design: a case study from Building Schools for the Future. <b>2015,</b> 7, 64-82  |     | 21  |
| 291 | Dynamic shading of a building envelope based on rotating polarized film system controlled by one-dimensional cellular automata in regular tessellations (triangular, square and hexagonal). <b>2015,</b> 29, 87-100 |     | 14  |
| 290 | Occupant behaviour simulation for cellular offices in early design stagesâArchitectural and modelling considerations. <b>2015,</b> 8, 211-224   |     | 18  |
| 289 | Smart indoor lighting systems with luminaire-based sensing: A review of lighting control approaches. <i>Energy and Buildings,</i> <b>2015,</b> 104, 369-377   | 7   | 108 |
| 288 | Personal lighting control with occupancy and daylight adaptation. <i>Energy and Buildings,</i> <b>2015,</b> 105, 263-272  |     | 31  |
| 287 | Occupant satisfaction with two blind control strategies: Slats closed and slats in cut-off position. <b>2015,</b> 115, 166-179  |     | 32  |
| 286 | View clarity index: A new metric to evaluate clarity of view through window shades. <i>Building and Environment,</i> <b>2015,</b> 90, 206-214   | 6.5 | 34  |
| 285 | Immersive virtual environments, understanding the impact of design features and occupant choice upon lighting for building performance. <i>Building and Environment,</i> <b>2015,</b> 89, 217-228                   | 6.5 | 79  |

|     |  |      |     |
|-----|--|------|-----|
| 284 | Occupant behavior modeling for building performance simulation: Current state and future challenges. <i>Energy and Buildings</i> , <b>2015</b> , 107, 264-278  | 7    | 477 |
| 283 | Effect of internal woven roller shade and glazing on the energy and daylighting performances of an office building in the cold climate of Shillong. <i>Applied Energy</i> , <b>2015</b> , 159, 317-333 | 10.7 | 41  |
| 282 | Daylight availability assessment and its potential energy saving estimation – literature review. <b>2015</b> , 52, 494-503   |      | 92  |
| 281 | An ontology to represent energy-related occupant behavior in buildings. Part II: Implementation of the DNAS framework using an XML schema. <i>Building and Environment</i> , <b>2015</b> , 94, 196-205 | 6.5  | 108 |
| 280 | Mitigating office performance uncertainty of occupant use of window blinds and lighting using robust design. <b>2015</b> , 8, 621-636  |      | 39  |
| 279 | Assessing the effect of indoor environmental quality on productivity at office work. <b>2015</b> , 10, 37-46   |      | 5   |
| 278 | Daylight harvesting control systems design recommendations based on a literature review. <b>2015</b> ,   |      | 4   |
| 277 | Lack of exposure to natural light in the workspace is associated with physiological, sleep and depressive symptoms. <b>2015</b> , 32, 368-75   |      | 35  |
| 276 | Dynamic Commercial Façades versus Traditional Construction: Energy Performance and Comparative Analysis. <b>2015</b> , 141, 04014041   |      | 11  |
| 275 | The effects of direct sunlight on light shelf performance under tropical sky. <b>2015</b> , 24, 788-802  |      | 19  |
| 274 | Daylight in buildings equipped with traditional or innovative sources: A critical analysis on the use of the scale model approach. <i>Energy and Buildings</i> , <b>2015</b> , 86, 376-393             | 7    | 5   |
| 273 | Glare indicators: an analysis of ocular behaviour in an office equipped with venetian blinds. <b>2016</b> , 25, 69-80  |      | 10  |
| 272 | Practicality and Performance of Daylight Trough in The Tropics: A Case Study. <b>2016</b> , 66, 00032  |      |     |
| 271 | Accounting for the Uncertainty Related to Building Occupants with Regards to Visual Comfort: A Literature Survey on Drivers and Models. <b>2016</b> , 6, 5   |      | 13  |
| 270 | Evaluation of a Mixed Method Approach for Studying User Interaction with Novel Building Control Technology. <i>Energies</i> , <b>2016</b> , 9, 215   | 3.1  | 4   |
| 269 | Office Occupants' Mood and Preference of Task Ambient Lighting in the Tropics. <b>2016</b> , 66, 00031   |      | 0   |
| 268 | Critical Aspects of the Inclusive Environmental for the Well-being of Building Occupant – A Review. <b>2016</b> , 66, 00114  |      | 1   |
| 267 | Daylight Performance of a Naturally Ventilated Building as Parameter for Energy Management. <b>2016</b> , 90, 382-394  |      | 4   |

|     |   |      |    |
|-----|---|------|----|
| 266 | Peripheral Interaction. <b>2016,</b>  |      | 22 |
| 265 | Peripheral Interaction with Light. <b>2016,</b> 207-235   |      | 2  |
| 264 | Indoor comfort assessment of objective and subjective information by fusion and fuzzy inference decision. <b>2016,</b> 8, 234-245   |      | 2  |
| 263 | Occupant centered lighting control: A user study on balancing comfort, acceptance, and energy consumption. <i>Energy and Buildings</i> , <b>2016,</b> 126, 310-322  | 7    | 48 |
| 262 | Automated blinds with light feedback to increase occupant satisfaction and energy saving. <i>Building and Environment</i> , <b>2016,</b> 103, 70-85   | 6.5  | 37 |
| 261 | Directionally selective shading control in maritime sub-tropical and temperate climates: Life cycle energy implications for office buildings. <i>Building and Environment</i> , <b>2016,</b> 104, 275-285 | 6.5  | 9  |
| 260 | A toolbox to evaluate non-residential lighting and daylighting retrofit in practice. <i>Energy and Buildings</i> , <b>2016,</b> 123, 151-161  | 7    | 14 |
| 259 | An energy management model to study energy and peak power savings from PV and storage in demand responsive buildings. <i>Applied Energy</i> , <b>2016,</b> 173, 406-417                                   | 10.7 | 66 |
| 258 | Daylight illuminance in urban environments for visual comfort and energy performance. <b>2016,</b> 66, 861-874  |      | 55 |
| 257 | Aspects and issues of daylighting assessment: A review study. <b>2016,</b> 66, 852-860  |      | 42 |
| 256 | Why are daylight-linked controls (DLCs) not so spread? A literature review. <i>Building and Environment</i> , <b>2016,</b> 106, 301-312   | 6.5  | 47 |
| 255 | Lights, building, action: Impact of default lighting settings on occupant behaviour. <b>2016,</b> 48, 212-223   |      | 32 |
| 254 | A Methodology to Model Occupants' Day Lighting Quality Satisfaction in Residential Buildings. <b>2016,</b>  |      |    |
| 253 | Potential advantages of a multifunctional complex fenestration system with embedded micro-mirrors in daylighting. <b>2016,</b> 139, 412-425   |      | 23 |
| 252 | A STUDY ON THE CHANGES OF LIGHT ENVIRONMENT AND EVALUATIONS BY WORKERS IN JAPANESE OFFICE. <b>2016,</b> 81, 49-56   |      | 3  |
| 251 | Environmental Performance and Economic Analysis of Different Glazing's Sunshade Systems Using Simulation Tools. <b>2016,</b> 30,  |      | 5  |
| 250 | Satisfaction based Q-learning for integrated lighting and blind control. <i>Energy and Buildings</i> , <b>2016,</b> 127, 43-55  | 7    | 66 |
| 249 | A suitable and energy-efficient luminous environment for a shared office. <i>Lighting Research and Technology</i> , <b>2016,</b> 48, 755-770  | 2    | 4  |



|     |  |     |     |
|-----|--|-----|-----|
| 248 | People-friendly lighting controls – User performance and feedback on different interfaces. <i>Lighting Research and Technology</i> , <b>2016</b> , 48, 449-472                                     | 2   | 9   |
| 247 | Occupant productivity and office indoor environment quality: A review of the literature. <i>Building and Environment</i> , <b>2016</b> , 105, 369-389  | 6.5 | 323 |
| 246 | A structured approach to overall environmental satisfaction in high-rise residential buildings. <i>Energy and Buildings</i> , <b>2016</b> , 116, 181-189   | 7   | 40  |
| 245 | Occupant interactions with shading and lighting systems using different control interfaces: A pilot field study. <i>Building and Environment</i> , <b>2016</b> , 97, 177-195                       | 6.5 | 86  |
| 244 | Lighting control systems in individual offices rooms at high latitude: Measurements of electricity savings and occupants’s satisfaction. <b>2016</b> , 127, 113-123                                |     | 32  |
| 243 | Dynamic operation of daylighting and shading systems: A literature review. <b>2016</b> , 60, 268-283   |     | 94  |
| 242 | The Role of Daylighting in Skilled Nursing Short-Term Rehabilitation Facilities. <b>2016</b> , 9, 105-18   |     | 8   |
| 241 | Factors affecting optimal lighting use in shared hospital environments: A case-study. <i>Building and Environment</i> , <b>2016</b> , 96, 260-269  | 6.5 | 14  |
| 240 | Detection and introduction of emerging technologies for green buildings in Thailand. <b>2016</b> , 12, 2   |     | 2   |
| 239 | Effects of office environment on employee satisfaction: a new analysis. <b>2016</b> , 44, 34-50  |     | 81  |
| 238 | Daylight performance and users’s visual appraisal for green building offices in Malaysia. <i>Energy and Buildings</i> , <b>2017</b> , 141, 175-185   | 7   | 25  |
| 237 | The effects of user interface designs on lighting use. <i>Journal of Engineering, Design and Technology</i> , <b>2017</b> , 15, 58-78  | 1.5 | 4   |
| 236 | Determination of discomfort glare criteria for daylit space in Indonesia. <b>2017</b> , 149, 151-163   |     | 22  |
| 235 | Energy saving potential and visual comfort of task light usage for offices in Malaysia. <i>Energy and Buildings</i> , <b>2017</b> , 147, 166-175   | 7   | 12  |
| 234 | Lighting and cooling energy assessment of multi-purpose control strategies for external movable shading devices by using shaded fraction. <i>Energy and Buildings</i> , <b>2017</b> , 150, 328-338 | 7   | 28  |
| 233 | Smart lighting: The way forward? Reviewing the past to shape the future. <i>Energy and Buildings</i> , <b>2017</b> , 149, 180-191  | 7   | 68  |
| 232 | Towards user centered building design: Identifying end-user lighting preferences via immersive virtual environments. <b>2017</b> , 81, 56-66   |     | 57  |
| 231 | Managing Daylight in Airports. <b>2017</b> , 23, 04017006  |     | 4   |

|     |   |      |     |
|-----|---|------|-----|
| 230 | Use of immersive virtual environments for occupant behaviour monitoring and data collection. <b>2017</b> , 10, 484-498  |      | 22  |
| 229 | A literature review on driving factors and contextual events influencing occupants' behaviours in buildings. <i>Building and Environment</i> , <b>2017</b> , 118, 40-66   | 6.5  | 107 |
| 228 | Daylighting "Energy and comfort" performance in office buildings: Sensitivity analysis, metamodel and pareto front. <i>Journal of Building Engineering</i> , <b>2017</b> , 14, 61-72  | 5.2  | 11  |
| 227 | Developing neural networks to investigate relationships between lighting quality and lighting glare indices. <b>2017</b> , 122, 799-804   |      | 2   |
| 226 | "Our inherent desire for control" a case study of automation's impact on the perception of comfort. <b>2017</b> , 122, 925-930  |      | 9   |
| 225 | Development and verification of a slat control method for a bi-directional PV blind. <i>Applied Energy</i> , <b>2017</b> , 206, 1321-1333   | 10.7 | 10  |
| 224 | Shading control strategy to avoid visual discomfort by using a low-cost camera: A field study of two cases. <i>Building and Environment</i> , <b>2017</b> , 125, 26-38  | 6.5  | 28  |
| 223 | Oh behave! Survey stories and lessons learned from building occupants in high-performance buildings. <b>2017</b> , 31, 11-20  |      | 49  |
| 222 | On occupant-centric building performance metrics. <i>Building and Environment</i> , <b>2017</b> , 122, 373-385  | 6.5  | 59  |
| 221 | The impact of indoor environmental quality on work productivity in university open-plan research offices. <i>Building and Environment</i> , <b>2017</b> , 124, 78-89  | 6.5  | 91  |
| 220 | International survey on current occupant modelling approaches in building performance simulation" Isabella Gaetani, Sara Gilani, and Salvatore Carlucci contributed equally to this work. View all notes. <b>2017</b> , 10, 653-671 |      | 36  |
| 219 | Integrated automation for optimal demand management in commercial buildings considering occupant comfort. <b>2017</b> , 28, 16-29   |      | 35  |
| 218 | Prediction of discomfort glare from windows under tropical skies. <i>Building and Environment</i> , <b>2017</b> , 113, 107-120  | 6.5  | 31  |
| 217 | Development and implementation of an adaptive lighting and blinds control algorithm. <i>Building and Environment</i> , <b>2017</b> , 113, 185-199   | 6.5  | 98  |
| 216 | Gaze and discomfort glare, Part 1: Development of a gaze-driven photometry. <i>Lighting Research and Technology</i> , <b>2017</b> , 49, 845-865   | 2    | 11  |
| 215 | Discrete Optimization in Architecture. <i>SpringerBriefs in Architectural Design and Technology</i> , <b>2017</b> ,   | 0.1  | 1   |
| 214 | Buildsense. <b>2017</b> ,   |      | 4   |
| 213 | Building Applications, Opportunities and Challenges of Active Shading Systems: A State-of-the-Art Review. <i>Energies</i> , <b>2017</b> , 10, 1672  | 3.1  | 49  |

|     |  |     |    |
|-----|--|-----|----|
| 212 | A Study on the Effect of Ergonomics on Computer Operating Office Workers in India. <b>2017</b> , 07,   |     |    |
| 211 | Combined effects of environmental factors on human perception and objective performance: A review of experimental laboratory works. <b>2018</b> , 28, 525-538  |     | 80 |
| 210 | Review of Factors Influencing Discomfort Glare Perception from Daylight. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , <b>2018</b> , 14, 111-148                        | 3.5 | 41 |
| 209 | A global evaluation of discomfort glare metrics in real office spaces with presence of direct sunlight. <i>Energy and Buildings</i> , <b>2018</b> , 166, 145-153   | 7   | 14 |
| 208 | Daylighting and energy performance design for single floor commercial hall buildings. <b>2018</b> , 29, 722-739  |     | 15 |
| 207 | Bayesian classification and inference of occupant visual preferences in daylit perimeter private offices. <i>Energy and Buildings</i> , <b>2018</b> , 166, 505-524                                       | 7   | 17 |
| 206 | A novel methodology to realistically monitor office occupant reactions and environmental conditions using a living lab. <i>Building and Environment</i> , <b>2018</b> , 130, 190-199                     | 6.5 | 29 |
| 205 | Inferring personalized visual satisfaction profiles in daylit offices from comparative preferences using a Bayesian approach. <i>Building and Environment</i> , <b>2018</b> , 138, 74-88                 | 6.5 | 12 |
| 204 | Daylight fluctuations effect on the functioning of different daylight-linked control systems. <i>Building and Environment</i> , <b>2018</b> , 135, 162-193   | 6.5 | 9  |
| 203 | A systematic workflow for retrofitting office façades with large window-to-wall ratios based on automatic control and building simulations. <i>Building and Environment</i> , <b>2018</b> , 132, 104-113 | 6.5 | 13 |
| 202 | Colourising daylight in buildings: Visual responses in a daylit room supplemented with colour-changing light-emitting diode luminaires. <b>2018</b> , 27, 34-46  |     | 3  |
| 201 | A dynamic performance analysis of passive sunlight control strategies in a neonatal intensive care unit. <i>Lighting Research and Technology</i> , <b>2018</b> , 50, 191-204                             | 2   | 2  |
| 200 | Daylight characteristics of a polymer dispersed liquid crystal switchable glazing. <b>2018</b> , 174, 572-576  |     | 37 |
| 199 | Impact of Occupants' Behaviour on Zero-Energy Buildings. <i>SpringerBriefs in Energy</i> , <b>2018</b> ,   | 0.3 | 3  |
| 198 | A preliminary study of occupants' use of manual lighting controls in private offices: A case study. <i>Energy and Buildings</i> , <b>2018</b> , 159, 572-586   | 7   | 30 |
| 197 | Evaluation of optical properties and protection factors of a PDLC switchable glazing for low energy building integration. <b>2018</b> , 176, 391-396   |     | 50 |
| 196 | Energy savings in hospital patient rooms: the role of windows size and glazing properties. <b>2018</b> , 148, 1151-1158  |     | 11 |
| 195 | Making Education: Material School Design and Educational Governance. <i>Educational Governance Research</i> , <b>2018</b> ,  | 0.3 | 7  |

|     |  |     |    |
|-----|--|-----|----|
| 194 | The Impact of Outdoor Views on Students's Seat Preference in Learning Environments. <b>2018</b> , 8, 96  |     | 6  |
| 193 | Can Correctional Environments Be Humane? A Case for Evidence and Value-Based Design. <b>2018</b> , 281-311   |     |    |
| 192 | Innovative window design strategy to reduce negative lighting interventions in office buildings. <i>Energy and Buildings</i> , <b>2018</b> , 179, 253-263  | 7   | 10 |
| 191 | Potencial do uso da iluminaçã natural com dimmers e persianas automatizadas: estudo de edifício de pequeno porte com uso comercial para diferentes orientaões em clima tropical. <b>2018</b> , 18, 217-235 |     | 1  |
| 190 | Performance-based design optimization for minimal surface based form. <b>2018</b> , 61, 384-399  |     | 6  |
| 189 | Are Mental Biases Responsible for the Perceived Comfort Advantage in "Green" Buildings?. <b>2018</b> , 8, 20   |     | 0  |
| 188 | Combined effects of daylight transmitted through coloured glazing and indoor temperature on thermal responses and overall comfort. <i>Building and Environment</i> , <b>2018</b> , 144, 583-597            | 6.5 | 29 |
| 187 | Developing a design framework to facilitate adaptive behaviours. <i>Energy and Buildings</i> , <b>2018</b> , 179, 360-373  |     | 13 |
| 186 | Estudo correlacional entre configuraões de iluminaçã ambiental versus percepçã lumínica e térmica em câmara climática. <b>2018</b> , 18, 97-117  |     | 0  |
| 185 | Solar radiation entering through openings: Coupled assessment of luminous and thermal aspects. <i>Energy and Buildings</i> , <b>2018</b> , 175, 208-218  | 7   | 2  |
| 184 | An Indoor Environmental Quality (IEQ) assessment of a partially-retrofitted university building. <i>Building and Environment</i> , <b>2018</b> , 139, 69-85  | 6.5 | 54 |
| 183 | An integrated method and web tool to assess visual environment in spaces with window shades. <b>2018</b> , 24, 470-482   |     | 0  |
| 182 | Photometric measurements of lighting quality: An overview. <i>Building and Environment</i> , <b>2018</b> , 138, 42-52  | 6.5 | 51 |
| 181 | A Review of Light Shelf Designs for Daylit Environments. <i>Sustainability</i> , <b>2018</b> , 10, 71  | 3.6 | 23 |
| 180 | A review of reinforcement learning methodologies for controlling occupant comfort in buildings. <b>2019</b> , 51, 101748   |     | 51 |
| 179 | Understanding the influence of orientation, time-of-day and blind use on user's lighting choices and energy consumption using immersive virtual environments. <b>2019</b> , 1-27                           |     | 5  |
| 178 | A probabilistic-based approach to support the comfort performance assessment of existing buildings. <b>2019</b> , 237, 117720  |     | 10 |
| 177 | Split-pane electrochromic window control based on an embedded photometric device with real-time daylighting computing. <i>Building and Environment</i> , <b>2019</b> , 161, 106229                         | 6.5 | 1  |

|     |   |      |    |
|-----|---|------|----|
| 176 | Image-obfuscation as a means for privacy-conscious visual data acquisition from building systems. <b>2019</b> , 323, 012125   |      |    |
| 175 | BuildSense. <b>2019</b> , 15, 1-23  |      | 1  |
| 174 | Access to daylight and view in an office improves cognitive performance and satisfaction and reduces eyestrain: A controlled crossover study. <i>Building and Environment</i> , <b>2019</b> , 165, 106379 | 6.5  | 29 |
| 173 | Daylight affects human thermal perception. <b>2019</b> , 9, 13690   |      | 40 |
| 172 | Strategic Office Lighting. <b>2019</b> , 183-214  |      |    |
| 171 | Detecting trends and further development potential of contemporary façade design for workspaces. <b>2019</b> , 15, 267-281  |      | 1  |
| 170 | Tutorial: Theoretical Considerations When Planning Research on Human Factors in Lighting. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , <b>2019</b> , 15, 85-96          | 3.5  | 26 |
| 169 | Automated "Eye-sight" Venetian blinds based on an embedded photometric device with real-time daylighting computing. <i>Applied Energy</i> , <b>2019</b> , 252, 113317                                     | 10.7 | 7  |
| 168 | A review of factors affecting occupant comfort in multi-unit residential buildings. <i>Building and Environment</i> , <b>2019</b> , 160, 106182   | 6.5  | 64 |
| 167 | Optical fiber light scattering outdoor tests for interior daylighting. <i>Energy and Buildings</i> , <b>2019</b> , 198, 138-148   | 7    | 8  |
| 166 | Principles and Implementation of Daylighting Systems in Classrooms. <b>2019</b> , 720-731   |      | 1  |
| 165 | A Healthy, Energy-Efficient and Comfortable Indoor Environment, a Review. <i>Energies</i> , <b>2019</b> , 12, 1414  | 3.1  | 43 |
| 164 | Influential design factors on occupant satisfaction with indoor environment in workplaces. <i>Building and Environment</i> , <b>2019</b> , 157, 356-365   | 6.5  | 29 |
| 163 | Design Considerations for Interactive Office Lighting. <b>2019</b> ,  |      | 1  |
| 162 | Comparison of Health and Well-Being Aspects in Building Certification Schemes. <i>Sustainability</i> , <b>2019</b> , 11, 2616   | 3.6  | 14 |
| 161 | The Physical Environment and Creativity. <b>2019</b> , 481-510  |      | 7  |
| 160 | A workflow for retrofitting façade systems for daylight, comfortable and energy efficient buildings. <b>2019</b> , 225, 012034  |      | 2  |
| 159 | Glazing type (colour and transmittance), daylighting, and human performances at a workspace: A full-scale experiment in Beijing. <i>Building and Environment</i> , <b>2019</b> , 153, 168-185             | 6.5  | 15 |

|     |  |     |    |
|-----|--|-----|----|
| 158 | Blinded by the light: Occupant perceptions and visual comfort assessments of three dynamic daylight control systems and shading strategies. <i>Building and Environment</i> , <b>2019</b> , 154, 107-121                   | 6.5 | 36 |
| 157 | Visual discomfort and glare assessment in office environments: A review of light-induced physiological and perceptual responses. <i>Building and Environment</i> , <b>2019</b> , 153, 267-280                              | 6.5 | 27 |
| 156 | . <b>2019</b> ,  |     |    |
| 155 | A personalized daylighting control approach to dynamically optimize visual satisfaction and lighting energy use. <i>Energy and Buildings</i> , <b>2019</b> , 193, 111-126  | 7   | 26 |
| 154 | Design and analysis of an active daylight harvesting system for building. <b>2019</b> , 139, 670-678   |     | 17 |
| 153 | Knowledge mapping of office workspace: a scientometric review of studies. <b>2019</b> , 38, 316-345  |     | 5  |
| 152 | Energy saving potential of tubular light pipe system with different colors on internal surfaces. <b>2019</b> , 14, 793-837   |     | 1  |
| 151 | User-focused office renovation: a review into user satisfaction and the potential for improvement. <b>2019</b> , 37, 470-489   |     | 4  |
| 150 | Distributed Intelligent Lighting System using BLE at the Workplace. <b>2019</b> ,  |     |    |
| 149 | Reducing the Energy by Utilizing Distributed Luminance for the Occupancy Spaces at the Office. <b>2019</b> ,   |     |    |
| 148 | Users'satisfaction of indoor environmental quality conditions in ZEB+ at high latitudes. <b>2019</b> , 352, 012001   |     | 2  |
| 147 | Understanding human-building interactions under multimodal discomfort. <i>Building and Environment</i> , <b>2019</b> , 151, 280-290  | 6.5 | 14 |
| 146 | Residents'slamp purchasing behaviour, indoor lighting characteristics and choices in Swedish homes. <b>2019</b> , 28, 964-983  |     | 5  |
| 145 | Building Automation for Energy Efficiency. <b>2019</b> , 597-673   |     |    |
| 144 | A comparative field study of indoor environmental quality in two types of open-plan offices: Open-plan administrative offices and open-plan research offices. <i>Building and Environment</i> , <b>2019</b> , 148, 394-404 | 6.5 | 22 |
| 143 | Assessing IEQ Performance in Buildings. <b>2019</b> , 311-340  |     |    |
| 142 | Spatial and Behavioural Attributes in Office Design. <b>2019</b> , 29-49   |     | 2  |
| 141 | Sharing lighting control in an open office: Doing one's best to avoid conflict. <i>Building and Environment</i> , <b>2019</b> , 148, 1-10  | 6.5 | 12 |

|     |   |      |    |
|-----|---|------|----|
| 140 | Luminance and vertical eye illuminance thresholds for occupants's visual comfort in daylit office environments. <i>Building and Environment</i> , <b>2019</b> , 148, 107-115                      | 6.5  | 44 |
| 139 | Angle-dependent optical properties of advanced fenestration systems's finding a right balance between model complexity and prediction error. <b>2019</b> , 12, 113-127                            |      | 2  |
| 138 | Systematic review on the interaction between office light conditions and occupational health: Elucidating gaps and methodological issues. <b>2019</b> , 28, 152-174                               |      | 19 |
| 137 | Office light control moving toward automation and humanization: a literature review. <b>2020</b> , 12, 225-256  |      | 4  |
| 136 | Influence of indoor temperature and daylight illuminance on visual perception. <i>Lighting Research and Technology</i> , <b>2020</b> , 52, 350-370  | 2    | 16 |
| 135 | Daylight: What makes the difference?. <i>Lighting Research and Technology</i> , <b>2020</b> , 52, 423-442   | 2    | 49 |
| 134 | Seeing is believing: an innovative approach to post-occupancy evaluation. <b>2020</b> , 13, 473-486   |      | 6  |
| 133 | The value of daylight in office spaces. <i>Building and Environment</i> , <b>2020</b> , 168, 106503   | 6.5  | 24 |
| 132 | Adaptation by coexistence: contrasting thermal comfort perception among individual and shared office spaces. <b>2020</b> , 63, 235-247  |      | 6  |
| 131 | Culture, conformity, and carbon? A multi-country analysis of heating and cooling practices in office buildings. <b>2020</b> , 61, 101344  |      | 15 |
| 130 | The impacts of building characteristics, social psychological and cultural factors on indoor environment quality productivity belief. <i>Building and Environment</i> , <b>2020</b> , 185, 107189 | 6.5  | 18 |
| 129 | The potential of circadian lighting in office buildings using a fibre optics daylighting system in Beijing. <i>Building and Environment</i> , <b>2020</b> , 182, 107118                           | 6.5  | 10 |
| 128 | Daylighting and overall energy performance of a novel semi-transparent photovoltaic vacuum glazing in different climate zones. <i>Applied Energy</i> , <b>2020</b> , 276, 115414                  | 10.7 | 20 |
| 127 | The effect of lighting environment on task performance in buildings - A review. <i>Energy and Buildings</i> , <b>2020</b> , 226, 110394   | 7    | 19 |
| 126 | A weighting procedure to analyse the Indoor Environmental Quality of a Zero-Energy Building. <i>Building and Environment</i> , <b>2020</b> , 183, 107155  | 6.5  | 12 |
| 125 | Comparing user satisfaction of older and newer on-campus accommodation buildings in Australia. <b>2020</b> , 39, 389-410  |      | 1  |
| 124 | Structural Equation Model of Occupant Satisfaction for Evaluating the Performance of Office Buildings. <b>2020</b> , 45, 8759-8784  |      | 9  |
| 123 | Opportunities and challenges of integrating daylight and electric lighting principles to achieve healthy & sustainable environments in the Nordics. <b>2020</b> , 588, 032080                     |      |    |

|     |  |     |    |
|-----|--|-----|----|
| 122 | Determination of the Simplified Daylight Glare Probability (DGPs) Criteria for Daylit Office Spaces in Thailand. <b>2020</b> , 10, 180   |     | 4  |
| 121 | Operation guidelines for daylight dimming control systems in an office with lightshelf configurations. <i>Building and Environment</i> , <b>2020</b> , 180, 106968   | 6.5 | 1  |
| 120 | Perceived Control in an Office Test Cell, a Case Study. <b>2020</b> , 10, 82   |     | 1  |
| 119 | Natural Light Influence on Intellectual Performance. A Case Study on University Students. <i>Sustainability</i> , <b>2020</b> , 12, 4167   | 3.6 | 5  |
| 118 | Review of multi-domain approaches to indoor environmental perception and behaviour. <i>Building and Environment</i> , <b>2020</b> , 176, 106804  | 6.5 | 66 |
| 117 | Feasibility of METSI UGM office as a workplace in natural lighting availability and its occupants's adaptive behavior. <b>2020</b> ,   |     |    |
| 116 | Performance Evaluation of Control Methods for PV-Integrated Shading Devices. <i>Energies</i> , <b>2020</b> , 13, 3173  | 3.1 | 1  |
| 115 | Does the Design of the Workplace Affect Individual Creativity. <b>2020</b> , 59, 6-16  |     | 2  |
| 114 | The Effect of Utilizing Distributed Intelligent Lighting System for Energy Consumption in the Office. <b>2020</b> , 10, 2004   |     | 1  |
| 113 | The Energy Saving Potential of Wide Windows in Hospital Patient Rooms, Optimizing the Type of Glazing and Lighting Control Strategy under Different Climatic Conditions. <i>Energies</i> , <b>2020</b> , 13, 2116                    | 3.1 | 8  |
| 112 | Occupant-centered optimization framework to evaluate and design new dynamic shading typologies. <b>2020</b> , 15, e0231554   |     | 1  |
| 111 | Occupant-Facade interaction: a review and classification scheme. <i>Building and Environment</i> , <b>2020</b> , 177, 106880   | 6.5 | 20 |
| 110 | Effect of Indoor Temperature and Glazing with Saturated Color on Visual Perception of Daylight. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , <b>2021</b> , 17, 183-204                             | 3.5 | 4  |
| 109 | A review of occupant-centric control strategies for adaptive facades. <b>2021</b> , 122, 103464  |     | 4  |
| 108 | Occupant satisfaction with the indoor environment in seven commercial buildings in Singapore. <i>Building and Environment</i> , <b>2021</b> , 188, 107443  | 6.5 | 15 |
| 107 | An automated louver with innovative parametrically-angled reflective slats: Prototyping and validation via using parametric control in Grasshopper along with Arduino board. <i>Energy and Buildings</i> , <b>2021</b> , 231, 110614 | 7   | 3  |
| 106 | Computational and experimental evaluation of view out according to European Standard EN17037. <i>Building and Environment</i> , <b>2021</b> , 188, 107414  | 6.5 | 4  |
| 105 | Sustainable Design and Manufacturing 2020. <i>Smart Innovation, Systems and Technologies</i> , <b>2021</b> ,   | 0.5 | 0  |



|     |   |     |    |
|-----|---|-----|----|
| 104 | Preferred luminance distributions in open-plan offices in relation to time-of-day and subjective alertness. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , <b>2021</b> , 17, 3-20 | 3.5 | 5  |
| 103 | A study about daylighting knowledge and education in Europe. Results from the first phase of the DAYKE project. <b>2021</b> , 64, 169-181   |     | 5  |
| 102 | Indoor Environment from Wellbeing Perspectives. <b>2021</b> , 67-88   |     |    |
| 101 | A Review of Automated Control Strategies of Blinds Considering Glare Prevention and Energy Saving. <b>2021</b> , 1667-1682  |     |    |
| 100 | Reinforcement Learning Methodologies for Controlling Occupant Comfort in Buildings. <b>2021</b> , 179-205   |     | 1  |
| 99  | Research Methods for Assessing the Thermal and Optical Performance of Building Windows. <b>2021</b> , 1-31  |     |    |
| 98  | Smart lighting systems: state-of-the-art and potential applications in warehouse order picking. <b>2021</b> , 59, 3817-3839   |     | 15 |
| 97  | Enhancing occupants' comfort through BIM-based probabilistic approach. <b>2021</b> , 123, 103528  |     | 9  |
| 96  | User interaction for personalized total light management. 1-17  |     | 1  |
| 95  | A workflow for evaluating occupant-centric controls using building simulation. 1-19   |     | 2  |
| 94  | Estimation of daylight availability in Kolkata and approximation of indoor daylight levels for different daylighting methods. 1-29  |     | 1  |
| 93  | Tackling Heterogeneous Color Registration: Binning Color Sensors. <b>2021</b> , 21,   |     | 2  |
| 92  | Exploring Cross-Modal Influences on the Evaluation of Indoor-Environmental Conditions. <b>2021</b> , 7,   |     | 3  |
| 91  | Investigating the indoor environmental quality of different workplaces through web-scraping and text-mining of Glassdoor reviews. <b>2021</b> , 49, 695-713   |     | 0  |
| 90  | Investigation of the Optimum Display Luminance of an LCD Screen under Different Ambient Illuminances in the Evening. <b>2021</b> , 11, 4108   |     | 3  |
| 89  | The effect of thermochromic windows on visual performance and sustained attention. <i>Energy and Buildings</i> , <b>2021</b> , 236, 110778  | 7   | 6  |
| 88  | Triggering occupant behaviour for energy sustainability: Exploring subjective and comfort-related drivers in Brazilian offices. <b>2021</b> , 74, 101959  |     | 7  |
| 87  | Assessment of occupant adaptive behavior and visual comfort in educational facilities: A cross-sectional field survey. <b>2021</b> , 61, 153-167  |     | 3  |

|    |   |     |   |
|----|---|-----|---|
| 86 | Does thermal control improve visual satisfaction? Interactions between occupants' self-perceived control, visual, thermal, and overall satisfaction. <b>2021</b> , 31, 2329-2349                          |     | 4 |
| 85 | The Implementation of Visual Comfort Evaluation in the Evidence-Based Design Process Using Lighting Simulation. <b>2021</b> , 11, 4982  |     | 3 |
| 84 | Windows: a study of residents' perceptions and uses in Sweden. <b>2021</b> , 2, 467   |     | 1 |
| 83 | Analyzing occupants' control over lighting systems in office settings using immersive virtual environments. <i>Building and Environment</i> , <b>2021</b> , 196, 107823                                   | 6.5 | 4 |
| 82 | Control Strategies for Daylight and Artificial Lighting in Office Buildings: A Bibliometrically Assisted Review. <i>Energies</i> , <b>2021</b> , 14, 3852   | 3.1 | 6 |
| 81 | Simulation-assisted data-driven method for glare control with automated shading systems in office buildings. <i>Building and Environment</i> , <b>2021</b> , 196, 107801                                  | 6.5 | 1 |
| 80 | A method for using street view imagery to auto-extract window-to-wall ratios and its relevance for urban-level daylighting and energy simulations. <i>Building and Environment</i> , <b>2021</b> , 108108 | 6.5 | 6 |
| 79 | Lighting preferences in office spaces concerning the indoor thermal environment. <b>2021</b> , 10, 639-651  |     | 3 |
| 78 | Semi-automated luminance map re-projection via high dynamic range imaging and indoor space 3-D reconstruction. <b>2021</b> , 129, 103812  |     | 1 |
| 77 | A study on the factors simultaneously affecting visual comfort in classrooms: A structural equation modeling approach. <i>Energy and Buildings</i> , <b>2021</b> , 249, 111232                            | 7   | 3 |
| 76 | Experimental investigation of a building-integrated, transparent, concentrating photovoltaic and thermal collector. <b>2021</b> , 176, 617-634  |     | 8 |
| 75 | Test rooms to study human comfort in buildings: A review of controlled experiments and facilities. <b>2021</b> , 149, 111359  |     | 7 |
| 74 | Using occupant interaction with advanced lighting systems to understand opportunities for energy optimization: Control data from a hospital NICU. <i>Energy and Buildings</i> , <b>2021</b> , 251, 111357 | 7   | 1 |
| 73 | An international survey on residential lighting: Analysis of winter-term results. <i>Building and Environment</i> , <b>2021</b> , 206, 108294   | 6.5 | 4 |
| 72 | Questionnaires and simulations to assess daylighting in Italian university classrooms for IEQ and energy issues. <i>Energy and Buildings</i> , <b>2021</b> , 252, 111433                                  | 7   | 3 |
| 71 | Comparative study of acrylic flat plate and dome shaped collector for summer and winter solstice conditions. <i>Materials Today: Proceedings</i> , <b>2021</b> , 45, 5489-5493                            | 1.4 | 1 |
| 70 | A Review of Daylight Impacts on Luminous Comfort in Libraries. <i>Lecture Notes in Civil Engineering</i> , <b>2021</b> , 1-10   | 0.3 |   |
| 69 | Lighting energy performance determination in office environments through implementation of EN 15193-1 for Turkey. <i>Lighting Research and Technology</i> , 147715352098742                               | 2   | 0 |

|    |  |      |    |
|----|--|------|----|
| 68 | Multiscale Daylight Modeling for Urban Environments. 159-190   |      | 3  |
| 67 | Encyclopedia of Sustainability Science and Technology. <b>2012</b> , 2804-2846   |      | 1  |
| 66 | Sustainable Built Environments. <b>2013</b> , 69-111   |      | 2  |
| 65 | Impact of Blinds Usage on Energy Consumption: Automatic Versus Manual Control. <i>Lecture Notes in Computer Science</i> , <b>2014</b> , 158-173  | 0.9  | 2  |
| 64 | An Empirical Study of Visual Comfort in Office Buildings. <i>Smart Innovation, Systems and Technologies</i> , <b>2021</b> , 319-331  | 0.5  | 1  |
| 63 | Design and optimization of a novel electrowetting-driven solar-indoor lighting system. <i>Applied Energy</i> , <b>2020</b> , 269, 115128   | 10.7 | 3  |
| 62 | Introducing IEA EBC annex 79: Key challenges and opportunities in the field of occupant-centric building design and operation. <i>Building and Environment</i> , <b>2020</b> , 178, 106738 | 6.5  | 62 |
| 61 | Optimization of wide-angle planar micro-optic solar concentrator systems for deployment in tropics. <i>Journal of Photonics for Energy</i> , <b>2018</b> , 8, 1                            | 1.2  | 2  |
| 60 | Estudio del desempe o atencional en ni os en aulas con diferentes acondicionamientos lum nicos. <i>Revista CES Psicologia</i> , <b>2016</b> , 68-79  | 0.3  | 2  |
| 59 | PERFORMANCE INDICATORS FOR ENERGY EFFICIENCY RETROFITTING IN MULTIFAMILY RESIDENTIAL BUILDINGS. <i>Journal of Green Building</i> , <b>2019</b> , 14, 109-136                               | 1.3  | 1  |
| 58 | Individual Control over the Physical Work Environment to Affect Creativity. <i>Industrial Engineering and Management Systems</i> , <b>2015</b> , 14, 94-103                                | 2.5  | 11 |
| 57 | Purpose Adequacy as a Basis for Sustainable Building Design: A Post-Occupancy Evaluation of Higher Education Classrooms. <i>Sustainability</i> , <b>2021</b> , 13, 11181                   | 3.6  | 1  |
| 56 | Default Conditions: A Reason for Design to Integrate Human Factors. <b>2015</b> ,  |      |    |
| 55 | Fiziksel  vire Tasarım Destek Modeli. <i>Tasarım + Kuram</i> , <b>2016</b> , 7, 98-98  | 0.5  |    |
| 54 | The Skin of a Building. <i>SpringerBriefs in Architectural Design and Technology</i> , <b>2017</b> , 3-11  | 0.1  |    |
| 53 |  Don  Turn Off the Lights  Modelling of Human Light Interaction in Indoor Environments. <i>Lecture Notes in Computer Science</i> , <b>2017</b> , 143-151                                   | 0.9  | 0  |
| 52 | Occupants  Adaptive Actions. <i>SpringerBriefs in Energy</i> , <b>2018</b> , 31-46   | 0.3  |    |
| 51 | Design and comfort in office space. <i>Vitruvio</i> , <b>2017</b> , 2, 15  | 0.3  |    |

|    |  |      |   |
|----|--|------|---|
| 50 | Design As a Social Practice. <i>Educational Governance Research</i> , <b>2018</b> , 137-156  | 0.3  | 1 |
| 49 | SEARCH OF CRITERIA OF HYGIENIC ASSESSMENT OF MICROCLIMATE PARAMETERS AND ITS INFLUENCE ON COMFORT STAYS OF PASSENGERS AND EMPLOYEES IN AIR TERMINAL. <i>Hygiene of Populated Places</i> , <b>2018</b> , 2018, 154-161                      | 0    |   |
| 48 | A Feasibility Study on Occupants' Behaviour and Energy Usage Patterns and Its Potential Integration With Building Information Modelling. <b>2019</b> , 560-570   |      |   |
| 47 | PCA-ANN integrated NSGA-III framework for dormitory building design optimization: Energy efficiency, daylight, and thermal comfort. <i>Applied Energy</i> , <b>2022</b> , 305, 117828  | 10.7 | 1 |
| 46 | Why Did You Turn On That Light?. <b>2021</b> ,   |      |   |
| 45 | A Case Study of Post Occupancy Evaluation of an Educational Building with LEED Platinum Rating. <i>International Journal of Environmental Sustainability and Green Technologies</i> , <b>2022</b> , 13, 0-0                                | 0.5  |   |
| 44 | Artificial Intelligence for Detecting Indoor Visual Discomfort from Facial Analysis of Building Occupants. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 2042, 012008   | 0.3  | 0 |
| 43 | Low-cost smart solutions for daylight and electric lighting integration in historical buildings. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 2069, 012157   | 0.3  | 1 |
| 42 | Effect of indoor environmental quality on visual comfort and productivity in office buildings. <i>Journal of Engineering, Design and Technology</i> , <b>2021</b> , ahead-of-print,  | 1.5  | 1 |
| 41 | A Window View Quality Assessment Framework. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , 1-26  | 3.5  | 9 |
| 40 | The influence of façade and space design on building occupants' indoor experience. <i>Journal of Building Engineering</i> , <b>2021</b> , 103663   | 5.2  | 1 |
| 39 | A Review of Field Measurement Studies on Thermal Comfort, Indoor Air Quality and Virus Risk. <i>Atmosphere</i> , <b>2022</b> , 13, 191   | 2.7  | 1 |
| 38 | A power-efficient self-calibrating smart lighting system. <i>Energy and Buildings</i> , <b>2022</b> , 259, 111874  | 7    | 3 |
| 37 | Performance evaluation of non-intrusive luminance mapping towards human-centered daylighting control. <i>Building and Environment</i> , <b>2022</b> , 213, 108857  | 6.5  | 1 |
| 36 | EVALUATION OF DAYLIGHT PROVISION AND DAYLIGHT GLARE PROBABILITY FOR DIVERSE WORKSPACE CONFIGURATIONS. <i>Journal of Green Building</i> , <b>2022</b> , 17, 199-224   | 1.3  |   |
| 35 | EVALUATION OF DAYLIGHT PROVISION AND DAYLIGHT GLARE PROBABILITY FOR DIVERSE WORKSPACE CONFIGURATIONS. <i>Journal of Green Building</i> , <b>2022</b> , 17, 199-224   | 1.3  |   |
| 34 | Regional Differences in the Perception of Daylit Scenes across Europe Using Virtual Reality. Part II: Effects of Façade and Daylight Pattern Geometry. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , 1-25 | 3.5  | 0 |
| 33 | A data-driven workflow to improve energy efficient operation of commercial buildings: A review with real-world examples. <i>Building Services Engineering Research and Technology</i> , 014362442110696                                    | 2.3  | 0 |

|    |   |     |   |
|----|---|-----|---|
| 32 | Delightful Daylighting: A Framework for Describing the Experience of Daylighting in Nordic Homes and Coupling It with Quantitative Assessments. <i>Energies</i> , <b>2022</b> , 15, 1815                      | 3.1 |   |
| 31 | Comparing Impacts of Indoor Environmental Quality Factors on Satisfaction of Occupants with Different Genders and Ages between Office- and Home-Based Work Environments. <b>2022</b> ,                        |     |   |
| 30 | Advocating for view and daylight in buildings: Next steps. <i>Energy and Buildings</i> , <b>2022</b> , 112079   | 7   | 1 |
| 29 | Evaluation of Daylight Perception Assessment Methods.. <i>Frontiers in Psychology</i> , <b>2022</b> , 13, 805796  | 3.4 | 0 |
| 28 | The impact of woven shade fabrics on correlated colour temperature and illuminance with daylighting. <i>Lighting Research and Technology</i> , 147715352210773  | 2   |   |
| 27 | Occupants' responses to window views, daylighting and lighting in buildings: A critical review. <i>Building and Environment</i> , <b>2022</b> , 109172  | 6.5 | 0 |
| 26 | A Study on Parametric Design Method for Optimization of Daylight in Commercial Building's Atrium in Cold Regions. <i>Sustainability</i> , <b>2022</b> , 14, 7667  | 3.6 | 4 |
| 25 | Effectiveness of low-cost non-invasive solutions for daylight and electric lighting integration to improve energy efficiency in historical buildings. <i>Energy and Buildings</i> , <b>2022</b> , 270, 112281 | 7   | 0 |
| 24 | Effect of Indoor Environmental Quality on Work Productivity in Educational Buildings: A Review.. <b>2022</b> , 1026, 012057   |     |   |
| 23 | A Review of Active Day Lighting System in Commercial Buildings with the Application of Optical Fiber. <b>2023</b> , 731-752   |     |   |
| 22 | A review on the current usage of machine learning tools for daylighting design and control. <b>2022</b> , 223, 109507   |     | 1 |
| 21 | A multi-variable building energy optimization: assessing the role of energy efficient lighting technology in changing the optimal window-to-wall ratio in an office building. 1-17                            |     | 0 |
| 20 | Bridging the gap from test rooms to field-tests for human indoor comfort studies: A critical review of the sustainability potential of living laboratories. <b>2022</b> , 92, 102778                          |     | 1 |
| 19 | Post-Occupancy Evaluation (POE) Applications for Improving Indoor Environment Quality (IEQ). <b>2022</b> , 10, 626  |     | 2 |
| 18 | Experimental study on the impact of double tilted Venetian blinds on indoor daylight conditions. <b>2022</b> , 225, 109675  |     | 1 |
| 17 | User assessment of fabric shading devices with a low openness factor. <b>2022</b> , 109707  |     | 0 |
| 16 | Categorising the existing irradiance based blind control occupant behavior models (BC-OBMs) using unsupervised machine learning approach: A case of office building in India. <b>2023</b> , 279, 112700       |     | 0 |
| 15 | Integrating daylight with general and task lighting: A longitudinal in-the-wild study in individual and open space working areas. <b>2022</b> , 2, 100027   |     | 0 |

- 14 Artificial light(ing) or electric light(ing)?. **2022**, 1099, 012039
- 13 Effects of indoor lighting conditions and window views on occupants' well-being and behavior: a systematic review.. **2022**, 1099, 012053
- 12 Indoor environmental quality and employees' workplace satisfaction: a case study of university buildings.
- 11 Adaptive Façades: Review of Designs, Performance Evaluation, and Control Systems. **2022**, 12, 2112
- 10 The Impact of Evaluated Daylight to the Total Light Ratio on the Comfort Level in Office Buildings. **2022**, 12, 2161
- 9 Common sources of occupant dissatisfaction with workspace environments in 600 office buildings. **2023**, 4, 17-35
- 8 The green office environment: New Zealand workers' perception of IEQ.
- 7 Occupant Behavior Impact on Building Sustainability Performance: A Literature Review. **2023**, 15, 2440
- 6 Effect of Interior Space and Window Geometry on Daylighting Performance for Terrace Classrooms of Universities in Severe Cold Regions: A Case Study of Shenyang, China. **2023**, 13, 603
- 5 Simulation of daylight availability, visual comfort and view clarity for a novel window system with switchable blinds in classrooms. **2023**, 235, 110243
- 4 Daylighting performance and discomfort glare assessment of granular aerogel glazing system: A full-scale comparative experiment. **2023**, 236, 110297
- 3 Synthesis of critical factors influencing indoor environmental quality and their impacts on building occupants health and productivity. **2023**, 21, 619-634
- 2 A Modelling Tool for Lighting Systems Based on Visual Comfort and Energy Consumption - Case Study of a Residential Building. **2023**, 375-395
- 1 Making sense of smart features in the smart office: a stated choice experiment of office user preferences. 1-14