Adding advanced behavioural models in whole building energy simulation: A study on the total energy impact of manual and automated lighting control

DOI: 10.1016/j.enbuild.2006.03.002
Energy and Buildings, 2006, 38, 814-823.

#	Paper	IF	Citations
210	A Review of ESP-r's Flexible Solution Approach and its Application to Prospective Technical Domain Developments. **2007**, 1, 227-247		10
209	Field Studies of Indoor Thermal Comfort and the Progress of the Adaptive Approach. **2007**, 1, 55-88		156
208	Using results from field surveys to predict the effect of open windows on thermal comfort and energy use in buildings. *Energy and Buildings*, **2007**, 39, 823-836	7	336
207	A generalised stochastic model for the simulation of occupant presence. *Energy and Buildings*, **2008** , 40, 83-98	7	433
206	Development of an adaptive window-opening algorithm to predict the thermal comfort, energy use and overheating in buildings. **2008**, 1, 17-30		122
205	Electrochromic glazing and facade photovoltaic panels: a strategic assessment of the potential energy benefits. **2008**, 40, 55-76		18
204	An intuitive daylighting performance analysis and optimization approach. **2008**, 36, 593-607		36
203	Daylight metrics and energy savings. **2009**, 41, 261-283		179
202	Thermal performance of a naturally ventilated building using a combined algorithm of probabilistic occupant behaviour and deterministic heat and mass balance models. *Energy and Buildings*, **2009**, 41, 489-499	7	99
201	A fast daylight model suitable for embedded controllers. **2009**, 83, 57-68		5
200	Integrating occupant preference and life cycle energy evaluation: a simplified method. **2010**, 38, 625-637		14
199	Building human agency: a timely manifesto. **2010**, 38, 339-350		43
198	The dark side of occupants' behaviour on building energy use. *Energy and Buildings*, **2010**, 42, 173-177	7	422
197	Occupancy diversity factors for common university building types. *Energy and Buildings*, **2010**, 42, 1543-1551	7	83
196	Identifying important state variables for a blind controller. *Building and Environment*, **2010**, 45, 887-900	6.5	18
195	Integrated Environmental Assessment of Supply-Side and Demand-Side Measures for Carbon Dioxide Mitigation in Tokyo, Japan. **2010**, 14, 808-825		8
194	Assessing the total energy impact of manual and optimized blind control in combination with different lighting schedules in a building simulation environment. **2010**, 3, 1-16		21

193	The impact of occupants' behaviour on building energy demand. **2011**, 4, 323-338		165
192	A decision framework for energy use reduction initiatives in commercial buildings. **2011**,		7
191	Modelling electricity consumption in office buildings: An agent based approach. *Energy and Buildings*, **2011**, 43, 2882-2892	7	73
190	Optimum, technical and energy efficiency design of residential building in Mediterranean region. *Energy and Buildings*, **2011**, 43, 1829-1834	7	80
189	Control of visual conditions for open-plan offices. **2011**, 21, 581-593		3
188	Building energy and comfort management through occupant behaviour pattern detection based on a large-scale environmental sensor network. **2011**, 4, 359-369		87
187	Impact of user habits in smart home control. **2011**,		2
186	Human-Building Interaction for Energy Conservation in Office Buildings. **2012**,		7
185	Lighting Controls in Commercial Buildings. **2012**, 8, 161-180		68
184	State of the art in lighting simulation for building science: a literature review. **2012**, 5, 209-233		78
183	Influence of shading control patterns on the energy assessment of office spaces. *Energy and Buildings*, **2012**, 50, 35-48	7	67
182	Stochastic models for building energy prediction based on occupant behavior assessment. *Energy and Buildings*, **2012**, 53, 183-193	7	133
181	The use of occupancy space electrical power demand in building cooling load prediction. *Energy and Buildings*, **2012**, 55, 151-163	7	53
180	Use of model predictive control and weather forecasts for energy efficient building climate control. *Energy and Buildings*, **2012**, 45, 15-27	7	712
179	Coordinating occupant behavior for building energy and comfort management using multi-agent systems. **2012**, 22, 525-536		226
178	Development of multi-agent system for building energy and comfort management based on occupant behaviors. *Energy and Buildings*, **2013**, 56, 1-7	7	124
177	Manually-operated window shade patterns in office buildings: A critical review. *Building and Environment*, **2013**, 60, 319-338	6.5	150
176	A statistical analysis of a residential energy consumption survey study in Hangzhou, China. *Energy and Buildings*, **2013**, 66, 193-202	7	116

175	A case study on energy consumption and overheating for a UK industrial building with rooflights. **2013**, 104, 337-344		18
174	Simulating the dynamics of occupant behaviour for power management in residential buildings. *Energy and Buildings*, **2013**, 56, 85-93	7	51
173	Evaluating building energy model performance of LEED buildings: Identifying potential sources of error through aggregate analysis. *Energy and Buildings*, **2013**, 65, 185-196	7	14
172	Importance of occupancy information for building climate control. **2013**, 101, 521-532		264
171	Energy-Saving Potential of LED Lighting Systems. **2013**, 22, 235-241		12
170	Green Expectations: The Story of a Customizable Lighting Control Panel Designed to Reduce Energy Use. **2013**, 57, 1353-1357		3
169	Occupancy measurement in building: A litterature review, application on an energy efficiency research demonstrated building. **2013**, 4, 135-144		13
168	Holistic smart homes for air quality and thermal comfort. **2013**, 7, 23-43		2
167	From energy-efficient buildings to energy-efficient users and back: ergonomic issues in intelligent buildings design. **2014**, 6, 215-223		3
166	Towards cyber-physical approach for prototyping indoor lighting automation systems. **2014**,		3
165	What is a Smart Building?. **2014**, 3, 92-109		98
164	Non-Invasive User Tracking via Passive Sensing. **2014**,		9
163	A method for evaluating energy saving potential in lighting from daylight utilization. **2014**,		0
162	Occupants□behavioural impact on energy consumption: □human-in-the-loop□comfort process control. **2014**, 10, 108-130		14
161	Distributed Computing and Artificial Intelligence, 11th International Conference. **2014**,		2
160	Indoor environmental quality: review of parameters and assessment models. **2014**, 57, 147-154		28
159	A method for the identification and modelling of realistic domestic occupancy sequences for building energy demand simulations and peer comparison. *Building and Environment*, **2014**, 75, 67-78	6.5	109
158	Daylighting in an atrium-type high performance house. *Building and Environment*, **2014**, 76, 92-104	6.5	46

157	A review on lighting control technologies in commercial buildings, their performance and affecting factors. *Renewable and Sustainable Energy Reviews*, **2014**, 33, 268-279	16.2	148
156	Scheduling-based real time energy flow control strategy for building energy management system. *Energy and Buildings*, **2014**, 75, 239-248	7	37
155	Integrating probabilistic methods for describing occupant presence with building energy simulation models. *Energy and Buildings*, **2014**, 68, 99-107	7	52
154	Feasibility study and impact of energy consumption reduction using T5 fluorescent lamp in building. **2014**,		1
153	Study of harmonics issued from electronic ballast used to reduce energy consumption in Thailand's building. **2014**,		
152	User satisfaction adaptive behaviors for assessing energy efficient building indoor cooling and lighting environment. *Renewable and Sustainable Energy Reviews*, **2014**, 39, 277-295	16.2	49
151	Automated Generation of User Activity Space Pairs in Space-Use Analysis. **2014**, 140, 04014007		12
150	Building automation and control systems: A case study to evaluate the energy and environmental performances of a lighting control system in offices. **2014**, 43, 10-22		71
149	Determining the energy performance of manually controlled solar shades: A stochastic model based co-simulation analysis. **2014**, 127, 64-80		55
148	Social game for building energy efficiency: Incentive design. **2014**,		13
147	Net ZEB design processes and tools. **2015**, 107-174		2
146	. **2015**,		28
145	Comparing Whole Building Energy Implications of Sidelighting Systems with Alternate Manual Blind Control Algorithms. **2015**, 5, 467-496		10
144	A Study on the Impact of Household Occupants Behavior on Energy Consumption Using an Integrated Computer Model. **2015**, 1,		5
143	Occupant centered lighting control for comfort and energy efficient building operation. *Energy and Buildings*, **2015**, 94, 100-108	7	103
142	Fuzzy-based model for predicting lighting efficiency in institutional buildings. **2015**,		
141	An Occupant-Based Energy Consumption Model for User-Focused Design of Residential Buildings. **2015**, 137,		12
140	Tracking the human-building interaction: A longitudinal field study of occupant behavior in air-conditioned offices. **2015**, 42, 94-115		85

139	Multi-agent system for energy consumption optimisation in higher education institutions. **2015**, 81, 958-965		17
138	Occupants behaviour in energy simulation tools: lessons from a field monitoring campaign regarding lighting and shading control. **2015**, 8, 338-358		21
137	Artificial illumination during daytime in residential buildings: Factors, energy implications and future predictions. **2015**, 158, 65-85		12
136	Improving the energy performance of residential buildings: A literature review. *Renewable and Sustainable Energy Reviews*, **2015**, 52, 960-975	16.2	138
135	Comparative analysis and assessment of ANFIS-based domestic lighting profile modelling. *Energy and Buildings*, **2015**, 107, 294-306	7	11
134	Comparison of sensorless dimming control based on building modeling and solar power generation. **2015**, 81, 15-20		3
133	Feasibility Study on Parametric Optimization of Daylighting in Building Shading Design. **2016**, 8, 1220		17
132	Learning based personalized energy management systems for residential buildings. *Energy and Buildings*, **2016**, 127, 953-968	7	15
131	Smart building energy efficiency via social game: a robust utility learning framework for closing the loop. **2016**,		1
130	Internet of things technologies in manufacturing: Application areas, challenges and outlook. **2016**,		14
129	Distributed simulation framework to analyze the energy effects of adaptive thermal comfort behavior of building occupants. **2016**,		3
128	A hybrid integrated architecture for energy consumption prediction. **2016**, 63, 131-147		15
127	Review of occupancy sensing systems and occupancy modeling methodologies for the application in institutional buildings. *Energy and Buildings*, **2016**, 121, 344-349	7	133
126	Occupant centered lighting control: A user study on balancing comfort, acceptance, and energy consumption. *Energy and Buildings*, **2016**, 126, 310-322	7	48
125	Occupant behavior in building energy simulation: Towards a fit-for-purpose modeling strategy. *Energy and Buildings*, **2016**, 121, 188-204	7	187
124	A framework for allocating personalized appliance-level disaggregated electricity consumption to daily activities. *Energy and Buildings*, **2016**, 111, 337-350	7	27
123	Integrating and optimizing metrics of sustainable building performance using human-focused agent-based modeling. **2016**, 183, 926-937		39
122	Modeling Individual's Light Switching Behavior to Understand Lighting Energy Use of Office Building. **2016**, 88, 781-787		20

121	Intelligent system for lighting control in smart cities. **2016**, 372, 241-255		79
120	Occupancy behavior based model predictive control for building indoor climate–A critical review. *Energy and Buildings*, **2016**, 129, 499-513	7	117
119	Comparison of Detailed Occupancy Profile Generative Methods to Published Standard Diversity Profiles. **2016**,		
118	The relation between indoor environnemental quality (IEQ) and energy consumption in building based on occupant behavior - A review. **2016**, 66, 00086		0
117	An LCM Framework to Couple Spatially Distributed Energy Simulation and Occupancy Models for Optimizing Building Energy Consumption. **2016**,		
116	People-friendly lighting controls – User performance and feedback on different interfaces. **2016**, 48, 449-472		9
115	Design for structural and energy performance of long span buildings using geometric multi-objective optimization. *Energy and Buildings*, **2016**, 127, 748-761	7	49
114	Occupants' impact on indoor thermal comfort: a co-simulation study on stochastic control of solar shades. **2016**, 9, 272-287		25
113	Methods for adaptive behaviors satisfaction assessment with energy efficient building design. *Renewable and Sustainable Energy Reviews*, **2016**, 57, 250-259	16.2	10
112	Quantifying the human–building interaction: Considering the active, adaptive occupant in building performance simulation. *Energy and Buildings*, **2016**, 117, 372-386	7	37
111	Energy and carbon performance evaluation for buildings and urban precincts: review and a new modelling concept. **2017**, 163, 24-35		20
110	Daylighting-Based Assessment of Occupant Performance in Educational Buildings. **2017**, 143, 04016014		4
109	Minimizing computational cost and energy demand of building lighting systems: A real time experiment using a modified competition over resources algorithm. *Energy and Buildings*, **2017**, 139, 108-123	7	17
108	Uncertainty and sensitivity analysis of spatio-temporal occupant behaviors on residential building energy usage utilizing Karhunen-Loève expansion. *Building and Environment*, **2017**, 115, 157-172	6.5	42
107	Effect of retro-reflecting transparent window on anthropogenic urban heat balance. *Energy and Buildings*, **2017**, 157, 157-165	7	23
106	A user-centric space heating energy management framework for multi-family residential facilities based on occupant pattern prediction modeling. **2017**, 10, 899-916		5
105	A preliminary study of representing the inter-occupant diversity in occupant modelling. **2017**, 10, 509-526		49
104	Modelling diversity in building occupant behaviour: a novel statistical approach. **2017**, 10, 527-544		41

103	Potential energy savings from deployment of Dynamic Insulation Materials for US residential buildings. *Building and Environment*, **2017**, 114, 203-218	6.5	65
102	Daylighting energy and comfort performance in office buildings: Sensitivity analysis, metamodel and pareto front. **2017**, 14, 61-72		11
101	On the comparison of occupancy in relation to energy consumption and indoor environmental quality: a case study. **2017**, 134, 875-884		3
100	Carbon assessment for urban precincts: Integrated model and case studies. *Energy and Buildings*, **2017**, 153, 111-125	7	15
99	Lightweight and adaptive building simulation (LABS) framework for integrated building energy and thermal comfort analysis. **2017**, 10, 1023-1044		6
98	Energy conservation through flexible HVAC management in large spaces: An IPS-based demand-driven control (IDC) system. **2017**, 83, 91-107		18
97	Occupancy schedules for energy simulation in new prEN16798-1 and ISO/FDIS 17772-1 standards. **2017**, 35, 134-144		31
96	Lighting energy consumption in ultra-low energy buildings: Using a simulation and measurement methodology to model occupant behavior and lighting controls. **2017**, 10, 799-810		15
95	A computer game to help people understand the energy performance of buildings. **2017**, 170, 308-321		1
94	Comparison of detailed occupancy profile generative methods to published standard diversity profiles. **2017**, 21, 521-535		2
93	A review on indoor environmental quality (IEQ) and energy consumption in building based on occupant behavior. **2017**, 35, 684-695		21
92	Review of current methods, opportunities, and challenges for in-situ monitoring to support occupant modelling in office spaces. **2017**, 10, 444-470		44
91	WPAN-Based Energy Efficient Automation System for Buildings. **2017**, 705-713		1
90	Leveraging correlations in utility learning. **2017**,		1
89	Maximizing photovoltaic array energy usage within a house using model predictive controla. **2017**,		
88	Intelligent comfort management agent for smart residential buildings using an updated Q learning algorithm. **2017**, 6, 101		1
87	On the multi-agent stochastic simulation of occupants in buildings. **2018**, 11, 604-621		34
86	Assessing the energy and daylighting impacts of human behavior with window shades, a life-cycle comparison of manual and automated blinds. **2018**, 92, 133-150		12

85	A Robust Utility Learning Framework via Inverse Optimization. **2018**, 26, 954-970		13
84	Evaluating diverse patterns of occupant behavior regarding control-based activities in energy performance simulation. **2018**, 7, 167-179		15
83	Understanding the recurring patterns of occupants' energy-use behaviors at entry and departure events in office buildings. *Building and Environment*, **2018**, 136, 77-87	6.5	12
82	A review of open loop control strategies for shades, blinds and integrated lighting by use of real-time daylight prediction methods. *Building and Environment*, **2018**, 135, 352-364	6.5	49
81	Influence of occupant behavior and operation on performance of a residential Zero Emission Building in Norway. *Energy and Buildings*, **2018**, 159, 75-88	7	24
80	Past visions, current trends, and future context: A review of building energy, carbon, and sustainability. *Renewable and Sustainable Energy Reviews*, **2018**, 82, 976-993	16.2	40
79	Computational intelligence modelling based on variables interlinked with behavioral tendencies for energy usage profile TA necessity. *Renewable and Sustainable Energy Reviews*, **2018**, 82, 60-72	16.2	11
78	. **2018**,		1
77	Energy-Related Occupant Behaviour and Its Implications in Energy Use: A Chronological Review. **2018**, 10, 2635		20
76	Developing a design framework to facilitate adaptive behaviours. *Energy and Buildings*, **2018**, 179, 360-373		13
75	A quick auto-calibration approach based on normative energy models. *Energy and Buildings*, **2018**, 172, 35-46	7	18
74	Advanced Building Energy Efficiency Systems. **2018**, 45-115		1
73	Rethinking the role of occupant behavior in building energy performance: A review. *Energy and Buildings*, **2018**, 172, 279-294	7	188
72	Comparison of static and dynamic shading systems for office building energy consumption and cooling load assessment. **2018**, 29, 978-998		8
71	The Impact of Building Occupant Behavior on Energy Efficiency and Methods to Influence It: A Review of the State of the Art. **2018**, 11, 953		89
70	Energy Optimization Using a Case-Based Reasoning Strategy. **2018**, 18,		85
69	Occupancy prediction through machine learning and data fusion of environmental sensing and Wi-Fi sensing in buildings. **2018**, 94, 233-243		51
68	The evaluation of stochastic occupant behavior models from an application-oriented perspective: Using the lighting behavior model as a case study. *Energy and Buildings*, **2018**, 176, 151-162	7	11

67	Extracting occupants energy-use patterns from Wi-Fi networks in office buildings. **2019**, 26, 100864		12
66	Combining context-aware design-specific data and building performance models to improve building performance predictions during design. **2019**, 107, 102917		6
65	Optimizing the energy consumption in a residential building at different climate zones: Towards sustainable decision making. **2019**, 233, 634-649		20
64	Full-scale experimental testing of integrated dynamically-operated roller shades and lighting in perimeter office spaces. **2019**, 186, 17-28		12
63	A review on energy consumption in the residential and commercial buildings located in tropical regions of Indian Ocean: A case of Madagascar island. **2019**, 24, 100748		26
62	Modeling the Effect of Occupants Behavior on Household Carbon Emissions. **2019**, 33, 04019006		0
61	An ANN-based model for the prediction of internal lighting conditions and user actions in non-residential buildings. **2019**, 12, 700-718		8
60	Do building energy codes adequately reward buildings that adapt to partial occupancy?. **2019**, 25, 678-691		14
59	Fuzzyfied Lux Value Selector Lighting Controller for Visual Comfort. **2019**,		
58	Longitudinal dataset of human-building interactions in U.S. offices. **2019**, 6, 288		4
57	Daylighting and Visual Comfort Performance of Integrated Dynamic Roller Shades and Lighting Controls. **2019**,		0
56	Evaluation of Supply and Demand in Building Energy Performance: Application of Retrofit Scenarios in Residential Building. **2019**, 116, 60-79		2
55	Full Issue PDF Volume 116, Issue 1. **2019**, 116, 1-79		
54	Fuzzy logic model for the categorization of manual lighting control behaviour patterns based on daylight illuminance and interior layout. **2019**, 28, 584-598		3
53	Office light control moving toward automation and humanization: a literature review. **2020**, 12, 225-256		4
52	Towards utilizing internet of things (IoT) devices for understanding individual occupants' energy usage of personal and shared appliances in office buildings. **2020**, 27, 100948		20
51	Investigation on spatial distributions and occupant schedules of typical residential districts in South China's Pearl River Delta. *Energy and Buildings*, **2020**, 209, 109710	7	4
50	Developing quantitative insights on building occupant behaviour: Supporting modelling tools and datasets. **2020**, 283-319		1

49	Energy performance optimization of existing buildings: A literature review. **2020**, 54, 101967		47
48	Simulation-aided occupant-centric building design: A critical review of tools, methods, and applications. *Energy and Buildings*, **2020**, 224, 110292	7	22
47	Augmenting building performance predictions during design using generative adversarial networks and immersive virtual environments. **2020**, 119, 103350		4
46	An investigation into the erroneous access and egress behaviours of building users and their impact upon building performance. **2020**, 38, 739-760		8
45	Business Processes and Comfort Demand for Energy Flexibility Analysis in Buildings. **2020**, 13, 6561		
44	Intelligent buildings: An overview. *Energy and Buildings*, **2020**, 223, 110192	7	25
43	The Performance Gap in Energy-Efficient Office Buildings: How the Occupants Can Help?. **2020**, 13, 1480		23
42	Modelling energy retrofit using household archetypes. *Energy and Buildings*, **2020**, 224, 110224	7	10
41	Managing thermal comfort in contemporary high-rise residential buildings: Using smart thermostats and surveys to identify energy efficiency and comfort opportunities. *Building and Environment*, **2020**, 173, 106748	6.5	23
40	Overlapping of cooking behavior in high-rise residential buildings. *Energy and Buildings*, **2020**, 210, 109764	7	6
39	iSEA: IoT-based smartphone energy assistant for prompting energy-aware behaviors in commercial buildings. **2020**, 266, 114892		15
38	A data-driven model predictive control for lighting system based on historical occupancy in an office building: Methodology development. **2021**, 14, 219-235		16
37	Building Occupancy Behavior and Prediction Methods: A Critical Review and Challenging Locks. **2021**, 9, 79353-79372		2
36	Cyber-Physical Systems Improving Building Energy Management: Digital Twin and Artificial Intelligence. **2021**, 14, 2338		16
35	Assessment of occupant adaptive behavior and visual comfort in educational facilities: A cross-sectional field survey. **2021**, 61, 153-167		3
34	Perceptions of thermal conditions in contemporary high-rise apartment buildings under different temperature control strategies. 1-13		2
33	Control Strategies for Daylight and Artificial Lighting in Office Buildings: A Bibliometrically Assisted Review. **2021**, 14, 3852		6
32	High-rise residential building makeovers: Improving renovation quality in the United Kingdom and Canada through systemic analysis. **2021**, 77, 102085		2

31	Scientometric mapping of smart building research: Towards a framework of human-cyber-physical system (HCPS). **2021**, 129, 103776	6
30	A Data-Driven Model Predictive Control for Lighting System Based on Historical Occupancy in an Office Building: Methodology Development. **2021**, 93-114	0
29	A Neural Network-based Model Predictive Control Approach for Buildings Comfort Management. **2020**,	3
28	Simulação computacional integrada para a consideração da luz natural na avaliação do desempenho energético de edificações. **2010**, 10, 139-154	6
27	Examining Occupancy and Architectural Aspects Affecting Manual Lighting Control Behaviour in Offices Based on a User Survey. **2018**, 139-147	2
26	Basic Principles, Most Common Computational Tools, and Capabilities for Building Energy and Urban Microclimate Simulations. **2021**, 14, 6707	5
25	Encyclopedia of Sustainability Science and Technology. **2012**, 10192-10260	
24	Sustainable Built Environments. **2013**, 526-594	
23	Modelling the Occupant Behaviour Impact on Buildings Energy Prediction. **2013**, 119-141	
22	Intelligent Lighting Control System. **2014**, 195-207	
21	General Introduction. **2018**, 1-11	
20	Encyclopedia of Sustainability Science and Technology. **2018**, 1-68	
19	Encyclopedia of Sustainability Science and Technology. **2018**, 1-68	
18	State of the Art. **2019**, 5-49	
17	Avaliação de dispositivos de sombreamento no RTQ-R do ponto de vista térmico e luminoso. **2018**, 18, 139-159	
16	A Feasibility Study on Occupants' Behaviour and Energy Usage Patterns and Its Potential Integration With Building Information Modelling. **2019**, 560-570	
15	Development of a Library for Building Surface Layout Simulator. **2020**, 1137-1144	
14	Sustainability Performance Simulation Tools for Building Design. **2020**, 589-655	

13	A Modern Approach to Include Representative Behaviour Models in Energy Simulations. **2021**, 489-542		
12	Current Trajectories and New Challenges for Visual Comfort Assessment in Building Design and Operation: A Critical Review. **2022**, 12, 3018		
11	Developing a window behaviour model incorporating A/C operation states. *Building and Environment*, **2022**, 214, 108953	6.5	
10	Influence of interior layouts on occupant energy-saving behaviour in buildings: An integrated approach using Agent-Based Modelling, System Dynamics and Building Information Modelling. *Renewable and Sustainable Energy Reviews*, **2022**, 161, 112382	16.2	0
9	Quantifying potential dynamic fa□de energy savings in early design using constrained optimization. *Building and Environment*, **2022**, 221, 109265	6.5	0
8	Adaptive Behavior Satisfaction Index (ABSI) Framework for Assessing Energy Efficient Building Indoor Environment: Applying Kano Model.		
7	Experimental study on the impact of double tilted Venetian blinds on indoor daylight conditions. **2022**, 225, 109675		1
6	Artificial light(ing) or electric light(ing)?. **2022**, 1099, 012039		0
5	A Proposal on Residential Lighting Design Considering Visual Requirements, Circadian Factors and Energy Performance of Lighting.		0
4	Simula□ termoenerg□ica e lum□ica de fachadas com brises no clima tropical. 14, e023001		0
3	Modeling the transition to a zero emission energy system: A cross-sectoral review of building, transportation, and electricity system models in Canada. **2023**, 9, 4380-4400		0
2	State-of-the-Art II: Bibliometric Review of the Last 30 Years Energy Policy in Europe. **2022**, 93-156		0
1	A hierarchical multi-purpose roller shade controller to enhance indoor comfort and energy efficiency.		0