Considerations for lighting in the built environment: Non-visual effects of light

DOI: 10.1016/j.enbuild.2006.03.004
Energy and Buildings, 2006, 38, 721-727.

#	Paper	IF	Citations
153	Findings from a survey on the current use of daylight simulations in building design. *Energy and Buildings*, **2006**, 38, 824-835	7	125
152	Interactive selection of optimal fenestration materials for schematic architectural daylighting design. *Automation in Construction*, **2008**, 17, 809-823	9.6	22
151	Effect of daylight saving time on lighting energy use: A literature review. **2008**, 36, 1858-1866		66
150	An intuitive daylighting performance analysis and optimization approach. **2008**, 36, 593-607		36
149	Daylight metrics and energy savings. *Lighting Research and Technology*, **2009**, 41, 261-283	2	179
148	A model for estimation of daylight factor for skylight: An experimental validation using pyramid shape skylight over vault roof mud-house in New Delhi (India). **2009**, 86, 2507-2519		34
147	Ambient bright light in dementia: Effects on behaviour and circadian rhythmicity. *Building and Environment*, **2009**, 44, 146-155	6.5	56
146	High colour temperature lighting for institutionalised older people with dementia. *Building and Environment*, **2009**, 44, 1959-1969	6.5	32
145	Some chronobiological and physiological problems associated with long-distance journeys. **2009**, 7, 88-101		25
144	On the influence of building design, occupants and heat waves on comfort and greenhouse gas emissions in naturally ventilated offices. A study based on the EN 15251 adaptive thermal comfort model in Athens, Greece. **2010**, 3, 87-103		13
143	Using digital imaging to assess spectral solar-optical properties of complex fenestration materials: A new approach in video□goniophotometry. *Solar Energy*, **2010**, 84, 549-562	6.8	16
142	Daylighting performance evaluation of a bottom-up motorized roller shade. *Solar Energy*, **2010**, 84, 2120-2131	6.8	13
141	A modified model for estimation of daylight factor for skylight integrated with dome roof structure of mud-house in New Delhi (India). **2010**, 87, 3037-3050		29
140	The indoor environment and the integrated design of homes for older people with dementia. *Building and Environment*, **2010**, 45, 1244-1261	6.5	82
139	UV-Ray Filtering Capability of Transparent Glazing Materials for Built Environments. **2010**, 19, 94-101		11
138	Light conditions for older adults in the nursing home: Assessment of environmental illuminances and colour temperature. *Building and Environment*, **2011**, 46, 1917-1927	6.5	39
137	Energy saving potential and strategies for electric lighting in future North European, low energy office buildings: A literature review. *Energy and Buildings*, **2011**, 43, 2572-2582	7	193

136	Colour psychology and colour therapy: Caveat emptor. **2011**, 36, 229-234		43
135	Evening office lighting visual comfort vs. energy efficiency vs. performance?. *Building and Environment*, **2011**, 46, 981-989	6.5	43
134	Lighting in indoor environments: Visual and non-visual effects of light sources with different spectral power distributions. *Building and Environment*, **2011**, 46, 1984-1992	6.5	136
133	Evaluation of the built environment: staff and family satisfaction pre- and post-occupancy of the Children's Hospital. **2011**, 4, 60-78		32
132	Daylighting metrics based on illuminance, distribution, glare and directivity. *Lighting Research and Technology*, **2011**, 43, 291-307	2	52
131	Paradigm in Sustainability and Environmental Design: Lighting Utilization Contributing to Surplus-Energy Office Buildings. **2012**, 9, 25-45		7
130	Comprehensive annual daylight design through a goal-based approach. **2012**, 40, 154-173		18
129	A framework for predicting the non-visual effects of daylight Part I: photobiology- based model. *Lighting Research and Technology*, **2012**, 44, 37-53	2	90
128	Optimization of solid-state lamps for photobiologically friendly mesopic lighting. **2012**, 51, 8423-32		33
127	Light therapy: methodological issues from an engineering perspective. **2012**, 20, 11-23		21
126	Multi-Criteria Design Evaluation and Optimization of School Buildings Using Artificial Intelligent Approaches. **2012**,		
125	An sis de las caracter sticas morfol gicas de las envolventes edilicias y del entorno urbano desde la perspectiva de la iluminaci natural. **2012**, 12, 159-175		6
124	Effects of glazing colour type on perception of daylight quality, arousal, and switch-on patterns of electric light in office rooms. *Building and Environment*, **2012**, 56, 223-231	6.5	40
123	Performance of a daylight-redirecting glass-shading system. *Energy and Buildings*, **2013**, 64, 309-316	7	8
122	Applied Photochemistry. **2013**,		33
121	From radiometry to circadian photometry: A theoretical approach. *Building and Environment*, **2013**, 62, 63-68	6.5	18
120	Photochemical Materials: Absorbers, Emitters, Displays, Sensitisers, Acceptors, Traps and Photochromics. **2013**, 149-216		
119	Evaluating daylighting effectiveness and occupant visual comfort in a side-lit open-plan office building in San Francisco, California. *Building and Environment*, **2013**, 59, 662-677	6.5	100

118	Chronobioengineering indoor lighting to enhance facilities for ageing and Alzheimer's disorder. **2013**, 5, 48-60		5
117	Subjective Responses to Changes in Spectral Power Distributions of LED Light. **2013**, 22, 226-234		3
116	Light at night alters daily patterns of cortisol and clock proteins in female Siberian hamsters. **2013**, 25, 590-6		56
115	. **2013**,		9
114	Iluminaci□ natural en aulas: an□sis predictivo din□mico del rendimiento lum□ico-energ□ico en clima soleados. **2013**, 13, 235-248		4
113	Analysis of Plastic Optical Fiber Based Daylight System Suitable for Building Applications. **2014**, 492, 101-105		2
112	A User-Centered Approach to User-Building Interactions. **2014**, 58, 2008-2012		4
111	A universal, easy-to-apply light-quality index based on natural light spectrum resemblance. **2014**, 104, 203304		21
110	Comparison between lighting performance of a virtual natural lighting solutions prototype and a real window based on computer simulation. **2014**, 3, 398-412		3
109	Design of Curtain Wall Facades for Improved Solar Potential and Daylight Distribution. **2014**, 57, 1815-1824		8
108	Discomfort glare in open plan green buildings. *Energy and Buildings*, **2014**, 70, 427-440	7	87
107	Feasibility study and impact of energy consumption reduction using T5 fluorescent lamp in building. **2014**,		1
106	High-performance lighting evaluated by photobiological parameters. **2014**, 53, 5147-53		10
105	Importance of building orientation in determining daylighting quality in student dorm rooms: Physical and simulated daylighting parameters□values compared to subjective survey results. *Energy and Buildings*, **2014**, 77, 158-170	7	23
104	Environmental Health in Built Environments. **2014**, 345-368		1
103	Preventable but neglected: rickets in an informal settlement, Nairobi, Kenya. **2014**, 4, 122-7		10
102	Shaping an Origami Shading Device through Visual and Thermal Simulations. **2015**, 78, 346-351		20
101	Analysis of circadian properties and healthy levels of blue light from smartphones at night. **2015**, 5, 11325		65

100	Non Visual Effects of Light: An Overview and an Italian Experience. **2015**, 78, 723-728		12
99	A Method to Evaluate the Stimulation of a Real World Field of View by Means of a Spectroradiometric Analysis. *Sustainability*, **2015**, 7, 14964-14981	3.6	5
98	Older Workers and a Sustainable Office Environment. **2015**, 18, 57-82		4
97	Influence of energy saving on the quality of lighting services on selected hotels in Mpumalanga, Republic of South Africa. **2015**, 7, 301-305		3
96	Critical View on Daylighting Through Solar Bottle Bulb. **2015**, 61, 115-128		2
95	Dynamic lighting systems in psychogeriatric care facilities in the Netherlands: A quantitative and qualitative analysis of stakeholders responses and applied technology. **2015**, 24, 617-630		11
94	Integration of a luminescent solar concentrator: Effects on daylight, correlated color temperature, illuminance level and color rendering index. *Solar Energy*, **2015**, 114, 174-182	6.8	34
93	Tunability of the circadian action of tetrachromatic solid-state light sources. **2015**, 106, 041107		19
92	Unweaving the human response in daylighting design. *Building and Environment*, **2015**, 91, 101-117	6.5	49
91	Natural light controls and guides in buildings. Energy saving for electrical lighting, reduction of cooling load. *Renewable and Sustainable Energy Reviews*, **2015**, 41, 1-13	16.2	94
90	Daylighting. **2016**, 51-83		1
89	The influence of light on thermal responses. **2016**, 216, 163-85		47
88	Daylight illuminance in urban environments for visual comfort and energy performance. *Renewable and Sustainable Energy Reviews*, **2016**, 66, 861-874	16.2	55
87	Encyclopedia of Color Science and Technology. **2016**, 129-137		
86	Thermo lighting optimization proposal for school buildings in subtropical hot humid climates: Monitoring and computer simulation on autumn period. *Energy and Buildings*, **2016**, 128, 785-797	7	11
85	Implementing non-image-forming effects of light in the built environment: A review on what we need. *Building and Environment*, **2016**, 108, 263-272	6.5	47
84	Encyclopedia of Color Science and Technology. **2016**, 97-97		
83	Encyclopedia of Color Science and Technology. **2016**, 428-435		

82	Encyclopedia of Color Science and Technology. **2016**, 482-489		2
81	Shape morphing solar shadings: A review. *Renewable and Sustainable Energy Reviews*, **2016**, 55, 863-884	16.2	71
80	The Role of Daylighting in Skilled Nursing Short-Term Rehabilitation Facilities. **2016**, 9, 105-18		8
79	Daylight performance and users visual appraisal for green building offices in Malaysia. *Energy and Buildings*, **2017**, 141, 175-185	7	25
78	Energy saving potential and visual comfort of task light usage for offices in Malaysia. *Energy and Buildings*, **2017**, 147, 166-175	7	12
77	Design of Rose Bengal/FTO optical thin film system as a novel nonlinear media for infrared blocking windows. **2017**, 7, 1852-1858		9
76	Smart lighting: The way forward? Reviewing the past to shape the future. *Energy and Buildings*, **2017**, 149, 180-191	7	68
75	The effect of dynamic solar shading on energy, daylighting and thermal comfort in a nearly zero-energy loft room in Rome and Copenhagen. *Energy and Buildings*, **2017**, 135, 302-311	7	24
74	Consequences of energy retrofitting for daylight availability in Norwegian apartments based on measurements and simulations. **2017**, 122, 241-246		
73	Consequences of energy retrofitting on the daylight availability in Norwegian apartments. **2017**, 132, 903-908		
72	What #theDress reveals about the role of illumination priors in color perception and color constancy. **2017**, 17, 4		25
71	Evaluation of colour properties due to switching behaviour of a PDLC glazing for adaptive building integration. **2018**, 120, 126-133		50
70	The colour rendering index and correlated colour temperature of dye-sensitized solar cell for adaptive glazing application. *Solar Energy*, **2018**, 163, 537-544	6.8	49
69	Evaluation of a light controller for a LED-based dynamic light source. *Lighting Research and Technology*, **2018**, 50, 571-582	2	3
68	Design and development of an unmanned aerial vehicle to capture real-world illumination for image-based lighting for dense urban environment. **2018**, 15, 157-163		
67	Simplified Assessment of Blue Light Emissions based on Photometric Measurements. **2018**,		1
66	Potencial do uso da iluminação natural com dimmers e persianas automatizadas: estudo de edifício de pequeno porte com uso comercial para diferentes orientações em clima tropical. **2018**, 18, 217-235		1
65	Study on the Prediction and Improvement of Indoor Natural Light and Outdoor Comfort in Apartment Complexes Using Daylight Factor and Physiologically Equivalent Temperature Indices. *Energies*, **2018**, 11, 1872	3.1	5

64	Application of High-Dynamic Range Imaging Techniques in Architecture: A Step toward High-Quality Daylit Interiors?. **2018**, 4, 19		10
63	Daylight regulation compliance of existing multi-family apartment blocks in Sweden. *Building and Environment*, **2019**, 150, 254-265	6.5	15
62	Comparison of Health and Well-Being Aspects in Building Certification Schemes. *Sustainability*, **2019**, 11, 2616	3.6	14
61	The relationship between daylight and happiness for women in residential districts of Isfahan, Iran. **2019**, 28, 103-110		1
60	A photobiological approach to biophilic design in extreme climates. *Building and Environment*, **2019**, 154, 211-226	6.5	16
59	100 Years of daylighting: A chronological review of daylight prediction and calculation methods. *Solar Energy*, **2019**, 194, 360-390	6.8	30
58	Platform-Based Business Models: Insights from an Emerging Ai-Enabled Smart Building Ecosystem. **2019**, 8, 1150		4
57	Cold LED lighting affects visual but not acoustic vigilance. *Building and Environment*, **2019**, 151, 148-155	6.5	11
56	Spatiotemporal patterns of street-level solar radiation estimated using Google Street View in a high-density urban environment. *Building and Environment*, **2019**, 148, 547-566	6.5	37
55	A critical review of daylighting metrics for residential architecture and a new metric for cold and temperate climates. *Lighting Research and Technology*, **2019**, 51, 206-230	2	16
54	Die Bedeutung von Nutzerzentrierung in automatisierten Beleuchtungssystemen. **2020**, 42, 209-217		2
53	What you set is (not) what you get: How a light intervention in the field translates to personal light exposure. *Building and Environment*, **2020**, 185, 107288	6.5	10
52	Evaluation of the Vertical Sky Component without Obstructions for Daylighting in Burgos, Spain. *Applied Sciences (Switzerland)*, **2020**, 10, 3095	2.6	2
51	Testing the residential daylight score: Comparing climate-based daylighting metrics for 2444 individual dwelling units in temperate climates. *Lighting Research and Technology*, **2020**, 52, 991-1008	2	1
50	Natural Light Influence on Intellectual Performance. A Case Study on University Students. *Sustainability*, **2020**, 12, 4167	3.6	5
49	The gradual transition from blue-enriched to neutral white light for creating a supportive learning environment. *Building and Environment*, **2020**, 180, 107046	6.5	3
48	Spatial representations of melanopic light in architecture. *Architectural Science Review*, **2020**, 1-12	2.6	
47	Efficient circadian daylighting: A proposed equation, experimental validation, and the consequent importance of room surface reflectance. *Energy and Buildings*, **2020**, 210, 109784	7	14

46	A review on machine learning algorithms to predict daylighting inside buildings. *Solar Energy*, **2020**, 202, 249-275	6.8	26
45	A Survey-Based Approach to Investigate the Relation Between Open-Plan-Office Environments and Occupants□ Sleep Quality in India. *Lecture Notes in Civil Engineering*, **2021**, 167-181	0.3	
44	Fabrication of oxide-based near infrared-shielding coatings for a smart window to prevent infrared-induced photoaging in human skin. *Ceramics International*, **2021**, 47, 5177-5186	5.1	1
43	Visual Comfort Analysis of Semi-Transparent Perovskite Based Building Integrated Photovoltaic Window for Hot Desert Climate (Riyadh, Saudi Arabia). *Energies*, **2021**, 14, 1043	3.1	12
42	Efficiency Improvement of Solar Cells by Coating with Chlorophyll and Different Types of Oils. **2021**,		
41	Integrated energy, daylighting and visual comfort analysis of window systems in patient rooms. *Science and Technology for the Built Environment*, **2021**, 27, 1040-1055	1.8	0
40	Short-term analysis of residential lighting: A pilot study. *Building and Environment*, **2021**, 196, 107781	6.5	5
39	Designing Stimulating Environment to Alleviate Orphan Children Psychological Problems. *European Journal of Environment and Public Health*, **2021**, 5, em0082	2.2	
38	Sunlight activated film forming adhesive polymers. *Materials Science and Engineering C*, **2021**, 127, 112240	8.3	1
37	A low-cost and portable device for measuring spectrum of light source as a stimulus for the human□ circadian system. *Energy and Buildings*, **2021**, 252, 111386	7	
36	Thermal comfort in physiotherapy centers: Evaluation of the neutral temperature and interaction with the other comfort domains. *Building and Environment*, **2021**, 206, 108289	6.5	1
35	A Review of Daylight Impacts on Luminous Comfort in Libraries. *Lecture Notes in Civil Engineering*, **2021**, 1-10	0.3	
34	Multiscale Daylight Modeling for Urban Environments. 159-190		3
33	Encyclopedia of Sustainability Science and Technology. **2012**, 2804-2846		1
32	Encyclopedia of Color Science and Technology. **2016**, 558-572		1
31	Sustainable Built Environments. **2013**, 69-111		2
30	Lighting the Way to Independent Living: Preventative Methods for Senior Health Inspired by Daylight. *Advances in Intelligent Systems and Computing*, **2017**, 339-348	0.4	1
29	Encyclopedia of Color Science and Technology. **2015**, 1-10		1

28	Encyclopedia of Color Science and Technology. **2013**, 1-16		1
27	Arbitrary spectral matching using multi-LED lighting systems. *Optical Engineering*, **2019**, 58, 1	1.1	8
26	Estudio del desempeño atencional en niños en aulas con diferentes acondicionamientos lumínicos. *Revista CES Psicologia*, **2016**, 68-79	0.3	2
25	Assessing mobile mixed reality affordances as a comparative visualisation pedagogy for design communication. *Research in Learning Technology*, **2018**, 26,	1.9	7
24	Daylighting, Daylight Simulation and Public Health: Low-Energy Lighting for Optimal Vision/Visual Acuity and Health/Wellbeing. **2011**,		0
23	Evaluation of Horizontal and Vertical Illuminance Models against Measured Data in Iran. *Trends in Applied Sciences Research*, **2009**, 4, 158-166	0.3	3
22	Light Therapy in Smart Healthcare Facilities for Older Adults. *Advances in Computational Intelligence and Robotics Book Series*, **2015**, 300-307	0.4	2
21	Human thermal perception and time of day: A review.. *Temperature*, **2021**, 8, 320-341	5.2	1
20	Ergonomic and Economic Daylight for Workplaces in Iran. *Research Journal of Environmental Sciences*, **2010**, 4, 42-49	0	
19	Modeling of Skylight on Dome Shaped Roof of Low Energy Adobe House Located in New Delhi (India). **2011**,		
18	Color Psychology. **2016**, 364-372		
17	Good Health and Well-Being. *Encyclopedia of the UN Sustainable Development Goals*, **2019**, 1-11	0.1	
16	Spectral memory: Illumination-evoked plasticity.		
15	Encyclopedia of Color Science and Technology. **2019**, 1-15		
14	Good Health and Well-Being. *Encyclopedia of the UN Sustainable Development Goals*, **2020**, 99-109	0.1	
13	Encyclopedia of Color Science and Technology. **2021**, 1-9		1
12	Which qualities should built environment possess to ensure satisfaction of higher-education students with remote education during pandemics?. *Building and Environment*, **2021**, 207, 108567	6.5	2
11	Lighting conditions in physiotherapy centres: A comparative field study. *Lighting Research and Technology*, 147715352110465	2	0

10	Delightful Daylighting: A Framework for Describing the Experience of Daylighting in Nordic Homes and Coupling It with Quantitative Assessments. *Energies*, **2022**, 15, 1815	3.1	
9	Simulation-based personalized real-time control of adaptive facades in shared office spaces. *Automation in Construction*, **2022**, 138, 104246	9.6	0
8	The effects of light colour on female rabbit reproductive performance and the expression of key genes in follicular development. *Journal of Animal Science and Technology*,	1.6	
7	Systematic review: Acute thermal effects of artificial light in the daytime. *Renewable and Sustainable Energy Reviews*, **2022**, 165, 112601	16.2	0
6	A Study on Parametric Design Method for Optimization of Daylight in Commercial Building□ Atrium in Cold Regions. *Sustainability*, **2022**, 14, 7667	3.6	4
5	A Study on the Optimization of Atrium Daylight and Energy Performance through Skylight and Shading Design in Commercial Buildings in Cold Zones. **2023**, 13, 228		0
4	Exploitation of indoor illumination for typical flat dwellings in the Mediterranean area. **2023**, 9, 1473-1489		0
3	Smart building and district retrofitting for intelligent urban environments. **2023**, 395-420		0
2	A Luminance-Based Lighting Design Method: A Framework for Lighting Design and Review of Luminance Measures. **2023**, 15, 4369		0
1	Deslumbramiento molesto en textiles: m□ricas basadas en efecto de saturaci□ y/o contraste. **2023**, 75, e484		0