## Dispersive liquid–liquid microextraction combined we photometric detection

Journal of Chromatography A 1123, 1-9 DOI: 10.1016/j.chroma.2006.05.010

**Citation Report** 

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Application of dispersive liquid–liquid microextraction combined with highâ€performance liquid<br>chromatography for the determination of methomyl in natural waters. Journal of Separation Science,<br>2007, 30, 3262-3267.  | 1.3 | 51        |
| 2  | Determination of chlorophenols in water samples using simultaneous dispersive liquid–liquid<br>microextraction and derivatization followed by gas chromatography-electron-capture detection.<br>Journal of Chromatography A, 2007, 1157, 23-29.                               | 1.8 | 343       |
| 3  | Determination of volatile phenols in red wines by dispersive liquid–liquid microextraction and gas chromatography–mass spectrometry detection. Journal of Chromatography A, 2007, 1157, 46-50.  | 1.8 | 198       |
| 4  | Determination of triazine herbicides in aqueous samples by dispersive liquid–liquid microextraction<br>with gas chromatography–ion trap mass spectrometry. Journal of Chromatography A, 2007, 1161, 89-97.  | 1.8 | 293       |
| 5  | Development of a dispersive liquid–liquid microextraction method for organophosphorus flame<br>retardants and plasticizers determination in water samples. Journal of Chromatography A, 2007, 1166,<br>9-15.  | 1.8 | 137       |
| 6  | Solid-phase extraction combined with dispersive liquid–liquid microextraction-ultra<br>preconcentration of chlorophenols in aqueous samples. Journal of Chromatography A, 2007, 1169,<br>63-69.   | 1.8 | 171       |
| 7  | Development of dispersive liquid–liquid microextraction combined with gas chromatography–mass<br>spectrometry as a simple, rapid and highly sensitive method for the determination of phthalate esters<br>in water samples. Journal of Chromatography A, 2007, 1172, 105-112. | 1.8 | 181       |
| 8  | Application of dispersive liquid–liquid microextraction for the analysis of organophosphorus pesticides in watermelon and cucumber. Journal of Chromatography A, 2007, 1175, 137-140.   | 1.8 | 165       |
| 9  | Dispersive liquid–liquid microextraction combined with graphite furnace atomic absorption spectrometry. Analytica Chimica Acta, 2007, 585, 305-311.   | 2.6 | 377       |
| 10 | Dispersive liquid–liquid microextraction followed by high-performance liquid chromatography-diode<br>array detection as an efficient and sensitive technique for determination of antioxidants. Analytica<br>Chimica Acta, 2007, 591, 69-79.                                  | 2.6 | 227       |
| 11 | Fiber optic-linear array detection spectrophotometry in combination with dispersive liquid–liquid<br>microextraction for simultaneous preconcentration and determination of palladium and cobalt.<br>Analytica Chimica Acta, 2007, 597, 349-356.                              | 2.6 | 177       |
| 12 | Monitoring of selenium in water samples using dispersive liquid–liquid microextraction followed by<br>iridium-modified tube graphite furnace atomic absorption spectrometry. Microchemical Journal, 2007,<br>87, 6-12.  | 2.3 | 178       |
| 13 | Determination of Trihalomethanes in Drinking Water by Dispersive Liquid–Liquid Microextraction then Gas Chromatography with Electron-Capture Detection. Chromatographia, 2007, 66, 81-86.   | 0.7 | 119       |
| 14 | Application of dispersive liquid–liquid microextraction and high-performance liquid chromatography<br>for the determination of three phthalate esters in water samples. Analytica Chimica Acta, 2008, 609,<br>53-58.  | 2.6 | 250       |
| 15 | Rapid determination of amide herbicides in environmental water samples with dispersive liquid–liquid<br>microextraction prior to gas chromatography–mass spectrometry. Analytical and Bioanalytical<br>Chemistry, 2008, 391, 2915-2921.                                       | 1.9 | 56        |
| 16 | Analysis of captan, folpet, and captafol in apples by dispersive liquid–liquid microextraction combined with gas chromatography. Analytical and Bioanalytical Chemistry, 2008, 392, 749-754.  | 1.9 | 73        |
| 17 | Selenium analysis in water samples by dispersive liquid-liquid microextraction based on piazselenol formation and GC–ECD. Mikrochimica Acta, 2008, 163, 243-249.  | 2.5 | 81        |
| 18 | Dispersive liquid–liquid microextraction followed by reversed phase HPLC for the determination of decabrominated diphenyl ether in natural water. Journal of Separation Science, 2008, 31, 2371-2376.   | 1.3 | 47        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 19 | Determination of four aromatic amines in water samples using dispersive liquid–liquid<br>microextraction combined with HPLC. Journal of Separation Science, 2008, 31, 2932-2938.  | 1.3 | 45        |
| 20 | Multiwalled carbon nanotubes as solidâ€phase extraction materials for the gas chromatographic<br>determination of organophosphorus pesticides in waters. Journal of Separation Science, 2008, 31,<br>3612-3619.   | 1.3 | 35        |
| 21 | Combination of dispersive liquid–liquid microextraction with flame atomic absorption spectrometry using microsample introduction for determination of lead in water samples. Analytica Chimica Acta, 2008, 610, 135-141.  | 2.6 | 138       |
| 22 | Sorbent- and liquid-phase microextraction techniques and membrane-assisted extraction in combination with gas chromatographic analysis: A review. Analytica Chimica Acta, 2008, 614, 27-37.   | 2.6 | 119       |
| 23 | Dispersive liquid–liquid microextraction followed by reversed phase-high performance liquid<br>chromatography for the determination of polybrominated diphenyl ethers at trace levels in landfill<br>leachate and environmental water samples. Analytica Chimica Acta, 2008, 615, 96-103.                   | 2.6 | 98        |
| 24 | A novel separation/preconcentration system based on solidification of floating organic drop<br>microextraction for determination of lead by graphite furnace atomic absorption spectrometry.<br>Analytica Chimica Acta, 2008, 623, 163-167.   | 2.6 | 117       |
| 25 | Determination of metacrate in water samples using dispersive liquid–liquid microextraction and HPLC with the aid of response surface methodology and experimental design. Analytica Chimica Acta, 2008, 625, 28-34.   | 2.6 | 45        |
| 26 | Rapid determination of atrazine in environmental water samples by a novel liquid phase microextraction. Chinese Chemical Letters, 2008, 19, 89-91.  | 4.8 | 23        |
| 27 | Trace determination of organophosphorus pesticides in environmental samples by<br>temperature-controlled ionic liquid dispersive liquid-phase microextraction. Journal of<br>Chromatography A, 2008, 1188, 148-153.   | 1.8 | 241       |
| 28 | Dispersive liquid–liquid microextraction combined with semi-automated in-syringe back extraction as<br>a new approach for the sample preparation of ionizable organic compounds prior to liquid<br>chromatography. Journal of Chromatography A, 2008, 1198-1199, 1-6.                                       | 1.8 | 74        |
| 29 | Dispersive liquid–liquid microextraction method based on solidification of floating organic drop<br>combined with gas chromatography with electron-capture or mass spectrometry detection. Journal<br>of Chromatography A, 2008, 1211, 8-12.  | 1.8 | 377       |
| 30 | Comparison of hollow fiber liquid phase microextraction and dispersive liquid–liquid<br>microextraction for the determination of organosulfur pesticides in environmental and beverage<br>samples by gas chromatography with flame photometric detection. Journal of Chromatography A,<br>2008. 1193. 7-18. | 1.8 | 213       |
| 31 | Partitioned dispersive liquid–liquid microextraction. Journal of Chromatography A, 2008, 1207, 24-28.   | 1.8 | 72        |
| 32 | LC Determination of Chloramphenicol in Honey Using Dispersive Liquid–Liquid Microextraction.<br>Chromatographia, 2008, 68, 629-634.   | 0.7 | 54        |
| 33 | Treatment of Dimethoate Aqueous Solution by Using Ultrasonic Airlift Loop Reactor. Chinese Journal of Chemical Engineering, 2008, 16, 361-364.  | 1.7 | 5         |
| 34 | Dispersive liquid–liquid microextraction and spectrophotometric determination of cobalt in water samples. International Journal of Environmental Analytical Chemistry, 2008, 88, 513-523.   | 1.8 | 74        |
| 35 | Preconcentration Ultra Trace of Cd(II) in Water Samples Using Dispersive Liquidâ€Liquid<br>Microextraction with Salen( <i>N,N′</i> â€Bis(Salicylidene)â€Ethylenediamine) and Determination Graphite<br>Furnace Atomic Absorption Spectrometry. Journal of the Chinese Chemical Society, 2008, 55, 369-376.  | 0.8 | 39        |
| 36 | Determination of Calcium Stearate in Polyolefin Samples by Gas Chromatographic Technique after<br>Performing dispersive Liquid-Liquid Microextraction. Analytical Sciences, 2008, 24, 623-626.  | 0.8 | 12        |

| #  | ARTICLE<br>Dispersive Liquid–Liquid Microextraction of Silver Prior to Determination by Microsample<br>Introduction-Flame Atomic Absorption Spectrometry. Analytical Letters, 2009, 42, 2214-2231.  | IF<br>1.0 | CITATIONS<br>33 |
|----|---|-----------|-----------------|
| 38 | Determination of Organophosphorus Pesticides in Underground Water by SPE-GC-MS. Journal of<br>Chromatographic Science, 2009, 47, 110-115.   | 0.7       | 40              |
| 39 | Rapid determination of bisphenol A in drinking water using dispersive liquidâ€phase microextraction<br>with <i>in situ</i> derivatization prior to GCâ€MS. Journal of Separation Science, 2009, 32, 154-159.  | 1.3       | 41              |
| 40 | Sol–gel polydimethylsiloxane/poly(vinylalcohol)â€coated stir bar sorptive extraction of<br>organophosphorus pesticides in honey and their determination by large volume injection GC. Journal<br>of Separation Science, 2009, 32, 147-153.  | 1.3       | 86              |
| 41 | Sensitive determination of amide herbicides in environmental water samples by a combination of<br>solidâ€phase extraction and dispersive liquid–liquid microextraction prior to GC–MS. Journal of<br>Separation Science, 2009, 32, 1069-1074.                                     | 1.3       | 76              |
| 42 | Dispersive liquidâ€liquid microextraction followed by gas chromatography–electron capture detection for determination of polychlorinated biphenyls in fish. Journal of Separation Science, 2009, 32, 2103-2108.   | 1.3       | 42              |
| 43 | Liquid chromatographic determination of benomyl in water samples after dispersive liquid–liquid<br>microextraction. Journal of Separation Science, 2009, 32, 2442-2447.   | 1.3       | 30              |
| 44 | Dispersive liquid–liquid microextraction using extraction solvent lighter than water. Journal of<br>Separation Science, 2009, 32, 3191-3200.  | 1.3       | 185             |
| 45 | Ultrasound assisted ionic liquid dispersive liquid phase extraction of lovastatin and simvastatin: A new pretreatment procedure. Journal of Separation Science, 2009, 32, 3029-3033.  | 1.3       | 45              |
| 46 | Optimization of dispersive liquid–liquid microextraction of Co(II) and Fe(III) as their oxinate chelates<br>and analysis by HPLC: Application for the simultaneous determination of Co(II) and Fe(III) in water<br>samples. Journal of Separation Science, 2009, 32, 4200-4212.   | 1.3       | 29              |
| 47 | Determination of polybrominated diphenyl ethers in aquatic animal tissue using cleanup by<br>freezingâ€dispersive liquid–liquid microextraction combined with GCâ€MS. Journal of Separation Science,<br>2009, 32, 4213-4219.  | 1.3       | 37              |
| 48 | Preconcentration and determination of ultra trace amounts of palladium in water samples by<br>dispersive liquid-liquid microextraction and graphite furnace atomic absorption spectrometry.<br>Mikrochimica Acta, 2009, 166, 235-242.   | 2.5       | 62              |
| 49 | lonic liquid-based ultrasound-assisted dispersive liquid–liquid microextraction combined with<br>electrothermal atomic absorption spectrometry for a sensitive determination of cadmium in water<br>samples. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2009, 64, 666-671. | 1.5       | 210             |
| 50 | Application of dispersive liquid–liquid microextraction for the analysis of triazophos and carbaryl pesticides in water and fruit juice samples. Analytica Chimica Acta, 2009, 632, 289-295.  | 2.6       | 195             |
| 51 | Application of chemometric assisted dispersive liquid–liquid microextraction to the determination of personal care products in natural waters. Analytica Chimica Acta, 2009, 649, 135-140.  | 2.6       | 64              |
| 52 | Ionic liquid-based dispersive liquid–liquid microextraction followed high-performance liquid<br>chromatography for the determination of organophosphorus pesticides in water sample. Analytica<br>Chimica Acta, 2009, 655, 52-59.   | 2.6       | 203             |
| 53 | Extraction and determination of some psychotropic drugs in urine samples using dispersive<br>liquid–liquid microextraction followed by high-performance liquid chromatography. Journal of<br>Pharmaceutical and Biomedical Analysis, 2009, 49, 572-578.                           | 1.4       | 133             |
| 54 | Critical review on recent developments in solventless techniques for extraction of analytes.<br>Analytical and Bioanalytical Chemistry, 2009, 393, 809-833.   | 1.9       | 256             |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Application of dispersive liquid–liquid microextraction combined with high-performance liquid<br>chromatography to the determination of carbamate pesticides in water samples. Analytical and<br>Bioanalytical Chemistry, 2009, 393, 1755-1761.   | 1.9 | 105       |
| 56 | Dispersive liquid–liquid microextraction using an in situ metathesis reaction to form an ionic liquid<br>extraction phase for the preconcentration of aromatic compounds from water. Analytical and<br>Bioanalytical Chemistry, 2009, 395, 1491-1502.   | 1.9 | 193       |
| 57 | Developments of Dispersive Liquid-Liquid Microextraction Technique. Chinese Journal of Analytical Chemistry, 2009, 37, 161-168.   | 0.9 | 162       |
| 58 | Solidified floating organic drop microextraction (SFODME) for simultaneous<br>separation/preconcentration and determination of cobalt and nickel by graphite furnace atomic<br>absorption spectrometry (GFAAS). Journal of Hazardous Materials, 2009, 166, 291-296.   | 6.5 | 132       |
| 59 | Development of dispersive liquid–liquid microextraction method for the analysis of<br>organophosphorus pesticides in tea. Journal of Hazardous Materials, 2009, 169, 907-911.   | 6.5 | 114       |
| 60 | Determination of four heterocyclic insecticides by ionic liquid dispersive liquid–liquid<br>microextraction in water samples. Journal of Chromatography A, 2009, 1216, 885-891.   | 1.8 | 291       |
| 61 | Application of response surface method for optimization of dispersive liquid–liquid microextraction<br>of water-soluble components of Rosa damascena Mill. essential oil. Journal of Chromatography A,<br>2009, 1216, 198-204.  | 1.8 | 74        |
| 62 | Solid-phase extraction combined with dispersive liquid–liquid microextraction for the determination<br>for polybrominated diphenyl ethers in different environmental matrices. Journal of Chromatography<br>A, 2009, 1216, 2220-2226.   | 1.8 | 103       |
| 63 | Determination of triclosan, triclocarban and methyl-triclosan in aqueous samples by dispersive<br>liquid–liquid microextraction combined with rapid liquid chromatography. Journal of<br>Chromatography A, 2009, 1216, 3038-3043.   | 1.8 | 96        |
| 64 | Dispersive solid-phase extraction followed by dispersive liquid–liquid microextraction for the<br>determination of some sulfonylurea herbicides in soil by high-performance liquid chromatography.<br>Journal of Chromatography A, 2009, 1216, 5504-5510.   | 1.8 | 166       |
| 65 | One-step in-syringe ionic liquid-based dispersive liquid–liquid microextraction. Journal of<br>Chromatography A, 2009, 1216, 6459-6465.   | 1.8 | 147       |
| 66 | Ionic liquid based dispersive liquid–liquid microextraction for the extraction of pesticides from bananas. Journal of Chromatography A, 2009, 1216, 7336-7345.  | 1.8 | 151       |
| 67 | Trace determination of dichlorodiphenyltrichloroethane and its main metabolites in environmental<br>water samples with dispersive liquid–liquid microextraction in combination with high performance<br>liquid chromatography and ultraviolet detector. Journal of Chromatography A, 2009, 1216, 6680-6684. | 1.8 | 45        |
| 68 | Dispersive liquid–liquid microextraction followed by high-performance liquid chromatography as an efficient and sensitive technique for simultaneous determination of chloramphenicol and thiamphenicol in honey. Analytica Chimica Acta, 2009, 632, 80-85.   | 2.6 | 160       |
| 69 | Dispersive liquid–liquid microextraction combined with high performance liquid<br>chromatography–fluorescence detection for the determination of carbendazim and thiabendazole in<br>environmental samples. Analytica Chimica Acta, 2009, 638, 139-145.   | 2.6 | 145       |
| 70 | Dispersive liquid–liquid microextraction combined with gas chromatography–electron capture<br>detection for the determination of polychlorinated biphenyls in soils. Analytica Chimica Acta, 2009,<br>640, 100-105.   | 2.6 | 67        |
| 71 | Determination of organochlorine pesticides in water samples by dispersive liquid–liquid<br>microextraction coupled to gas chromatography–mass spectrometry. Analytica Chimica Acta, 2009,<br>649, 218-221.  | 2.6 | 97        |
| 72 | Application of dispersive liquid–liquid microextraction and dispersive micro-solid-phase extraction<br>for the determination of quinolones in swine muscle by high-performance liquid chromatography<br>with diode-array detection. Analytica Chimica Acta, 2009, 656, 56-62.                               | 2.6 | 92        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | LC Determination of Trace Amounts of Phenoxyacetic Acid Herbicides in Water after Dispersive<br>Liquid–Liquid Microextraction. Chromatographia, 2009, 69, 45-49.  | 0.7 | 34        |
| 74 | Optimization of Dispersive Liquid–Liquid Microextraction of Irganox 1010 and Irgafos 168 from<br>Polyolefins Before Liquid Chromatographic Analysis. Chromatographia, 2009, 69, 409-419.  | 0.7 | 30        |
| 75 | Separation and Preconcentration by Dispersive Liquid–Liquid Microextraction Procedure: A Review.<br>Chromatographia, 2009, 69, 1149-1159.   | 0.7 | 106       |
| 76 | Dispersive liquid-liquid microextraction and liquid chromatographic determination of pentachlorophenol in water. Open Chemistry, 2009, 7, 369-374.  | 1.0 | 19        |
| 77 | Application of ultrasound-assisted emulsification-micro-extraction for the analysis of organochlorine pesticides in waters. Water Research, 2009, 43, 4269-4277.  | 5.3 | 73        |
| 78 | Dispersive liquid–liquid microextraction based on ionic liquid and spectrophotometric determination of mercury in water samples. International Journal of Environmental Analytical Chemistry, 2009, 89, 21-33.  | 1.8 | 111       |
| 79 | Dispersive liquid–liquid microextraction followed by high-performance liquid chromatography for<br>the determination of three carbamate pesticides in water samples. International Journal of<br>Environmental Analytical Chemistry, 2009, 89, 439-448. | 1.8 | 41        |
| 80 | lonic Liquids for Simultaneous Preconcentration of Some Lanthanoids Using Dispersive Liquidâ^'Liquid<br>Microextraction Technique in Uranium Dioxide Powder. Environmental Science & Technology,<br>2009, 43, 1947-1951.                                | 4.6 | 92        |
| 81 | Analysis of PAHs in Water and Fruit Juice Samples by DLLME Combined with LC-Fluorescence Detection.<br>Chromatographia, 2009, 69, 1385-1389.  | 0.7 | 36        |
| 82 | Determination of Atrazine and Simazine in Environmental Water Samples by Dispersive Liquid-Liquid<br>Microextraction with High Performance Liquid Chromatography. Analytical Sciences, 2009, 25, 73-76.   | 0.8 | 48        |
| 83 | Analysis of Pesticides by Chemiluminescence Detection. , 2009, , 303-341.   |     | 0         |
| 84 | Dispersive Liquidâ€Liquid Microextraction of Cu(II) Using a Novel Dioxime for Its Highly Sensitive<br>Determination by Graphite Furnace Atomic Absorption Spectrometry. Journal of the Chinese Chemical<br>Society, 2010, 57, 111-117.                  | 0.8 | 16        |
| 85 | Preconcentration and Determination of Trace Amount of Nickel in Water and Biological Samples by<br>Dispersive Liquid‣iquid Microextraction. Journal of the Chinese Chemical Society, 2010, 57, 1035-1041.   | 0.8 | 31        |
| 86 | Flame Atomic Absorption Spectrometry Determination of Trace Amounts of Nickel Ions in Water<br>Samples after Ligandless Ultrasound-assisted Emulsification Microextraction. Analytical Sciences,<br>2010, 26, 973-977.                                  | 0.8 | 22        |
| 87 | Fiber optic-linear array detection spectrophotometry in combination with dispersive liquid-liquid microextraction for preconcentration and determination of copper. Journal of Analytical Chemistry, 2010, 65, 153-158.                                 | 0.4 | 25        |
| 88 | Determination of cobalt in water samples by atomic absorption spectrometry after pre-concentration with a simple ionic liquid-based dispersive liquid-liquid micro-extraction methodology. Open Chemistry, 2010, 8, 617-625.                            | 1.0 | 23        |
| 89 | Development and evaluation of a dispersive liquid-liquid microextraction based test method for<br>quantitation of total anionic surfactants: advantages against reference methods. Open Chemistry,<br>2010, 8, 702-708.                                 | 1.0 | 18        |
| 90 | Determination of Estrone and 17β-Estradiol in Water Samples Using Dispersive Liquid–Liquid<br>Microextraction Followed by LC. Chromatographia, 2010, 71, 405-410.   | 0.7 | 34        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Rapid Determination of Carbamazepine in Human Urine, Plasma Samples and Water Using DLLME<br>followed by RP–LC. Chromatographia, 2010, 71, 517-521.   | 0.7 | 66        |
| 92  | Determination of BTEX Compounds by Dispersive Liquid–Liquid Microextraction with GC–FID.<br>Chromatographia, 2010, 71, 1137-1141.   | 0.7 | 55        |
| 93  | Application of DLLME to Isolation and Concentration of Non-Steroidal Anti-Inflammatory Drugs in Environmental Water Samples. Chromatographia, 2010, 72, 671-678.  | 0.7 | 51        |
| 94  | Application of DLLME Based on the Solidification of Floating Organic Droplets for the Determination of Dinitrobenzenes in Aqueous Samples. Chromatographia, 2010, 72, 695-699.  | 0.7 | 27        |
| 95  | Determination of Benzoic Acid in Water Samples by Ionic Liquid Cold-Induced Aggregation Dispersive<br>LLME Coupling with LC. Chromatographia, 2010, 72, 1195-1199.  | 0.7 | 17        |
| 96  | Sensitive Determination of Thiols Using SPE Coupled to LC with Fluorescence Detection.<br>Chromatographia, 2010, 72, 1049-1054.   | 0.7 | 5         |
| 97  | Novel extraction method based on the dispersion of the extraction solvent for extraction of letrozole from biological fluids. Analytical Methods, 2010, 2, 1341.  | 1.3 | 27        |
| 98  | Quantitation of valproic acid in pharmaceutical preparations using dispersive liquidâ€liquid<br>microextraction followed by gas chromatographyâ€flame ionization detection without prior<br>derivatization. Drug Testing and Analysis, 2010, 2, 362-366.  | 1.6 | 16        |
| 99  | Trace determination of triclosan and triclocarban in environmental water samples with ionic liquid<br>dispersive liquid-phase microextraction prior to HPLC–ESI-MS–MS. Analytical and Bioanalytical<br>Chemistry, 2010, 397, 1627-1633.   | 1.9 | 56        |
| 100 | Determination of organophosphorus pesticides in environmental water samples by dispersive<br>liquid–liquid microextraction with solidification of floating organic droplet followed by<br>high-performance liquid chromatography. Analytical and Bioanalytical Chemistry, 2010, 397, 2543-2549. | 1.9 | 73        |
| 101 | Determination of five polar herbicides in water samples by ionic liquid dispersive liquid-phase microextraction. Analytical and Bioanalytical Chemistry, 2010, 397, 3089-3095.  | 1.9 | 35        |
| 102 | Dispersive liquid–liquid microextraction using a surfactant as disperser agent. Analytical and<br>Bioanalytical Chemistry, 2010, 397, 3107-3115.  | 1.9 | 77        |
| 103 | Validation of method for determination of different classes of pesticides in aqueous samples by<br>dispersive liquid–liquid microextraction with liquid chromatography–tandem mass spectrometric<br>detection. Analytica Chimica Acta, 2010, 665, 55-62.  | 2.6 | 94        |
| 104 | Application of ultrasound-assisted surfactant-enhanced emulsification microextraction for the determination of some organophosphorus pesticides in water samples. Analytica Chimica Acta, 2010, 679, 56-62.   | 2.6 | 104       |
| 105 | Determination of trace amounts of palladium by flame atomic absorption spectrometry after<br>ligandless-dispersive liquid–liquid microextraction. Mikrochimica Acta, 2010, 168, 123-128.  | 2.5 | 46        |
| 106 | Dispersive liquid-liquid microextraction followed by spectrofluorimetry as a simple and accurate technique for determination of thiamine (vitamin B1). Mikrochimica Acta, 2010, 168, 317-324.   | 2.5 | 54        |
| 107 | Central Composite Design Applied to Optimization of Dispersive Liquid–Liquid Microextraction of<br>Cu(II) and Zn(II) in Water Followed by High Performance Liquid Chromatography Determination. Clean -<br>Soil, Air, Water, 2010, 38, 466-477.   | 0.7 | 27        |
| 108 | Determination of Trace Levels of Nickel and Manganese in Soil, Vegetable, and Water. Clean - Soil, Air,<br>Water, 2010, 38, 1177-1183.  | 0.7 | 25        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Extraction of organophosphorus pesticides in water and juice using ultrasoundâ€assisted<br>emulsification–mixroextraction. Journal of Separation Science, 2010, 33, 244-250.  | 1.3 | 59        |
| 110 | Ultrasoundâ€assisted dispersive liquid–liquid microextraction coupled with capillary gas<br>chromatography for simultaneous analysis of nine pyrethroids in domestic wastewaters. Journal of<br>Separation Science, 2010, 33, 1829-1835.  | 1.3 | 31        |
| 111 | Molecularâ€imprinted polymer extraction combined with dispersive liquid–liquid microâ€extractionfor<br>ultraâ€preconcentration of mononitrotoluene. Journal of Separation Science, 2010, 33, 3759-3766.   | 1.3 | 33        |
| 112 | Combination of ultrasoundâ€assisted ionic liquid dispersive liquidâ€phase microextraction and high performance liquid chromatography for the sensitive determination of benzoylureas pesticides in environmental water samples. Journal of Separation Science, 2010, 33, 3734-3740.                           | 1.3 | 47        |
| 113 | A simple and rapid dispersive liquid–liquid microextraction method followed by GCâ€FID for<br>determination of <i>N</i> â€methylpyrrolidine in cefepime. Journal of Separation Science, 2010, 33,<br>3767-3773.   | 1.3 | 10        |
| 114 | Pesticides in water and the performance of the liquid-phase microextraction based techniques. A review. Microchemical Journal, 2010, 96, 225-237.   | 2.3 | 108       |
| 115 | Evaluation of synergism in dispersive liquid–liquid microextraction for simultaneous preconcentration of some lanthanoids. Journal of Molecular Liquids, 2010, 151, 122-124.  | 2.3 | 25        |
| 116 | Dispersive liquid-liquid microextraction for determination of organic analytes. TrAC - Trends in<br>Analytical Chemistry, 2010, 29, 728-751.  | 5.8 | 230       |
| 117 | Methyl parathion sensors based on gold nanoparticles and Nafion film modified glassy carbon electrodes. Sensors and Actuators B: Chemical, 2010, 145, 104-109.  | 4.0 | 108       |
| 118 | Determination of polycyclic aromatic hydrocarbons in waters by ultrasound-assisted<br>emulsification-microextraction and gas chromatography–mass spectrometry. Analytica Chimica Acta,<br>2010, 665, 193-199.   | 2.6 | 77        |
| 119 | Liquid-phase microextraction approaches combined with atomic detection: A critical review. Analytica Chimica Acta, 2010, 669, 1-16.   | 2.6 | 98        |
| 120 | Application of dispersive liquid–liquid microextraction and spectrophotometric detection to the rapid determination of rhodamine 6G in industrial effluents. Analytica Chimica Acta, 2010, 674, 206-210.  | 2.6 | 63        |
| 121 | Laser induced-thermal lens spectrometry in combination with dispersive liquid–liquid<br>microextraction for trace analysis. Analytica Chimica Acta, 2010, 681, 56-62.   | 2.6 | 27        |
| 122 | Determination of sulfonamides in swine muscle after salting-out assisted liquid extraction with acetonitrile coupled with back-extraction by a water/acetonitrile/dichloromethane ternary component system prior to high-performance liquid chromatography. Journal of Chromatography A, 2010, 1217, 250-255. | 1.8 | 35        |
| 123 | Dispersive liquid–liquid microextraction based on the solidification of floating organic drop<br>followed by inductively coupled plasma-optical emission spectrometry as a fast technique for the<br>simultaneous determination of heavy metals. Journal of Chromatography A, 2010, 1217, 2358-2364.          | 1.8 | 152       |
| 124 | Evolution of dispersive liquid–liquid microextraction method. Journal of Chromatography A, 2010,<br>1217, 2342-2357.  | 1.8 | 844       |
| 125 | Low-density extraction solvent-based solvent terminated dispersive liquid–liquid microextraction<br>combined with gas chromatography-tandem mass spectrometry for the determination of carbamate<br>pesticides in water samples. Journal of Chromatography A, 2010, 1217, 1244-1248.                          | 1.8 | 205       |
| 126 | In-tube solid-phase microextraction coupled by in valve mode to capillary LC-DAD: Improving detectability to multiresidue organic pollutants analysis in several whole waters. Journal of Chromatography A, 2010, 1217, 2695-2702.  | 1.8 | 46        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Dispersive liquid–liquid microextraction applied to isolation and concentration of alkylphenols and their short-chained ethoxylates in water samples. Journal of Chromatography A, 2010, 1217, 1761-1766.   | 1.8 | 59        |
| 128 | Determination of triazines in honey by dispersive liquid–liquid microextraction high-performance<br>liquid chromatography. Journal of Chromatography A, 2010, 1217, 4241-4246.  | 1.8 | 115       |
| 129 | A new 1,3-dibutylimidazolium hexafluorophosphate ionic liquid-based dispersive liquid–liquid<br>microextraction to determine organophosphorus pesticides in water and fruit samples by<br>high-performance liquid chromatography. Journal of Chromatography A, 2010, 1217, 5013-5020.   | 1.8 | 95        |
| 130 | Determination of organophosphorous pesticides in water using in-syringe ultrasound-assisted<br>emulsification and gas chromatography with electron-capture detection. Journal of Chromatography<br>A, 2010, 1217, 5043-5049.  | 1.8 | 52        |
| 131 | Determination of octylphenol and nonylphenol in aqueous sample using simultaneous derivatization<br>and dispersive liquid–liquid microextraction followed by gas chromatography–mass spectrometry.<br>Journal of Chromatography A, 2010, 1217, 6762-6768.   | 1.8 | 71        |
| 132 | Extraction of pesticides in water samples using vortex-assisted liquid–liquid microextraction.<br>Journal of Chromatography A, 2010, 1217, 5868-5871.   | 1.8 | 87        |
| 133 | Optimization of dispersive liquid–liquid microextraction and improvement of detection limit of<br>methyl tert-butyl ether in water with the aid of chemometrics. Journal of Chromatography A, 2010,<br>1217, 7017-7023.   | 1.8 | 22        |
| 134 | Optimisation of a dispersive liquid–liquid microextraction method for the simultaneous<br>determination of halophenols and haloanisoles in wines. Journal of Chromatography A, 2010, 1217,<br>7630-7637.  | 1.8 | 49        |
| 135 | Benzimidazole Fungicides in Environmental Samples: Extraction and Determination Procedures. , 0, , .  |     | 4         |
| 136 | Determination of Thiamphenicol in Honey by Dispersive LiquidLiquid Microextraction with<br>High-Performance Liquid Chromatography. Journal of Chromatographic Science, 2010, 48, 450-455.   | 0.7 | 13        |
| 137 | Combination of Dispersive Liquidâ€Liquid Microextraction with Flame Atomic Absorption for<br>Determination of Trace Ni and Co in Water Samples and Vitamin B <sub>12</sub> . Journal of the<br>Chinese Chemical Society, 2010, 57, 1346-1352.   | 0.8 | 27        |
| 138 | Nonlinear Regression Model for Prediction of Dispersive Liquid-Liquid Microextraction-Solidification<br>of Floating Organic Drop (DLLME-SFO) of DecaBDE from River Sediments Based on Undecanol.<br>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International<br>Conference on Bioinformatics and Biomedical Engineering. 2010 | 0.0 | Ο         |
| 140 | Dispersive liquid–liquid microextraction based on ionic liquid in combination with high-performance<br>liquid chromatography for the determination of bisphenol A in water. International Journal of<br>Environmental Analytical Chemistry, 2010, 90, 880-890.  | 1.8 | 21        |
| 141 | Liquidâ~Liquid Extraction of Low-Concentration Aniline from Aqueous Solutions with Salts.<br>Industrial & Engineering Chemistry Research, 2010, 49, 2581-2588.  | 1.8 | 21        |
| 142 | Simultaneous determination of four phthalate esters in bottled water using ultrasound-assisted dispersive liquid–liquid microextraction followed by GC-FID detection. Analyst, The, 2010, 135, 2585.  | 1.7 | 56        |
| 143 | Dispersive liquid phase micro-extraction of aromatic amines in environmental water samples.<br>International Journal of Environmental Analytical Chemistry, 2010, 90, 1099-1107.  | 1.8 | 11        |
| 144 | Development of a solid phase extraction method for agricultural pesticides in large-volume water samples. Talanta, 2010, 81, 1380-1386.   | 2.9 | 22        |
| 145 | Temperature-assisted ionic liquid dispersive liquid–liquid microextraction combined with high<br>performance liquid chromatography for the determination of anthraquinones in Radix et Rhizoma<br>Rhei samples Talanta, 2010, 82, 1010-1016   | 2.9 | 82        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 146 | Determination of alkylphenols in eluates from pyrolysis solid residues using dispersive liquid–liquid<br>microextraction. Chemosphere, 2010, 79, 1026-1032.   | 4.2 | 21        |
| 147 | Application of dispersive liquid–liquid microextraction and reversed phase-high performance liquid<br>chromatography for the determination of two fungicides in environmental water samples.<br>International Journal of Environmental Analytical Chemistry, 2010, 90, 845-855.               | 1.8 | 26        |
| 148 | Determination of organochlorine pesticides in river water using dispersive liquid–liquid<br>microextraction and gas chromatography–electron capture detection. International Journal of<br>Environmental Analytical Chemistry, 2010, 90, 869-879.   | 1.8 | 25        |
| 149 | Analysis of benzophenones in environmental water samples after topical skin application using<br>dispersive liquid–liquid microextraction and micellar electrokinetic capillary chromatography.<br>Analytical Methods, 2011, 3, 2848.   | 1.3 | 8         |
| 150 | Pre-concentration procedure using dispersive liquid–liquid microextraction for the determination<br>of bismuth by flame atomic absorption spectrometry. Journal of Analytical Atomic Spectrometry, 2011,<br>26, 2064.   | 1.6 | 28        |
| 151 | A novel methodology based on solvents less dense than water through dispersive liquid–liquid<br>microextraction: application in quantitation of l-ascorbate in fruit juices and soft drinks by fiber<br>optic-linear array detection spectrophotometry. Analytical Methods, 2011, 3, 724.     | 1.3 | 10        |
| 152 | Dispersive liquid–liquid microextraction combined with flame atomic absorption spectrometry for determination of cadmium in environmental, water and food samples. Analytical Methods, 2011, 3, 1652.   | 1.3 | 38        |
| 153 | Determination of nitrobenzenes and nitrochlorobenzenes in water samples using dispersive<br>liquid-liquid microextraction and gas chromatography-mass spectrometry. Analytical Methods, 2011, 3,<br>2254.   | 1.3 | 13        |
| 154 | Study of an Online Molecularly Imprinted Solid Phase Extraction Coupled to Chemiluminescence<br>Sensor for the Determination of Trichlorfon in Vegetables. Journal of Agricultural and Food<br>Chemistry, 2011, 59, 12745-12751.  | 2.4 | 32        |
| 155 | Sensitive determination of phenols from water samples by temperature-controlled ionic liquid dispersive liquid-phase microextraction. Analytical Methods, 2011, 3, 653.   | 1.3 | 30        |
| 156 | Preconcentration and determination of pyrethroid insecticides in water with ionic liquid dispersive<br>liquid-phase microextraction in combination with high performance liquid chromatography.<br>Analytical Methods, 2011, 3, 356-361.  | 1.3 | 30        |
| 157 | Design and evaluation of synthetic silica-based monolithic materials in shrinkable tube for efficient protein extraction. Analyst, The, 2011, 136, 4321.  | 1.7 | 14        |
| 158 | Dispersive suspended microextraction. Analytica Chimica Acta, 2011, 706, 268-274.   | 2.6 | 18        |
| 159 | Simultaneous determination of six phthalate esters in bottled milks using ultrasound-assisted<br>dispersive liquid–liquid microextraction coupled with gas chromatography. Journal of<br>Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2507-2512. | 1.2 | 84        |
| 160 | Extraction and determination of opium alkaloids in urine samples using dispersive liquid–liquid<br>microextraction followed by high-performance liquid chromatography. Journal of Chromatography<br>B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2978-2983.     | 1.2 | 78        |
| 161 | Isolation, preconcentration and determination of rhamnolipids in aqueous samples by dispersive<br>liquid–liquid microextraction and liquid chromatography with tandem mass spectrometry. Talanta,<br>2011, 83, 744-750.   | 2.9 | 37        |
| 162 | Determination of nitroaromatic explosives in water samples by direct ultrasound-assisted dispersive<br>liquid–liquid microextraction followed by gas chromatography–mass spectrometry. Talanta, 2011, 85,<br>2546-2552.   | 2.9 | 56        |
| 163 | Solventless and solvent-minimized sample preparation techniques for determining currently used pesticides in water samples: A review. Talanta, 2011, 86, 8-22.  | 2.9 | 136       |

|     |  | CITATION REPO | ORT |           |
|-----|--|---------------|-----|-----------|
| #   | Article  |               | IF  | CITATIONS |
| 164 | Sample Preparation in the Analysis of Pesticides Residue in Food by Chromatographic Techniqu   | ies. , 0, , . |     | 0         |
| 165 | Current Trends in Liquid-Liquid Microextraction for Analysis of Pesticide Residues in Food and $\ , 0, , .$  | Water.        |     | 2         |
| 166 | IL-USA-DLLME Method to Simultaneously Extract and Determine Four Phenylurea Herbicides in Samples. Current Analytical Chemistry, 2011, 7, 357-364.   | Water         | 0.6 | 16        |
| 167 | Evaluation of Dispersive Liquid-Liquid Microextraction Coupled with Gas<br>Chromatography-Microelectron Capture Detection (GCMU.ECD) for the Determination of<br>Organochlorine Pesticides in Water Samples. Analytical Sciences, 2011, 27, 547.                             |               | 0.8 | 22        |
| 168 | Reversed-Phase Dispersive Liquid-Liquid Microextraction with Multivariate Optimization for Ser<br>HPLC Determination of Tyrosol and Hydroxytyrosol in Olive Oil. Analytical Sciences, 2011, 27,  |               | 0.8 | 27        |
| 169 | Development and validation of a HPTLC method for simultaneous analysis of temephos and fenitrothion in Green tea. Journal of Planar Chromatography - Modern TLC, 2011, 24, 53-56.  |               | 0.6 | 5         |
| 170 | Dispersive liquid-liquid microextraction. TrAC - Trends in Analytical Chemistry, 2011, 30, 1382-   | 1399.         | 5.8 | 360       |
| 171 | Electromembrane extraction of amino acids from body fluids followed by capillary electrophore with capacitively coupled contactless conductivity detection. Journal of Chromatography A, 20 1218, 6248-6255.   | rsis<br>11,   | 1.8 | 118       |
| 172 | Vortex-assisted surfactant-enhanced-emulsification liquid–liquid microextraction. Journal of Chromatography A, 2011, 1218, 7071-7077.  | :             | 1.8 | 65        |
| 173 | Liquid-phase microextraction preconcentration of impurities. Journal of Analytical Chemistry, 2 66, 331-350.   | 011,          | 0.4 | 40        |
| 174 | Indium determination and preconcentration using fiber optic linear array detection spectromet<br>combined with dispersive liquid-liquid micro extraction. Journal of Analytical Chemistry, 2011, 6<br>924-929.   | ry<br>56,     | 0.4 | 14        |
| 175 | Optimization and determination of Cd (II) in different environmental water samples with dispe liquid–liquid microextraction preconcentration combined with inductively coupled plasma of emission spectrometry. Environmental Monitoring and Assessment, 2011, 177, 115-125. |               | 1.3 | 27        |
| 176 | Dispersive liquid-liquid microextraction for the analysis of three organophosphorus pesticides i real samples by high performance liquid chromatography-ultraviolet detection and its optimiza experimental design. Mikrochimica Acta, 2011, 172, 465-470.                   | n<br>tion by  | 2.5 | 75        |
| 177 | Electrochemical behavior of methyl parathion and its sensitive determination at a glassy carbo<br>electrode modified with ordered mesoporous carbon. Mikrochimica Acta, 2011, 173, 215-221.  |               | 2.5 | 67        |
| 178 | Ultratrace determination of carbamate pesticides in water samples by temperature controlled liquid dispersive liquid phase microextraction combined with high performance liquid phase chromatography. Mikrochimica Acta, 2011, 173, 477-483.                                |               | 2.5 | 34        |
| 179 | Determination of triclosan and triclocarban in environmental water samples with ionic liquid/io<br>liquid dispersive liquid-liquid microextraction prior to HPLC-ESI-MS/MS. Mikrochimica Acta, 201<br>145-151.   |               | 2.5 | 60        |
| 180 | Modified ionic liquid cold-induced aggregation dispersive liquid-liquid microextraction followed atomic absorption spectrometry for trace determination of zinc in water and food samples. Mikrochimica Acta, 2011, 175, 159-165.  |               | 2.5 | 45        |
| 181 | Determination of phenolic compounds in water samples by HPLC following ionic liquid dispersi<br>liquid-liquid microextraction and cold-induced aggregation. Mikrochimica Acta, 2011, 175, 341  |               | 2.5 | 40        |

| 4   | A  | IC. | CITATIONS |
|-----|--|-----|-----------|
| #   | ARTICLE<br>Rapid Enrichment and Sensitive Determination of Tetrabromobisphenol A in Environmental Water  | IF  | CITATIONS |
| 182 | Samples with Ionic Liquid Dispersive Liquid-Phase Microextraction Prior to HPLC–ESI-MS–MS.<br>Chromatographia, 2011, 73, 793-797.  | 0.7 | 29        |
| 183 | Ultrasound-Assisted Dispersive Liquid–Liquid Microextraction Combined with Low Solvent<br>Consumption for Determination of Polycyclic Aromatic Hydrocarbons in Seawater by GC–MS.<br>Chromatographia, 2011, 74, 89-98.   | 0.7 | 43        |
| 184 | Dispersive liquid-phase microextraction using ionic liquid as extractant for the enrichment and determination of DDT and its metabolites in environmental water samples. Analytical and Bioanalytical Chemistry, 2011, 399, 1287-1293.   | 1.9 | 30        |
| 185 | Separation of trace amount of silver using dispersive liquid–liquid based on solidification of floating organic drop microextraction. Analytica Chimica Acta, 2011, 684, 54-58.  | 2.6 | 41        |
| 186 | Determination of phthalate esters in water samples by ionic liquid cold-induced aggregation<br>dispersive liquid–liquid microextraction coupled with high-performance liquid chromatography.<br>Analytica Chimica Acta, 2011, 689, 137-142.                                    | 2.6 | 116       |
| 187 | Low-density solvent-based solvent demulsification dispersive liquid–liquid microextraction for the fast determination of trace levels of sixteen priority polycyclic aromatic hydrocarbons in environmental water samples. Journal of Chromatography A, 2011, 1218, 5040-5046. | 1.8 | 152       |
| 188 | Dispersive liquid–liquid microextraction coupled with highâ€performance liquid chromatographyâ€diode<br>array detection for the determination of <i>N</i> â€methyl carbamate pesticides in vegetables. Journal of<br>Separation Science, 2011, 34, 202-209.                    | 1.3 | 43        |
| 189 | Improved solvent collection system for a dispersive liquid–liquid microextraction of<br>organochlorine pesticides from water using lowâ€density organic solvent. Journal of Separation<br>Science, 2011, 34, 837-843.  | 1.3 | 32        |
| 190 | Ionic liquid/ionic liquid dispersive liquid–liquid microextraction. Journal of Separation Science, 2011,<br>34, 830-836.   | 1.3 | 55        |
| 191 | Extraction and preconcentration technique for triazole pesticides from cow milk using dispersive<br>liquid–liquid microextraction followed by GCâ€FID and GCâ€MS determinations. Journal of Separation<br>Science, 2011, 34, 1309-1316.  | 1.3 | 57        |
| 192 | Validated dispersive liquid–liquid microextraction for analysis of organophosphorous pesticides in water. Journal of Separation Science, 2011, 34, 1326-1332.  | 1.3 | 23        |
| 193 | Determination of organophosphorous pesticides in the ppq range using a simple solidâ€phase extraction<br>method combined with dispersive liquid–liquid microextraction. Journal of Separation Science, 2011,<br>34, 2475-2481.   | 1.3 | 35        |
| 194 | Determination of insecticides in water using <i>in situ</i> halide exchange reactionâ€essisted ionic<br>liquid dispersive liquid–liquid microextraction followed by highâ€performance liquid<br>chromatography. Journal of Separation Science, 2011, 34, 3178-3185.            | 1.3 | 36        |
| 195 | Simultaneous determination of tetrahydropalmatine and tetrahydroberberine in rat urine using<br>dispersive liquid–liquid microextraction coupled with highâ€performance liquid chromatography.<br>Journal of Separation Science, 2011, 34, 3279-3286.                          | 1.3 | 13        |
| 196 | Surfactant Enhance DLLME/FO‣ADS: Assay of Malachite Green Level in Aquatic Environment of<br><i>Trout</i> Fish. Clean - Soil, Air, Water, 2011, 39, 83-87.   | 0.7 | 17        |
| 197 | Sample preparation method for the analysis of some organophosphorus pesticides residues in tomato<br>by ultrasound-assisted solvent extraction followed by dispersive liquid–liquid microextraction.<br>Food Chemistry, 2011, 126, 1840-1844.                                  | 4.2 | 152       |
| 198 | Trace determination of hexabromocyclododecane diastereomers in water samples with temperature controlled ionic liquid dispersive liquid phase microextraction. Chinese Chemical Letters, 2011, 22, 97-100.   | 4.8 | 21        |
| 199 | Optimized ultrasonic assisted extraction–dispersive liquid–liquid microextraction coupled with gas chromatography for determination of essential oil of Oliveria decumbens Vent Journal of Chromatography A, 2011, 1218, 4593-4598.  | 1.8 | 76        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 200 | A novel method of ultrasound-assisted dispersive liquid–liquid microextraction coupled to liquid<br>chromatography–mass spectrometry for the determination of trace organoarsenic compounds in<br>edible oil. Analytica Chimica Acta, 2011, 690, 221-227.  | 2.6 | 59        |
| 201 | Determination of N-methylcarbamate insecticides in water samples using dispersive liquid–liquid<br>microextraction and HPLC with the aid of experimental design and desirability function. Analytica<br>Chimica Acta, 2011, 699, 113-119.  | 2.6 | 110       |
| 202 | Application of an ultrasound-assisted surfactant-enhanced emulsification microextraction method for the analysis of diethofencarb and pyrimethanil fungicides in water and fruit juice samples.<br>Analytica Chimica Acta, 2011, 701, 86-91.   | 2.6 | 64        |
| 203 | Combination of dispersive liquid–liquid microextraction and flame atomic absorption spectrometry for preconcentration and determination of copper in water samples. Desalination, 2011, 266, 238-243.  | 4.0 | 88        |
| 204 | Gas purge microsyringe extraction for quantitative direct gas chromatographic–mass spectrometric<br>analysis of volatile and semivolatile chemicals. Journal of Chromatography A, 2011, 1218, 1549-1555.   | 1.8 | 41        |
| 205 | Preparation and characterization of amino functionalized nano-composite material and its<br>application for multi-residue analysis of pesticides in cabbage by gas chromatography–triple<br>quadrupole mass spectrometry. Journal of Chromatography A, 2011, 1218, 5568-5580.                      | 1.8 | 32        |
| 206 | Combination of supercritical fluid extraction with dispersive liquid–liquid microextraction for<br>extraction of organophosphorus pesticides from soil and marine sediment samples. Journal of<br>Supercritical Fluids, 2011, 57, 219-226.   | 1.6 | 86        |
| 207 | Determination of Some Organophosphorus and Azole Group Pesticides in Water Samples by Dispersive<br>Liquid–Liquid Microextraction Coupled with GC/MS. Journal of AOAC INTERNATIONAL, 2011, 94,<br>1882-1890.   | 0.7 | 7         |
| 208 | Determination of As(III) using developed dispersive liquid–liquid microextraction and flame atomic<br>absorption spectrometry. International Journal of Environmental Analytical Chemistry, 2011, 91,<br>1453-1465.  | 1.8 | 13        |
| 209 | Dispersive Liquid-Liquid Microextraction Coupled with Gas Chromatography for the Determination of Orthochlorophenol in Environmental Water Samples. Advanced Materials Research, 2012, 518-523, 1379-1382.   | 0.3 | 0         |
| 210 | An Improved Ionic Liquid-Based Headspace Single-Drop Microextraction-Liquid Chromatography<br>Method for the Analysis of Camphor and Trans-Anethole in Compound Liquorice Tablets. Journal of<br>Chromatographic Science, 2012, 50, 457-463.   | 0.7 | 13        |
| 211 | Recent Advances in Dispersive Liquid - Liquid Microextraction for Organic Compounds Analysis in<br>Environmental Water: A Review. Current Analytical Chemistry, 2012, 8, 78-90.  | 0.6 | 82        |
| 212 | Rapid determination of ultra-trace amounts of acrylamide contaminant in water samples using<br>dispersive liquid–liquid microextraction coupled to gas chromatography-electron capture detector.<br>International Journal of Environmental Analytical Chemistry, 2012, 92, 1493-1505.              | 1.8 | 22        |
| 213 | Determination of trace leaching phthalate esters in water by magnetic solid phase extraction based on magnetic multi-walled carbon nanotubes followed by GC-MS/MS. Analytical Methods, 2012, 4, 2729.  | 1.3 | 46        |
| 214 | Trace Determination of Dichlorvos in Environmental Samples by Room Temperature Ionic Liquid-Based<br>Dispersive Liquid-Phase Microextraction Combined with HPLC. Journal of Chromatographic Science,<br>2012, 50, 702-708.   | 0.7 | 11        |
| 215 | Dispersive liquid-liquid microextraction combined with high-performance liquid<br>chromatography-ultraviolet detection for the determination of three triazole derivatives in<br>environmental water samples. International Journal of Environmental Analytical Chemistry, 2012, 92,<br>1176-1186. | 1.8 | 9         |
| 216 | Recent advances in liquid microextraction techniques coupled with MS for determination of small-molecule drugs in biological samples. Bioanalysis, 2012, 4, 725-739.   | 0.6 | 10        |
| 217 | Temperature-controlled ionic liquid dispersive liquid-phase microextraction combined with HPLC with ultraviolet detector for the determination of fungicides. Journal of Separation Science, 2012, 35, 3569-3574   | 1.3 | 36        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 218 | Sequential dispersive liquid–liquid microextraction for the determination of<br>aryloxyphenoxyâ€propionate herbicides in water. Journal of Separation Science, 2012, 35, 3389-3395.   | 1.3 | 46        |
| 219 | Simultaneous separation and determination of eight organophosphorous pesticide residues in<br>vegetables through molecularly imprinted solid-phase extraction coupled to gas chromatography.<br>Journal of Separation Science, 2012, 35, 3501-3508.   | 1.3 | 25        |
| 220 | Ultrasound-assisted extraction followed by dispersive liquid–liquid microextraction before gas<br>chromatography-mass spectrometry for the simultaneous determination of flavouring compounds in<br>tobacco additives. Analytical Methods, 2012, 4, 995.                                      | 1.3 | 14        |
| 221 | Ligandless-ultrasound-assisted emulsification-microextraction combined with inductively coupled plasma-optical emission spectrometry for simultaneous determination of heavy metals in water samples. Analytical Methods, 2012, 4, 236-241.   | 1.3 | 16        |
| 222 | Determination of organophosphorus pesticides using dispersive liquid–liquid microextraction<br>combined with reversed electrode polarity stacking mode—micellar electrokinetic chromatography.<br>Talanta, 2012, 98, 62-68.   | 2.9 | 57        |
| 223 | Ultrasound-assisted ionic liquid/ionic liquid-dispersive liquid–liquid microextraction for the<br>determination of sulfonamides in infant formula milk powder using high-performance liquid<br>chromatography. Talanta, 2012, 99, 875-882.  | 2.9 | 79        |
| 224 | Determination of chlorpyrifos in environmental water samples by dispersive liquid–liquid<br>microextraction with solidification of a floating organic drop followed by gas chromatography with<br>flame photometry detection. Analytical Methods, 2012, 4, 3246.                              | 1.3 | 20        |
| 225 | In-syringe demulsified dispersive liquid–liquid microextraction and high performance liquid<br>chromatography–mass spectrometry for the determination of trace fungicides in environmental<br>water samples. Analytica Chimica Acta, 2012, 724, 47-53.  | 2.6 | 55        |
| 226 | Air-assisted liquid–liquid microextraction method as a novel microextraction technique; Application<br>in extraction and preconcentration of phthalate esters in aqueous sample followed by gas<br>chromatography–flame ionization detection. Analytica Chimica Acta, 2012, 728, 31-38.       | 2.6 | 262       |
| 227 | Ionic liquid-based ultrasound-assisted dispersive liquid–liquid microextraction followed<br>high-performance liquid chromatography for the determination of ultraviolet filters in<br>environmental water samples. Analytica Chimica Acta, 2012, 750, 120-126.                                | 2.6 | 94        |
| 228 | Determination of eight fluoroquinolones in groundwater samples with ultrasound-assisted ionic<br>liquid dispersive liquid–liquid microextraction prior to high-performance liquid chromatography<br>and fluorescence detection. Analytica Chimica Acta, 2012, 748, 20-27.                     | 2.6 | 90        |
| 229 | A new 1-hexyl-3-methylimidazolium tris(pentafluoroethyl)trifluorophosphate ionic liquid based ultrasound-assisted emulsification microextraction for the determination of organic ultraviolet filters in environmental water samples. Journal of Chromatography A, 2012, 1251, 27-32.         | 1.8 | 41        |
| 230 | Application of ultrasound-assisted emulsification microextraction based on applying low-density organic solvent for the determination of organochlorine pesticides in water samples. Journal of Chromatography A, 2012, 1252, 67-73.  | 1.8 | 38        |
| 231 | Monitoring pesticide residues in greenhouse tomato by combining acetonitrile-based extraction with dispersive liquida€"liquid microextraction followed by gas-chromatography–mass spectrometry. Food Chemistry, 2012, 135, 1071-1077.   | 4.2 | 73        |
| 232 | Preâ€concentration of nonâ€steroidal antiâ€inflammatory drugs in water using dispersive liquid–liquid<br>and singleâ€drop microextraction with highâ€performance liquid chromatography. Journal of Separation<br>Science, 2012, 35, 2476-2483.  | 1.3 | 35        |
| 233 | Simple, rapid, and sensitive determination of betaâ€blockers in environmental water using dispersive<br>liquid–liquid microextraction followed by liquid chromatography with fluorescence detection.<br>Journal of Separation Science, 2012, 35, 2184-2192.                                   | 1.3 | 14        |
| 234 | Simultaneous preconcentration and determination of 2,4â€< scp>D, alachlor and atrazine in<br>aqueous samples using dispersive liquid–liquid microextraction followed by highâ€performance liquid<br>chromatography ultraviolet detection. Journal of Separation Science, 2012, 35, 2718-2724. | 1.3 | 41        |
| 235 | Liquid-Based Microextraction Techniques for Environmental Analysis. , 2012, , 835-862.  |     | 7         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 236 | Determination of hydroxylated metabolites of polycyclic aromatic hydrocarbons in sediment samples<br>by combining subcritical water extraction and dispersive liquid–liquid microextraction with<br>derivatization. Analytica Chimica Acta, 2012, 753, 57-63.       | 2.6 | 49        |
| 237 | Extraction and preconcentration of trace amounts of diazinon and fenitrothion from environmental water by magnetite octadecylsilane nanoparticles. Journal of Chromatography A, 2012, 1256, 40-45.  | 1.8 | 95        |
| 238 | Combination of solid-phase extraction and dispersive liquid–liquid microextraction for detection of cypermethrin and permethrin in environmental water. Analytical Methods, 2012, 4, 3002.  | 1.3 | 9         |
| 239 | Dispersive Liquid–Liquid Microextraction. , 2012, , 181-212.  |     | 15        |
| 240 | Automated preconcentration and analysis of organic compounds by on-line hollow fiber liquid-phase<br>microextraction–high performance liquid chromatography. Journal of Chromatography A, 2012, 1262,<br>27-33.   | 1.8 | 55        |
| 241 | A Miniaturized Preconcentration Method Based on Dispersive Liquid–Liquid Microextraction for the Spectrophotometric Determination of Aziridine in Food Simulants. Food Analytical Methods, 2012, 5, 1398-1403.  | 1.3 | 3         |
| 242 | A three phase dispersive liquid-liquid microextraction technique for the extraction of antibiotics in milk. Mikrochimica Acta, 2012, 179, 179-184.  | 2.5 | 21        |
| 243 | Application of ultrasound-assisted emulsification microextraction followed by gas chromatography for determination of organophosphorus pesticides in water and soil samples. Analytical Methods, 2012, 4, 830.  | 1.3 | 23        |
| 244 | IONIC LIQUID–LIQUID PHASE MICROEXTRACTION FOR THE SENSITIVE DETERMINATION OF SANGUINARINE<br>AND CHELERYTHRINE IN CHINESE HERBAL MEDICINES AND HUMAN URINE. Journal of Liquid<br>Chromatography and Related Technologies, 2012, 35, 1662-1675.                      | 0.5 | 11        |
| 245 | Extraction Procedures for Organic Pollutants Determination in Water. Environmental Chemistry for<br>A Sustainable World, 2012, , 171-235.   | 0.3 | 3         |
| 246 | Determination of some carbamate pesticides in watermelon and tomato samples by dispersive<br>liquid–liquid microextraction combined with high performance liquid chromatography.<br>International Journal of Environmental Analytical Chemistry, 2012, 92, 571-581. | 1.8 | 19        |
| 247 | Ultrasound Assisted Emulsification Microextraction Based on dimetyl<br>Iron in Water and Tea Samples. Journal of the Chinese Chemical Society, 2012, 59, 659-666.   | 0.8 | 18        |
| 248 | Pressurized Liquid Extraction Combined with Dispersive Liquidâ€liquid Microâ€extraction as an Efficient<br>Sample Preparation Method for Determination of Volatile Components in Tobacco. Journal of the<br>Chinese Chemical Society, 2012, 59, 909-916.            | 0.8 | 2         |
| 249 | Determination of rifaximin in rat serum by ionic liquid based dispersive liquid–liquid microextraction<br>combined with <scp>RP</scp> â€ <scp>HPLC</scp> . Journal of Separation Science, 2012, 35, 1945-1952.  | 1.3 | 19        |
| 250 | Dispersive liquid–liquid microextraction of organophosphorous pesticides using nonhalogenated solvents. Journal of Separation Science, 2012, 35, 2653-2658.   | 1.3 | 23        |
| 251 | Evaluation of lithium separation by dispersive liquid–liquid microextraction using benzo-15-crown-5.<br>Journal of Radioanalytical and Nuclear Chemistry, 2012, 293, 247-254.   | 0.7 | 13        |
| 252 | Assay of Total Mercury in Commercial Food Supplements of Marine Origin by Means of DLLME/ICP-AES.<br>Food Analytical Methods, 2012, 5, 695-701.   | 1.3 | 26        |
| 253 | Ionic liquid based dispersive liquid-liquid microextraction combined with ICP-OES for the<br>determination of trace quantities of cobalt, copper, manganese, nickel and zinc in environmental<br>water samples. Mikrochimica Acta, 2012, 177, 119-127.              | 2.5 | 89        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 254 | Micro-scale quantitation of ten phthalate esters in water samples and cosmetics using capillary liquid chromatography coupled to UV detection: effective strategies to reduce the production of organic waste. Mikrochimica Acta, 2012, 177, 167-175.  | 2.5 | 25        |
| 255 | Simultaneous determination of carbazole-based explosives in environmental waters by dispersive<br>liquid—liquid microextraction coupled to HPLC with UV-Vis detection. Mikrochimica Acta, 2012, 177,<br>145-152.   | 2.5 | 52        |
| 256 | Ultrasound assisted cold-induced aggregation: an improved method for trace determination of volatile phenol. Mikrochimica Acta, 2012, 177, 349-355.  | 2.5 | 12        |
| 257 | Ultra-preconcentration and determination of thirteen organophosphorus pesticides in water samples<br>using solid-phase extraction followed by dispersive liquid–liquid microextraction and gas<br>chromatography with flame photometric detection. Journal of Chromatography A, 2012, 1219, 61-65. | 1.8 | 108       |
| 258 | Bell-shaped extraction device assisted liquid–liquid microextraction technique and its optimization using response-surface methodology. Journal of Chromatography A, 2012, 1230, 24-29.  | 1.8 | 30        |
| 259 | Electro membrane extraction followed by low-density solvent based ultrasound-assisted emulsification microextraction combined with derivatization for determining chlorophenols and analysis by gas chromatography–mass spectrometry. Journal of Chromatography A, 2012, 1243, 14-22.              | 1.8 | 93        |
| 260 | In-line cold column trapping of organic phase in dispersive liquid–liquid microextraction: Enrichment<br>and determination of curcumin in human serum. Journal of Chromatography A, 2012, 1244, 14-19.   | 1.8 | 29        |
| 261 | Microwave assisted extraction combined with dispersive liquid–liquid microextraction as a sensitive sample preparation method for the determination of haloanisoles and halophenols in cork stoppers and oak barrel sawdust. Food Chemistry, 2012, 132, 2202-2210.                                 | 4.2 | 29        |
| 262 | Considerations on the application of miniaturized sample preparation approaches for the analysis of organic compounds in environmental matrices. Open Chemistry, 2012, 10, 433-449.  | 1.0 | 11        |
| 263 | Combination of solidâ€phase extractionâ€hollow fiber for ultraâ€preconcentration of some triazole<br>pesticides followed by gas chromatographyâ€flame ionization detection. Journal of Separation Science,<br>2012, 35, 121-127.   | 1.3 | 45        |
| 264 | Comparison of dispersive liquid–liquid microextraction based on organic solvent and ionic liquid<br>combined with highâ€performance liquid chromatography for the analysis of emodin and its<br>metabolites in urine samples. Journal of Separation Science, 2012, 35, 145-152.                    | 1.3 | 45        |
| 265 | Ultrasound-enhanced surfactant-assisted dispersive liquid–liquid microextraction and<br>high-performance liquid chromatography for determination of ketoconazole and econazole nitrate<br>in human blood. Analytical and Bioanalytical Chemistry, 2012, 402, 1241-1247.                            | 1.9 | 42        |
| 266 | Determination of synthetic polycyclic musks in aqueous samples by ultrasound-assisted dispersive<br>liquid–liquid microextraction and gas chromatography–mass spectrometry. Analytical and<br>Bioanalytical Chemistry, 2012, 402, 1723-1730.   | 1.9 | 25        |
| 267 | Extraction and determination of polybrominated diphenyl ethers in water and urine samples using solidified floating organic drop microextraction along with high performance liquid chromatography. Mikrochimica Acta, 2012, 176, 303-309.   | 2.5 | 33        |
| 268 | Development of a home-made extraction device for vortex-assisted<br>surfactant-enhanced-emulsification liquid–liquid microextraction with lighter than water organic<br>solvents. Journal of Chromatography A, 2013, 1300, 58-63.  | 1.8 | 25        |
| 269 | Ultrasound-assisted emulsification–microextraction for the sensitive determination of ethyl carbamate in alcoholic beverages. Analytical and Bioanalytical Chemistry, 2013, 405, 6791-6797.  | 1.9 | 16        |
| 270 | Dispersive liquid–liquid microextraction followed by high-performance liquid<br>chromatography–ultraviolet detection to determination of opium alkaloids in human plasma. Journal<br>of Pharmaceutical and Biomedical Analysis, 2013, 85, 14-20.   | 1.4 | 59        |
| 271 | Ultra-Preconcentration and Determination of Multiple Pesticide Residues in Water Samples Using<br>Ultrasound-Assisted Dispersive Liquid–Liquid Microextraction and GC-FID. Chromatographia, 2013, 76,<br>671-678.  | 0.7 | 10        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 272 | Sensitive determination of trace molybdenum in natural waters using dispersive liquid–liquid<br>microextraction and electrothermal atomic absorption spectrometry. Analytical Methods, 2013, 5,<br>2098.   | 1.3 | 8         |
| 273 | Dispersive liquid-phase microextraction in combination with HPLC for the enrichment and rapid determination of benzoylurea pesticides in environmental water samples. Journal of Separation Science, 2013, 36, 2323-2329.  | 1.3 | 28        |
| 274 | Modified dispersive liquid-liquid microextraction for pre-concentration of benzene, toluene, ethylbenzene and xylenes prior to their determination by GC. Mikrochimica Acta, 2013, 180, 1141-1148.   | 2.5 | 14        |
| 275 | Novel solvent-free microwave-assisted extraction coupled with low-density solvent-based in-tube ultrasound-assisted emulsification microextraction for the fast analysis of organophosphorus pesticides in soils. Journal of Separation Science, 2013, 36, 2339-2347.                                      | 1.3 | 11        |
| 276 | Determination of salmeterol in dried blood spot using an ionic liquid based dispersive liquid–liquid<br>microextraction coupled with HPLC. Journal of Pharmaceutical and Biomedical Analysis, 2013, 85,<br>283-287.  | 1.4 | 30        |
| 277 | Determination of phthalate esters in bottled water using dispersive liquid–liquid microextraction<br>coupled with <scp>GC</scp> – <scp>MS</scp> . Journal of Separation Science, 2013, 36, 2003-2009.  | 1.3 | 58        |
| 278 | Trichloroacetic acid assisted synthesis of gold nanoparticles and its application in detection and estimation of pesticide. Journal of Analytical Science and Technology, 2013, 4, 3.  | 1.0 | 5         |
| 279 | lonic Liquid-Based Dispersive Liquid–Liquid Microextraction Following High-Performance Liquid<br>Chromatography for the Determination of Fungicides in Fruit Juices. Food Analytical Methods, 2013, 6,<br>481-487.   | 1.3 | 18        |
| 280 | Application of dispersive liquid–liquid microextraction based on solidification of floating organic<br>drop for simultaneous determination of alachlor and atrazine in aqueous samples. Journal of<br>Separation Science, 2013, 36, 684-689.   | 1.3 | 49        |
| 281 | Simultaneous derivatization and ultrasound-assisted dispersive liquid–liquid microextraction of chloropropanols in soy milk and other aqueous matrices combined with gas-chromatography–mass spectrometry. Journal of Chromatography A, 2013, 1319, 35-45.   | 1.8 | 28        |
| 282 | Room Temperature Ionic Liquid-Based Dispersive Liquid Phase Microextraction for the<br>Separation/Preconcentration of Trace Cd2+ as 1-(2-pyridylazo)-2-naphthol (PAN) Complex from<br>Environmental and Biological Samples and Determined by FAAS. Biological Trace Element Research,<br>2013, 156, 49-55. | 1.9 | 27        |
| 283 | Liquid–Liquid Microextraction of Nitrophenols Using Supramolecular Solvent and Their<br>Determination by HPLC with UV Detection. Chromatographia, 2013, 76, 1641-1647.   | 0.7 | 31        |
| 284 | The simultaneous analysis of sulfonylurea herbicide residues in fruit samples using ultrasound-assisted surfactant-enhanced emulsification microextraction coupled with high-performance liquid chromatography. Analytical Methods, 2013, 5, 6009.   | 1.3 | 12        |
| 285 | Dispersive liquid-liquid microextraction of phenolic compounds using solidified floating organic droplets, and their determination by HPLC. Mikrochimica Acta, 2013, 180, 341-346.   | 2.5 | 20        |
| 286 | Five Years of Dispersive Liquid–Liquid Microextraction. Applied Spectroscopy Reviews, 2013, 48, 161-259.   | 3.4 | 74        |
| 287 | Development of an ionic liquid-based dispersive liquid–liquid microextraction method for the determination of nifurtimox and benznidazole in human plasma. Talanta, 2013, 107, 95-102.   | 2.9 | 38        |
| 288 | Ligandless, ion pair-based and ultrasound assisted emulsification solidified floating organic drop microextraction for simultaneous preconcentration of ultra-trace amounts of gold and thallium and determination by GFAAS. Talanta, 2013, 103, 375-383.  | 2.9 | 61        |
| 289 | Low cost methodology for estrogens monitoring in water samples using dispersive liquid–liquid<br>microextraction and HPLC with fluorescence detection. Talanta, 2013, 115, 980-985.  | 2.9 | 49        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 290 | An in situ benzoylation-dispersive liquid–liquid microextraction method based on solidification of<br>floating organic droplets for determination of biogenic amines by liquid<br>chromatography–ultraviolet analysis. Journal of Chromatography A, 2013, 1282, 1-10.   | 1.8 | 52        |
| 291 | Vortex-assisted ionic liquid microextraction coupled to flame atomic absorption spectrometry for determination of trace levels of cadmium in real samples. Journal of Advanced Research, 2013, 4, 35-41.  | 4.4 | 84        |
| 292 | Molecularly Imprinted Polymer as Sorbent for Solid-Phase Extraction Coupling to Gas<br>Chromatography for the Simultaneous Determination of Trichlorfon and Monocrotophos Residues<br>in Vegetables. Food Analytical Methods, 2013, 6, 274-281.   | 1.3 | 38        |
| 293 | Lowâ€density solventâ€based vortexâ€assisted surfactantâ€enhanced emulsification liquid–liquid<br>microextraction and its application. Journal of Separation Science, 2013, 36, 916-922.  | 1.3 | 23        |
| 294 | QuEChERS in Combination with Ultrasound-Assisted Dispersive Liquid–Liquid Microextraction Based<br>on Solidification of Floating Organic Droplet Method for the Simultaneous Analysis of Six Fungicides<br>in Grape. Food Analytical Methods, 2013, 6, 1515-1521.   | 1.3 | 14        |
| 295 | Ultrasound-assisted ionic liquid dispersive liquid–liquid microextraction coupled with liquid<br>chromatography-quadrupole-linear ion trap-mass spectrometry for simultaneous analysis of<br>pharmaceuticals in wastewaters. Journal of Chromatography A, 2013, 1291, 19-26.                                  | 1.8 | 72        |
| 296 | Optimization of dispersive liquid-liquid microextraction with central composite design for preconcentration of chlordiazepoxide drug and its determination by HPLC-UV. Journal of Separation Science, 2013, 36, 1734-1742.  | 1.3 | 83        |
| 297 | Ionic liquid-linked dual magnetic microextraction: A novel and facile procedure for the determination of pyrethroids in honey samples. Talanta, 2013, 107, 81-87.   | 2.9 | 74        |
| 298 | Vortex-assisted micro-solid-phase extraction followed by low-density solvent based dispersive<br>liquid–liquid microextraction for the fast and efficient determination of phthalate esters in river<br>water samples. Journal of Chromatography A, 2013, 1300, 24-30.  | 1.8 | 62        |
| 299 | Determination of organophosphorous pesticides in summer crops using ultrasound-assisted solvent<br>extraction followed by dispersive liquid–liquid microextraction based on the solidification of<br>floating organic drop. Food Control, 2013, 34, 378-385.  | 2.8 | 94        |
| 300 | Analysis of amino acids in tobacco by derivatization and dispersive liquid–liquid microextraction<br>based on solidification of floating organic droplet method. Journal of Chromatography A, 2013, 1296,<br>243-247.   | 1.8 | 36        |
| 301 | Comparison of air-agitated liquid–liquid microextraction technique and conventional dispersive<br>liquid–liquid micro-extraction for determination of triazole pesticides in aqueous samples by gas<br>chromatography with flame ionization detection. Journal of Chromatography A, 2013, 1300, 70-78.        | 1.8 | 66        |
| 302 | Dispersive liquid–liquid microextraction combined with field-amplified sample stacking in capillary<br>electrophoresis for the determination of non-steroidal anti-inflammatory drugs in milk and dairy<br>products. Food Chemistry, 2013, 138, 890-897.  | 4.2 | 67        |
| 303 | Selective dispersive liquid–liquid microextraction and preconcentration of Ni(II) into a micro droplet followed by ETAAS determination using a yellow Schiff's base bisazanyl derivative. Materials Science and Engineering C, 2013, 33, 916-922.   | 3.8 | 37        |
| 304 | Ultrasound-assisted emulsification microextraction using low density solvent for analysis of toxic<br>nitrophenols in natural waters. International Journal of Environmental Analytical Chemistry, 2013,<br>93, 199-212.  | 1.8 | 23        |
| 305 | A Dispersive Liquid - Liquid Microextraction Methodology for Copper(II) in Environmental Samples<br>Prior to Determination Using Microsample Injection Flame Atomic Absorption Spectrometry. Journal<br>of AOAC INTERNATIONAL, 2013, 96, 1425-1429.   | 0.7 | 11        |
| 306 | DISPERSIVE LIQUID–LIQUID MICROEXTRACTION BASED ON SOLIDIFICATION OF FLOATING ORGANIC DROPLET<br>FOR HPLC DETERMINATION OF TANSHINONES IN TRADITIONAL CHINESE MEDICINAL INJECTIONS CONTAINING<br>SALVIA MILTIORRHIZA BUNGE. Journal of Liquid Chromatography and Related Technologies, 2013, 36,<br>2095-2106. | 0.5 | 3         |
| 307 | Determination of Trace Amounts of Palladium in Water Samples by Graphite Furnace Atomic<br>Absorption Spectrometry after Dispersive Liquid-Liquid Microextraction. Journal of Chemistry, 2013,<br>2013, 1-6.  | 0.9 | 7         |

ARTICLE IF CITATIONS # Synthesis of a Novel Imprinted Polymeric Material for Simultaneous Recognition of Methamidophos 308 0.8 3 and Acephate. Advances in Polymer Technology, 2013, 32, . Determination of Trace Organophosphorus Pesticides in Water Samples by Solid Phase Disk Extraction 309 1.0 and Gas Chromatography-Thermionic Specific Detector. Analytical Letters, 2013, 46, 764-775. Temperature-controlled ultrasound- and vortex-assisted liquid-liquid microextraction combined with GC for the determination of the concentrations of organophosphorus pesticides in beverage 310 1.3 11 samples. Journal of Separation Science, 2013, 36, 3918-3925. Application of response surface methodology for optimization of ionic liquid-based dispersive liquid  $\widehat{\in}$  "liquid microextraction of cadmium from water samples. Human and Experimental Toxicology, 1.1 2013, 32, 620-631 Determination of Gemfibrozil (Lipitor and Lopid) in Water, Biological Fluids and Drug Matrix by Dispersive Liquid-Liquid micro Extraction (DLLME) and Liquid Chromatography. E3S Web of 312 0.2 0 Conferences, 2013, 1, 41031. Dispersive Liquid–Liquid Microextraction Combined with Micellar Electrokinetic Chromatography for the Determination of Pesticide in Apple Sample. Journal of Dispersion Science and Technology, 1.3 2014, 35, 1319-1324. Determination of Herbicides in Soil by Dispersive Solid-Phase Extraction, Dispersive Liquid–Liquid 314 1.0 5 Microextraction, and High-Performance Liquid Chromatography. Analytical Letters, 2014, 47, 2871-2881. Evaluation of dispersive liquid-liquid microextraction for the determination of cobalt and cadmium by flame atomic absorption spectrometry: application in water and food samples. Sample Preparation, 0.4 2014, 2, . Enrichment of Copper as 1-(2-Pyridylazo)-2-Naphthol Complex by the Combination of Dispersive 316 Liquid–Liquid Microextraction/Flame Atomic Absorption Spectrometry. Journal of AOAC 0.7 14 INTERNATIONAL, 2014, 97, 205-210. A hydroxyl functionalized ionic liquid-based ultrasound-assisted surfactant-enhanced emulsification microextraction for the determination of herbicides in water samples. Analytical Methods, 2014, 6, 1.3 8744-8751. In-syringe ionic liquid dispersive liquid–liquid microextraction for the determination of sulfonamides in blood using high-performance liquid chromatography. Analytical Methods, 2014, 6, 318 1.3 18 2545-2552. Ultrasonic nebulization extraction assisted dispersive liquid–liquid microextraction followed by gas chromatography for the simultaneous determination of six parabens in cosmetic products. Journal of 319 1.3 Separation Science, 2014, 37, 2349-2356. Determination of fungicides in sediments using a dispersive liquid–liquid microextraction procedure 320 1.3 21 based on solidification of floating organic drop. Journal of Separation Science, 2014, 37, 1337-1342. Ionic liquid foam floatation coupled with ionic liquid dispersive liquid–liquid microextraction for the separation and determination of estrogens in water samples by high  $\hat{e}$  performance liquid chromatography with fluorescence detection. Journal of Separation Science, 2014, 37, 3133-3141. 1.3 Trace Determination of Petroleum Pollutants in Water Samples by Dispersive Liquid–Liquid 322 0.7 6 Microextraction Method. Clean - Soil, Air, Water, 2014, 42, 1106-1114. Interfacing whispering gallery mode microresonators for environmental biosensing., 2014, , . Determination of ultra traces of lead in water samples after combined solid-phase extractionâ€"dispersive liquidâ€"liquid microextraction by graphite furnace atomic absorption 324 1.2 38 spectrometry. Journal of the Iranian Chemical Society, 2014, 11, 249-256. Speciation Analysis of Mn(II)/Mn(VII) in Tea Samples Using Flame Atomic Absorption Spectrometry After Room Temperature Ionic Liquid-Based Dispersive Liquid–Liquid Microextraction. Food Analytical 1.3 Methods, 2014, 7, 291-297.

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 326 | Optimized solid phase extraction based on diethyldithiocarbamate-coated Fe3O4 magnetic<br>nanoparticles followed by ICP-OES for determination of Cd(II) and Ni(II) in rice and water samples.<br>Journal of the Iranian Chemical Society, 2014, 11, 1129-1136.                                      | 1.2 | 10        |
| 327 | Rapid analysis of aflatoxins B <sub>1</sub> , B <sub>2</sub> , and ochratoxin A in rice samples using dispersive liquid-liquid microextraction combined with HPLC. Journal of Separation Science, 2014, 37, 92-98.  | 1.3 | 64        |
| 328 | Capillary liquid chromatography combined with pressurized liquid extraction and dispersive<br>liquid–liquid microextraction for the determination of vitamin E in cosmetic products. Journal of<br>Pharmaceutical and Biomedical Analysis, 2014, 94, 173-179.                                       | 1.4 | 28        |
| 329 | Ionic Liquid-based Ultrasound-Assisted In Situ Solvent Formation Microextraction Combined with Electrothermal Atomic Absorption Spectrometry as a Practical Method for Preconcentration and Trace Determination of Vanadium in Water and Food Samples. Food Analytical Methods, 2014, 7, 1783-1790. | 1.3 | 24        |
| 330 | Dispersive liquid–liquid microextraction in food analysis. A critical review. Analytical and<br>Bioanalytical Chemistry, 2014, 406, 2067-2099.  | 1.9 | 179       |
| 331 | Beyond dispersive liquid–liquid microextraction. Journal of Chromatography A, 2014, 1335, 2-14.   | 1.8 | 202       |
| 332 | Application of optimized dispersive liquid–liquid microextraction for determination of melatonin by<br>HPLC–UV in plasma samples. Journal of Chromatography B: Analytical Technologies in the Biomedical<br>and Life Sciences, 2014, 960, 1-7.  | 1.2 | 44        |
| 333 | Application of ionic liquid-based dispersive liquid–liquid microextraction for the analysis of ochratoxin A in rice wines. Food Chemistry, 2014, 161, 317-322.  | 4.2 | 33        |
| 334 | Development of a new microextraction method based on elevated temperature dispersive<br>liquid–liquid microextraction for determination of triazole pesticides residues in honey by gas<br>chromatography-nitrogen phosphorus detection. Journal of Chromatography A, 2014, 1347, 8-16.             | 1.8 | 90        |
| 335 | Macrocyclic polyamineâ€functionalized silica as a solidâ€phase extraction material coupled with ionic<br>liquid dispersive liquid–liquid extraction for the enrichment of polycyclic aromatic hydrocarbons.<br>Journal of Separation Science, 2014, 37, 1004-1011.                                  | 1.3 | 19        |
| 336 | Study on a Molecularly Imprinted Solid-Phase Extraction Coupled to Capillary Electrophoresis<br>Method for the Determination of Trace Trichlorfon in Vegetables. Food Analytical Methods, 2014, 7,<br>1159-1165.  | 1.3 | 24        |
| 337 | Recent developments in dispersive liquid–liquid microextraction. Analytical and Bioanalytical<br>Chemistry, 2014, 406, 2027-2066.   | 1.9 | 178       |
| 338 | Green aspects, developments and perspectives of liquid phase microextraction techniques. Talanta, 2014, 119, 34-45.   | 2.9 | 285       |
| 339 | Ultrasound-vortex-assisted dispersive liquid–liquid microextraction coupled with gas<br>chromatography with a nitrogen–phosphorus detector for simultaneous and rapid determination of<br>organophosphorus pesticides and triazines in wine. Analytical Methods, 2014, 6, 782-790.                  | 1.3 | 56        |
| 340 | Emulsion-based liquid-phase microextraction: a review. Journal of the Iranian Chemical Society, 2014, 11, 1087-1101.  | 1.2 | 28        |
| 341 | New Trends in Sample Preparation Techniques for Environmental Analysis. Critical Reviews in Analytical Chemistry, 2014, 44, 142-185.  | 1.8 | 86        |
| 342 | Liquid phase microextraction of pesticides: a review on current methods. Mikrochimica Acta, 2014, 181, 829-851.   | 2.5 | 85        |
| 343 | Preconcentration and determination of bisphenol A, naphthol and dinitrophenol from environmental water samples by dispersive liquid-phase microextraction and HPLC. Analytical Methods, 2014, 6, 187-193.   | 1.3 | 20        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 344 | DETERMINATION OF CHLORPYRIFOS AND ITS MAIN DEGRADATION PRODUCT TCP IN WATER SAMPLES BY<br>DISPERSIVE LIQUID–LIQUID MICROEXTRACTION BASED ON SOLIDIFICATION OF FLOATING ORGANIC DROPLET<br>COMBINED WITH HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY. Journal of Liquid Chromatography<br>and Related Technologies, 2014, 37, 1499-1512.                | 0.5 | 14        |
| 345 | Trace analysis of herbicides in wastewaters by a dispersive liquid-liquid microextraction approach and liquid chromatography with quadrupole linear ion trap mass spectrometry: Evaluation of green parameters. Journal of Separation Science, 2014, 37, 1511-1520.   | 1.3 | 7         |
| 346 | Trace level enrichment of lead from environmental water samples utilizing dispersive liquid-liquid microextraction and quantitative determination by graphite furnace atomic absorption spectrometry. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2014, 49, 833-842.           | 0.9 | 5         |
| 347 | Magnetically mixed hemimicelles solid-phase extraction based on ionic liquid-coated Fe3O4<br>nanoparticles for the analysis of trace organic contaminants in water. Analytical Methods, 2014, 6,<br>6783-6788.  | 1.3 | 12        |
| 348 | Aptamer-Controlled Reversible Inhibition of Gold Nanozyme Activity for Pesticide Sensing. Analytical Chemistry, 2014, 86, 11937-11941.  | 3.2 | 271       |
| 349 | lonic liquid dispersive liquid–liquid microextraction combined with high performance liquid<br>chromatography for determination of tetracycline drugs in eggs. Analytical Methods, 2014, 6,<br>6459-6466.   | 1.3 | 23        |
| 350 | Ultrasound-assisted dispersive liquid–liquid microextraction based on the solidification of a<br>floating organic droplet followed by gas chromatography for the determination of eight pyrethroid<br>pesticides in tea samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and<br>Life Sciences, 2014, 969, 123-127. | 1.2 | 66        |
| 351 | ZnO nanoparticle-modified polymethyl methacrylate-assisted dispersive liquid–liquid microextraction coupled with MALDI-MS for rapid pathogenic bacteria analysis. RSC Advances, 2014, 4, 45973-45983.   | 1.7 | 38        |
| 352 | Slow-Injection Ultrasound-Assisted Emulsiffation–Microextraction for Determination of Phthalate<br>Esters in Waterâ€. Journal of Chromatographic Science, 2014, 52, 1127-1134.  | 0.7 | 8         |
| 353 | Determination of Tetracyclines in Water by Ethyl Acetate–Ionic Liquid Dispersive Liquid–Liquid<br>Microextraction and High-Performance Liquid Chromatography. Analytical Letters, 2014, 47, 1783-1795.  | 1.0 | 13        |
| 354 | Rapid analysis of non-steroidal anti-inflammatory drugs in tap water and drinks by ionic liquid<br>dispersive liquid–liquid microextraction coupled to ultra-high performance supercritical fluid<br>chromatography. Analytical Methods, 2014, 6, 7294-7304.  | 1.3 | 27        |
| 355 | Comparison of two ionic liquid dispersive liquid–liquid microextraction approaches for the determination of benzoylurea insecticides in wastewater using liquid chromatography–quadrupole-linear ion trap–mass spectrometry: Evaluation of green parameters. lournal of Chromatography A. 2014. 1356. 1-9.  | 1.8 | 54        |
| 356 | Application of vortex-assisted supramolecular solvent liquid–liquid microextraction for trace determination of nitroaniline isomers. International Journal of Environmental Analytical Chemistry, 2014, 94, 812-821.  | 1.8 | 9         |
| 357 | Ionic liquid based dispersive liquid–liquid microextraction followed by RP-HPLC determination of balofloxacin in rat serum. Analytical Methods, 2014, 6, 1674.  | 1.3 | 7         |
| 358 | Speciation of As(III) and As(V) in water samples by graphite furnace atomic absorption spectrometry after solid phase extraction combined with dispersive liquid–liquid microextraction based on the solidification of floating organic drop. Talanta, 2014, 130, 26-32.  | 2.9 | 90        |
| 359 | Dispersive liquid-liquid microextraction for simultaneous determination of six parabens in aqueous cosmetics. Chemical Research in Chinese Universities, 2014, 30, 368-373.   | 1.3 | 7         |
| 360 | Determination of Phthalate Esters in Wine Using Dispersive Liquid–Liquid Microextraction and Gas<br>Chromatography. Analytical Letters, 2014, 47, 1874-1887.  | 1.0 | 6         |
| 361 | Determination of Fenvalerate in Tomato by Ultrasound-Assisted Solvent Extraction Combined with Dispersive Liquid-Liquid Microextraction. Journal of Chromatographic Science, 2014, 52, 944-949.   | 0.7 | 10        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 362 | Determination of pesticides and related compounds in water by dispersive liquid–liquid<br>microextraction and gas chromatography-triple quadrupole mass spectrometry. Analytical Methods,<br>2014, 6, 5020.  | 1.3 | 15        |
| 363 | Evaluation of IL-ATPS and IL-MAE for Simultaneous Determination of Herbicides and Plant Growth Regulators in Sediment. Chromatographia, 2014, 77, 923-931.   | 0.7 | 14        |
| 364 | Further investigation of array capillary in-tube solid-phase microextraction of trace organic pollutants in water samples. Analytical Methods, 2014, 6, 750-757.   | 1.3 | 10        |
| 365 | Determination and Control of Pesticide Residues in Beverages: A Review of Extraction Techniques,<br>Chromatography, and Rapid Detection Methods. Applied Spectroscopy Reviews, 2014, 49, 97-120.   | 3.4 | 44        |
| 366 | Preparation of a Magnetic Metal Organic Framework Composite and Its Application for the Detection of Methyl Parathion. Analytical Sciences, 2014, 30, 663-668.   | 0.8 | 15        |
| 367 | Two dispersive liquid–liquid microextraction methods coupled with gas chromatography–mass<br>spectrometry for the determination of organophosphorus pesticides in field water. Environmental<br>Chemistry, 2014, 11, 661.  | 0.7 | 3         |
| 368 | Determination of nifurtimox in dog plasma by stable-isotope dilution LC–MS/MS. Bioanalysis, 2015, 7, 2777-2787.  | 0.6 | 1         |
| 371 | Comparison of airâ€agitated liquid–liquid microextraction and ultrasoundâ€assisted emulsification<br>microextraction for polycyclic aromatic hydrocarbons determination in hookah water. Journal of<br>Separation Science, 2015, 38, 2496-2502.  | 1.3 | 25        |
| 372 | Simultaneous Determination of Nonsteroidal Antiâ€Inflammatory Drugs in Aqueous Samples Using<br>Dispersive Liquid–Liquid Microextraction and <scp>HPLC</scp> Analysis. Bulletin of the Korean<br>Chemical Society, 2015, 36, 2901-2906.  | 1.0 | 16        |
| 373 | A sensitive and efficient method for trace analysis of some phenolic compounds using simultaneous derivatization and airâ€assisted liquid–liquid microextraction from human urine and plasma samples followed by gas chromatography–nitrogen phosphorous detection. Biomedical Chromatography, 2015, 29, 1921-1931                           | 0.8 | 2         |
| 374 | Ultrasoundâ€Assisted Emulsificationâ€Microextraction With In Situ Derivatization and Gas<br>Chromatographyâ€Electron apture Detection for Determination of Chlorophenols in Water. Clean -<br>Soil, Air, Water, 2015, 43, 1143-1149.   | 0.7 | 4         |
| 375 | Vortexâ€assisted liquid–liquid microextraction using a lowâ€ŧoxicity solvent for the determination of<br>five organophosphorus pesticides in water samples by highâ€performance liquid chromatography.<br>Journal of Separation Science, 2015, 38, 3487-3493.  | 1.3 | 29        |
| 376 | High-throughput dispersive liquid/liquid microextraction (DLLME) method for the rapid<br>determination of drugs of abuse, benzodiazepines and other psychotropic medications in blood<br>samples by liquid chromatography–tandem mass spectrometry (LC-MS/MS) and application to forensic<br>cases. Microchemical Journal, 2015, 123, 33-41. | 2.3 | 86        |
| 377 | Cases, Microchemicar Journal, 2019, 123, 55-41.<br>Development of a green liquid–liquid microextraction method using a solid disperser performed in a<br>narrow-bore tube for trace analysis of some organophosphorus pesticides in fruit juices. Journal of<br>Food Composition and Analysis, 2015, 43, 96-105.                             | 1.9 | 15        |
| 378 | Analysis of organo-chlorine pesticides residue in raw coffee with a modified "quick easy cheap<br>effective rugged and safe―extraction/clean up procedure for reducing the impact of caffeine on the<br>gas chromatography–mass spectrometry measurement. Journal of Chromatography A, 2015, 1376,<br>167-171.                               | 1.8 | 20        |
| 379 | Negative corona discharge-ion mobility spectrometry as a detection system for low density extraction solvent-based dispersive liquid–liquid microextraction. Talanta, 2015, 134, 724-731.  | 2.9 | 12        |
| 380 | Spatial distribution and partitioning of organophosphates pesticide in water and sediment from Sarno<br>River and Estuary, Southern Italy. Environmental Science and Pollution Research, 2015, 22, 8629-8642.  | 2.7 | 53        |
| 381 | Determination of 13 endocrine disrupting chemicals in sediments by gas chromatography–mass spectrometry using subcritical water extraction coupled with dispersed liquid–liquid microextraction and derivatization. Analytica Chimica Acta, 2015, 866, 41-47.  | 2.6 | 36        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 382 | Use of switchable hydrophilicity solvents for the homogeneous liquid–liquid microextraction of triazine herbicides from environmental water samples. Journal of Separation Science, 2015, 38, 990-995.  | 1.3 | 79        |
| 383 | <i>&gt;n</i> -Octylated Magnetic Nanoparticle-Based Microextraction for the Determination of<br>Organophosphorus Pesticides in Water. Analytical Letters, 2015, 48, 1604-1618.  | 1.0 | 6         |
| 384 | Extraction and determination of polycyclic aromatic hydrocarbons in water samples using stir bar sorptive extraction (SBSE) combined with dispersive liquid–liquid microextraction based on the solidification of floating organic drop (DLLME-SFO) followed by HPLC-UV. RSC Advances, 2015, 5, 20339-20345.                  | 1.7 | 43        |
| 385 | Detection of Posaconazole by Surface-Assisted Laser Desorption/Ionization Mass Spectrometry with<br>Dispersive Liquid–Liquid Microextraction. Journal of the American Society for Mass Spectrometry,<br>2015, 26, 530-533.  | 1.2 | 7         |
| 386 | Development of an ionicâ€liquidâ€based dispersive liquid–liquid microextraction method for the<br>determination of antichagasic drugs in human breast milk: Optimization by central composite design.<br>Journal of Separation Science, 2015, 38, 1591-1600.  | 1.3 | 18        |
| 387 | High-throughput screening for new psychoactive substances (NPS) in whole blood by DLLME<br>extraction and UHPLC–MS/MS analysis. Journal of Chromatography B: Analytical Technologies in the<br>Biomedical and Life Sciences, 2015, 1000, 57-68.   | 1.2 | 86        |
| 388 | In-tube electro-membrane extraction with a sub-microliter organic solvent consumption as an efficient technique for synthetic food dyes determination in foodstuff samples. Journal of Chromatography A, 2015, 1410, 35-43.   | 1.8 | 41        |
| 389 | Exploitation of pulsed flows for on-line dispersive liquid–liquid microextraction:<br>Spectrophotometric determination of formaldehyde in milk. Talanta, 2015, 144, 1189-1194.  | 2.9 | 55        |
| 390 | Magnetic solid phase extraction and gas chromatography–mass spectrometrical analysis of sixteen polycyclic aromatic hydrocarbons. Journal of Chromatography A, 2015, 1406, 40-47.   | 1.8 | 29        |
| 391 | Fast Analytical Techniques Based on Microextraction. Comprehensive Analytical Chemistry, 2015, 67, 85-134.  | 0.7 | 8         |
| 392 | Analytical methods for determination of anticoagulant rodenticides in biological samples. Forensic Science International, 2015, 253, 94-102.  | 1.3 | 27        |
| 393 | Liquid Chromatographic Determination of NSAIDs in Urine After Dispersive Liquid–Liquid<br>Microextraction Based on Solidification of Floating Organic Droplets. Chromatographia, 2015, 78,<br>987-994.  | 0.7 | 27        |
| 394 | Recent achievements in solidified floating organic drop microextraction. TrAC - Trends in Analytical Chemistry, 2015, 68, 48-77.  | 5.8 | 88        |
| 395 | Extraction and GC-MS analysis of phthalate esters in food matrices: a review. RSC Advances, 2015, 5, 37023-37043.   | 1.7 | 86        |
| 396 | Optimization of dispersive liquid–liquid microextraction combined with high performance liquid<br>chromatography for the analysis of dipyridamole in water and urine samples. Monatshefte Für Chemie,<br>2015, 146, 1593-1601.  | 0.9 | 11        |
| 397 | Ionic Liquid-Based Ultrasonic-Assisted Extraction Combined with HPLC–MS/MS for the Determination of Seven Mercapturic Acids in Human Urine. Chromatographia, 2015, 78, 641-648.   | 0.7 | 11        |
| 398 | Comparison of ultrasound-enhanced air-assisted liquid–liquid microextraction and low-density<br>solvent-based dispersive liquid–liquid microextraction methods for determination of nonsteroidal<br>anti-inflammatory drugs in human urine samples. Journal of Pharmaceutical and Biomedical Analysis,<br>2015, 111, 297-305. | 1.4 | 46        |
| 399 | DNA technology for small molecules sensing: a new approach for Acetamiprid detection. , 2015, , .   |     | 1         |

|                          | Article   | IF                       | CITATIONS                |
|--------------------------|---|--------------------------|--------------------------|
| 400                      | Conversion of Inhibition Biosensing to Substrate-Like Biosensing for Quinalphos Selective Detection.<br>Analytical Chemistry, 2015, 87, 5270-5277.  | 3.2                      | 18                       |
| 401                      | Dispersive liquid–liquid microextraction for the determination of new generation pesticides in soils<br>by liquid chromatography and tandem mass spectrometry. Journal of Chromatography A, 2015, 1394, 1-8.  | 1.8                      | 35                       |
| 402                      | Analysis of oxybutynin and N-desethyloxybutynin in human urine by dispersive liquid–liquid<br>microextraction (DLLME) and capillary electrophoresis (CE). Analytical Methods, 2015, 7, 8763-8770.   | 1.3                      | 8                        |
| 403                      | Determination of Organothiophosphate Insecticides in Environmental Water Samples by a Very Simple and Sensitive Spectrofluorimetric Method. Bulletin of Environmental Contamination and Toxicology, 2015, 95, 536-541.  | 1.3                      | 9                        |
| 404                      | Acetylcholinesterase inhibition-based ultrasensitive fluorometric detection of malathion using unmodified silver nanoparticles. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2015, 485, 111-117.   | 2.3                      | 27                       |
| 405                      | Determination of benzoylurea insecticides in environmental water and honey samples using<br>ionic-liquid-mingled air-assisted liquid–liquid microextraction based on solidification of floating<br>organic droplets. RSC Advances, 2015, 5, 25572-25580.  | 1.7                      | 32                       |
| 406                      | Modified QuEChERS in Combination with Dispersive Liquid–Liquid Microextraction Based on<br>Solidification of the Floating Organic Droplet Method for the Determination of Organophosphorus<br>Pesticides in Milk Samples. Journal of Chromatographic Science, 2015, 53, bmv089.   | 0.7                      | 6                        |
| 407                      | A simple one-step extraction method for the determination of organophosphorus pesticides in shuanghuanglian and antivirus oral liquids by gas chromatography-tandem mass spectrometry. Analytical Methods, 2015, 7, 6821-6827.  | 1.3                      | 3                        |
| 408                      | Applications of Experimental Design to the Optimization of Microextraction Sample Preparation<br>Parameters for the Analysis of Pesticide Residues in Fruits and Vegetables. Journal of AOAC<br>INTERNATIONAL, 2015, 98, 1171-1185.   | 0.7                      | 10                       |
| 409                      | A simple and sensitive fluorescent sensor for methyl parathion based on I -tyrosine methyl ester  |                          | 0.05                     |
|                          | functionalized carbon dots. Biosensors and Bioelectronics, 2015, 68, 20-26.   | 5.3                      | 207                      |
| 410                      | functionalized carbon dots. Biosensors and Bioelectronics, 2015, 68, 20-26.<br>Solvent Extraction. , 2015, , 131-189.   | 5.3                      | 8                        |
| 410                      |   | 5.3<br>0.7               |                          |
|                          | Solvent Extraction. , 2015, , 131-189.<br>Determination of Clevidipine and Its Primary Metabolite in Rat Plasma by a Dispersive Liquid–Liquid   |                          | 8                        |
| 411                      | Solvent Extraction. , 2015, , 131-189.<br>Determination of Clevidipine and Its Primary Metabolite in Rat Plasma by a Dispersive Liquid–Liquid<br>Microextraction Method. Journal of Chromatographic Science, 2015, 53, 830-835.<br>Ionic liquids for improving the extraction of NSAIDs in water samples using dispersive liquid–liquid<br>microextraction by high performance liquid chromatography-diode array–fluorescence detection.  | 0.7                      | 8                        |
| 411<br>412               | Solvent Extraction., 2015, , 131-189.<br>Determination of Clevidipine and Its Primary Metabolite in Rat Plasma by a Dispersive Liquid–Liquid<br>Microextraction Method. Journal of Chromatographic Science, 2015, 53, 830-835.<br>Ionic liquids for improving the extraction of NSAIDs in water samples using dispersive liquid–liquid<br>microextraction by high performance liquid chromatography-diode array–fluorescence detection.<br>Talanta, 2015, 134, 619-626.<br>Determination of fluoroquinolone drugs in meat by ionic-liquid-based dispersive liquid–liquid  | 0.7<br>2.9               | 8<br>3<br>56             |
| 411<br>412<br>413        | Solvent Extraction., 2015, , 131-189.   Determination of Clevidipine and Its Primary Metabolite in Rat Plasma by a Dispersive Liquid–Liquid Microextraction Method. Journal of Chromatographic Science, 2015, 53, 830-835.   Ionic liquids for improving the extraction of NSAIDs in water samples using dispersive liquid–liquid microextraction by high performance liquid chromatography-diode array–fluorescence detection. Talanta, 2015, 134, 619-626.   Determination of fluoroquinolone drugs in meat by ionic-liquid-based dispersive liquid–liquid microextraction-high performance liquid chromatography. Analytical Methods, 2015, 7, 1046-1052.   Application of nonionic surfactant as a new method for the enhancement of electromembrane extraction performance for determination of basic drugs in biological samples. Journal of  | 0.7<br>2.9<br>1.3        | 8<br>3<br>56<br>18       |
| 411<br>412<br>413<br>414 | Solvent Extraction., 2015, , 131-189.   Determination of Clevidipine and Its Primary Metabolite in Rat Plasma by a Dispersive Liquid–Liquid Microextraction Method. Journal of Chromatographic Science, 2015, 53, 830-835.   Ionic liquids for improving the extraction of NSAIDs in water samples using dispersive liquid–liquid microextraction by high performance liquid chromatography-diode array–fluorescence detection. Talanta, 2015, 134, 619-626.   Determination of fluoroquinolone drugs in meat by ionic-liquid-based dispersive liquid–liquid microextraction-high performance liquid chromatography. Analytical Methods, 2015, 7, 1046-1052.   Application of nonionic surfactant as a new method for the enhancement of electromembrane extraction performance for determination of basic drugs in biological samples. Journal of Chromatography A, 2015, 1378, 1-7.   Recent Advances in Analysis of Pesticides in Food and Drink Samples Using LPME Techniques Coupled | 0.7<br>2.9<br>1.3<br>1.8 | 8<br>3<br>56<br>18<br>40 |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 418 | Application of dispersive liquid–liquid microextraction and gas chromatography with mass spectrometry for the determination of oxygenated volatile organic compounds in effluents from the production of petroleum bitumen. Journal of Separation Science, 2016, 39, 2604-2615.                                      | 1.3 | 41        |
| 419 | Dispersive Liquid–Liquid Microextraction Combined with High-Performance Liquid Chromatography<br>for the Simultaneous Analysis of Matrine Alkaloids in Traditional Chinese Medicine. Journal of<br>Chromatographic Science, 2016, 54, 1687-1693.   | 0.7 | 11        |
| 420 | Application of dispersive liquid—liquid microextraction for the analysis of organophosphorus<br>pesticides in Hawthorn (Crataegus pinnatifida var. major) juice samples. Acta Chromatographica, 2016,<br>28, 403-414.  | 0.7 | 6         |
| 421 | Optimization of ionic liquid based dispersive liquid–liquid microextraction combined with dispersive micro-solid phase extraction for the spectrofluorimetric determination of sulfasalazine in aqueous samples by response surface methodology. RSC Advances, 2016, 6, 113551-113560.                               | 1.7 | 13        |
| 422 | New procedure for the control of the treatment of industrial effluents to remove volatile organosulfur compounds. Journal of Separation Science, 2016, 39, 3946-3956.  | 1.3 | 26        |
| 424 | Characteristics of selected bioaccumulative substances and their impact on fish health. Journal of<br>Veterinary Research (Poland), 2016, 60, 473-480.   | 0.3 | 7         |
| 425 | Ultrasensitive aptamer biosensor for malathion detection based on cationic polymer and gold nanoparticles. Biosensors and Bioelectronics, 2016, 85, 445-449.   | 5.3 | 166       |
| 426 | Estimates of Tiber River organophosphate pesticide loads to the Tyrrhenian Sea and ecological risk.<br>Science of the Total Environment, 2016, 559, 218-231.   | 3.9 | 60        |
| 427 | Gas-assisted dispersive liquid-phase microextraction using ionic liquid as extracting solvent for spectrophotometric speciation of copper. Talanta, 2016, 154, 461-466.  | 2.9 | 37        |
| 428 | A sensitive and efficient method for the determination of 8 chlorophenoxy acid herbicides in crops by dispersive liquid–liquid microextraction and HPLC with fluorescence detection and identification by MS. Analytical Methods, 2016, 8, 3536-3544.  | 1.3 | 10        |
| 429 | Homogeneous Liquid–Liquid Microextraction for Determination of Organophosphorus Pesticides in<br>Environmental Water Samples Prior to Gas Chromatography-Flame Photometric Detection. Journal of<br>Chromatographic Science, 2016, 54, 1061-1067.  | 0.7 | 27        |
| 430 | Separation of uranium (VI) using dispersive liquid-liquid extraction from leach liquor. Progress in Nuclear Energy, 2016, 90, 212-218.   | 1.3 | 19        |
| 431 | In-syringe reversed dispersive liquid–liquid microextraction coupled to high performance liquid<br>chromatography for the determination of sulfonylurea herbicide residues in cereal samples.<br>Analytical Methods, 2016, 8, 4254-4262.   | 1.3 | 13        |
| 432 | Polydimethylsiloxane/metal-organic frameworks coated stir bar sorptive extraction coupled to gas chromatography-flame photometric detection for the determination of organophosphorus pesticides in environmental water samples. Talanta, 2016, 156-157, 126-133.  | 2.9 | 75        |
| 433 | Turn-off fluorescence probe for the selective determination of pendimethalin using a mechanistic docking model of novel oxacalix[4]arene. RSC Advances, 2016, 6, 53573-53577.  | 1.7 | 30        |
| 434 | Analysis of Malathion pesticide residues in rice samples using ultrasound-assisted<br>emulsification-microextraction coupled to UV photoionization source ion mobility spectrometry.<br>International Journal for Ion Mobility Spectrometry, 2016, 19, 189-195.  | 1.4 | 3         |
| 435 | Solid-phase extraction combined with dispersive liquid-liquid microextraction and chiral liquid chromatography-tandem mass spectrometry for the simultaneous enantioselective determination of representative proton-pump inhibitors in water samples. Analytical and Bioanalytical Chemistry, 2016, 408, 6381-6392. | 1.9 | 28        |
| 436 | Simultaneous extraction and determination of phthalate esters in aqueous solution by yolk-shell magnetic mesoporous carbon-molecularly imprinted composites based on solid-phase extraction coupled with gas chromatography–mass spectrometry. Talanta, 2016, 161, 114-121.  | 2.9 | 47        |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 437 | Combination of homogenous liquid–liquid extraction and dispersive liquid–liquid microextraction<br>for extraction and preconcentration of amantadine from biological samples followed by its indirect<br>determination by flame atomic absorption spectrometry. RSC Advances, 2016, 6, 108603-108610.  | 1.7 | 50        |
| 438 | Application of tandem dispersive liquid–liquid microextraction for the determination of doxepin, citalopram, and fluvoxamine in complicated samples. Journal of Separation Science, 2016, 39, 4828-4834.   | 1.3 | 18        |
| 439 | Study of Analytical Techniques to Determine Chlorpyrifos in the Surface Waterways of the Rural Zone of Ouro Branco, Brazil: A Case Study. Water, Air, and Soil Pollution, 2016, 227, 1.  | 1.1 | 1         |
| 440 | Preconcentration of valsartan by dispersive liquid–liquid microextraction based on solidification of floating organic drop and its determination in urine sample: Central composite design. Journal of Separation Science, 2016, 39, 1935-1944.  | 1.3 | 22        |
| 441 | Electromembrane extraction of polar basic drugs from plasma with pure bis(2-ethylhexyl) phosphite<br>as supported liquid membrane. Analytica Chimica Acta, 2016, 934, 80-87.   | 2.6 | 52        |
| 442 | Response surface methodology based on central composite design as a chemometric tool for optimizing dispersive liquid–liquid microextraction for determining ultra-trace amounts of zinc in oil and water samples. Analytical Methods, 2016, 8, 5101-5110.   | 1.3 | 15        |
| 443 | Sensitive determination of trace urinary 3-hydroxybenzo[ a ]pyrene using ionic liquids-based dispersive liquid–liquid microextraction followed by chemical derivatization and high performance liquid chromatography–high resolution tandem mass spectrometry. Journal of Chromatography B:<br>Analytical Technologies in the Biomedical and Life Sciences, 2016, 1027, 200-206. | 1.2 | 17        |
| 444 | Dispersive solidâ€phase extraction followed by vortexâ€assisted dispersive liquid–liquid microextraction based on the solidification of a floating organic droplet for the determination of benzoylurea insecticides in soil and sewage sludge. Journal of Separation Science, 2016, 39, 1258-1265.  | 1.3 | 24        |
| 445 | Rapid and simultaneous determination of ten off-flavor compounds in water by headspace solid phase microextraction and gas chromatography-mass spectrometry. Journal of Central South University, 2016, 23, 59-67.   | 1.2 | 14        |
| 446 | Solid-phase extraction in combination with dispersive liquid-liquid microextraction and ultra-high performance liquid chromatography-tandem mass spectrometry analysis: the ultra-trace determination of 10 antibiotics in water samples. Analytical and Bioanalytical Chemistry, 2016, 408, 1701-1713.  | 1.9 | 71        |
| 447 | Determination of Forty Pollutants in Wastewater by Liquid–Liquid Extraction and Gas<br>Chromatography–Mass Spectrometry. Analytical Letters, 2016, 49, 1480-1491.  | 1.0 | 10        |
| 448 | Extraction of organophosphorus pesticides by carbonâ€coated Fe <sub>3</sub> O <sub>4</sub><br>nanoparticles through response surface experimental design. Journal of Separation Science, 2016, 39,<br>256-263.   | 1.3 | 14        |
| 449 | Determination of ultra-trace palladium (II) in water, soil, and food samples by dispersive liquidâ€liquid<br>microextraction-atomic absorption spectrometry using 2-mercaptobenzimidazole as a complexing<br>agent. Microchemical Journal, 2016, 127, 46-51.   | 2.3 | 38        |
| 450 | Dispersive solid phase extraction followed by low-toxicity vortex-assisted liquid–liquid microextraction for the determination of organophosphorus pesticides by high-performance liquid chromatography. Analytical Methods, 2016, 8, 2684-2690.   | 1.3 | 9         |
| 451 | Comparative Evaluation of QuEChERS Method Coupled to DLLME Extraction for the Analysis of<br>Multiresidue Pesticides in Vegetables and Fruits by Gas Chromatography-Mass Spectrometry. Food<br>Analytical Methods, 2016, 9, 2656-2669.   | 1.3 | 50        |
| 452 | Tandem air-agitated liquid–liquid microextraction as an efficient method for determination of acidic drugs in complicated matrices. Analytica Chimica Acta, 2016, 917, 44-52.  | 2.6 | 56        |
| 453 | Determination of immunosuppressive drugs in human urine and serum by surface-assisted laser desorption/ionization mass spectrometry with dispersive liquid-liquid microextraction. Analytical and Bioanalytical Chemistry, 2016, 408, 629-637.   | 1.9 | 13        |
| 454 | Preparation of molecularly imprinted polymers using theanine as dummy template and its application as SPE sorbent for the determination of eighteen amino acids in tobacco. Talanta, 2016, 150, 388-398.   | 2.9 | 40        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 455 | Tandem dispersive liquid–liquid microextraction as an efficient method for determination of basic  | 1.8 | 54        |
| 100 | drugs in complicated matrices. Journal of Chromatography A, 2016, 1429, 13-21.   | 210 |           |
| 456 | Supramolecular based-ligandless ultrasonic assisted-dispersion solidification liquid–liquid<br>microextraction of uranyl ion prior to spectrophotometric determination with dibenzoylmethane.<br>RSC Advances, 2016, 6, 2394-2401.   | 1.7 | 11        |
| 457 | Selective and sensitive electrochemical detection of methyl parathion using chemically modified overhead projector sheets as flexible electrodes. Sensors and Actuators B: Chemical, 2016, 227, 169-177.   | 4.0 | 61        |
| 458 | Synthesis and sensing applications of a new fluorescent derivative of cholesterol. New Journal of Chemistry, 2016, 40, 1817-1824.  | 1.4 | 8         |
| 459 | Acid–base reaction-based dispersive liquid–liquid microextraction method for extraction of three classes of pesticides from fruit juice samples. Journal of Chromatography A, 2016, 1431, 8-16.  | 1.8 | 17        |
| 460 | Electrophoretic micro-preconcentration of ionizable compounds as a green approach in sample preparation. Microchemical Journal, 2016, 125, 124-129.  | 2.3 | 11        |
| 461 | Determination of carbamazepine in formulation samples using dispersive liquid–liquid<br>microextraction method followed by ion mobility spectrometry. International Journal for Ion<br>Mobility Spectrometry, 2016, 19, 51-56.   | 1.4 | 12        |
| 462 | Dispersive Liquid-Liquid Microextraction for the Determination of Emerging Fusarium Mycotoxins in<br>Water. Food Analytical Methods, 2016, 9, 856-862.   | 1.3 | 10        |
| 463 | Extraction and preconcentration of triazine pesticides using rapid, simple, and disperser solventless<br>microextraction technique followed by gas chromatography–nitrogen phosphorous detection.<br>European Journal of Lipid Science and Technology, 2017, 119, 1600208.       | 1.0 | 5         |
| 464 | Determination of Natamycin in Dairy Products Using Dispersive Liquid-Liquid Microextraction and<br>Indirect Flame Atomic Absorption Spectrometry. Food Analytical Methods, 2017, 10, 2529-2538.  | 1.3 | 6         |
| 465 | Centrifuge-free dispersive liquid–liquid microextraction based on the salting-out effect followed by high performance liquid chromatography for simple and sensitive determination of polycyclic aromatic hydrocarbons in water samples. Analytical Methods, 2017, 9, 1732-1740. | 1.3 | 17        |
| 466 | Occurrence of erythromycin and its degradation products residues in honey. Validation of an analytical method. Journal of Separation Science, 2017, 40, 1353-1360.   | 1.3 | 5         |
| 467 | Selective determination of chromium(VI) ions using in-tube electro-membrane extraction followed by flame atomic absorption spectrometry. Microchemical Journal, 2017, 132, 378-384.  | 2.3 | 24        |
| 468 | Analysis of sulfur compounds using a water stationary phase in gas chromatography with flame photometric detection. Analytical Methods, 2017, 9, 1097-1104.  | 1.3 | 10        |
| 469 | Determination of five endosulfan pesticides in the fish pond water by dispersive liquid–liquid<br>microextraction combined with GC–MS. Forensic Sciences Research, 2017, 2, 40-45.   | 0.9 | 8         |
| 470 | Determination of triazine herbicides in juice samples by microwave-assisted ionic liquid/ionic liquid dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography.<br>Journal of Separation Science, 2017, 40, 2950-2958.                       | 1.3 | 28        |
| 471 | Determination of organotin compounds in sediment samples by dispersive liquid-liquid<br>microextraction followed by gas chromatography – Pulsed flame photometric detection<br>(DLLME-GC-PFPD). Microchemical Journal, 2017, 134, 49-53.   | 2.3 | 19        |
| 472 | A convenient method for determination of malathion based on the resonance Rayleigh scattering enhancement. Journal of Molecular Structure, 2017, 1144, 1-8.  | 1.8 | 7         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 473 | Novel Bifunctional Electrocatalyst for ORR Activity and Methyl Parathion Detection Based on<br>Reduced Graphene Oxide/Palladium Tetraphenylporphyrin Nanocomposite. Journal of Physical<br>Chemistry C, 2017, 121, 14096-14107.  | 1.5 | 30        |
| 474 | Improved in-tube electro-membrane extraction followed by high-performance liquid chromatography<br>for simple and selective determination of ionic compounds: Optimization by central composite design.<br>Journal of Separation Science, 2017, 40, 2967-2974.                               | 1.3 | 9         |
| 475 | Trace determination of five triazole fungicide residues in traditional Chinese medicine samples by<br>dispersive solidâ€phase extraction combined with ultrasoundâ€essisted dispersive liquid–liquid<br>microextraction and UHPLC–MS/MS. Journal of Separation Science, 2017, 40, 3257-3266. | 1.3 | 30        |
| 476 | A two-in-one device for online monitoring of direct immersion single-drop microextraction: an optical probe as both microdrop holder and measuring cell. RSC Advances, 2017, 7, 29421-29427.   | 1.7 | 23        |
| 477 | Microspectrophotometric determination of erythrosine in beverage and water samples after<br>ultrasonic assisted supramolecular-based dispersion solidification liquid–liquid microextraction.<br>Journal of Analytical Chemistry, 2017, 72, 617-623.   | 0.4 | 21        |
| 478 | Reduced Graphene Oxide Supported Cobalt Bipyridyl Complex for Sensitive Detection of Methyl Parathion in Fruits and Vegetables. Electroanalysis, 2017, 29, 1950-1960.  | 1.5 | 43        |
| 479 | Ni(II) analysis in food and environmental samples by liquid-liquid microextraction combined with electro-thermal atomic absorption spectrometry. Microchemical Journal, 2017, 133, 311-319.  | 2.3 | 10        |
| 480 | Evaluation of abamectin, diazinon and chlorpyrifos pesticide residues in apple product of Mahabad region gardens: Iran in 2014. Food Chemistry, 2017, 231, 148-155.  | 4.2 | 51        |
| 481 | An overview of advances in dispersive liquid–liquid microextraction for the extraction of pesticides<br>and emerging contaminants from environmental samples. Trends in Environmental Analytical<br>Chemistry, 2017, 14, 1-18.   | 5.3 | 77        |
| 482 | Rapid determination of some psychotropic drugs in complex matrices by tandem dispersive<br>liquid–liquid microextraction followed by high performance liquid chromatography. Journal of<br>Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1052, 51-59. | 1.2 | 27        |
| 483 | Automated dispersive liquid-liquid microextraction coupled to high performance liquid chromatography - cold vapour atomic fluorescence spectroscopy for the determination of mercury species in natural water samples. Journal of Chromatography A, 2017, 1493, 1-9.                         | 1.8 | 62        |
| 484 | Centrifugeless ultrasoundâ€assisted emulsification microextraction based on saltingâ€out phenomenon<br>followed by highâ€performance liquid chromatography for the simple determination of phthalate<br>esters in aqueous samples. Journal of Separation Science, 2017, 40, 2022-2029.       | 1.3 | 12        |
| 485 | Centrifugeless dispersive liquid-liquid microextraction based on salting-out phenomenon as an efficient method for determination of phenolic compounds in environmental samples. Analytical and Bioanalytical Chemistry, 2017, 409, 3007-3016.   | 1.9 | 21        |
| 486 | Using enantioselective dispersive liquid–liquid microextraction for the microseparation of trans<br>-cyclohexane-1,2-diamine enantiomers. Tetrahedron: Asymmetry, 2017, 28, 454-459.   | 1.8 | 2         |
| 487 | Ultrasonic energy enhanced the efficiency of advance extraction methodology for enrichment of trace level of copper in serum samples of patients having neurological disorders. Ultrasonics Sonochemistry, 2017, 37, 23-28.  | 3.8 | 11        |
| 488 | Template-free synthesis of SERS-active gold nanopopcorn for rapid detection of chlorpyrifos residues. Sensors and Actuators B: Chemical, 2017, 241, 1008-1013.   | 4.0 | 76        |
| 489 | Hyaluronan–tyrosine–gold nanoparticles as an enzyme-free colorimetric probe for the detection of phosphorothiolate pesticides. Analytical Methods, 2017, 9, 6139-6147.   | 1.3 | 9         |
| 490 | Rapid derivatization and extraction of paraben preservatives by fast syringe-assisted liquid–liquid<br>microextraction and their determination in cosmetic and aqueous sample solutions by gas<br>chromatography. Analytical Methods, 2017, 9, 5963-5969.                                    | 1.3 | 23        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 491 | Chlorobenzene Release During Thermal Drying of Sludge: Mechanism and Source. Water, Air, and Soil Pollution, 2017, 228, 1.  | 1.1 | 6         |
| 493 | Triple Quadrupole Mass Spectrometry with Liquid Chromatography and Dispersive Liquid-Liquid<br>Microextraction for the Determination of Monoterpenes in Alcoholic Drinks. Food Analytical<br>Methods, 2017, 10, 3615-3622.                                  | 1.3 | 5         |
| 494 | Simple and rapid determination of zaltoprofen in human plasma by manualâ€shakingâ€assisted dispersive<br>liquid–liquid microextraction followed by liquid chromatography with ultraviolet detection.<br>Journal of Separation Science, 2017, 40, 4050-4059. | 1.3 | 4         |
| 495 | Development of solidification of floating organic drops liquid–liquid microextraction in a newly designed extraction device. New Journal of Chemistry, 2017, 41, 15384-15391.   | 1.4 | 2         |
| 496 | Pesticide analysis in coffee leaves using a quick, easy, cheap, effective, rugged and safe approach and<br>liquid chromatography tandem mass spectrometry: Optimization of the clean-up step. Journal of<br>Chromatography A, 2017, 1512, 98-106.           | 1.8 | 35        |
| 497 | Comprehensive review of trends and analytical strategies applied forÂbiological samples preparation<br>and storage in modern medical lipidomics: State of the art. TrAC - Trends in Analytical Chemistry, 2017,<br>86, 276-289.                             | 5.8 | 38        |
| 498 | Simplified Determination of Organophosphorus Pesticides in Camellia Oil. Analytical Letters, 2017, 50, 1248-1259.   | 1.0 | 4         |
| 499 | Ten years of dispersive liquid–liquid microextraction and derived techniques. Applied Spectroscopy<br>Reviews, 2017, 52, 267-415.   | 3.4 | 78        |
| 500 | Low-toxic air-agitated liquid-liquid microextraction using a solidifiable organic solvent followed by gas chromatography for analysis of amitriptyline and imipramine in human plasma and wastewater samples. Microchemical Journal, 2017, 130, 122-128.    | 2.3 | 30        |
| 501 | Magnetic Solid-Phase Extraction of Oxadiazon and Profenofos from Environmental Water Using<br>Magnetite Fe3O4@SiO2–C18 Nanoparticles. Journal of Polymers and the Environment, 2017, 25, 770-780.   | 2.4 | 16        |
| 502 | Electromembrane extraction with alkylated phosphites and phosphates as supported liquid membranes. Journal of Membrane Science, 2017, 526, 18-24.   | 4.1 | 45        |
| 503 | Stirring-controlled solidified floating solid-liquid drop microextraction as a new solid<br>phase-enhanced liquid-phase microextraction method by exploiting magnetic carbon nanotube-nickel<br>hybrid. Analytica Chimica Acta, 2017, 951, 78-88.           | 2.6 | 19        |
| 504 | 11. Selected Applications. , 2017, , 269-346.   |     | 0         |
| 505 | 6. Enrichment and Sample Cleanup. , 2017, , 79-128.   |     | 0         |
| 506 | Supramolecular-Based Ultrasonic-Assisted Dispersion Solidification Liquid–Liquid Microextraction of Copper and Cobalt Prior to Their Flame Atomic Absorption Spectrometry Determination. Journal of AOAC INTERNATIONAL, 2017, 100, 1861-1868.               | 0.7 | 7         |
| 507 | Hollow-Fibre-Supported Dispersive Liquid-Liquid Microextraction for Determination of Atrazine and Triclosan in Aqueous Samples. International Journal of Analytical Chemistry, 2017, 2017, 1-8.   | 0.4 | 30        |
| 508 | Filter-Based Low-Toxic Emulsification Microextraction Followed by High-Performance Liquid<br>Chromatography for Determination of Sudan Dyes in Foodstuff Samples. Food Analytical Methods,<br>2018, 11, 2287-2295.  | 1.3 | 10        |
| 509 | Analytical Confirmation of Various Herbicides in Drinking Water Resources in Sugarcane Production<br>Regions of Guangxi, China. Bulletin of Environmental Contamination and Toxicology, 2018, 100,<br>815-820.  | 1.3 | 36        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 510 | Development of new extraction method based on liquid–liquid–liquid extraction followed by<br>dispersive liquid–liquid microextraction for extraction of three tricyclic antidepressants in plasma<br>samples. Biomedical Chromatography, 2018, 32, e4251.                             | 0.8 | 14        |
| 511 | A novel aptasensor for malathion blood samples detection based on DNA–silver nanocluster.<br>Analytical Methods, 2018, 10, 1928-1934.   | 1.3 | 16        |
| 512 | Magnetic core micelles as a nanosorbent for the efficient removal and recovery of three organophosphorus pesticides from fruit juice and environmental water samples. Journal of Separation Science, 2018, 41, 2037-2045.   | 1.3 | 17        |
| 513 | Determination of Nonâ€Steroidal Antiâ€Inflammatory Drugs in Urine by HPLC–UV/Vis Analysis Coupled with Electromembrane Extraction. Bulletin of the Korean Chemical Society, 2018, 39, 335-340.  | 1.0 | 8         |
| 514 | Simple determination of some antidementia drugs in wastewater and human plasma samples by tandem<br>dispersive liquid–liquid microextraction followed by highâ€performance liquid chromatography.<br>Journal of Separation Science, 2018, 41, 2214-2220.                              | 1.3 | 4         |
| 515 | Simultaneous Determination of Bismuth, Lead, and Iron in Water Samples by Optimization of USAEME<br>and ICP–OES via Experimental Design. Journal of Analysis and Testing, 2018, 2, 98-105.  | 2.5 | 10        |
| 516 | In situ ionic liquid dispersive liquid-liquid microextraction coupled to gas chromatography-mass<br>spectrometry for the determination of organophosphorus pesticides. Journal of Chromatography A,<br>2018, 1559, 95-101.  | 1.8 | 105       |
| 517 | A nanocomposite prepared from a zinc-based metal-organic framework and polyethersulfone as a<br>novel coating for the headspace solid-phase microextraction of organophosphorous pesticides.<br>Mikrochimica Acta, 2018, 185, 62.   | 2.5 | 43        |
| 518 | Development of a liquid-phase microextraction based on the freezing of a deep eutectic solvent followed by HPLC-UV for sensitive determination of common pesticides in environmental water samples. RSC Advances, 2018, 8, 11412-11418.   | 1.7 | 69        |
| 519 | Zirconium dioxide-reduced graphene oxide nanocomposite-coated stir-bar sorptive extraction coupled with ion mobility spectrometry for determining ethion. Talanta, 2018, 182, 285-291.  | 2.9 | 32        |
| 520 | Determination of benzodiazepines in beverages using green extraction methods and capillary HPLC-UV detection. Journal of Pharmaceutical and Biomedical Analysis, 2018, 154, 492-500.  | 1.4 | 28        |
| 521 | Dispersive-Solid-Phase Extraction Cleanup Integrated to Dispersive Liquid-Liquid Microextraction<br>Based on Solidification of Floating Organic Droplet for Determination of Organochlorine Pesticides<br>in Vegetables. Food Analytical Methods, 2018, 11, 693-702.                  | 1.3 | 15        |
| 522 | Centrifugeless dispersive liquid-liquid microextraction based on salting-out phenomenon followed<br>by high performance liquid chromatography for determination of Sudan dyes in different species.<br>Food Chemistry, 2018, 244, 1-6.  | 4.2 | 51        |
| 523 | Response surface methodology optimized dispersive liquid–liquid microextraction coupled with surface plasmon resonance of silver nanoparticles as colorimetric probe for determination of captopril. Sensors and Actuators B: Chemical, 2018, 256, 251-260.                           | 4.0 | 21        |
| 524 | Development of salt and pH–induced solidified floating organic droplets homogeneous liquid–liquid<br>microextraction for extraction of ten pyrethroid insecticides in fresh fruits and fruit juices<br>followed by gas chromatography-mass spectrometry. Talanta, 2018, 176, 565-572. | 2.9 | 59        |
| 525 | Magnetic solid-phase extraction of triazine herbicides from rice using metal-organic framework<br>MIL-101(Cr) functionalized magnetic particles. Talanta, 2018, 179, 512-519.   | 2.9 | 112       |
| 526 | Molecular spectroscopy – Information rich detection for gas chromatography. TrAC - Trends in<br>Analytical Chemistry, 2018, 99, 47-65.  | 5.8 | 34        |
| 527 | Isotope dilution determination for the trace level of 4(5)-methylimidazole in beverages using<br>dispersive liquid-liquid microextraction coupled with ESI-HPLC–MS/MS. Food Chemistry, 2018, 245,<br>687-691.   | 4.2 | 14        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 528 | Rapid and simple procedure for the determination of cathinones, amphetamine-like stimulants and other new psychoactive substances in blood and urine by GC–MS. Journal of Pharmaceutical and Biomedical Analysis, 2018, 149, 494-501.  | 1.4 | 84        |
| 529 | Application of Response Surface Methodology and Genetic Algorithm for Optimization and<br>Determination of Iron in Food Samples by Dispersive Liquid–Liquid Microextraction Coupled<br>UV–Visible Spectrophotometry. Arabian Journal for Science and Engineering, 2018, 43, 229-240. | 1.7 | 9         |
| 530 | Microwave-assisted-demulsification–dispersive liquid–liquid microextraction coupled with gas<br>chromatography–mass spectrometry for the determination of PAHs in water. Analytical Methods,<br>2018, 10, 5105-5111.   | 1.3 | 4         |
| 531 | Molecular dynamics study of copper wire bonding process. , 2018, , .   |     | 0         |
| 532 | Simple determination of amphetamine and methamphetamine in complicated matrices by filterâ€based<br>emulsification microextraction followed by highâ€performance liquid chromatography. Separation<br>Science Plus, 2018, 1, 669-675.  | 0.3 | 1         |
| 533 | Microwaveâ€assistedâ€demulsification dispersive liquid–liquid microextraction for the determination of triazole fungicides in water by gas chromatography with mass spectrometry. Journal of Separation Science, 2018, 41, 4498-4505.  | 1.3 | 31        |
| 534 | Response surface methodology for optimization and determination of Riluzole by microfunnel<br>magnetic stirring-assisted liquid–liquid microextraction coupled with high-performance liquid<br>chromatography. Separation Science and Technology, 2018, 53, 2926-2934.               | 1.3 | 0         |
| 535 | Fixed-bed column and batch reactors performance in removal of diazinon pesticide from aqueous solutions by using walnut shell-modified activated carbon. Environmental Technology and Innovation, 2018, 12, 148-159.   | 3.0 | 43        |
| 536 | Application of molecularly imprinted polymer in solid-phase microextraction coupled with HPLC-UV<br>for analysis of dibutyl phthalate in bottled water and soft drink samples. Journal of Liquid<br>Chromatography and Related Technologies, 2018, 41, 552-560.                      | 0.5 | 10        |
| 537 | Trace enantioselective determination of triazole fungicides in honey by a sensitive and efficient method. Journal of Food Composition and Analysis, 2018, 74, 62-70.   | 1.9 | 19        |
| 538 | A lighter-than-water deep eutectic-solvent-based dispersive liquid-phase microextraction method in a<br>U-shaped homemade device. New Journal of Chemistry, 2018, 42, 10100-10110.   | 1.4 | 28        |
| 539 | Development of novel 3D flower-like praseodymium molybdate decorated reduced graphene oxide: An efficient and selective electrocatalyst for the detection of acetylcholinesterase inhibitor methyl parathion. Sensors and Actuators B: Chemical, 2018, 270, 353-361.                 | 4.0 | 45        |
| 540 | Simultaneous Determination of Phorate and Oxyfluorfen in Well Water Samples with High Accuracy<br>by GC-MS After Binary Dispersive Liquid-Liquid Microextraction. Water, Air, and Soil Pollution, 2018,<br>229, 1.   | 1.1 | 7         |
| 541 | Selective extraction of organophosphorous pesticides in plasma by magnetic molecularly imprinted polymers with the aid of computational design. Analytical Methods, 2018, 10, 4136-4142.   | 1.3 | 14        |
| 542 | Dual detection of Malation and Hg (II) by fluorescence switching of graphene quantum dots.<br>Environmental Nanotechnology, Monitoring and Management, 2018, 10, 308-313.  | 1.7 | 13        |
| 543 | A Fast and Easy QuEChERS-DLLME Method Combined with GC-MS for Ethion and Bifenthrin Residues<br>Determination and Study of Their Dissipation Dynamics in Palm Dates. Food Analytical Methods, 2018,<br>11, 3542-3550.  | 1.3 | 13        |
| 544 | Double salting-out effect assisted heat-shrinkable tubing liquid phase microextraction followed by<br>high performance liquid chromatography for determination of flavonoids in human plasma. Journal<br>of Chromatography A, 2019, 1603, 44-50.                                     | 1.8 | 5         |
| 545 | Photoelectrochemical determination of malathion by using CuO modified with a metal-organic framework of type Cu-BTC. Mikrochimica Acta, 2019, 186, 481.  | 2.5 | 25        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 546 | Determination of Pyrethroids and Phthalate Esters in Radix et Rhizoma Glycyrrhizae by Successive<br>Ultrasonic-assisted Extraction and Dispersive Liquid-Liquid Microextraction Followed by Gas<br>Chromatography-Mass Spectrometry. Chinese Journal of Analytical Chemistry, 2019, 47, e19121-e19129.  | 0.9 | 4         |
| 547 | Determination of an organophosphate pesticide using antibody immobilised hybrid nanocomposites.<br>International Journal of Environmental Analytical Chemistry, 2021, 101, 1485-1498.   | 1.8 | 6         |
| 548 | Ionic liquid-based vortex-assisted DLLME followed by RP-LC-PDA method for bioassay of daclatasvir in rat serum: application to pharmacokinetics. Journal of Analytical Science and Technology, 2019, 10, .  | 1.0 | 3         |
| 549 | A Simple, Low-Cost and Efficient ß-CD/MWCNTs/CP-based Electrochemical Sensor for the Rapid and<br>Sensitive Detection of Methyl Parathion. International Journal of Electrochemical Science, 2019, 14,<br>9785-9795.  | 0.5 | 20        |
| 550 | Dual-signal aptamer sensor based on polydopamine-gold nanoparticles and exonuclease I for ultrasensitive malathion detection. Sensors and Actuators B: Chemical, 2019, 287, 428-436.  | 4.0 | 83        |
| 551 | Dispersive liquid–liquid microextraction for rapid and inexpensive determination of tetramethylpyrazine in vinegar. Food Chemistry, 2019, 286, 141-145.   | 4.2 | 26        |
| 552 | Rational design of an ionic liquid dispersive liquid–liquid micro-extraction method for the detection of organophosphorus pesticides. Analyst, The, 2019, 144, 2166-2172.   | 1.7 | 21        |
| 553 | Tandem dispersive liquid–liquid microextraction coupled with micro-sampling flame atomic<br>absorption spectrometry for rapid determination of lead(II) and cadmium(II) ions in environmental<br>water samples. International Journal of Environmental Analytical Chemistry, 2019, 99, 1235-1246.   | 1.8 | 9         |
| 554 | Deep eutectic solvent as a novel disperser in dispersive liquid-liquid microextraction based on<br>solidification of floating organic droplet (DLLME-SFOD) for preconcentration of steroids in water<br>samples: Assessment of the method deleterious impact on the environment using Analytical Eco-Scale<br>and Green Analytical Procedure Index. Microchemical Journal, 2019, 149, 103988. | 2.3 | 57        |
| 555 | Soil Pollution and Remediation. , 2019, , 583-616.  |     | 1         |
| 556 | Determination of 5-Hydroxymethyl-2-Furaldehyde in Cooked Japonica Rice Using a Modified QuEChERS<br>Method Combined with Dispersive Liquid-Liquid Microextraction Followed by UPLC-ESI-MS/MS. Food<br>Analytical Methods, 2019, 12, 1838-1848.  | 1.3 | 12        |
| 557 | Microfunnelâ€filterâ€based emulsification microextraction followed by gas chromatography for simple determination of organophosphorus pesticides in environmental water samples. Journal of Separation Science, 2019, 42, 2418-2425.  | 1.3 | 13        |
| 558 | Ecological risk and estimates of organophosphate pesticides loads into the Central Mediterranean<br>Sea from Volturno River, the river of the "Land of Fires―area, southern Italy. Science of the Total<br>Environment, 2019, 678, 741-754.   | 3.9 | 50        |
| 559 | A simple colorimetric probe based on anti-aggregation of AuNPs for rapid and sensitive detection of malathion in environmental samples. Analytical and Bioanalytical Chemistry, 2019, 411, 2645-2652.   | 1.9 | 44        |
| 560 | Synthesis of a zinc-based metal-organic framework with histamine as an organic linker for the<br>dispersive solid-phase extraction of organophosphorus pesticides in water and fruit juice samples.<br>Journal of Chromatography A, 2019, 1597, 39-45.  | 1.8 | 85        |
| 561 | Highly selective determination of some antiâ€depressant drugs in complicated matrices by dual<br>emulsification liquidâ€phase microextraction based on filtration followed by highâ€performance liquid<br>chromatography. Separation Science Plus, 2019, 2, 129-136.  | 0.3 | 3         |
| 562 | Rapid detection of multiple organophosphorus pesticides (triazophos and parathion-methyl) residues<br>in peach by SERS based on core-shell bimetallic Au@Ag NPs. Food Additives and Contaminants - Part A<br>Chemistry, Analysis, Control, Exposure and Risk Assessment, 2019, 36, 762-778.   | 1.1 | 38        |
| 563 | Determination of malathion by homogeneous liquid-liquid micro extraction via flotation assistance combined with gas chromatography in water samples. Bulletin of the Chemical Society of Ethiopia, 2019, 33, 1.   | 0.5 | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 564 | Analysis of 32 priority substances from EU water framework directive in wastewaters, surface and drinking waters with a fast sample treatment methodology. International Journal of Environmental Analytical Chemistry, 2019, 99, 16-32.  | 1.8 | 12        |
| 565 | Application of D-Limonene as a Bio-based Solvent in Low DensityDispersive Liquid?Liquid<br>Microextraction of Acidic Drugs from Aqueous Samples. Analytical Sciences, 2019, 35, 1385-1391.  | 0.8 | 25        |
| 566 | Determination of Organophosphorus Pesticides in Fortified Tomatoes by Fluorescence Quenching of<br>Cadmium Selenium – Zinc Sulfide Quantum Dots. Analytical Letters, 2019, 52, 729-744.   | 1.0 | 15        |
| 567 | Determination of acidic drugs in biological and environmental matrices by membraneâ€based dual<br>emulsification liquidâ€phase microextraction followed by highâ€performance liquid chromatography.<br>Journal of Separation Science, 2019, 42, 897-905.  | 1.3 | 5         |
| 568 | Electromembrane extraction—looking into the future. Analytical and Bioanalytical Chemistry, 2019,<br>411, 1687-1693.  | 1.9 | 24        |
| 569 | Solid-phase extraction coupled with switchable hydrophilicity solvent-based homogeneous<br>liquid–liquid microextraction for chloramphenicol enrichment in environmental water samples: a<br>novel alternative to classical extraction techniques. Analytical and Bioanalytical Chemistry, 2019, 411,<br>803-812. | 1.9 | 38        |
| 570 | Magnetic effervescent tablet-assisted ionic liquid-based dispersive liquid-liquid microextraction of polybrominated diphenyl ethers in liquid matrix samples. Talanta, 2019, 195, 785-795.  | 2.9 | 49        |
| 571 | Determination of organophosphorus pesticide residues in vegetables using solid phase<br>micro-extraction coupled with gas chromatography–flame photometric detector. Arabian Journal of<br>Chemistry, 2019, 12, 1934-1944.  | 2.3 | 52        |
| 573 | Microextraction With Supported Liquid Membranes. , 2020, , 241-263.   |     | 2         |
| 574 | Sampling and Sample preparation techniques for environmental analysis. , 2020, , 75-119.  |     | 7         |
| 575 | Sustainable development and environmental analysis. , 2020, , 343-379.  |     | 0         |
| 576 | Analysis of organophosphorus and pyrethroid pesticides in organic and conventional vegetables using QuEChERS combined with dispersive liquid-liquid microextraction based on the solidification of floating organic droplet. Food Chemistry, 2020, 309, 125755.   | 4.2 | 68        |
| 577 | Development of polyindole/tungsten carbide nanocomposite-modified electrodes for electrochemical quantification of chlorpyrifos. Journal of Nanostructure in Chemistry, 2020, 10, 33-45.  | 5.3 | 33        |
| 578 | Determination of organophosphorus pesticides in wastewater samples using vortex-assisted<br>dispersive liquid–liquid microextraction with liquid chromatography–mass spectrometry.<br>International Journal of Environmental Science and Technology, 2020, 17, 2325-2336.   | 1.8 | 23        |
| 579 | Sample preparation and extraction methods for pesticides in aquatic environments: A review. TrAC -<br>Trends in Analytical Chemistry, 2020, 123, 115772.  | 5.8 | 120       |
| 580 | Application of dispersive liquid–liquid microextraction based on solidification of floating organic drop for the determination of extractables from pharmaceutical packaging materials. Talanta, 2020, 209, 120540.   | 2.9 | 7         |
| 581 | Dispersive Liquid-Liquid Microextraction Method for the Simultaneous Determination of Four<br>Isomers of Hexachlorocyclohexane and Six Pyrethroid Pesticides in Milk by Gas Chromatography<br>Electron Capture Detector. Food Analytical Methods, 2020, 13, 370-381.  | 1.3 | 10        |
| 582 | Orthogonal array design optimisation of an in situ ionic liquid dispersive liquid–liquid<br>microextraction for the detection of phenol and endocrine-disrupting phenols in aqueous samples.<br>Journal of the Iranian Chemical Society, 2020, 17, 825-838.   | 1.2 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 583 | Microextraction approaches for bioanalytical applications: An overview. Journal of Chromatography<br>A, 2020, 1616, 460790.  | 1.8 | 58        |
| 584 | New extraction media in microextraction techniques. A review of reviews. Microchemical Journal, 2020, 153, 104386.   | 2.3 | 57        |
| 585 | Review: Microextraction Technique Based New Trends in Food Analysis. Critical Reviews in Analytical Chemistry, 2022, 52, 968-999.  | 1.8 | 17        |
| 586 | Dissociable photoelectrode materials boost ultrasensitive photoelectrochemical detection of organophosphorus pesticides. Analytica Chimica Acta, 2020, 1130, 100-106.  | 2.6 | 26        |
| 587 | Kinetic modeling of Methyl Tert-Butyl Ether (MTBE) removal by bacterial isolated from contaminated soils. International Journal of Environmental Analytical Chemistry, 2022, 102, 6014-6029.   | 1.8 | 8         |
| 588 | Determination of fipronil and bixafen pesticides residues using gas chromatography mass<br>spectroscopy with matrix matching calibration strategy after binary dispersive liquid-liquid<br>microextraction. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants,<br>and Agricultural Wastes, 2020, 55, 1041-1047. | 0.7 | 9         |
| 589 | High recycling Fe3O4-CdTe nanocomposites for the detection of organophosphorothioate pesticide chlorpyrifos. Green Energy and Environment, 2022, 7, 229-235.   | 4.7 | 4         |
| 590 | Novel ε-arsenene nanosheets for sensing toxic malathion and parathion – A first-principles approach.<br>Computational and Theoretical Chemistry, 2020, 1190, 112995.   | 1.1 | 15        |
| 591 | Advances in mass spectrometry-based omics analysis of trace organics in water. TrAC - Trends in Analytical Chemistry, 2020, 128, 115918.   | 5.8 | 5         |
| 592 | Development of microwave radiations-induced homogeneous liquid-liquid microextraction method for extraction of pyrethroid pesticides in fruit and vegetable samples. International Journal of Environmental Analytical Chemistry, 2020, , 1-12.  | 1.8 | 2         |
| 593 | Type of new generation separation and preconcentration methods. , 2020, , 75-148.  |     | 3         |
| 594 | An accurate and sensitive analytical method for the simultaneous determination of glycine,<br>methionine and homocysteine in biological matrices by matrix matching strategy and<br>LC–quadrupole-time-of-flight-MS/MS. Spectrochimica Acta - Part A: Molecular and Biomolecular<br>Spectroscopy, 2020, 239, 118394.                             | 2.0 | 7         |
| 595 | Application of temperature-assisted tandem dispersive liquid–liquid microextraction for the extraction and high preconcentration of triazole pesticides. International Journal of Environmental Analytical Chemistry, 2020, , 1-17.  | 1.8 | 1         |
| 596 | A La <sup>3+</sup> -doped TiO <sub>2</sub> nanoparticle decorated functionalized-MWCNT catalyst:<br>novel electrochemical non-enzymatic sensing of paraoxon-ethyl. Nanoscale Advances, 2020, 2,<br>3033-3049.  | 2.2 | 18        |
| 597 | Trace analysis of Pb(II) in milk samples by Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub><br>@3â€chloropropyltriethoxysilane@oâ€phenylendiamine nanoparticles as an unprecedented adsorbent for<br>magnetic dispersive solid phase extraction. Micro and Nano Letters, 2020, 15, 390-395.   | 0.6 | 16        |
| 598 | Ferrofluid-based dispersive liquid–liquid microextraction using a deep eutectic solvent as a support:<br>applications in the analysis of polycyclic aromatic hydrocarbons in grilled meats. Analytical Methods,<br>2020, 12, 1522-1531.  | 1.3 | 27        |
| 599 | Application of a magnetic nanocomposite of cross-linked poly(styrene/divinylbenzene) as an adsorbent<br>for the magnetic dispersive solid phase extraction-dispersive liquid–liquid microextraction of<br>atrazine in soil and aqueous samples. Analytical Methods, 2020, 12, 1834-1844.   | 1.3 | 10        |
| 600 | Dispersive Liquid–Liquid Microextraction for the Quantitation of Terpenes in Wine. Journal of<br>Agricultural and Food Chemistry, 2020, 68, 13302-13309.   | 2.4 | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 601 | Ion Pair-dispersive Liquid–Liquid Microextraction Combined with Spectrophotometry for<br>Carbamazepine Determination in Pharmaceutical Formulations and Biological Samples. Journal of<br>Analytical Chemistry, 2020, 75, 733-741.  | 0.4 | 4         |
| 602 | Dispersive liquid–liquid microextraction followed by green high-performance liquid chromatography<br>for fluconazole determination in cerebrospinal fluid with the aid of chemometric tools. Analytical<br>Methods, 2020, 12, 3106-3114.  | 1.3 | 4         |
| 603 | Application of ultrasoundâ€assisted liquid–liquid microextraction coupled with gas chromatography<br>and mass spectrometry for the rapid determination of synthetic cannabinoids and metabolites in<br>biological samples. Journal of Separation Science, 2020, 43, 2858-2868.                            | 1.3 | 15        |
| 604 | Reverse phase dispersive liquid–liquid microextraction coupled to slotted quartz tube flame atomic<br>absorption spectrometry as a new analytical strategy for trace determination of cadmium in fish and<br>olive oil samples. Journal of Food Composition and Analysis, 2020, 90, 103486.               | 1.9 | 15        |
| 605 | Determination of trace levels of selenium in natural water, agriculture soil and food samples by<br>vortex assisted liquid-liquid microextraction method: Multivariate techniques. Food Chemistry, 2021,<br>344, 128706.  | 4.2 | 26        |
| 606 | Ultra-trace Extraction of Two Bactericides Via Ultrasound-Assisted Dispersive Liquid-Liquid<br>Microextraction. Journal of Chromatographic Science, 2021, 59, 182-190.  | 0.7 | 4         |
| 607 | Sensitive determination of deferasirox in blood of patients with thalassemia using dispersive<br>liquid-liquid microextraction based on solidification of floating organic drop followed by HPLC–UV.<br>Journal of Pharmaceutical and Biomedical Analysis, 2021, 193, 113735.                             | 1.4 | 15        |
| 608 | An innovative continuous sample drop flow microextraction for GC–MS determination of pesticides in grape juice and water samples. Journal of Food Composition and Analysis, 2021, 95, 103695.   | 1.9 | 15        |
| 609 | Solvent extraction. , 2021, , 191-279.  |     | 1         |
| 610 | Facile synthesis of magnetic molybdenum disulfide@graphene nanocomposite with amphiphilic properties and its application in solid-phase extraction for a wide polarity of insecticides in wolfberry samples. Analytical Methods, 2021, 13, 672-684.   | 1.3 | 7         |
| 611 | Determination of sulfonamide residues in animal foodstuffs by magnetic dispersive solid-phase<br>extraction using magnetic carbon nanocomposites coupled with ion pair-dispersive liquid–liquid<br>micro-extraction combined with HPLC-DAD. Journal of the Iranian Chemical Society, 2021, 18, 1433-1442. | 1.2 | 10        |
| 612 | Application of microextraction techniques in alternative biological matrices with focus on forensic toxicology: a review. Bioanalysis, 2021, 13, 45-64.   | 0.6 | 10        |
| 613 | Determination of prohibited lead and cadmium traces in hair dyes and henna samples using ultrasound assisted-deep eutectic solvent-based liquid phase microextraction followed by microsampling-flame atomic absorption spectrometry. Analytical Methods, 2021, 13, 1058-1068.                            | 1.3 | 17        |
| 614 | A Cationic Surfactant-Decorated Liquid Crystal-Based Aptasensor for Label-Free Detection of Malathion Pesticides in Environmental Samples. Biosensors, 2021, 11, 92.  | 2.3 | 28        |
|     |   |     |           |

| CITATION | Report |  |
|----------|--------|--|
|          |        |  |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 619 | Determination of the Synthetic Antioxidants Butylated Hydroxyanisole (BHA) and Butylated<br>Hydroxytoluene (BHT) by Matrix Acidity-Induced Switchable Hydrophilicity Solvent-Based<br>Homogeneous Liquid-Liquid Microextraction (MAI-SHS-HLLME) and High-Performance Liquid<br>Chromatography with Ultraviolet Detection (HPLC-UV). Analytical Letters, 2022, 55, 480-494. | 1.0 | 10        |
| 620 | Rapid and Sensitive Quantitation of Inorganic Anions in Olive Oil by Coupling Reversed-Phase<br>Dispersive Liquid–Liquid Microextraction and Ion Chromatography. Food Analytical Methods, 2021, 14,<br>2461-2468.  | 1.3 | 2         |
| 621 | Yellow-emission and pH-responsive carbon dots employed for "turn-off―and "turn-off-on―assaying<br>adenosine triphosphate and kanamycin. Colloids and Surfaces A: Physicochemical and Engineering<br>Aspects, 2021, 630, 127640.  | 2.3 | 8         |
| 622 | A comprehensive review on microextraction techniques for sampling and analysis of fuel ether oxygenates in different matrices. Microchemical Journal, 2021, 168, 106437.   | 2.3 | 6         |
| 623 | Determination of psychoactive drugs in serum using conductive vial electromembrane extraction<br>combined with UHPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical<br>and Life Sciences, 2021, 1183, 122926.   | 1.2 | 18        |
| 624 | Solid-liquid-solid conversion microextraction combined with high-performance liquid chromatography for determination of bisphenols. Microchemical Journal, 2021, 169, 106538.  | 2.3 | 10        |
| 625 | Total sulfonamides determination in bovine milk using smartphone-based digital images.<br>Microchemical Journal, 2021, 170, 106657.  | 2.3 | 10        |
| 626 | Cyclodextrin-based dispersive liquid–liquid microextraction for the determination of fungicides in<br>water, juice, and vinegar samples via HPLC. Food Chemistry, 2022, 367, 130664.   | 4.2 | 23        |
| 627 | A NiAg-graphene quantum dot-graphene hybrid with high oxidase-like catalytic activity for sensitive colorimetric detection of malathion. New Journal of Chemistry, 2021, 45, 7129-7137.  | 1.4 | 11        |
| 628 | Palm Oil Fuel Ash-Based Eco-Efficient Concrete: A Critical Review of the Short-Term Properties.<br>Materials, 2021, 14, 332.   | 1.3 | 41        |
| 629 | Soil Pollution and Remediation. , 2018, , 1-34.  |     | 1         |
| 630 | A new microextraction method for trace nickel determination in green tea samples: Solventless dispersion based dispersive liquid-liquid microextraction combined with slotted quartz tube- flame atomic absorption spectrophotometry. Journal of Food Composition and Analysis, 2020, 94, 103623.  | 1.9 | 13        |
| 631 | Administering Pesticide Assays in In Vivo-Implanted Biosensors. Australian Journal of Chemistry, 2008, 61, 826.  | 0.5 | 6         |
| 632 | Fingermarks, Bitemarks and Other Impressions (Barefoot, Ears, Lips). , 2010, , 695-778.  |     | 1         |
| 633 | LIQUID CHROMATOGRAPHY-UV DETERMINATION OF HEAVY METAL IONS IN ENVIRONMENTAL SAMPLES USING DISPERSIVE LIQUID-LIQUID MICROEXTRACTION COUPLED WITH MAGNETIC NANOPARTICLES. Applied Ecology and Environmental Research, 2019, 17, 1571-1584.   | 0.2 | 7         |
| 634 | Optimization and validation of the salting-out assisted liquid-liquid extraction method and analysis by gas chromatography to determine pesticides in water. Ecletica Quimica, 2018, 43, 11.   | 0.2 | 3         |
| 636 | The Comparison of Advanced Oxidation Process and Chemical Coagulation for the Removal of Residual Pesticides from Water. Research Journal of Environmental Sciences, 2011, 5, 817-826.   | 0.5 | 5         |
| 637 | Utilization of Dispersive Liquid-Liquid Microextraction Coupled with HPLC-UV as a Sensitive and Efficient Method for the Extraction and Determination of Oleanolic Acid and Ursolic Acid in Chinese Medicinal Herbs. American Journal of Analytical Chemistry, 2012, 03, 675-682.  | 0.3 | 7         |

| щ   | Apticie   | IC               | CITATIONS          |
|-----|---|------------------|--------------------|
| #   | ARTICLE<br>Highly selective and responsive detection of simetryn in tobacco samples based on molecularly  | IF               | CITATIONS          |
| 638 | imprinted photonic crystal hydrogels. Polymer Testing, 2021, 104, 107386.   | 2.3              | 2                  |
| 639 | Environmental Forensic science. , 2010, , 455-528.  |                  | 0                  |
| 640 | Applications of microextraction techniques in environmental analysis. Chinese Journal of Chromatography (Se Pu), 2013, 28, 1-13.  | 0.1              | 0                  |
| 641 | Analysis of Lead(II) in Human Blood Using Dispersive Liquid-Liquid Microextraction and Graphite<br>Furnace Atomic Absorption Spectrometry. International Journal of Scientific Research in Knowledge,<br>2014, 2, 116-123.  | 0.1              | 0                  |
| 642 | The Dispersive Liquid-Liquid Microextraction Technology in the Application of Ketamine Inspection.<br>Hans Journal of Chemical Engineering and Technology, 2015, 05, 33-39.   | 0.0              | 0                  |
| 644 | Surface plasmon resonance imaging for detection of drug metabolites in water. , 2019, , .   |                  | 0                  |
| 645 | Molecular analysis of Peganum harmala L. callus to determine the gene expression of beta-carboline alkaloids harmine and harmaline. Iraqi Journal of Science, 0, , 2410-2417.   | 0.3              | 1                  |
| 646 | Eco-friendly production of metal nanoparticles immobilised on organic monolith for pepsin extraction. Polish Journal of Chemical Technology, 2020, 22, 18-28.   | 0.3              | 1                  |
| 647 | Modification of Glassy Carbon Electrode by (E)-2-(Mercapto-) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 432 Td (phen<br>Palladium by Adsorptive Stripping Voltammetry. International Journal of Electrochemical Science, 0, ,<br>4827-4839.                                       | ylamino-m<br>0.5 | ethylene)-3-0<br>0 |
| 648 | Protocols for Extraction of Pesticide Residues. Sustainable Agriculture Reviews, 2021, , 77-128.  | 0.6              | 0                  |
| 649 | Novel Salt-Assisted Liquid-Liquid Microextraction Technique for Environmental, Food, and Biological<br>Samples Analysis Applications: A Review. Current Analytical Chemistry, 2022, 18, 577-587.  | 0.6              | 6                  |
| 650 | Ultra Rapid and Highly Sensitive Disperser-less Liquid-liquid Microextraction of Organophosphate<br>Pesticides Prior to Gas Chromatography with Mass Spectrometry Detection. Jundishapur Journal of<br>Health Sciences, 2020, 12, .   | 0.1              | 1                  |
| 651 | Spectrophotometric Determination of Zirconium by Dispersive Liquid-Liquid Microextraction based on Solidification of Floating Organic Droplets. Asian Journal of Chemistry, 2020, 32, 3191-3196.  | 0.1              | 0                  |
| 652 | Optimized Vortex-Assisted Dispersive Liquid–Liquid Microextraction Coupled with<br>Spectrofluorimetry for Determination of Aspirin in Human Urine: Response Surface Methodology.<br>Current Pharmaceutical Analysis, 2020, 16, 201-209.                                     | 0.3              | 4                  |
| 653 | Recent Advances in Electrochemical Sensor and Biosensors for Environmental Contaminants.<br>Nanotechnology in the Life Sciences, 2020, , 1-31.  | 0.4              | 1                  |
| 654 | Application of solid phase extraction (SPE) coupled to dispersive liquid–liquid micro-extraction<br>(DLLME) and sensory evaluation technique for the study of taste and odor active compounds in water.<br>Water Science and Technology: Water Supply, 2020, 20, 2737-2746. | 1.0              | 1                  |
| 655 | Determination of valproic acid in human plasma using dispersive liquid-liquid microextraction followed by gas chromatography-flame ionization detection. Iranian Journal of Basic Medical Sciences, 2015, 18, 979-88.   | 1.0              | 12                 |
| 657 | Analytical microextraction with supported liquid membranes. , 2021, , 97-109.   |                  | 1                  |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 658 | Graphene/g-carbon nitride (GO/g-C3N4) nanohybrids as a sensor material for the detection of methyl parathion and carbendazim. Chemosphere, 2022, 292, 133450.   | 4.2 | 47        |
| 659 | Fabrication of functionalized nanomaterial-based electrochemical sensors' platforms. , 2022, ,<br>445-486.  |     | 2         |
| 660 | GNP/Al-MOF nanocomposite as an efficient fiber coating of headspace solid-phase micro-extraction for the determination of organophosphorus pesticides in food samples. Mikrochimica Acta, 2022, 189, 45.  | 2.5 | 12        |
| 661 | Extraction of Phenol from Water using Dispersive Liquid-liquid Microextraction Coupled with UV-VIS Spectroscopy. Journal of Analytical Chemistry, 2022, 77, 8-17.   | 0.4 | 0         |
| 662 | Current developments of bioanalytical sample preparation techniques in pharmaceuticals. Journal of<br>Pharmaceutical Analysis, 2022, 12, 517-529.   | 2.4 | 27        |
| 663 | COSMO-RS evaluation as a tool for prediction of solvents in dispersive liquid-phase microextraction:<br>Evaluation of conventional solvents and ionic liquids as extractants. Journal of Molecular Liquids,<br>2022, 354, 118861.                     | 2.3 | 1         |
| 664 | Application of Polypyrrole/Fe3O4 Composite for the Extraction of Chlorpyrifos Using Magnetic<br>Solid-Phase Extraction Combined with Dispersive Liquid–Liquid Microextraction. Journal of<br>Analytical Chemistry, 2021, 76, 1422-1429.               | 0.4 | 2         |
| 665 | Detection of pesticides in environmental and food matrix: A review. IP International Journal of Comprehensive and Advanced Pharmacology, 2021, 6, 158-167.  | 0.1 | 0         |
| 666 | Dispersive liquid–liquid microextraction based on solidification of floating organic drop:<br>Determination of nonsteroidal antiâ€inflammatory drugs in water. Separation Science Plus, 2022, 5,<br>32-39.  | 0.3 | 1         |
| 667 | Dispersive liquid-liquid microextraction: Evolution in design, application areas, and green aspects.<br>TrAC - Trends in Analytical Chemistry, 2022, 152, 116636.   | 5.8 | 39        |
| 669 | Rapid and non-invasive surface-enhanced Raman spectroscopy (SERS) detection of chlorpyrifos in<br>fruits using disposable paper-based substrates charged with gold nanoparticle/halloysite nanotube<br>composites. Mikrochimica Acta, 2022, 189, 197. | 2.5 | 7         |
| 670 | Effective Electrochemiluminescence Aptasensor for Detection of Atrazine Residue. Sensors, 2022, 22, 3430.   | 2.1 | 9         |
| 671 | The Dispersive Liquid–Liquid Extraction Method Coupled with HPLC and its Application in Determining<br>S-triazine Group of Herbicides in Soil Samples. Oriental Journal of Chemistry, 2022, 38, 444-451.  | 0.1 | 0         |
| 673 | Analytical methodologies and techniques for pesticide residue analysis in water and wastewater. , 2022, , 55-73.  |     | 1         |
| 674 | Vinegar Volatile Organic Compounds: Analytical Methods, Constituents, and Formation Processes.<br>Frontiers in Microbiology, 0, 13, .   | 1.5 | 5         |
| 675 | 3D-flower-like porous neodymium molybdate nanostructure for trace level detection of organophosphorus pesticide in food samples. Food Chemistry, 2022, 396, 133722.   | 4.2 | 10        |
| 676 | Dispersive liquid–liquid microextraction coupled with microfluidic paper-based analytical device for the determination of organophosphate and carbamate pesticides in the water sample. Analytical Sciences, 2022, 38, 1359-1367.                     | 0.8 | 4         |
| 677 | The Effect of Arsenic on the Photocatalytic Removal of Methyl Tet Butyl Ether (MTBE) Using Fe2O3/MgO Catalyst, Modeling, and Process Optimization. Catalysts, 2022, 12, 927.  | 1.6 | 4         |

| #   | Article  | IF         | CITATIONS |
|-----|--|------------|-----------|
| 678 | A sensitive silver nanoflower-based SERS sensor coupled novel chemometric models for simultaneous detection of chlorpyrifos and carbendazim in food. LWT - Food Science and Technology, 2022, 167, 113804.   | 2.5        | 17        |
| 679 | Dispersive solid phase extraction of several pesticides from fruit juices using a hydrophobic metal organic framework prior to HPLC-MS/MS determination. Journal of Food Composition and Analysis, 2022, 114, 104788.                                      | 1.9        | 7         |
| 680 | Development of a new and facile method for determination of chlorpyrifos residues in green tea by dispersive liquid–liquid microextraction. Scientific Reports, 2022, 12, .  | 1.6        | 1         |
| 681 | Colorimetric Detection of 1-Naphthol and Glyphosate Using Modified Gold Nanoparticles.<br>Sustainability, 2022, 14, 10793.   | 1.6        | 5         |
| 682 | Corona discharge ionization ion mobility spectrometry for ultra-trace determination of<br>methamphetamine extracted from urine and plasma samples by dispersive liquid–liquid<br>microextraction. Analytical Sciences, 0, , .                              | 0.8        | 0         |
| 683 | Detection of Synthetic Antioxidants: What Factors Affect the Efficiency in the Chromatographic Analysis and in the Electrochemical Analysis?. Molecules, 2022, 27, 7137.   | 1.7        | 9         |
| 684 | Ultrasound-enhanced air-assisted liquid-liquid microextraction for the UPLC determination of organophosphorus pesticides in river water. Microchemical Journal, 2022, 183, 108046.   | 2.3        | 6         |
| 685 | Extraction and preconcentration of parabens in liquid pharmaceutical samples by Dispersive<br>Liquidâ€Liquid Microextraction based on deep eutectic solvent. Biomedical Chromatography, 0, , .   | 0.8        | 3         |
| 686 | Fabrication of gold nanoparticles tethered in heat-cooled calf thymus-deoxyribonucleic acid<br>Langmuir-Blodgett film as effective surface-enhanced Raman scattering sensing platform. Frontiers in<br>Chemistry, 0, 10, .                                 | 1.8        | 0         |
| 687 | Degradation of mevinphos and monocrotophos by OH radicals in the environment: A computational investigation on mechanism, kinetic, and ecotoxicity. Journal of Hazardous Materials, 2023, 445, 130478.   | 6.5        | 7         |
| 688 | ZnO-Fe2O3 based electrochemiluminescence sensor for sensitive detection of malathion.<br>Microchemical Journal, 2023, 186, 108321.   | 2.3        | 4         |
| 689 | Fabrication of FeVO <sub>4</sub> /RGO Nanocomposite: An Amperometric Probe for Sensitive Detection of Methyl Parathion in Green Beans and Solar Light-Induced Degradation. ACS Omega, 2022, 7, 45239-45252.  | 1.6        | 8         |
| 690 | Dijital Görüntüleme Temelli Kolorimetrik Analiz Yöntemi Kullanılarak Sıvı-Sıvı Mikroekstraksiyon<br>Önderiştirme İşleminden Sonra Eser Seviyede Antimon(III) Tayini. Journal of Polytechnic, 0, , .  | ile<br>0.4 | 0         |
| 691 | Method validation for simultaneous determination of four neonicotinoids in vegetables by liquid chromatography. Analytical Sciences, 2023, 39, 431-439.  | 0.8        | 6         |
| 692 | Simultaneous Dispersive Liquid–Liquid Microextraction and Determination of Different Polycyclic<br>Aromatic Hydrocarbons in Surface Water. Molecules, 2022, 27, 8586.  | 1.7        | 4         |
| 693 | Determination of trace lead(II) in cleavers (Galium aparine) tea by Uv-vis spectrophotometry after preconcentration with deep eutectic solvent/DTZ probe-based liquid-liquid microextraction. Journal of Food Composition and Analysis, 2023, 118, 105164. | 1.9        | 3         |
| 694 | Electrochemical biosensor based on cellulose nanofibers/graphene oxide and acetylcholinesterase<br>for the detection of chlorpyrifos pesticide in water and fruit juice. RSC Advances, 2023, 13, 9603-9614.  | 1.7        | 14        |
| 695 | Combined effect on properties and durability performance of nanomodified basalt fiber blended with<br>bottom ash-based cement concrete: ANOVA evaluation. Journal of Materials Research and Technology,<br>2023, 23, 2642-2657.                            | 2.6        | 5         |