

CITATION REPORT

List of articles citing

Sub- and supercritical fluid extraction of functional ingredients from different natural sources: Plants, food-by-products, algae and microalgaeA review

DOI: 10.1016/j.foodchem.2005.05.058
Food Chemistry, 2006, 98, 136-148.

Source: <https://exaly.com/paper-pdf/40491623/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
923	Optimization of the extraction of antioxidants from <i>Dunaliella salina</i> microalga by pressurized liquids. 2006 , 54, 5597-603		145
922	Phenolics in cereals, fruits and vegetables: occurrence, extraction and analysis. 2006 , 41, 1523-42		815
921	On-line hyphenation of supercritical fluid extraction and two-dimensional high performance liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometer for the analysis of <i>Ganoderma lucidum</i> . 2006 , 29, 2514-22		20
920	Production of functional substances from black rice bran by its treatment in subcritical water. 2007 , 40, 1732-1740		49
919	Quaternary Phase Equilibria for scCO ₂ + Biophenolic Compound + Water + Ethanol. 2007 , 52, 244-247		11
918	High-Pressure Vapor-Liquid Equilibrium Data for Systems Involving Carbon Dioxide + Organic Solvent + β -Carotene. 2007 , 52, 1437-1441		40
917	Properties of extracts from defatted rice bran by its subcritical water treatment. 2007 , 55, 8759-65		74
916	Analytical extractions with water at elevated temperatures and pressures. 2007 , 26, 396-412		127
915	Development of dry fermented sausages rich in docosahexaenoic acid with oil from the microalgae <i>Schizochytrium</i> sp.: Influence on nutritional properties, sensorial quality and oxidation stability. <i>Food Chemistry</i> , 2007 , 104, 1087-1096	8.5	51
914	Use of compressed fluids for sample preparation: food applications. 2007 , 1152, 234-46		213
913	Optimization and comparison of three methods for extraction of volatile compounds from <i>Cyperus rotundus</i> evaluated by gas chromatography-mass spectrometry. 2007 , 44, 444-9		37
912	Characterization by high-performance liquid chromatography/electrospray ionization quadrupole time-of-flight mass spectrometry of the lipid fraction of <i>Spirulina platensis</i> pressurized ethanol extract. 2007 , 21, 1729-38		38
911	EXTRACTION OF VOLATILE OIL FROM CUMIN (<i>CUMINUM CYMINUM</i> L.) WITH SUPERHEATED WATER. 2007 , 30, 255-266		26
910	Use of supercritical CO ₂ to obtain extracts with antimicrobial activity from <i>Chaetoceros muelleri</i> microalga. A correlation with their lipidic content. 2007 , 224, 505-510		52
909	Subcritical water extraction of essential oils from coriander seeds (<i>Coriandrum sativum</i> L.). 2007 , 80, 735-740		160
908	Deacidification of Soybean Oil Using Membrane Processing and Subcritical Carbon Dioxide. 2008 , 85, 189-196		12
907	Hydrothermal fractional pretreatment of sea algae and its enhanced enzymatic hydrolysis. 2008 , 83, 836-841		36

906	Effects of supercritical carbon dioxide on volatile formation from Maillard reaction between ribose and cysteine. 2008 , 88, 328-335	14
905	Supercritical fluid extraction of polyhalogenated pollutants from aquaculture and marine environmental samples: a review. 2008 , 31, 1333-45	33
904	Production of Chemicals from Biomass. 2008 , 77-101	22
903	Extraction of defatted rice bran by subcritical water treatment. 2008 , 40, 44-53	72
902	Sample preparation. 2008 , 1184, 191-219	252
901	Fractioned SFE of antioxidants from maritime pine bark. 2008 , 47, 37-48	43
900	Separation processes for organic molecules using SCF Technologies. 2008 , 60, 351-72	35
899	SUBCRITICAL WATER EXTRACTION OF CAFFEINE FROM BLACK TEA LEAF OF IRAN. 2008 , 31, 330-338	20
898	Pressurized fluid extraction of bioactive compounds from Phormidium species. 2008 , 56, 3517-23	68
897	Fruit/Fruit Juice Waste Management: Treatment Methods and Potential Uses of Treated Waste. 2008 , 569-628	9
896	Optimization of supercritical carbon dioxide extraction of sea buckthorn (<i>Hippophaë rhamnoides</i> L.) oil using response surface methodology. 2008 , 41, 1223-1231	91
895	Fractionation of honey carbohydrates using pressurized liquid extraction with activated charcoal. 2008 , 56, 8309-13	26
894	Superheated Water Extraction of <i>Lavandula Latifolia</i> Medik Volatiles: Comparison with Conventional Techniques. 2008 , 20, 482-487	4
893	Production and characterization of functional substances from a by-product of rice bran oil and protein production by a compressed hot water treatment. 2008 , 72, 384-92	35
892	New Supercritical Fluid Extraction Treatment Method for Determination of Tripterine in <i>Tripterium wilfordii</i> Hook. F. 2008 , 31, 1422-1433	5
891	Determination of Phyllodulcin from Sweet Hydrangea Leaves by Subcritical Water Extraction and High Performance Liquid Chromatographic Analysis. 2008 , 31, 1306-1313	6
890	Properties of Extracts from Wheat Bran by Subcritical Water Treatment. 2008 , 14, 553-556	23
889	. 2008 ,	72

888	Algal Oils. 2009 , 491-513		1
887	Simultaneous rice bran oil stabilization and extraction using sub-critical water medium. 2009 , 95, 510-516		41
886	Application of supercritical CO ₂ in lipid extraction [A review]. 2009 , 95, 240-253		417
885	Critical review on recent developments in solventless techniques for extraction of analytes. 2009 , 393, 809-33		242
884	OPTIMIZED SUPERHEATED HEXANE EXTRACTION OF GRAPESEED OIL. 2009 , 16, 514-523		6
883	SUBCRITICAL WATER EXTRACTION OF ESSENTIAL OILS FROM ZATARIA MULTIFLORA BOISS. 2009 , 32, 804-816		26
882	ISOLATION OF CAFFEINE FROM TEA WASTE USING SUBCRITICAL WATER EXTRACTION. 2009 , 33, 701		8
881	Antioxidant activities of the supercritical and conventional Satureja montana extracts. 2009 , 74, C713-7		30
880	Flavour compounds of Lavandula angustifolia L. to use in food manufacturing: Comparison of three different extraction methods. <i>Food Chemistry</i> , 2009 , 112, 1072-1078	8.5	137
879	Extraction of bioactive components from Centella asiatica using subcritical water. 2009 , 48, 211-216		59
878	Development of activity coefficient model based on COSMO method for prediction of solubilities of solid solutes in supercritical carbon dioxide. 2009 , 50, 210-217		35
877	Subcritical water extraction of mannitol from olive leaves. 2009 , 93, 474-481		62
876	Design and scale-up of pressurized fluid extractors for food and bioproducts. 2009 , 95, 215-226		107
875	Decontamination of hazardous substances from solid matrices and liquids using supercritical fluids extraction: a review. 2009 , 161, 1-20		112
874	Enhanced recovery of phenolic compounds from bitter melon (<i>Momordica charantia</i>) by subcritical water extraction. 2009 , 66, 125-129		91
873	Solid-phase/supercritical-fluid extraction for liquid chromatography of phenolic compounds in freshwater microalgae and selected cyanobacterial species. 2009 , 1216, 763-71		88
872	Sub-critical water treatment of rice bran to produce valuable materials. <i>Food Chemistry</i> , 2009 , 115, 1-7	8.5	76
871	Antioxidant and antitumoural activities of some Phaeophyta from Brittany coasts. <i>Food Chemistry</i> , 2009 , 116, 693-701	8.5	168

870	Optimization of supercritical carbon dioxide extraction of silkworm pupal oil applying the response surface methodology. 2009 , 100, 4214-9	111
869	Breaking the cells of rape bee pollen and consecutive extraction of functional oil with supercritical carbon dioxide. 2009 , 10, 42-46	52
868	Supercritical CO2 extraction optimization of pomegranate (<i>Punica granatum L.</i>) seed oil using response surface methodology. 2009 , 42, 1491-1495	111
867	Innovative natural functional ingredients from microalgae. 2009 , 57, 7159-70	317
866	Extraction of Bio-oils from Microalgae. 2009 , 38, 291-325	236
865	?????????????. 2009 , 47, 697-702	1
864	HPLC of Plant Lipids. 2010 , 445-472	
863	GCMS Studies of Thiophenes in the Supercritical Fluid CO2 and Solvent Extracts of <i>Tagetes patula L.</i> . 2010 , 71, 1039-1047	5
862	Production of phenolic compounds from rice bran biomass under subcritical water conditions. 2010 , 160, 259-266	111
861	Screening for bioactive compounds from algae. 2010 , 51, 450-5	291
860	Bioactive phenols in algae: the application of pressurized-liquid and solid-phase extraction techniques. 2010 , 51, 464-70	150
859	Experimental design on supercritical extraction of essential oil from valerian roots and study of optimal conditions. 2010 , 88, 312-318	23
858	Extraction of essential oils from <i>Bunium persicum Boiss.</i> using superheated water. 2010 , 88, 222-226	36
857	Extraction and isolation of catechins from tea. 2010 , 33, 3415-28	93
856	Recovery of gallic acid with colloidal gas aphrons generated from a cationic surfactant. 2010 , 71, 56-62	24
855	Characteristics of residual organics in municipal solid waste incinerator bottom ash. 2010 , 182, 337-45	11
854	Extraction of mangiferin from Mahkota Dewa (<i>Phaleria macrocarpa</i>) using subcritical water. 2010 , 16, 425-430	43
853	Application and potential of capillary electroseparation methods to determine antioxidant phenolic compounds from plant food material. 2010 , 53, 1130-60	95

852	Precipitation and encapsulation of β -carotene in PHBV using carbon dioxide as anti-solvent. 2010 , 54, 103-109	50
851	Processing cherries (<i>Prunus avium</i>) using supercritical fluid technology. Part 1: Recovery of extract fractions rich in bioactive compounds. 2010 , 55, 184-191	75
850	Supercritical fluids extraction and anti-solvent purification of carotenoids from microalgae and associated bioactivity. 2010 , 55, 169-175	89
849	The vdW EoS hundred years later, yet younger than before. Application to the phase equilibria modeling of food-type systems for a green technology. 2010 , 55, 579-593	9
848	Hydrolysis of kenaf (<i>Hibiscus cannabinus</i> L.) stems by catalytical thermal treatment in subcritical water. 2010 , 34, 1578-1585	54
847	Green processes for the extraction of bioactives from Rosemary: Chemical and functional characterization via ultra-performance liquid chromatography-tandem mass spectrometry and in-vitro assays. 2010 , 1217, 2512-20	178
846	Supercritical fluid extraction: Recent advances and applications. 2010 , 1217, 2495-511	484
845	Pressurized hot water extraction (PHWE). 2010 , 1217, 2484-94	372
844	Nitrogen content, dietary fiber, and digestibility in algal food products. 2010 , 28, 27-35	63
843	Effect of pressure on the Maillard reaction between ribose and cysteine in supercritical carbon dioxide. 2010 , 28, 192-201	1
842	Bioseparation of Nutraceuticals Using Supercritical Carbon Dioxide. 2010 , 353-392	1
841	Supercritical Fluid Extraction and Processing. 2010 , 1620-1623	
840	Heterotrophic Algal-Biodiesel Production: Challenges and Opportunities. 2010 , 346-376	
839	Chlorophyll Extraction from Microalgae: A Review on the Process Engineering Aspects. 2010 , 2010, 1-11	166
838	Degradation kinetics of glucuronic acid in subcritical water. 2010 , 74, 601-5	13
837	Bioenergy and Biofuel from Biowastes and Biomass. 2010 ,	6
836	Application of supercritical CO ₂ extraction for the elimination of odorant volatile compounds from winemaking inactive dry yeast preparation. 2010 , 58, 3772-8	6
835	Herbicidal activity of volatiles from coriander, winter savory, cotton lavender, and thyme isolated by hydrodistillation and supercritical fluid extraction. 2010 , 58, 11007-13	45

- 834 Enzyme-enhanced extraction of antioxidant ingredients from red algae *Palmaria palmata*. **2010**, 43, 1387-1393¹³²
- 833 Neof ormation of antioxidants in glycation model systems treated under subcritical water extraction conditions. **2010**, 43, 1123-1129 85
- 832 Facts about the formation of new antioxidants in natural samples after subcritical water extraction. **2010**, 43, 2341-2348 159
- 831 A review of antihypertensive and antioxidant activities in macroalgae. **2010**, 53, 82
- 830 Solubility, Solubility Modeling, and Precipitation of Naproxen from Subcritical Water Solutions. **2010**, 49, 9385-9393 21
- 829 Spices, Seasonings, and Essential Oils. **2010**, 1023-1032
- 828 Metabolomic approach with LC-QTOF to study the effect of a nutraceutical treatment on urine of diabetic rats. **2011**, 10, 837-44 50
- 827 Chemodiversity and Bioactivity within Red and Brown Macroalgae Along the French coasts, Metropole and Overseas Departements and Territories. **2011**, 58-105 13
- 826 Application of Seaweeds in the Food Industry. **2011**, 522-531 3
- 825 Determination of extraction conditions of Ginkgo biloba L. leaves by supercritical CO₂ using response surface methodology. **2011**, 65, 147-157 8
- 824 Food Engineering Interfaces. **2011**, 10
- 823 Design of Functional Groups Modified into Adsorption Resins and Investigation of Mechanism for Adsorbing Gallic Acid in Water. **2011**, 356-360, 2136-2140
- 822 Determination of Chlorobenzene Solubilities in Subcritical Water in a Fused Silica Capillary Reactor from 173 to 267 °C. **2011**, 50, 11724-11727 17
- 821 Pressurized liquid extraction as a green approach in food and herbal plants extraction: A review. **2011**, 703, 8-18 612
- 820 Subcritical water extraction of phenolic compounds from potato peel. **2011**, 44, 2452-2458 198
- 819 Supercritical Carbon Dioxide Extraction of Molecules of Interest from Microalgae and Seaweeds. **2011**, 50, 8941-8953 94
- 818 Bioactive potential and possible health effects of edible brown seaweeds. **2011**, 22, 315-326 347
- 817 To remove or not to remove? The challenge of extracting the template to make the cavities available in Molecularly Imprinted Polymers (MIPs). **2011**, 12, 4327-47 117

816	Introduction to Extraction in Food Processing. 2011 , 1-24	0
815	Pressurized Hot Water Extraction and Processing. 2011 , 223-254	6
814	Supercritical Fluid Extraction in Food Processing. 2011 , 195-222	
813	Brown Algae-Derived Compounds as Potential Cosmeceuticals. 2011 , 179-190	
812	Degradation of N-Acetyl-D-glucosamine and D-Glucosamine in Subcritical Water and Properties of the Degradation Products. 2011 , 17, 273-278	8
811	Wild Mediterranean plants as traditional food: a valuable source of antioxidants. 2011 , 76, C46-51	43
810	Screening of biocompatible organic solvents for enhancement of lipid milking from <i>Nannochloropsis</i> sp.. 2011 , 46, 1934-1941	35
809	Supercritical CO ₂ extraction of oil, carotenoids, squalene and sterols from lotus (<i>Nelumbo nucifera</i> Gaertn) bee pollen. 2011 , 89, 47-52	40
808	Cyanobacteria and microalgae: a positive prospect for biofuels. 2011 , 102, 10163-72	396
807	Comparative study of lipid extraction from microalgae by organic solvent and supercritical CO ₂ . 2011 , 102, 10151-3	149
806	Extraction of oil from <i>Moringa oleifera</i> kernels using supercritical carbon dioxide with ethanol for pretreatment: Optimization of the extraction process. 2011 , 50, 1207-1213	39
805	A comparative study between LS-SVM method and semi empirical equations for modeling the solubility of different solutes in supercritical carbon dioxide. 2011 , 89, 2420-2427	36
804	New possibilities for the valorization of olive oil by-products. 2011 , 1218, 7511-20	134
803	Minerals, PUFAs and antioxidant properties of some tropical seaweeds from Saurashtra coast of India. 2011 , 23, 797-810	120
802	Enhancement of antioxidant and antimicrobial activities of <i>Dianthus superbus</i> , <i>Polygonum aviculare</i> , <i>Sophora flavescens</i> , and <i>Lygodium japonicum</i> by pressure-assisted water extraction. 2011 , 20, 283-287	23
801	Advances and perspectives in using microalgae to produce biodiesel. 2011 , 88, 3402-3410	416
800	Oil extraction from microalgae for biodiesel production. 2011 , 102, 178-85	496
799	Supercritical extraction of phloroglucinol and benzophenone derivatives from <i>Hypericum carinatum</i> : quantification and mathematical modeling. 2011 , 34, 3107-13	12

798	Supercritical extraction of evening primrose oil: Experimental optimization via response surface methodology. 2011 , 57, 3378-3384		23
797	Supercritical fluid extraction of lipids from broccoli leaves. 2011 , 113, 479-486		21
796	Developments in oil extraction from microalgae. 2011 , 113, 539-547		345
795	A review of subcritical water as a solvent and its utilisation for the processing of hydrophobic organic compounds. 2011 , 172, 1-17		225
794	Supercritical fluid extracts from the Brazilian cherry (<i>Eugenia uniflora</i> L.): Relationship between the extracted compounds and the characteristic flavour intensity of the fruit. <i>Food Chemistry</i> , 2011 , 124, 85-92	8.5	34
793	Supercritical carbon dioxide anti-solvent precipitation of anti-oxidative zeaxanthin highly recovered by elution chromatography from <i>Nannochloropsis oculata</i> . 2011 , 78, 274-280		20
792	Supercritical fluid extraction from vegetable materials. 2011 , 27,		62
791	A review of enzymatic transesterification of microalgal oil-based biodiesel using supercritical technology. 2011 , 2011, 468292		71
790	The Potential Health Benefits of Algae and Micro Algae in Medicine: A Review on <i>Spirulina platensis</i> . 2011 , 7, 279-285		28
789	Regional Changes in the Chemical Composition of Essential Oils of <i>Salvia fruticosa</i> and <i>Sideritis pisidica</i> Using Superheated Water Extraction. 2011 , 1, 34-42		2
788	Green separation technologies in food processing: supercritical-CO ₂ fluid and subcritical water extraction. 2012 , 273-294		4
787	Supercritical carbon dioxide extraction of the Oak Silkworm (<i>Antheraea pernyi</i>) Pupal Oil: process optimization and composition determination. 2012 , 13, 2354-67		23
786	Properties of rice straw extract after subcritical water treatment. 2012 , 76, 1146-9		16
785	Extraction of defatted rice bran with subcritical aqueous acetone. 2012 , 76, 1535-9		14
784	. 2012 ,		8
783	Effects of Temperature and Flow Rate on Subcritical-water Extraction from Defatted Rice Bran. 2012 , 18, 333-340		13
782	Properties of Extract Obtained from Defatted Rice Bran by Extraction with Aqueous Ethanol under Subcritical Conditions. 2012 , 18, 37-45		15
781	Evaluation of Antioxidative Activity for Extracts from Defatted Rice Bran Using 5-Axe Cobweb Chart. 2012 , 18, 789-793		1

780	Review on possible algal-biofuel production processes. 2012 , 3, 333-349	59
779	Biological activities of dermatological interest by the water extract of the microalga <i>Botryococcus braunii</i> . 2012 , 304, 755-64	24
778	Use of Unconventional Solvents for Sample Preparation in Environmental Analysis. 2012 , 943-970	1
777	Extraction and conversion pathways for microalgae to biodiesel: a review focused on energy consumption. 2012 , 24, 1681-1698	154
776	Microalgae processing for biodiesel production. 2012 , 204-231	9
775	Technologies for extracting lipids from oleaginous microorganisms for biodiesel production. 2012 , 6, 266-274	37
774	Design and optimization of a semicontinuous hot-cold extraction of polyphenols from grape pomace. 2012 , 60, 5571-82	46
773	Application of Subcritical Water for Conversion of Macroalgae to Value-Added Materials. 2012 , 51, 77-84	14
772	Assessment of Bio-oil Extraction from <i>Tetraselmis chui</i> Microalgae Comparing Supercritical CO ₂ , Solvent Extraction, and Thermal Processing. 2012 , 26, 248-255	28
771	The Procedure, Principle, and Instrumentation of Antioxidant Phytochemical Analysis. 2012 , 25-68	2
770	Application of Supercritical Carbon Dioxide to Fruit and Vegetables: Extraction, Processing, and Preservation. 2012 , 28, 253-276	43
769	Extraction and Characterization of Bioactive Compounds with Health Benefits from Marine Resources: Macro and Micro Algae, Cyanobacteria, and Invertebrates. 2012 , 55-98	98
768	Characterization of the Subcritical Water Extraction of Fluoxetine-Hydrochloride. 2012 , 1250, 80-4	3
767	Countercurrent flow of supercritical anti-solvent in the production of pure xanthophylls from <i>Nannochloropsis oculata</i> . 2012 , 1250, 85-91	10
766	Theoretical models for supercritical fluid extraction. 2012 , 1250, 2-26	101
765	Isolation of essential oil from different plants and herbs by supercritical fluid extraction. 2012 , 1250, 34-48	194
764	Supercritical fluid extraction of free amino acids from broccoli leaves. 2012 , 1250, 49-53	31
763	Techniques to extract bioactive compounds from food by-products of plant origin. 2012 , 46, 505-513	205

762	Formation and relevance of 5-hydroxymethylfurfural in bioactive subcritical water extracts from olive leaves. 2012 , 47, 31-37	27
761	Enzyme-assisted aqueous extraction of lipid from microalgae. 2012 , 60, 11771-6	102
760	Microalgal biofactories: a promising approach towards sustainable omega-3 fatty acid production. 2012 , 11, 96	339
759	Application of response surface methodology to optimise supercritical carbon dioxide extraction of oil from rapeseed (<i>Brassica napus</i> L.). 2012 , 47, 1115-1121	19
758	Polyphenols extracted from black tea (<i>Camellia sinensis</i>) residue by hot-compressed water and their inhibitory effect on pancreatic lipase in vitro. 2012 , 77, H254-61	56
757	Analysis and Antioxidant Capacity of Anthocyanin Pigments. Part III: An Introduction to Sample Preparation and Extraction. 2012 , 42, 284-312	13
756	Green extraction of natural products: concept and principles. 2012 , 13, 8615-27	922
755	Phytochemicals from Algae. 2012 , 199-240	2
754	Marine biotechnology advances towards applications in new functional foods. 2012 , 30, 1506-15	85
753	Extraction of antioxidant compounds from different varieties of <i>Mangifera indica</i> leaves using green technologies. 2012 , 72, 168-175	84
752	Extraction Techniques for the Determination of Carotenoids and Vitamins in Food. 2012 , 181-201	2
751	Supercritical fluid CO ₂ extraction of <i>Acorus calamus</i> L. (Arales: Araceae) and its contact toxicity to <i>Sitophilus zeamais</i> Motschusky (Coleoptera: Curculionidae). 2012 , 26, 1498-503	6
750	Oil extraction from microalga <i>Nannochloropsis</i> sp. with isopropyl alcohol. 2012 , 89, 2279-2287	23
749	Thermal stabilities of polyphenols and fatty acids in <i>Laminaria japonica</i> hydrolysates produced using subcritical water. 2012 , 29, 1604-1609	13
748	Separation Technology in Food Processing. 2012 , 764-784	2
747	Supercritical and near-critical CO ₂ processing. 2012 , 239-271	3
746	Optimization of supercritical CO ₂ extraction of fish oil from viscera of African Catfish (<i>Clarias gariepinus</i>). 2012 , 13, 11312-22	26
745	Quality Preservation and Cost Effectiveness in the Extraction of Nutraceutically-Relevant Fractions from Microbial and Vegetal Matrices. 2012 ,	0

744	Enzymatic and Other Modification Techniques to Produce Cocoa Butter Alternatives. 2012 , 443-474		10
743	Supercritical Carbon Dioxide Extraction of Polyphenols from Pomegranate (<i>Punica granatum L.</i>) Leaves: Chemical Composition, Economic Evaluation and Chemometric Approach. 2012 , 1, 282		27
742	Enhancing Supercritical Fluid Extraction Using Acoustic Excitations. 2012 ,		
741	Supercritical CO ₂ Extraction Optimization of Onion Oil Using Response Surface Methodology. 2012 , 35, 646-652		15
740	Optimization of Supercritical Extraction of Linalyl Acetate from Lavender via Box-Behnken Design. 2012 , 35, 1641-1648		28
739	Graft copolymers of xyloglucan and methyl methacrylate. 2012 , 87, 1899-1904		24
738	Subcritical water extraction of phenolic compounds from pomegranate (<i>Punica granatum L.</i>) seed residues and investigation into their antioxidant activities with HPLC-DAD assay. 2012 , 90, 215-223		128
737	Application of response surface methodology to optimise supercritical carbon dioxide extraction of essential oil from <i>Cyperus rotundus</i> Linn. <i>Food Chemistry</i> , 2012 , 132, 582-7	8.5	67
736	Natural dyes extraction from cochineal (<i>Dactylopius coccus</i>). New extraction methods. <i>Food Chemistry</i> , 2012 , 132, 1855-1860	8.5	89
735	Supercritical fluid extraction and microencapsulation of bioactive compounds from red pepper (<i>Capsicum annum L.</i>) by-products. <i>Food Chemistry</i> , 2012 , 133, 1045-1049	8.5	53
734	Effect of extraction methods on characteristic and composition of Indonesian cashew nut shell liquid. 2012 , 35, 230-236		16
733	Evaluating the industrial potential of biodiesel from a microalgae heterotrophic culture: Scale-up and economics. 2012 , 63, 104-115		70
732	Impact of reaction conditions on the simultaneous production of polysaccharides and bio-oil from heterotrophically grown <i>Chlorella sorokiniana</i> by a unique sequential hydrothermal liquefaction process. 2012 , 110, 617-27		80
731	Maximizing biodiesel production from <i>Yarrowia lipolytica</i> Po1g biomass using subcritical water pretreatment. 2012 , 111, 201-7		34
730	Extraction of oil from microalgae for biodiesel production: A review. 2012 , 30, 709-32		688
729	The lipidic extract of the seaweed <i>Gracilariopsis longissima</i> (Rhodophyta, Gracilariales): a potential resource for biotechnological purposes?. 2012 , 29, 443-50		41
728	Spilanthol from <i>Spilanthes acmella</i> flowers, leaves and stems obtained by selective supercritical carbon dioxide extraction. 2012 , 61, 62-70		62
727	Expanded ethanol with CO ₂ and pressurized ethyl lactate to obtain fractions enriched in ω -linolenic Acid from <i>Arthrospira platensis</i> (<i>Spirulina</i>). 2012 , 62, 109-115		81

726	Kinetic study of the supercritical CO ₂ extraction of different plants from Lamiaceae family. 2012 , 64, 1-8	55
725	Biodiesel obtained from supercritical carbon dioxide oil of <i>Cynara cardunculus</i> L.. 2012 , 68, 52-63	19
724	Response Surface Optimization of Essential Oil and Diosgenin Extraction from <i>Tribulus terrestris</i> via Supercritical Fluid Technology. 2012 , 35, 133-141	20
723	Supercritical Fractionation of Rosemary Extracts to Improve the Antioxidant Activity. 2012 , 35, 176-182	21
722	Selective extraction of oxygenated compounds from oregano with sub-critical water. 2012 , 92, 814-20	4
721	Extraction of Bioactive Compounds from Milled Grape Canes (<i>Vitis vinifera</i>) Using a Pressurized Low-Polarity Water Extractor. 2012 , 5, 359-371	54
720	The characterisation of bioactive compounds from an Egyptian <i>Leptolyngbya</i> sp. strain. 2012 , 62, 55-59	15
719	The effective parameters for subcritical water extraction of SDG lignan from flaxseed (<i>Linum usitatissimum</i> L.) using accelerated solvent extractor. 2013 , 237, 159-166	11
718	Progress in energy from microalgae: A review. 2013 , 27, 128-148	187
717	The Effects of Subcritical Water Treatment on Antioxidant Activity of Golden Oyster Mushroom. 2013 , 6, 2555-2561	24
716	Processing of Biofuels. 2013 , 59-84	1
715	Recent Advances in Separation of Bioactive Natural Products. 2013 , 21, 937-952	41
714	An Empirical Analysis of the Solubility of Pharmaceuticals in Supercritical Carbon Dioxide Using Sublimation Enthalpies. 2013 , 52, 18447-18457	7
713	Supercritical Fluid Extraction Using CO ₂ : Main Applications and Future Perspectives. 2013 , 48, 2741-2760	79
712	Kinetics of soybean oil hydrolysis in subcritical water. 2013 , 108, 277-281	30
711	Recent developments and future trends in solid phase microextraction techniques towards green analytical chemistry. 2013 , 1321, 1-13	202
710	Optimisation of process variables for antioxidant components from <i>Crataegus monogyna</i> by supercritical fluid extraction (CO ₂) using Box-Behnken experimental design. 2013 , 81, 112-118	12
709	Extraction of palm oil using propane, ethanol and its mixtures as compressed solvent. 2013 , 81, 245-253	48

708	Solubility of 2,4-dichlorotoluene in water determined in fused silica capillary reactor by in situ Raman spectroscopy. 2013 , 59, 2721-2725	9
707	Production of polyphenol extracts from grape bagasse using supercritical fluids: Yield, extract composition and economic evaluation. 2013 , 77, 70-78	115
706	Supercritical fluid extraction of plant flavors and fragrances. 2013 , 18, 7194-238	142
705	Flash hydrolysis of microalgae (<i>Scenedesmus</i> sp.) for protein extraction and production of biofuels intermediates. 2013 , 82, 183-190	84
704	Phenolic compounds and bioactivities of pigmented rice. 2013 , 53, 296-306	156
703	Hydrothermal processing, as an alternative for upgrading agriculture residues and marine biomass according to the biorefinery concept: A review. 2013 , 21, 35-51	434
702	Cocoa butter fats and possibilities of substitution in food products concerning cocoa varieties, alternative sources, extraction methods, composition, and characteristics. 2013 , 117, 467-476	106
701	Bioresource utilisation by sustainable technologies in new value-added biorefinery concepts [two case studies from food and forest industry. 2013 , 57, 46-58	59
700	Technologies for Extraction and Production of Bioactive Compounds to be Used as Nutraceuticals and Food Ingredients: An Overview. 2013 , 12, 5-23	399
699	Bioprocess Development for Chlorophyll Extraction from Microalgae. 2013 , 807-832	1
698	Screening for Bioactive Compounds from Algae. 2013 , 833-872	6
697	Green Foodomics. 2013 , 471-506	2
696	Techniques for analysis of plant phenolic compounds. 2013 , 18, 2328-75	595
695	In vitro antioxidant properties of crude extracts and compounds from brown algae. <i>Food Chemistry</i> , 2013 , 138, 1764-85	8.5 276
694	Compressed fluids for the extraction of bioactive compounds. 2013 , 43, 67-83	213
693	Techno-Economic Modeling for Biofuels from Microalgae. 2013 , 255-264	9
692	Mass transfer enhancement in supercritical fluid extraction by acoustic waves. 2013 , 80, 60-70	15
691	High-value products from microalgae—their development and commercialisation. 2013 , 25, 743-756	945

690	Optimizing protein isolation from defatted and non-defatted <i>Nannochloropsis</i> microalgae biomass. 2013 , 2, 145-153	89
689	Microalgal Biodiesel. 2013 , 399-430	
688	Application of novel extraction technologies for bioactives from marine algae. 2013 , 61, 4667-75	289
687	Low density supercritical fluids precipitation of 9-cis and all trans- β -carotenes enriched particulates from <i>Dunaliella salina</i> . 2013 , 1299, 1-9	4
686	Case Studies of Separation in Biorefineries Extraction of Algae Oil from Microalgae. 2013 , 533-554	2
685	Bioprocess Engineering Aspects of Biodiesel and Bioethanol Production from Microalgae. 2013 , 601-628	4
684	New methodologies for the extraction and fractionation of bioactive carbohydrates from mulberry (<i>Morus alba</i>) leaves. 2013 , 61, 4539-45	18
683	Isolation of carnosic acid from rosemary extracts using semi-preparative supercritical fluid chromatography. 2013 , 1286, 208-15	25
682	Exploring ionic liquidBiomass interactions: towards the improved isolation of shikimic acid from star anise pods. 2013 , 3, 26010	41
681	Algae as a source of biologically active ingredients for the formulation of functional foods and nutraceuticals. 2013 , 1-19	9
680	Extraction of natural antioxidants from plant foods. 2013 , 506-594	0
679	Gac Fruit: Nutrient and Phytochemical Composition, and Options for Processing. 2013 , 29, 92-106	29
678	Production of biofuels from microalgae. 2013 , 18, 47-72	123
677	Renewable fuels via catalytic hydrodeoxygenation of lipid-based feedstocks. 2013 , 4, 219-239	15
676	Sustainable analytical chemistry—more than just being green. 2013 , 85, 2217-2229	43
675	Principles of pressurized fluid extraction and environmental, food and agricultural applications. 2013 , 39-70	1
674	Fractionation and purification of bioactive compounds obtained from a brewery waste stream. 2013 , 2013, 408491	39
673	Extraction of Bioactive Compounds From Mango Peels Using Green Technology. 2013 , 194-198	27

672	Cosmeceuticals from algae. 2013 , 694-713	0
671	Development of nutraceuticals containing marine algae oils. 2013 , 634-657	1
670	Subcritical water extraction of bioactive components from algae. 2013 , 534-560	10
669	- Measuring the Antioxidant Activity of Food Components. 2013 , 362-377	
668	Beer Aftertaste Improved by Reducing Astringent Substances in the Barley Malt with Subcritical Water Treatment. 2013 , 71, 105-108	1
667	Techniques conventionnelles et innovantes, et solvants alternatifs pour l'extraction des lipides de micro-organismes. 2013 , 20, D607	1
666	Improvement of the Bitterness and Astringency of Green Tea by Sub-Critical Water Extraction. 2013 , 19, 471-478	8
665	Extraction of Triacylglycerols and Fatty Acids Using Supercritical Fluids - Review. 2013 , 10, 67-77	26
664	. 2013 ,	5
663	Supercritical Fluid Technology in Analytical Chemistry - Review. 2013 , 10, 3-28	31
662	Analysis of Tocopherols and Tocotrienols in Pharmaceuticals and Foods: A Critical Review. 2014 , 11, 66-78	17
661	Investigating the properties of subcritical water extraction with pharmaceutical tablets. 2014 , 92, 26-32	2
660	Extraction Methodologies in Plants: General Introduction. 2014 , 1-26	2
659	New Trends in the Extraction of Natural Products: Microwave-Assisted Extraction and Pressurized Liquid Extraction. 2014 , 1-27	0
658	Supercritical fluid extraction of wheat bran oil: Study of extraction yield and oil quality. 2014 , 116, 319-327	11
657	Antioxidant activity and phenolic content of pressurised liquid and solid-liquid extracts from four Irish origin macroalgae. 2014 , 49, 1765-1772	44
656	Recent Advances in Redox Active Plant and Microbial Products. 2014 ,	3
655	Recovery of carotenoids from tomato processing by-products - review. 2014 , 65, 311-321	102

654	Carbon Dioxide Solvent Applications in a Biorefinery. 2014 , 9-35		3
653	Research on the Extraction and Antibacterial Activity of Tea Polyphenols. 2014 , 644-650, 5157-5160		0
652	The Modern Art of Identification of Natural Substances in Whole Plants. 2014 , 31-94		
651	Industrial Utilization of CO ₂ : A Win-Win Solution. 2014 , 325-383		6
650	Pilot-scale supercritical carbon dioxide extraction, physico-chemical properties and profile characterization of Moringa oleifera seed oil in comparison with conventional extraction methods. 2014 , 58, 68-77		45
649	Optimization of enzymatic hydrolysis conditions for extraction of pectin from rapeseed cake (<i>Brassica napus</i> L.) using commercial enzymes. <i>Food Chemistry</i> , 2014 , 157, 332-8	8.5	38
648	Life cycle assessment of the production of the red antioxidant carotenoid astaxanthin by microalgae: from lab to pilot scale. 2014 , 64, 332-344		123
647	Subcritical water extraction of phenolic compounds from flaxseed meal sticks using accelerated solvent extractor (ASE). 2014 , 238, 85-91		21
646	Determination of 4-Allyl Resorcinol and Chavibetol from Piper betle Leaves by Subcritical Water Extraction Combined with High-Performance Liquid Chromatography. 2014 , 7, 893-901		11
645	Developing an effective means to reduce 5-hydroxymethyl-2-furfural from caramel colour. <i>Food Chemistry</i> , 2014 , 143, 60-5	8.5	3
644	Degradation kinetics of some phenolic compounds in subcritical water and radical scavenging activity of their degradation products. 2014 , 92, 810-815		47
643	Antioxidant activity of a hydrothermal extract from watermelons. 2014 , 59, 361-368		20
642	Effect of co-solvents on SC-CO ₂ extraction of crude oil by consistency test. 2014 , 91, 15-23		17
641	Green extraction processes of natural products as tools for biorefinery. 2014 , 8, 530-544		235
640	Optimization of subcritical fluid extraction of seed oil from <i>Nitraria tangutorum</i> using response surface methodology. 2014 , 56, 168-174		51
639	Preparation of antioxidants from sugarcane molasses. <i>Food Chemistry</i> , 2014 , 152, 552-7	8.5	17
638	Pressurized limonene as an alternative bio-solvent for the extraction of lipids from marine microorganisms. 2014 , 92, 1-7		44
637	Supercritical carbon dioxide extraction and studies of mango seed kernel for cocoa butter analogy fats. 2014 , 12, 97-103		32

636	Biomass and Bioenergy. 2014,	11
635	Extraction of biologically active compounds from medicinal plant raw material by extractants in subcritical state. 2014, 50, 762-767	3
634	Bio-based nutraceuticals from biorefining. 2014, 596-623	1
633	Optimization of extraction process of bioactive compounds from Bene hull using subcritical water. 2014, 23, 1459-1468	21
632	Optimization of subcritical water extraction of antioxidants from Coriandrum sativum seeds by response surface methodology. 2014, 95, 560-566	64
631	Supercritical fluid extraction (SFE) of cranberries does not extract oligomeric proanthocyanidins (PAC) but does alter the chromatography and bioactivity of PAC fractions extracted from SFE residues. 2014, 62, 7730-7	15
630	Algal extracts: Technology and advances. 2014, 14, 581-591	133
629	Photosynthetic Microorganisms. 2014,	3
628	Electrodeposition from supercritical fluids. 2014, 16, 9202-19	36
627	Degradation of caffeic acid in subcritical water and online HPLC-DPPH assay of degradation products. 2014, 62, 1945-9	25
626	Functional ingredients from microalgae. 2014, 5, 1669-85	131
625	Effect of temperature and moisture on high pressure lipid/oil extraction from microalgae. 2014, 88, 307-316	34
624	Bioactive Components from Seaweeds. 2014, 345-378	74
623	Effects of pre-treatments on the yield and carotenoid content of Gac oil using supercritical carbon dioxide extraction. 2014, 120, 44-49	29
622	Liberating Energy from Carbon: Introduction to Decarbonization. 2014,	9
621	Supercritical CO ₂ extraction of functional compounds from Spirulina and their biological activity. 2015, 52, 3627-33	12
620	Efficient extraction strategies of tea (Camellia sinensis) biomolecules. 2015, 52, 3158-68	34
619	A review of the extraction and chromatographic determination methods for the analysis of parabens. 2014, 969, 139-48	55

618	Short communication: antiviral activity of subcritical water extract of Brassica juncea against influenza virus A/H1N1 in nonfat milk. 2014 , 97, 5383-6		14
617	Effect of enzymatic hydrolysis on the extractability of phospholipids from leftover egg yolk using supercritical CO ₂ . 2014 , 122, 192-198		9
616	Effect of atmospheric pressure dielectric barrier discharge plasma on the biological activity of naringin. <i>Food Chemistry</i> , 2014 , 160, 241-5	8.5	33
615	Quantitative Analyses of Lignin Hydrothermolysates from Subcritical Water and Water-Ethanol Systems. 2014 , 53, 10328-10334		18
614	Comparative study of the extraction methods for recovery of carotenoids from algae: extraction kinetics and effect of different extraction parameters. 2014 , 89, 1607-1626		39
613	Supercritical Fluid Extraction of Bioactive Compounds from Fish and Fishery by-Products. 2014 , 20, 1199-1205		1
612	Recovering bioactive compounds from olive oil filter cake by advanced extraction techniques. 2014 , 15, 16270-83		43
611	Subcritical Water Extraction of Low-molecular-weight Phenolic Compounds from Oil Palm Biomass. 2014 , 48, 355-362		10
610	Supercritical Fluid Extraction in Plant Analysis. 2014 , 1-34		2
609	Crude extract from taro (<i>Colocasia esculenta</i>) as a natural source of bioactive proteins able to stimulate haematopoietic cells in two murine models. 2015 , 18, 333-343		12
608	Microalgal Hydrothermal Liquefaction: A Promising Way to Sustainable Bioenergy Production. 2015 , 736-751		4
607	Pressurized hot water extraction of polyphenols from plant material. 2015 , 63-101		3
606	Analytical Supercritical Fluid Extraction. 2015 , 1659-1680		2
605	Supercritical Fluid Extraction of Bioactives. 2015 , 129-146		
604	Extraction of Health-Promoting Components by Supercritical-CO ₂ Fluid Process. 2015 , 3-52		1
603	A Comparative Analysis of the 'Green' Techniques Applied for Polyphenols Extraction from Bioresources. 2015 , 12, 1635-51		50
602	An Efficient Extraction Method for Fragrant Volatiles from <i>Jasminum sambac</i> (L.) Ait. 2015 , 64, 645-52		13
601	Ionic liquid-assisted subcritical water promotes the extraction of lipids from wet microalgae <i>Scenedesmus</i> sp. 2015 , 117, 1192-1198		23

600	Effect of Solvent System on Extractability of Lipidic Components of <i>Scenedesmus obliquus</i> (M2-1) and <i>Gloeotheca</i> sp. on Antioxidant Scavenging Capacity Thereof. 2015 , 13, 6453-71	40
599	Bioactive Carbohydrates and Peptides in Foods: An Overview of Sources, Downstream Processing Steps and Associated Bioactivities. 2015 , 16, 22485-508	48
598	Olive Tree (<i>Olea europaea</i> L.) Leaves: Importance and Advances in the Analysis of Phenolic Compounds. 2015 , 4, 682-98	49
597	Advances in Microalgae-Derived Phytosterols for Functional Food and Pharmaceutical Applications. 2015 , 13, 4231-54	121
596	Subcritical Butane and Propane Extraction of Oil from Rice Bran. 2015 , 10,	17
595	Supercritical Algal Extracts: A Source of Biologically Active Compounds from Nature. 2015 , 2015, 1-14	20
594	Supercritical Fluid Processing for the Recovery of Bioactive Compounds from Food Industry By-Products. 2015 , 305-355	2
593	A Review: Microalgae and Their Applications in CO ₂ Capture and Renewable Energy. 2015 , 15, 712-742	123
592	Supercritical Fluid Extraction of Microalgae (<i>Chlorella vulgaris</i>) Biomass. 2015 , 317-330	2
591	Mass Transfer Models for Supercritical Fluid Extraction. 2015 , 77-115	4
590	Algal Biorefineries. 2015 , 35-90	9
589	Plants, seaweeds, microalgae and food by-products as natural sources of functional ingredients obtained using pressurized liquid extraction and supercritical fluid extraction. 2015 , 71, 26-38	183
588	. 2015 ,	1
587	Recovery of phenolics from apple peels using CO ₂ +ethanol extraction: Kinetics and antioxidant activity of extracts. 2015 , 98, 172-182	39
586	Ethanol modified supercritical carbon dioxide extraction of antioxidant rich extract from <i>Pereskia bleo</i> . 2015 , 21, 1314-1322	27
585	Algae Extract Production Methods and Process Optimization. 2015 , 101-120	1
584	Techniques for Extraction of Green Tea Polyphenols: A Review. 2015 , 8, 935-950	86
583	Essential oils: from extraction to encapsulation. 2015 , 483, 220-43	473

582	Bioactive phytochemicals in wheat: Extraction, analysis, processing, and functional properties. 2015 , 18, 910-925	69
581	Plant extracts as antimicrobials in food products. 2015 , 49-68	9
580	Extraction of polyphenols from grape skins and defatted grape seeds using subcritical water: Experiments and modeling. 2015 , 94, 29-38	91
579	SYNTHESIS OF TEREPHTHALIC ACID BY CATALYTIC PARTIAL OXIDATION OF p-XYLENE IN SUPERCRITICAL CARBON DIOXIDE. 2015 , 202, 78-84	10
578	Application of a Supercritical CO ₂ Extraction Procedure to Recover Volatile Compounds and Polyphenols from <i>Rosa damascena</i> . 2015 , 50, 1175-1180	3
577	Algae as production systems of bioactive compounds. 2015 , 15, 160-176	242
576	Algal Extracts as Plant Growth Biostimulants. 2015 , 189-212	2
575	Analysis of Green Algae Extracts. 2015 , 79-100	
574	Socio-economic impacts of algae-derived biodiesel industrial development in China: An input-output analysis. 2015 , 9, 74-81	13
573	Green Extraction: From Concepts to Research, Education, and Economical Opportunities. 2015 , 1-36	6
572	Enzyme-assisted supercritical fluid extraction of phenolic antioxidants from pomegranate peel. 2015 , 104, 122-131	117
571	Ultrasound-enhanced subcritical water extraction of essential oils from <i>Kaempferia galangal</i> L. and their comparative antioxidant activities. 2015 , 150, 73-79	29
570	Biodiesel Production from Green Microalgae <i>Schizochytrium limacinum</i> via in Situ Transesterification. 2015 , 29, 5018-5027	22
569	Optimization of rutin isolation from <i>Amaranthus paniculatus</i> leaves by high pressure extraction and fractionation techniques. 2015 , 104, 234-242	21
568	Emerging opportunities for the effective valorization of wastes and by-products generated during olive oil production process: Non-conventional methods for the recovery of high-added value compounds. 2015 , 45, 296-310	195
567	Isolation of Bioactive Compounds from Sunflower Leaves (<i>Helianthus annuus</i> L.) Extracted with Supercritical Carbon Dioxide. 2015 , 63, 6410-21	25
566	Opportunities for switchable solvents for lipid extraction from wet algal biomass: An energy evaluation. 2015 , 11, 271-283	62
565	Biochemical composition and amino acid profiles of <i>Nannochloropsis granulata</i> algal biomass before and after supercritical fluid CO ₂ extraction at two processing temperatures. 2015 , 204, 62-71	40

564	Compressed n-propane extraction of lipids and bioactive compounds from Perilla (<i>Perilla frutescens</i>). 2015 , 102, 1-8	43
563	<i>Copaifera langsdorffii</i> supercritical fluid extraction: Chemical and functional characterization by LC/MS and in vitro assays. 2015 , 100, 86-96	18
562	Supercritical Fluid Extraction of Compounds from Spices and Herbs. 2015 , 357-396	4
561	New Approaches for the Use of Non-conventional Cell Disruption Technologies to Extract Potential Food Additives and Nutraceuticals from Microalgae. 2015 , 7, 45-62	186
560	Ultrasound-Enhanced Subcritical CO ₂ Extraction of Lutein from <i>Chlorella pyrenoidosa</i> . 2015 , 63, 4597-605	32
559	Differential solvent extraction of two seaweeds and their efficacy in controlling <i>Aeromonas salmonicida</i> infection in <i>Oreochromis mossambicus</i> : A novel therapeutic approach. 2015 , 443, 56-64	24
558	Polar Lipid Profile of <i>Nannochloropsis oculata</i> Determined Using a Variety of Lipid Extraction Procedures. 2015 , 63, 3931-41	26
557	Supercritical carbon dioxide-based integrated continuous extraction of oil from chicken feather meal, and its conversion to biodiesel in a packed-bed enzymatic reactor, at pilot scale. 2015 , 153, 135-142	29
556	Impact of enzyme- and ultrasound-assisted extraction methods on biological properties of red, brown, and green seaweeds from the central west coast of Portugal. 2015 , 63, 3177-88	103
555	Antioxidative phenolics obtained from spent coffee grounds (<i>Coffea arabica</i> L.) by subcritical water extraction. 2015 , 76, 946-954	70
554	Production of a natural red pigment derived from <i>Opuntia</i> spp. using a novel high pressure CO ₂ assisted-process. 2015 , 5, 83106-83114	16
553	Algal Biorefineries. 2015 ,	14
552	Subcritical Water Extraction of Essential Oils from <i>Trachyspermum ammi</i> Seeds. 2015 , 18, 1165-1173	9
551	Extraction of biomolecules from seaweeds. 2015 , 243-269	28
550	Measurements of vapor-liquid equilibrium in both binary carbon dioxide-ethanol and ternary carbon dioxide-ethanol-water systems with a newly developed flow-type apparatus. 2015 , 405, 96-100	22
549	Enzyme-Assisted Extraction of a Marine Algal Polysaccharide, Fucoidan and Bioactivities. 2015 , 1065-1077	2
548	Fungal immunomodulatory proteins alleviate docetaxel-induced adverse effects. 2015 , 19, 451-463	7
547	Evidence of anti-obesity and mixed hypolipidemic effects of extracts from pink shrimp (<i>Penaeus brasiliensis</i> and <i>Penaeus paulensis</i>) processing residue. 2015 , 96, 252-261	16

546	Prospective and Opportunities of High Pressure Processing in the Food, Nutraceutical and Pharmacy Market. 2015 , 479-508		0
545	Pressurized fluid systems: Phytochemical production from biomass. 2015 , 96, 228-244		34
544	Dependency of the fatty acid composition of <i>Euglena gracilis</i> on growth phase and culture conditions. 2015 , 27, 1389-1399		30
543	Preparation and characterization of foxtail millet bran oil using subcritical propane and supercritical carbon dioxide extraction. 2015 , 52, 3099-104		19
542	Antioxidant and biological activity of chamomile extracts obtained by different techniques: perspective of using superheated water for isolation of biologically active compounds. 2015 , 65, 582-591		70
541	High Pressure Fluid Technology for Green Food Processing. 2015 ,		6
540	Generating Biomedical Polyphenolic Compounds from Spent Coffee or Silverskin. 2015 , 93-106		10
539	Formulation and characterisation of wheat bran oil-in-water nanoemulsions. <i>Food Chemistry</i> , 2015 , 167, 16-23	8.5	71
538	Cell Disruption and Pressurized Liquid Extraction of Carotenoids from Microalgae. 2016 , 07,		18
537	Supercritical CO ₂ Extraction: Relevance to Food Processing. 2016 ,		2
536	Extraction and characterization of <i>Raphanus Sativus</i> seed oil obtained by different methods. 2016 , 15, 1381		2
535	Utilization of Plant-Based Agricultural Waste by Subcritical Water Treatment. 2016 , 17, 33-39		13
534	Ionic Liquids in Lipid Extraction and Recovery. 2016 , 279-316		5
533	Efecto de la Presi3n y la Temperatura de Extracci3n con CO ₂ Supercr3fico Sobre el Rendimiento y Composici3n de Aceite de Semillas de Guayaba (<i>Psidium guajava</i>). 2016 , 27, 249-258		6
532	Comparative Study of Green Sub- and Supercritical Processes to Obtain Carnosic Acid and Carnosol-Enriched Rosemary Extracts with in Vitro Anti-Proliferative Activity on Colon Cancer Cells. 2016 , 17,		27
531	Subcritical Butane Extraction of Wheat Germ Oil and Its Deacidification by Molecular Distillation. 2016 , 21,		14
530	Safety Issues of Food Ingredients from Plant Cell, Tissue, and Organ Cultures: An Explication. 2016 , 151-168		1
529	Effect of Subcritical Fluid Extraction on the High Quality of Headspace Oil from <i>Jasminum sambac</i> (L.) Aiton. 2016 , 99, 725-9		3

528	Hot compressed water extraction curve for palm oil and beta carotene concentration. 2016 , 36, 012045	
527	Drying techniques applied to cellulose nanofibers. 2016 , 35, 628-643	51
526	Process design for integration of extraction, purification and formulation with alternative solvent concepts. 2016 , 19, 733-748	23
525	Superheated water extraction of glycyrrhizic acid from licorice root. <i>Food Chemistry</i> , 2016 , 210, 396-401 8.5	31
524	How Entrainers Enhance Solubility in Supercritical Carbon Dioxide. 2016 , 120, 3713-23	26
523	Study of self-association of gradient copolymers in supercritical CO ₂ thanks to synchrotron and in-house small-angle X-rays scattering measurements. 2016 , 114, 26-31	3
522	Influence of hydrothermal process on bioactive compounds extraction from green coffee bean. 2016 , 38, 24-31	21
521	Extraction of bioactive plant materials by simultaneous enzyme treatment and lactic acid fermentation \square mini-review. 2016 , 1-7	1
520	Pre-treatment and extraction techniques for recovery of added value compounds from wastes throughout the agri-food chain. 2016 , 18, 6160-6204	101
519	Algae as a Novel Source of Antimicrobial Compounds. 2016 , 377-396	4
518	Extraction of Polyphenols by Pressurized Liquids. 2016 , 83-123	
517	Supercritical Fluid Extraction of Polyphenols. 2016 , 125-192	
516	Green Solvents in Biomass Processing. 2016 , 4, 5821-5837	98
515	Ethyl lactate as a potential green solvent to extract hydrophilic (polar) and lipophilic (non-polar) phytonutrients simultaneously from fruit and vegetable by-products. 2016 , 4, 21-31	40
514	Modeling and Optimization of the Hot Compressed Water Extraction of Palm Oil Using Artificial Neural Network. 2016 , 49, 614-621	4
513	Kinetic analysis for the isomerization of cellobiose to cellobiulose in subcritical aqueous ethanol. 2016 , 433, 67-72	8
512	Supercritical fluid extraction as a tool to valorize underexploited freshwater green algae. 2016 , 19, 237-245	40
511	Crop and Plant Biomass as Valuable Material for BBB. Alternatives for Valorization of Green Wastes. 2016 , 1-19	3

510	Carotenoids from microalgae: A review of recent developments. 2016 , 34, 1396-1412		338
509	Oxidative Susceptibility and Thermal Properties of Moringa Oleifera Seed Oil Obtained by Pilot-Scale Subcritical and Supercritical Carbon Dioxide Extraction. 2016 , 39, 226-236		8
508	Optimization of Extraction of Bioactive Compounds from Black Carrot Using Response Surface Methodology (RSM). 2016 , 9, 1876-1886		19
507	Guaraní (Paullinia cupana) seeds: Selective supercritical extraction of phenolic compounds. <i>Food Chemistry</i> , 2016 , 212, 703-11	8.5	46
506	Solubility of flavone, 6-methoxyflavone and anthracene in supercritical CO ₂ with/without a co-solvent of ethanol correlated by using a newly proposed entropy-based solubility parameter. 2016 , 425, 65-71		11
505	Extraction of oil and carotenoids from pelletized microalgae using supercritical carbon dioxide. 2016 , 116, 223-231		32
504	Crude palm oil (CPO) extraction using hot compressed water (HCW). 2016 , 169, 103-112		10
503	Evaluation of the chemical composition of brown seaweed (<i>Saccharina japonica</i>) hydrolysate by pressurized hot water extraction. 2016 , 13, 246-254		49
502	Extraction of oil from <i>Pistacia khinjuk</i> using supercritical carbon dioxide: Experimental and modeling. 2016 , 110, 265-274		47
501	Supercritical fluid extraction of bioactive compounds. 2016 , 76, 40-51		319
500	Obtaining alantolactone and isoalantolactone from <i>Inula racemosa</i> Hook.f. by optimized supercritical fluid extraction. 2016 , 79, 63-69		13
499	Use of cyclodextrins to recover catechin and epicatechin from red grape pomace. <i>Food Chemistry</i> , 2016 , 203, 379-385	8.5	30
498	Towards a dry bio-refinery without solvents or added water using microwaves and ultrasound for total valorization of fruit and vegetable by-products. 2016 , 18, 3106-3115		107
497	Experimental solubilities of two lipid derivatives in supercritical carbon dioxide and new correlations based on activity coefficient models. 2016 , 6, 17772-17781		8
496	Valorization of passion fruit (<i>Passiflora edulis</i> sp.) by-products: Sustainable recovery and biological activities. 2016 , 111, 55-62		60
495	Supercritical fluid extraction of algae enhances levels of biologically active compounds promoting plant growth. 2016 , 51, 243-252		39
494	Ionic Liquids for Better Separation Processes. 2016 ,		14
493	Leaching of Active Ingredients from Plants with Ionic Liquids. 2016 , 135-165		1

492	Solvation free energy and solubility of acetaminophen and ibuprofen in supercritical carbon dioxide: Impact of the solvent model. 2016 , 109, 166-176	24
491	Biochemical characteristics and antioxidant activity of crude and purified sulfated polysaccharides from <i>Gracilaria fisheri</i> . 2016 , 80, 524-32	27
490	Application of Non-conventional Extraction Methods: Toward a Sustainable and Green Production of Valuable Compounds from Mushrooms. 2016 , 8, 214-234	102
489	Supercritical carbon dioxide extraction of brewer's spent grain. 2016 , 107, 69-74	41
488	Supercritical antisolvent fractionation of rosemary extracts obtained by pressurized liquid extraction to enhance their antiproliferative activity. 2016 , 107, 581-589	41
487	Biofertilizer and biostimulant properties of the microalga. 2016 , 28, 1051-1061	171
486	Subcritical Water Extraction of Bioactive Compounds from Plants and Algae: Applications in Pharmaceutical and Food Ingredients. 2016 , 8, 23-34	106
485	Potential biotechnological application of microalgae: a critical review. 2017 , 37, 37-52	95
484	Recovery of Bergamot Seed Oil by Supercritical Carbon Dioxide Extraction and Comparison with Traditional Solvent Extraction. 2017 , 40, e12341	10
483	Subcritical Water Extraction of Biological Materials. 2017 , 46, 21-34	59
482	Recent progress in hydrogel delivery systems for improving nutraceutical bioavailability. 2017 , 68, 238-245	112
481	An evaluation of the antioxidant properties of <i>Arthrospira maxima</i> extracts obtained using non-conventional techniques. 2017 , 243, 227-237	11
480	Pressurized hot water extraction and chemometric fingerprinting of flavonoids from <i>Bidens pilosa</i> by UPLC-tandem mass spectrometry. 2017 , 15, 171-180	8
479	Process Intensification by Experimental Design Application to Microwave-Assisted Extraction of Phenolic Compounds from <i>Juglans regia</i> L.. 2017 , 10, 575-586	8
478	Plant-Mediated Biogenic Synthesis of Palladium Nanoparticles: Recent Trends and Emerging Opportunities. 2017 , 4, 18-36	37
477	Features of solvation of phenolic acids in supercritical carbon dioxide modified by methanol and acetone. 2017 , 124, 50-56	7
476	Encapsulation of passion fruit seed oil by means of supercritical antisolvent process. 2017 , 129, 96-105	21
475	The composition, extraction, functionality and applications of rice proteins: A review. 2017 , 64, 1-12	184

474	Green Analytical Techniques: Novel and Aboriginal Perspectives on Sustainable Development. 2017 , 365-394	
473	Food waste: a potential bioresource for extraction of nutraceuticals and bioactive compounds. 2017 , 4,	195
472	Production of Mycosporine-Like Amino Acids from <i>Gracilaria vermiculophylla</i> (Rhodophyta) Cultured Through One Year in an Integrated Multi-trophic Aquaculture (IMTA) System. 2017 , 19, 246-254	30
471	Extraction of antioxidant polyphenolic compounds from peanut skin using water-ethanol at high pressure and temperature conditions. 2017 , 128, 57-65	32
470	Global Food Security and Wellness. 2017 ,	3
469	Scale-Up Issues and Cost of Manufacturing Bioactive Compounds by Supercritical Fluid Extraction and Ultrasound Assisted Extraction. 2017 , 377-433	4
468	Effective removal of salicylic and gallic acids from single component and impurity-containing systems using an isatin-modified adsorption resin. 2017 , 7, 23164-23175	13
467	Review of Green Food Processing techniques. Preservation, transformation, and extraction. 2017 , 41, 357-377	431
466	Enhanced mechanical, thermal, and electric properties of graphene aerogels via supercritical ethanol drying and high-temperature thermal reduction. 2017 , 7, 1439	77
465	Piperine-rich extracts obtained by high pressure methods. 2017 , 128, 370-377	22
464	Supercritical fluid extracts of <i>Moringa oleifera</i> and their unsaturated fatty acid components inhibit biofilm formation by <i>Staphylococcus aureus</i> . 2017 , 80, 74-82	29
463	A review: Modified agricultural by-products for the development and fortification of food products and nutraceuticals. 2017 , 59, 148-160	58
462	Recovery Technologies for Lipophilic Bioactives. 2017 , 1-49	1
461	Recycling of filter tea industry by-products: Application of subcritical water extraction for recovery of bioactive compounds from <i>A. uva-ursi</i> herbal dust. 2017 , 121, 1-9	29
460	Bioactive Compounds and Extraction Techniques. 2017 , 33-53	6
459	Maximizing Lipid Yield in Algae Extraction by Stressing and Using Multiple Extraction Stages with N-Ethylbutylamine as Switchable Solvent. 2017 , 56, 8073-8080	27
458	Obtaining prebiotic carbohydrates and beta-ecdysone from Brazilian ginseng by subcritical water extraction. 2017 , 42, 73-82	26
457	Seaweed Polysaccharide Isolation Using Subcritical Water Hydrolysis. 2017 , 47-73	1

456	Green Technologies and Environmental Sustainability. 2017 ,	12
455	Water as green extraction solvent: Principles and reasons for its use. 2017 , 5, 31-36	56
454	Extraction with environmentally friendly solvents. 2017 , 91, 12-25	157
453	Assessment of subcritical propane, ultrasound-assisted and Soxhlet extraction of oil from sweet passion fruit (<i>Passiflora alata</i> Curtis) seeds. 2017 , 128, 338-348	69
452	Enzyme-assisted supercritical fluid extraction: an alternative and green technology for non-extractable polyphenols. 2017 , 409, 3645-3655	39
451	In vitro uptake and immune functionality of digested Rosemary extract delivered through food grade vehicles. 2017 , 97, 71-77	7
450	Common food colorants and allergic reactions in children: Myth or reality?. <i>Food Chemistry</i> , 2017 , 230, 578-588	8.5 57
449	Advanced analytical techniques for fat-soluble vitamin analysis. 2017 , 87, 82-97	57
448	Thermodynamics and statistical correlation between supercritical-CO ₂ fluid extraction and bioactivity profile of locally available Mexican plants extracts. 2017 , 122, 27-34	13
447	Evaluation and mathematical modeling of processing variables for a supercritical fluid extraction of aromatic compounds from <i>Anethum graveolens</i> . 2017 , 95, 733-741	13
446	Development of new efficient method for isolation of phenolics from sea algae prior to their rapid resolution liquid chromatographic-tandem mass spectrometric determination. 2017 , 135, 87-96	29
445	Functional Ingredients: Market Research. 2017 , 1-26	1
444	Supercritical Fluid Extraction of Bioactive Compounds from Fruits and Vegetables. 2017 , 749-762	
443	Optimization of subcritical water extraction of phenolic antioxidants from pomegranate (<i>Punica granatum</i> L.) peel by response surface methodology. 2017 , 9, 4647-4656	18
442	Modeling Solvation in Supercritical CO ₂ . 2017 , 18, 2560-2572	19
441	Recovery of bioactive compounds from cranberry pomace using ternary mixtures of CO ₂ + ethanol + water. 2017 , 130, 147-155	22
440	Phytochemistry. 2017 , 111-140	2
439	Extraction of antioxidants from <i>Chlorella</i> sp. using subcritical water treatment. 2017 , 206, 012035	3

438	Dietary alkylresorcinols and cancer prevention: a systematic review. 2017 , 243, 1693-1710	31
437	Supercritical CO ₂ extraction of hydrocarbons from <i>Botryococcus braunii</i> as a promising bioresource. 2017 , 130, 261-266	11
436	Bioactives Obtained From Plants, Seaweeds, Microalgae and Food By-Products Using Pressurized Liquid Extraction and Supercritical Fluid Extraction. 2017 , 76, 27-51	19
435	Microalgae as a potential source for biodiesel production: techniques, methods, and other challenges. 2017 , 41, 761-789	51
434	Oil extraction from enriched <i>Spirulina platensis</i> microalgae using supercritical carbon dioxide. 2017 , 119, 289-296	29
433	Intensified aqueous-based processes to obtain bioactive extracts from <i>Plantago major</i> and <i>Plantago lanceolata</i> . 2017 , 119, 64-71	18
432	Extraction of isorhamnetin conjugates from <i>Opuntia ficus-indica</i> (L.) Mill using supercritical fluids. 2017 , 119, 58-63	19
431	Green-based methods to obtain bioactive extracts from <i>Plantago major</i> and <i>Plantago lanceolata</i> . 2017 , 119, 211-220	20
430	Extraction of Aril Oil from Gac (<i>Momordica cochinchinensis</i> Spreng) Using Supercritical Carbon Dioxide. 2017 , 41, e13122	3
429	Piperine-The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. 2017 , 16, 124-140	147
428	Therapeutic Compounds From Plants Using Subcritical Water Technology. 2017 , 51-68	1
427	Bioprocessing of Plant-Derived Bioactive Phenolic Compounds. 2017 , 135-181	3
426	Extraction and characterization of radish seed oils using different methods. 2017 , 16, 165	6
425	References. 2017 ,	
424	Subcritical Water Technology for Extraction of Phenolic Compounds from <i>Chlorella</i> sp. Microalgae and Assessment on Its Antioxidant Activity. 2017 , 22,	39
423	Bioproduct Extraction From Microbial Cells by Conventional and Nonconventional Techniques. 2017 , 179-206	6
422	Effective Subcritical Butane Extraction of Bifenthrin Residue in Black Tea. 2017 , 22,	3
421	Extraction of value-added compounds from microalgae. 2017 , 461-483	17

420	Nanoemulsions. 2017 , 107-127	2
419	Solvent Supercritical Fluid Technologies to Extract Bioactive Compounds from Natural Sources: A Review. 2017 , 22,	183
418	Polyphenols. 2017 , 203-258	10
417	Effect of Supercritical Carbon Dioxide Extraction Parameters on the Biological Activities and Metabolites Present in Extracts from <i>Arthrospira platensis</i> . 2017 , 15,	15
416	Algal Proteins: Extraction, Application, and Challenges Concerning Production. 2017 , 6,	362
415	Environment-Friendly Techniques for Extraction of Bioactive Compounds From Fruits. 2017 , 21-47	1
414	Mass transfer and kinetic modelling of supercritical CO ₂ extraction of fresh tea leaves (<i>Camellia sinensis</i> L.). 2017 , 34, 799-810	9
413	Extracting Bioactive Compounds From Natural Sources Using Green High-Energy Approaches: Trends and Opportunities in Lab- and Large-Scale Applications. 2017 , 307-365	5
412	Extraction of Bioactive Compounds From Olive Leaves Using Emerging Technologies. 2017 , 441-461	1
411	How high pressure CO ₂ impacts PLA film properties. 2017 , 11, 320-333	12
410	Use of supercritical CO ₂ and ultrasound-assisted extractions to obtain flavonoid-rich extracts from uvaia leaves (<i>Eugenia pyriformis</i> Cambess.). 2018 , 137, 1-8	24
409	Extraction Optimization and Structural and Thermal Characterization of the Antimicrobial Abietane 7-Acetoxy-6-hydroxyroyleanone. 2018 , 15, 1412-1419	10
408	Use of coffee by-products for the cultivation of <i>Pleurotus citrinopileatus</i> and <i>Pleurotus salmoneo-stramineus</i> and its impact on biological properties of extracts thereof. 2018 , 53, 1914-1924	8
407	Antioxidant effects and mechanism of silymarin in oxidative stress induced cardiovascular diseases. 2018 , 102, 689-698	80
406	Structure of the zein protein as treated with subcritical water. 2018 , 21, 128-138	22
405	PtSn/Al ₂ O ₃ catalyst for the selective hydrodeoxygenation of esters. 2018 , 28, 91-92	6
404	Downstream processing of microalgae for pigments, protein and carbohydrate in industrial application: A review. 2018 , 110, 60-84	120
403	Impact of acidic, water and alkaline extraction on structural features, antioxidant activities of <i>Laminaria japonica</i> polysaccharides. 2018 , 112, 985-995	68

402	Effects of hydrostatic pressure and supercritical carbon dioxide on the viability of <i>Botryococcus braunii</i> algae cells. 2018 , 256, 328-332	7
401	Estimating density of supercritical carbon dioxide and methane using modified thermodynamic models. 2018 , 36, 437-442	
400	Properties of <i>Portulaca oleracea</i> seed oil via supercritical fluid extraction: Experimental and optimization. 2018 , 135, 34-44	36
399	Recovery of valuable components and inactivating microorganisms in the agro-food industry with ultrasound-assisted supercritical fluid technology. 2018 , 134, 71-79	23
398	Integrated green-based processes using supercritical CO ₂ and pressurized ethanol applied to recover antioxidant compounds from cocoa (<i>Theobroma cacao</i>) bean hulls. 2018 , 135, 52-59	57
397	A critical analysis of extraction techniques used for botanicals: Trends, priorities, industrial uses and optimization strategies. 2018 , 100, 82-102	183
396	Optimization of operational parameters of supercritical fluid extraction for PHCs removal from a contaminated sand using response surface methodology. 2018 , 6, 3083-3094	11
395	Fatty acid composition, cytotoxicity and anti-inflammatory evaluation of melon (<i>Cucumis melo</i> L. <i>Inodorus</i>) seed oil extracted by supercritical carbon dioxide. 2018 , 53, 2622-2627	8
394	Some aspects of green solvents. 2018 , 21, 572-580	73
393	Eco-innovative technologies for extraction of proteins for human consumption from renewable protein sources of plant origin. 2018 , 75, 93-104	138
392	Multistage wet lipid extraction from fresh water stressed <i>Neochloris oleoabundans</i> slurry □ Experiments and modelling. 2018 , 31, 21-30	13
391	New perspective in extraction of plant biologically active compounds by green solvents. 2018 , 109, 52-73	173
390	Optimisation and modelling of supercritical CO ₂ extraction process of carotenoids from carrot peels. 2018 , 133, 94-102	66
389	Enrichment, in vitro, and quantification study of antidiabetic compounds from neglected weed <i>Mimosa pudica</i> using supercritical CO ₂ and CO ₂ -Soxhlet. 2018 , 53, 243-260	5
388	Antibiotic Algae by Chemical Surface Engineering. 2018 , 19, 439-443	5
387	Application of phototrophic biofilms: from fundamentals to processes. 2018 , 41, 295-312	19
386	Polyunsaturated Ω ₃ and Ω ₆ fatty acids, total carotenoids and antioxidant activity of three marine microalgae extracts obtained by supercritical CO ₂ and subcritical n-butane. 2018 , 133, 437-443	45
385	Selective extraction of neutral lipid from wet algae paste and subsequently hydroconversion into renewable jet fuel. 2018 , 118, 521-526	7

- 384 Extraction of Kaempferol and Its Glycosides Using Supercritical Fluids from Plant Sources: A Review. **2018**, 56, 480-493 12
- 383 Investigation of the Wet Extraction of Hydrocarbons from a Heterotrophic Microalga, *Aurantiochytrium* sp. 18W-13a, by Cell Disruption Using a High-pressure Homogenizer. **2018**, 97, 353-361
- 382 Pharmaceutical, Ethnopharmacological, Phytochemical and Synthetic Importance of Genus *Aerva*: A Review. **2018**, 13, 1934578X1801300 0
- 381 Optimization of Subcritical Water Mediated Extraction of Apple Pomace Polyphenolics and their Antioxidant Activity. **2018**, 09, 1
- 380 Microwave-Assisted Green Extraction Technology for Sustainable Food Processing. **2018**, 2
- 379 Novel application and industrial exploitation of winery by-products. **2018**, 5, 62
- 378 Development and Use of Polymeric Nanoparticles for the Encapsulation and Administration of Plant Extracts. **2018**, 391-463 3
- 377 Overview on the Application of Modern Methods for the Extraction of Bioactive Compounds from Marine Macroalgae. **2018**, 16, 79
- 376 Spice Antioxidants as Objects of Analytical Chemistry. **2018**, 73, 946-965 6
- 375 The Application of Supercritical Fluid Extraction in Phenolic Compounds Isolation from Natural Plant Materials. **2018**, 23, 75
- 374 Pilot Scale Cavitation Reactors and Other Enabling Technologies to Design the Industrial Recovery of Polyphenols from Agro-Food By-Products, a Technical and Economical Overview. **2018**, 7, 27
- 373 An overview of cosmeceutically relevant plant extracts and strategies for extraction of plant-based bioactive compounds. **2018**, 112, 69-85 46
- 372 Environmental assessment of the essential oils produced from dragonhead (*Dracocephalum moldavica* L.) in conventional and organic farms with different irrigation rates. **2018**, 204, 1070-1086 10
- 371 Isolation and GC Analysis of Fatty Acids: Study Case of Stinging Nettle Leaves. **2018**, 1
- 370 Subcritical butane extraction of oil and minor bioactive components from soybean germ: Determination of migration patterns and a kinetic model. **2018**, 41, e12697 6
- 369 Mixture design and Doehlert matrix for optimization of the ultrasonic assisted extraction of caffeic acid, rutin, catechin and trans-cinnamic acid in *Physalis angulata* L. and determination by HPLC DAD. **2018**, 141, 247-252 35
- 368 Application of supercritical fluids in cholesterol extraction from foodstuffs: a review. **2018**, 55, 2813-2823 17
- 367 Flavonoids as Nutraceuticals. **2018**, 137-155 12

366	A systematic correlation analysis of carotenoids, chlorophyll, non-pigmented cell mass, and cell number for the blueprint of <i>Dunaliella salina</i> culture in a photobioreactor. 2018 , 41, 1295-1303	2
365	Dietary Fiber Concentrates from Fruit and Vegetable By-products: Processing, Modification, and Application as Functional Ingredients. 2018 , 11, 1439-1463	75
364	Fucoxanthin-rich oil encapsulation using biodegradable polyethylene glycol and particles from gas-saturated solutions technique. 2018 , 26, 359-369	12
363	New Trends in Food Technology for Green Recovery of Bioactive Compounds From Plant Materials. 2018 , 1-36	2
362	Extraction of value-added components from food industry based and agro-forest biowastes by deep eutectic solvents. 2018 , 282, 46-66	84
361	Emerging technologies for the extraction of polyphenols from natural sources. 2018 , 265-293	2
360	Current trends in supercritical fluid chromatography. 2018 , 410, 6441-6457	110
359	Microwave-Assisted Extraction for Microalgae: From Biofuels to Biorefinery. 2018 , 7,	80
358	Preparation and characterization of Chilean propolis coprecipitates using Supercritical Assisted Atomization. 2018 , 136, 776-785	12
357	Measurement and Correlation of the Solubilities of Azoxystrobin, Flutriafol, and Tebuconazole in Subcritical 1,1,1,2-Tetrafluoroethane. 2018 , 63, 2950-2956	2
356	Antioxidant Potential of Extracts Obtained from Macro- (<i>Ascophyllum nodosum</i> , <i>Fucus vesiculosus</i> and <i>Bifurcaria bifurcata</i>) and Micro-Algae (<i>Chlorella vulgaris</i> and <i>Spirulina platensis</i>) Assisted by Ultrasound. 2018 , 5,	33
355	Qualitative and Quantitative Analysis of Polyphenols in Lamiaceae Plants-A Review. 2018 , 7,	35
354	Seaweed-Derived Carotenoids. 2018 , 95-107	3
353	Green and efficient extraction of polysaccharides from brown seaweed by adding deep eutectic solvent in subcritical water hydrolysis. 2018 , 198, 1474-1484	79
352	Ultrasonic-enhanced subcritical water extraction of polysaccharides by two steps and its characterization from <i>Lentinus edodes</i> . 2018 , 118, 2269-2277	34
351	Phenolic Acids From Plants: Extraction and Application to Human Health. 2018 , 389-417	26
350	Recovery of lipophilic products from wild cyanobacteria (<i>Aphanizomenon flos-aquae</i>) isolated from the Curonian Lagoon by means of supercritical carbon dioxide extraction. 2018 , 35, 10-21	13
349	Assessment of the State-of-the-Art Developments in the Extraction of Antioxidants From Marine Algal Species. 2018 , 367-397	

348	Understanding the potential benefits of thyme and its derived products for food industry and consumer health: From extraction of value-added compounds to the evaluation of bioaccessibility, bioavailability, anti-inflammatory, and antimicrobial activities. 2019 , 59, 2879-2895	45
347	Supercritical CO ₂ extraction of solids using aqueous ethanol as static modifier is a two-step mass transfer process. 2019 , 143, 179-190	8
346	Solvents and Gels. 2019 , 93-109	
345	Antioxidant Peptide Fractions Isolated from Wheat Germ Protein with Subcritical Water Extraction and Its Transport Across Caco-2 Cells. 2019 , 84, 2139-2146	17
344	Green Extracts from Chinese Medicinal Plants as Bio-source of Drugs. 2019 , 277-337	
343	Extraction of strawberry leaves with supercritical carbon dioxide and entrainers: Antioxidant capacity, total phenolic content, and inhibitory effect on uric acid production of the extract. 2019 , 117, 160-169	15
342	Plant Based Green Chemistry 2.0 2019 ,	3
341	Chemical compound identification and antibacterial activity evaluation of cinnamon extracts obtained by subcritical n-butane and ethanol extraction. 2019 , 7, 2186-2193	31
340	Testing the effect of combining innovative extraction technologies on the biological activities of obtained β-glucan-enriched fractions from Lentinula edodes. 2019 , 60, 103446	27
339	Development of an environmentally-friendly solvent-free extraction of saffron bioactives using subcritical water. 2019 , 114, 108428	26
338	Species-Specific Antioxidant Power and Bioactive Properties of the Extracts Obtained from Wild Mediterranean Calendula Spp. (Asteraceae). 2019 , 9, 4627	11
337	Microalgae and Clean Technologies: A Review. 2019 , 47, 1800380	12
336	Green technology in green macroalgal biorefineries. 2019 , 58, 516-534	38
335	Antioxidant activity and fatty acid profile of yacon leaves extracts obtained by supercritical CO ₂ + ethanol solvent. 2019 , 146, 55-64	10
334	Supercritical CO ₂ to recover extracts enriched in antioxidant compounds from beetroot aerial parts. 2019 , 19, 101169	9
333	Green extraction of natural products. Origins, current status, and future challenges. 2019 , 118, 248-263	192
332	Advances in Food Processing Technology. 2019 ,	4
331	Green Separation Technology in Food Processing: Supercritical-CO ₂ Fluid Extraction. 2019 , 73-99	2

330	Sub- and supercritical fluid extraction of bioactive compounds from plants, food-by-products, seaweeds and microalgae [An update. 2019 , 116, 198-213	116
329	Antioxidant activities of <i>Sagittaria sagittifolia</i> L. polysaccharides with subcritical water extraction. 2019 , 134, 172-179	35
328	Recent advances in the coupling of carbon dioxide-based extraction and separation techniques. 2019 , 116, 158-165	19
327	Virgin Pistachio (<i>Pistachia vera</i> L.) Oil. 2019 , 181-197	3
326	Biotechnological Applications for the Sustainable Use of Marine By-products: In Vitro Antioxidant and Pro-apoptotic Effects of Astaxanthin Extracted with Supercritical CO from <i>Parapeneus longirostris</i> . 2019 , 21, 565-576	15
325	Comparative study on the extraction of <i>Xanthoceras sorbifolia</i> Bunge (yellow horn) seed oil using subcritical n-butane, supercritical CO ₂ , and the Soxhlet method. 2019 , 111, 548-554	26
324	Policosanol: Extraction and biological functions. 2019 , 57, 351-360	18
323	Subcritical Fluid Extraction of Antioxidant Phenolic Compounds from Pistachio (<i>Pistacia vera</i> L.) Nuts: Experiments, Modeling, and Optimization. 2019 , 84, 963-970	11
322	Valorization of Agro-Industrial Waste into Bioactive Compounds: Techno-Economic Considerations. 2019 , 235-252	7
321	Natural antioxidants of plant origin. 2019 , 90, 1-81	35
320	Research trends in food chemistry: A bibliometric review of its 40 years anniversary (1976-2016). <i>Food Chemistry</i> , 2019 , 294, 448-457	8.5 49
319	Structural characterization and immunostimulatory activity of a novel polysaccharide isolated with subcritical water from <i>Sagittaria sagittifolia</i> L. 2019 , 133, 11-20	41
318	Oil yields, protein contents, and cost of manufacturing of oil obtained from different hybrids and sowing dates of canola. 2019 , 7, 102972	9
317	Subcritical Water Extraction of Huadian Oil Shale at 300 °C. 2019 , 33, 2106-2114	18
316	Application of Electrochemical Techniques for Determining and Extracting Natural Product (EgCg) by the Synthesized Conductive Polymer Electrode (Ppy/Pan/rGO) Impregnated with Nano-Particles of TiO ₂ . 2019 , 9, 3940	2
315	Evaluation of bioactive compounds extracted from Hayward kiwifruit pomace by subcritical water extraction. 2019 , 115, 143-153	34
314	Enhancing the Yield of Bioactive Compounds from Bark by Green Extraction Approaches. 2019 , 24,	15
313	Microalga <i>Scenedesmus bajacalifornicus</i> BBKLP-07, a new source of bioactive compounds with in vitro pharmacological applications. 2019 , 42, 979-994	21

312	Enzyme-assisted extractions of polyphenols [A comprehensive review. 2019 , 88, 302-315	82
311	Current Methods for the Discovery of New Active Ingredients from Natural Products for Cosmeceutical Applications. 2019 , 85, 535-551	21
310	Pharmaceutical aptitude of Cladophora: A comprehensive review. 2019 , 39, 101476	16
309	Effect of subcritical water processing on the extraction of compounds, composition, and functional properties of asparagus by-product. 2019 , 42, e13060	7
308	Supercritical CO ₂ extraction and selective adsorption of aroma materials of selected spice plants in functionalized silica aerogels. 2019 , 148, 16-23	6
307	Use of Natural Antimicrobial Agents: A Safe Preservation Approach. 2019 ,	16
306	Measurement and correlation of vapor-liquid distribution coefficients of flavonoids in high pressure carbon dioxide [ethanol [water systems. 2019 , 489, 90-98	1
305	Food industry processing by-products in foods. 2019 , 239-281	4
304	Challenges of Biomass Utilization for Biofuels. 2019 ,	7
303	CO ₂ Supercritical Extraction of Essential Oil of Jordanian Rosemary. 2019 , 102, 662-665	6
302	Supercritical Fluid Extraction in Plant Analysis. 2019 , 1-42	
301	Mild Fractionation of Hydrophilic and Hydrophobic Components From Using Ionic Liquids. 2019 , 7, 284	11
300	Selective extraction of phospholipids from whey protein phospholipid concentrate using supercritical carbon dioxide and ethanol as a co-solvent. 2019 , 102, 10855-10866	8
299	Bioactive Compounds from Norway Spruce Bark: Comparison Among Sustainable Extraction Techniques for Potential Food Applications. 2019 , 8,	7
298	Multi-criteria GIS-based modelling technique for identifying potential solar farm sites: A case study in Mauritius. 2019 , 133, 1201-1219	83
297	Pressurized extraction of unsaturated fatty acids and carotenoids from wet <i>Chlorella vulgaris</i> and <i>Phaeodactylum tricornutum</i> biomass using subcritical liquids. 2019 , 11, 335-344	33
296	Protein matrices ensure safe and functional delivery of rosmarinic acid from marjoram (<i>Origanum majorana</i>) extracts. 2019 , 99, 2629-2635	7
295	Effects of subcritical water extraction microenvironment on the structure and biological activities of polysaccharides from <i>Lentinus edodes</i> . 2019 , 123, 1002-1011	66

294	Advances in renewable plant-derived protein source: The structure, physicochemical properties affected by ultrasonication. 2019 , 53, 83-98		45
293	Subcritical water extraction of bioactive compounds from Radix Puerariae and optimization study using response surface methodology. 2019 , 206, 1218-1227		5
292	Construction of on-line supercritical fluid extraction with reverse phase liquid chromatography tandem mass spectrometry for the determination of capsaicin. 2019 , 30, 99-102		21
291	Effect of ultrasound intensification on the supercritical fluid extraction of phytochemicals from Agave salmiana bagasse. 2019 , 144, 98-107		32
290	Comparative assessment on the extraction of carotenoids from microalgal sources: Astaxanthin from <i>H. pluvialis</i> and β -carotene from <i>D. salina</i> . <i>Food Chemistry</i> , 2019 , 277, 128-134	8.5	98
289	Novel natural food preservatives and applications in seafood preservation: a review. 2019 , 99, 2068-2077		66
288	Supercritical fluid extraction of free amino acids from sugar beet and sugar cane molasses. 2019 , 144, 48-55		15
287	Biodiesel from oleaginous microbes: opportunities and challenges. 2019 , 10, 45-59		30
286	Effect of pelletization on supercritical CO ₂ extraction of rosemary antioxidants. 2019 , 147, 162-171		2
285	Impact on the nutritional attributes of rice bran following various stabilization procedures. 2019 , 59, 2458-2466		20
284	Active biocompounds to improve food nutritional value. 2019 , 84, 19-21		14
283	Advantageous enzyme selective extraction process of essential spirulina oil. 2020 , 346, 121-131		7
282	Efficient physical extraction of active constituents from edible fungi and their potential bioactivities: A review. 2020 , 105, 468-482		40
281	Sustainability-based optimization algorithm. 2020 , 17, 1537-1550		6
280	Subcritical water extraction of essential oil from <i>Aquilaria malaccensis</i> leaves. 2020 , 55, 2779-2798		6
279	Impact of supercritical carbon dioxide turmeric extract on the oxidative stability of perilla oil. 2020 , 55, 183-191		2
278	Microbial production of omega-3 polyunsaturated fatty acids. 2020 , 293-326		4
277	Emerging techniques applied to by-products for food fortification. 2020 , 57, 905-914		2

- 276 Novel and green ultrasonic-assisted liquid-liquid microextraction method based on a nanopolymer for extraction of ferulic acid, gallic acid, cinnamic acid and rutin from vegetable oils. **2020**, 17, 577-591
- 275 Application of supercritical CO₂ for enhanced oil recovery. **2020**, 67-84 3
- 274 In vitro hepatotoxicity of *Petasites hybridus* extract (Ze 339) depends on the concentration, the cytochrome activity of the cell system, and the species used. **2020**, 34, 184-192 3
- 273 Purification of (S)-3-cyano-5-methylhexanoic acid from bioconversion broth using an acetone/ammonium sulfate aqueous two-phase system. **2020**, 89, 186-192 3
- 272 Modeling and optimization of supercritical carbon dioxide extraction for isolation of valuable lipophilic constituents from elderberry (*Sambucus nigra* L.) pomace. **2020**, 35, 225-235 10
- 271 Supercritical fluid tomato extract for stabilization of perilla oil subjected to thermal treatment. **2020**, 44, e14367 3
- 270 Green and integrated processing approaches for the recovery of high-value compounds from brown seaweeds. **2020**, 95, 369-413 5
- 269 Consecutive high-pressure and enzyme assisted fractionation of blackberry (*Rubus fruticosus* L.) pomace into functional ingredients: Process optimization and product characterization. *Food Chemistry*, **2020**, 312, 126072 8.5 11
- 268 Supercritical fluids for the extraction of oleoresins and plant phenolics. **2020**, 279-328 1
- 267 Rapid and Accurate Quantification of Paramylon Produced from Using an ssDNA Aptamer. **2020**, 68, 402-408 5
- 266 Extraction simulation of porous media by CFD: Recovery of trans-resveratrol from grape cane by pressurised low polarity water system. **2020**, 148, 107779 5
- 265 Density-based UNIFAC model for solubility prediction of solid solutes in supercritical fluids. **2020**, 506, 112376 1
- 264 Recent developments in supercritical fluid extraction of bioactive compounds from microalgae: Role of key parameters, technological achievements and challenges. **2020**, 36, 196-209 87
- 263 Recent advances in the extraction of bioactive compounds with subcritical water: A review. **2020**, 95, 183-195 88
- 262 Green Solvents for the Extraction of High Added-Value Compounds from Agri-food Waste. **2020**, 12, 83-100 53
- 261 Blended Lifecycle Integrated Social System Method. **2020**, 14, 727-749 1
- 260 Coproduction of EPA and Fucoxanthin with *P. tricornutum* – A Promising Approach for Up- and Downstream Processing. **2020**, 92, 1780-1789 4
- 259 An overview of subcritical and supercritical water treatment of different biomasses for protein and amino acids production and recovery. **2020**, 8, 104406 15

258	Skin Pigmentation in Gilthead Seabream (L.) Fed Conventional and Novel Protein Sources in Diets Deprived of Fish Meal. 2020 , 10,	5
257	Valorization of Seaweed Carbohydrates: Autohydrolysis as a Selective and Sustainable Pretreatment. 2020 , 8, 17143-17153	9
256	Mass Spectrometry for Natural Product Discovery. 2020 , 263-306	6
255	Kinetics of Soybean Oil Hydrolysis on Niobium Catalysts. 2020 , 43, 2149-2159	
254	Nutraceutical potential and utilization aspects of food industry by-products and wastes. 2020 , 89-111	6
253	Extraction of lipids and astaxanthin from crustacean by-products: A review on supercritical CO ₂ extraction. 2020 , 103, 94-108	32
252	Characterization of and fatty acid components under a wide range of light intensity and growth temperature for their use as biological resources. 2020 , 6, e04447	11
251	High-pressure behavior of dielectric constant in a binary critical mixture. 2020 , 102, 042610	0
250	Applications of Biotechnology in Seafood Production and Processing. 2020 , 2845-2865	
249	Innovative Alternative Technology for Fucoxanthin Recovery. 2020 , 3213-3227	1
248	Value-Added Compound Recovery from Invasive Forest for Biofunctional Applications: Species as a Case Study. 2020 , 25,	4
247	Novel Extraction Techniques for Bioactive Compounds from Herbs and Spices. 2020 , 95-128	1
246	Electro-Fenton Based Technique to Enhance Cell Harvest and Lipid Extraction from Microalgae. 2020 , 13, 3813	2
245	Recent Advances in Supercritical Fluid Extraction of Natural Bioactive Compounds from Natural Plant Materials. 2020 , 25,	60
244	Enhancing Sustainability by Improving Plant Salt Tolerance through Macro- and Micro-Algal Biostimulants. 2020 , 9,	27
243	. 2020 ,	2
242	Coupling Ultrafiltration-Based Processes to Concentrate Phenolic Compounds from Aqueous Goji Berry Extracts. 2020 , 25,	3
241	Health Benefits of Prunus avium Plant Parts: An Unexplored Source Rich in Phenolic Compounds. 2020 , 1-29	9

240	Application of Box-Behnken Design and Desirability Function for Green Prospection of Bioactive Compounds from <i>Isochrysis galbana</i> . 2020 , 10, 2789	6
239	Supercritical fluid extraction in separation and preconcentration of organic and inorganic species. 2020 , 425-451	1
238	Growth Pattern, Stability, and Properties of Complexes of CHOH and CO (= 1-5) Molecules: A Theoretical Study. 2020 , 5, 14408-14416	0
237	An Inclusive Overview of Advanced Thermal and Nonthermal Extraction Techniques for Bioactive Compounds in Food and Food-related Matrices. 2020 , 1-31	34
236	Modeling and optimization of pilot-scale subcritical water extraction on <i>Zingiber zerumbet</i> by central composite design. 2020 , 778, 012077	0
235	Carotenoids as potential biocolorants: A case study of astaxanthin recovered from shrimp waste. 2020 , 289-325	4
234	Encapsulation of yacon (<i>Smallanthus sonchifolius</i>) leaf extract by supercritical fluid extraction of emulsions. 2020 , 160, 104815	7
233	Silymarin: not just another antioxidant. 2020 , 31,	8
232	Encapsulation of pink pepper extract by SEDS technique: Phase behavior data and process parameters. 2020 , 161, 104822	4
231	Applications of Nonconventional Green Extraction Technologies in Process Industries: Challenges, Limitations and Perspectives. 2020 , 12, 5244	23
230	Pulsed electric field-assisted extraction of valuable compounds from microorganisms. 2020 , 19, 530-552	54
229	Polyphenols of peanut (<i>Arachis hypogaea</i> L.) skin as bioprotectors of normal cells. Studies of cytotoxicity, cytoprotection and interaction with ROS. 2020 , 67, 103862	5
228	Valorization of post-extraction biomass residues as carriers of bioavailable micronutrients for plants and livestock. 2020 , 1	5
227	Algae as potential feedstock for the production of biofuels and value-added products: Opportunities and challenges. 2020 , 716, 137116	168
226	Antioxidant Properties of a Supercritical Fluid Extract of the Halophyte <i>Mesembryanthemum nodiflorum</i> L. from Sicilian Coasts: Nutraceutical and Cosmeceutical Applications. 2020 , 10, 2374	2
225	Analysis of organic acids. 2020 , 767-823	2
224	Zero waste biorefining of lingonberry (<i>Vaccinium vitis-idaea</i> L.) pomace into functional ingredients by consecutive high pressure and enzyme assisted extractions with green solvents. <i>Food Chemistry</i> , 2020 , 322, 126767	8.5 18
223	Characterization and Biological Activities of Seed Oil Extracted from Maxim. by the Supercritical Carbon Dioxide Extraction Method. 2020 , 25,	1

222	Valorization of Yarrow (L.) By-Product through Application of Subcritical Water Extraction. 2020 , 25,		9
221	Use of supercritical CO in soft tissue decellularization. 2020 , 157, 49-79		7
220	Silymarin compounds: Chemistry, innovative extraction techniques and synthesis. 2020 , 111-130		5
219	The scientometric analysis of the research on the algal foods. 2020 , 485-506		1
218	Supercritical Fluid Extraction of Pesticides and Insecticides from Food Samples and Plant Materials. 2021 , 51, 482-501		7
217	Analysis of aromatic acids (phenolic acids and hydroxycinnamic acids). 2020 , 199-219		3
216	Recovering Valuable Bioactive Compounds from Potato Peels with Sequential Hydrothermal Extraction. 2021 , 12, 1465-1481		11
215	Subcritical and Supercritical Extraction in Food By-product and Food Waste Valorization. 2021 , 705-721		0
214	Process Economics and Feasibility of Subcritical & Supercritical Fluid Processing. 2021 , 749-767		
213	Main bioactive phenolic compounds in marine algae and their mechanisms of action supporting potential health benefits. <i>Food Chemistry</i> , 2021 , 341, 128262	8.5	34
212	Phytochemical profile and antioxidant activity of <i>Dracocephalum moldavica</i> L. seed extracts using different extraction methods. <i>Food Chemistry</i> , 2021 , 350, 128531	8.5	5
211	Microalgae bioremediation: A perspective towards wastewater treatment along with industrial carotenoids production. 2021 , 40, 101794		18
210	Bioactive compounds extraction from malted quinoa using water-ethanol mixtures under subcritical conditions. 2021 , 138, 110574		6
209	Techniques for essential oil extraction from kaffir lime and its application in health care products: A review. 2021 , 36, 5-21		3
208	Techno-economic assessment of bioactive compound recovery from potato peels with sequential hydrothermal extraction. 2021 , 282, 124356		5
207	Headway in Supercritical Extraction of Fragrances and Colors. 2021 , 620-639		1
206	Edible Bird's Nest: Physicochemical Properties, Production, and Application of Bioactive Extracts and Glycopeptides. 2021 , 37, 177-196		9
205	Modern Applications of Supercritical Fluids Extraction in Food Toxicology. 2021 , 640-659		1

204	Green processes in Foodomics. Supercritical Fluid Extraction of Bioactives. 2021 , 725-743	4
203	Environmentally Friendly Solvents for Sample Preparation in Foodomics. 2021 , 536-565	1
202	Exploitation of , , and By-Product Seeds as Dermo-Cosmetic Agents. 2021 , 26,	9
201	Green solvents for qualitative pharmaceutical analysis. 2021 , 221-241	
200	A comprehensive review on cellulose nanocrystals and cellulose nanofibers: Pretreatment, preparation, and characterization. 2021 , 42, 1588-1630	35
199	Basics in Analysis of Phenolic Antioxidants. 2021 , 437-479	
198	Supercritical CO extraction of : intensification of marrubiin.. 2021 , 11, 9067-9075	1
197	Technologies and Extraction Methods of Polyphenolic Compounds Derived from Pomegranate (Punica granatum) Peels. A Mini Review. 2021 , 9, 236	15
196	Antioxidant capacity and characteristics of theaflavin catechins and ginger freeze-dried extract as affected by extraction techniques. 2021 , 24, 1097-1116	0
195	Hepatoprotective Effect of Supercritical Carbon Dioxide Extracted Dabai Pulp Oil and Its Defatted Pulp. 2021 , 26,	0
194	Extraction of bioactive compounds and essential oils from herbs using green technologies. 2021 , 233-262	2
193	Application of supercritical technology in the production of dietary supplement based on plant extracts. 2021 , 161-183	1
192	Green technologies for production of oils rich in n-3 polyunsaturated fatty acids from aquatic sources. 2021 , 1-21	7
191	Biomass Fractionation Using Emerging Technologies. 2021 , 145-169	
190	Production of milk analogues from rice bran protein hydrolysate using the subcritical water technique.	0
189	The Application of Supercritical Fluids Technology to Recover Healthy Valuable Compounds from Marine and Agricultural Food Processing By-Products: A Review. 2021 , 9, 357	12
188	Assessment of Conventional Solvent Extraction vs. Supercritical Fluid Extraction of Khella (L.) Furanochromones and Their Cytotoxicity. 2021 , 26,	2
187	A Systemic Review on Microalgal Peptides: Bioprocess and Sustainable Applications. 2021 , 13, 3262	9

186	Proteins extracted from seaweed and their potential uses as foods and nutraceuticals. 2021 , 1-17	8
185	Extraction of medicinal cannabinoids through supercritical carbon dioxide technologies: A review. 2021 , 1167, 122581	10
184	The Role of Antioxidants in the Management of Obsessive-Compulsive Disorder. 2021 , 2021, 1-15	0
183	A Review on Extraction Techniques and Its Future Applications in Industry. 2021 , 123, 2000302	12
182	Process intensification technologies for the recovery of valuable compounds from cocoa by-products. 2021 , 68, 102601	6
181	Essential Oils: Pharmaceutical Applications and Encapsulation Strategies into Lipid-Based Delivery Systems. 2021 , 13,	24
180	Extraction of protein from food waste: An overview of current status and opportunities. 2021 , 20, 2455-2475	25
179	Recent Developments of Bioethanol Production. 2021 , 175-208	0
178	Extraction of Cannabinoids from Cannabis sativa L. (Hemp) Review. 2021 , 11, 384	16
177	Algal Proteins and Peptides: Current Trends and Future Prospects. 2021 , 418-445	1
176	Compressed fluids extraction methods, yields, antioxidant activities, total phenolics and flavonoids content for Brazilian Mantiqueira hops. 2021 , 170, 105155	4
175	Extraction and Characterization of the Polar Lipid Fraction of Blackberry and Passion Fruit Seeds Oils Using Supercritical Fluid Extraction. 2021 , 14, 2026-2037	3
174	In Vitro Bioactivity of Astaxanthin and Peptides from Hydrolysates of Shrimp () By-Products: From the Extraction Process to Biological Effect Evaluation, as Pilot Actions for the Strategy "From Waste to Profit". 2021 , 19,	4
173	Recent Advances in the Use of Greener Extraction Technologies for the Recovery of Valuable Bioactive Compounds from Algae. 2021 , 96-122	1
172	Green processing: CO ₂ -induced glassification of sucrose octaacetate and its implications in the spontaneous release of drug from drug-excipient composites. 2021 , 47, 101472	3
171	A Review of Antiviral and Antioxidant Activity of Bioactive Metabolite of Macroalgae within an Optimized Extraction Method. 2021 , 14, 3092	4
170	Eucalyptus: phytochemical composition, extraction methods and food and medicinal applications. 1	2
169	Encapsulation of trans-resveratrol in poly(ϵ -caprolactone) by GAS antisolvent. 2021 , 171, 105164	2

168	Pressurized mixture of CO2 and propane for enhanced extraction of non-edible vegetable oil. 2021 , 171, 105171	5
167	Antimicrobial Properties, Cytotoxic Effects, and Fatty Acids Composition of Vegetable Oils from Purslane, Linseed, Luffa, and Pumpkin Seeds. 2021 , 11, 5738	2
166	Alkaloid-rich vs. antioxidant-rich yerba mate (<i>Ilex paraguariensis</i>) extracts: Exploiting the selectivity of supercritical CO2 using hydrated ethanol as co-solvent. 2021 , 172, 105200	4
165	Bioactive components from seeds: production, functionalities and applications - a critical review. 2021 , 1-23	7
164	In vitro antioxidant activity and enzyme inhibition properties of wheat whole grain, bran and flour defatted with hexane and supercritical fluid extraction. 2021 , 146, 111376	2
163	Polluted lignocellulose-bearing sediments as a resource for marketable goods— review of potential technologies for biochemical and thermochemical processing and remediation. 1	0
162	Recovery of Chlorogenic Acids from Agri-Food Wastes: Updates on Green Extraction Techniques. 2021 , 26,	5
161	Bioprospecting of cyanobacterium in Chilean coastal desert, <i>Geitlerinema</i> sp. molecular identification and pressurized liquid extraction of bioactive compounds. 2021 , 128, 227-239	7
160	Microalgae as Contributors to Produce Biopolymers. 2021 , 19,	11
159	Ultrasound-assisted lactic acid based deep eutectic solvent extraction of phenolic antioxidants from <i>Thymus broussonetii</i> : A Box Behnken design approach for optimization. 2021 , 842, 012022	
158	Beyond the Source of Bioenergy—Microalgae in Modern Agriculture as a Biostimulant, Biofertilizer, and Anti-Abiotic Stress. 2021 , 11, 1610	3
157	Supercritical Antisolvent Fractionation of Antioxidant Compounds from. 2021 , 22,	0
156	Chiral Alkaloid Analysis.	
155	Green Extraction of Bioactive Compounds from Plant Biomass and Their Application in Meat as Natural Antioxidant. 2021 , 10,	10
154	Harit Byç (Giresun, Türkiye) Epilitik Alglerin Mevsimsel Değişimlerine Bir Araştırma.	
153	The effect of different pressurized fluids on the extraction of anthocyanins and total phenolics from cranberry pomace. 2021 , 175, 105279	5
152	Effect of Microwave Roasting and Extraction Solvents on the Bioactive Properties of Coffee Beans. 2021 , 2021, 4908033	1
151	Improving shelf life of calf fillet in refrigerated storage using edible coating based on chitosan/natamycin containing <i>Spirulina platensis</i> and <i>Chlorella vulgaris</i> microalgae. 1	1

150	The impact of chirality on the analysis of alkaloids in plant. 2021 , 68, 643-656	1
149	Perspective on integrated biorefinery for valorization of biomass from the edible insect <i>Tenebrio molitor</i> . 2021 , 116, 480-491	5
148	Extraction of lyophilized olive mill wastewater using supercritical CO ₂ processes. 2022 , 61, 237-246	3
147	Advanced techniques for recovery of active compounds from food by-products. 2021 , 693-710	
146	Analysis of Carotenoids. 2021 , 317-392	
145	The use of subcritical water associated with fermentative process to obtain biocompounds of interest to pharmaceutical industry. 2021 , 303-324	
144	Key Considerations in the Selection of Ingredients and Processing Technologies for Functional Foods and Nutraceutical Products. 79-111	1
143	Green Analytical Chemistry Approaches in Sample Preparation. 103-124	3
142	Encyclopedia of Sustainability Science and Technology. 2018 , 1-24	2
141	Upgrading of Oil Palm Empty Fruit Bunch to Value-Added Products. 2014 , 63-78	2
140	Algal Cell Disruption and Lipid Extraction: A Review on Current Technologies and Limitations. 2015 , 419-441	6
139	Subcritical Water as a Green Solvent for Plant Extraction. 2014 , 73-89	3
138	Microalgae Lipid Extraction Methods and the Fuel Characteristics of <i>Isochrysis galbana</i> by Ultrasound-Assisted Extraction. 2015 , 141-157	2
137	A greener alternative using subcritical water extraction to valorize the brown macroalgae <i>Ecklonia maxima</i> for bioactive compounds. 2020 , 32, 2307-2319	10
136	Supercritical fluid processing and extraction of food. 2019 , 57-86	4
135	Fruit-based functional food. 2019 , 35-72	1
134	Advancements in hydrothermal liquefaction reactors: overview and prospects. 2020 , 195-213	5
133	A critical review on life cycle analysis of algae biodiesel: current challenges and future prospects. 2020 , 134, 110143	28

132	Rambutan(<i>Nephelium lappaceum</i> L.):Nutritional and functional properties. 2019 , 85, 201-210	24
131	Chapter 6:Developments in the Processing of Foods and Natural Products Using Pressurized Fluids. 2018 , 196-250	1
130	Chapter 3:Advances in Critical Fluid Processing. 93-144	2
129	Production of Emulsifying and Antioxidative Substances from Defatted Rice Bran by Two-step Subcritical Water Treatment. 2009 , 10, 107-114	7
128	Supercritical Fluid Extraction of Active Compounds from Algae. 2007 , 189-213	8
127	Antioxidant Extraction by Supercritical Fluids. 2007 , 275-303	5
126	Chemical Composition and Antibacterial Activity of the Essential Oil from Chinese Wild <i>Ledum palustre</i> L. on <i>Vibrio Parahaemolyticus</i> . 2017 , 4, 8-12	2
125	Oleuropein: Methods for extraction, purifying and applying. 2020 , 67, 315-329	11
124	Extraction, Properties, and Applications of Bioactive Compounds Obtained from Microalgae. 2020 , 26, 1929-1950	9
123	Characteristics of Japanese Mint Extracts Obtained by Subcritical-water Treatment. 2019 , 25, 695-703	4
122	Recovery of Mint Essential Oil through Pressure-releasing Distillation during Subcritical Water Treatment. 2019 , 25, 793-799	1
121	Morphological and chemical aspects of <i>Chlorella pyrenoidosa</i> , <i>Dunaliella tertiolecta</i> , <i>Isochrysis galbana</i> and <i>Tetraselmis gracilis</i> ; microalgae. 2013 , 05, 783-791	11
120	Future Prospects and Health Benefits of Functional Ingredients from Marine Bio-resources: A review. 2014 , 17, 275-290	5
119	Effect of Porcine Placenta Extract from Subcritical Water Extraction on Photodamage in Human Keratinocytes. 2015 , 35, 164-70	1
118	Optimization of Subcritical Ethanol Extraction for Xanthone from Mangosteen Pericarp. 2015 , 6, 115-119	5
117	Thermal decomposition and oxidation of Earyophyllene in black pepper during subcritical water extraction. 2021 , 30, 1-7	
116	Value-Added Metabolites from Agricultural Waste and Application of Green Extraction Techniques. 2021 , 13, 11432	6
115	Effect of Cold Smoking and Natural Antioxidants on Quality Traits, Safety and Shelf Life of Farmed Meagre () Fillets, as a Strategy to Diversify Aquaculture Products. 2021 , 10,	2

- 114 Comprehensive research on mango by-products applications in food industry. **2021**, 118, 179-188 3
- 113 A review of supercritical fluid technology and its applications in the food industry. **2008**, 1, 19-28
- 112 The Impact of Supercritical Extraction and Fractionation Technology on the Functional Food and Nutraceutical Industry. **2010**, 407-446
- 111 Solvents. 915-971
- 110 Advances in Technology to Generate Cardiovascular-Friendly Functional Food Products. **2012**, 29-52
- 109 Supercritical Extraction. **2013**, 215-250 0
- 108 Enzyme-Assisted Extraction of a Marine Algal Polysaccharide, Fucoidan and Bioactivities. **2014**, 1-11 1
- 107 Photosynthetic Microorganism-Based CO₂ Mitigation System: Integrated Approaches for Global Sustainability. **2014**, 83-123
- 106 Recent advances in oregano (*Lippia graveolens* and *Poliomintha longiflora*): Extraction methods component determination, and their potential applications.. **2014**, 4, 15
- 105 An Integrated Supercritical Extraction and Impregnation Process for Production of Antibacterial Scaffolds. **2015**, 315-342
- 104 5: Extraction and Utilisation of Bioactive Compounds from Agricultural Waste. **2017**, 127-158
- 103 *Scenedesmus* sp. Bin DPPH (1,1-difenil-2-pikrilhidrazil) Serbest Radikal SBEK Aktivitesi. **2017**, 7, 146-151 0
- 102 Green Chemistry in Analytical Chemistry. **2019**, 613-636 1
- 101 Extraction and bioprocessing with supercritical fluids. **2020**, 5, 1
- 100 Aquatic Plants and Algae Proteins. **2020**, 211-232
- 99 Type of green solvents used in separation and preconcentration methods. **2020**, 207-266 5
- 98 Recovery and Purification of Antioxidant Compounds from Plant Origin Agro-Industrial By-products. **2021**, 1-24
- 97 Recovery and Purification of Antioxidant Compounds from Plant Origin Agro-Industrial By-products. **2021**, 1-24 1

96	Polyphenols. 2022 , 243-312	1
95	References. 2021 , 239-264	
94	Extraction of carbohydrates and proteins from algal resources using supercritical and subcritical fluids for high-quality products. 2022 , 249-275	
93	Challenges in the extraction of antiinflammatory and antioxidant compounds from new plant sources. 2022 , 427-446	
92	Extraction of bioactive compounds from plant materials using combination of various novel methods: A review. 2021 ,	17
91	Benefits, toxicity and current market of cannabidiol in edibles.. 2022 , 1-13	1
90	Transcriptome and Metabolome Profiling of a Novel Isolate G32 (Chlorophyta) Displaying Enhanced Starch Accumulation at High Growth Rate Under Mixotrophic Condition.. 2021 , 12, 760307	0
89	Industrial bio-fractionation process of microalgae valuable products using supercritical CO ₂ . A techno-economical evaluation. 2022 , 178, 50-60	2
88	Prebiotics and synbiotics. 2022 , 19-37	
87	Sustainable food systems. 2022 , 15-46	
86	The nutraceutical potential of cyanobacteria. 2022 , 287-330	0
85	Recovery of high-value compounds from food by-products. 2022 , 61-88	0
84	Application of the supercritical fluids (SCFs) in the sorption processes. 2022 , 219-252	
83	The Response Surface Optimization of Supercritical CO Modified with Ethanol Extraction of -Anisic Acid from Flowers and Mathematical Modeling of the Mass Transfer.. 2022 , 27,	1
82	Oxidative Stress in Non-Alcoholic Fatty Liver Disease. 2022 , 2, 30-76	1
81	An overview on extraction, composition, bioactivity and food applications of peanut phenolics.. <i>Food Chemistry</i> , 2022 , 381, 132250	8,5 2
80	Supercritical Fluid Extraction of Fucoxanthin from the Diatom and Biogas Production through Anaerobic Digestion.. 2022 , 20,	2
79	Advances in low-temperature extraction of natural resources using liquefied dimethyl ether. 2022 , 1, 16-26	

78	Edible Mushrooms: A Comprehensive Review on Bioactive Compounds with Health Benefits and Processing Aspects.. 2021 , 10,	16
77	Applications of micro- and macroalgae elements in the food and healthcare industries.. 2021 , 16, 1-10	
76	Use of herbal extract for body-care formulations. 2022 , 263-282	
75	Downstream Processing of Medicinal Mushroom Products.. 2022 , 1	
74	Application of emerging technologies to obtain valuable lipids from food byproducts. 2022 , 383-411	
73	Bioactive Compounds from Microalgae <i>Spirulina platensis</i> as Antibacterial Candidates Against Pathogen Bacteria. 2022 , 25, 41-48	
72	Methods used for extraction of plant volatiles have potential to preserve truffle aroma: A review.. 2022 ,	0
71	Supercritical Fluid and Conventional Extractions of High Value-Added Compounds from Pomegranate Peels Waste: Production, Quantification and Antimicrobial Activity of Bioactive Constituents.. 2022 , 11,	3
70	Effects of Dietary Supplementation with Honeybee Pollen and Its Supercritical Fluid Extract on Immune Response and Fillet's Quality of Farmed Gilthead Seabream (). 2022 , 12,	0
69	Influence of ultrasound-assisted extraction techniques on the valorization of agro-based industrial organic waste [A review.	0
68	Supercritical CO2 extraction of lipids and astaxanthin from Atlantic shrimp by-products with static co-solvents: Process optimization and mathematical modeling studies. 2022 , 58, 101938	1
67	Alternative green solvents in sample preparation. 2022 , 1, 100007	2
66	High-Pressure Technologies for the Recovery of Bioactive Molecules from Agro-Industrial Waste. 2022 , 12, 3642	4
65	Hydroalcoholic extraction of bioactive compounds from expeller soybean meal under subcritical conditions. 2022 , 184, 105558	2
64	Seaweeds, an aquatic plant-based protein for sustainable nutrition - A review. 2022 , 5, 100142	3
63	Supercritical Fluid Extraction of Phenolic Compounds from Mango (<i>L.</i>) Seed Kernels and Their Application as an Antioxidant in an Edible Oil.. 2021 , 26,	2
62	Concentration of Antioxidant Compounds from through Sustainable Supercritical Technologies, and Computational Study of Their Permeability in Skin for Cosmetic Use.. 2021 , 11,	0
61	Current extraction methods and potential use of essential oils for quality and safety assurance of foods.. 2022 , 94, e20191270	

- 60 Conventional and emerging techniques for extraction of bioactive compounds from fruit waste. 25, 0
- 59 Recovery and Purification of Antioxidant Compounds from Plant Origin Agro-Industrial By-products. **2022**, 775-797
- 58 Ftir and Chemometric Study of Densified Solid Biofuel Produced Under Sub-Critical Water and its Characteristics Affected by Lignocellulose Substances.
- 57 Citrus Fruit Processing by Pressure Intensified Technologies: A Review. **2022**, 105646 0
- 56 Application of Supercritical Fluid Extraction (SFE) of Tocopherols and Carotenoids (Hydrophobic Antioxidants) Compared to Non-SFE Methods. **2022**, 2, 68-92 0
- 55 Subcritical Water Enhanced with Deep Eutectic Solvent for Extracting Polysaccharides from *Lentinus edodes* and Their Antioxidant Activities. **2022**, 27, 3612 0
- 54 Purification and Identification of an ACE-Inhibitory Peptide from *Gracilaria tenuistipitata* Protein Hydrolysates. **2022**, 10, 1128
- 53 Extraction of Valuable Compounds from Agricultural Crop Residues and Waste. 47-89
- 52 Industrial hemp nutraceutical processing and technology. **2022**, 191-218
- 51 How do algae oils change the omega-3 polyunsaturated fatty acids market?. **2022**, 29, 20
- 50 Chromatographic Techniques to Separate and Identify Bioactive Compounds in Microalgae. 10,
- 49 Pressurized hot water extraction of phenolic compounds with a focus on eriocitrin and hesperidin from lemon peel. 1
- 48 Response surface modeling and optimization of the extraction conditions using lactic acid-based deep eutectic solvents as green alternative extraction media for *Mentha pulegium* . 1
- 47 Functional foods based on the recovery of bioactive ingredients from food and algae by-products by emerging extraction technologies and 3D printing. **2022**, 101853 0
- 46 Supercritical carbon dioxide extraction of clove essential oil: Optimization and characterization. **2022**, 531-540 1
- 45 Cyanobacterial and commercially important carotenoids: Biosynthesis, metabolic engineering, biological activities, applications, and processing. **2022**, 211-233 0
- 44 Nanomedicine as an Emerging Technology to Foster Application of Essential Oils to Fight Cancer. **2022**, 15, 793 1
- 43 Biological properties and potential of compounds extracted from red seaweeds. 2

42	Mango Seed Kernel: A Bountiful Source of Nutritional and Bioactive Compounds.	0
41	Optimization of polyphenol extraction from Hippophae salicifolia D. Don leaf using supercritical CO2 by response surface methodology. 2022 , 12,	0
40	Comparison for the production of essential oil by conventional, novel and biotechnology methods. 1-24	0
39	Solid-liquid extraction of polyphenols. 2022 , 73-112	0
38	Microalgae Cell Wall Disruption and Biocomponents Fractionation for Fuel Conversion. 2022 , 73-95	0
37	Methods of Extraction of Phytochemicals. 2022 , 250-279	0
36	Ingredients for food products. 2023 , 115-153	1
35	Improved Sustainability in Wine Industry Byproducts: A Scale-up and Economical Feasibility Study for High-Value Compounds Extraction Using Modified SC-CO2. 2022 , 7, 33845-33857	1
34	Hemp in Animal Diets Cannabidiol. 2022 , 12, 2541	1
33	Optimization of fucoxanthin extraction obtained from natural by-products from Undaria pinnatifida stem using supercritical CO2 extraction method. 9,	0
32	Effect of novel combination processing technologies on extraction and quality of rice bran oil. 1-23	0
31	Subcritical fluid extraction of antioxidant compounds from soybean seed coats (<i>Glycine max</i> (L.) Merr.).	0
30	Potential of Seaweeds in preventing cancer and HIV infection in Humans. 2022 ,	0
29	Phenolic and Other Bioactive Compounds from Vegetable and Fruit Waste: Extraction Methods and Their Possible Utilization. 2022 , 81-114	0
28	A sustainable waste-to-protein system to maximise waste resource utilisation for developing food- and feed-grade protein solutions.	1
27	Deep eutectic solvents as sustainable extraction media for plants and food samples: A review. 2023 , 31, 100937	0
26	Extraction of Microalgal Bioactive Compounds Towards Functional Ingredients: A Biorefinery Approach with Prospects And Challenges. 2022 , 131-183	0
25	Dermo-Cosmetic Benefits of Marine Macroalgae-Derived Phenolic Compounds. 2022 , 12, 11954	1

- 24 Effect of subcritical water flash release processing on buckwheat flour properties. ○
- 23 Extraction and Characterization of Bioactive Compounds from Different Sources. **2023**, 121-141 ○
- 22 Structures and biological activities of proanthocyanidins obtained from chinese quince by optimized subcritical water-ethanol extraction. ○
- 21 Introduction on Bioactive Compounds, Sources and their Potential Applications. **2023**, 3-26 ○
- 20 Smart systems in producing algae-based protein to improve functional food ingredients industries. **2023**, 112480 ○
- 19 Production and Characterization of Hydrothermal Extracts of the Needles from Four Conifer Tree Species: Scots Pine, Norway Spruce, Common Juniper, and European Larch. ○
- 18 Gıda kaynaklı protein ve biyoaktif peptit eldesi, saflaştırılması ve karakterizasyonunda kullanılan geleneksel yöntemler ve biyoinformatik yaklaşımlar. ○
- 17 Extraction of phenolic compounds by conventional and green innovative techniques. **2023**, 355-394 ○
- 16 Bioprospection of marine microalgae for novel antioxidants in human health and medicine. **2023**, 295-310 ○
- 15 Supercritical CO₂ extraction of natural products. **2023**, 79-90 ○
- 14 FTIR and chemometric study of densified solid biofuel produced under subcritical water conditions and its compressive strength affected by lignocellulose substances. **2023**, 342, 127835 ○
- 13 Approach on water-energy-food (WEF) nexus and climate change: A tool in decision-making processes. **2023**, 46, 100858 ○
- 12 Carotene enrichment in crude palm oil using subcritical water extraction and its relationship with the solubility. **2023**, 2, 100245 ○
- 11 Liquid-Liquid Extraction. **2014**, 503-551 ○
- 10 Antimicrobial peptides derived from microalgae for combating antibiotic resistance: Current status and prospects. **2023**, 41, 142-151 ○
- 9 Subcritical Water Treatment for Valorization of the Red Algae Residue after Agar Extraction: Scale-Up from Laboratory to Pilot Plant. **2023**, 62, 3503-3514 ○
- 8 Applications of Supercritical Water in Waste Treatment and Valorization: A Review. **2023**, 16, 2081 ○
- 7 *Maackia amurensis* Rupr. et Maxim.: Supercritical CO₂ Extraction and Mass Spectrometric Characterization of Chemical Constituents. **2023**, 28, 2026 ○

- 6 Determination of Carnosic Acid by a Novel HPLC-UV Method in Human Plasma and Application to a Prototype Pharmacokinetic Study. ○
- 5 Lipid Oxidation and Volatile Compounds of Almonds as Affected by Gaseous Chlorine Dioxide Treatment to Reduce Salmonella Populations. **2023**, 71, 5345-5357 ○
- 4 Application of Green Solvent in Green Chemistry: An overview. **2023**, 9, 01-14 ○
- 3 Biosynthesis of Nanoparticles Using Plant Extracts and Essential Oils. **2023**, 28, 3060 ○
- 2 The curious case of polyphenols as green corrosion inhibitors: a review on their extraction, design, and applications. ○
- 1 Subcritical low temperature extraction of bioactive ingredients from foods and food by-products and its applications in the agro-food industry. 1-13 ○