

Activity measurements of the high-energy pure \hat{I}^2 -emit efficiency calculation technique

Applied Radiation and Isotopes

64, 1481-1484

DOI: [10.1016/j.apradiso.2006.02.069](https://doi.org/10.1016/j.apradiso.2006.02.069)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Further investigations of a simple counting technique for measuring mixtures of two pure β^2 -emitting radionuclides. Applied Radiation and Isotopes, 2008, 66, 1012-1020.	1.5	8
2	Absolute standardization of ^{241}Pu by the TDCR technique and effect of the beta spectral shape. Applied Radiation and Isotopes, 2012, 70, 2188-2194.	1.5	8
3	Radionuclide Standardization. , 2012, , 871-934.		0
4	Liquid Scintillation Analysis. , 2012, , 423-573.		13
5	Standardization of Tc-99 by three liquid scintillation counting methods. Applied Radiation and Isotopes, 2014, 87, 254-259.	1.5	4
6	A rapid method for determining ^{90}Sr in leaching solution from cement solidification of low and intermediate level radioactive wastes. Journal of Radioanalytical and Nuclear Chemistry, 2017, 314, 477-482.	1.5	9
7	Radionuclide standardization. , 2020, , 531-625.		1
8	Liquid scintillation analysis: principles and practice. , 2020, , 575-801.		10
9	The operation of an ionization chamber with depleted gas for radioactivity measurement: Calibration procedure and utilising normalized manufacturer's radionuclide factors. Applied Radiation and Isotopes, 2021, 170, 109633.	1.5	0
10	Standardization of ^{90}Y solution by mean of a Cherenkov counting in comparison with a liquid scintillation counting technique. Journal of Radioanalytical and Nuclear Chemistry, 0, , .	1.5	0