

# A brief review of "schizophrenic" block copolymers

Reactive and Functional Polymers

66, 157-165

DOI: [10.1016/j.reactfunctpolym.2005.07.021](https://doi.org/10.1016/j.reactfunctpolym.2005.07.021)

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Synthesis and pH Responsive Self-Assembly of New Double Hydrophilic Block Copolymers. <i>Macromolecules</i> , 2006, 39, 4767-4774.   | 2.2  | 68        |
| 2  | Synthesis and Micellization Properties of Double Hydrophilic A2BA2 and A4BA4 Non-Linear Block Copolymers. <i>Macromolecules</i> , 2006, 39, 8178-8185.   | 2.2  | 80        |
| 3  | Micelle Formation and Inversion Kinetics of a Schizophrenic Diblock Copolymer. <i>Macromolecules</i> , 2006, 39, 7378-7385.  | 2.2  | 73        |
| 4  | Release mechanisms for polyelectrolyte capsules. <i>Chemical Society Reviews</i> , 2007, 36, 636-649.  | 18.7 | 467       |
| 5  | Facile Fabrication of Reversible Core Cross-Linked Micelles Possessing Thermosensitive Swellability. <i>Macromolecules</i> , 2007, 40, 9125-9132.  | 2.2  | 121       |
| 6  | Interpolymer Complexes Based on the Core/Shell Micelles. Interaction of Polystyrene-block-poly(methacrylic acid) Micelles with Linear Poly(2-vinylpyridine) in 1,4-Dioxane Water Mixtures and in Aqueous Media. <i>Journal of Physical Chemistry B</i> , 2007, 111, 8394-8401. | 1.2  | 16        |
| 7  | Probing the Micellization Kinetics of Pyrene End-Labeled Diblock Copolymer via a Combination of Stopped-Flow Light-Scattering and Fluorescence Techniques. <i>Journal of Physical Chemistry B</i> , 2007, 111, 12111-12118.  | 1.2  | 24        |
| 8  | Effect of Salt on the Micellization Kinetics of pH-Responsive ABC Triblock Copolymers. <i>Macromolecules</i> , 2007, 40, 6393-6400.  | 2.2  | 37        |
| 9  | Fabrication of Multiresponsive Shell Cross-Linked Micelles Possessing pH-Controllable Core Swellability and Thermo-Tunable Corona Permeability. <i>Biomacromolecules</i> , 2007, 8, 3184-3192.   | 2.6  | 134       |
| 10 | Purely Salt-Responsive Micelle Formation and Inversion Based on a Novel Schizophrenic Sulfobetaine Block Copolymer: Structure and Kinetics of Micellization. <i>Langmuir</i> , 2007, 23, 11866-11874.  | 1.6  | 93        |
| 11 | SCF Study of Amphiphilic Micellar Shells Containing Polyelectrolyte and Hydrophobic Sequences. <i>Macromolecules</i> , 2007, 40, 7656-7664.  | 2.2  | 7         |
| 12 | Synthesis and Characterization of Thermo- and pH-Responsive Double-Hydrophilic Diblock Copolypeptides. <i>Biomacromolecules</i> , 2007, 8, 3557-3567.  | 2.6  | 128       |
| 13 | Stimuli-Responsive Double Hydrophilic Block Copolymer Micelles with Switchable Catalytic Activity. <i>Macromolecules</i> , 2007, 40, 3538-3546.  | 2.2  | 153       |
| 14 | Micellization Kinetics of a Novel Multi-Responsive Double Hydrophilic Diblock Copolymer Studied by Stopped-Flow pH and Temperature Jump. <i>Macromolecular Chemistry and Physics</i> , 2007, 208, 2492-2501.   | 1.1  | 43        |
| 15 | Novel double hydrophilic block copolymers based on poly( <i>p</i> -hydroxystyrene) derivatives and poly(ethylene oxide). <i>Journal of Polymer Science Part A</i> , 2007, 45, 5790-5799.   | 2.5  | 27        |
| 16 | A doubly responsive AB diblock copolymer: RAFT synthesis and aqueous solution properties of poly( <i>N</i> -isopropylacrylamide)-block- <i>p</i> -vinylbenzoic acid). <i>Journal of Polymer Science Part A</i> , 2007, 45, 5864-5871.  | 2.5  | 61        |
| 17 | Synthesis and 'Schizophrenic' Micellization of Double Hydrophilic AB4Miktoarm Star and AB Diblock Copolymers: Structure and Kinetics of Micellization. <i>Langmuir</i> , 2007, 23, 1114-1122.  | 1.6  | 116       |
| 18 | 'Schizophrenic' Micellization Associated with Coil-to-Helix Transitions Based on Polypeptide Hybrid Double Hydrophilic Rod-Coil Diblock Copolymer. <i>Biomacromolecules</i> , 2007, 8, 3871-3878.  | 2.6  | 135       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Design of responsive double-hydrophilic A-b-(B-co-C) diblock terpolymers with tunable thermosensitivity. <i>Polymer</i> , 2007, 48, 6226-6233.  | 1.8  | 29        |
| 20 | Facile preparation of core-crosslinked micelles from azide-containing thermoresponsive double hydrophilic diblock copolymer via click chemistry. <i>Journal of Polymer Science Part A</i> , 2008, 46, 860-871.                    | 2.5  | 104       |
| 21 | Synthesis and characterization of PNIPAM-(PEA-g-PDEA) double hydrophilic graft copolymer. <i>Journal of Polymer Science Part A</i> , 2008, 46, 5638-5651.   | 2.5  | 48        |
| 22 | Recent advances in controlled/living radical polymerization in emulsion and dispersion. <i>Journal of Polymer Science Part A</i> , 2008, 46, 6983-7001.   | 2.5  | 137       |
| 23 | Biotin, Pyrene, and GRGDS-Functionalized Polymers and Nanogels via ATRP and End Group Modification. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 2179-2193.   | 1.1  | 60        |
| 24 | Polymeric amines by chemical modifications of alternating aliphatic polyketones. <i>Journal of Applied Polymer Science</i> , 2008, 107, 262-271.  | 1.3  | 62        |
| 25 | Synthesis of poly(N-isopropylacrylamide)-b-poly(2-vinylpyridine) block copolymers via RAFT polymerization and micellization behavior in aqueous solution. <i>Journal of Colloid and Interface Science</i> , 2008, 322, 654-659.   | 5.0  | 35        |
| 26 | Micelles and reverse micelles with a novel water-soluble diblock copolymer. <i>Polymer</i> , 2008, 49, 4057-4065.   | 1.8  | 21        |
| 27 | The development of microgels/nanogels for drug delivery applications. <i>Progress in Polymer Science</i> , 2008, 33, 448-477.   | 11.8 | 1,419     |
| 28 | Pharmaceutical Micelles: Combining Longevity, Stability, and Stimuli Sensitivity. <i>Fundamental Biomedical Technologies</i> , 2008, , 263-308.   | 0.2  | 14        |
| 29 | Polyion Complex Micelles Possessing Thermoresponsive Coronas and Their Covalent Core Stabilization via Click-Chemistry. <i>Macromolecules</i> , 2008, 41, 1444-1454.  | 2.2  | 105       |
| 30 | Reversible Restructuring of Aqueous Block Copolymer Assemblies through Stimulus-Induced Changes in Amphiphilicity. <i>Journal of the American Chemical Society</i> , 2008, 130, 12264-12265.                                      | 6.6  | 162       |
| 31 | Polymeric nanocarriers possessing thermoresponsive coronas. <i>Soft Matter</i> , 2008, 4, 1745.   | 1.2  | 68        |
| 32 | Stimuli-Responsive Amphiphilic Shells of Kinetically Frozen Polymeric Micelles in Aqueous Media: Monte Carlo Simulations and Comparison to Self-Consistent Field Calculations. <i>Macromolecules</i> , 2008, 41, 3711-3719.       | 2.2  | 6         |
| 33 | Chain-Length Dependence of Diblock Copolymer Micellization Kinetics Studied by Stopped-Flow pH-Jump. <i>Journal of Physical Chemistry B</i> , 2008, 112, 11284-11291.   | 1.2  | 36        |
| 34 | From Polymers to Colloids: Engineering the Dynamic Properties of Hairy Particles. <i>Advances in Polymer Science</i> , 2009, , 1-54.  | 0.4  | 36        |
| 35 | Multi-Responsive Supramolecular Double Hydrophilic Diblock Copolymer Driven by Host-Guest Inclusion Complexation between Cyclodextrin and Adamantyl Moieties. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, 2125-2137. | 1.1  | 90        |
| 36 | Self-Assembled Block Copolymer Aggregates: From Micelles to Vesicles and their Biological Applications. <i>Macromolecular Rapid Communications</i> , 2009, 30, 267-277.   | 2.0  | 1,338     |



| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Transition Metal-Catalyzed Living Radical Polymerization: Toward Perfection in Catalysis and Precision Polymer Synthesis. <i>Chemical Reviews</i> , 2009, 109, 4963-5050.   | 23.0 | 1,208     |
| 56 | Aspects of Living Radical Polymerization Mediated by Cobalt Porphyrin Complexes. <i>Journal of the Chinese Chemical Society</i> , 2009, 56, 219-233.  | 0.8  | 16        |
| 57 | Dynamic polymeric micelles versus frozen nanoparticles formed by block copolymers. <i>Soft Matter</i> , 2010, 6, 3111.  | 1.2  | 265       |
| 58 | pH-Responsive Vesicles from a Schizophrenic Diblock Copolymer. <i>Macromolecular Chemistry and Physics</i> , 2010, 211, 1530-1537.  | 1.1  | 55        |
| 59 | Two Types of Block Copolymer Micelles with Ion-Containing Cores. <i>Macromolecular Rapid Communications</i> , 2010, 31, 490-495.  | 2.0  | 14        |
| 60 | Polysaccharide-Containing Block Copolymers: Synthesis, Properties and Applications of an Emerging Family of Glycoconjugates. <i>Macromolecular Rapid Communications</i> , 2010, 31, 1664-1684.  | 2.0  | 147       |
| 61 | Stimuli-responsive nanoparticles, nanogels and capsules for integrated multifunctional intelligent systems. <i>Progress in Polymer Science</i> , 2010, 35, 174-211.   | 11.8 | 706       |
| 62 | Schizophrenic micellization of poly(ethylene oxide- <i>b</i> -methacrylic acid) induced by phosphate and calcium ions. <i>Journal of Colloid and Interface Science</i> , 2010, 350, 63-68.  | 5.0  | 21        |
| 63 | Schizophrenic copolymer from natural biopolymer by facile grafting. <i>Polymer</i> , 2010, 51, 890-896.   | 1.8  | 18        |
| 64 | Fabrication of core or shell reversibly photo cross-linked micelles and nanogels from double responsive water-soluble block copolymers. <i>Polymer</i> , 2010, 51, 1311-1319.   | 1.8  | 82        |
| 65 | Stimuli-induced core-corona inversion of micelles of water-soluble poly(sodium) Tj ETQqO O O rgBT /Overlock 10 Tf 50 342 Td (2-(acrylam   | 1.8  | 24        |
| 66 | ATRP of 2-vinylpyridine and <i>tert</i> -butyl acrylate mixtures giving precursors of polyampholytes. <i>Journal of Polymer Science Part A</i> , 2010, 48, 735-741.   | 2.5  | 8         |
| 67 | Synthesis of dual pH/temperature-responsive polymers with amino groups by living cationic polymerization. <i>Journal of Polymer Science Part A</i> , 2010, 48, 1207-1213.   | 2.5  | 35        |
| 68 | Stimulus-responsive polymers based on 2-hydroxypropyl acrylate prepared by RAFT polymerization. <i>Journal of Polymer Science Part A</i> , 2010, 48, 2032-2043.   | 2.5  | 36        |
| 69 | Micelles and reverse micelles with a photo and thermo double-responsive block copolymer. <i>Journal of Polymer Science Part A</i> , 2010, 48, 2855-2861.  | 2.5  | 91        |
| 70 | Water distributions in polystyrene-block-poly[styrene- <i>g</i> -poly(ethylene oxide)] block grafted copolymer system in aqueous solutions revealed by contrast variation small angle neutron scattering study. <i>Journal of Chemical Physics</i> , 2010, 133, 144912. | 1.2  | 6         |
| 71 | Schizophrenic Self-Assembly of Block Copolymers Synthesized via Aqueous RAFT Polymerization: From Micelles to Vesicles Paper number 143 in a series on Water-Soluble Polymers.. <i>Macromolecules</i> , 2010, 43, 1210-1217.  | 2.2  | 181       |
| 72 | Synthesis and Micellization of pH/Temperature-Responsive Double-Hydrophilic Diblock Copolymers Polyphosphoester-block-poly[2-(dimethylamino)ethyl methacrylate] Prepared via ROP and ATRP. <i>Macromolecules</i> , 2010, 43, 4771-4781.                                 | 2.2  | 99        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Miktoarm star polymers: advances in synthesis, self-assembly, and applications. <i>Polymer Chemistry</i> , 2010, 1, 1171.  | 1.9 | 300       |
| 74 | Hg <sup>2+</sup> -Reactive Double Hydrophilic Block Copolymer Assemblies as Novel Multifunctional Fluorescent Probes with Improved Performance. <i>Langmuir</i> , 2010, 26, 724-729.         | 1.6 | 94        |
| 75 | Polymeric Microcapsules Assembled from a Cationic/Zwitterionic Pair of Responsive Block Copolymer Micelles. <i>Langmuir</i> , 2010, 26, 6281-6286.   | 1.6 | 33        |
| 76 | Shell-Cross-Linked Micelles from PNIPAM- <i>b</i> -(PLL) <sub>2</sub> -Y-Shaped Miktoarm Star Copolymer as Drug Carriers. <i>Biomacromolecules</i> , 2010, 11, 1882-1890.                    | 2.6 | 59        |
| 77 | Reductively degradable polyester-based block copolymers prepared by facile polycondensation and ATRP: synthesis, degradation, and aqueous micellization. <i>Soft Matter</i> , 2011, 7, 7441. | 1.2 | 37        |
| 78 | Controlling the Dynamics of Self-Assembled Triblock Copolymer Networks via the pH. <i>Macromolecules</i> , 2011, 44, 4487-4495.  | 2.2 | 80        |
| 79 | Enzyme-directed assembly and manipulation of organic nanomaterials. <i>Chemical Communications</i> , 2011, 47, 11814.  | 2.2 | 74        |
| 80 | Controlling and Switching the Morphology of Micellar Nanoparticles with Enzymes. <i>Journal of the American Chemical Society</i> , 2011, 133, 8392-8395.                                     | 6.6 | 166       |
| 81 | Thermoresponsive Core Cross-Linked Micelles for Selective Ratiometric Fluorescent Detection of Hg <sup>2+</sup> Ions. <i>Langmuir</i> , 2011, 27, 4082-4090.                                 | 1.6 | 69        |
| 82 | Peptide Nanovesicles: Supramolecular Assembly of Branched Amphipathic Peptides. <i>Biophysical Journal</i> , 2011, 100, 388a.  | 0.2 | 0         |
| 83 | Covalently cross-linked amphiphilic block copolymer micelles. <i>Soft Matter</i> , 2011, 7, 3246.  | 1.2 | 228       |
| 84 | Stimulus responsive core-shell nanoparticles: synthesis and applications of polymer based aqueous systems. <i>Soft Matter</i> , 2011, 7, 2211-2234.  | 1.2 | 179       |
| 85 | Atom Transfer Radical Polymerization: A Robust and Versatile Route for Polymer Synthesis. <i>Polymer Reviews</i> , 2011, 51, 138-162.  | 5.3 | 65        |
| 86 | Temperature- and pH-responsive unimolecular micelles with a hydrophobic hyperbranched core. <i>Colloid and Polymer Science</i> , 2011, 289, 1243-1251.                                       | 1.0 | 24        |
| 87 | Multiarmed star-like unimolecular micelles with a dendritic core and a dual thermosensitive shell. <i>Polymer International</i> , 2011, 60, 717-724.   | 1.6 | 14        |
| 88 | Synthesis of Thermoresponsive Polymers With Both Tunable UCST and LCST. <i>Macromolecular Rapid Communications</i> , 2011, 32, 660-664.  | 2.0 | 60        |
| 89 | Synthesis of temperature and pH-responsive crosslinked micelles from polypeptide-based graft copolymer. <i>Journal of Colloid and Interface Science</i> , 2011, 359, 436-442.                | 5.0 | 26        |
| 91 | Chemical Strategies for the Synthesis of Protein-Polymer Conjugates. <i>Advances in Polymer Science</i> , 2012, , 37-70.   | 0.4 | 50        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 92  | Biological stimuli and biomolecules in the assembly and manipulation of nanoscale polymeric particles. <i>Chemical Science</i> , 2012, 3, 1363.   | 3.7  | 79        |
| 93  | UCST-driven self-assembly and crosslinking of diblock copolymer micelles. <i>Polymer Chemistry</i> , 2012, 3, 2228.   | 1.9  | 32        |
| 95  | Rapidly thiol-responsive degradable block copolymer nanocarriers with facile bioconjugation. <i>Polymer Chemistry</i> , 2012, 3, 2138.  | 1.9  | 36        |
| 96  | Block Random Copolymers of <i>N</i> -Alkyl-Substituted Acrylamides with Double Thermosensitivity. <i>Macromolecules</i> , 2012, 45, 2001-2006.  | 2.2  | 34        |
| 97  | Functionally Diverse Nylon-3 Copolymers from Readily Accessible $\hat{2}$ -Lactams. <i>ACS Macro Letters</i> , 2012, 1, 714-717.  | 2.3  | 19        |
| 98  | Comparison between the LCST and UCST Transitions of Double Thermoresponsive Diblock Copolymers: Insights into the Behavior of POEGMA in Alcohols. <i>Macromolecules</i> , 2012, 45, 3221-3230.  | 2.2  | 103       |
| 99  | Static and Dynamic Properties. , 2012, , 47-80.   |      | 2         |
| 100 | “Schizophrenic” Hemocompatible Copolymers via Switchable Thermoresponsive Transition of Nonionic/Zwitterionic Block Self-Assembly in Human Blood. <i>Biomacromolecules</i> , 2012, 13, 2849-2858.   | 2.6  | 91        |
| 101 | pH-Triggered reversible morphological inversion of orthogonally-addressable poly(3-acrylamidophenylboronic acid)-block-poly(acrylamidoethylamine) micelles and their shell crosslinked nanoparticles. <i>Polymer Chemistry</i> , 2012, 3, 3146. | 1.9  | 30        |
| 102 | Multiresponsive Micellar Systems from Photocleavable Block Copolymers. <i>ACS Macro Letters</i> , 2012, 1, 949-953.   | 2.3  | 36        |
| 103 | Stimuli-sensitive Synthetic Polypeptide-Based Materials for Drug and Gene Delivery. <i>Advanced Healthcare Materials</i> , 2012, 1, 48-78.  | 3.9  | 307       |
| 104 | Synthesis by nitroxide-mediated aqueous dispersion polymerization, characterization, and physical core-crosslinking of pH- and thermoresponsive dynamic diblock copolymer micelles. <i>Polymer Chemistry</i> , 2012, 3, 1526.                   | 1.9  | 42        |
| 105 | ATRP in the design of functional materials for biomedical applications. <i>Progress in Polymer Science</i> , 2012, 37, 18-37.   | 11.8 | 506       |
| 106 | Drug Delivery Systems: Advanced Technologies Potentially Applicable in Personalised Treatment. <i>Advances in Predictive, Preventive and Personalised Medicine</i> , 2013, , .  | 0.6  | 58        |
| 107 | The synthesis and solution behaviors of novel amphiphilic block copolymers based on d-galactopyranose and 2-(dimethylamino)ethyl methacrylate. <i>European Polymer Journal</i> , 2013, 49, 4118-4129.   | 2.6  | 13        |
| 108 | Synthesis, characterization, crystalline morphologies and hydrophilicity of $A_{4}B_{4}$ nonlinear block copolymers. <i>Polymer International</i> , 2013, 62, 1500-1506.  | 1.6  | 0         |
| 109 | Mesoscopic study of salt-responsive polymeric micelles: structural inversion mechanisms via sequential addition of inorganic salts. <i>Soft Matter</i> , 2013, 9, 5762.   | 1.2  | 22        |
| 110 | A triple thermoresponsive schizophrenic diblock copolymer. <i>Polymer Chemistry</i> , 2013, 4, 4322.  | 1.9  | 63        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 111 | New directions in thermoresponsive polymers. <i>Chemical Society Reviews</i> , 2013, 42, 7214.  | 18.7 | 1,098     |
| 112 | Hydrogen-Bonding-Induced Chain Folding and Vesicular Assembly of an Amphiphilic Polyurethane. <i>Langmuir</i> , 2013, 29, 6746-6753.  | 1.6  | 42        |
| 113 | The Importance of Controlled/Living Radical Polymerization Techniques in the Design of Tailor Made Nanoparticles for Drug Delivery Systems. <i>Advances in Predictive, Preventive and Personalised Medicine</i> , 2013, , 315-357.        | 0.6  | 2         |
| 114 | Switchable Vesicles Formed by Diblock Random Copolymers with Tunable pH- and Thermo-Responsiveness. <i>Langmuir</i> , 2013, 29, 6823-6832.  | 1.6  | 45        |
| 115 | Synthesis and pH-Responsive "Schizophrenic" Aggregation of a Linear-Dendron-Like Polyampholyte Based on Oppositely Charged Polypeptides. <i>Biomacromolecules</i> , 2013, 14, 4320-4330.  | 2.6  | 56        |
| 116 | Hollow flower micelles from a diblock copolymer. <i>Nanoscale</i> , 2013, 5, 11554.   | 2.8  | 7         |
| 117 | Patterned Friction and Cell Attachment on Schizophobic Polyelectrolyte Surfaces. <i>Langmuir</i> , 2013, 29, 15579-15588.   | 1.6  | 9         |
| 118 | Preparation and self-assembly of double hydrophilic poly(ethylene Terephthalate) Reactive and Functional Polymers, 2013, 73, 579-587.   | 2.0  | 11        |
| 119 | RAFT Synthesis and Aqueous Solution Behavior of Novel pH- and Thermo-Responsive (Co)Polymers Derived from Reactive Poly(2-vinyl-4,4-dimethylazlactone) Scaffolds. <i>Macromolecules</i> , 2013, 46, 7290-7302.                            | 2.2  | 44        |
| 120 | Dissipative Particle Dynamics Study of the Structural Inversion Process of pH-Responsive Polymeric Micelles. <i>Macromolecular Theory and Simulations</i> , 2014, 23, 49-58.  | 0.6  | 12        |
| 121 | Supramolecular Micelles and Reverse Micelles Based on Cyclodextrin Polyrotaxanes. <i>Chinese Journal of Chemistry</i> , 2014, 32, 73-77.  | 2.6  | 6         |
| 122 | Stimuli-responsive tertiary amine methacrylate-based block copolymers: Synthesis, supramolecular self-assembly and functional applications. <i>Progress in Polymer Science</i> , 2014, 39, 1096-1143.                                     | 11.8 | 196       |
| 123 | Stopped-flow kinetic studies of the formation and disintegration of polyion complex micelles in aqueous solution. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 117-127.   | 1.3  | 22        |
| 124 | Efficient Design for Stimuli-Responsive Polymers with Quantitative Acid-Degradability: Specifically Designed Alternating Controlled Cationic Copolymerization and Facile Complete Degradation. <i>ACS Macro Letters</i> , 2014, 3, 80-85. | 2.3  | 23        |
| 125 | Synthesis of a doubly thermo-responsive schizophrenic diblock copolymer based on poly[N-(4-vinylbenzyl)-N,N-diethylamine] and its temperature-sensitive flip-flop micellization. <i>Polymer Chemistry</i> , 2014, 5, 3910-3918.           | 1.9  | 15        |
| 126 | Schizophrenic Core-Shell Microgels: Thermoregulated Core and Shell Swelling/Collapse by Combining UCST and LCST Phase Transitions. <i>Langmuir</i> , 2014, 30, 2551-2558.   | 1.6  | 39        |
| 127 | Schizophrenic micelle of a water-soluble diblock polymer and its application to a thermo-optical device. <i>Colloid and Polymer Science</i> , 2014, 292, 1611-1617.   | 1.0  | 5         |
| 128 | A Light and pH Dual-Stimuli-Responsive Block Copolymer Synthesized by Copper(0)-Mediated Living Radical Polymerization: Solvatochromic, Isomerization, and "Schizophrenic" Behaviors. <i>Langmuir</i> , 2014, 30, 1489-1499.              | 1.6  | 52        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 129 | pH-responsive micelles and vesicles formed from a water-soluble schizophrenic diblock copolymer. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2014, 45, 3117-3123.   | 2.7  | 9         |
| 132 | Multi-stimuli-Responsive Polymeric Materials. <i>Chemistry - A European Journal</i> , 2015, 21, 13164-13174.   | 1.7  | 182       |
| 133 | Graft modification of cellulose: Methods, properties and applications. <i>Polymer</i> , 2015, 70, A1-A16.  | 1.8  | 171       |
| 134 | Hollow Fiber Membrane Modification with Functional Zwitterionic Macromolecules for Improved Thromboresistance in Artificial Lungs. <i>Langmuir</i> , 2015, 31, 2463-2471.  | 1.6  | 40        |
| 135 | Temperature Driven Self-Assembly of a Zwitterionic Block Copolymer That Exhibits Triple Thermoresponsivity and pH Sensitivity. <i>Macromolecules</i> , 2015, 48, 4599-4606.  | 2.2  | 34        |
| 136 | Self-assembly of multi-responsive poly(N-isopropylacrylamide)-b-poly(N,N-dimethylaminopropylacrylamide) in aqueous media. <i>European Polymer Journal</i> , 2015, 69, 96-109.  | 2.6  | 18        |
| 137 | Polymeric Surfactants: Synthesis, Properties, and Links to Applications. <i>Chemical Reviews</i> , 2015, 115, 8504-8563.   | 23.0 | 264       |
| 138 | Preparation and aqueous solution behavior of a pH-responsive branched copolymer based on 2-(diethylamino)ethyl methacrylate. <i>Journal of Applied Polymer Science</i> , 2015, 132, .  | 1.3  | 3         |
| 139 | Schizophrenic thermo-responsive block copolymer micelles based on LCST and UCST behavior in ethanol-water mixtures. <i>European Polymer Journal</i> , 2015, 69, 460-471.   | 2.6  | 25        |
| 140 | ROMP-Derived Pyridylborate Block Copolymers: Self-Assembly, pH-Responsive Properties, and Metal-Containing Nanostructures. <i>Macromolecules</i> , 2015, 48, 6508-6515.  | 2.2  | 35        |
| 141 | pH-Responsive Non-Ionic Diblock Copolymers: Ionization of Carboxylic Acid End-Groups Induces an Order-Order Morphological Transition. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1279-1283.  | 7.2  | 160       |
| 142 | Synthesis and Self-Assembly of Terpyridine End-Capped Poly(N-isopropylacrylamide)-block-Poly(2-(Dimethylamino)ethyl Methacrylate) Diblock Copolymers. <i>Macromolecular Rapid Communications</i> , 2015, 36, 610-615.                                  | 2.0  | 11        |
| 143 | pH-, thermo- and electrolyte-responsive polymer gels derived from a well-defined, RAFT-synthesized, poly(2-vinyl-4,4-dimethylazlactone) homopolymer via one-pot post-polymerization modification. <i>European Polymer Journal</i> , 2015, 62, 204-213. | 2.6  | 18        |
| 144 | ROMP synthesis of novel thermo-, pH-, and salt-responsive (co)polymers containing the morpholino functional group. <i>Journal of Polymer Science Part A</i> , 2015, 53, 50-58.   | 2.5  | 6         |
| 145 | Dual hydrophilic and salt responsive schizophrenic block copolymers - synthesis and study of self-assembly behavior. <i>Polymer Chemistry</i> , 2015, 6, 599-606.  | 1.9  | 35        |
| 146 | Thermosensitive behavior of amphiphilic triblock copolymers based on poly(acrylic acid) and poly(propylene oxide). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 1507-1514.   | 2.4  | 4         |
| 147 | Synthesis and Characterization of Tunable Dual-pH Switchable Zwitterionic Copolymers. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 1614-1619.  | 1.1  | 0         |
| 148 | Identification of micellar stability zones and structural inversion process of thermo-responsive polymeric micelles by dissipative particle dynamics simulations. <i>Molecular Physics</i> , 2016, 114, 608-617.                                       | 0.8  | 3         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 149 | A review of solute encapsulating nanoparticles used as delivery systems with emphasis on branched amphiphathic peptide capsules. Archives of Biochemistry and Biophysics, 2016, 596, 22-42.   | 1.4  | 31        |
| 150 | Aggregation Behavior of Doubly Thermoresponsive Polysulfobetaine- <i>b</i> -poly( <i>N</i> -isopropylacrylamide) Diblock Copolymers. Macromolecules, 2016, 49, 6655-6668.   | 2.2  | 46        |
| 151 | Exploring the influence of the poly(4-vinyl pyridine) segment on the solution properties and thermal phase behaviours of oligo(ethylene glycol) methacrylate-based block copolymers: the different aggregation processes with various morphologies. Physical Chemistry Chemical Physics, 2016, 18, 21360-21370. | 1.3  | 14        |
| 152 | CO <sub>2</sub> -responsive polymeric materials: synthesis, self-assembly, and functional applications. Chemical Society Reviews, 2016, 45, 4391-4436.  | 18.7 | 293       |
| 153 | Hydrogel Microparticles as an Emerging Tool in Pharmaceutical Field: A Review. Advances in Polymer Technology, 2016, 35, 121-128.   | 0.8  | 33        |
| 154 | Triple Hydrophilic UCST/LCST Block Copolymers. Macromolecules, 2016, 49, 986-993.   | 2.2  | 77        |
| 155 | pH-Regulated Reversible Transition Between Polyion Complexes (PIC) and Hydrogen-Bonding Complexes (HBC) with Tunable Aggregation-Induced Emission. ACS Applied Materials & Interfaces, 2016, 8, 3693-3702.  | 4.0  | 22        |
| 156 | Order-Order Morphological Transitions for Dual Stimulus Responsive Diblock Copolymer Vesicles. Macromolecules, 2016, 49, 1016-1025.   | 2.2  | 90        |
| 157 | A Critical Appraisal of RAFT-Mediated Polymerization-Induced Self-Assembly. Macromolecules, 2016, 49, 1985-2001.  | 2.2  | 715       |
| 158 | Mesoscopic study of micellar inversion pathways of the thermoresponsive PMEMA- <i>b</i> -PSBMA copolymer via applied stimulus intensity. Computational Materials Science, 2016, 114, 121-127.   | 1.4  | 8         |
| 159 | pH-Responsive non-ionic diblock copolymers: protonation of a morpholine end-group induces an order-order transition. Polymer Chemistry, 2016, 7, 79-88.   | 1.9  | 68        |
| 160 | Supramolecular control over thermoresponsive polymers. Materials Today, 2016, 19, 44-55.  | 8.3  | 83        |
| 161 | Schizophrenic poly( $\mu$ -caprolactone)s: synthesis, self-assembly and fluorescent decoration. Polymer Chemistry, 2017, 8, 3261-3270.  | 1.9  | 17        |
| 162 | Temperature induced self-assembly of amino acid-derived vinyl block copolymers via dual phase transitions. Journal of Colloid and Interface Science, 2017, 500, 341-348.  | 5.0  | 16        |
| 163 | Schizophrenic Micelles from Doubly Thermoresponsive Polysulfobetaine- <i>b</i> -poly( <i>N</i> -isopropylmethacrylamide) Diblock Copolymers. Macromolecules, 2017, 50, 3985-3999.   | 2.2  | 47        |
| 164 | Morphology transformation of self-assembled organic nanomaterials in aqueous solution induced by stimuli-triggered chemical structure changes. Journal of Materials Chemistry A, 2017, 5, 16059-16104.  | 5.2  | 66        |
| 165 | Core cross-linked double hydrophilic block copolymer micelles based on multiple hydrogen-bonding interactions. Polymer Chemistry, 2017, 8, 3066-3073.   | 1.9  | 33        |
| 166 | Enhance chemotherapy efficacy and minimize anticancer drug side effects by using reversibly pH- and redox-responsive cross-linked unimolecular micelles. Polymer, 2017, 116, 16-26.   | 1.8  | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 167 | Schizophrenic Diblock-Copolymer-Functionalized Nanoparticles as Temperature-Responsive Pickering Emulsifiers. <i>Langmuir</i> , 2017, 33, 13326-13331.   | 1.6 | 39        |
| 168 | Mixed micelles of oppositely charged poly( <i>N</i> -isopropylacrylamide) diblock copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2017, 55, 1457-1470.  | 2.4 | 13        |
| 169 | pH-Responsive Schizophrenic Diblock Copolymers Prepared by Polymerization-Induced Self-Assembly. <i>Macromolecules</i> , 2017, 50, 6108-6116.  | 2.2 | 53        |
| 170 | Self-assembly of dual thermoresponsive block copolymers bearing a zwitterionic and a non-ionic hydrophilic block. <i>Polymer</i> , 2017, 122, 347-357.   | 1.8 | 36        |
| 171 | pH-Responsive polymers. <i>Polymer Chemistry</i> , 2017, 8, 144-176.   | 1.9 | 801       |
| 172 | Novel schizophrenic diblock copolymer synthesized via RAFT polymerization: poly(2-succinyloxyethyl) Tj ETQq1 1 0.784314 rg BT Monomers and Polymers, 2017, 20, 190-200.  | 0.7 | 34        |
| 173 | Tunable, concentration-independent, sharp, hysteresis-free UCST phase transition from poly( <i>N</i> -acryloyl glycinamide- <i>co</i> -acrylonitrile) system. <i>Journal of Polymer Science Part A</i> , 2017, 55, 274-279.  | 2.5 | 33        |
| 174 | Polymeric Amines and Ampholytes Derived from Poly(acryloyl chloride): Synthesis, Influence on Silicic Acid Condensation and Interaction with Nucleic Acid. <i>Polymers</i> , 2017, 9, 624.   | 2.0 | 8         |
| 175 | Poly(methacrylic acid- <i>ran</i> -2-vinylpyridine) Statistical Copolymer and Derived Dual pH-Temperature Responsive Block Copolymers by Nitroxide-Mediated Polymerization. <i>Processes</i> , 2017, 5, 7.   | 1.3 | 7         |
| 176 | Study of structural morphologies of thermoresponsive diblock AB and triblock BAB copolymers (A = poly( <i>N</i> -isopropylacrylamide), B = polystyrene). <i>Chemical Physics Letters</i> , 2018, 695, 170-175.   | 1.2 | 5         |
| 177 | Structures and Protonation States of Hydrophilic Cationic Diblock Copolymers and Their Binding with Plasmid DNA. <i>Journal of Physical Chemistry B</i> , 2018, 122, 2449-2461.  | 1.2 | 12        |
| 178 | Dual Orthogonal Switching of the Self-Assembly of Diblock Copolymers. <i>Macromolecules</i> , 2018, 51, 2604-2614.   | 2.2 | 33        |
| 179 | Dual stimuli-responsive poly(succinyloxyethylmethacrylate- <i>co</i> - <i>N</i> -isopropylacrylamide) block copolymers as nanocarriers and respective application in doxorubicin delivery. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2018, 67, 101-109. | 1.8 | 19        |
| 180 | Fabrication of pH- and Thermoresponsive Three-Layered Micelles via Host-Guest Interactions. <i>Macromolecular Rapid Communications</i> , 2018, 39, 1700225.  | 2.0 | 9         |
| 181 | An <i>in vitro</i> focus on doxorubicin hydrochloride delivery of novel pH-responsive poly(2-succinyloxyethylmethacrylate) and poly[( <i>N</i> -vinylbenzyl), <i>N</i> , <i>N</i> -diethylamine] diblock copolymers. <i>Polymer International</i> , 2018, 67, 283-291.                         | 1.6 | 7         |
| 182 | Schizophrenic behavior of poly( <i>N</i> -isopropylacrylamide)- <i>b</i> -poly(2-vinylpyridine) in aqueous solutions. <i>Polymer Testing</i> , 2018, 65, 97-102.   | 2.3 | 8         |
| 183 | Double thermoresponsive block-random copolymers with adjustable phase transition temperatures: From block-like to gradient-like behavior. <i>Journal of Polymer Science Part A</i> , 2018, 56, 399-411.  | 2.5 | 22        |
| 184 | Soluble to Insoluble Soluble Transitions of Thermoresponsive Cryptand-Containing Graft Copolymers. <i>ACS Omega</i> , 2018, 3, 10172-10179.  | 1.6 | 6         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 185 | Poly(dimethylaminoethyl methacrylate)- <i>b</i> -poly(hydroxypropyl methacrylate) copolymers: Synthesis and pH/thermo-responsive behavior in aqueous solutions. <i>Journal of Polymer Science Part A</i> , 2018, 56, 1962-1977. | 2.5  | 14        |
| 186 | Polyelectrolyte multilayer-like films from layer-by-layer processing of protected polyampholytic block copolymers. <i>Chemical Communications</i> , 2018, 54, 9478-9481.  | 2.2  | 2         |
| 187 | Emerging Trends in Polymerization-Induced Self-Assembly. <i>ACS Macro Letters</i> , 2019, 8, 1029-1054.   | 2.3  | 423       |
| 188 | Switch It Inside-Out: "Schizophrenic" Behavior of All Thermoresponsive UCST/LCST Diblock Copolymers. <i>Langmuir</i> , 2019, 35, 9660-9676.   | 1.6  | 59        |
| 189 | pH-Induced Amphiphilicity-Reversing Schizophrenic Aggregation by Alternating Copolymers. <i>Macromolecules</i> , 2019, 52, 8346-8358.   | 2.2  | 50        |
| 190 | An introduction to zwitterionic polymer behavior and applications in solution and at surfaces. <i>Chemical Society Reviews</i> , 2019, 48, 757-770.   | 18.7 | 309       |
| 191 | All-In-One "Schizophrenic" Self-Assembly of Orthogonally Tuned Thermoresponsive Diblock Copolymers. <i>Langmuir</i> , 2019, 35, 6441-6452.  | 1.6  | 20        |
| 192 | Advances in atom-transfer radical polymerization for drug delivery applications. <i>European Polymer Journal</i> , 2019, 115, 45-58.  | 2.6  | 39        |
| 193 | Invertible Micelles Based on Ion-Specific Interactions of Sr <sup>2+</sup> and Ba <sup>2+</sup> with Double Anionic Block Copolyelectrolytes. <i>Macromolecules</i> , 2019, 52, 8759-8770.                                      | 2.2  | 6         |
| 194 | Development of poly (acrylamide-co-diallyldimethylammoniumchloride) nanogels and study of their ability as drug delivery devices. <i>SN Applied Sciences</i> , 2019, 1, 1.  | 1.5  | 6         |
| 195 | Microfabrication and microfluidic devices for drug delivery. , 2019, , 123-136.   |      | 5         |
| 196 | Thermo- and CO <sub>2</sub> -triggered swelling polymer microgels for reducing water-cut during CO <sub>2</sub> flooding. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48305.   | 1.3  | 10        |
| 197 | Self-assembly of stimuli-responsive block copolymers in aqueous solutions: an overview. <i>Polymer Bulletin</i> , 2020, 77, 5783-5810.  | 1.7  | 24        |
| 198 | Cyclic Water Storage Behavior of Doubly Thermoresponsive Poly(sulfobetaine)-Based Diblock Copolymer Thin Films. <i>Macromolecules</i> , 2020, 53, 9108-9121.  | 2.2  | 11        |
| 199 | "Smart" self-assembled structures: toward intelligent dual responsive drug delivery systems. <i>Biomaterials Science</i> , 2020, 8, 5787-5803.  | 2.6  | 25        |
| 200 | Triple Thermoresponsiveness of a TADDOL-Based Homopolymer through the Formation of Supramolecular Complexes with Chiral Guest Molecules at Variable Ratios. <i>ACS Applied Polymer Materials</i> , 2020, 2, 4415-4424.          | 2.0  | 6         |
| 201 | Polyzwitterions with LCST Side Chains: Tunable Self-Assembly. <i>Macromolecules</i> , 2020, 53, 8267-8275.  | 2.2  | 15        |
| 202 | Coulomb interaction-driven UCST in poly(ionic liquid) random copolymers. <i>European Polymer Journal</i> , 2020, 133, 109747.   | 2.6  | 8         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 203 | Multi-stimuli-responsive chiral-achiral ampholytic block copolymers composed of poly(N-acryloyl) Tj ETQq0 0 0 rgBT, Overlock 10 Tf 50 7  | 2.0  | 13        |
| 204 | Phase Transition Kinetics of Doubly Thermoresponsive Poly(sulfobetaine)-Based Diblock Copolymer Thin Films. <i>Macromolecules</i> , 2020, 53, 2841-2855.   | 2.2  | 28        |
| 205 | Synthesis, thermoresponsivity and multi-tunable hierarchical self-assembly of multi-responsive (AB) <sub>m</sub> C miktobrush-coil terpolymers. <i>Polymer Chemistry</i> , 2020, 11, 3003-3017.  | 1.9  | 18        |
| 206 | Aqueous one-pot synthesis of well-defined zwitterionic diblock copolymers by RAFT polymerization: an efficient and environmentally-friendly route to a useful dispersant for aqueous pigments. <i>Green Chemistry</i> , 2021, 23, 1248-1258. | 4.6  | 15        |
| 207 | Synthesis of polyampholytic diblock copolymers <i>via</i> RAFT aqueous solution polymerization. <i>Polymer Chemistry</i> , 2021, 12, 4846-4855.  | 1.9  | 9         |
| 208 | One-pot synthesis and aqueous solution properties of pH-responsive schizophrenic diblock copolymer nanoparticles prepared <i>via</i> RAFT aqueous dispersion polymerization. <i>Polymer Chemistry</i> , 2021, 12, 5842-5850.                 | 1.9  | 5         |
| 209 | Programming Gels Over a Wide pH Range Using Multicomponent Systems. <i>Angewandte Chemie</i> , 2021, 133, 10061-10065.   | 1.6  | 13        |
| 210 | Programming Gels Over a Wide pH Range Using Multicomponent Systems. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 9973-9977.  | 7.2  | 40        |
| 211 | Salt-Dependent Phase Transition Behavior of Doubly Thermoresponsive Poly(sulfobetaine)-Based Diblock Copolymer Thin Films. <i>Langmuir</i> , 2021, 37, 9179-9191.  | 1.6  | 10        |
| 212 | Multitunable Thermoresponsive and Aggregation Behaviors of Linear and Cyclic Polyacrylamide Copolymers Comprising Heterofunctional Y Junctions. <i>Macromolecules</i> , 2021, 54, 8229-8242.   | 2.2  | 12        |
| 213 | A new type of dual temperature sensitive triblock polymer (P(AM-co-AN)-b-PDMA-b-PNIPAM) and its self-assembly and gel behavior. <i>New Journal of Chemistry</i> , 2021, 45, 5925-5932.   | 1.4  | 5         |
| 214 | PDEGMA-b-PDIPAEMA copolymers <i>via</i> RAFT polymerization and their pH and thermoresponsive schizophrenic self-assembly in aqueous media. <i>Journal of Polymer Science</i> , 2020, 58, 1867-1880.   | 2.0  | 14        |
| 215 | Towards Cyclodextrin-Based Supramolecular Materials. <i>RSC Polymer Chemistry Series</i> , 2016, , 154-177.  | 0.1  | 4         |
| 216 | pH-Responsive Polymer Nanoparticles. , 2010, , 169-196.  |      | 0         |
| 218 | Polymer Surfactant. , 2014, , 1-7.   |      | 0         |
| 219 | Facile Synthesis of Thermoresponsive Block Copolymers Bearing Poly(N,N-diethylacrylamide) Segment Through Group Transfer Polymerization. <i>Springer Theses</i> , 2014, , 61-77.   | 0.0  | 0         |
| 220 | Thermoresponsive Self-Assembly of Twofold Fluorescently Labeled Block Copolymers in Aqueous Solution and Microemulsions. <i>Langmuir</i> , 2021, , .   | 1.6  | 9         |
| 221 | Double hydrophilic copolymers – synthetic approaches, architectural variety, and current application fields. <i>Chemical Society Reviews</i> , 2022, 51, 995-1044.   | 18.7 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 222 | Thermo- and pH-responsive POEGMA-b-PDMAEMA-b-POEGMA triblock copolymers. <i>European Polymer Journal</i> , 2022, 167, 111069.   | 2.6 | 2         |
| 223 | Synthesis and thermoresponsive behavior of double hydrophilic graft copolymer based on poly(2-methyl-2-oxazoline) and poly(2-ethyl-2-oxazoline). <i>European Polymer Journal</i> , 2022, 179, 111504.     | 2.6 | 4         |
| 224 | Acrylamidevinyl acetate copolymer as a new UCST copolymer: Phase transition and aggregation behavior; an experimental and theoretical study. <i>Reactive and Functional Polymers</i> , 2022, 181, 105456. | 2.0 | 1         |
| 225 | Modifying the Properties of Microemulsion Droplets by Addition of Thermoresponsive BAB* Copolymers. <i>Langmuir</i> , 2023, 39, 2022-2035.  | 1.6 | 0         |
| 226 | Temperature- and pH-Responsive Schizophrenic Copolymer Brush Coatings with Enhanced Temperature Response in Pure Water. <i>ACS Applied Materials &amp; Interfaces</i> , 2023, 15, 8676-8690.              | 4.0 | 8         |
| 227 | Clusterization-triggered emission of poly(vinyl amine)-based ampholytic block and random copolymers. <i>Reactive and Functional Polymers</i> , 2023, 184, 105518.   | 2.0 | 2         |