

Holocene evolution of the Song Hong (Red River) delta s

Sedimentary Geology

187, 29-61

DOI: [10.1016/j.sedgeo.2005.12.004](https://doi.org/10.1016/j.sedgeo.2005.12.004)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Climate change and human impact on the Song Hong (Red River) Delta, Vietnam, during the Holocene. Quaternary International, 2006, 144, 4-28. | 1.5 | 79 |
| 2 | Sea levels during late marine isotope stage 3 (or older?) reported from the Red River delta (northern) Tj ETQq1 1 0.784314 rgBT /Overlo 1.5 63 | 1.5 | 63 |
| 3 | Morphodynamics of deltas under the influence of humans. Global and Planetary Change, 2007, 57, 261-282. | 3.5 | 582 |
| 5 | Controlling geological and hydrogeological processes in an arsenic contaminated aquifer on the Red River flood plain, Vietnam. Applied Geochemistry, 2008, 23, 3099-3115. | 3.0 | 60 |
| 6 | Palaeo-hydrogeological control on groundwater As levels in Red River delta, Vietnam. Applied Geochemistry, 2008, 23, 3116-3126. | 3.0 | 36 |
| 7 | Arsenic mobilisation in a new well field for drinking water production along the Red River, Nam Du, Hanoi. Applied Geochemistry, 2008, 23, 3127-3142. | 3.0 | 40 |
| 8 | Geochemical processes underlying a sharp contrast in groundwater arsenic concentrations in a village on the Red River delta, Vietnam. Applied Geochemistry, 2008, 23, 3143-3154. | 3.0 | 107 |
| 9 | Chapter Four High Mud-Supply Shores. Developments in Marine Geology, 2008, , 131-158. | 0.4 | 0 |
| 10 | Warfare rather than agriculture as a critical influence on fires in the late Holocene, inferred from northern Vietnam. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 11490-11495. | 7.1 | 25 |
| 11 | An evolutionary model for the Holocene formation of the Pearl River delta, China. Holocene, 2009, 19, 129-142. | 1.7 | 144 |
| 12 | The Biogeomorphology of Mangroves and Their Role in Natural Hazards Mitigation. Geography Compass, 2009, 3, 1607-1624. | 2.7 | 16 |
| 13 | Groundwater flow modelling in the central zone of Hanoi, Vietnam. Hydrogeology Journal, 2009, 17, 915-934. | 2.1 | 29 |
| 14 | Reconstruction of paleocoastlines for the northwestern South China Sea since the Last Glacial Maximum. Science in China Series D: Earth Sciences, 2009, 52, 1127-1136. | 0.9 | 62 |
| 15 | The sea-level record of the last deglacial in the Shinano River incised-valley fill, Echigo Plain, central Japan. Marine Geology, 2009, 266, 223-231. | 2.1 | 17 |
| 16 | Initiation of the Mekong River delta at 8 ka: evidence from the sedimentary succession in the Cambodian lowland. Quaternary Science Reviews, 2009, 28, 327-344. | 3.0 | 183 |
| 17 | Holocene interdependences of changes in sea surface temperature, productivity, and fluvial inputs in the Iberian continental shelf (Tagus mud patch). Geochemistry, Geophysics, Geosystems, 2009, 10, . | 2.5 | 57 |
| 18 | The TrĂng An Project: Late-to-Post-Pleistocene Settlement of the Lower Song Hong Valley, North Vietnam. Journal of the Royal Asiatic Society of Great Britain & Ireland Royal Asiatic Society of Great Britain and Ireland, 2009, 19, 83-109. | 0.4 | 11 |
| 19 | Subsidence of Holocene sediments in the Godavari delta, India. Frontiers of Earth Science, 2010, 4, 410-416. | 0.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 20 | Early Holocene initiation of the Mekong River delta, Vietnam, and the response to Holocene sea-level changes detected from DT1 core analyses. <i>Sedimentary Geology</i> , 2010, 230, 146-155. | 2.1 | 49 |
| 21 | Sedimentary development of the Pearl River Estuary based on seismic stratigraphy. <i>Journal of Marine Systems</i> , 2010, 82, S3-S16. | 2.1 | 25 |
| 22 | Sedimentary evidence of Late Holocene human activity in the Pearl River delta, China. <i>Earth Surface Processes and Landforms</i> , 2010, 35, 1095-1102. | 2.5 | 53 |
| 23 | Punctuated eustatic sea-level rise in the early mid-Holocene. <i>Geology</i> , 2010, 38, 803-806. | 4.4 | 139 |
| 24 | Infilling and flooding of the Mekong River incised valley during deglacial sea-level rise. <i>Quaternary Science Reviews</i> , 2010, 29, 1432-1444. | 3.0 | 119 |
| 25 | Relative sea-level change in and around the Younger Dryas inferred from late Quaternary incised-valley fills along the Japan Sea. <i>Quaternary Science Reviews</i> , 2010, 29, 3956-3971. | 3.0 | 24 |
| 26 | Arsenic pollution of groundwater in Vietnam exacerbated by deep aquifer exploitation for more than a century. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 1246-1251. | 7.1 | 247 |
| 27 | A Biogeographic Synthesis of the Amphibians and Reptiles of Indochina. <i>Bulletin of the American Museum of Natural History</i> , 2011, 360, 1-138. | 3.4 | 71 |
| 28 | Sedimentary records of natural and artificial Huanghe (Yellow River) channel shifts during the Holocene in the southern Bohai Sea. <i>Continental Shelf Research</i> , 2011, 31, 1336-1342. | 1.8 | 50 |
| 29 | Influence of inherited topography on the Holocene sedimentary evolution of coastal systems: An example from Arno coastal plain (Tuscany, Italy). <i>Geomorphology</i> , 2011, 135, 117-128. | 2.6 | 55 |
| 30 | Reconstruction of Holocene environmental changes in the Kiso-Ibi-Nagara compound river delta, Nobi Plain, central Japan, by diatom analyses of drilling cores. <i>Quaternary International</i> , 2011, 230, 67-77. | 1.5 | 13 |
| 31 | Inland shell midden site-formation: Investigation into a late Pleistocene to early Holocene midden from TrĂng An, Northern Vietnam. <i>Quaternary International</i> , 2011, 239, 153-169. | 1.5 | 55 |
| 32 | Holocene transgression of the Rhine river mouth area, The Netherlands/Southern North Sea: palaeogeography and sequence stratigraphy. <i>Sedimentology</i> , 2011, 58, 1453-1485. | 3.1 | 83 |
| 33 | Temporal changes in ostracod assemblages during the past 10,000 years associated with the evolution of the Red River delta system, northeastern Vietnam. <i>Marine Micropaleontology</i> , 2011, 81, 77-87. | 1.2 | 18 |
| 34 | Recent changes of sediment flux to the western Pacific Ocean from major rivers in East and Southeast Asia. <i>Earth-Science Reviews</i> , 2011, 108, 80-100. | 9.1 | 294 |
| 35 | A palynological and palaeoclimatological record from the southern Philippines since the Last Glacial Maximum. <i>Science Bulletin</i> , 2011, 56, 2359-2365. | 1.7 | 13 |
| 36 | River-Dominated Coasts. , 2011, , 117-135. | | 10 |
| 37 | Natural levees and human settlement in the Song Hong (Red River) delta, northern Vietnam. <i>Holocene</i> , 2012, 22, 637-648. | 1.7 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 39 | Late Quaternary incision and deposition in an active volcanic setting: The Volturmo valley fill, southern Italy. <i>Sedimentary Geology</i> , 2012, 282, 307-320. | 2.1 | 63 |
| 40 | The role of sea-level rise, monsoonal discharge and the palaeo-landscape in the early Holocene evolution of the Pearl River delta, southern China. <i>Quaternary Science Reviews</i> , 2012, 54, 77-88. | 3.0 | 72 |
| 41 | Origin and extent of fresh groundwater, salty paleowaters and recent saltwater intrusions in Red River flood plain aquifers, Vietnam. <i>Hydrogeology Journal</i> , 2012, 20, 1295-1313. | 2.1 | 47 |
| 42 | Fluvial response to sea-level changes since the latest Pleistocene in the near-coastal lowland, central Kanto Plain, Japan. <i>Geomorphology</i> , 2012, 147-148, 49-60. | 2.6 | 32 |
| 43 | Holocene environmental changes of the Godavari Delta, east coast of India, inferred from sediment core analyses and AMS 14C dating. <i>Geomorphology</i> , 2012, 175-176, 163-175. | 2.6 | 11 |
| 44 | Luminescence dating of beach ridges for characterizing multi-decadal to centennial deltaic shoreline changes during Late Holocene, Mekong River delta. <i>Marine Geology</i> , 2012, 326-328, 140-153. | 2.1 | 51 |
| 45 | Effects of tides on deltaic deposition: Causes and responses. <i>Sedimentary Geology</i> , 2012, 279, 107-133. | 2.1 | 45 |
| 46 | Arsenic contamination in groundwater and its possible sources in Hanam, Vietnam. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 4501-4515. | 2.7 | 15 |
| 47 | Mesophotic coral buildups in a prodelta setting (Late Eocene, southern Pyrenees, Spain): a mixed carbonate-siliciclastic system. <i>Sedimentology</i> , 2012, 59, 766-794. | 3.1 | 66 |
| 48 | Early growth stage of a large delta – Transformation from estuarine-platform to deltaic-progradational conditions (the northeastern Mekong River Delta, Vietnam). <i>Sedimentary Geology</i> , 2012, 261-262, 108-119. | 2.1 | 38 |
| 49 | Delineation of small-scale landforms relative to flood inundation in the western Red River delta, northern Vietnam using remotely sensed data. <i>Natural Hazards</i> , 2013, 69, 905-917. | 3.4 | 8 |
| 50 | Morphological control on sedimentation rates and patterns of delta floodplains in the Swiss Alps. <i>Geomorphology</i> , 2013, 198, 163-176. | 2.6 | 15 |
| 51 | Mid to late Holocene sea-level reconstruction of Southeast Vietnam using beachrock and beach-ridge deposits. <i>Global and Planetary Change</i> , 2013, 110, 214-222. | 3.5 | 78 |
| 52 | Sediment accumulation patterns in a tectonically subsiding incised valley: Insight from the Echigo Plain, central Japan. <i>Marine Geology</i> , 2013, 336, 33-43. | 2.1 | 25 |
| 53 | Initiation of the Changjiang (Yangtze) delta and its response to the mid-Holocene sea level change. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 388, 81-97. | 2.3 | 127 |
| 54 | Coalescent valley fills from the late Quaternary record of Tuscany (Italy). <i>Quaternary International</i> , 2013, 288, 129-138. | 1.5 | 50 |
| 55 | Sedimentology and sequence stratigraphy of the Middle-Upper Jurassic Krossfjord and Fensfjord formations, Troll Field, northern North Sea. <i>Petroleum Geoscience</i> , 2013, 19, 237-258. | 1.5 | 33 |
| 56 | Strata Formation in a Tectonically Subsiding Coastal Lowland. <i>Journal of Geography (Chigaku Zasshi)</i> , 2013, 122, 291-307. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 57 | Paleogeography of the Tokyo and Nakagawa Lowlands since the Last Glacial Maximum. <i>Journal of Geography (Chigaku Zasshi)</i> , 2013, 122, 949-967. | 0.3 | 12 |
| 58 | Influence of Pond Seepage on Groundwater Pollution by Arsenic in Hanoi, Viet Nam. <i>Journal of Japan Society of Civil Engineers Ser C (Environmental Research)</i> , 2013, 69, III_17-III_28. | 0.1 | 3 |
| 59 | Impact of the Hoa Binh dam (Vietnam) on water and sediment budgets in the Red River basin and delta. <i>Hydrology and Earth System Sciences</i> , 2014, 18, 3987-4005. | 4.9 | 95 |
| 60 | Recent land subsidence caused by the rapid urban development in the Hanoi region (Vietnam) using ALOS InSAR data. <i>Natural Hazards and Earth System Sciences</i> , 2014, 14, 657-674. | 3.6 | 50 |
| 61 | Vegetation and climate change inferred from two marine pollen records in the west Pacific during the Holocene. , 2014, , . | | 0 |
| 62 | Pleistocene paleoceanography of the South China Sea: Progress over the past 20years. <i>Marine Geology</i> , 2014, 352, 381-396. | 2.1 | 58 |
| 63 | Holocene sedimentary systems on continental shelves. <i>Marine Geology</i> , 2014, 352, 268-294. | 2.1 | 175 |
| 64 | Sedimentology. <i>Developments in Marine Geology</i> , 2014, 6, 183-340. | 0.4 | 8 |
| 65 | Long-term process-based morphodynamic modeling of the Pearl River Delta. <i>Ocean Dynamics</i> , 2014, 64, 1753-1765. | 2.2 | 15 |
| 66 | Evolution of the buried channel systems under the modern Yellow River Delta since the Last Glacial Maximum. <i>Quaternary International</i> , 2014, 349, 327-338. | 1.5 | 21 |
| 67 | Modern transport and deposition of settling particles in the northern South China Sea: Sediment trap evidence adjacent to Xisha Trough. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2014, 93, 145-155. | 1.4 | 62 |
| 68 | Provenance of Upper Miocene to Quaternary sediments in the Yinggehai-Song Hong Basin, South China Sea: Evidence from detrital zircon Uâ€“Pb ages. <i>Marine Geology</i> , 2014, 355, 202-217. | 2.1 | 60 |
| 69 | Hydrogeochemical characteristics of groundwater from the two main aquifers in the Red River Delta, Vietnam. <i>Journal of Asian Earth Sciences</i> , 2014, 93, 180-192. | 2.3 | 25 |
| 70 | Paleoceanography and Sea-Level Changes. <i>Developments in Marine Geology</i> , 2014, , 469-570. | 0.4 | 3 |
| 71 | Late Holocene (~ 2 ka) East Asian Monsoon variations inferred from river discharge and climate interrelationships in the Pearl River Estuary. <i>Quaternary Research</i> , 2014, 81, 240-250. | 1.7 | 14 |
| 72 | Decline of Yangtze River water and sediment discharge: Impact from natural and anthropogenic changes. <i>Scientific Reports</i> , 2015, 5, 12581. | 3.3 | 237 |
| 73 | Millennialâ€“scale stratigraphy of a tideâ€“dominated incised valley during the last 14Â“kyr: Spatial and quantitative reconstruction in the Tokyo Lowland, central Japan. <i>Sedimentology</i> , 2015, 62, 1837-1872. | 3.1 | 65 |
| 74 | Dynamic particle segregation and accumulation processes in time and space revealed in a modern river-dominated delta: A spatiotemporal record of the Kiso River delta, central Japan. <i>Geomorphology</i> , 2015, 235, 27-39. | 2.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 75 | Asymmetry in Holocene river deltas: Patterns, controls, and stratigraphic effects. <i>Earth-Science Reviews</i> , 2015, 150, 219-242. | 9.1 | 46 |
| 76 | Stratigraphic sequence and episodes of the ancient Huanghe Delta along the southwestern Bohai Bay since the LGM. <i>Marine Geology</i> , 2015, 367, 69-82. | 2.1 | 29 |
| 77 | Exploring the possibility to detect recent temporal changes in highly disturbed sedimentary records through sampling repetitions and core comparisons of porosity and sand content. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 480. | 2.7 | 4 |
| 78 | Palaeogeography and evolution of the Godavari delta, east coast of India during the Holocene: An example of wave-dominated and fan-delta settings. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 213-233. | 2.3 | 48 |
| 79 | Tracing sources of ammonium in reducing groundwater in a well field in Hanoi (Vietnam) by means of stable nitrogen isotope ($\delta^{15}N$) values. <i>Applied Geochemistry</i> , 2015, 61, 248-258. | 3.0 | 66 |
| 80 | Medical Hydrogeology of Asian Deltas: Status of Groundwater Toxicants and Nutrients, and Implications for Human Health. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 81. | 2.6 | 23 |
| 81 | The magnetic properties of sediment and sedimentary environment in the Huanghe Delta area after the last glacial maximum. <i>Acta Oceanologica Sinica</i> , 2016, 35, 113-123. | 1.0 | 0 |
| 82 | Holocene delta evolution and sediment flux of the Pearl River, southern China. <i>Journal of Quaternary Science</i> , 2016, 31, 484-494. | 2.1 | 17 |
| 83 | Contrasting alluvial architecture of Late Pleistocene and Holocene deposits along a 120-km transect from the central Po Plain (northern Italy). <i>Sedimentary Geology</i> , 2016, 341, 265-275. | 2.1 | 29 |
| 84 | A new GIS approach for reconstructing and mapping dynamic late Holocene coastal plain palaeogeography. <i>Geomorphology</i> , 2016, 270, 55-70. | 2.6 | 27 |
| 85 | A late Quaternary multiple paleovalley system from the Adriatic coastal plain (Biferno River, Southern Tj ETQq0 0 0,rgBT /Overlock 10 Tf | 2.8 | 29 |
| 86 | Zircon U-Pb geochronology and heavy mineral composition constraints on the provenance of the middle Miocene deep-water reservoir sedimentary rocks in the Yinggehai-Song Hong Basin, South China Sea. <i>Marine and Petroleum Geology</i> , 2016, 77, 819-834. | 3.3 | 29 |
| 87 | Depositional facies and sequence of the latest Pleistocene to Holocene incised valley fill in Kushiro Plain, Hokkaido, northern Japan. <i>Quaternary International</i> , 2016, 397, 159-172. | 1.5 | 7 |
| 88 | Late Quaternary tectonics, sea-level change and lithostratigraphy along the northern coast of the South China Sea. <i>Geological Society Special Publication</i> , 2016, 429, 123-136. | 1.3 | 14 |
| 89 | Origin and availability of organic matter leading to arsenic mobilisation in aquifers of the Red River Delta, Vietnam. <i>Applied Geochemistry</i> , 2017, 77, 184-193. | 3.0 | 42 |
| 90 | Sedimentological and ichnological implications of rapid Holocene flooding of a gently sloping mud-dominated incised valley – an example from the Red River (Gulf of Tonkin). <i>Sedimentology</i> , 2017, 64, 1173-1202. | 3.1 | 20 |
| 91 | Global sea-level control on local parasequence architecture from the Holocene record of the Po Plain, Italy. <i>Marine and Petroleum Geology</i> , 2017, 87, 99-111. | 3.3 | 95 |
| 92 | Land-sea duel in the late Quaternary at the mouth of a small river with high sediment yield. <i>Journal of Asian Earth Sciences</i> , 2017, 143, 59-76. | 2.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 93 | Groundwater salinity influenced by Holocene seawater trapped in incised valleys in the Red River delta plain. <i>Nature Geoscience</i> , 2017, 10, 376-381. | 12.9 | 84 |
| 94 | Hydrochemical assessment of freshening saline groundwater using multiple end-members mixing modeling: A study of Red River delta aquifer, Vietnam. <i>Journal of Hydrology</i> , 2017, 549, 703-714. | 5.4 | 37 |
| 95 | Sediment provenance and paleoenvironmental changes in the northwestern shelf mud area of the South China Sea since the mid-Holocene. <i>Continental Shelf Research</i> , 2017, 144, 21-30. | 1.8 | 20 |
| 96 | Groundwater recharge in suburban areas of Hanoi, Vietnam: effect of decreasing surface-water bodies and land-use change. <i>Hydrogeology Journal</i> , 2017, 25, 727-742. | 2.1 | 22 |
| 97 | High-resolution palynological record of Holocene climatic and oceanographic changes in the northern South China Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 483, 94-124. | 2.3 | 39 |
| 98 | A seismic study of the Mekong subaqueous delta: Proximal versus distal sediment accumulation. <i>Continental Shelf Research</i> , 2017, 147, 197-212. | 1.8 | 32 |
| 99 | Use of stable isotopes to understand runoff generation processes in the <i>River Delta</i> . <i>Hydrological Processes</i> , 2017, 31, 3827-3843. | 2.6 | 9 |
| 100 | Holocene estuarine sediments as a source of arsenic in Pleistocene groundwater in suburbs of Hanoi, Vietnam. <i>Hydrogeology Journal</i> , 2017, 25, 1137-1152. | 2.1 | 8 |
| 101 | Difference in timing of maximum flooding in two adjacent lowlands in the Tokyo area caused by the difference in sediment supply rate. <i>Quaternary International</i> , 2017, 455, 56-69. | 1.5 | 9 |
| 102 | Eustatic and regional tectonic controls on late Pleistocene paleovalley morphology in the central Kanto Plain, Japan. <i>Quaternary International</i> , 2017, 456, 69-84. | 1.5 | 15 |
| 103 | Sequence stratigraphy and late Quaternary paleoenvironmental evolution of the Northern Adriatic coastal plain (Italy). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 466, 265-278. | 2.3 | 46 |
| 104 | Tropical limestone forest resilience and late Pleistocene foraging during MIS-2 in the Trång An massif, Vietnam. <i>Quaternary International</i> , 2017, 448, 62-81. | 1.5 | 28 |
| 105 | Stratigraphic Formation of the Mekong River Delta and Its Recent Shoreline Changes. <i>Oceanography</i> , 2017, 30, 72-83. | 1.0 | 39 |
| 106 | Late Quaternary environmental change in Oujiang delta along the northeastern Zhe-Min Uplift zone (Southeast China). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 492, 64-80. | 2.3 | 19 |
| 107 | Holocene evolution of the Liaohe Delta, a tide-dominated delta formed by multiple rivers in Northeast China. <i>Journal of Asian Earth Sciences</i> , 2018, 152, 52-68. | 2.3 | 23 |
| 108 | Variations of fluvial patterns and infilling history of a paleo-incised valley system during Late Pleistocene to Holocene, Offshore Pahang River, Peninsular Malaysia. <i>Interpretation</i> , 2018, 6, T39-T50. | 1.1 | 1 |
| 109 | Introduction to the China-Vietnam Cooperation Project: A Comparative Study of the Holocene Sedimentary Evolution of the Yangtze and Red River Deltas. <i>Journal of Ocean University of China</i> , 2018, 17, 1269-1271. | 1.2 | 0 |
| 110 | Three-dimensional evolution of the Yangtze River mouth, China during the Holocene: impacts of sea level, climate and human activity. <i>Earth-Science Reviews</i> , 2018, 185, 938-955. | 9.1 | 92 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 111 | Middle to late Holocene delta plain evolution of the Kimotsuki lowland, Kyushu (southern Japan). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 502, 74-85. | 2.3 | 3 |
| 112 | Holocene sea-level history of the northern coast of South China Sea. <i>Quaternary Science Reviews</i> , 2018, 194, 12-26. | 3.0 | 50 |
| 113 | Sedimentary responses to Holocene sea-level change in a shallow marine environment of southern China. <i>Journal of Asian Earth Sciences</i> , 2018, 166, 95-106. | 2.3 | 13 |
| 114 | Bayhead deltas and shorelines: Insights from modern and ancient examples. <i>Sedimentary Geology</i> , 2018, 374, 17-35. | 2.1 | 25 |
| 117 | Construction and destruction of an autogenic grade system: The late Holocene Mekong River delta, Vietnam. <i>Geology</i> , 2019, 47, 669-672. | 4.4 | 1 |
| 118 | Late Holocene Anthropogenic and Climatic Impact on a Tropical Island Ecosystem of Northern Vietnam. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 2.2 | 5 |
| 119 | New evidence on the spatial-temporal distribution of superlobes in the Yellow River Delta Complex. <i>Quaternary Science Reviews</i> , 2019, 214, 117-138. | 3.0 | 20 |
| 120 | Climate Change and the Anthropocene. , 2019, , 200-241. | | 0 |
| 121 | History and Development of the Anthropocene as a Stratigraphic Concept. , 2019, , 1-40. | | 0 |
| 122 | Stratigraphic Signatures of the Anthropocene. , 2019, , 41-108. | | 0 |
| 123 | The Biostratigraphic Signature of the Anthropocene. , 2019, , 109-136. | | 1 |
| 124 | The Stratigraphic Boundary of the Anthropocene. , 2019, , 242-286. | | 0 |
| 125 | Three-fold nature of coastal progradation during the Holocene eustatic highstand, Po Plain, Italy – close correspondence of stratal character with distribution patterns. <i>Sedimentology</i> , 2019, 66, 3029-3052. | 3.1 | 30 |
| 126 | The Technosphere and Its Physical Stratigraphic Record. , 2019, , 137-155. | | 1 |
| 127 | Sediment properties of lithologic units and their correlation within the lower delta plain of the Nakdong River Delta, southeast Korea. <i>Quaternary International</i> , 2019, 519, 170-182. | 1.5 | 7 |
| 128 | Evolution of an ancient (Lower Cretaceous) marginal-marine system from tide-dominated to wave-dominated deposition, McMurray Formation. <i>Sedimentology</i> , 2019, 66, 2354-2391. | 3.1 | 16 |
| 129 | 3500-year western Pacific storm record warns of additional storm activity in a warming warm pool. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 521, 57-71. | 2.3 | 17 |
| 130 | Anthropocene Chemostratigraphy. , 2019, , 156-199. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 131 | A three-dimensional palaeohydrogeological reconstruction of the groundwater salinity distribution in the Nile Delta Aquifer. <i>Hydrology and Earth System Sciences</i> , 2019, 23, 5175-5198. | 4.9 | 28 |
| 132 | Mangroves of Vietnam: Historical development, current state of research and future threats. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 218, 212-236. | 2.1 | 87 |
| 133 | Shifting subsistence patterns from the Terminal Pleistocene to Late Holocene: A regional Southeast Asian analysis. <i>Quaternary International</i> , 2019, 529, 47-56. | 1.5 | 10 |
| 134 | Holocene environmental changes in Red River delta, Vietnam as inferred from the stable carbon isotopes and C/N ratios. <i>Journal of Earth System Science</i> , 2019, 128, 1. | 1.3 | 5 |
| 135 | Detrital zircon ages and heavy mineral composition along the Gulf of Tonkin - Implication for sand provenance in the Yinggehai-Song Hong and Qiongdongnan basins. <i>Marine and Petroleum Geology</i> , 2019, 101, 162-179. | 3.3 | 46 |
| 136 | Quantitative analysis of the stratigraphic architecture of incised-valley fills: A global comparison of Quaternary systems. <i>Earth-Science Reviews</i> , 2020, 200, 102988. | 9.1 | 19 |
| 137 | Antecedent topography controls preservation of latest Pleistocene-Holocene transgression record and clinoform development: the case of the São Francisco delta (eastern Brazil). <i>Geo-Marine Letters</i> , 2020, 40, 935-947. | 1.1 | 11 |
| 138 | A tentative sediment budget for the Red River subaqueous delta in the Gulf of Tonkin: A synthesis of existing data. <i>Regional Studies in Marine Science</i> , 2020, 34, 101005. | 0.7 | 3 |
| 139 | Land subsidence and its effects on coastal erosion in the Nam Dinh Coast (Vietnam). <i>Continental Shelf Research</i> , 2020, 207, 104227. | 1.8 | 19 |
| 140 | Sediment dynamics of estuarine Holocene incised-valley fill deposits recorded by <i>Siphonichnus</i> (ancient Red River, Gulf of Tonkin). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 560, 110041. | 2.3 | 7 |
| 141 | Human drivers accelerated the advance of Pearl River deltaic shoreline in the past 7500 years. <i>Quaternary Science Reviews</i> , 2020, 246, 106545. | 3.0 | 12 |
| 142 | Magnetic investigation of surface sediments of the northwestern South China Sea: Implication for sediment provenance and transportation. <i>Journal of Asian Earth Sciences</i> , 2020, 202, 104530. | 2.3 | 3 |
| 143 | Investigation of groundwater recharge mechanism for sustainable urban water system planning and management in Hanoi city. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 869, 042036. | 0.6 | 0 |
| 144 | Fluvial response to Late Quaternary sea level changes along the Mahanadi delta, east coast of India. <i>Quaternary International</i> , 2020, 553, 60-72. | 1.5 | 12 |
| 145 | Clay minerals, Sr-Nd isotopes and provenance of sediments in the northwestern South China Sea. <i>Journal of Asian Earth Sciences</i> , 2020, 202, 104531. | 2.3 | 16 |
| 146 | Holocene coastal evolution preceded the expansion of paddy field rice farming. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24138-24143. | 7.1 | 50 |
| 147 | Tectonic Activities and Evolution of the Red River Delta (North Viet Nam) in the Holocene. <i>Geotectonics</i> , 2020, 54, 113-129. | 0.9 | 5 |
| 148 | Long-term sediment decline causes ongoing shrinkage of the Mekong megadelta, Vietnam. <i>Scientific Reports</i> , 2020, 10, 8085. | 3.3 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 149 | Holocene evolution of the Chan May coastal embayment, central Vietnam: Changing coastal dynamics associated with decreasing rates of progradation possibly forced by mid- to late-Holocene sea-level changes. <i>Geomorphology</i> , 2020, 367, 107273. | 2.6 | 8 |
| 150 | Stratigraphic evolution of the Nakdong River valley in response to late Quaternary sea-level changes. <i>Marine Geology</i> , 2020, 427, 106243. | 2.1 | 15 |
| 151 | A geometric model to estimate slip rates from terrace rotation above an offshore, listric thrust fault, Kaikōura, New Zealand. <i>Tectonophysics</i> , 2020, 786, 228460. | 2.2 | 10 |
| 152 | Holocene evolution and Anthropocene destruction of the Krishna Delta on the east coast of India: Delta lobe shifts, human impacts, and sea-level history. <i>Marine Geology</i> , 2020, 427, 106229. | 2.1 | 12 |
| 153 | Recent evolution of the Irrawaddy (Ayeyarwady) Delta and the impacts of anthropogenic activities: A review and remote sensing survey. <i>Geomorphology</i> , 2020, 365, 107231. | 2.6 | 32 |
| 154 | River avulsions and sedimentary evolution of the Luanhe fan-delta system (North China) since the late Pleistocene. <i>Marine Geology</i> , 2020, 425, 106194. | 2.1 | 13 |
| 155 | Coastal GIA processes revealed by the early to middle Holocene sea-level history of east China. <i>Quaternary Science Reviews</i> , 2020, 233, 106249. | 3.0 | 41 |
| 156 | Holocene development and human use of mangroves and limestone forest at an ancient hong lagoon in the TrĂng An karst, Ninh Binh, Vietnam. <i>Quaternary Science Reviews</i> , 2020, 242, 106416. | 3.0 | 7 |
| 157 | Reasons for the low sedimentation and slow progradation in the Pearl River delta, southern China, during the middle Holocene. <i>Marine Geology</i> , 2020, 423, 106133. | 2.1 | 18 |
| 158 | Basin-scale stratigraphic correlation of late Pleistocene-Holocene (MIS 5e-MIS 1) strata across the rapidly subsiding Po Basin (northern Italy). <i>Quaternary Science Reviews</i> , 2020, 237, 106300. | 3.0 | 22 |
| 159 | Reconstruction of the Tiber Deltaic stratigraphic successions near Ostia using the PADM chart and tracking of the bedload-derived facies (Rome, Italy). <i>Geomorphology</i> , 2020, 365, 107227. | 2.6 | 4 |
| 160 | An assessment of coastal tectonics along the Sanriku coast, northeast Japan, from a Holocene sedimentary succession in the Kuji plain. <i>Marine Geology</i> , 2020, 424, 106165. | 2.1 | 6 |
| 161 | Holocene paleoshoreline changes of the Red River Delta, Vietnam. <i>Review of Palaeobotany and Palynology</i> , 2020, 278, 104235. | 1.5 | 12 |
| 162 | Sediment budget and morphological change in the Red River Delta under increasing human interferences. <i>Marine Geology</i> , 2021, 431, 106379. | 2.1 | 28 |
| 164 | Late Pleistocene sea-level changes and the formation and fill of bent valleys incised into the shelf of the western South China Sea. <i>Journal of Asian Earth Sciences</i> , 2021, 206, 104626. | 2.3 | 5 |
| 165 | The middle-to-late Holocene relative sea-level history, highstand and levering effect on the east coast of Malay Peninsula. <i>Global and Planetary Change</i> , 2021, 196, 103369. | 3.5 | 11 |
| 166 | A diatom-based Holocene record of sedimentary and oceanographic environmental changes within the Beibu Gulf, NW South China Sea. <i>Marine Geology</i> , 2021, 432, 106395. | 2.1 | 3 |
| 167 | Factors Determining the Natural Freshâ€Salt Groundwater Distribution in Deltas. <i>Water Resources Research</i> , 2021, 57, e2020WR027290. | 4.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 168 | Depositional sequences of the Mekong river delta and adjacent shelf over the past 140 kyr, southern Vietnam. <i>Journal of Asian Earth Sciences</i> , 2021, 206, 104634. | 2.3 | 6 |
| 169 | Late Pleistocene-Holocene sedimentary evolution in the coastal zone of the Red River Delta. <i>Heliyon</i> , 2021, 7, e05872. | 3.2 | 5 |
| 170 | Deltas. , 2021, , . | | 0 |
| 171 | Geometric modeling of Holocene large-river delta growth patterns, as constrained by environmental settings. <i>Science China Earth Sciences</i> , 2021, 64, 318-328. | 5.2 | 1 |
| 172 | Holocene sedimentary evolution of the Mekong River floodplain, Cambodia. <i>Quaternary Science Reviews</i> , 2021, 253, 106767. | 3.0 | 11 |
| 173 | Latest Pleistocene to Holocene stratigraphic record and evolution of the Paleo-Mekong incised valley, Vietnam. <i>Marine Geology</i> , 2021, 433, 106406. | 2.1 | 9 |
| 174 | Reconstruction of the Holocene sedimentaryâ€œecological complex in the incised valley of the Yangtze Delta, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 571, 110387. | 2.3 | 6 |
| 175 | Mid-Holocene coastline reconstruction from geomorphological sea level indicators in the TrĂng An World Heritage Site, Northern Vietnam. <i>Quaternary Science Reviews</i> , 2021, 263, 107001. | 3.0 | 3 |
| 176 | High-resolution reconstructions of Holocene sea-surface conditions from dinoflagellate cyst assemblages in the northern South China Sea. <i>Marine Geology</i> , 2021, 438, 106528. | 2.1 | 4 |
| 177 | Increasing terrigenous pollen input in the late Holocene: Indications of intensive human activity and accelerated delta plain progradation. <i>Marine Geology</i> , 2021, 439, 106547. | 2.1 | 9 |
| 178 | Application of the improved parabola-based method in delineating lineaments of subsurface structures: A case study. <i>Journal of King Saud University - Science</i> , 2021, 33, 101585. | 3.5 | 9 |
| 179 | Acceleration in the rate of the Boreal Sea transgression recorded in the Lower Cretaceous McMurray Formation, Canada. <i>Marine and Petroleum Geology</i> , 2021, 133, 105221. | 3.3 | 6 |
| 180 | Biostratigraphy and palaeoenvironments of early Pleistocene deposits in the southern part of the Gulf of Tonkin, Vietnam. <i>Quaternary International</i> , 2021, 604, 1-15. | 1.5 | 1 |
| 181 | Chronostratigraphic and palaeogeographic interpretation of Nakdong deltaic sequences in the south-eastern Korean Peninsula. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 584, 110654. | 2.3 | 6 |
| 182 | Geogenic Contamination and Technologies for Safe Drinking Water Supply. , 2017, , 81-95. | | 1 |
| 183 | Tide-Dominated Deltas. , 2012, , 129-149. | | 60 |
| 184 | Quantitative analysis of land transformation in a Holocene delta: An example from the Tama River lowland, central Japan. <i>Marine Geology</i> , 2020, 425, 106193. | 2.1 | 4 |
| 186 | Recent flow regime and sedimentological evolution of a fluvial system as the main factors controlling spatial distribution of arsenic in groundwater (Red River, Vietnam). <i>Arsenic in the Environment Proceedings</i> , 2016, , 72-73. | 0.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 187 | Stratigraphy and depositional history of Nakdong River Delta. Journal of the Geological Society of Korea, 2017, 53, 619-630. | 0.7 | 5 |
| 188 | Holocene sedimentary facies in coastal plain of the Song Ma Delta, Thanh Hoa Province. Vietnam Journal of Earth Sciences, 2019, 41, 229-239. | 1.0 | 5 |
| 191 | Stratigraphy and physical property of the Alluvium under the Tokyo and Nakagawa Lowlands, Kanto Plain, central Japan: implications for the Alluvium subdivision. Journal of the Geological Society of Japan, 2010, 116, 85-98. | 0.6 | 17 |
| 192 | Evolution of the Uppermost Alluvium in the Tokyo and Nakagawa Lowlands, Kanto Plain, central Japan: response to the "Yayoi regression". Journal of the Geological Society of Japan, 2013, 119, 350-367. | 0.6 | 12 |
| 193 | Formation mechanisms of the post-LGM incised-valley fills beneath the Tokyo and Nakagawa lowlands, central Japan. Journal of the Geological Society of Japan, 2019, 125, 55-72. | 0.6 | 4 |
| 194 | Sequence stratigraphy and paleogeography of the Alluvium under the northern area of the Tokyo Lowland, central Japan. Bulletin of the Geological Survey of Japan, 2009, 59, 509-547. | 0.7 | 14 |
| 195 | Holocene sedimentary evolution of a subaqueous delta off a typical tropical river, Hainan Island, South China. Marine Geology, 2021, 442, 106664. | 2.1 | 3 |
| 196 | Coastal depositional systems and sea-level change. The Quaternary Research, 2011, 50, 95-111. | 0.1 | 5 |
| 197 | Vegetation and climate change inferred from two marine pollen records in the West Pacific during the Holocene. , 2014, , . | | 0 |
| 198 | STUDY ON LONG-TREM EROSION OF HAI HAU COAST, NORTHERN VIETNAM. Journal of Japan Society of Civil Engineers Ser B2 (Coastal Engineering), 2017, 73, 1_781-1_786. | 0.4 | 2 |
| 199 | LATE PLEISTOCENE-HOLOCENE LITHOFACIES - PALEOGEOGRAPHIC CHARACTERISTICS IN BA LAT RIVER MOUTH. Tá»p ChÃ-Khoa Há»c VÃ CÃ'ng Nghá»† Biá»fn, 2017, 17, . | 0.2 | 0 |
| 200 | Salt Groundwater Intrusion in the Pleistocene Aquifer in the Southern Part of the Red River Delta, Vietnam. VNU Journal of Science Earth and Environmental Sciences, 2018, 34, . | 0.1 | 0 |
| 201 | A Tentative Record of Mid-Holocene Sea-Level Highstand and Barrier Overwash from the Cam River Mouth, Vietnam. Journal of Coastal Research, 2019, 35, 852. | 0.3 | 1 |
| 203 | Ã»C Ã»M Há»† THÁ»NG SÃ»NG CÁ» VÃ€ TÃ€C Ã»NG NHÃ»,N SINH DÃ»A TRÃŠN Ká»¼T QUá»c MÃ» HÃCENH Tjá»¼N HÃ»A Tá»^ Lã» SÃ»NG Há»'NG. Tá»p ChÃ-Khoa Há»c VÃ CÃ'ng Nghá»† Biá»fn, 2019, 19, 463-478. | 0.2 | 0 |
| 204 | Building a High-Resolution 3D Geotechnical Model of Hanoi City (Vietnam) for Geohazard Assessment and Sustainable Development. Lecture Notes in Civil Engineering, 2021, , 39-57. | 0.4 | 0 |
| 205 | Long-term deposition of fine sediments in Vienna's Danube floodplain before and after channelization. Geomorphology, 2022, 398, 108038. | 2.6 | 6 |
| 206 | Recharge mechanism and salinization processes in coastal aquifers in Nam Dinh province, Vietnam. Vietnam Journal of Earth Sciences, 0, , . | 0.5 | 1 |
| 207 | Transition from a transgressive to a regressive river-mouth sediment body in Tokyo Bay during the early Holocene: Sedimentary facies, geometry, and stacking pattern. Sedimentary Geology, 2022, 428, 106059. | 2.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 208 | Recycling of clastics in coastal areas inferred from quantitative analysis of reworked radiocarbon samples. <i>Scientific Reports</i> , 2022, 12, 650. | 3.3 | 7 |
| 209 | Earth's sediment cycle during the Anthropocene. <i>Nature Reviews Earth & Environment</i> , 2022, 3, 179-196. | 29.7 | 149 |
| 210 | Groundwater arsenic content related to the sedimentology and stratigraphy of the Red River delta, Vietnam. <i>Science of the Total Environment</i> , 2022, 814, 152641. | 8.0 | 9 |
| 211 | Estimating Water Content and Grain Size of Intertidal Flat Sediments Using Visible to Shortwave-Infrared Reflectance and Sentinel 2A Data: A Case Study of the Red River Delta, Vietnam. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2022, 15, 2696-2708. | 4.9 | 1 |
| 212 | Luminescence dating of Holocene sediment cores from a wave-dominated and mountainous river delta in central Vietnam. <i>Quaternary Geochronology</i> , 2022, , 101277. | 1.4 | 3 |
| 213 | Holocene filling of a narrow estuary in a regressive coast: The Paleo-Kinu Bay region, central Japan. <i>Marine Geology</i> , 2022, 447, 106795. | 2.1 | 4 |
| 214 | Groundwater arsenic content in quaternary aquifers of the Red River delta, Vietnam, controlled by the hydrogeological processes. <i>Journal of Hydrology</i> , 2022, 609, 127778. | 5.4 | 4 |
| 215 | Marine pollen records provide perspective on coastal wetlands through Quaternary sea-level changes. <i>Ecological Indicators</i> , 2021, 133, 108405. | 6.3 | 4 |
| 216 | Scale dependency in quantifications of the avulsion frequency of coastal rivers. <i>Earth-Science Reviews</i> , 2022, 230, 104043. | 9.1 | 4 |
| 217 | Historical reconstruction of shoreline evolution at the Nam Dinh Coast, Vietnam. <i>Coastal Engineering Journal</i> , 2023, 65, 3-20. | 1.9 | 6 |
| 218 | A Dramatic Marine Environment Change in the Beibu Gulf of the South China Sea around 3.2‰kyr BP. <i>Lithosphere</i> , 2022, 2022, . | 1.4 | 2 |
| 219 | A fossil diatom-based reconstruction of sea-level changes for the Late Pleistocene and Holocene period in the NW South China Sea. <i>Oceanologia</i> , 2023, 65, 211-229. | 2.2 | 2 |
| 220 | The Pescara Paleovalley System (Central Italy): A Millennial-Scale Record of Late Pleistocene and Holocene Glacio-Eustatic Events. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 221 | Microstratigraphy reveals cycles of occupation and abandonment at the mid Holocene coastal site of Thach Lac, northern-central Vietnam. <i>Archaeological Research in Asia</i> , 2022, 31, 100396. | 0.7 | 3 |
| 222 | Late Pleistocene to Holocene glacio-eustatic history as recorded in the Pescara paleovalley system (Central Italy, Adriatic basin). <i>Marine and Petroleum Geology</i> , 2022, 145, 105908. | 3.3 | 2 |
| 223 | A 3-kyr plateau of middle Holocene higher sea levels on the central Kanto Plain, Japan. <i>Quaternary Science Reviews</i> , 2022, 295, 107769. | 3.0 | 1 |
| 224 | Relative sea-level changes induced by glacial isostatic adjustment and sediment loads in the Beibu Gulf, South China Sea. <i>Oceanologia</i> , 2022, , . | 2.2 | 1 |
| 225 | Large deltas, small deltas: Toward a more rigorous understanding of coastal marine deltas. <i>Global and Planetary Change</i> , 2022, 218, 103958. | 3.5 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 226 | Late Holocene sediment provenance change in the Red River Delta: A magnetic study. <i>Catena</i> , 2023, 220, 106685. | 5.0 | 2 |
| 227 | Sustainability of fresh groundwater resources in fifteen major deltas around the world. <i>Environmental Research Letters</i> , 2022, 17, 125001. | 5.2 | 5 |
| 228 | Holocene sedimentary of the Pearl River Delta in South China: OSL and radiocarbon dating of cores from Zhuhai. <i>Frontiers in Marine Science</i> , 0, 9, . | 2.5 | 2 |
| 229 | Sedimentology and evolution of the Holocene radial tidal sand ridge in the south Yellow Sea, China. <i>Frontiers in Earth Science</i> , 0, 10, . | 1.8 | 2 |
| 230 | Sedimentary facies characterization through <sc>CPTU</sc> profiles: An effective tool for subsurface investigation of modern alluvial and coastal plains. <i>Sedimentology</i> , 0, , . | 3.1 | 2 |
| 231 | Late Pleistocene to Holocene sedimentary history in the Pearl River Delta revealed by OSL and radiocarbon dating. <i>Catena</i> , 2023, 224, 106972. | 5.0 | 3 |
| 232 | Evolution of the first mouth bar, distributaries and floodplains of the Pearl River Delta. <i>Geomorphology</i> , 2023, 431, 108690. | 2.6 | 2 |
| 233 | Scurvy in the tropics: Evidence for increasing nonâ€adult micronutrient deficiency with the transition to agriculture in northern Vietnam. <i>American Journal of Biological Anthropology</i> , 2023, 180, 715-732. | 1.1 | 2 |
| 234 | Downstream Controls on Coastal Plain River Avulsions: A Global Study. <i>Journal of Geophysical Research F: Earth Surface</i> , 2023, 128, . | 2.8 | 1 |
| 235 | Prehistoric pathways to Anthropocene adaptation: Evidence from the Red River Delta, Vietnam. <i>PLoS ONE</i> , 2023, 18, e0280126. | 2.5 | 0 |
| 236 | Holocene evolution of the Banni Plain at the northâ€east margin of the Arabian Sea: Constraints from a <i>50â€m</i> long sediment core. <i>Depositional Record</i> , 2023, 9, 895-920. | 1.7 | 1 |
| 237 | Delta lobe development in response to changing fluvial sediment supply by the second largest river in Vietnam. <i>Catena</i> , 2023, 231, 107314. | 5.0 | 5 |
| 238 | Delta initiation under low sediment discharge: Insights from Holocene incised valley fills north of Tokyo Bay, central Japan. <i>Marine Geology</i> , 2023, 463, 107101. | 2.1 | 1 |
| 239 | Incised-valley filling sedimentation in a small river valley of a wave-dominated, embayed coast in response to Holocene sea level rise, Yeongil Bay, Southeastern Korea. <i>Marine Geology</i> , 2023, 464, 107127. | 2.1 | 0 |
| 240 | Seismic stratigraphy of Late Pleistocene incised valleys and adjacent environments, eastern Central Luconia Province, offshore northâ€west Borneo. <i>Sedimentology</i> , 2024, 71, 319-354. | 3.1 | 0 |
| 241 | Coastal response to Holocene Sea-level change: A case study from Singapore. <i>Marine Geology</i> , 2023, 465, 107146. | 2.1 | 0 |
| 242 | 3D depositional architecture of a wave-dominated delta in a far-field GIA region: The case of the SÃ£o Francisco delta, Brazil. <i>Marine Geology</i> , 2023, 464, 107145. | 2.1 | 0 |
| 243 | Holocene Evolution of the Pearl River Delta: Mapping Integral Isobaths and Delta Progradation. <i>Journal of Marine Science and Engineering</i> , 2023, 11, 1986. | 2.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 244 | Holocene geomorphological evolution of a sediment-starved coastal embayment in response to sea level change: Insights from the Qing'ao Embayment, southern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2024, 633, 111895. | 2.3 | 1 |
| 245 | Sea level controls on the provenance of fine-grained sediments in the Xisha Trough, northwestern South China Sea over the last 130 ka. <i>Marine Geology</i> , 2023, 466, 107184. | 2.1 | 0 |
| 246 | Sensitivity of Subsurface Permeability in Coastal Deltas to Their Morphodynamic and Geomorphic Characteristics. <i>Water Resources Research</i> , 2023, 59, . | 4.2 | 0 |
| 247 | “海平面上升对沿海地区的影响”——中国科学报, 2023, . | 0.7 | 0 |
| 248 | Editorial: Sedimentary evolution and hazardous geology during the Holocene in the Yangtze River and the Red River Deltas and the neighboring coastal areas. <i>Frontiers in Earth Science</i> , 0, 12, . | 1.8 | 0 |
| 249 | River-Dominated Coasts. , 2011, , 789-808. | | 0 |