## Balaenoptera omurai is a newly discovered baleen whal evolutionary lineage

Molecular Phylogenetics and Evolution

41, 40-52

DOI: 10.1016/j.ympev.2006.03.032

**Citation Report** 

#	Article	IF	CITATIONS
1	Extensive Morphological Convergence and Rapid Radiation in the Evolutionary History of the Family Geoemydidae (Old World Pond Turtles) Revealed by SINE Insertion Analysis. Systematic Biology, 2006, 55, 912-927.	2.7	29
2	Big gulps require high drag for fin whale lunge feeding. Marine Ecology - Progress Series, 2007, 349, 289-301.	0.9	129
3	An updated, annotated checklist of the marine mammals of Hong Kong. Mammalia, 2007, 71, .	0.3	6
4	Genetic divergence and phylogenetic independence of Far Eastern species in subfamily Leuciscinae (Pisces: Cyprinidae) inferred from mitochondrial DNA analyses. Genes and Genetic Systems, 2007, 82, 329-340.	0.2	46
5	Phylogenetic Relationships Among Cetaceans Revealed by Y-Chromosome Sequences. Zoological Science, 2007, 24, 723-732.	0.3	28
6	Toothed whale monophyly reassessed by SINE insertion analysis: The absence of lineage sorting effects suggests a small population of a common ancestral species. Molecular Phylogenetics and Evolution, 2007, 43, 216-224.	1.2	43
7	REEXAMINING THE RELATIONSHIP BETWEEN BODY SIZE AND TONAL SIGNALS FREQUENCY IN WHALES: A COMPARATIVE APPROACH USING A NOVEL PHYLOGENY. Marine Mammal Science, 2007, 23, 524-552.	0.9	57
8	Morphological and Molecular Evidence for a Stepwise Evolutionary Transition from Teeth to Baleen in Mysticete Whales. Systematic Biology, 2008, 57, 15-37.	2.7	238
9	Phylogeny of the Beaked Whale Genus Mesoplodon (Ziphiidae: Cetacea) Revealed by Nuclear Introns: Implications for the Evolution of Male Tusks. Systematic Biology, 2008, 57, 857-875.	2.7	53
11	Minke Whales: Balaenoptera acutorostrata and B. bonaerensis. , 2009, , 733-735.		8
11 12			8
	Minke Whales: Balaenoptera acutorostrata and B. bonaerensis. , 2009, , 733-735.		
12	Minke Whales: Balaenoptera acutorostrata and B. bonaerensis. , 2009, , 733-735. Omura's Whale. , 2009, , 799-801.	0.9	7
12 13	Minke Whales: Balaenoptera acutorostrata and B. bonaerensis. , 2009, , 733-735. Omura's Whale. , 2009, , 799-801. Indo-West Pacific Marine Mammals. , 2009, , 608-616. Molecular species identification of historical whale remains from South Georgia. Marine Mammal	0.9	7 2
12 13 14	Minke Whales: Balaenoptera acutorostrata and B. bonaerensis. , 2009, , 733-735.   Omura's Whale. , 2009, , 799-801.   Indo-West Pacific Marine Mammals. , 2009, , 608-616.   Molecular species identification of historical whale remains from South Georgia. Marine Mammal Science, 2009, 25, 229-238.   Requiem for <i>Lipotes</i> Requiem for <i>Lipotes</i>		7 2 5
12 13 14 15	Minke Whales: Balaenoptera acutorostrata and B. bonaerensis. , 2009, , 733-735.   Omura's Whale. , 2009, , 799-801.   Indo-West Pacific Marine Mammals. , 2009, , 608-616.   Molecular species identification of historical whale remains from South Georgia. Marine Mammal Science, 2009, 25, 229-238.   Requiem for <i>Lipotes</i> 25, 714-724.   Divergence date estimation and a comprehensive molecular tree of extant cetaceans. Molecular	0.9	7 2 5 15
12 13 14 15 16	Minke Whales: Balaenoptera acutorostrata and B. bonaerensis. , 2009, , 733-735.   Omura's Whale. , 2009, , 799-801.   Indo-West Pacific Marine Mammals. , 2009, , 608-616.   Molecular species identification of historical whale remains from South Georgia. Marine Mammal Science, 2009, 25, 229-238.   Requiem for <i>Lipotes</i> S; An evolutionary perspective on marine mammal extinction. Marine Mammal Science, 2009, 25, 714-724.   Divergence date estimation and a comprehensive molecular tree of extant cetaceans. Molecular Phylogenetics and Evolution, 2009, 53, 891-906.	0.9	7 2 5 15 337

	CITATION	CITATION REPORT	
#	Article	IF	CITATIONS
20	Seasonal fluctuations in occurrence of inshore Bryde's whales in Plettenberg Bay, South Africa, with notes on feeding and multispecies associations. African Journal of Marine Science, 2011, 33, 403-414.	0.4	27
21	Phylogenomic analyses and improved resolution of Cetartiodactyla. Molecular Phylogenetics and Evolution, 2011, 61, 255-264.	1.2	84
22	The Comparative Osteology of the Petrotympanic Complex (Ear Region) of Extant Baleen Whales (Cetacea: Mysticeti). PLoS ONE, 2011, 6, e21311.	1.1	74
23	Seasonal occurrence and distribution of Bryde's whales in the Hauraki Gulf, New Zealand. Marine Mammal Science, 2011, 27, E253.	0.9	27
24	The More the Merrier? A Large Cladistic Analysis of Mysticetes, and Comments on the Transition from Teeth to Baleen. Journal of Mammalian Evolution, 2011, 18, 77-100.	1.0	90
25	Reconstructing Body Size in Extinct Crown Cetacea (Neoceti) Using Allometry, Phylogenetic Methods and Tests from the Fossil Record. Journal of Mammalian Evolution, 2011, 18, 269-288.	1.0	138
26	The occurrence of mtDNA heteroplasmy in multiple cetacean species. Current Genetics, 2011, 57, 115-131.	0.8	36
27	Stranding pattern of Bryde's whales along the south-eastern coast of Brazil. Marine Biodiversity Records, 2012, 5, .	1.2	13
28	Phylogeny and biogeography of highly diverged freshwater fish species (Leuciscinae, Cyprinidae,) Tj ETQq0 0 0	rgBT /Over 1.0	ock 10 Tf 50
29	Mandible allometry in extant and fossil Balaenopteridae (Cetacea: Mammalia): the largest vertebrate skeletal element and its role in rorqual lunge feeding. Biological Journal of the Linnean Society, 2013, 108, 586-599.	0.7	42
30	Population Differentiation of 2 Forms of Bryde's Whales in the Indian and Pacific Oceans. Journal of Heredity, 2013, 104, 755-764.	1.0	39
31	The cetaceans of Aruba, southern Caribbean. Journal of the Marine Biological Association of the United Kingdom, 2014, 94, 1161-1174.	0.4	14
32	Rorqual whale (Balaenopteridae) surface lungeâ€feeding behaviors: Standardized classification, repertoire diversity, and evolutionary analyses. Marine Mammal Science, 2014, 30, 1335-1357.	0.9	16
33	Omura's whales ( <i>Balaenoptera omurai</i> ) off northwest Madagascar: ecology, behaviour and conservation needs. Royal Society Open Science, 2015, 2, 150301.	1.1	31
34	Molecular and morphological evidence for the subspecific identity of Bryde's whales in the southern Caribbean. Marine Mammal Science, 2015, 31, 1568-1579.	0.9	11
35	Structure and functions of the placenta in common minke ( <i>Balaenoptera) Tj ETQq1 1 0.784314 rgBT / whales. Journal of Reproduction and Development, 2015, 61, 415-421.</i>	Overlock 10 0.5	0 Tf 50 147 T 3
36	Population genetic structure of the South American Bryde's whale. Revista De Biologia Marina Y Oceanografia, 2015, 50, 453-464.	0.1	15
37	Lunge feeding in early marine reptiles and fast evolution of marine tetrapod feeding guilds. Scientific Reports, 2015, 5, 8900.	1.6	31

		CITATION REPORT		
#	Article		IF	CITATIONS
38	Low frequency baleen whale calls detected on ocean-bottom seismometers in the Lau b southwest Pacific Ocean. Journal of the Acoustical Society of America, 2015, 137, 53-6.		0.5	15
39	Baleen boom and bust: a synthesis of mysticete phylogeny, diversity and disparity. Roya Science, 2015, 2, 140434.	I Society Open	1.1	176
40	Investigation of trophic level and niche partitioning of 7 cetacean species by stable isot cadmium and arsenic tissue concentrations in the western Pacific Ocean. Marine Pollut 2015, 93, 270-277.	opes, and ion Bulletin,	2.3	22
41	Back to Water: Signature of Adaptive Evolution in Cetacean Mitochondrial tRNAs. PLoS e0158129.	ONE, 2016, 11,	1.1	17
42	A new Miocene baleen whale from the Peruvian desert. Royal Society Open Science, 20	16, 3, 160542.	1.1	35
44	Status of the world's baleen whales. Marine Mammal Science, 2016, 32, 682-734.		0.9	149
45	Omura's whale off West Africa: autochthonous population or inter-oceanic vagrant in t Ocean?. Marine Biology Research, 2016, 12, 66-75.	he Atlantic	0.3	14
46	First record of Omura's whale, Balaenoptera omurai, in Sri Lankan waters. Marine B Records, 2017, 10, .	odiversity	1.2	6
47	Rare or cryptic? The first report of an Omura's whale ( <i>Balaenoptera omurai</i> ) in th Atlantic Ocean. Marine Mammal Science, 2017, 33, 80-95.	e South	0.9	14
48	Review of Underwater and In-Air Sounds Emitted by Australian and Antarctic Marine Ma Acoustics Australia, 2017, 45, 179-241.	mmals.	1.4	49
49	Molecular markers in keratins from Mysticeti whales for species identification of baleen and archaeological collections. PLoS ONE, 2017, 12, e0183053.	in museum	1.1	32
50	Minke Whales. , 2018, , 608-613.			20
51	Omura's Whale. , 2018, , 656-659.			9
52	Species composition of First Nation whaling hunts in the Clayoquot Sound region of Va Island as estimated through genetic analyses. Journal of Archaeological Science: Report 235-241.	ncouver s, 2018, 17,	0.2	5
53	Future Directions in Research on Bryde's Whales. Frontiers in Marine Science, 2018, 5, .		1.2	30
54	Marine Mammal Species. , 2018, , xxix-xxxi.			0
55	Phylogenetic relationships in southern African Bryde's whales inferred from mitocho further support for subspecies delineation between the two allopatric populations. Con Genetics, 2018, 19, 1349-1365.	ondrial DNA: servation	0.8	14
56	Metabolic asymmetry and the global diversity of marine predators. Science, 2019, 363,		6.0	81

CITATION REPORT

#	Article	IF	CITATIONS
57	Global Distribution of Omura's Whales (Balaenoptera omurai) and Assessment of Range-Wide Threats. Frontiers in Marine Science, 2019, 6, .	1.2	16
58	Review of Cetaceans in the Red Sea. Springer Oceanography, 2019, , 281-303.	0.2	4
59	Phylogenomic Resolution of the Cetacean Tree of Life Using Target Sequence Capture. Systematic Biology, 2020, 69, 479-501.	2.7	160
60	A new species of baleen whale ( <i>Balaenoptera</i> ) from the Gulf of Mexico, with a review of its geographic distribution. Marine Mammal Science, 2021, 37, 577-610.	0.9	44
61	Marine Mammals of the Arabian Seas. , 2021, , 637-678.		3
62	Occurrence of Omura's whale, Balaenoptera omurai (Cetacea: Balaenopteridae), in the Equatorial Atlantic Ocean based on Passive Acoustic Monitoring. Journal of Mammalogy, 2020, 101, 1727-1735.	0.6	5
63	DNA barcoding of the Bryde's Whale Balaenoptera edeni Anderson (Cetacea: Balaenopteridae) washed ashore along Kerala coast, India. Journal of Threatened Taxa, 2012, 4, 2436-2443.	0.1	5
64	Bowhead whales, and not right whales, were the primary target of 16th- to 17th-century Basque Whalers in the Western North Atlantic. Arctic, 2009, 61, 61.	0.2	35
65	1. Biologically Important Areas for Cetaceans Within U.S. Waters – Overview and Rationale. Aquatic Mammals, 2015, 41, 2-16.	0.4	14
66	Genetic evidence reveals a unique lineage of Bryde's whales in the northern Gulf of Mexico. Endangered Species Research, 2014, 25, 19-34.	1.2	43
68	<i>Norrisanima miocaena</i> , a new generic name and redescription of a stem balaenopteroid mysticete (Mammalia, Cetacea) from the Miocene of California. PeerJ, 2019, 7, e7629.	0.9	9
72	Research Communication. Thalassas, 2022, 38, 267.	0.1	0
75	SINEs as Credible Signs to Prove Common Ancestry in the Tree of Life: A Brief Review of Pioneering Case Studies in Retroposon Systematics. Genes, 2022, 13, 989.	1.0	3
76	Record of a juvenile Omura's whale live stranded in Hainan Island: Evidence of a potential breeding ground in the South China Sea?. , 2022, 1, 100056.		0
77	The Omura's Whale: Exploring the Enigma. Ethology and Behavioral Ecology of Marine Mammals, 2022, , 349-374.	0.4	3
78	Cooperative feeding and foraging lateralization by Eden's whales off southern China. Marine Mammal Science, 0, , .	0.9	1
79	Bryde's Whale Balaenoptera edeni Anderson, 1878. Handbook of the Mammals of Europe, 2021, , 1-32.	0.1	0
80	Rostrum morphology and feeding strategy of the baleen whale indicate that right whales and pygmy right whales became skimmers independently. Royal Society Open Science, 2022, 9, .	1.1	4

#	Article	IF	CITATIONS
81	Assessing the potential use of environmental DNA for multifaceted genetic monitoring of cetaceans: Example of a wandering whale in a highly disturbed bay area. Ecological Indicators, 2023, 148, 110125.	2.6	3