Power-Electronic Systems for the Grid Integration of Re-

IEEE Transactions on Industrial Electronics 53, 1002-1016 DOI: 10.1109/tie.2006.878356

Citation Report

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Grid Power Quality with Variable Speed Wind Energy Conversion. , 2006, , . | | 27 |
| 2 | Photovoltaics literature survey (No. 50). Progress in Photovoltaics: Research and Applications, 2006, 14, 753-758. | 4.4 | 1 |
| 3 | Balanced grid currents in three-level voltage-source inverters connected to the utility under distorted condition using symmetrical components and linear quadratic regulator. , 2007, , . | | 3 |
| 4 | Fast on-line symmetrical components separation method for synchronization and control purposes in three phase distributed power generation systems , 2007, , . | | 20 |
| 5 | Energetic Macroscopic Representation of a hybrid storage system based on supercapacitors and compressed air. , 2007, , . | | 3 |
| 6 | Bibliography of FACTS: 2005-2006 Part I IEEE Working Group Report. , 2007, , . | | 3 |
| 7 | Custom Power Interfaces for Renewable Energy Sources. , 2007, , . | | 14 |
| 8 | Multilevel Voltage-Source-Converter Topologies for Industrial Medium-Voltage Drives. IEEE Transactions on Industrial Electronics, 2007, 54, 2930-2945. | 5.2 | 1,938 |
| 9 | Analysis, Design and Simulation of Direct-drive PM Wind Power Generators with PWM Rectifiers. , 2007, , . | | 2 |
| 10 | Trends in wind power technology and grid code requirements. , 2007, , . | | 25 |
| 11 | Grid Impedance Estimation via Excitation of \$LCL\$-Filter Resonance. IEEE Transactions on Industry Applications, 2007, 43, 1401-1407. | 3.3 | 173 |
| 12 | Flexible Active Power Control of Distributed Power Generation Systems During Grid Faults. IEEE Transactions on Industrial Electronics, 2007, 54, 2583-2592. | 5.2 | 605 |
| 13 | Dynamic Behavior of Mobile Generator Set with Variable Speed and Diesel Engine. , 2007, , . | | 28 |
| 14 | A Flexible Selective Harmonic Mitigation Technique to Meet Grid Codes in Three-Level PWM Converters. IEEE Transactions on Industrial Electronics, 2007, 54, 3022-3029. | 5.2 | 207 |
| 15 | Modeling Photovoltaic DC primary sources as grid connected inverter supplies considering non linear effects. , 2007, , . | | 5 |
| 16 | Unbalanced Grid Fault Ride-Through Control for a Wind Turbine Inverter. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2007, , . | 0.0 | 10 |
| 17 | Development and Trend of Wind Power in China. , 2007, , . | | 6 |
| 18 | A Parallel Bidirectional DC/DC Converter Topology for Energy Storage Systems in Wind Applications. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2007, , . | 0.0 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Application of the Three-phase Series Resonant Converter in a Dual-Stage Inverter Operating without Specific Sensor to Perform the MPPT. , 2007, , . | | 9 |
| 20 | Architectural and Control Contributions for PV Grid-Connected Systems Applying Dual-Stage Inverters. , 2007, , . | | 1 |
| 21 | Control of Neutral-Point-Clamped Converter in Distributed Power Generation to fulfil Low Voltage Ride-Through Requirements. , 2007, , . | | 1 |
| 22 | Comparison of Control Strategies to Meet Low Voltage Ride-Through Requirements in Distributed Power Generation Systems. , 2007, , . | | 9 |
| 23 | Ground currents in single-phase transformerless photovoltaic systems. Progress in Photovoltaics: Research and Applications, 2007, 15, 629-650. | 4.4 | 249 |
| 24 | Control and power electronics technology in renewable energy. Science in China Series D: Earth Sciences, 2008, 51, 702-712. | 0.9 | 7 |
| 25 | A Single-Stage PV Module Integrated Converter Based on a Low-Power Current-Source Inverter. IEEE Transactions on Industrial Electronics, 2008, 55, 2602-2609. | 5.2 | 209 |
| 26 | Three-Level NPC Converter-Based Predictive Direct Power Control of the Doubly Fed Induction Machine at Low Constant Switching Frequency. IEEE Transactions on Industrial Electronics, 2008, 55, 4417-4429. | 5.2 | 58 |
| 27 | A Transformerless Energy Storage System Based on a Cascade Multilevel PWM Converter With Star Configuration. IEEE Transactions on Industry Applications, 2008, 44, 1621-1630. | 3.3 | 245 |
| 28 | Hexagram Inverter for Medium-Voltage Six-Phase Variable-Speed Drives. IEEE Transactions on Industrial Electronics, 2008, 55, 2473-2481. | 5.2 | 38 |
| 29 | A Simple Voltage Sensorless Active Damping Scheme for Three-Phase PWM Converters With an \$LCL\$ Filter. IEEE Transactions on Industrial Electronics, 2008, 55, 1876-1880. | 5.2 | 252 |
| 30 | A simple and low cost modulation technique for single-phase multilevel cascade converters based on geometrical considerations. , 2008, , . | | 3 |
| 31 | Initial study of using rechargeable batteries in wind power generation with variable speed induction generators. IET Renewable Power Generation, 2008, 2, 89-101. | 1.7 | 35 |
| 32 | Stability of doubly-fed induction generator under stator voltage orientated vector control. IET Renewable Power Generation, 2008, 2, 170-180. | 1.7 | 55 |
| 33 | Specification of rotor side voltage source inverter of a doubly-fed induction generator for achieving ride-through capability. IET Renewable Power Generation, 2008, 2, 139-150. | 1.7 | 29 |
| 34 | A Review of the Single Phase Photovoltaic Module Integrated Converter Topologies With Three Different DC Link Configurations. IEEE Transactions on Power Electronics, 2008, 23, 1320-1333. | 5.4 | 973 |
| 35 | Distributed maximum power point tracking of photovoltaic arrays: Novel approach and system analysis. IEEE Transactions on Industrial Electronics, 2008, 55, 2610-2621. | 5.2 | 471 |
| 36 | Two-level and multilevel converters for wind energy systems: A comparative study. , 2008, , . | | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Grid-connected PV system: Introduction to behavior matching. Power Electronics Specialist Conference (PESC), IEEE, 2008, , . | 0.0 | 10 |
| 38 | Modeling and MPPT sensorless control of a DFIG-Based marine current turbine. , 2008, , . | | 12 |
| 39 | Analysis and design of a grid connected wind generating system with VSC. , 2008, , . | | 4 |
| 40 | Control Strategy Improving Fault Ride-Through Capability of Cascade Multilevel Inverter Based STATCOM. , 2008, , . | | 14 |
| 41 | Testing of the grid-connected photovoltaic systems using FPGA-based real-time model. , 2008, , . | | 8 |
| 42 | Modeling and control of grid-connected photovoltaic energy conversion system used as a dispersed generator. , 2008, , . | | 50 |
| 43 | Simulation of wind power generation with matrix and multi-level converters: Power quality analysis. , 2008, , . | | 2 |
| 44 | Forecast of power generation for grid-connected photovoltaic system based on grey model and Markov chain. , 2008, , . | | 40 |
| 45 | Common mode voltage in case of transformerless PV inverters connected to the grid. , 2008, , . | | 96 |
| 46 | Multifunctional Grid-Connected Multimodule Power Converters Capable of Operating in Single-Pulse and PWM Switching Modes. IEEE Transactions on Power Electronics, 2008, 23, 1228-1238. | 5.4 | 7 |
| 47 | Design and control of a three-phase grid-connected photovoltaic system with developed maximum power point tracking. IEEE Applied Power Electronics Conference and Exposition, 2008, , . | 0.0 | 18 |
| 48 | Multilevel multiphase space vector PWM algorithm applied to three-phase converters. , 2008, , . | | 8 |
| 49 | A Survey of Systems to Integrate Distributed Energy Resources and Energy Storage on the Utility Grid. , 2008, , . | | 24 |
| 50 | Dynamic Modeling and Control of a Grid-Connected Hybrid Generation System With Versatile Power Transfer. IEEE Transactions on Industrial Electronics, 2008, 55, 1677-1688. | 5.2 | 343 |
| 51 | Multilevel Multiphase Space Vector PWM Algorithm. IEEE Transactions on Industrial Electronics, 2008, 55, 1933-1942. | 5.2 | 231 |
| 52 | Modeling and simulation of a wind energy system: Matrix versus multilevel converters. , 2008, , . | | 9 |
| 53 | Research on a kind of diode-clamped cascade topology in direct-driven wind power system. , 2008, , . | | 8 |
| 54 | Renewable Energy Systems With Photovoltaic Power Generators: Operation and Modeling. IEEE Transactions on Industrial Electronics, 2008, 55, 2752-2758. | 5.2 | 331 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Z-source inverter based wind power generation system. , 2008, , . | | 26 |
| 56 | Transformerless Single-Phase Multilevel-Based Photovoltaic Inverter. IEEE Transactions on Industrial Electronics, 2008, 55, 2694-2702. | 5.2 | 499 |
| 57 | Linear Current Control Scheme With Series Resonant Harmonic Compensator for Single-Phase Grid-Connected Photovoltaic Inverters. IEEE Transactions on Industrial Electronics, 2008, 55, 2724-2733. | 5.2 | 151 |
| 58 | A DC Voltage Monitoring and Control Method for Three-Phase Grid-Connected Wind Turbine Inverters. IEEE Transactions on Power Electronics, 2008, 23, 1118-1125. | 5.4 | 54 |
| 59 | Multilevel Inverter Topologies for Stand-Alone PV Systems. IEEE Transactions on Industrial Electronics, 2008, 55, 2703-2712. | 5.2 | 505 |
| 60 | Multilevel Diode-Clamped Converter for Photovoltaic Generators With Independent Voltage Control of Each Solar Array. IEEE Transactions on Industrial Electronics, 2008, 55, 2713-2723. | 5.2 | 234 |
| 61 | Maximum Power Point Tracking in a One-Cycle-Controlled Single-Stage Photovoltaic Inverter. IEEE Transactions on Industrial Electronics, 2008, 55, 2684-2693. | 5.2 | 150 |
| 62 | DC-DC converters in a multi-string configuration for stand-alone photovoltaic systems. Power Electronics Specialist Conference (PESC), IEEE, 2008, , . | 0.0 | 19 |
| 63 | Grid voltage support by means of a small Wind Turbine System. , 2008, , . | | 8 |
| 64 | Unbalanced-Grid-Fault Ride-Through Control for a Wind Turbine Inverter. IEEE Transactions on Industry Applications, 2008, 44, 845-856. | 3.3 | 107 |
| 65 | An Advanced SVPWM-Based Predictive Current Controller for Three-Phase Inverters in Distributed Generation Systems. IEEE Transactions on Industrial Electronics, 2008, 55, 1235-1246. | 5.2 | 191 |
| 66 | Wound Rotor Induction Generator With Sensorless Control and Integrated Active Filter for Feeding Nonlinear Loads in a Stand-Alone Grid. IEEE Transactions on Industrial Electronics, 2008, 55, 218-228. | 5.2 | 165 |
| 67 | Design of a Wide Input Range DC–DC Converter With a Robust Power Control Scheme Suitable for Fuel Cell Power Conversion. IEEE Transactions on Industrial Electronics, 2008, 55, 1247-1255. | 5.2 | 215 |
| 68 | FPGA-Based Real-Time Power Converter Failure Diagnosis for Wind Energy Conversion Systems. IEEE Transactions on Industrial Electronics, 2008, 55, 4299-4308. | 5.2 | 212 |
| 69 | Behavior of PWM Active Front Ends in the Presence of Parallel Thyristor Converters. IEEE Transactions on Industrial Electronics, 2008, 55, 1035-1046. | 5.2 | 14 |
| 70 | Capacitor-Based Multisource of Flyback-Type Power Collector. IEEE Transactions on Industrial Electronics, 2008, 55, 3115-3123. | 5.2 | 0 |
| 71 | Long-Lifetime Power Inverter for Photovoltaic AC Modules. IEEE Transactions on Industrial Electronics, 2008, 55, 2593-2601. | 5.2 | 214 |
| 72 | Development of a Methodology for Improving Photovoltaic Inverter Reliability. IEEE Transactions on Industrial Electronics, 2008, 55, 2581-2592. | 5.2 | 198 |

| | Сітатіо | n Report | |
|----|--|----------|-----------|
| # | Article | IF | CITATIONS |
| 73 | Analysis Results of Output Power Loss Due to the Grid Voltage Rise in Grid-Connected Photovoltaic Power Generation Systems. IEEE Transactions on Industrial Electronics, 2008, 55, 2744-2751. | 5.2 | 181 |
| 74 | Power-Conditioning Circuitry for a Self-Powered System Based on Micro PZT Generators in a 0.13-\$muhbox{m}\$ Low-Voltage Low-Power Technology. IEEE Transactions on Industrial Electronics, 2008, 55, 3249-3257. | 5.2 | 62 |
| 75 | Multi-objective optimization and MPPT in a single stage photovoltaic inverter. , 2008, , . | | 3 |
| 76 | Fault Current Limiter Placement Strategies and Evaluation in Two Example Systems. , 2008, , . | | 6 |
| 77 | A grid interface for distributed energy resources with integrated energy storage using a high frequency AC link. Power Electronics Specialist Conference (PESC), IEEE, 2008, , . | 0.0 | 4 |
| 78 | High-order sliding mode control of DFIG-based marine current turbine. , 2008, , . | | 18 |
| 79 | Behavior matching technique applied to a three-phase grid-connected PV system. , 2008, , . | | 8 |
| 80 | Power quality issues ⁢'s mitigation technique in wind energy generation. , 2008, , . | | 25 |
| 81 | Sizing and power management strategies for battery storage integration into wind-diesel systems. , 2008, , . | | 12 |
| 82 | An Adaptive Nonlinear Controller for DFIM-Based Wind Energy Conversion Systems. IEEE Transactions on Energy Conversion, 2008, 23, 1025-1035. | 3.7 | 56 |
| 83 | AC power electronic systems: Stability and power quality. , 2008, , . | | 41 |
| 84 | Energy storage systems in distributed generation schemes. , 2008, , . | | 24 |
| 85 | Comparison of power converter topologies for permanent magnet small wind turbine system. , 2008, , . | | 30 |
| 86 | The application of droop-control in distributed energy resources to extend the voltage collapse margin. , 2008, , . | | 1 |
| 87 | Implementation of a closed loop SHMPWM technique for three level converters. , 2008, , . | | 17 |
| 88 | Predictive current control of grid-connected neutral-point-clamped converters to meet low voltage ride-through requirements. Power Electronics Specialist Conference (PESC), IEEE, 2008, , . | 0.0 | 24 |
| 89 | Verification by simulation of power management strategies for 4Q-load. , 2008, , . | | 0 |
| 90 | A bit-stream based PWM technique for variable frequency sinewave generation. , 2008, , . | | 7 |

| # 91 | ARTICLE International practices in distributed generation. , 2008, , . | IF | CITATIONS |
|---------|--|-----|-----------|
| 92 | Harmonic damping by means of DG front-end converter. Part I: Theory and algorithm. , 2008, , . | | 1 |
| 93 | DC voltage sensorless control strategy for three-phase grid-connected inverter. Power Electronics Specialist Conference (PESC), IEEE, 2008, , . | 0.0 | 2 |
| 94 | An Electrical Approach to Mechanical Effort Reduction in Wind Energy Conversion Systems. IEEE Transactions on Energy Conversion, 2008, 23, 1108-1110. | 3.7 | 28 |
| 95 | Energy Storage to Stabilize the Weak Wind Generating Grid. , 2008, , . | | 12 |
| 96 | Behavior Matching as fundamental feature to obtain a modified dual-stage inverter. , 2008, , . | | 1 |
| 97 | A Comparison of Energy Densities of Prevalent Energy Sources in Units of Joules Per Cubic Meter. International Journal of Green Energy, 2008, 5, 438-455. | 2.1 | 61 |
| 98 | WRIG based wind conversion system excited by matrix converter with current control strategy. , 2008, , . | | 4 |
| 99 | Rapid development of an FPGA controller for a Wind / Photovoltaic power system. , 2008, , . | | 7 |
| 100 | Simulated Onshore-Fault Ride through of Offshore Wind Farms Connected through VSC HVDC. Wind Engineering, 2008, 32, 103-113. | 1.1 | 26 |
| 101 | Observer-based Direct Power Control for three-level NPC rectifiers. , 2009, , . | | 6 |
| 102 | Single phase inverter grid connected, controlled by fundamental harmonic calculation. , 2009, , . | | 1 |
| 103 | Wideband Current Transducer for Measuring AC Signals With Limited DC Offset. IEEE Transactions on Power Electronics, 2009, 24, 1776-1787. | 5.4 | 14 |
| 104 | Electrical grid integration and power quality studies of a variable-speed wind energy conversion system. , 2009, , . | | 6 |
| 105 | A battery energy storage system based on a multilevel cascade PWM converter. , 2009, , . | | 17 |
| 106 | An improved SVM carrier implementation method applied in wind power converters. , 2009, , . | | 0 |
| 107 | Research on multiple armature-winding hybrid-excitation generator in direct-driven wind power generation system. , 2009, , . | | 0 |
| 108 | Research on the characteristics of back to back full-size converter applied to direct drive wind power system. , 2009, , . | | 3 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Implementation on DSP TMS320F2812 of the control of the grid converter of a small wind turbine system. , 2009, , . | | 6 |
| 110 | Design and application of a Linux Real Time board for distributed power generation. , 2009, , . | | 1 |
| 111 | An Expert System for optimal scheduling of a diesel — wind — energy storage isolated power system. , 2009, , . | | 7 |
| 112 | A Novel, PWM-Inverter Scheme for Grid Connected WEGS for Power Quality Measure. , 2009, , . | | 4 |
| 113 | A hybrid control method for three-phase grid-connected inverters with high quality power. , 2009, , . | | 1 |
| 114 | A voltage sensing approach for a maximum power tracking in integrated photovoltaic applications. , 2009, , . | | 6 |
| 115 | A novel Voltage-Source Converter topology suitable for interface of renewable sources. , 2009, , . | | 6 |
| 116 | Multilevel Converters: An Enabling Technology for High-Power Applications. Proceedings of the IEEE, 2009, 97, 1786-1817. | 16.4 | 970 |
| 117 | High-performance control of a three-phase voltage-source converter including feedforward compensation of the estimated load current. Energy Conversion and Management, 2009, 50, 2000-2008. | 4.4 | 28 |
| 118 | Fault ride through of fully rated converter wind turbines with AC and DC transmission systems. IET Renewable Power Generation, 2009, 3, 426. | 1.7 | 143 |
| 119 | Distributed multi-generation: A comprehensive view. Renewable and Sustainable Energy Reviews, 2009, 13, 535-551. | 8.2 | 609 |
| 120 | A review of power electronics interfaces for distributed energy systems towards achieving low-cost modular design. Renewable and Sustainable Energy Reviews, 2009, 13, 2323-2335. | 8.2 | 122 |
| 121 | Reliability analysis of grid connected small wind turbine power electronics. Applied Energy, 2009, 86, 1617-1623. | 5.1 | 73 |
| 122 | A novel three-phase rectifier with high power factor for wind energy conversion systems. , 2009, , . | | 14 |
| 123 | Control and protection of power electronics interfaced distributed generation systems in a customer-driven microgrid. , 2009, , . | | 121 |
| 124 | DC-Voltage-Ratio Control Strategy for Multilevel Cascaded Converters Fed With a Single DC Source. IEEE Transactions on Industrial Electronics, 2009, 56, 2513-2521. | 5.2 | 125 |
| 125 | Implementation of Grid-connected Single-phase Inverter Based on FPGA. , 2009, , . | | 13 |
| 126 | Mitigation of harmonic distortion by power electronic interface connecting distributed generation sources to a weak grid. , 2009, , . | | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Grid-connected PV system using a three-phase modified dual-stage inverter. , 2009, , . | | 7 |
| 128 | Hybrid PV-CHP distributed system: Design aspects and realization. , 2009, , . | | 8 |
| 129 | Multilevel Multiphase Space Vector PWM Algorithm With Switching State Redundancy. IEEE Transactions on Industrial Electronics, 2009, 56, 792-804. | 5.2 | 91 |
| 130 | Multilevel Inverter For Grid-Connected PV System Employing Digital PI Controller. IEEE Transactions on Industrial Electronics, 2009, 56, 149-158. | 5.2 | 489 |
| 131 | Z-source inverter with grid connected for wind power system. , 2009, , . | | 16 |
| 132 | Wavelet-Based Islanding Detection in Grid-Connected PV Systems. IEEE Transactions on Industrial Electronics, 2009, 56, 4445-4455. | 5.2 | 162 |
| 133 | Control methods for Low Voltage Ride-Through compliance in grid-connected NPC converter based wind power systems using predictive control. , 2009, , . | | 15 |
| 134 | A DCM three-phase high frequency semi-controlled rectifier feasible for low power WECS based on a permanent magnet generator. , 2009, , . | | 9 |
| 135 | High-order sliding mode control of a DFIG-based Wind Turbine for power maximization and grid fault tolerance. , 2009, , . | | 43 |
| 136 | Operations of DFIG with simplified rotor current reference model and solution to the recent grid code requirements. , 2009, , . | | 2 |
| 137 | An Accurate Power Control Strategy for Power-Electronics-Interfaced Distributed Generation Units Operating in a Low-Voltage Multibus Microgrid. IEEE Transactions on Power Electronics, 2009, 24, 2977-2988. | 5.4 | 981 |
| 138 | Adaptive nonlinear maximum power point tracker for a WECS based on permanent magnet synchronous generator fed by a matrix converter. , 2009, , . | | 6 |
| 139 | A model reference adaptive controller for a wind energy conversion system based on a permanent magnet synchronous generator fed by a matrix converter. , 2009, , . | | 7 |
| 140 | Control Design Guidelines for Single-Phase Grid-Connected Photovoltaic Inverters With Damped Resonant Harmonic Compensators. IEEE Transactions on Industrial Electronics, 2009, 56, 4492-4501. | 5.2 | 235 |
| 141 | Low-Cost Gate Drive Circuit for Three-Level Neutral-Point-Clamped Voltage-Source Inverter. IEEE Transactions on Industrial Electronics, 2009, 56, 1196-1204. | 5.2 | 11 |
| 142 | Power optimization strategy for cascaded DC-DC converter architectures of photovoltaic modules. , 2009, , . | | 28 |
| 143 | A Control Methodology and Characterization of Dynamics for a Photovoltaic (PV) System Interfaced With a Distribution Network. IEEE Transactions on Power Delivery, 2009, 24, 1538-1551. | 2.9 | 276 |
| 144 | Evaluation of Current Controllers for Distributed Power Generation Systems. IEEE Transactions on Power Electronics, 2009, 24, 654-664. | 5.4 | 787 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Performance evaluation of photovoltaic solar system with different MPPT methods. , 2009, , . | | 32 |
| 146 | High-order sliding mode control of a Marine Current Turbine driven Permanent Magnet Synchronous Generator. , 2009, , . | | 10 |
| 147 | Speed sensorless control of a PMSG for small wind turbine systems. , 2009, , . | | 9 |
| 148 | PSO, an effective tool for harmonics elimination and optimization in multi-level inverters. , 2009, , . | | 47 |
| 149 | Modeling and Simulation of Wind Energy Systems with Matrix and Multilevel Power Converters. IEEE Latin America Transactions, 2009, 7, 78-84. | 1.2 | 34 |
| 150 | Nighttime Application of PV Solar Farm as STATCOM to Regulate Grid Voltage. IEEE Transactions on Energy Conversion, 2009, 24, 983-985. | 3.7 | 222 |
| 151 | Research on grid-connected inverter based on virtual grid voltage flux and PLL without grid voltage sensors. , 2009, , . | | 3 |
| 152 | Static synchronous generators for distributed generation and renewable energy. , 2009, , . | | 145 |
| 153 | Virtual frequency-voltage frame control of inverter based low voltage microgrid. , 2009, , . | | 30 |
| 154 | New trends and topologies for high power industrial applications: The multilevel converters solution. , 2009, , . | | 12 |
| 155 | Control of a cascaded H-bridge multilevel converter for grid connection of photovoltaic systems. , 2009, , . | | 116 |
| 156 | Design of a Solar-Harvesting Circuit for Batteryless Embedded Systems. IEEE Transactions on Circuits and Systems I: Regular Papers, 2009, 56, 2519-2528. | 3.5 | 226 |
| 157 | Wind-solar resource complementarity and its combined correlation with electricity load demand. , 2009, , . | | 17 |
| 158 | An accurate power control strategy for inverter based distributed generation units operating in a low voltage microgrid. , 2009, , . | | 11 |
| 159 | Electronic ballasts driven by hybrid source using microprocessor-controlled digital switching technique. , 2009, , . | | 0 |
| 160 | Dynamic slip control topologies and novel control strategy for grid connected opti-slip induction generator. , 2009, , . | | 2 |
| 161 | Research on superconducting magnetic energy storage in the photovoltaic distributed generation. , 2009, , . | | 9 |
| 162 | Adaptive neuro-fuzzy control of renewable interfacing inverter to maintain smooth power flow and non-linear unbalanced load compensation simultaneously. , 2009, , . | | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Dynamic stability of wind turbines with permanent magnet machines and power-electronic converters. , 2009, , . | | 3 |
| 164 | Power Electronics and Motor Drives Recent Progress and Perspective. IEEE Transactions on Industrial Electronics, 2009, 56, 581-588. | 5.2 | 348 |
| 165 | Power Injection System for Grid-Connected Photovoltaic Generation Systems Based on Two Collaborative Voltage Source Inverters. IEEE Transactions on Industrial Electronics, 2009, 56, 4389-4398. | 5.2 | 49 |
| 166 | Real-Time Emulation of a Hydrogen-Production Process for Assessment of an Active Wind-Energy Conversion System. IEEE Transactions on Industrial Electronics, 2009, 56, 737-746. | 5.2 | 55 |
| 167 | Limitations of Voltage-Oriented PI Current Control of Grid-Connected PWM Rectifiers With \$LCL\$ Filters. IEEE Transactions on Industrial Electronics, 2009, 56, 380-388. | 5.2 | 619 |
| 168 | Dynamic Behavior Modeling and Verification of Advanced Electrical-Generator Set Concept. IEEE Transactions on Industrial Electronics, 2009, 56, 266-279. | 5.2 | 53 |
| 169 | Control and Resonance Damping of Voltage-Source and Current-Source Converters With \$LC\$ Filters. IEEE Transactions on Industrial Electronics, 2009, 56, 1511-1521. | 5.2 | 293 |
| 170 | Design of \$LCL\$ Filters of Active-Front-End Two-Level Voltage-Source Converters. IEEE Transactions on Industrial Electronics, 2009, 56, 1674-1689. | 5.2 | 364 |
| 171 | Real-Time Calculation of Switching Angles Minimizing THD for Multilevel Inverters With Step Modulation. IEEE Transactions on Industrial Electronics, 2009, 56, 285-293. | 5.2 | 189 |
| 172 | Fundamental-Frequency-Modulated Six-Level Diode-Clamped Multilevel Inverter for Three-Phase Stand-Alone Photovoltaic System. IEEE Transactions on Industrial Electronics, 2009, 56, 4407-4415. | 5.2 | 157 |
| 173 | A New Topology With High Efficiency Throughout All Load Range for Photovoltaic PCS. IEEE Transactions on Industrial Electronics, 2009, 56, 4427-4435. | 5.2 | 103 |
| 174 | Energy Storage and Power Management for Typical 4Q-Load. IEEE Transactions on Industrial Electronics, 2009, 56, 1485-1498. | 5.2 | 87 |
| 175 | Energetic Macroscopic Representation and Inversion-Based Control Illustrated on a Wind-Energy-Conversion System Using Hardware-in-the-Loop Simulation. IEEE Transactions on Industrial Electronics, 2009, 56, 4826-4835. | 5.2 | 78 |
| 176 | Model Predictive Control of an Inverter With Output \$LC\$ Filter for UPS Applications. IEEE Transactions on Industrial Electronics, 2009, 56, 1875-1883. | 5.2 | 552 |
| 177 | A Robust Predictive Current Control for Three-Phase Grid-Connected Inverters. IEEE Transactions on Industrial Electronics, 2009, 56, 1993-2004. | 5.2 | 178 |
| 178 | Control Strategies Based on Symmetrical Components for Grid-Connected Converters Under Voltage Dips. IEEE Transactions on Industrial Electronics, 2009, 56, 2162-2173. | 5.2 | 312 |
| 179 | Experimental Performance of MPPT Algorithm for Photovoltaic Sources Subject to Inhomogeneous Insolation. IEEE Transactions on Industrial Electronics, 2009, 56, 4374-4380. | 5.2 | 165 |
| 180 | Direct Virtual Torque Control for Doubly Fed Induction Generator Grid Connection. IEEE Transactions on Industrial Electronics, 2009, 56, 4163-4173. | 5.2 | 119 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Organic Architecture for Small- to Large-Scale Photovoltaic Power Stations. IEEE Transactions on Industrial Electronics, 2009, 56, 4332-4343. | 5.2 | 13 |
| 182 | A Technique for Improving P&O MPPT Performances of Double-Stage Grid-Connected Photovoltaic Systems. IEEE Transactions on Industrial Electronics, 2009, 56, 4473-4482. | 5.2 | 373 |
| 183 | Analysis and Design of a Photovoltaic System DC Connected to the Utility With a Power Factor Corrector. IEEE Transactions on Industrial Electronics, 2009, 56, 4354-4362. | 5.2 | 33 |
| 184 | Current Sensor Fault-Tolerant Control for WECS With DFIG. IEEE Transactions on Industrial Electronics, 2009, 56, 4660-4670. | 5.2 | 74 |
| 185 | Modeling of zinc energy storage system for integration with renewable energy. , 2009, , . | | 3 |
| 186 | A high efficiency autonomous street lighting system based on solar energy and LEDs. , 2009, , . | | 49 |
| 187 | Decoupled power control for an inverter based low voltage microgrid in autonomous operation. , 2009, , . | | 30 |
| 188 | Power system small-signal oscillation stability as affected by large-scale PV penetration. , 2009, , . | | 41 |
| 189 | Solutions for SCADA system communication reliability in photovoltaic power plants. , 2009, , . | | 12 |
| 190 | Improved model of photovoltaic sources considering ambient temperature and solar irradiation. , 2009, , . | | 10 |
| 191 | Power injection system for photovoltaic generation plants with active filtering capability. , 2009, , . | | 3 |
| 192 | A Statistical Approach to the Design of a Dispatchable Wind Power-Battery Energy Storage System. IEEE Transactions on Energy Conversion, 2009, 24, 916-925. | 3.7 | 102 |
| 193 | Design of Dual Mode Linguistic Hedge Fuzzy Logic Controller for an Isolated Wind-Diesel Hybrid Power System with Lossy Magnetic Energy Storage Unit. Wind Engineering, 2009, 33, 607-629. | 1.1 | 0 |
| 194 | Control Scheme for Mitigation of Output Power Fluctuations in Grid Connected Wound Rotor Induction Generator. Wind Engineering, 2010, 34, 579-593. | 1.1 | 2 |
| 195 | Processamento eletrônico da energia solar fotovoltaica em sistemas conectados à rede elétrica. Controle and Automacao, 2010, 21, 159-172. | 0.2 | 10 |
| 196 | Wind Energy Conversion System from Electrical Perspective—A Survey. Smart Grid and Renewable Energy, 2010, 01, 119-131. | 0.7 | 24 |
| 197 | Maximum power point tracking of a Wind Energy Conversion System using adaptive nonlinear approach. , 2010, , . | | 18 |
| 198 | A High-Efficiency High Step-Up Converter With Low Switch Voltage Stress for Fuel-Cell System Applications. IEEE Transactions on Industrial Electronics, 2010, 57, 1998-2006. | 5.2 | 163 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Single phase grid-connected PV system with time-sharing modulation and Pi-type regulators for DC-DC boost converter and full-bridge inverter. , 2010, , . | | 4 |
| 200 | Improved power conditioning system for grid integration of photovoltaic solar energy conversion systems. , 2010, , . | | 13 |
| 201 | Advanced power conditioning system for grid integration of direct-driven PMSG wind turbines. , 2010, | | 12 |
| 202 | Analysis of a battery-integrated boost converter for module-based series connected photovoltaic system. , 2010, , . | | 12 |
| 203 | A multi-objective control strategy for grid connection of DG (distributed generation) resources. Energy, 2010, 35, 5022-5030. | 4.5 | 42 |
| 204 | Robust space vector modulation technique for unbalance voltage disturbances. Electric Power Systems Research, 2010, 80, 1364-1374. | 2.1 | 8 |
| 205 | Dc voltage sensorless control method for three-phase grid-connected inverters. IET Power Electronics, 2010, 3, 552. | 1.5 | 7 |
| 206 | Exponentially convergent estimator to improve performance of voltage source converters. IET Power Electronics, 2010, 3, 668. | 1.5 | 7 |
| 207 | Power ramp rate control and flicker mitigation for directly grid connected wind turbines. IET Renewable Power Generation, 2010, 4, 261. | 1.7 | 31 |
| 208 | Modelling and control of a marine current turbine-driven doubly fed induction generator. IET Renewable Power Generation, 2010, 4, 1. | 1.7 | 53 |
| 209 | Design and implementation of a hybrid regenerative power system combining grid–tie and uninterruptible power supply functions. IET Renewable Power Generation, 2010, 4, 85. | 1.7 | 57 |
| 210 | Harmonic assessment of variable-speed wind turbines considering a converter control malfunction. IET Renewable Power Generation, 2010, 4, 139. | 1.7 | 43 |
| 211 | Offshore underwater substation for wave energy converter arrays. IET Renewable Power Generation, 2010, 4, 602. | 1.7 | 40 |
| 212 | An Improved Control Strategy for Hybrid Wind Farms. IEEE Transactions on Sustainable Energy, 2010, 1, 131-141. | 5.9 | 42 |
| 213 | Leakage Current Analytical Model and Application in Single-Phase Transformerless Photovoltaic Grid-Connected Inverter. IEEE Transactions on Electromagnetic Compatibility, 2010, 52, 902-913. | 1.4 | 316 |
| 214 | High-Order Sliding Mode Control of a Marine Current Turbine Driven Doubly-Fed Induction Generator. IEEE Journal of Oceanic Engineering, 2010, 35, 402-411. | 2.1 | 66 |
| 215 | A STATCOM-Control Scheme for Grid Connected Wind Energy System for Power Quality Improvement. IEEE Systems Journal, 2010, 4, 346-352. | 2.9 | 194 |
| 216 | Global Warming: Energy, Environmental Pollution, and the Impact of Power Electronics. IEEE Industrial Electronics Magazine, 2010, 4, 6-17. | 2.3 | 391 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Future Energy Systems: Integrating Renewable Energy Sources into the Smart Power Grid Through Industrial Electronics. IEEE Industrial Electronics Magazine, 2010, 4, 18-37. | 2.3 | 817 |
| 218 | Renewable Energy Operation and Conversion Schemes: A Summary of Discussions During the Seminar on Renewable Energy Systems. IEEE Industrial Electronics Magazine, 2010, 4, 38-51. | 2.3 | 113 |
| 219 | Dual mode linguistic hedge fuzzy logic controller for an isolated wind–diesel hybrid power system with superconducting magnetic energy storage unit. Energy Conversion and Management, 2010, 51, 169-181. | 4.4 | 33 |
| 220 | Energy Production System Management – Renewable energy power supply integration with Building Automation System. Energy Conversion and Management, 2010, 51, 1120-1126. | 4.4 | 93 |
| 221 | Fractional-order control and simulation of wind energy systems with PMSG/full-power converter topology. Energy Conversion and Management, 2010, 51, 1250-1258. | 4.4 | 87 |
| 222 | Power converter topologies for wind energy conversion systems: Integrated modeling, control strategy and performance simulation. Renewable Energy, 2010, 35, 2165-2174. | 4.3 | 69 |
| 223 | Wave energy plants: Control strategies for avoiding the stalling behaviour in the Wells turbine. Renewable Energy, 2010, 35, 2639-2648. | 4.3 | 52 |
| 224 | Distributed photovoltaic generation and energy storage systems: A review. Renewable and Sustainable Energy Reviews, 2010, 14, 506-511. | 8.2 | 227 |
| 225 | Controls for microgrids with storage: Review, challenges, and research needs. Renewable and Sustainable Energy Reviews, 2010, 14, 2009-2018. | 8.2 | 395 |
| 226 | Green accounting for greener energy. Renewable and Sustainable Energy Reviews, 2010, 14, 2473-2491. | 8.2 | 16 |
| 227 | Design of improved fuel cell controller for distributed generation systems. International Journal of Hydrogen Energy, 2010, 35, 5974-5980. | 3.8 | 11 |
| 228 | Dynamic modeling, simulation and control design of an advanced micro-hydro power plant for distributed generation applications. International Journal of Hydrogen Energy, 2010, 35, 5772-5777. | 3.8 | 71 |
| 229 | Evaluating the benefits of an electrical energy storage system in a future smart grid. Energy Policy, 2010, 38, 7180-7188. | 4.2 | 235 |
| 230 | DSTATCOM with Flywheel Energy Storage System for wind energy applications: Control design and simulation. Electric Power Systems Research, 2010, 80, 345-353. | 2.1 | 51 |
| 231 | A micro-DC power distribution system for a residential application energized by photovoltaic–wind/fuel cell hybrid energy systems. Energy and Buildings, 2010, 42, 1344-1352. | 3.1 | 65 |
| 232 | PV Solar Energy Conversion Using The Behavior Matching Technique. , 0, , . | | 1 |
| 233 | A DC/DC Converter for Clean-Energy Applications. , 0, , . | | 2 |
| 234 | Dynamic Modelling and Control Design of Advanced Energy Storage for Power System Applications. , 2010, , . | | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Optimal autonomous control of an inverter-based microgrid using particle swarm optimization. , 2010, , . | | 7 |
| 236 | Ride through of OWC-based wave power generation plant with air flow control under symmetrical voltage dips. , 2010, , . | | 4 |
| 237 | A predictive control strategy for grid-connected inverters based on a new electrical signal modeling. , 2010, , . | | 2 |
| 238 | A MRAS observer applied to sensorless doubly fed induction machine drives. , 2010, , . | | 9 |
| 239 | Sloped Multi-Level Selective Harmonic Elimination pulse-width modulation. , 2010, , . | | 1 |
| 240 | Voltages balance control in three phase three-level NPC rectifiers. , 2010, , . | | 15 |
| 241 | A matrix converter utility interface for grid resources with a high-frequency bus. , 2010, , . | | 1 |
| 242 | Generalized direct power control for grid connected multilevel converters. , 2010, , . | | 7 |
| 243 | Achieving the Smart Grid through customer-driven microgrids supported by energy storage. , 2010, , . | | 37 |
| 244 | Sliding mode observation of capacitor voltage in multilevel power converters. , 2010, , . | | 9 |
| 245 | Notice of Retraction: Review of Smart Grid and its Development Prospect in Sichuan. , 2010, , . | | 9 |
| 246 | Emulation of a single phase dsPIC based grid-connected wind energy conversion system. , 2010, , . | | 2 |
| 247 | Fault-tolerant resonant converters for highly efficient power conversion of solar panels in smart grids. , 2010, , . | | 4 |
| 248 | Elimination of Harmonics in Multilevel Converters Using Stochastic Newton Method. , 2010, , . | | 3 |
| 249 | Review of DC System Technologies for Large Scale Integration of Wind Energy Systems with Electricity Grids. Energies, 2010, 3, 1303-1319. | 1.6 | 30 |
| 250 | Relevant aspects in designing a photovoltaic inverter for industrial and commercial applications. , 2010, , . | | 5 |
| 251 | Control scheme for low voltage ride-through compliance in back-to-back NPC converter based wind power systems. , 2010, , . | | 20 |
| 252 | Analysis and design of interfacing inverter output virtual impedance in a low voltage microgrid. , 2010, , . | | 33 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Benefits of Power Electronic Interfaces for Distributed Energy Systems. IEEE Transactions on Energy Conversion, 2010, 25, 901-908. | 3.7 | 255 |
| 255 | Synchronous PI current control technique for three-phase PFC rectifier for PMSG wind generation system. , 2010, , . | | 3 |
| 256 | Distributed energy resources in grid interactive AC microgrids. , 2010, , . | | 28 |
| 257 | Optimal Power Management in Fueled Systems With Finite Storage Capacity. IEEE Transactions on Circuits and Systems I: Regular Papers, 2010, 57, 2221-2231. | 3.5 | 35 |
| 258 | Individual MPPT of photovoltaic arrays with use of single-phase three-level diode-clamped inverter. , 2010, , . | | 11 |
| 259 | Enhanced fault ride-through scheme and coordinated reactive power control for DFIG. , 2010, , . | | 0 |
| 260 | A robust control scheme for grid-connected voltage source inverters. , 2010, , . | | 11 |
| 261 | Analysis and design of TRAP and LCL filters for active switching converters. , 2010, , . | | 30 |
| 262 | Parallel connection of grid-connected LCL inverters for MW-scaled photovoltaic Systems. , 2010, , . | | 19 |
| 263 | Recent advances in high-power industrial applications. , 2010, , . | | 15 |
| 264 | Improved power conditioning system of micro-hydro power plant for distributed generation applications. , 2010, , . | | 26 |
| 265 | Power and energy analysis of commercial small wind turbine systems. , 2010, , . | | 13 |
| 266 | Potential-Function Based Control of a Microgrid in Islanded and Grid-Connected Modes. IEEE Transactions on Power Systems, 2010, 25, 1883-1891. | 4.6 | 351 |
| 267 | Dynamic modeling of wind farms with variable-speed direct-driven PMSG wind turbines. , 2010, , . | | 26 |
| 268 | Sensorless vector control of PMSG for variable speed wind energy applications. , 2010, , . | | 1 |
| 269 | Analysis of converter topological structure for direct-drive wind power system with PMSG. , 2010, , . | | 15 |
| 270 | Improvement of power quality for PMSG wind turbine systems. , 2010, , . | | 18 |
| 271 | Design of an Inverter Array for Distributed Generations With Flexible Capacity Operations. IEEE Transactions on Industrial Electronics, 2010, 57, 3927-3934. | 5.2 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 272 | Cooperative Control Strategy of Energy Storage System and Microsources for Stabilizing the Microgrid during Islanded Operation. IEEE Transactions on Power Electronics, 2010, 25, 3037-3048. | 5.4 | 452 |
| 273 | Stability analysis of a two-cell DC/DC converter using a dynamic time delayed feedback controller. , 2010, , . | | 2 |
| 274 | Energy Harvesting From Vibration With Alternate Scavenging Circuitry and Tapered Cantilever Beam. IEEE Transactions on Industrial Electronics, 2010, 57, 820-830. | 5.2 | 70 |
| 275 | Seamless Transfer of Single-Phase Grid-Interactive Inverters Between Grid-Connected and Stand-Alone Modes. IEEE Transactions on Power Electronics, 2010, 25, 1597-1603. | 5.4 | 223 |
| 276 | Decentralized Parallel Operation of Inverters Sharing Unbalanced and Nonlinear Loads. IEEE Transactions on Power Electronics, 2010, 25, 3015-3025. | 5.4 | 233 |
| 277 | Sensorless control of PMSG in variable speed wind energy conversion systems. , 2010, , . | | 7 |
| 278 | Autonomous street lighting system based on solar energy and LEDs. , 2010, , . | | 22 |
| 279 | A novel three-phase Quasi-soft-Switching DC/AC inverter. , 2010, , . | | 8 |
| 280 | Energy storage to strengthen the wind generator in integrated power system. , 2010, , . | | 11 |
| 281 | Predictive Current Controlled 5-kW Single-Phase Bidirectional Inverter With Wide Inductance Variation for DC-Microgrid Applications. IEEE Transactions on Power Electronics, 2010, 25, 3076-3084. | 5.4 | 96 |
| 282 | Ultracapacitor-based storage: Modelling, power conversion and energy considerations. , 2010, , . | | 12 |
| 283 | Sliding mode current control of grid-connected voltage source converter. , 2010, , . | | 5 |
| 284 | Superconducting Multistack Inductor for Synchronous Motors Using the Diamagnetism Property of Bulk Material. IEEE Transactions on Industrial Electronics, 2010, 57, 146-153. | 5.2 | 25 |
| 285 | Wind energy conversion based on seven-level cascaded H-bridge inverter using LabVIEW FPGA. , 2010, , . | | 7 |
| 286 | A Synchronous Reference Frame Robust Predictive Current Control for Three-Phase Grid-Connected Inverters. IEEE Transactions on Industrial Electronics, 2010, 57, 954-962. | 5.2 | 124 |
| 287 | Multistring Five-Level Inverter With Novel PWM Control Scheme for PV Application. IEEE Transactions on Industrial Electronics, 2010, 57, 2111-2123. | 5.2 | 238 |
| 288 | Thermoelectric Microconverter for Energy Harvesting Systems. IEEE Transactions on Industrial Electronics, 2010, 57, 861-867. | 5.2 | 142 |
| 289 | Extending the Life of Gear Box in Wind Generators by Smoothing Transient Torque With STATCOM. IEEE Transactions on Industrial Electronics, 2010, 57, 476-484. | 5.2 | 79 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 290 | Frequency-Shift Acceleration Control for Anti-Islanding of a Distributed-Generation Inverter. IEEE Transactions on Industrial Electronics, 2010, 57, 494-504. | 5.2 | 37 |
| 291 | Harmonic Elimination of Cascade Multilevel Inverters with Nonequal DC Sources Using Particle Swarm Optimization. IEEE Transactions on Industrial Electronics, 2010, 57, 3678-3684. | 5.2 | 250 |
| 292 | Stability and Bandwidth Implications of Digitally Controlled Grid-Connected Parallel Inverters. IEEE Transactions on Industrial Electronics, 2010, 57, 3685-3694. | 5.2 | 97 |
| 293 | An Online Control Algorithm for Application of a Hybrid ESS to a Wind–Diesel System. IEEE Transactions on Industrial Electronics, 2010, 57, 3896-3904. | 5.2 | 57 |
| 294 | Energy Storage Systems for Transport and Grid Applications. IEEE Transactions on Industrial Electronics, 2010, 57, 3881-3895. | 5.2 | 1,054 |
| 295 | Multi-output DC–DC converters based on diode-clamped converters configuration: topology and control strategy. IET Power Electronics, 2010, 3, 197. | 1.5 | 154 |
| 296 | Efficiency Improvement of Grid-Tied Inverters at Low Input Power Using Pulse-Skipping Control Strategy. IEEE Transactions on Power Electronics, 2010, 25, 3129-3138. | 5.4 | 40 |
| 297 | Using current-based MPPT method in new integrated system of PV module and STATCOM. , 2010, , . | | 7 |
| 298 | Dynamic Response of Wind Turbine with Double-Fed Induction Generator during Grid Voltage Dip. , 2010, , . | | 0 |
| 299 | A Pitch Control Malfunction Analysis for Wind Turbines with Permanent Magnet Synchronous Generator and Full-power Converters: Proportional Integral Versus Fractional-order Controllers. Electric Power Components and Systems, 2010, 38, 387-406. | 1.0 | 27 |
| 300 | Simulation tools for analysis of distribution systems with distributed resources. Present and future trends. , 2010, , . | | 5 |
| 301 | A Three-Phase High-Frequency Semicontrolled Rectifier for PM WECS. IEEE Transactions on Power Electronics, 2010, 25, 677-685. | 5.4 | 104 |
| 302 | Fractional-order control and simulation of wind turbines with full-power converters. , 2010, , . | | 8 |
| 303 | Power electronics and controls for wind turbine systems. , 2010, , . | | 35 |
| 304 | Predictive current controller for a grid connected three level inverter with reactive power control. , 2010, , . | | 7 |
| 305 | An analytical approach to total harmonic distortion reduction in multi-level inverters. , 2010, , . | | 4 |
| 306 | THD reduction with grid synchronized inverter's power injection of renewable sources. , 2010, , . | | 4 |
| 307 | Application of OMTHD on the line voltage of cascaded multi-level inverters with adjustable DC sources. , 2010, , . | | 13 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 308 | Trends in power electronics and control of renewable energy systems. , 2010, , . | | 73 |
| 309 | A new sensorless control strategy used in direct-drive PMSG wind power system. , 2010, , . | | 5 |
| 310 | A transformerless modular permanent magnet wind generator system with minimum generator coils. , 2010, , . | | 8 |
| 311 | Study of a simple control strategy for grid connected VSI using SVPWM and p-q theory. , 2010, , . | | 4 |
| 312 | The research of Power Electronic Transformer (PET) in Smart distribution network. , 2010, , . | | 5 |
| 313 | Wind energy systems with power-electronic converters and fractional-order controllers. , 2010, , . | | 3 |
| 314 | Sensorless control strategy for grid connected PV array and wind-driven induction generators. , 2010, , . | | 0 |
| 315 | Fault-Tolerant Operation of a Battery-Energy-Storage System Based on a Multilevel Cascade PWM Converter With Star Configuration. IEEE Transactions on Power Electronics, 2010, 25, 2386-2396. | 5.4 | 188 |
| 316 | Isolated Buck-Boost DC/DC converter for PV grid-connected system. , 2010, , . | | 4 |
| 317 | Simulation of wind power generation with fractional controllers: Harmonics analysis. , 2010, , . | | 0 |
| 318 | Efficiency improvement of grid-tied inverters at low input power using pulse skipping control strategy. , 2010, , . | | 10 |
| 319 | Power injection system for photovoltaic plants based on a multiconverter topology with DC-link capacitor voltage balancing. , 2010, , . | | 4 |
| 320 | Application of Kalman filters in model-based fault diagnosis of a DC-DC boost converter. , 2010, , . | | 33 |
| 321 | 11-Level cascaded H-bridge grid-tied inverter interface with solar panels. , 2010, , . | | 56 |
| 322 | Power converter topologies and fractional-order controllers: Wind energy applications. , 2010, , . | | 3 |
| 323 | Techno-economical analysis of Vanadium redox and Lead-acid batteries in stand-alone photovoltaic systems. , 2010, , . | | 4 |
| 324 | Singular perturbation stability analysis of three phase two-level power converters. , 2010, , . | | 16 |
| 325 | Comparative study of piezoelectric materials properties for green energy harvesting from vibration. , 2010, , . | | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 326 | Power sharing improvement in cascaded multilevel inverters. , 2010, , . | | 4 |
| 327 | High efficiency THIPWM three-phase inverter for grid connected system. , 2010, , . | | 13 |
| 328 | A new sensorless torque and reactive power controller for doubly-fed machines. , 2010, , . | | 5 |
| 329 | Power quality improvement at medium-voltage grids using Hexagram Active Power Filter. , 2010, , . | | 11 |
| 330 | Development of LVRT and HVRT control strategy for DFIG based wind turbine system. , 2010, , . | | 7 |
| 331 | The case for pumped storage units in the Indian electricity sector. , 2011, , . | | 0 |
| 332 | Improvement of LVRT capability of variable speed wind turbine generators using SMES unit. , 2011, , . | | 12 |
| 333 | Novell photovoltaic DC/DC converter. , 2011, , . | | 0 |
| 334 | A novel SVM-DPC control method for grid connected AC-DC converters under asymmetrical fault. , 2011, , . | | 5 |
| 335 | Multiple solar panels maximum power point tracking using the output current. , 2011, , . | | 3 |
| 336 | An improved virtual resistance damping method for grid-connected inverters with LCL filters. , 2011, , . | | 32 |
| 337 | Control of grid inverter based on opposite vectors hodographs. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2011, 31, 313-323. | 0.5 | 0 |
| 338 | Harmonic behavior of variable-speed wind turbines during a control fault. , 2011, , . | | 1 |
| 339 | Serving solar variations with consumption control of smart appliances and electric vehicles. , 2011, , . | | 5 |
| 340 | Bacterial foraging-based PI controller of inverter-based distributed generators. , 2011, , . | | 3 |
| 341 | Higher harmonics of converter currents in energy conversion system of small water plants. , 2011, , . | | 2 |
| 342 | Robust control of a variable speed grid connected wind turbine for below rated wind speeds. , 2011, , . | | 0 |
| 343 | Energy Efficient Fine-grained approach for Solar Photovoltaic Management System. , 2011, , . | | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 344 | Design and Implementation of a Photovoltaic High-Intensity-Discharge Street Lighting System. IEEE Transactions on Power Electronics, 2011, 26, 3464-3471. | 5.4 | 35 |
| 345 | Model predictive control of a flying capacitor converter with output LC filter for UPS applications. , 2011, , . | | 6 |
| 346 | Effect of minimizing input capacitance in VSI-based renewable energy source converters. , 2011, , . | | 9 |
| 347 | Influence of a converter control malfunction on the harmonic behavior of wind turbines with permanent magnet generator. , 2011, , . | | 2 |
| 348 | A critical study of modulation techniques for three level Diode Clamped Voltage Source Inverter for grid connection of WECS. , 2011, , . | | 2 |
| 349 | A review of the main inverter topologies applied on the integration of renewable energy resources to the grid. , 2011, , . | | 10 |
| 350 | FPGA-based fault tolerant scheme with reduced extra-sensor number for WECS with DFIG. , 2011, , . | | 0 |
| 351 | Grid-connected topology of PMSG wind power system based on VSC-HVDC. , 2011, , . | | 7 |
| 352 | A Static Compensation Method Based Scheme for Improvement of Power Quality in Wind Generation. , 2011, , . | | 1 |
| 353 | Decoupling control for transformerless grid-connected inverters in parallel operation. , 2011, , . | | 0 |
| 354 | Methods for mitigating the effects of intermittent energy production of photovoltaic sources. , 2011, , . | | 10 |
| 355 | Direct Active and Reactive Power Regulation of Grid-Connected DC/AC Converters Using Sliding Mode Control Approach. IEEE Transactions on Power Electronics, 2011, 26, 210-222. | 5.4 | 255 |
| 356 | A Lyapunov function based current controller to control active and reactive power flow in a three phase grid connected PV inverter under generalized grid voltage conditions. , 2011, , . | | 21 |
| 357 | A survey of distributed power system — AC versus DC distributed power system. , 2011, , . | | 69 |
| 358 | Optimal Design of Microgrids in Autonomous and Grid-Connected Modes Using Particle Swarm Optimization. IEEE Transactions on Power Electronics, 2011, 26, 755-769. | 5.4 | 261 |
| 360 | Improving Grid Power Quality with FACTS Device on Integration of Wind Energy System. , 2011, , . | | 33 |
| 361 | Design and development of a 500kW utility-interactive switch-clamped three-level photovoltaic inverter. , 2011, , . | | 13 |
| 362 | Power quality improvement for grid connected wind energy system using FACTS device. , 2011, , . | | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 363 | Unified DC-Link Current Control for Low-Voltage Ride-Through in Current-Source-Converter-Based Wind Energy Conversion Systems. IEEE Transactions on Power Electronics, 2011, 26, 288-297. | 5.4 | 100 |
| 364 | Realization of modified ripple-based mppt in a single-phase single-stage grid-connected photovoltaic system. , 2011, , . | | 5 |
| 365 | A family of single-stage single-switch PV MICs with steep conversion gain. , 2011, , . | | 0 |
| 366 | A Hybrid Cascade Converter Topology With Series-Connected Symmetrical and Asymmetrical Diode-Clamped H-Bridge Cells. IEEE Transactions on Power Electronics, 2011, 26, 51-65. | 5.4 | 244 |
| 367 | Robust frequency-estimation method for distorted and imbalanced three-phase systems using discrete filters. IEEE Transactions on Power Electronics, 2011, 26, 1089-1101. | 5.4 | 60 |
| 368 | Steady state analysis of three phase unbalanced distribution systems with interconnection of photovoltaic cells. , 2011, , . | | 12 |
| 369 | A Load Control Method of VSCF Wind Turbines in the Low Wind Speed. , 2011, , . | | 2 |
| 370 | Power management in a DC microgrid supported by energy storage. , 2011, , . | | 10 |
| 371 | Power quality improvement with Static Compensator on grid integration of wind energy system. , 2011, , \cdot | | 9 |
| 372 | Power management in smart grids for the integration of renewable energy resources and fluctuated loads. , 2011, , . | | 5 |
| 373 | Comparisons of four rotor speed identification schemes for PMSG based WECS. , 2011, , . | | 4 |
| 374 | DC-DC boost converter with network model for photovoltaic system. , 2011, , . | | 0 |
| 375 | Low cost single-phase semi-Z-source inverter. , 2011, , . | | 13 |
| 376 | Interface impedance consideration in the design of an input EMI filter for grid-tied PV micro-inverter. , 2011, , . | | 3 |
| 377 | Flywheel energy storage system based on boost DC-AC converter. , 2011, , . | | 2 |
| 378 | Investigation of Methods for Reduction of Power Fluctuations Generated From Large Grid-Connected Photovoltaic Systems. IEEE Transactions on Energy Conversion, 2011, 26, 318-327. | 3.7 | 317 |
| 379 | Novel Coordinated Converter Control (3C) Strategy for Enhancement of Fault Ride-through Capability of Doubly Fed Induction Generator Wind Farms. Electric Power Components and Systems, 2011, 39, 1493-1506. | 1.0 | 5 |
| 380 | Quasi-Z-Source inverter based PMSG wind power generation system. , 2011, , . | | 36 |

| # | Article | IF | CITATIONS |
|---|--|-----|-------------------------------|
| 381 | Derivation of instantaneous current references for three phase PV inverter connected to grid with active and reactive power flow control. , 2011, , . | | 26 |
| 382 | Super capacitor applications for renewable energy generation and control in smart grids. , 2011, , . | | 11 |
| 383 | Dynamic modeling and simulation of hybrid generation systems. , 2011, , . | | 1 |
| 384 | Power management strategy for microgrid with energy storage system. , 2011, , . | | 5 |
| 385 | Power electronics - key technology for renewable energy systems. , 2011, , . | | 40 |
| 386 | A novel fuzzy system for wind turbines reactive power control. , 2011, , . | | 1 |
| 387 | Interface model based cyber-physical energy system design for smart grid. , 2011, , . | | 0 |
| 388 | Grid Support with Variable Speed Wind Energy System and Battery Storage for Power Quality. Energy Procedia, 2011, 12, 1032-1041. | 1.8 | 18 |
| 389 | Topology and application of bidirectional isolated dc-dc converters. , 2011, , . | | 46 |
| | | | |
| 390 | Power electronics converters for wind turbine systems. , 2011, , . | | 28 |
| 390 391 | Power electronics converters for wind turbine systems. , 2011, , . Simplified Modeling of a DFIG for Transient Studies in Wind Power Applications. IEEE Transactions on Industrial Electronics, 2011, 58, 9-20. | 5.2 | 28 161 |
| | Simplified Modeling of a DFIG for Transient Studies in Wind Power Applications. IEEE Transactions on | 5.2 | |
| 391 | Simplified Modeling of a DFIG for Transient Studies in Wind Power Applications. IEEE Transactions on Industrial Electronics, 2011, 58, 9-20. Robust Controller for DFIGs of Grid-Connected Wind Turbines. IEEE Transactions on Industrial | | 161 |
| 391 392 | Simplified Modeling of a DFIG for Transient Studies in Wind Power Applications. IEEE Transactions on Industrial Electronics, 2011, 58, 9-20. Robust Controller for DFIGs of Grid-Connected Wind Turbines. IEEE Transactions on Industrial Electronics, 2011, 58, 4023-4038. Synchronverters: Inverters That Mimic Synchronous Generators. IEEE Transactions on Industrial | 5.2 | 161 155 |
| 391 392 393 | Simplified Modeling of a DFIG for Transient Studies in Wind Power Applications. IEEE Transactions on Industrial Electronics, 2011, 58, 9-20. Robust Controller for DFIGs of Grid-Connected Wind Turbines. IEEE Transactions on Industrial Electronics, 2011, 58, 4023-4038. Synchronverters: Inverters That Mimic Synchronous Generators. IEEE Transactions on Industrial Electronics, 2011, 58, 1259-1267. | 5.2 | 161 155 2,133 |
| 391 392 393 394 | Simplified Modeling of a DFIC for Transient Studies in Wind Power Applications. IEEE Transactions on Industrial Electronics, 2011, 58, 9-20. Robust Controller for DFICs of Crid-Connected Wind Turbines. IEEE Transactions on Industrial Electronics, 2011, 58, 4023-4038. Synchronverters: Inverters That Mimic Synchronous Generators. IEEE Transactions on Industrial Electronics, 2011, 58, 1259-1267. A modular matrix converter for transformer-less PMSG wind generation systems. , 2011, . | 5.2 | 161 155 2,133 4 |
| 391 392 393 394 395 | Simplified Modeling of a DFIC for Transient Studies in Wind Power Applications. IEEE Transactions on Industrial Electronics, 2011, 58, 9-20. Robust Controller for DFICs of Grid-Connected Wind Turbines. IEEE Transactions on Industrial Electronics, 2011, 58, 4023-4038. Synchronverters: Inverters That Mimic Synchronous Generators. IEEE Transactions on Industrial Electronics, 2011, 58, 1259-1267. A modular matrix converter for transformer-less PMSG wind generation systems. , 2011, , . A Novel LVRT of Permanent Magnet Direct-Driven Wind Turbine. , 2011, , . | 5.2 | 161 155 2,133 4 4 |

ARTICLE IF CITATIONS High frequency transformer isolated Z-source inverters., 2011,,. 399 34 A Modular Grid-Connected Photovoltaic Generation System Based on DC Bus. IEEE Transactions on 5.4 228 Power Electronics, 2011, 26, 523-531. A Correlation-Based Islanding-Detection Method Using Current-Magnitude Disturbance for PV System. 401 5.245 IEEE Transactions on Industrial Electronics, 2011, 58, 2935-2943. A Cascaded High Step-Up DC $\hat{a}\in DC$ Converter With Single Switch for Microsource Applications. IEEE 338 Transactions on Power Electronics, 2011, 26, 1146-1153. Power Flow Stabilization and Control of Microgrid with Wind Generation by Superconducting 403 5.4 154 Magnetic Energy Storage. IEEE Transactions on Power Electronics, 2011, 26, 910-922. Active Damping for PMSG-Based WECS With DC-Link Current Estimation. IEEE Transactions on 404 5.2 Industrial Electronics, 2011, 58, 1110-1119. Bibliography of FACTS applications for grid integration of wind and PV solar power systems: 405 13 1995–2010 IEEE working group report. , 2011, , . Low-Cost Semi-Z-source Inverter for Single-Phase Photovoltaic Systems. IEEE Transactions on Power 5.4 406 184 Electronics, 2011, 26, 3514-3523. Control Strategy of a DVR to Improve Stability in Wind Farms Using Squirrel-Cage Induction 407 4.6 79 Generators. IEEE Transactions on Power Systems, 2011, 26, 1609-1617. 408 An accurate reactive power sharing control strategy for DG units in a microgrid., 2011, , . 29 Load flow calculations in distribution systems with distributed resources. A review., 2011, , . 409 50 Grid Interconnection of Renewable Energy Sources at the Distribution Level With Power-Quality 392 Improvement Features. IEEE Transactions on Power Delivery, 2011, 26, 307-315. 411 Sliding mode SVM-DPC for grid-side converter of D-PMSG under asymmetrical faults., 2011,,. 7 Tools for Analysis and Design of Distributed Resourcesâ€"Part II: Tools for Planning, Analysis and Design of Distribution Networks With Distributed Resources. IEEE Transactions on Power Delivery, 29 2011, 26, 1653-1662. A New Maximum Power Point Tracking Technique for Permanent Magnet Synchronous Generator 413 198 5.4Based Wind Energy Conversion System. IEEE Transactions on Power Electronics, 2011, 26, 3609-3620. Unified Power Control for PMSG-Based WECS Operating Under Different Grid Conditions. IEEE 414 Transactions on Energy Conversion, 2011, 26, 822-830. Three-phase PFC rectifier with sensorless control for PMSG wind generation system., 2011,,. 415 3 Parameter estimation of doubly fed induction generator driven by wind turbine., 2011, , .

| ~ | | _ | | | |
|-----|-----|-----|----|-----|---|
| Сіт | ION | I R | FD | OD. | Т |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 417 | Transition control strategy between standalone and grid connected operation of voltage source inverters. , 2011, , . | | 3 |
| 418 | Converter topologies for permanent magnetic synchronous generator on wind energy conversion system. , 2011, , . | | 18 |
| 419 | Study and evaluation of load current based MPPT control for PV solar systems. , 2011, , . | | 9 |
| 420 | Supervisory control system for DFIG wind turbine with energy storage system based on battery. , 2011, , . | | 7 |
| 421 | Tools for Analysis and Design of Distributed Resources—Part I: Tools for Feasibility Studies. IEEE Transactions on Power Delivery, 2011, 26, 1643-1652. | 2.9 | 17 |
| 422 | Control of hybrid wind/energy storage power generation systems during voltage disturbance. , 2011, , | | 3 |
| 423 | Comparison of central vs distributed inverters: application to photovoltaic systems. , 2011, , . | | 11 |
| 424 | Voltage and Frequency Controllers for an Asynchronous Generator-Based Isolated Wind Energy Conversion System. IEEE Transactions on Energy Conversion, 2011, 26, 402-416. | 3.7 | 70 |
| 425 | Simulation of Two-Level Photovoltaic Grid-Connected System Based on Current Control of Hysteresis Band. , 2011, , . | | 7 |
| 426 | Research on grid connection control for doubly-fed wind power system. , 2011, , . | | 0 |
| 427 | A novel multi-string five-level PWM inverter for photovoltaic application. , 2011, , . | | 14 |
| 428 | Indirect current control of BTB-VSC with cage-rotor induction generator operating in grid connected and isolated mode. , 2011, , . | | 2 |
| 429 | Grid Interface of Wind Power With Large Split-Winding Alternator Using Cascaded Multilevel Inverter. IEEE Transactions on Energy Conversion, 2011, 26, 299-309. | 3.7 | 64 |
| 430 | Towards next generation photovoltaic inverters. , 2011, , . | | 98 |
| 431 | Electronic Ballasts Driven by Hybrid Source Using Microprocessor-Controlled Digital Switching Technique. IEEE Transactions on Industry Applications, 2011, 47, 1452-1460. | 3.3 | 5 |
| 432 | Analysis, Design, and Implementation of Virtual Impedance for Power Electronics Interfaced Distributed Generation. IEEE Transactions on Industry Applications, 2011, 47, 2525-2538. | 3.3 | 589 |
| 433 | Impact of Load Frequency Dependence on the NDZ and Performance of the SFS Islanding Detection Method. IEEE Transactions on Industrial Electronics, 2011, 58, 139-146. | 5.2 | 100 |
| 434 | Effect of Rotor Excitation Voltage on Steady-State Stability and Maximum Output Power of a Doubly Fed Induction Generator. IEEE Transactions on Industrial Electronics, 2011, 58, 1096-1109. | 5.2 | 60 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 435 | Robust High-Performance Inverter Control Using Discrete Direct-Design Pole Placement. IEEE Transactions on Industrial Electronics, 2011, 58, 348-357. | 5.2 | 60 |
| 436 | Design of a Robust Grid Interface System for PMSG-Based Wind Turbine Generators. IEEE Transactions on Industrial Electronics, 2011, 58, 316-328. | 5.2 | 222 |
| 437 | A Robust Control Scheme for Grid-Connected Voltage-Source Inverters. IEEE Transactions on Industrial Electronics, 2011, 58, 202-212. | 5.2 | 344 |
| 438 | Modeling and Simulation of Wave Energy Generation Plants: Output Power Control. IEEE Transactions on Industrial Electronics, 2011, 58, 105-117. | 5.2 | 110 |
| 439 | Experimental Validation of a Marine Current Turbine Simulator: Application to a Permanent Magnet Synchronous Generator-Based System Second-Order Sliding Mode Control. IEEE Transactions on Industrial Electronics, 2011, 58, 118-126. | 5.2 | 154 |
| 440 | A Novel Hardware-Based All-Digital Phase-Locked Loop Applied to Grid-Connected Power Converters. IEEE Transactions on Industrial Electronics, 2011, 58, 1737-1745. | 5.2 | 47 |
| 441 | An Optimized Transformerless Photovoltaic Grid-Connected Inverter. IEEE Transactions on Industrial Electronics, 2011, 58, 1887-1895. | 5.2 | 335 |
| 442 | Steady-State and Dynamic State-Space Model for Fast and Efficient Solution and Stability Assessment of ASDs. IEEE Transactions on Industrial Electronics, 2011, 58, 2836-2847. | 5.2 | 16 |
| 443 | Grid-Filter Design for a Multimegawatt Medium-Voltage Voltage-Source Inverter. IEEE Transactions on Industrial Electronics, 2011, 58, 1205-1217. | 5.2 | 352 |
| 444 | Fault-Ride-Through Capability of Oscillating-Water-Column-Based Wave-Power-Generation Plants Equipped With Doubly Fed Induction Generator and Airflow Control. IEEE Transactions on Industrial Electronics, 2011, 58, 1501-1517. | 5.2 | 57 |
| 445 | A Multiharvested Self-Powered System in a Low-Voltage Low-Power Technology. IEEE Transactions on Industrial Electronics, 2011, 58, 4250-4263. | 5.2 | 83 |
| 446 | Smart Operation of Wind Turbines and Diesel Generators According to Economic Criteria. IEEE Transactions on Industrial Electronics, 2011, 58, 4514-4525. | 5.2 | 176 |
| 447 | Adaptive Tuning of the Stator Inductance in a Rotor-Current-Based MRAS Observer for Sensorless Doubly Fed Induction-Machine Drives. IEEE Transactions on Industrial Electronics, 2011, 58, 4683-4692. | 5.2 | 49 |
| 448 | Half-Controlled Boost Rectifier for Low-Power High-Speed Permanent-Magnet Generators. IEEE Transactions on Industrial Electronics, 2011, 58, 5066-5075. | 5.2 | 35 |
| 449 | Design of A 11 KW _p Grid Connected Solar Photovoltaic Power Plant on 100 m ² available Area in the Birbhum District of West Bengal. Journal of the Institute of Engineering, 2011, 8, 105-112. | 0.3 | 4 |
| 450 | Technical and Regulatory Exigencies for Grid Connection of Wind Generation. , 0, , . | | 2 |
| 451 | Power Electronics Reliability Comparison of Grid Connected Small Wind Energy Conversion Systems. Wind Engineering, 2011, 35, 93-110. | 1.1 | 8 |
| 452 | Synchronization of a Single-Phase Photovoltaic Generator With the Low-Voltage Utility Grid. , 2011, , . | | 1 |

| | Сітат | ion Report | |
|-----|---|------------|-----------|
| # | Article | IF | CITATIONS |
| 453 | Characterization of thermoelectric generators by measuring the load-dependence behavior. Measurement: Journal of the International Measurement Confederation, 2011, 44, 2194-2199. | 2.5 | 45 |
| 454 | Grid synchronisation with harmonics and reactive power compensation capability of a permanent magnet synchronous generator-based variable speed wind energy conversion system. IET Power Electronics, 2011, 4, 122. | 1.5 | 122 |
| 455 | Analysis of a hybrid controlled three-phase grid-connected inverter with harmonics compensation in synchronous reference frame. IET Power Electronics, 2011, 4, 743. | 1.5 | 40 |
| 456 | Energy storage system scheduling for an isolated microgrid. IET Renewable Power Generation, 2011, 5, 117. | 1.7 | 106 |
| 457 | One-power-point operation for variable speed wind/tidal stream turbines with synchronous generators. IET Renewable Power Generation, 2011, 5, 99. | 1.7 | 53 |
| 458 | Torque ripple analysis and reduction for wind energy conversion systems using uncontrolled rectifier and boost converter. IET Renewable Power Generation, 2011, 5, 377. | 1.7 | 60 |
| 459 | Power Management of Inverter Interfaced Autonomous Microgrid Based on Virtual Frequency-Voltage Frame. IEEE Transactions on Smart Grid, 2011, 2, 30-40. | 6.2 | 352 |
| 460 | Optimization with constraints for excitation control in synchronous generators. Energy, 2011, 36, 5366-5373. | 4.5 | 13 |
| 461 | Interconnection and damping assignment and Euler-Lagrange passivity-based control of photovoltaic/battery hybrid power source for stand-alone applications. Journal of Zhejiang University: Science C, 2011, 12, 774-786. | 0.7 | 1 |
| 462 | Digital Parameterizable VHDL Module for Multilevel Multiphase Space Vector PWM. IEEE Transactions on Industrial Electronics, 2011, 58, 3946-3957. | 5.2 | 32 |
| 463 | Energy extraction characteristic study of solar photovoltaic cells and modules. , 2011, , . | | 22 |
| 464 | Single-Phase Inverter Control Techniques for Interfacing Renewable Energy Sources With Microgrid—Part I: Parallel-Connected Inverter Topology With Active and Reactive Power Flow Control Along With Grid Current Shaping. IEEE Transactions on Power Electronics, 2011, 26, 717-731. | 5.4 | 181 |
| 465 | Isolated Buck–Boost DC/DC Converters Suitable for Wide Input-Voltage Range. IEEE Transactions on Power Electronics, 2011, 26, 2599-2613. | 5.4 | 113 |
| 466 | A New High-Efficiency Single-Phase Transformerless PV Inverter Topology. IEEE Transactions on Industrial Electronics, 2011, 58, 184-191. | 5.2 | 648 |
| 467 | Direct driven wind energy conversion system based on hybrid excitation synchronous machine. Journal of Shanghai University, 2011, 15, 562-567. | 0.1 | 3 |
| 468 | Comparative study of power converter topologies and control strategies for the harmonic performance of variable-speed wind turbine generator systems. Energy, 2011, 36, 520-529. | 4.5 | 59 |
| 469 | Transient analysis of variable-speed wind turbines at wind speed disturbances and a pitch control malfunction. Applied Energy, 2011, 88, 1322-1330. | 5.1 | 32 |
| 470 | Wind turbines equipped with fractionalâ€order controllers: Stress on the mechanical drive train due to a converter control malfunction. Wind Energy, 2011, 14, 13-25. | 1.9 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 471 | Comparison of oscillation damping capability in three power control strategies for PMSGâ€based WECS. Wind Energy, 2011, 14, 389-406. | 1.9 | 31 |
| 472 | Strain Anisotropies and Selfâ€Limiting Capacities in Singleâ€Crystalline 3D Silicon Microstructures: Models for High Energy Density Lithiumâ€Ion Battery Anodes. Advanced Functional Materials, 2011, 21, 2412-2422. | 7.8 | 176 |
| 473 | A 6.6â€kV transformerless battery energy storage system based on a cascade multilevel PWM converter: Experimental verification by a 200â€V, 10â€kW, 3.6â€kWh laboratory model. Electrical Engineering in Japan (English Translation of Denki Gakkai Ronbunshi), 2011, 177, 43-54. | 0.2 | 7 |
| 474 | A battery charger with maximum power point tracking function for lowâ€power photovoltaic system applications. International Journal of Circuit Theory and Applications, 2011, 39, 241-256. | 1.3 | 22 |
| 475 | Direct-current vector control of three-phase grid-connected rectifier–inverter. Electric Power Systems Research, 2011, 81, 357-366. | 2.1 | 69 |
| 476 | Novel scheme for enhancement of fault ride-through capability of doubly fed induction generator based wind farms. Energy Conversion and Management, 2011, 52, 2651-2658. | 4.4 | 42 |
| 477 | Three-phase inverter-connected DG-units and voltage unbalance. Electric Power Systems Research, 2011, 81, 899-906. | 2.1 | 56 |
| 478 | Line overload alleviation through corrective control in presence of wind energy. Electric Power Systems Research, 2011, 81, 1583-1591. | 2.1 | 13 |
| 479 | Paradigm shift in urban energy systems through distributed generation: Methods and models. Applied Energy, 2011, 88, 1032-1048. | 5.1 | 346 |
| 480 | A power analysis and data acquisition system for ocean wave energy device testing. Renewable Energy, 2011, 36, 1922-1930. | 4.3 | 15 |
| 481 | Power management of PV/battery hybrid power source via passivity-based control. Renewable Energy, 2011, 36, 2440-2450. | 4.3 | 104 |
| 482 | Integrating photovoltaic and power converter characteristics for energy extraction study of solar PV systems. Renewable Energy, 2011, 36, 3238-3245. | 4.3 | 74 |
| 483 | Five-leg converter topology for wind energy conversion system with doubly fed induction generator. Renewable Energy, 2011, 36, 3187-3194. | 4.3 | 28 |
| 484 | Advancements in power electronics and drives in interface with growing renewable energy resources. Renewable and Sustainable Energy Reviews, 2011, 15, 1816-1827. | 8.2 | 91 |
| 485 | Battery-integrated boost converter utilizing distributed MPPT configuration for photovoltaic systems. Solar Energy, 2011, 85, 1992-2002. | 2.9 | 69 |
| 486 | A weighted efficiency enhancement control for modular grid-tied photovoltaic generation system. , 2011, , . | | 0 |
| 487 | Electrical cost savings and clean energy usage potential for HPC workloads. , 2011, , . | | 8 |
| 488 | General analysis on imbalanced voltage of DC capacitors in NPC three-level inverter. , 2011, , . | | 4 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 489 | New reactive power control concept for converter based renewable energy sources. , 2011, , . | | 3 |
| 490 | Vector control of multiple-module transverse flux PM generator for large-scale direct-drive wind turbines. , 2011, , . | | 5 |
| 491 | Nonlinear model control of DC/AC voltage converter of an isolated three phase power network. , 2011, , . | | 0 |
| 492 | Effectiveness of damping control implemented by an energy storage system as affected by the line loading conditions. , 2011, , . | | 1 |
| 493 | Research of Wind Power into the Grid Based on Large-Capacity Parallel Converter Modules. Advanced Materials Research, 0, 383-390, 5899-5906. | 0.3 | 0 |
| 494 | Study on the Multiple Voltage Source Inverter for Grid-Connected Large-Scale Wind Energy Conversion System. Advanced Materials Research, 2011, 216, 70-74. | 0.3 | 0 |
| 495 | Study on a global control strategy for rotation speed with different work states in variable-speed constant-frequency wind turbines. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2011, 225, 968-976. | 0.7 | 4 |
| 496 | Simulation Tools for Feasibility Studies of Renewable Energy Sources. , 2011, , 519-561. | | 1 |
| 497 | Modern Power Electronic Technology for the Integration of Renewable Energy Sources. , 2011, , 673-715. | | 3 |
| 498 | Optimal power flow with distributed energy storage dynamics. , 2011, , . | | 40 |
| 499 | Robust current control of grid-connected converters with LCL-filter. , 2011, , . | | 4 |
| 500 | Performance analysis of IES journals using internet and text processing robots. , 2011, , . | | 0 |
| 501 | Transient Analysis of Large Scale PV Systems with Floating DC Section. Energies, 2012, 5, 3736-3752. | 1.6 | 17 |
| 502 | Simulation and Analysis of Two-Level Photovoltaic Grid-Connected System. Advanced Materials Research, 0, 433-440, 1406-1411. | 0.3 | 2 |
| 503 | The Research of Control Strategy for Three-Phase Photovoltaic Grid-Connected VSI Using Space Vector Pulse Width Modulation and P-Q Theory. Advanced Materials Research, 2012, 608-609, 38-41. | 0.3 | 1 |
| 504 | A novel time-sharing dual-mode control strategy in cascaded sinusoidal inverter. , 2012, , . | | 3 |
| 505 | Saber simulation and experimental research on single-phase digital inverter with PI control. , 2012, , . | | 1 |
| 506 | Dynamic studies of multi-machine power systems integrated with large Photovoltaic power plants. , 2012, , . | | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 507 | Deriving inertial response from a non-inertial PV system for frequency regulation. , 2012, , . | | 26 |
| 508 | Using photovoltaic systems to improve voltage control in low voltage networks. , 2012, , . | | 9 |
| 509 | Three-phase single stage photovoltaic inverter with active filtering capabilities. , 2012, , . | | 13 |
| 510 | A grid voltage sensor-less operational approach of interconnecting distributed generating source based inverter to unbalanced generalized three-phase grid together with local load at PCC. , 2012, , . | | Ο |
| 511 | Price and capacity competition in zero-mean storage and demand response markets. , 2012, , . | | 7 |
| 512 | Intelligent electronic device for Smart Grid: Statistical approach applied to event detection. , 2012, , . | | 4 |
| 513 | Winding loss analysis and optimization of an AC inductor for a galvanically isolated PV inverter. , 2012, , . | | 1 |
| 514 | Study of a flyback-based stage as grid interface topology for micro-generation applications. , 2012, , . | | 6 |
| 515 | Constant voltage control method of DC bus in DG. , 2012, , . | | 1 |
| 516 | Research laboratory for grid-integration of distributed renewable energy resources - Integration analysis of DERs , 2012, , . | | 10 |
| 517 | Distributed systems to optimize power distribution and support microgrids. , 2012, , . | | 0 |
| 518 | A non-standard control strategy for grid-tied single phase systems with power quality compensation. , 2012, , . | | 4 |
| 519 | A three phase reference current generator for power electronic converters under distorted utility conditions. , 2012, , . | | 11 |
| 520 | On implementing a market-based agent-mediated resource control framework for middle-scale smart grids: A preliminary study. , 2012, , . | | 3 |
| 521 | Power Electronics forÂRenewable Energy. Electric Power Engineering Series, 2012, , 1-24. | 0.4 | 0 |
| 522 | Control of Solar Energy Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 848-855. | 0.4 | 65 |
| 523 | Novel Scheme for Improving the Performance of a Wind Driven Doubly Fed Induction Generator during Grid Fault. Wind Engineering, 2012, 36, 305-334. | 1.1 | 16 |
| 524 | A robust predictive dual-loop control strategy for grid-connected photovoltaic generation system. , 2012, , . | | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 525 | Smart Power Supply Systems for Mission Critical Facilities. IEICE Transactions on Communications, 2012, E95-B, 755-772. | 0.4 | 2 |
| 526 | Wave Energy Converter Concepts : Design Challenges and Classification. IEEE Industrial Electronics Magazine, 2012, 6, 4-16. | 2.3 | 160 |
| 527 | High-Efficiency Modular High Step-Up Interleaved Boost Converter for DC-Microgrid Applications. IEEE Transactions on Industry Applications, 2012, 48, 161-171. | 3.3 | 173 |
| 528 | Stability Analysis of FPGA-Based Control of Brushless DC Motors and Generators Using Digital PWM Technique. IEEE Transactions on Industrial Electronics, 2012, 59, 343-351. | 5.2 | 79 |
| 529 | Modeling and Analysis of a Novel Variable-Speed Cage Induction Generator. IEEE Transactions on Industrial Electronics, 2012, 59, 1020-1028. | 5.2 | 54 |
| 530 | Practical Implementation of Sensorless Torque and Reactive Power Control of Doubly Fed Machines. IEEE Transactions on Industrial Electronics, 2012, 59, 2645-2653. | 5.2 | 44 |
| 531 | Distribution Loss Minimization by Token Ring Control of Power Electronic Interfaces in Residential Microgrids. IEEE Transactions on Industrial Electronics, 2012, 59, 3817-3826. | 5.2 | 74 |
| 532 | Multiagent Smart Grid Automation Architecture Based on IEC 61850/61499 Intelligent Logical Nodes. IEEE Transactions on Industrial Electronics, 2012, 59, 2351-2362. | 5.2 | 223 |
| 533 | Reliability Analysis and Cost Optimization of Parallel-Inverter System. IEEE Transactions on Industrial Electronics, 2012, 59, 3881-3889. | 5.2 | 121 |
| 534 | LQG Servo Controller for the Current Control of \$LCL\$ Grid-Connected Voltage-Source Converters. IEEE Transactions on Industrial Electronics, 2012, 59, 4272-4284. | 5.2 | 109 |
| 535 | Tunable Control Strategy for Wave Energy Converters With Limited Power Takeoff Rating. IEEE Transactions on Industrial Electronics, 2012, 59, 3838-3846. | 5.2 | 55 |
| 536 | Improving dynamic performance of wind energy conversion systems using fuzzy-based hysteresis current-controlled superconducting magnetic energy storage. IET Power Electronics, 2012, 5, 1305. | 1.5 | 36 |
| 537 | Review of solid state transformer in the distribution system: From components to field application. , 2012, , . | | 177 |
| 538 | Interfacing Issues in Multi-Domain Simulation Tools. IEEE Transactions on Power Delivery, 2012, 27, 439-448. | 2.9 | 26 |
| 539 | PV energy extraction characteristic study under shading conditions for different converter configurations. , 2012, , . | | 6 |
| 540 | High efficiency quadratic boost converter. , 2012, , . | | 14 |
| 541 | Rectifier systems for variable speed wind generation - a review. , 2012, , . | | 22 |
| 542 | Reliability of a PV-module integrated inverter (PV-MII): A usage model approach. , 2012, , . | | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 543 | Control of five-level flying capacitor based active-neutral-point-clamped converter for grid connected wind energy applications. , 2012, , . | | 9 |
| 544 | Decoupled Double Synchronous Reference Frame current controller for unbalanced grid voltage conditions. , 2012, , . | | 13 |
| 545 | Impact of DC-link fault on the dynamic performance of DFIG. , 2012, , . | | 2 |
| 546 | An improved control strategy for DFIG system and dynamic voltage restorer under grid voltage dip. , 2012, , . | | 14 |
| 547 | From H4, H5 to H6 —Standardization of full-bridge single phase photovoltaic inverter topologies without ground leakage current issue. , 2012, , . | | 22 |
| 548 | Harmonic elimination technique for a single-phase multilevel converter with unequal DC link voltage levels. IET Power Electronics, 2012, 5, 1418. | 1.5 | 31 |
| 549 | On the development of flywheel storage systems for power system applications: A survey. , 2012, , . | | 24 |
| 550 | Dynamic properties of a voltage source inverter-based three-phase inverter in photovoltaic application. IET Renewable Power Generation, 2012, 6, 381-391. | 1.7 | 19 |
| 551 | A direct drive grid connected wind energy system with STATCOM and super-capacitor energy storage. , 2012, , . | | 11 |
| 552 | Combined control of a distribution static synchronous compensatorâ ^f lywheel energy storage system for wind energy applications. IET Generation, Transmission and Distribution, 2012, 6, 483. | 1.4 | 53 |
| 554 | An investigation of minimum DC-link capacitance in PWM rectifier-inverter systems considering control methods. , 2012, , . | | 18 |
| 555 | Analysis and control of grid connected wind energy system with DSTATCOM. , 2012, , . | | Ο |
| 556 | Properties of reactive current injection by AC power electronic systems for loss minimization. , 2012, , . | | 3 |
| 557 | Analysis and Simulation on the Stability of Wind Turbine under the Generation State. , 2012, , . | | 0 |
| 558 | Current controller considering harmonics compensation for grid connected converter in DPGS applications. , 2012, , . | | 4 |
| 559 | 3P-Bridge Cascaded PWM Rectifier Suitable for HV Side of PET. , 2012, , . | | 2 |
| 560 | Interconnection issues for distributed resources in a smart distribution system. , 2012, , . | | 6 |
| 561 | Declining power fluctuation velocity in large PV systems by optimal battery selection. , 2012, , . | | 10 |

| ~ | | | _ | |
|----------|------|----|--------|---|
| $C1^{-}$ | ΓΔΤΙ | ON | Repor | Т |
| | AL | | INLPOR | |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 562 | Frequency regulation and inter-area oscillation damping using variable-speed wind generators. , 2012, , | | 3 |
| 563 | Analysis and mitigation of transient overvoltage with integration of small scale power-electronic interfaced DG. , 2012, , . | | 5 |
| 564 | Modified hill-top algorithm based maximum power point tracking for solar PV module. , 2012, , . | | 5 |
| 565 | Study of dynamic of a micro grid including photovoltaic power plant. , 2012, , . | | Ο |
| 566 | A Preliminary Experimental Analysis on Combinatorial Auction-Based Electric Power Allocation for Manufacturing Industries. , 2012, , . | | 6 |
| 567 | Supervision analysis and control system of photovoltaic power plants. , 2012, , . | | 3 |
| 568 | Dynamic study of a battery change-over scheme of a windfarm containing dual BESS. , 2012, , . | | 5 |
| 569 | Smart PV modules — Design considerations. , 2012, , . | | 8 |
| 570 | A battery-balancing seven-level inverter. , 2012, , . | | 1 |
| 571 | A systematic approach to grid connected PV system. , 2012, , . | | 2 |
| 572 | Research laboratory for grid integration of distributed renewable energy resources - design and realization , 2012, , . | | 9 |
| 573 | Design of Lithium-Ion Battery Charging System Enhanced with Wolf Pack Algorithm. , 2012, , . | | 5 |
| 574 | A new Maximum Power Point Tracking with indirect current control for a three-phase grid-connected inverter used in PMSC-based wind power generation systems. , 2012, , . | | 9 |
| 575 | Power electronics for renewable energy systems: Wind turbine and photovoltaic systems. , 2012, , . | | 18 |
| 576 | Research on Control System of Wind Generation Based on LabVIEW. , 2012, , . | | 0 |
| 577 | Cage Rotor Induction Generator for source equalization of slow intermittent duty loads. , 2012, , . | | 0 |
| 578 | Optimal design of autonomous microgrid using particle swarm optimization. , 2012, , . | | 5 |
| 579 | A New Universal Isolated Converter for Grid Connection. IEEE Transactions on Industry Applications, 2012, 48, 685-696. | 3.3 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 580 | Research on Admittance Specification Stability of Microgrid at Autonomous mode. , 2012, , . | | 0 |
| 581 | An improved phase locking scheme for grid-connected-inverter under non-ideal grid conditions. , 2012, , . | | 1 |
| 582 | On the behaviour of marine and tidal current converters with DC-DC boost converter. , 2012, , . | | 2 |
| 583 | Improved droop control for parallel inverters in microgrids. , 2012, , . | | 1 |
| 584 | An alternative PI controller design approach for PWM-regulated ac/dc three-phase converters. , 2012, , \cdot | | 4 |
| 585 | Current Controller Based on Reduced Order Generalized Integrators for Distributed Generation Systems. IEEE Transactions on Industrial Electronics, 2012, 59, 2898-2909. | 5.2 | 164 |
| 586 | Optimization and Design of a Cascaded DC/DC Converter Devoted to Grid-Connected Photovoltaic Systems. IEEE Transactions on Power Electronics, 2012, 27, 2018-2027. | 5.4 | 138 |
| 587 | Investigation for Causes of Poor Power Quality in Grid Connected Wind Energy - A Review. , 2012, , . | | 11 |
| 588 | Research on Supercapacitor Charging Efficiency of Photovoltaic System. , 2012, , . | | 9 |
| 589 | Supply-Adequacy-Based Optimal Construction of Microgrids in Smart Distribution Systems. IEEE Transactions on Smart Grid, 2012, 3, 1491-1502. | 6.2 | 286 |
| 590 | Modeling and simulation of directly driven wind turbine with permanent magnet synchronous generator. , 2012, , . | | 15 |
| 591 | Power Electronics Converters for Wind Turbine Systems. IEEE Transactions on Industry Applications, 2012, 48, 708-719. | 3.3 | 737 |
| 592 | Active Power Management of Multihybrid Fuel Cell/Supercapacitor Power Conversion System in a Medium Voltage Microgrid. IEEE Transactions on Smart Grid, 2012, 3, 1903-1910. | 6.2 | 172 |
| 593 | Enhanced Decoupled Double Synchronous Reference Frame Current Controller for Unbalanced Grid-Voltage Conditions. IEEE Transactions on Power Electronics, 2012, 27, 3934-3943. | 5.4 | 258 |
| 594 | Integrated Control Technique for Compliance of Solar Photovoltaic Installation Grid Codes. IEEE Transactions on Energy Conversion, 2012, 27, 792-798. | 3.7 | 40 |
| 595 | HIL Evaluation of Power Flow Control Strategies for Energy Storage Connected to Smart Grid Under Unbalanced Conditions. IEEE Transactions on Power Electronics, 2012, 27, 4699-4710. | 5.4 | 96 |
| 596 | Comparative study of maximum power point tracking control strategies for solar PV systems. , 2012, , . | | 20 |
| 597 | Development of a Grid-Connected Wind Generation System With a Modified PLL Structure. IEEE Transactions on Sustainable Energy, 2012, 3, 474-481. | 5.9 | 18 |

ARTICLE IF CITATIONS A Decentralized Robust Control Strategy for Multi-DER Microgridsâ€"Part I: Fundamental Concepts. 598 2.9 225 IEEE Transactions on Power Delivery, 2012, 27, 1843-1853. An optimal operating strategy of DG unit for power loss reduction in distribution systems., 2012, , . 599 A Power Quality Compensator With DG Interface Capability Using Repetitive Control. IEEE 600 3.7 42 Transactions on Energy Conversion, 2012, 27, 213-219. A Transformer-Less High-Power Converter for Large Permanent Magnet Wind Generator Systems. IEEE 5.9 Transactions on Sustainable Energy, 2012, 3, 318-329. Experimental verification of multilevel inverter-based standalone power supply for low-voltage and 602 1.5 37 low-power applications. IET Power Electronics, 2012, 5, 635-643. An MPC method based on a hybrid model of a three-phase inverter with output LC- filter. , 2012, , . Photovoltaic based distribution static compensator for power quality improvement. International 604 3.3 57 Journal of Electrical Power and Energy Systems, 2012, 42, 685-692. Dynamic model of wind energy conversion systems with PMSG-based variable-speed wind turbines for 3.8 power system studies. International Journal of Hydrogen Energy, 2012, 37, 10064-10069. Reduction of power losses with smart grids fueled with renewable sources and applying EV batteries. 606 4.6 38 Journal of Cleaner Production, 2012, 34, 125-137. Push-pull Converter for High Efficiency Photovoltaic Conversion. Energy Procedia, 2012, 18, 1583-1592. 1.8 Power management strategy for a multi-hybrid fuel cell/energy storage power generation systems., 608 5 2012,,. A review of minimisation of output DC current component methods in single-phase grid-connected 609 inverters PV applications., 2012,,. Standalone Hybrid Wind-Solar Power Generation System Applying Dump Power Control Without Dump 610 5.2 145 Load. IEEE Transactions on Industrial Electronics, 2012, 59, 988-997. Power analysis of single-phase grid-connected photovoltaic systems based on two-stage current source converters., 2012,,. Application of SMES to Enhance the Dynamic Performance of DFIG During Voltage Sag and Swell. IEEE 612 128 1.1 Transactions on Applied Superconductivity, 2012, 22, 5702009-5702009. Generalized Closed-Loop Control Schemes with Embedded Virtual Impedances for Voltage Source 349 Converters with LC or LCL Filters. IEEE Transactions on Power Electronics, 2012, 27, 1850-1861. Active front-end for shaft power generation and voltage control in FREMM frigates integrated power 614 18 system: Modeling and validation., 2012, , . A multiphase PM synchronous generator wind turbine control for internal medium voltage DC distribution system., 2012, , .

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 616 | H2 and Fuel Cells as Controlled Renewables. , 2012, , 315-349. | | 0 |
| 617 | Grid integration of renewable energy sources: Challenges, issues and possible solutions. , 2012, , . | | 90 |
| 618 | High Step-up Boost Converter Integrated With a Transformer-Assisted Auxiliary Circuit Employing Quasi-Resonant Operation. IEEE Transactions on Power Electronics, 2012, 27, 1974-1984. | 5.4 | 72 |
| 619 | Adaptive VAR Control for Distribution Circuits With Photovoltaic Generators. IEEE Transactions on Power Systems, 2012, 27, 1656-1663. | 4.6 | 356 |
| 620 | Distributed Battery Micro-Storage Systems Design and Operation in a Deregulated Electricity Market. IEEE Transactions on Sustainable Energy, 2012, 3, 545-556. | 5.9 | 34 |
| 621 | Maximum power point tracking of multiple photovoltaic arrays. , 2012, , . | | 20 |
| 622 | Smart Grid Inverter Interface: Statistical approach applied to event detection. , 2012, , . | | 2 |
| 623 | Smart Devices for Demand Side Power Consumption Management. AASRI Procedia, 2012, 2, 216-222. | 0.6 | 6 |
| 624 | Single phase grid interactive PV system with MPPT capability based on type-2 fuzzy logic systems. , 2012, , . | | 10 |
| 625 | An optimum speed MPPT controller for variable speed PMSG wind energy conversion systems. , 2012, , . | | 10 |
| 626 | Transition Control Strategy Between Standalone and Grid-Connected Operations of Voltage-Source Inverters. IEEE Transactions on Industry Applications, 2012, 48, 1516-1525. | 3.3 | 74 |
| 627 | Electrical machines and powerâ€electronic systems for highâ€power wind energy generation applications. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2012, 32, 34-71. | 0.5 | 28 |
| 628 | DC (direct current) voltage source reduction in stacked multicell converter based energy systems. Energy, 2012, 46, 649-663. | 4.5 | 26 |
| 629 | Overview of power quality aspects in wind generation. , 2012, , . | | 26 |
| 630 | Control Methods for Grid Side Converters under Unbalanced Operating Conditions in Wind Power Applications. Green Energy and Technology, 2012, , 127-153. | 0.4 | 0 |
| 631 | Active and Reactive Power Control of Grid Connected Distributed Generation Systems. Green Energy and Technology, 2012, , 47-81. | 0.4 | 29 |
| 632 | Synchronization of a Single-phase Photovoltaic Generator With the Low-Voltage Utility Grid. Journal of Solar Energy Engineering, Transactions of the ASME, 2012, 134, . | 1.1 | 9 |
| 633 | Vector control of a grid-connected rectifier/inverter using an artificial neural network. , 2012, , . | | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 634 | A module-integrated isolated solar micro-inverter without electrolytic capacitors. , 2012, , . | | 2 |
| 635 | Photovoltaic system based transient mitigation and frequency regulation. , 2012, , . | | 19 |
| 636 | A DCM three-phase SEPIC converter for low-power PMSG. , 2012, , . | | 8 |
| 637 | Modified MPPT with using model predictive control for multilevel boost converter. , 2012, , . | | 18 |
| 638 | Dynamic modeling and performance analysis of grid connected PMSG based variable speed wind turbines with simple power conditioning system. , 2012, , . | | 13 |
| 639 | Dual-boost-NPC converter for a dual three-phase PMSG wind energy conversion system. , 2012, , . | | 13 |
| 640 | Linear quadratic optimal control of a single-phase grid-connected inverter with an LCL filter. , 2012, , . | | 5 |
| 641 | Hybrid Renewable Energy System Using DFIG and Multilevel Inverter. , 2012, , . | | 4 |
| 642 | Control of a hybrid wind turbine/battery energy storage power generation system considering statistical wind characteristics. Journal of Renewable and Sustainable Energy, 2012, 4, 053105. | 0.8 | 9 |
| 643 | A module-integrated isolated solar micro-inverter. , 2012, , . | | 9 |
| 644 | Distributed Generation Planning: A New Approach Based on Goal Programming. Electric Power Components and Systems, 2012, 40, 497-512. | 1.0 | 48 |
| 645 | A review of power converter topology used with PMSG based wind power generation. , 2012, , . | | 23 |
| 646 | A novel facts compensation scheme for power quality improvement in wind Smart Grid. , 2012, , . | | 14 |
| 647 | Control of cascaded H-bridge multilevel inverter with individual MPPT for grid-connected photovoltaic generators. , 2012, , . | | 45 |
| 648 | Robust control of Hybrid Wind / Energy Storage power generation system considering statistical wind characteristics. , 2012, , . | | 1 |
| 649 | Using distributed decision-making to optimize power distribution and support microgrids. , 2012, , . | | 3 |
| 650 | Multi carrier PWM of the modular multilevel VSC for medium voltage applications. , 2012, , . | | 14 |
| 651 | Smart micro-grids enable seamless interconnection and disconnection for high reliability and flexibility in distributed power generation. , 2012, , . | | 3 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 652 | Single DC-link cascaded H-bridge multilevel multistring photovoltaic energy conversion system with inherent balanced operation. , 2012, , . | | 63 |
| 653 | An efficient constant current controller for PV Solar Power Generator integrated with the grid. , 2012, , . | | 3 |
| 654 | Modular single-phase trans-Z-source inverter for multi-input renewable energy system. , 2012, , . | | 15 |
| 655 | Advanced Distribution Management can bridge the chasm on the road to grid modernization. , 2012, , . | | 1 |
| 656 | Integrated three-phase transformerless PV inverter. , 2012, , . | | 0 |
| 657 | Communication for Distributed Renewable Generations (DRGs): A review on the penetration to Smart Grids (SGs). , 2012, , . | | 8 |
| 658 | A Fuzzy Logic Controller to Increase Fault Ride-Through Capability of Variable Speed Wind Turbines. Applied Computational Intelligence and Soft Computing, 2012, 2012, 1-10. | 1.6 | 4 |
| 659 | Integrating STATCOM and Battery Energy Storage System for Power System Transient Stability: A Review and Application. Advances in Power Electronics, 2012, 2012, 1-12. | 0.8 | 44 |
| 660 | Low cost transformer isolated boost half-bridge micro-inverter for single-phase grid-connected photovoltaic system. , 2012, , . | | 37 |
| 661 | Analysis and Design of a High Step-up Current-Fed Multiresonant DC–DC Converter With Low Circulating Energy and Zero-Current Switching for All Active Switches. IEEE Transactions on Industrial Electronics, 2012, 59, 964-978. | 5.2 | 70 |
| 662 | Medium Voltage–High Power Converter Topologies Comparison Procedure, for a 6.6 kV Drive Application Using 4.5 kV IGBT Modules. IEEE Transactions on Industrial Electronics, 2012, 59, 1462-1476. | 5.2 | 102 |
| 663 | A Utility-Interfaced Phase-Modulated High-Frequency Isolated Dual LCL DC/AC Converter. IEEE Transactions on Industrial Electronics, 2012, 59, 1008-1019. | 5.2 | 45 |
| 664 | Distributed generation power system modeling in nonlinear Hamiltonian form. , 2012, , . | | 2 |
| 665 | Direct Power Control for various topologies of three phase grid-connected Voltage Sources Converters using Sliding Mode Control. , 2012, , . | | 7 |
| 666 | High step-up voltage gain integrated DC/DC converters. , 2012, , . | | 9 |
| 667 | Coordinated state-of-charge control strategy for microgrid during islanded operation. , 2012, , . | | 11 |
| 668 | Variable speed small hydropower plant. , 2012, , . | | 4 |
| 669 | New chaotic phenomena occurring during voltage sags in small wind turbine systems based on back-to-back converters. , 2012, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 670 | Self-Organized Synchronization in Decentralized Power Grids. Physical Review Letters, 2012, 109, 064101. | 2.9 | 389 |
| 671 | Integrated Microgrid Laboratory System. IEEE Transactions on Power Systems, 2012, 27, 2175-2185. | 4.6 | 88 |
| 672 | AC and DC power quality of photovoltaic systems. , 2012, , . | | 17 |
| 673 | Precise detection and elimination of grid injected DC from single phase inverters. International Journal of Precision Engineering and Manufacturing, 2012, 13, 1341-1347. | 1.1 | 7 |
| 674 | A three phase PLL with a dynamic feed forward frequency estimator for synchronization of grid connected converters under wide frequency variations. International Journal of Electrical Power and Energy Systems, 2012, 41, 63-70. | 3.3 | 49 |
| 675 | Comparison among nonlinear excitation control strategies used for damping power system oscillations. Energy Conversion and Management, 2012, 53, 55-67. | 4.4 | 37 |
| 676 | Two-layer control scheme for a Supercapacitor Energy Storage System coupled to a Doubly Fed Induction Generator. Electric Power Systems Research, 2012, 86, 76-83. | 2.1 | 18 |
| 677 | Multi-machine power system stability improvement using an observer-based nonlinear controller. Electric Power Systems Research, 2012, 89, 204-214. | 2.1 | 29 |
| 678 | Robustness of an energy storage system-based stabiliser to suppress inter-area oscillations in a multi-machine power system. IET Generation, Transmission and Distribution, 2012, 6, 339. | 1.4 | 13 |
| 679 | Active power control of a flywheel energy storage system for wind energy applications. IET Renewable Power Generation, 2012, 6, 9. | 1.7 | 79 |
| 680 | Direct connection of WECS system to the MV grid with multilevel converters. Renewable Energy, 2012, 41, 336-344. | 4.3 | 11 |
| 681 | Developing renewable energy supply in Queensland, Australia: A study of the barriers, targets, policies and actions. Renewable Energy, 2012, 44, 119-127. | 4.3 | 72 |
| 682 | Neural control for voltage dips ride-through of oscillating water column-based wave energy converter equipped with doubly-fed induction generator. Renewable Energy, 2012, 48, 16-26. | 4.3 | 36 |
| 683 | Coordinate operation of power sources in a doubly-fed induction generator wind turbine/battery hybrid power system. Journal of Power Sources, 2012, 205, 354-366. | 4.0 | 53 |
| 684 | Dual-inverter for grid-connected photovoltaic system: Modeling and sliding mode control. Solar Energy, 2012, 86, 2106-2115. | 2.9 | 66 |
| 685 | Hydrogen Production From Water Electrolysis: Current Status and Future Trends. Proceedings of the IEEE, 2012, 100, 410-426. | 16.4 | 1,037 |
| 686 | Impact of Distributed Generations With Energy Storage Devices on the Electric Grid. IEEE Systems Journal, 2012, 6, 110-117. | 2.9 | 137 |
| 687 | Micro Wind Power Generator With Battery Energy Storage for Critical Load. IEEE Systems Journal, 2012, 6, 118-125. | 2.9 | 70 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 688 | Input–Output Feedback Linearization and Speed Control of a Surface Permanent-Magnet Synchronous Wind Generator With the Boost-Chopper Converter. IEEE Transactions on Industrial Electronics, 2012, 59, 3489-3500. | 5.2 | 60 |
| 689 | Dynamic modeling of DC–DC converters with peak current control in doubleâ€stage photovoltaic gridâ€connected inverters. International Journal of Circuit Theory and Applications, 2012, 40, 793-813. | 1.3 | 25 |
| 690 | Determination, simulation and implementation of a novel improved industrial cycloconverter. International Transactions on Electrical Energy Systems, 2013, 23, 166-180. | 1.2 | 2 |
| 691 | Evaluation of Storage Energy Requirements for Constant Production in PV Power Plants. IEEE Transactions on Industrial Electronics, 2013, 60, 1225-1234. | 5.2 | 159 |
| 692 | Modeling of a concentrating photovoltaic system for optimum land use. Progress in Photovoltaics: Research and Applications, 2013, 21, 240-249. | 4.4 | 25 |
| 693 | A rotor speed estimation algorithm in variable speed permanent magnet synchronous generator wind energy conversion system. International Journal of Robust and Nonlinear Control, 2013, 23, 1880-1890. | 2.1 | 6 |
| 694 | Modeling and performance analysis of multilevel inverter for single-phase grid connected photovoltaic modules. , 2013, , . | | 5 |
| 695 | Nonâ€linear voltage regulator design for DC/DC boost converters used in photovoltaic applications: analysis and experimental results. IET Renewable Power Generation, 2013, 7, 296-308. | 1.7 | 38 |
| 696 | A Novel Cascaded Boost Chopper for the Wind Energy Conversion System Based on the Permanent Magnet Synchronous Generator. IEEE Transactions on Energy Conversion, 2013, 28, 512-522. | 3.7 | 35 |
| 697 | A Survey of Control Issues in PMSG-Based Small Wind-Turbine Systems. IEEE Transactions on Industrial Informatics, 2013, 9, 1211-1221. | 7.2 | 193 |
| 698 | A Robust Model Predictive Control For Grid-Connected Voltage-Source Inverters. IEEE Latin America Transactions, 2013, 11, 27-33. | 1.2 | 11 |
| 699 | Fault ride-through enhancement of wind turbines in distribution networks. Journal of Ambient Intelligence and Humanized Computing, 2013, 4, 605-611. | 3.3 | 7 |
| 700 | Optimum Microgrid Design for Enhancing Reliability and Supply-Security. IEEE Transactions on Smart Grid, 2013, 4, 1567-1575. | 6.2 | 257 |
| 701 | Single phase utility interactive Switched Boost Inverter for renewable energy based residential power applications. , 2013, , . | | 2 |
| 702 | A new modulation technique to eliminate leakage current in transformerless PV inverter. , 2013, , . | | 2 |
| 703 | Grid tie inverter and MPPT - A review. , 2013, , . | | 16 |
| 704 | The critical role of microgrids in transition to a smarter grid: A technical review. , 2013, , . | | 27 |
| 705 | 4-Phase Interleaved Boost Converter With IC Controller for Distributed Photovoltaic Systems. IEEE Transactions on Circuits and Systems I: Regular Papers, 2013, 60, 3090-3102. | 3.5 | 23 |

| | | CITATION R | EPORT | |
|-----|---|----------------------------------|-------|-----------|
| # | Article | | IF | CITATIONS |
| 706 | Power management strategy research for a photovoltaic-hybrid energy storage system | ı. , 2013, , . | | 18 |
| 707 | Implemental Control Strategy for Grid Stabilization of Grid-Connected PV System Base Grid Code in Symmetrical Low-to-Medium Voltage Network. IEEE Transactions on Ener 2013, 28, 619-631. | d on German gy Conversion, | 3.7 | 218 |
| 708 | An overview on doubly fed induction generators′ controls and contributions to wind electricity generation. Renewable and Sustainable Energy Reviews, 2013, 27, 692-708. | | 8.2 | 130 |
| 709 | Dynamic stability study of an isolated wind-diesel hybrid power system with wind power using IC, PMIC and PMSC: A comparison. International Journal of Electrical Power and 2013, 53, 857-866. | er generation Energy Systems, | 3.3 | 37 |
| 710 | Sliding mode observer based position self-sensing control of a direct-drive PMSG wind fed by NPC converters. , 2013, , . | turbine system | | 6 |
| 711 | Efficiency analysis on a two-level three-phase quasi-soft-switching inverter. , 2013, , . | | | 7 |
| 712 | Power Quality Improvement Features for a Distributed Generation System using Shunt Filter. Procedia Engineering, 2013, 64, 265-274. | : Active Power | 1.2 | 9 |
| 713 | Coordination of storage and generation in power system frequency control using an < _{â^ž} approach. IET Generation, Transmission and Distribution, 2013, 7 | i> H , 1263-1271. | 1.4 | 28 |
| 714 | Optimal storage-aided wind generation integration considering ramping requirements. | .,2013,,. | | 8 |
| 715 | Implementation of the direct power control of a doubly fed induction generator by usi Takagi-Sugeno neuro-fuzzy inference system. , 2013, , . | ng a | | 3 |
| 716 | Review of AC voltage generation systems based on multilevel converters and photovol 2013, , . | taic cells. , | | 3 |
| 717 | Real and reactive power control of hybrid excited windâ€driven gridâ€connected doub generators. IET Power Electronics, 2013, 6, 1197-1208. | ly fed induction | 1.5 | 25 |
| 718 | A STATCOM-control scheme for wind energy system to improve power quality. , 2013, | ,. | | 9 |
| 719 | Nine IGBTs based UPFC topology and control for renewable power integration. , 2013, | | | 6 |
| 720 | An optimization design for 5-kW centralized PV inverter to achieve 99% efficiency. , 20 |)13, , . | | 8 |
| 721 | From nanoscience to solutions in electrochemical energy storage. Journal of Vacuum S Technology A: Vacuum, Surfaces and Films, 2013, 31, . | cience and | 0.9 | 16 |
| 722 | Three-phase modular cascaded H-bridge multilevel inverter with individual MPPT for gri photovoltaic systems. , 2013, , . | d-connected | | 29 |
| 723 | High Reliability and Performance PWM Inverter for Standalone Microgrids. IEEE Latin A Transactions, 2013, 11, 505-511. | merica | 1.2 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 724 | Supercapacitor energy storage system for attenuating and conditioning power from photovoltaic generation plants. , 2013, , . | | 2 |
| 725 | Nonlinear control design using exact linearization for permanent magnet synchronous generator. , 2013, , . | | 2 |
| 726 | Adaptive digital synchronous P&O MPPT algorithm for Photovoltaic DC power conversion. , 2013, , | | 1 |
| 727 | Control of three-phase cascaded voltage source inverter for grid-connected photovoltaic systems. , 2013, , . | | 16 |
| 728 | Power quality improvement of a single-phase grid-connected PV system with fuzzy MPPT controller. , 2013, , . | | 18 |
| 729 | Reinforcement learning for microgrid energy management. Energy, 2013, 59, 133-146. | 4.5 | 183 |
| 730 | Study of a DC-DC converter for solar LED street lighting. , 2013, , . | | 5 |
| 731 | Enerlight project: Walking from electronic lighting systems to Lighting Smart Grid. , 2013, , . | | 12 |
| 732 | Power electronics - Key technology for renewable energy systems - Status and future. , 2013, , . | | 46 |
| 733 | Hardware-in-the-Loop optimization of the 3-phase grid connected converter controller. , 2013, , . | | 7 |
| 734 | Low-power home PV systems with MPPT and PC control modes. , 2013, , . | | 22 |
| 735 | Active functions implementation in smart inverters for distributed energy resources. , 2013, , . | | 12 |
| 736 | Nonlocal failures in complex supply networks by single link additions. European Physical Journal B, 2013, 86, 1. | 0.6 | 41 |
| 737 | Power controller design and stability analysis of a photovoltaic system with a dc/dc boost converter. , 2013, , . | | 5 |
| 738 | Design and development of maximum power point tracking in wind power optimization using fuzzy PLL controller. , 2013, , . | | 0 |
| 739 | A review on potential applications of carbon nanotubes in marine current turbines. Renewable and Sustainable Energy Reviews, 2013, 28, 331-339. | 8.2 | 39 |
| 740 | An Improved Reactive Current Detection and Power Control Method for Single-Phase Photovoltaic Grid-Connected DG System. IEEE Transactions on Energy Conversion, 2013, 28, 823-831. | 3.7 | 69 |
| 741 | Application of a discrete adaptive LQG and fuzzy control design to a wind turbine benchmark model. , 2013, , . | | 7 |

| | | | 0 |
|-----|---|-----|-----------|
| # | Article | IF | CITATIONS |
| 742 | Nine-switch three-level z-source inverter. , 2013, , . | | 3 |
| 743 | Novel tolerant fault DFIM drive for naval propulsion. , 2013, , . | | 3 |
| 744 | Experimental study on IGBT voltage and current stresses during switching transitions. , 2013, , . | | 7 |
| 745 | Multi-resonant based sliding mode control of grid-connected converter under distorted grid conditions. , 2013, , . | | 3 |
| 746 | Development of a research platform for power electronic converter modeling in real time F28335 digital simulation applications using eZDSP. , 2013, , . | | 2 |
| 747 | Locating and monitoring tenants in PV based buildings. , 2013, , . | | 1 |
| 748 | Enhanced power quality compensation in PV single-phase grid-tied systems. , 2013, , . | | 3 |
| 749 | Robust discrete linear quadratic control applied to grid-connected converters with LCL filters. , 2013, , . | | 6 |
| 750 | Improving the voltage profile of a medium voltage grid using distributed generation units. , 2013, , . | | 2 |
| 751 | Evaluation of a novel primary tapped transformer in a high frequency isolated power converter topology. , 2013, , . | | 2 |
| 752 | Apportioning and mitigation of losses in a Flywheel Energy Storage system. , 2013, , . | | 10 |
| 753 | Phase-shifted PWM strategy of a seven-level single-phase current source inverter for grid-connection systems. , 2013, , . | | 6 |
| 754 | Didactic kit for pratical testing of the basic switched mode power supply topologies. , 2013, , . | | 4 |
| 755 | On extending the energy balancing limit of multilevel cascaded H-bridge converters for large-scale photovoltaic farms. , 2013, , . | | 34 |
| 756 | RNSIC-1 based wind energy conversion. , 2013, , . | | 0 |
| 757 | Pricing electric-power transmission: The Swedish methodology and a new approach. , 2013, , . | | 2 |
| 758 | A survey of shaft voltage reduction strategies for induction generators in wind energy applications. Renewable Energy, 2013, 50, 177-187. | 4.3 | 23 |
| 759 | A High Step-Up Converter With a Voltage Multiplier Module for a Photovoltaic System. IEEE Transactions on Power Electronics, 2013, 28, 3047-3057. | 5.4 | 226 |

| | | CITATION RE | PORT | |
|-----|---|-----------------------|------|-----------|
| # | Article | | IF | CITATIONS |
| 760 | Dual-mode power regulator for photovoltaic module emulation. Applied Energy, 2013, | 101, 730-739. | 5.1 | 29 |
| 761 | Assessment and Optimization of the Transient Response of Proportional-Resonant Cur Controllers for Distributed Power Generation Systems. IEEE Transactions on Industrial 2013, 60, 1367-1383. | rrent Electronics, | 5.2 | 166 |
| 762 | Low-Common Mode Voltage H-Bridge Converter with Additional Switch Legs. IEEE Tran Power Electronics, 2013, 28, 1773-1782. | isactions on | 5.4 | 69 |
| 763 | Comparison of 4.5-kV Press-Pack IGBTs and IGCTs for Medium-Voltage Converters. IEE Industrial Electronics, 2013, 60, 440-449. | E Transactions on | 5.2 | 83 |
| 764 | Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Disto Voltage Conditions. IEEE Transactions on Industrial Electronics, 2013, 60, 2808-2819. | rted Grid | 5.2 | 135 |
| 765 | Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link To Transactions on Industrial Electronics, 2013, 60, 2930-2937. | ppology. IEEE | 5.2 | 27 |
| 766 | Sensorless Direct Slip Position Estimator of a DFIM Based on the Air Gap \$pq\$ Vectorâ Study. IEEE Transactions on Industrial Electronics, 2013, 60, 2442-2450. | €"Sensitivity | 5.2 | 35 |
| 767 | Observer Based Current Controlled Single Phase Grid Connected Inverter. Procedia Eng 64, 367-376. | gineering, 2013, | 1.2 | 3 |
| 768 | Open-end-winding PMSG for wind energy conversion system with dual boost NPC con | verter. , 2013, , . | | 9 |
| 769 | Control Strategy for Power Flow Management in a PV System Supplying DC Loads. IEE on Industrial Electronics, 2013, 60, 3185-3194. | E Transactions | 5.2 | 98 |
| 770 | Permanent-magnet synchronous-generator wind-energy systems with boost matrix co | nverters. , 2013, , | | 4 |
| 771 | Performance enhancement of PMSG systems with control of generator-side converter stator current controller. , 2013, , . | using d-axis | | 11 |
| 772 | An overview of inverter topologies for photovoltaic electrical energy. , 2013, , . | | | 4 |
| 773 | Review of Solid-State Transformer Technologies and Their Application in Power Distribu IEEE Journal of Emerging and Selected Topics in Power Electronics, 2013, 1, 186-198. | ution Systems. | 3.7 | 869 |
| 774 | Analysis and design of smart PV modules. , 2013, , . | | | 6 |
| 775 | Robustness analysis of the efficiency in PV inverters. , 2013, , . | | | 8 |
| 776 | Investigation of near flicker source impact on the dynamic performance of FCWECS. , | 2013,,. | | 1 |
| 777 | Distributed secondary control for dc microgrid applications with enhanced current sha accuracy. , 2013, , . | ring | | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 778 | Supercapacitors for wind power application. , 2013, , . | | 7 |
| 779 | A new control strategy for grid interfacing inverter in wind energy applications. , 2013, , . | | 0 |
| 780 | High efficiency modified dual-active bridge converter for photovoltaic integration. , 2013, , . | | 6 |
| 781 | Ensuring long term investment for large scale solar power stations: Hedging instruments for green power. Solar Energy, 2013, 98, 167-179. | 2.9 | 5 |
| 782 | Voltage-Based Control of a Smart Transformer in a Microgrid. IEEE Transactions on Industrial Electronics, 2013, 60, 1291-1305. | 5.2 | 69 |
| 783 | An Islanding Microgrid Power Sharing Approach Using Enhanced Virtual Impedance Control Scheme. IEEE Transactions on Power Electronics, 2013, 28, 5272-5282. | 5.4 | 408 |
| 784 | Optimal tracking and robust power control of the DFIG wind turbine. International Journal of Electrical Power and Energy Systems, 2013, 49, 234-242. | 3.3 | 119 |
| 785 | High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method. IEEE Transactions on Industrial Electronics, 2013, 60, 2104-2115. | 5.2 | 232 |
| 786 | A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids. IEEE Transactions on Industrial Electronics, 2013, 60, 1596-1606. | 5.2 | 344 |
| 787 | Reliability of Candidate Photovoltaic Module-Integrated-Inverter (PV-MII) Topologies—A Usage Model Approach. IEEE Transactions on Power Electronics, 2013, 28, 3019-3027. | 5.4 | 296 |
| 788 | Wind Turbine Power Coefficient Analysis of a New Maximum Power Point Tracking Technique. IEEE Transactions on Industrial Electronics, 2013, 60, 1122-1132. | 5.2 | 210 |
| 789 | Reliability comparison of power electronic converters for grid-connected 1.5kW wind energy conversion system. Renewable Energy, 2013, 57, 348-357. | 4.3 | 27 |
| 790 | Global Energy Scenario and Impact of Power Electronics in 21st Century. IEEE Transactions on Industrial Electronics, 2013, 60, 2638-2651. | 5.2 | 351 |
| 791 | Small Signal Stability Based Fuzzy Potential Function Proposal for Secondary Frequency and Voltage Control of Islanded Microgrid. Electric Power Components and Systems, 2013, 41, 485-499. | 1.0 | 34 |
| 792 | Integration and Operation of a Single-Phase Bidirectional Inverter With Two Buck/Boost MPPTs for DC-Distribution Applications. IEEE Transactions on Power Electronics, 2013, 28, 5098-5106. | 5.4 | 28 |
| 793 | Decoupled \$d\$–\$q\$ Model of Double-Star Interior-Permanent-Magnet Synchronous Machines. IEEE Transactions on Industrial Electronics, 2013, 60, 2486-2494. | 5.2 | 133 |
| 794 | Competitive energy storage in the presence of renewables. IEEE Transactions on Power Systems, 2013, 28, 985-996. | 4.6 | 40 |
| 795 | Improving Fault Ride-Through Capability of Variable Speed Wind Turbines in Distribution Networks. IFFF Systems Journal, 2013, 7, 713-722. | 2.9 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 796 | A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. IEEE Transactions on Industrial Electronics, 2013, 60, 3775-3783. | 5.2 | 33 |
| 797 | Dynamic analysis of hybrid energy systems under flexible operation and variable renewable generation – Part I: Dynamic performance analysis. Energy, 2013, 52, 1-16. | 4.5 | 60 |
| 798 | Integration of PV/battery hybrid energy conversion system to the grid with power quality improvement features. , 2013, , . | | 20 |
| 799 | Performance improvement of a grid connected direct drive wind turbine using super-capacitor energy storage. , 2013, , . | | 5 |
| 800 | A module-integrated isolated solar microinverter. IEEE Transactions on Industrial Electronics, 2013, 60, 781-788. | 5.2 | 91 |
| 801 | Double-port interface for small scale renewable sources integration. , 2013, , . | | 2 |
| 802 | Optimal power flow with large-scale storage integration. IEEE Transactions on Power Systems, 2013, 28, 709-717. | 4.6 | 180 |
| 803 | Review of grid-tie micro-generation systems without energy storage: Towards a new approach to sustainable hybrid energy systems linked to energy efficiency. Renewable and Sustainable Energy Reviews, 2013, 26, 60-95. | 8.2 | 67 |
| 804 | Electricity generation from renewables in the United States: Resource potential, current usage, technical status, challenges, strategies, policies, and future directions. Renewable and Sustainable Energy Reviews, 2013, 24, 454-472. | 8.2 | 47 |
| 805 | A review of energy storage technologies for marine current energy systems. Renewable and Sustainable Energy Reviews, 2013, 18, 390-400. | 8.2 | 265 |
| 806 | Emergence of energy storage technologies as the solution for reliable operation of smart power systems: A review. Renewable and Sustainable Energy Reviews, 2013, 25, 135-165. | 8.2 | 310 |
| 807 | Wind Power Generation. Green Energy and Technology, 2013, , 111-149. | 0.4 | 0 |
| 808 | Fast Response Energy Storage Systems. Green Energy and Technology, 2013, , 367-427. | 0.4 | 1 |
| 809 | Modular Power Electronics. Green Energy and Technology, 2013, , 429-467. | 0.4 | 0 |
| 810 | Family of ZC-ZVS converters with wide voltage range for renewable energy systems. Renewable Energy, 2013, 56, 32-43. | 4.3 | 24 |
| 811 | Electric Conditioning and Efficiency of Hydrogen Production Systems and Their Integration with Renewable Energies. , 2013, , 333-360. | | 9 |
| 812 | Grid-connected photovoltaic system based on switched-inductor quasi-Z-source inverter and its low voltage ride-through control strategy. Journal of Renewable and Sustainable Energy, 2013, 5, 033120. | 0.8 | 1 |
| 813 | Comprehensive design of DC busbars for medium voltage applications. , 2013, , . | | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 814 | Impact of uneven shading and bypass diodes on energy extraction characteristics of solar photovoltaic modules and arrays. International Journal of Sustainable Energy, 2013, 32, 351-365. | 1.3 | 7 |
| 815 | A DSP-based grid-tied solar cascode-micro-inverter. , 2013, , . | | 2 |
| 816 | How power electronics contribute to the current energy arena. , 2013, , . | | 2 |
| 817 | Solid state transformer with low-voltage ride-through and current unbalance management capabilities. , 2013, , . | | 19 |
| 818 | Current-Fed DC/DC topology based inverter. , 2013, , . | | 13 |
| 819 | Time-Sharing Dual-Mode Control Strategy for Two-Stage Single-Phase Grid-Tied PV Inverter. , 2013, , . | | 2 |
| 820 | A novel control strategy to suppress DC current injection of single-phase PV inverter to the grid. , 2013, , . | | 4 |
| 821 | Single-phase grid connected distributed generation interfacing converter with power quality improvement capability. , 2013, , . | | 2 |
| 822 | A recurrent neural approach for modeling non-reproducible behavior of PEM fuel cell stacks. , 2013, , . | | 3 |
| 823 | A droop controller is intrinsically a phase-locked loop. , 2013, , . | | 18 |
| 824 | Enhanced operation for DFIG-based WECS using resonant feedback compensators under grid unbalance. , 2013, , . | | 1 |
| 825 | A novel high step-up DC-DC converter with zero DC bias current coupled-inductor for microgrid system. , 2013, , . | | 10 |
| 826 | Economic scheduling in smart grid with nondispatchable and dispatchable loads. , 2013, , . | | 1 |
| 827 | A new design approach of stable nonlinear PI controllers for stand-alone photovoltaic systems. , 2013, , . | | 4 |
| 828 | Wind energy conversion into electricity by means of the rectifier with near sinusoidal input currentâ€1 converter. IET Renewable Power Generation, 2013, 7, 475-483. | 1.7 | 5 |
| 829 | An improved active frequency drift islanding detection method with lower total harmonic distortion. , 2013, , . | | 7 |
| 830 | Design and implementation of power converters for wind generator with three phase power factor correction. , 2013, , . | | 3 |
| 831 | A novel active clamp high step-up DC-DC converter with coupled-inductor for fuel cell system. , 2013, , | | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 832 | Architectural analysis of photovoltaic systems subjected to partial shading with a simple DC-DC step-up converter. , 2013, , . | | 0 |
| 833 | Behavior improvement of wind turbines with DFIG by a new fractional-order control strategy during steady state and fault conditions. , 2013, , . | | 0 |
| 834 | A photovoltaic system used in energy harvesting for low power application. , 2013, , . | | 0 |
| 835 | Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. IEEE Transactions on Industrial Electronics, 2013, 60, 121-128. | 5.2 | 88 |
| 836 | Determining Optimal Location and Size of Distributed Generation Resources Considering Harmonic and Protection Coordination Limits. IEEE Transactions on Power Systems, 2013, 28, 1245-1254. | 4.6 | 196 |
| 837 | An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. IEEE Transactions on Industrial Electronics, 2013, 60, 4301-4309. | 5.2 | 14 |
| 838 | Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. IEEE Transactions on Industrial Electronics, 2013, 60, 799-813. | 5.2 | 100 |
| 839 | Compact Integrated Energy Systems for Distributed Generation. IEEE Transactions on Industrial Electronics, 2013, 60, 1492-1502. | 5.2 | 77 |
| 840 | Application of Four-Switch-Based Three-Phase Grid-Connected Inverter to Connect Renewable Energy Source to a Generalized Unbalanced Microgrid System. IEEE Transactions on Industrial Electronics, 2013, 60, 1204-1215. | 5.2 | 101 |
| 841 | Hybrid Voltage and Current Control Approach for DC-Grid Interfacing Converters With \$LCL\$ filters. IEEE Transactions on Industrial Electronics, 2013, 60, 1797-1809. | 5.2 | 150 |
| 842 | Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. IEEE Transactions on Industrial Electronics, 2013, 60, 1787-1796. | 5.2 | 188 |
| 843 | Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications. IEEE Transactions on Industrial Electronics, 2013, 60, 1532-1541. | 5.2 | 317 |
| 844 | Investigation and Active Damping of Multiple Resonances in a Parallel-Inverter-Based Microgrid. IEEE Transactions on Power Electronics, 2013, 28, 234-246. | 5.4 | 419 |
| 845 | DCâ€bus voltage control of gridâ€connected voltage source converter by using space vector modulated direct power control under unbalanced network conditions. IET Power Electronics, 2013, 6, 925-934. | 1.5 | 38 |
| 846 | Three-Level Grid-Connected Inverter Based on Voltage-Oriented Control in Photovoltaic Generation Systems. Advanced Materials Research, 2013, 765-767, 2494-2497. | 0.3 | 0 |
| 847 | Study on Stator-Voltage Decoupling Control Strategy for DFIG-Based Wind Power Turbines. Advanced Materials Research, 0, 805-806, 370-374. | 0.3 | 0 |
| 848 | Coordinated Control of Reactive Power between STATCOMs and Wind Farms for PCC Voltage Regulation. Journal of Power Electronics, 2013, 13, 909-918. | 0.9 | 21 |
| 849 | Variable DC-Link Voltage Algorithm with a Wide Range of Maximum Power Point Tracking for a Two-String PV System. Energies, 2013, 6, 58-78. | 1.6 | 40 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 850 | Comparison of Feedback Loop Control Schemes for Inverters in Microgrids. Advanced Materials Research, 0, 748, 444-448. | 0.3 | 0 |
| 851 | Simulation and Analysis of Seven Switch Nine-Level Hybrid Cascaded Inverter for Fuel Cell Applications. Applied Mechanics and Materials, 2013, 367, 199-203. | 0.2 | 0 |
| 852 | A New High Frequency Transformer PV Grid-Connected Inverter. Applied Mechanics and Materials, 0, 325-326, 515-518. | 0.2 | 0 |
| 853 | A Study of Super-Capacitors Charge Efficiency. Applied Mechanics and Materials, 0, 427-429, 778-782. | 0.2 | 0 |
| 854 | A Novel Control Strategy for DVR to Improve Voltage Profile in Wind Farm. Advanced Materials Research, 2013, 768, 344-350. | 0.3 | 3 |
| 855 | Singe-Phase Grid-Connected Inverter Based on Voltage-Oriented Control in Photovoltaic Generation Systems. Advanced Materials Research, 0, 765-767, 2498-2502. | 0.3 | 0 |
| 856 | Asymmetric Voltage Sag Control Strategy for Grid-Connected PV System Based on PIR Controller. Advanced Materials Research, 0, 724-725, 128-131. | 0.3 | 0 |
| 857 | Digital implementation of peak current mode control for single-phase H-Bridge inverter with slope compensation. , 2013, , . | | 1 |
| 858 | A complex notch filter based approach to device the control strategy for a generalized unbalanced grid connected distributed generator. , 2013, , . | | 0 |
| 859 | A Grid-Connected Multilevel Current Source Inverter and Its Protection for Grid-Disconnection. International Journal of Photoenergy, 2013, 2013, 1-10. | 1.4 | 1 |
| 860 | Accurate power sharing strategy for complex microgrid based on droop control method. , 2013, , . | | 19 |
| 861 | Generalized Nonlinear Stabilizing Controllers for Hamiltonian-Passive Systems With Switching Devices. IEEE Transactions on Control Systems Technology, 2013, 21, 1479-1488. | 3.2 | 49 |
| 862 | Development of Solar Inverter with FRT and DVS Capabilities. Journal of International Council on Electrical Engineering, 2013, 3, 269-275. | 0.4 | 7 |
| 863 | Distributed demand response for plug-in electrical vehicles in the smart grid. , 2013, , . | | 2 |
| 864 | Towards smart, flexible and efficient power systems: Vision and research challenges. , 2013, , . | | 3 |
| 865 | Hybrid control of the boost converter: Robust global stabilization. , 2013, , . | | 4 |
| 866 | Global optimization of multi-period optimal power flow. , 2013, , . | | 24 |
| 867 | Design and implementation of digital power converter for wind energy conversion system. , 2013, , . | | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 868 | Control and implementation of three level boost converter for load voltage regulation. , 2013, , . | | 8 |
| 869 | Discontinuous hybrid modulation technique for three-phase three-level neutral point clamped inverters. , 2013, , . | | 9 |
| 870 | A Novel Mechanical Hardware in the Loop Platform for Distributed Generation Systems. Distributed Generation and Alternative Energy Journal, 2013, 28, 7-27. | 1.1 | 4 |
| 871 | High-reliability long-backup-time super UPS with multiple energy sources. , 2013, , . | | 17 |
| 872 | Parallel operation of inverters with different types of output impedance. , 2013, , . | | 17 |
| 873 | The price of synchrony: Resistive losses due to phase synchronization in power networks. , 2013, , . | | 31 |
| 874 | Power loss analysis of five-level inverters for grid tie photovoltaic system. , 2013, , . | | 2 |
| 875 | Control of grid connected single phase inverter using composite observer. , 2013, , . | | 0 |
| 876 | Ground leakage current elimination in a transformerless unipolar modulation based single phase grid-connected photovoltaic system. , 2013, , . | | 9 |
| 877 | Multifunctional DC-link capacitor midpoint inverter control of a distributed generation grid connected system. , 2013, , . | | 2 |
| 878 | A new reliability evaluation technique for multi-level inverters. , 2013, , . | | 1 |
| 879 | Parameter design for voltage-source power conversion system with SVPWM control strategy. , 2013, , \cdot | | 3 |
| 880 | A unified power compensation system for the large-scale grid-tied renewable energy generation system. , 2013, , . | | 2 |
| 881 | Firefighter safety for PV systems: Overview of future requirements and protection systems. , 2013, , . | | 3 |
| 882 | Compact multi-modular design of high power DC/DC resonant converters for offshore wind energy HVDC transmission. , 2013, , . | | 4 |
| 883 | Multiple inverters modulation technique for photovoltaic systems. , 2013, , . | | 1 |
| 884 | Analysis and improvement of performance in LCL filterâ€based PWM rectifier/inverter application using hybrid damping approach. IET Power Electronics, 2013, 6, 309-325. | 1.5 | 45 |
| 885 | Three-phase photovoltaic grid-connected inverter based on feedforward decoupling control. , 2013, , . | | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 886 | Improved DPC strategy of grid-connected inverters under unbalanced and harmonic grid conditions. , 2013, , . | | 2 |
| 887 | Power Quality and Grid Code Issues in Wind Energy Conversion System. , 2013, , . | | 3 |
| 888 | Analysis of a Three-Phase Grid-Connected PV Power System Using a Modified Dual-Stage Inverter. , 2013, 2013, 1-18. | | 18 |
| 889 | Evaluation of Harmonic Content from a Tap Transformer Based Grid Connection System for Wind Power. Journal of Renewable Energy, 2013, 2013, 1-8. | 2.1 | 2 |
| 890 | Transformer Model in Wide Frequency Bandwidth for Power Electronics Systems. Advances in Power Electronics, 2013, 2013, 1-8. | 0.8 | 1 |
| 891 | Power Quality Improvement Wind Energy System Using Cascaded Multilevel Inverter. International Journal of Renewable Energy Development, 2013, 2, 35-43. | 1.2 | 3 |
| 892 | An Overview of Power Electronics Applications in Fuel Cell Systems: DC and AC Converters. Scientific World Journal, The, 2014, 2014, 1-9. | 0.8 | 17 |
| 893 | A Novel Integrated Full-Bridge-Bidirectional DC-DC Converter for a Residential Microgrid Applications. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 894 | A multi-functional grid-connected inverter and its application in the green ship. , 2014, , . | | 0 |
| 895 | Multilevel multichannel interleaved AC-DC converter for high current applications. , 2014, , . | | 4 |
| 897 | A fault-tolerant power conversion topology for PMSG based Wind Power Systems. , 2014, , . | | 6 |
| 898 | A PWM Current Source-Based DC Transmission System for Multiple Wind Turbine Interfacing. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2014, 2, 784-796. | 3.7 | 22 |
| 899 | Energy Management and Control of Electric Vehicle Charging Stations. Electric Power Components and Systems, 2014, 42, 339-347. | 1.0 | 44 |
| 900 | Decentralized architecture and control of photovoltaic generation system based on cascaded AC module integrated converter. , 2014, , . | | 2 |
| 901 | Analyzing the effect of inverter efficiency improvement in wind turbine systems. , 2014, , . | | 7 |
| 902 | Models for the modern power grid. European Physical Journal: Special Topics, 2014, 223, 2423-2437. | 1.2 | 89 |
| 903 | Three Level Hysteresis Current Controlled VSI for power injection and conditioning in grid connected solar PV systems. , 2014, , . | | 6 |
| 904 | Grid-connected control of high-speed permanent magnetic generator based on Z-source inverter. , 2014, , . | | 0 |

ARTICLE IF CITATIONS # Maximizing power harvest of a large PV farm., 2014,,. 905 0 Performance analysis of a hybrid power system with three phase interleaved bidirectional converter., 2014,,. A Study on Using OWC with Battery Storage for Providing Power to Sensor Nodes in a Fish Farm. 907 0.3 0 Lecture Notes in Electrical Engineering, 2014, , 301-307. A high performance controller for a single phase cascaded multilevel photovoltaic system. , 2014, , . 908 Medium voltage AC collection grid for large scale photovoltaic plants based on medium frequency 909 10 transformers., 2014, , . New Multiphase Hybrid Boost Converter with Wide Conversion Ratio for PV System. International Journal of Photoenergy, 2014, 2014, 1-16. 1.4 Power Quality Improvement in Wind Energy Generation Using Fuzzy Logic Controller. Advanced 911 0.3 0 Materials Research, 2014, 984-985, 730-739. Study on Experimental System for Three Level Neutral-Point-Clamped Converter. Advanced Materials 0.3 Research, 2014, 986-987, 1858-1863. 913 Split-multistring 3-level NPC photovoltaic inverter suitable for partially shaded conditions., 2014, , . 1 Electronic Power Transformer Control Strategy in Wind Energy Conversion Systems for Low Voltage 914 Ride-through Capability Enhancement of Directly Driven Wind Turbines with Permanent Magnet 1.6 Synchronous Generators (D-PMSGs). Energies, 2014, 7, 7330-7347. A Systematic Method for Designing a PR Controller and Active Damping of the LCL Filter for 915 1.6 124 Single-Phase Grid-Connected PV Inverters. Energies, 2014, 7, 3934-3954. Advanced control of a multilevel cascaded H-bridge converter for PV applications., 2014, , . Single-phase ZVS AC-link inverter for PV-grid connection at MPPT operation., 2014, , . 917 2 The Influence of Distributed Photovoltaic Access to Distribution Network on Voltage Profile. 918 0.3 Advanced Materials Research, 0, 1070-1072, 68-73. Nonlinear analysis of a grid-connected photovoltaic/dc-load system driven by local current-mode 919 4 controllers., 2014, , . Determination of the minimum-variance unbiased estimator for DC power-flow estimation. , 2014, , . Design and experimental implementation of a robust DLQR for three-phase grid-connected converters. 921 1 ,2014,,. Interleaving modulation inverters for high efficiency photovoltaic systems., 2014, , .

| # | ARTICLE Split-multistring 3-level NPC photovoltaic inverter suitable for partially shaded conditions. , 2014, , . | IF | CITATIONS |
|------------|--|------|-----------|
| 923 924 | Experimental investigation on switching characteristics of high-current insulated gate bipolar transistors at low currents., 2014, , . | | 0 |
| 925 | Back-to-back MVDC link for distribution system active connection: A network study. , 2014, , . | | 6 |
| 926 | Design of Dc-Dc converter for integration of sources. , 2014, , . | | 2 |
| 927 | Design and analysis of robustness of DLQR controllers applied to grid-connected inverters. , 2014, , . | | 1 |
| 928 | Modeling and grid impedance variation analysis of parallel connected grid connected inverter based on impedance based harmonic analysis. , 2014, , . | | 0 |
| 929 | Design and Comparison of Feasible Control Systems for VSC-HVDC Transmission System. , 2014, , . | | 4 |
| 930 | Evaluation of modulation strategies for PV fed DCMLIs and its application to dynamic load. , 2014, , . | | 1 |
| 931 | Applying Large-Scale Multi-unit Combinatorial Auctions with Reserve-Price Biddings for Resource Allocations – A Preliminary Analysis. , 2014, , . | | 0 |
| 932 | A new fault tolerant SVPWM strategy for multilevel converters. , 2014, , . | | 0 |
| 933 | Asymmetrical converters with medium frequency transformer isolation to interface low voltage DC to a medium voltage three phase grid. , 2014, , . | | 2 |
| 934 | Residential battery energy storage system with 3kWh Li-ion battery pack. , 2014, , . | | 1 |
| 935 | Distribution System Harmonic Compensation Methods: An Overview of DG-Interfacing Inverters. IEEE Industrial Electronics Magazine, 2014, 8, 18-31. | 2.3 | 139 |
| 936 | A Novel Real-time Voltage and Frequency Compensation Strategy for Photovoltaic-based Microgrid. IEEE Transactions on Industrial Electronics, 2014, , 1-1. | 5.2 | 40 |
| 937 | Z-Source/Quasi-Z-Source Inverters: Derived Networks, Modulations, Controls, and Emerging Applications to Photovoltaic Conversion. IEEE Industrial Electronics Magazine, 2014, 8, 32-44. | 2.3 | 178 |
| 938 | Radio-Frequency Rectifier for Electromagnetic Energy Harvesting: Development Path and Future Outlook. Proceedings of the IEEE, 2014, 102, 1667-1691. | 16.4 | 165 |
| 939 | Seamless Transfer Control Strategy for Grid-Interactive Inverters. Electric Power Components and Systems, 2014, 42, 1587-1597. | 1.0 | 1 |
| 940 | An enhanced load power sharing strategy for low-voltage microgrids based on inverse-droop control method. , 2014, , . | | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 941 | High power DC-DC converter for renewable energy power system. , 2014, , . | | 2 |
| 942 | Modeling and resonant characteristics analysis of multiple paralleled grid-connected inverters with LCL filter. , 2014, , . | | 2 |
| 943 | Stability analysis of a DC microgrid with master-slave control structure. , 2014, , . | | 12 |
| 944 | Suppressing method for photovoltaic power station DC component injection. , 2014, , . | | 2 |
| 945 | Control of distributed generation systems under unbalanced voltage conditions. , 2014, , . | | 6 |
| 946 | Simulation by MATLAB/Simulink of a wind farm power plant. , 2014, , . | | 2 |
| 947 | Comparative analysis of PV FED DC-DC converters. , 2014, , . | | 6 |
| 948 | Control of single stage AC-AC converter for variable speed wind energy system. , 2014, , . | | 4 |
| 949 | A novel DC voltage control strategy for multiterminal HVDC system with offshore wind farms integration. , 2014, , . | | 0 |
| 950 | Harmonic elimination in cascade multilevel inverters using Firefly algorithm. , 2014, , . | | 4 |
| 951 | Efficiency Analysis for a Two-Stage Three-Phase Inverter. Advanced Materials Research, 2014, 986-987, 1958-1962. | 0.3 | 3 |
| 952 | A comparison of seven-level inverter topologies for multilevel DC-AC power conversion. , 2014, , . | | 16 |
| 953 | Simulation and real-time emulation of a three-level and a sevel-level active rectifiers. , 2014, , . | | 0 |
| 954 | Power quality improvement in grid connected renewable energy sources at distribution level. , 2014, , . | | 5 |
| 955 | A Comparative Evaluation of Conventionnal and Supercapacitors in Grid-Connected Transformerless PV Systems. , 2014, , . | | 6 |
| 956 | Sliding mode control for voltage source converter applied to wind energy systems. , 2014, , . | | 2 |
| 957 | A modular high step up quadratic boost topology with minimum phase behaviour for microsource applications. , 2014, , . | | 1 |
| 958 | A novel control strategy for AC fault ride through in a MTDC system with offshore wind farms. , 2014, , . | | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 959 | Development of power flow controller for grid connected renewable energy sources using lyapnouv function. , 2014, , . | | 1 |
| 960 | Distributed Power Management System with Dynamic Load Management Based on Multi-agent System for Smart Grid. Lecture Notes in Computer Science, 2014, , 349-356. | 1.0 | 0 |
| 961 | Steady state analysis of a novel single phase induction generator for renewable energy conversion. , 2014, , . | | 1 |
| 962 | Dual sequence current controller without current sequence decomposition implemented on DSRF for unbalanced grid voltage conditions. , 2014, , . | | 8 |
| 963 | A new voltage balancing controller applied on 7-level PUC inverter. , 2014, , . | | 50 |
| 964 | Adaptive notch filter based synchronization technique for integration of distributed generation systems to utility grid. , 2014, , . | | 11 |
| 965 | Fuzzy logic control of matrix-converter-based WECS in order to performance improvement. , 2014, , . | | 2 |
| 966 | Analysis, design and implementation of a highâ€voltage gain DCâ€DC converter. International Journal of Circuit Theory and Applications, 2014, 42, 1-14. | 1.3 | 11 |
| 967 | Handling renewable energy variability and uncertainty in power systems operation. Wiley Interdisciplinary Reviews: Energy and Environment, 2014, 3, 156-178. | 1.9 | 69 |
| 968 | Adaptive Vectorial Filter for Grid Synchronization of Power Converters Under Unbalanced and/or Distorted Grid Conditions. IEEE Transactions on Industrial Electronics, 2014, 61, 1355-1367. | 5.2 | 130 |
| 969 | Resonance Issues and Damping Techniques for Grid-Connected Inverters With Long Transmission Cable. IEEE Transactions on Power Electronics, 2014, 29, 110-120. | 5.4 | 167 |
| 970 | Well to wheels energy and emissions analysis of a recycled 1974 VW Super Beetle converted into a plug-in series hybrid electric vehicle. Journal of Cleaner Production, 2014, 68, 93-103. | 4.6 | 12 |
| 971 | An Improved Droop Control Method for DC Microgrids Based on Low Bandwidth Communication With DC Bus Voltage Restoration and Enhanced Current Sharing Accuracy. IEEE Transactions on Power Electronics, 2014, 29, 1800-1812. | 5.4 | 837 |
| 972 | Hierarchical Control of Parallel AC-DC Converter Interfaces for Hybrid Microgrids. IEEE Transactions on Smart Grid, 2014, 5, 683-692. | 6.2 | 327 |
| 973 | Voltage Support Control Strategies for Static Synchronous Compensators Under Unbalanced Voltage Sags. IEEE Transactions on Industrial Electronics, 2014, 61, 808-820. | 5.2 | 120 |
| 974 | A new approach for optimal sizing of battery energy storage system for primary frequency control of islanded Microgrid. International Journal of Electrical Power and Energy Systems, 2014, 54, 325-333. | 3.3 | 224 |
| 975 | An adaptive recurrent neural-network controller using a stabilization matrix and predictive inputs to solve a tracking problem under disturbances. Neural Networks, 2014, 49, 74-86. | 3.3 | 35 |
| 976 | Shading and bypass diode impacts to energy extraction of PV arrays under different converter configurations. Renewable Energy, 2014, 68, 58-66. | 4.3 | 69 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 977 | Model Predictive Control: A Review of Its Applications in Power Electronics. IEEE Industrial Electronics Magazine, 2014, 8, 16-31. | 2.3 | 894 |
| 978 | Operating point stability analysis of SMIB power system equipped with high PV penetration. International Journal of Electrical Power and Energy Systems, 2014, 55, 522-530. | 3.3 | 10 |
| 979 | Power electronics in hydro electric energy systems – A review. Renewable and Sustainable Energy Reviews, 2014, 32, 944-959. | 8.2 | 77 |
| 980 | Microgrids in active network management—Part I: Hierarchical control, energy storage, virtual power plants, and market participation. Renewable and Sustainable Energy Reviews, 2014, 36, 428-439. | 8.2 | 262 |
| 981 | LMI-Based Control for Grid-Connected Converters With LCL Filters Under Uncertain Parameters. IEEE Transactions on Power Electronics, 2014, 29, 3776-3785. | 5.4 | 128 |
| 982 | Modeling and control of microgrid: An overview. Journal of the Franklin Institute, 2014, 351, 2822-2859. | 1.9 | 216 |
| 983 | Progress of thermoelectric power generation systems: Prospect for small to medium scale power generation. Renewable and Sustainable Energy Reviews, 2014, 33, 371-381. | 8.2 | 90 |
| 984 | A review of offshore wind turbine nacelle: Technical challenges, and research and developmental trends. Renewable and Sustainable Energy Reviews, 2014, 33, 161-176. | 8.2 | 104 |
| 985 | Voltage regulation in single-stage boost inverter for stand-alone applications. , 2014, , . | | 3 |
| 986 | Calculation-Delay Tolerant Predictive Current Controller for Three-Phase Inverters. IEEE Transactions on Industrial Informatics, 2014, 10, 233-242. | 7.2 | 54 |
| 987 | Current-Fed Switched Inverter. IEEE Transactions on Industrial Electronics, 2014, 61, 4680-4690. | 5.2 | 162 |
| 988 | An Optimal and Distributed Demand Response Strategy With Electric Vehicles in the Smart Grid. IEEE Transactions on Smart Grid, 2014, 5, 861-869. | 6.2 | 218 |
| 989 | Harmonic reduction methods for wind energy conversion systems: A review. , 2014, , . | | 5 |
| 990 | Combined cooling, heating and power systems: A survey. Renewable and Sustainable Energy Reviews, 2014, 35, 1-22. | 8.2 | 284 |
| 991 | Hybrid renewable energy systems for off-grid electric power: Review of substantial issues. Renewable and Sustainable Energy Reviews, 2014, 35, 527-539. | 8.2 | 212 |
| 992 | A modified two-level three-phase quasi-soft-switching inverter. , 2014, , . | | 4 |
| 993 | A wind energy conversion system with enhanced power harvesting capability for low cut-in speeds. , 2014, , . | | 0 |
| 994 | Offshore Wind Integration to a Weak Grid by VSC-HVDC Links Using Power-Synchronization Control: A Case Study. IEEE Transactions on Power Delivery, 2014, 29, 453-461. | 2.9 | 125 |

| # | Article | lF | Citations |
|------|--|-----|-----------|
| 995 | A Multifunctional Load-Bearing Solid-State Supercapacitor. Nano Letters, 2014, 14, 3197-3202. | 4.5 | 80 |
| 996 | Dynamics and Stability Analysis of a Power System With a PMSG-Based Wind Farm Performing Ancillary Services. IEEE Transactions on Circuits and Systems I: Regular Papers, 2014, 61, 2182-2193. | 3.5 | 37 |
| 997 | Microgrids in active network management – part II: System operation, power quality and protection. Renewable and Sustainable Energy Reviews, 2014, 36, 440-451. | 8.2 | 98 |
| 998 | Multifunctional VSC Controlled Microgrid Using Instantaneous Symmetrical Components Theory. IEEE Transactions on Sustainable Energy, 2014, 5, 313-322. | 5.9 | 96 |
| 999 | Review on Implementation and Assessment of Conservation Voltage Reduction. IEEE Transactions on Power Systems, 2014, 29, 1306-1315. | 4.6 | 229 |
| 1000 | Asymptotic rejection of sinusoidal disturbances based voltage balance control in back-to-back power converters. International Journal of Robust and Nonlinear Control, 2014, 24, 2974-2994. | 2.1 | 3 |
| 1001 | Experimental Verification of a Modular Multilevel Cascade Inverter Based on Double-Star Bridge Cells. IEEE Transactions on Industry Applications, 2014, 50, 509-519. | 3.3 | 121 |
| 1002 | Investigations Into the Control and Protection of an Existing Distribution Network to Operate as a Microgrid: A Case Study. IEEE Transactions on Industrial Electronics, 2014, 61, 1904-1915. | 5.2 | 89 |
| 1003 | Artificial Neural Networks for Control of a Grid-Connected Rectifier/Inverter Under Disturbance, Dynamic and Power Converter Switching Conditions. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 738-750. | 7.2 | 114 |
| 1004 | Control of thermal solar energy plants. Journal of Process Control, 2014, 24, 332-340. | 1.7 | 42 |
| 1005 | Modeling and simulation of grid-connected photovoltaic energy conversion systems. International Journal of Hydrogen Energy, 2014, 39, 8702-8707. | 3.8 | 45 |
| 1006 | Control strategy of cascaded H-Bridge inverter for grid connected with Solar Photovoltaic conversion systems. , 2014, , . | | 0 |
| 1007 | Partial resonant ac-link converters — A review. , 2014, , . | | 4 |
| 1008 | Analysis and implementation of energy harvesting technique for PV system using multilevel inverter. , 2014, , . | | 1 |
| 1009 | Synchronization of isolated microgrids with a communication infrastructure using energy storage systems. International Journal of Electrical Power and Energy Systems, 2014, 63, 71-82. | 3.3 | 26 |
| 1010 | Evaluación de transformadores de estado sólido CC-CA. , 2014, , . | | 0 |
| 1011 | A New SVPWM Modulated Input Switched Multilevel Converter for Grid-Connected PV Energy Generation Systems. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2014, 2, 920-930. | 3.7 | 26 |
| 1012 | Experimental Study of Thermoelectric Generators. Applied Mechanics and Materials, 0, 663, 299-303. | 0.2 | 4 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1013 | Performance assessment of grid-connected photovoltaic inverters based on field monitoring in India. , 2014, , . | | 3 |
| 1014 | Coordination control of lithium battery-supercapacitor hybrid energy storage system in a microgrid under unbalanced load condition. , 2014, , . | | 5 |
| 1015 | Large-disturbance stability of grid-integrated photovoltaic generator with MPPT. , 2014, , . | | 5 |
| 1016 | Droop-control-based state-of-charge balancing method for charging and discharging process in autonomous DC microgrids. , 2014, , . | | 14 |
| 1017 | Design and control of an advanced PV inverter. Solar Energy, 2014, 110, 533-542. | 2.9 | 35 |
| 1018 | Transformer-less unified power flow controller using the cascade multilevel inverter. , 2014, , . | | 9 |
| 1019 | A System-Level Control Strategy of Photovoltaic Grid-Tied Generation Systems for European Efficiency Enhancement. IEEE Transactions on Power Electronics, 2014, 29, 3445-3453. | 5.4 | 42 |
| 1020 | Application of a digital ANF-based power processor for micro-grids power quality enhancement. , 2014, , . | | 5 |
| 1021 | Overview of connection topologies for grid-connected PV systems. , 2014, , . | | 5 |
| 1022 | Voltage balancing in an interleaved high gain boost converter. , 2014, , . | | 0 |
| 1023 | Single-phase ZVS bidirectional AC-link converter for EV batteries-grid integration. , 2014, , . | | 2 |
| 1024 | Modeling and digital control of a high-power full-bridge isolated DC-DC buck converter designed for a two-stage grid-tie PV inverter. , 2014, , . | | 5 |
| 1025 | Solar array system simulation using FPGA with hardware co-simulation. , 2014, , . | | 15 |
| 1026 | Performance analysis of SVM control of cascaded seven level multi string inverters for industrial drives. , 2014, , . | | 0 |
| 1027 | Cascaded two level inverter based grid connected photovoltaic system: Modelling and control. , 2014, | | 13 |
| 1028 | Harmonic optimization in multi-level inverters by considering adjustable DC sources using Memetic algorithm. , 2014, , . | | 4 |
| 1029 | Topología de transformador de estado sólido CC-CA trifásico de una sola etapa. , 2014, , . | | 0 |
| 1030 | Discrete-time sliding mode direct power control for grid connected inverter with comparative study. , 2014, , . | | 2 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1031 | Helping all generations of photoâ€voltaic inverters rideâ€ŧhrough voltage sags. IET Power Electronics, 2014, 7, 2555-2563. | 1.5 | 17 |
| 1032 | Cascaded dual buck inverter with sensorless current control method for grid connected photo voltaic systems. , 2014, , . | | 1 |
| 1033 | Harmonic mitigation methods for wind energy conversion systems: A review. , 2014, , . | | 4 |
| 1034 | Repetitive Control With Adaptive Sampling Frequency for Wind Power Generation Systems. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2014, 2, 58-69. | 3.7 | 61 |
| 1035 | Design Considerations of Digitally Controlled <i>LCL</i> -Filtered Inverter With Capacitor- Current-Feedback Active Damping. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2014, 2, 972-984. | 3.7 | 78 |
| 1036 | Overview of control, integration and energy management of microgrids. Journal of Modern Power Systems and Clean Energy, 2014, 2, 212-222. | 3.3 | 106 |
| 1037 | Evaluation of control solution for grid inverter of low power wind turbine for implementation with inexpensive hardware. , 2014, , . | | 0 |
| 1038 | Review of energy storage technologies for sustainable power networks. Sustainable Energy Technologies and Assessments, 2014, 8, 74-91. | 1.7 | 454 |
| 1039 | Power electronics interface for hybrid renewable energy system — A survey. , 2014, , . | | 17 |
| 1040 | Model-Based Predictive Rotor Current Control for Grid Synchronization of a DFIG Driven by an Indirect Matrix Converter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2014, 2, 715-726. | 3.7 | 59 |
| 1041 | A two-stage approach on island partitioning of power distribution networks with distributed generation. , 2014, , . | | 5 |
| 1042 | Power electronics - The key technology for Renewable Energy Systems. , 2014, , . | | 27 |
| 1043 | Controlling a grid-connected T-type three level inverter system using a sliding mode approach. , 2014, , | | 5 |
| 1044 | Characterization of optical ageing effects on Ruthenium based Dye-Sensitized Solar Cells. , 2014, , . | | 3 |
| 1045 | Analysis and Design of Smart PV Modules. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2014, 2, 451-459. | 3.7 | 30 |
| 1046 | Wave-to-Wire Model and Energy Storage Analysis of an Ocean Wave Energy Hyperbaric Converter. IEEE Journal of Oceanic Engineering, 2014, 39, 386-397. | 2.1 | 43 |
| 1047 | LVRT control strategy of CSC-DPMSG-WGS under unbalanced grid faults. , 2014, , . | | 0 |
| 1048 | Asymmetric cascaded converter for solar PV applications. , 2014, , . | | 1 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1049 | Cooperative minimization of power losses in smart micro grids with PLC system. , 2014, , . | | 0 |
| 1050 | Voltage regulation and maximum output power tracking of a 4.5kW permanent-magnet synchronous generator. , 2014, , . | | 0 |
| 1051 | Coordination of multiple grid-connected inverters for harmonic compensation. Journal of Central South University, 2014, 21, 3126-3132. | 1.2 | 0 |
| 1052 | Robust Predictive Control of Grid-Tied Converters Based on Direct Power Control. IEEE Transactions on Power Electronics, 2014, 29, 5634-5643. | 5.4 | 72 |
| 1053 | Transformerless DC/AC Converter for Grid-Connected PV Power Generation System. Arabian Journal for Science and Engineering, 2014, 39, 7945-7956. | 1.1 | 5 |
| 1054 | A Comparison Study of High-Frequency Isolated DC/AC Converter Employing an Unfolding LCI for Grid-Connected Alternative Energy Applications. IEEE Transactions on Power Electronics, 2014, 29, 3930-3941. | 5.4 | 22 |
| 1055 | Elimination of Harmonics in a Modular Multilevel Converter Using Particle Swarm Optimization-Based Staircase Modulation Strategy. IEEE Transactions on Industrial Electronics, 2014, 61, 5311-5322. | 5.2 | 95 |
| 1057 | Joint Optimization of Hybrid Energy Storage and Generation Capacity With Renewable Energy. IEEE Transactions on Smart Grid, 2014, 5, 1566-1574. | 6.2 | 194 |
| 1058 | A novel memetic algorithm approach for selective harmonic elimination in multi-level inverters. , 2014, , , | | 1 |
| 1059 | Design and simulation of grid connected hybrid solar-WECS using SIMULINK/MATLAB. , 2014, , . | | 2 |
| 1060 | Cascadeâ€multiâ€cell multilevel converter with reduced number of switches. IET Power Electronics, 2014, 7, 552-558. | 1.5 | 95 |
| 1061 | Three-level neutral-point-clamped inverters in transformerless PV systems — State of the art. , 2014, , . | | 36 |
| 1062 | Control system of a single-phase grid-connected cascaded H-bridge inverter based on energy regulation of DC-link capacitors. , 2014, , . | | 3 |
| 1063 | 2-stage grid-connected and stand-alone PV inverter implemented with a renewable energy developer's KIT. , 2014, , . | | 1 |
| 1064 | Improvement of the grid-connect current quality using novel proportional-integral controller for photovoltaic inverters. Review of Scientific Instruments, 2014, 85, 025110. | 0.6 | 12 |
| 1065 | Efficiency improvement of semi-bridgeless phase-shifted boost converter with power factor correction in energy storage system. , 2014, , . | | 2 |
| 1066 | Distance Protection of Lines Connected to Induction Generator-Based Wind Farms During Balanced Faults. IEEE Transactions on Sustainable Energy, 2014, 5, 1193-1203. | 5.9 | 111 |
| 1067 | Implementation of fuzzy logic MPPT control and modified H-bridge inverter in photovoltaic system. , 2014, , . | | 2 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1068 | A LLC-Type Dual-Bridge Resonant Converter: Analysis, Design, Simulation, and Experimental Results. IEEE Transactions on Power Electronics, 2014, 29, 4313-4321. | 5.4 | 37 |
| 1069 | Hybrid low-power Wind Generation and PV gridconnected system with HPC, PC and MPPT control. , 2014, , . | | 1 |
| 1070 | A new simplified multilevel inverter topology for grid-connected application. , 2014, , . | | 13 |
| 1071 | Agent-based simulations of the influence of social policy and neighboring communication on the adoption of grid-connected photovoltaics. Energy Conversion and Management, 2014, 80, 158-164. | 4.4 | 27 |
| 1072 | FPGA based practical implementation of NPC-MLI with SVPWM for an autonomous operation PV system with capacitor balancing. International Journal of Electrical Power and Energy Systems, 2014, 61, 489-509. | 3.3 | 55 |
| 1073 | Power Smoothing of Large Solar PV Plant Using Hybrid Energy Storage. IEEE Transactions on Sustainable Energy, 2014, 5, 834-842. | 5.9 | 238 |
| 1076 | Singleâ€phase transformerless biâ€directional inverter with high efficiency and low leakage current. IET Power Electronics, 2014, 7, 451-458. | 1.5 | 35 |
| 1077 | Multilevel Direct Power Control—A Generalized Approach for Grid-Tied Multilevel Converter Applications. IEEE Transactions on Power Electronics, 2014, 29, 5592-5604. | 5.4 | 70 |
| 1078 | An Adaptive Control Strategy for a Wind Energy Conversion System Based on PWM-CSC and PMSG. IEEE Transactions on Power Systems, 2014, 29, 1446-1453. | 4.6 | 54 |
| 1079 | Simple unipolar maximum switching frequency limited hysteresis current control for gridâ€connected inverter. IET Power Electronics, 2014, 7, 933-945. | 1.5 | 30 |
| 1080 | DG Mix, Reactive Sources and Energy Storage Units for Optimizing Microgrid Reliability and Supply Security. IEEE Transactions on Smart Grid, 2014, 5, 1835-1844. | 6.2 | 133 |
| 1083 | Utility integration of PV-wind-fuel cell hybrid distributed generation systems under variable load demands. International Journal of Electrical Power and Energy Systems, 2014, 62, 689-699. | 3.3 | 62 |
| 1084 | A novel voltage and frequency controller for standalone DFIG based Wind Energy Conversion System. Renewable and Sustainable Energy Reviews, 2014, 37, 69-89. | 8.2 | 42 |
| 1085 | An integrated framework of agent-based modelling and robust optimization for microgrid energy management. Applied Energy, 2014, 129, 70-88. | 5.1 | 183 |
| 1086 | DC Islands in AC Smart Grids. IEEE Transactions on Power Electronics, 2014, 29, 89-98. | 5.4 | 64 |
| 1087 | Design of single-stage three-phase grid-connected photovoltaic system with MPPT and reactive power compensation control. International Journal of Power and Energy Conversion, 2014, 5, 211. | 0.2 | 4 |
| 1088 | An improved capacitor voltage balance control for cascaded H-bridge rectifier. , 2014, , . | | 0 |
| 1089 | Sliding Mode Control of Surface Mounted Permanent Magnet Synchronous Generator. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 1034-1038. | 0.4 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1090 | Star-Delta Switches Evaluation for Use in Grid-Connected Wind Farm Installations. Advances in Mechanical Engineering, 2014, 6, 893183. | 0.8 | 0 |
| 1091 | An Approximation Approach for Large-Scale Multi-unit Combinatorial Auctions with Reserve-Price Biddings. , 2014, , . | | 4 |
| 1092 | Multi-level converter to interface low voltage DC to 3-phase high voltage grid with medium frequency transformer isolation. , 2014, , . | | 7 |
| 1093 | Power flow management and voltage control using solar and wind farm inverters in multi line system. , 2015, , . | | 2 |
| 1094 | Jointly optimization and distributed control for interconnected operation of autonomous microgrids. , 2015, , . | | 8 |
| 1095 | A new grid-tied multilevel VSC for PV with leakage current suppression. , 2015, , . | | 4 |
| 1096 | Based on hybrid algorithm of micro-grid islanding detection. , 2015, , . | | 0 |
| 1097 | Impacts of converter station faults on the performance of WECS. , 2015, , . | | 0 |
| 1098 | Optimization of the performance of a photovoltaic system with MPPT controller. , 2015, , . | | 2 |
| 1099 | Synergistic operation of distributed compensators based on the conservative power theory. , 2015, , . | | 4 |
| 1100 | Operation of hybrid multi-terminal DC system under normal and DC fault operating conditions. , 2015, , . | | 5 |
| 1101 | Single-phase modular multilevel inverter based grid-connected photovoltaic system. , 2015, , . | | 1 |
| 1102 | Proposal of a control scheme for an active filter feasible to the Dc-link capacitor minimization of a PV micro-inverter. , 2015, , . | | 2 |
| 1103 | Control of microgrids using a differential game theoretic framework. , 2015, , . | | 14 |
| 1105 | Modeling and simulation of integrated renewable energy sources feeding three-phase load. , 2015, , . | | 0 |
| 1106 | Econophysics of adaptive power markets: When a market does not dampen fluctuations but amplifies them. Physical Review E, 2015, 92, 012815. | 0.8 | 50 |
| 1108 | Stability enhancement of a power system with wind generation using ANN based STATCOM. , 2015, , . | | 4 |
| 1109 | Fuzzy logic based dynamic sliding mode control of boost inverter in photovoltaic application. Journal of Renewable and Sustainable Energy, 2015, 7, 043133. | 0.8 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1110 | Interleaved resonant power converters for renewable energy systems. , 2015, , . | | 0 |
| 1111 | Design and study of an efficient conversion method for PV cell system. , 2015, , . | | 0 |
| 1112 | Neural-network based vector control of VSCHVDC transmission systems. , 2015, , . | | 3 |
| 1113 | Study on Harmonic Current Detection in Grid-Connected PV Generation Systems. , 2015, , . | | 1 |
| 1114 | An adaptive repetitive controller for three-phase PWM regenerative rectifiers. , 2015, , . | | 4 |
| 1115 | A multifunctional current source inverter control for wind turbine grid interfacing. , 2015, , . | | 4 |
| 1116 | Study on harmonic and reactive current detection in grid-connected PV Power stations. , 2015, , . | | 1 |
| 1117 | Nonlinear time series forecast model for grid-connected photovoltaic station. , 2015, , . | | 0 |
| 1119 | Damping torque analysis of virtual inertia control for DFIG-based wind turbines. , 2015, , . | | 4 |
| 1120 | A novel control strategy for offshore DFIG-based wind farm integrated through diode-rectifier-based HVDC transmission. International Transactions on Electrical Energy Systems, 2015, 25, 3553-3572. | 1.2 | 5 |
| 1122 | A New Application of the Multi-Resonant Zero-Current Switching Buck Converter: Analysis and Simulation in a PMSG Based WECS. Energies, 2015, 8, 10219-10238. | 1.6 | 3 |
| 1123 | Study and Implementation of a Two-Phase Interleaved Bidirectional DC/DC Converter for Vehicle and DC-Microgrid Systems. Energies, 2015, 8, 9969-9991. | 1.6 | 54 |
| 1124 | Reliability Assessment of Transformerless PV Inverters considering Mission Profiles. International Journal of Photoenergy, 2015, 2015, 1-10. | 1.4 | 9 |
| 1125 | Evolutionary Game Analysis of Cooperation between Microgrid and Conventional Grid. Mathematical Problems in Engineering, 2015, 2015, 1-10. | 0.6 | 8 |
| 1126 | Flexible Mode Control of Grid Connected Wind Energy Conversion System Using Wavelet. Journal of Energy, 2015, 2015, 1-12. | 1.4 | 4 |
| 1127 | A Single-Stage CCM Zeta Microinverter for Solar Photovoltaic AC Module. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2015, 3, 892-900. | 3.7 | 40 |
| 1128 | Collaborative Control of DFIG System During Network Unbalance Using Reduced-Order Generalized Integrators. IEEE Transactions on Energy Conversion, 2015, 30, 453-464. | 3.7 | 56 |
| 1129 | Accurate Steady-State Representation of a Doubly Fed Induction Machine. IEEE Transactions on Power Electronics, 2015, 30, 5370-5375. | 5.4 | 54 |

| # | Article | IF | CITATIONS |
|------|--|------|-----------|
| 1131 | High-power wind energy conversion systems: State-of-the-art and emerging technologies. Proceedings of the IEEE, 2015, 103, 740-788. | 16.4 | 714 |
| 1132 | Control Methods for Microgrids. Power Systems, 2015, , 89-157. | 0.3 | 0 |
| 1133 | Operation of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Power Plants Under Bridge Failures. IEEE Transactions on Industrial Electronics, 2015, 62, 7228-7236. | 5.2 | 137 |
| 1134 | Modelling, control, and performance study of cascaded inverter based grid connected PV system. , 2015, , . | | 2 |
| 1136 | A Novel Topology Design for Integration of Offshore Wind Farm via High-voltage DC Transmission. Electric Power Components and Systems, 2015, 43, 1100-1112. | 1.0 | 3 |
| 1137 | A novel direct-current vector control technique for single-phase inverter with L, LC and LCL filters. Electric Power Systems Research, 2015, 125, 235-244. | 2.1 | 26 |
| 1138 | Average-Value Modeling of Synchronous-Machine-Fed Thyristor-Controlled-Rectifier Systems. IEEE Transactions on Energy Conversion, 2015, 30, 487-497. | 3.7 | 18 |
| 1139 | A sequence perturbation based islanding detection for distributed generation with periodic code matching. Journal of Renewable and Sustainable Energy, 2015, 7, 013133. | 0.8 | 1 |
| 1140 | Design characteristics of SAB and DAB converters. , 2015, , . | | 7 |
| 1141 | Transformerless interleaving multilevel NPC inverter for photovoltaic systems. , 2015, , . | | 2 |
| 1142 | Evaluation of output connections of interleaved dc-converter stage for photovoltaic ac-module configurations. , 2015, , . | | 0 |
| 1143 | Common mode voltage reduction schemes for voltage source converters in an autonomous microgrid. , 2015, , . | | 2 |
| 1144 | Hardware in the loop simulation of DG integration to the distribution grid using RTDS and dSPACE. , 2015, , . | | 7 |
| 1145 | Dispatch performance analysis of PV power plants using various energy storage capacities. , 2015, , . | | 1 |
| 1146 | Efficiency improvement of 2- and 3-level inverters for distributed photovoltaic application using hybrid devices. , 2015, , . | | 13 |
| 1147 | Study on control characteristic of grid-connected solar photovoltaic plant based on simulation. , 2015, , . | | 4 |
| 1148 | The control strategy of interleaved full-bridge inverter with a common DC-bus. , 2015, , . | | 1 |
| 1149 | Supraharmonics (2 to 150 kHz) and multi-level converters. , 2015, , . | | 11 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1150 | Power electronics - the key technology for renewable energy system integration. , 2015, , . | | 84 |
| 1151 | Super twisting sliding mode MPPT control of an IM based wind energy conversion system. , 2015, , . | | 0 |
| 1152 | Adaptive phase-shifted PWM for multilevel cascaded H-bridge converters for balanced or unbalanced operation. , 2015, , . | | 4 |
| 1153 | Multi renewable power source system based on multi-stage fuzzy technique. , 2015, , . | | 1 |
| 1154 | Suppressing the effect of the DC-link voltage ripple on the current control of a sliding-mode controlled microinverter. , 2015, , . | | 4 |
| 1155 | Limiting power control strategy combining spring system and speed control feasible to small WECS. , 2015, , . | | 0 |
| 1156 | Novel built-in sensor for in-situ monitoring of temperature and thermal stress in power modules. , 2015, , . | | 4 |
| 1157 | A Generalized Predictive control for T-type power inverters with output LC filter. , 2015, , . | | 6 |
| 1158 | Modeling and control of distributed generation under distorted and unbalanced conditions. , 2015, , . | | 0 |
| 1159 | Analysis of supercapacitor connection to PV power conditioning systems for improoved performance. , 2015, , . | | 3 |
| 1160 | Formal Analysis of Power Electronic Systems. Lecture Notes in Computer Science, 2015, , 270-286. | 1.0 | 3 |
| 1161 | Applications of the solid state transformer concept in the electrical power system. , 2015, , . | | 27 |
| 1162 | Nonlinear design and stability analysis with experimental validation of cascaded pi controlled dc/dc boost converters. , 2015, , . | | 4 |
| 1163 | Double-sided air gap control of module-based permanent magnet synchronous machine for low-speed and high-torque applications. , 2015, , . | | 2 |
| 1164 | Predictive Control algorithm to achieve power balance of Cascaded H-Bridge converters. , 2015, , . | | 4 |
| 1165 | A synchronized output regulation strategy for seamless transfer of single-phase utility interactive inverters. , 2015, , . | | 1 |
| 1166 | Optimal scheduling of networked energy storages. , 2015, , . | | 0 |
| 1167 | Wind and photovoltaic power generation integrated to power grid through dc link and synchronverter. , 2015, , . | | 7 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1168 | Power electronics in renewable energy smart grid: a review. International Journal of Industrial Electronics and Drives, 2015, 2, 43. | 0.1 | 7 |
| 1169 | Comparative study of cycloconverter based double-ended isolated microinverter topologies for solar photovoltaic AC (SPVAC) module. , 2015, , . | | 1 |
| 1170 | Derivation of a global model of a two-stage photovoltaic microinverter using sliding-mode control. , 2015, , . | | 4 |
| 1171 | Predictive direct power control for grid connected power converters with dc-link voltage dynamic reference design. , 2015, , . | | 9 |
| 1172 | Design and analysis of a cost-effective back-to-back converter for a low voltage doubly fed induction generator. , 2015, , . | | 0 |
| 1173 | Newly-constructed bidirectional DC/DC converter topology with high voltage conversion ratio for vehicle to DC-microgrid (V2DCG) system. , 2015, , . | | 4 |
| 1174 | Optimal solution of plug in hybrid electric vehicles to minimize cost and emission in a Smart Grid - a developing country view. , 2015, , . | | 4 |
| 1175 | Optimal positioning of bridge type superconducting fault current limiter in solar integrated electric power grid. , 2015, , . | | 2 |
| 1176 | Duty cycleâ€based threeâ€level spaceâ€vector pulseâ€width modulation with overmodulation and neutralâ€point balancing capabilities for threeâ€phase neutralâ€point clamped inverters. IET Power Electronics, 2015, 8, 1931-1940. | 1.5 | 23 |
| 1177 | A single-stage CCM zeta microinverter for solar photovoltaic AC (PVAC) module. , 2015, , . | | 5 |
| 1178 | Improving power generation from fluctuating off-gas productions. , 2015, , . | | 0 |
| 1179 | Analysis and Simulation of Micro-grid Islanding Detection. , 2015, , . | | 0 |
| 1180 | A novel PMSG based WECS for grid integration using DMC. , 2015, , . | | 1 |
| 1181 | Advanced Grid Integration of Renewables Enabled by Power Electronics Technology. , 2015, , 3-9. | | 5 |
| 1182 | Selective Harmonic Elimination of Cascaded Multilevel Inverter Using BAT Algorithm. Procedia Technology, 2015, 21, 651-657. | 1.1 | 32 |
| 1183 | Topology and control of a two-phase residential PV system with load compensation capability. , 2015, , . | | 3 |
| 1184 | Design and analysis of PID and fuzzy-PID controller for voltage control of DC microgrid. , 2015, , . | | 27 |
| 1185 | Selective operation of three-level NPC inverter based on synchronous reference frame method supplying nonlinear loads in microgrid system. , 2015, , . | | 3 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1186 | A novel twelve level inverter topology for adaptive input sources. , 2015, , . | | 0 |
| 1187 | Second Order Sliding Mode control for three-level NPC converters via extended state observer. , 2015, , . | | 11 |
| 1188 | Single-Phase Cascaded Grid Connected Multilevel Inverter for Interfacing Renewable Energy Sources With Microgrid. Journal of Solar Energy Engineering, Transactions of the ASME, 2015, 137, . | 1.1 | 6 |
| 1189 | Island Detection System Based on Multi-criteria. , 2015, , . | | 0 |
| 1190 | Development of Optimal PI Controllers for a Grid-Tied Photovoltaic Inverter. , 2015, , . | | 22 |
| 1191 | Model predictive control of PWM AC/DC converters for Bi-directional power flow control in microgrids. , 2015, , . | | 12 |
| 1192 | Improving the performance of PV grid interface inverter using the adaptive hysteresis band current controller. , 2015, , . | | 12 |
| 1193 | Steady-state voltage stability analysis and improvement strategies of microgrid with double fed induction wind generator. , 2015, , . | | 2 |
| 1194 | Distributed Energy Trading in Microgrids: A Game-Theoretic Model and Its Equilibrium Analysis. IEEE Transactions on Industrial Electronics, 2015, 62, 3524-3533. | 5.2 | 310 |
| 1195 | Overview of Power Management Strategies of Hybrid AC/DC Microgrid. IEEE Transactions on Power Electronics, 2015, 30, 7072-7089. | 5.4 | 725 |
| 1196 | Decision Trees-Aided Active Power Reduction of a Virtual Power Plant for Power System Over-Frequency Mitigation. IEEE Transactions on Industrial Informatics, 2015, 11, 251-261. | 7.2 | 68 |
| 1197 | Interleaved Boost-Integrated <italic>LLC</italic> Resonant Converter With Fixed-Frequency PWM Control for Renewable Energy Generation Applications. IEEE Transactions on Power Electronics, 2015, 30, 4312-4326. | 5.4 | 149 |
| 1198 | New Trends in Intelligent Energy Systems–An Industrial Electronics Point of View. IEEE Transactions on Industrial Electronics, 2015, 62, 2420-2423. | 5.2 | 9 |
| 1199 | Maximum Power Point Tracking Strategy for Large-Scale Wind Generation Systems Considering Wind Turbine Dynamics. IEEE Transactions on Industrial Electronics, 2015, 62, 2530-2539. | 5.2 | 163 |
| 1200 | Single phase transformerless inverter topologies for grid-tied photovoltaic system: A review. Renewable and Sustainable Energy Reviews, 2015, 45, 69-86. | 8.2 | 200 |
| 1201 | A Finite Time Fast Terminal Sliding Mode l–V Control of Grid-Connected PV Array. Journal of Control, Automation and Electrical Systems, 2015, 26, 314-335. | 1.2 | 16 |
| 1202 | Energy conservation and emission reduction of China's electric power industry. Renewable and Sustainable Energy Reviews, 2015, 45, 10-19. | 8.2 | 112 |
| 1203 | Study and Handling Methods of Power IGBT Module Failures in Power Electronic Converter Systems. IEEE Transactions on Power Electronics, 2015, 30, 2517-2533. | 5.4 | 537 |

| # | Article | IF | CITATIONS |
|------|--|------|-----------|
| 1204 | Mitigation of wind power intermittency: Storage technology approach. Renewable and Sustainable Energy Reviews, 2015, 44, 447-456. | 8.2 | 97 |
| 1205 | Data analytics based neuroâ€fuzzy controller for dieselâ€photovoltaic hybrid AC microgrid. IET Generation, Transmission and Distribution, 2015, 9, 193-207. | 1.4 | 26 |
| 1206 | Analysis of active damping of LCL filter used in single-phase PV system in discrete domain. International Journal of Electronics, 2015, 102, 1022-1043. | 0.9 | 9 |
| 1207 | Speed sensorâ€less maximum power point tracking and constant output power operation of windâ€driven wound rotor induction generators. IET Power Electronics, 2015, 8, 33-46. | 1.5 | 20 |
| 1208 | Firefighter Safety for PV Systems: A Solution for the Protection of Emergency Responders from Hazardous dc Voltage. IEEE Industry Applications Magazine, 2015, 21, 75-84. | 0.3 | 2 |
| 1209 | Design Space Exploration for the Profitability of a Rule-Based Aggregator Business Model Within a Residential Microgrid. IEEE Transactions on Smart Grid, 2015, 6, 1167-1175. | 6.2 | 28 |
| 1210 | Evolution of primary frequency control requirements in Great Britain with increasing wind generation. International Journal of Electrical Power and Energy Systems, 2015, 73, 377-388. | 3.3 | 25 |
| 1211 | Composite for energy storage takes the heat. Nature, 2015, 523, 536-537. | 13.7 | 15 |
| 1212 | Adiabatic Compressed Air Energy Storage with packed bed thermal energy storage. Applied Energy, 2015, 155, 804-815. | 5.1 | 196 |
| 1213 | An Energy Combiner for a Multi-Input Energy-Harvesting System. IEEE Transactions on Circuits and Systems II: Express Briefs, 2015, 62, 911-915. | 2.2 | 30 |
| 1214 | Photovoltaic inverters technology. , 2015, , . | | 1 |
| 1215 | Flexible and cost effective hybrid energy storage system based on batteries and ultracapacitors. , 2015, , . | | 0 |
| 1216 | Flexible strategy for active and reactive power control in grid connected inverter under unbalanced grid fault. , 2015, , . | | 10 |
| 1217 | Analysis and modulation of the buck-boost voltage source inverter (BBVSI) for lower voltage stresses. , 2015, , . | | 22 |
| 1218 | Renewable Energy Devices and Systems – State-of-the-Art Technology, Research and Development, Challenges and Future Trends. Electric Power Components and Systems, 2015, 43, 1319-1328. | 1.0 | 98 |
| 1219 | Galvanically isolated quasi-Z-source DC-DC converters with combined energy transfer for renewable energy sources integration. , 2015, , . | | 13 |
| 1220 | An Optimal and Distributed Control Strategy for Charging Plug-in Electrical Vehicles in the Future Smart Grid. Power Systems, 2015, , 79-106. | 0.3 | 0 |
| 1221 | A Control Strategy for Hybrid Autonomous Power System with a Battery Management Scheme. Electric Power Components and Systems, 2015, 43, 1159-1172. | 1.0 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1222 | Evaluating Policies Toward the Adoption of Renewable Energy Technologies. Innovation, Technology and Knowledge Management, 2015, , 31-54. | 0.4 | 0 |
| 1223 | Research on the Torque and Back EMF Performance of a High Speed PMSM Used for Flywheel Energy Storage. Energies, 2015, 8, 2867-2888. | 1.6 | 11 |
| 1224 | Simulation of rectifier voltage malfunction on OWECS, four-level converter, HVDC light link: Smart grid context tool. Energy Conversion and Management, 2015, 97, 140-153. | 4.4 | 13 |
| 1225 | A study on planning for interconnected renewable energy facilities in Hokkaido, Japan. Applied Energy, 2015, 146, 313-327. | 5.1 | 9 |
| 1226 | A new hybrid islanding detection method combination of NJSMS and Q-f for islanding detection of microgrids. , 2015, , . | | 4 |
| 1227 | Control strategies of grid interfaced wind energy conversion system: An overview. Renewable and Sustainable Energy Reviews, 2015, 47, 983-996. | 8.2 | 100 |
| 1228 | Double synchronous frame current regulation of distributed generation systems under unbalanced voltage conditions without sequence current separation. , 2015, , . | | 4 |
| 1229 | Stationary-frame-based generalized control diagram for PWM AC-DC front-end converters with unbalanced grid voltage in renewable energy systems. , 2015, , . | | 3 |
| 1230 | A hybrid switched-capacitor multilevel inverter with self charge balancing and less number of switches. , 2015, , . | | 6 |
| 1231 | Residential Load Scheduling in Smart Grid: A Cost Efficiency Perspective. IEEE Transactions on Smart Grid, 2015, , 1-1. | 6.2 | 78 |
| 1232 | Towards a smart energy network: The roles of fuel/electrolysis cells and technological perspectives. International Journal of Hydrogen Energy, 2015, 40, 6866-6919. | 3.8 | 141 |
| 1233 | Grid-Connected Photovoltaic Systems: An Overview of Recent Research and Emerging PV Converter Technology. IEEE Industrial Electronics Magazine, 2015, 9, 47-61. | 2.3 | 926 |
| 1235 | Robust Global Stabilization of the DC-DC Boost Converter via Hybrid Control. IEEE Transactions on Circuits and Systems I: Regular Papers, 2015, 62, 1052-1061. | 3.5 | 82 |
| 1236 | A switched-capacitor multilevel inverter for high AC power systems with reduced ripple loss using SPWM technique. , 2015, , . | | 21 |
| 1237 | Evaluation of the Aging Process of Dye-Sensitized Solar Cells Under Different Stress Conditions. IEEE Transactions on Instrumentation and Measurement, 2015, 64, 1179-1187. | 2.4 | 28 |
| 1238 | Application of Cascaded Multilevel Inverter for High Voltage Grid-Connected PV System. Advanced Materials Research, 0, 1092-1093, 17-21. | 0.3 | 0 |
| 1239 | A Survey on Demand Response in Smart Grids: Mathematical Models and Approaches. IEEE Transactions on Industrial Informatics, 2015, 11, 570-582. | 7.2 | 724 |
| 1240 | Optimal capacity design for hybrid energy storage system supporting dispatch of large-scale photovoltaic power plant. Journal of Energy Storage, 2015, 3, 25-35. | 3.9 | 30 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1241 | An islanding detection method based on system identification. , 2015, , . | | 2 |
| 1242 | Active damping techniques for LCL-filtered inverters-based microgrids. , 2015, , . | | 15 |
| 1243 | Optimization of a direct-drive wind power generation system by using PMSC. , 2015, , . | | 1 |
| 1244 | Embedded system for supervision analysis and control of photovoltaic power plants. Proceedings of SPIE, 2015, , . | 0.8 | 0 |
| 1246 | Modular Control Design and Stability Analysis of Isolated PV-Source/Battery-Storage Distributed Generation Systems. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2015, 5, 372-382. | 2.7 | 46 |
| 1247 | Performance evaluation of a grid connected photovoltaic system based on solar cell modelling:-Part-II. , 2015, , . | | 1 |
| 1248 | A flexible five-level cascaded H-bridge inverter for photovoltaic gird-connected systems. , 2015, , . | | 7 |
| 1249 | Topology of super uninterruptible power supply with multiple energy sources. , 2015, , . | | 11 |
| 1250 | A novel method for voltage support control under unbalanced grid faults and grid harmonic voltage disturbances. IET Power Electronics, 2015, 8, 1377-1385. | 1.5 | 21 |
| 1251 | A new dual inverter based solar PV system with maximum power point tracking capability. , 2015, , . | | 2 |
| 1252 | DC power flow estimation utilizing bayesian-based LMMSE estimator. , 2015, , . | | 4 |
| 1253 | Robust control for three-phase grid connected power converters via second order sliding mode. , 2015, , . | | 9 |
| 1254 | Blackstart of an induction motor in an autonomous microgrid. , 2015, , . | | 7 |
| 1255 | Modeling and control of HVDC transmission systems from theory to practice and back. Control Engineering Practice, 2015, 45, 133-146. | 3.2 | 37 |
| 1256 | Analyzing cost of grid-connection of renewable energy development in China. Renewable and Sustainable Energy Reviews, 2015, 50, 1373-1382. | 8.2 | 60 |
| 1257 | Hybrid wind/photovoltaic energy system developments: Critical review and findings. Renewable and Sustainable Energy Reviews, 2015, 52, 1135-1147. | 8.2 | 188 |
| 1258 | High stepâ€up currentâ€fed ZVS dual halfâ€bridge DC–DC converter for highâ€voltage applications. IET Power Electronics, 2015, 8, 309-318. | 1.5 | 23 |
| 1259 | Sliding-mode observer based sensor-less control of a small wind energy conversion system. , 2015, , . | | 8 |

| \mathbf{C} | IT A T | LON | Dr | DODT |
|--------------|--------|------------|------|------|
| C | ПАI | | IXE. | PORT |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1260 | Modeling of High-Concentrator Photovoltaic Systems for Utility-Scale Applications. Green Energy and Technology, 2015, , 153-175. | 0.4 | 3 |
| 1261 | Experiment on bidirectional single phase converter applying simple model predictive control. , 2015, , . | | 4 |
| 1262 | Impedance coordinative control for cascaded converter in bidirectional application. , 2015, , . | | 3 |
| 1263 | Model predictive control of hydrogen production by renewable energy. , 2015, , . | | 8 |
| 1264 | An improved dynamic model for a single-phase generator based on three-phase cage rotor induction machine. , 2015, , . | | 2 |
| 1265 | Influence of pressure on solid oxide electrolysis cells investigated by experimental and modeling approach. International Journal of Hydrogen Energy, 2015, 40, 12918-12928. | 3.8 | 50 |
| 1266 | The impact of line resistance on load sharing and an improved droop control of DC microgrid. , 2015, , | | 4 |
| 1267 | Design and Analysis of a Digital Controller for Boost Converter with Renewable Energy Sources for Domestic DC Load. Applied Mechanics and Materials, 0, 785, 141-145. | 0.2 | 6 |
| 1268 | Adaptive saturation system for grid-tied inverters in low voltage residential micro-grids. , 2015, , . | | 11 |
| 1269 | Study of a DC-DC converter for LED street lighting with ZCT using a single auxiliary switch. , 2015, , . | | 0 |
| 1270 | Strategy for modeling a 3-phase grid-tie VSC with LCL filter and controlling the DC-link voltage and output current considering the filter dynamics. , 2015, , . | | 2 |
| 1271 | Current fed switched inverter with improved modulation index. , 2015, , . | | 0 |
| 1272 | Impact of Hydrogen Production and Thermal Energy Recovery of PEMFCPPs on Optimal Management of Renewable Microgrids. IEEE Transactions on Industrial Informatics, 2015, 11, 1190-1197. | 7.2 | 31 |
| 1273 | Control of HVDC Transmission Systems: From Theory to Practice and Back. Lecture Notes in Control and Information Sciences, 2015, , 153-177. | 0.6 | 1 |
| 1274 | Pyramidal texturing of silicon surface via inorganic–organic hybrid alkaline liquor for heterojunction solar cells. Journal of Power Sources, 2015, 293, 698-705. | 4.0 | 17 |
| 1276 | Fuzzy logic based coordinated control of battery energy storage system and dispatchable distributed generation for microgrid. Journal of Modern Power Systems and Clean Energy, 2015, 3, 422-428. | 3.3 | 47 |
| 1277 | A novel DSTATCOM device for interconnected wind-grid system utilizations. , 2015, , . | | 0 |
| 1278 | Design and optimisation of grid compliant variable-flux PM synchronous generator for wind turbine applications. , 2015, , . | | 7 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1279 | Coordinated operation in a multi-inverter based microgrid for both grid-connected and islanded modes using conservative power theory. , 2015, , . | | 11 |
| 1280 | An experimental investigation of modified predictive hysteresis control based MPPT strategy for PV applications. , 2015, , . | | 10 |
| 1281 | Study of scope and effects of isolated small distributed generation sources and their integration with existing system. , 2015, , . | | 2 |
| 1282 | Finite-time sliding mode power control of grid-connected three-phase photovoltaic array. Australian Journal of Electrical and Electronics Engineering, 2015, 12, 301-311. | 0.7 | 3 |
| 1283 | Design and analysis of a modular magnetically coupled quadratic boost topology with a damping network for DC microgrid. , 2015, , . | | 10 |
| 1284 | Technology description and characterization of a low-cost flywheel for energy management in microgrids. , 2015, , . | | 5 |
| 1285 | A novel single phase cascaded multilevel inverter for hybrid renewable energy sources. , 2015, , . | | 12 |
| 1286 | Towards a classification scheme for co-simulation approaches in energy systems. , 2015, , . | | 42 |
| 1287 | Application of UPFC to improve the low-voltage-ride-through capability of DFIG. , 2015, , . | | 5 |
| 1288 | Wavelet technique based islanding detection and improved repetitive current control for reliable operation of grid-connected PV systems. International Journal of Electrical Power and Energy Systems, 2015, 67, 39-51. | 3.3 | 35 |
| 1289 | Review of micro- and small-scale technologies to produce electricity and heat from Mediterranean forests× ³ wood chips. Renewable and Sustainable Energy Reviews, 2015, 43, 143-155. | 8.2 | 58 |
| 1290 | Modular Multilevel Converter With Series and Parallel Module Connectivity: Topology and Control. IEEE Transactions on Power Electronics, 2015, 30, 203-215. | 5.4 | 114 |
| 1291 | Efficiency of magnetic coupled boost DCâ€DC converters mainly dedicated to renewable energy systems: influence of the coupling factor. International Journal of Circuit Theory and Applications, 2015, 43, 1042-1062. | 1.3 | 21 |
| 1292 | Optimized Reactive Power Flow of DFIG Power Converters for Better Reliability Performance Considering Grid Codes. IEEE Transactions on Industrial Electronics, 2015, 62, 1552-1562. | 5.2 | 89 |
| 1293 | Investigation of multilevel multifunctional grid connected inverter topologies and control strategies used in photovoltaic systems. Renewable and Sustainable Energy Reviews, 2015, 42, 361-376. | 8.2 | 133 |
| 1294 | Electrical damping of linear generators for wave energy converters—A review. Renewable and Sustainable Energy Reviews, 2015, 42, 116-128. | 8.2 | 56 |
| 1295 | A comprehensive power loss, efficiency, reliability and cost calculation of a 1ÂMW/500ÂkWh battery based energy storage system for frequency regulation application. Renewable Energy, 2015, 74, 158-169. | 4.3 | 31 |
| 1296 | Novel Integration of a PV-Wind Energy System With Enhanced Efficiency. IEEE Transactions on Power Electronics, 2015, 30, 3638-3649. | 5.4 | 92 |

| | Сітатіс | on Report | |
|-----------|---|-----------|-----------|
| # 1297 | ARTICLE Wind energy resource, wind energy conversion system modelling and integration: a survey. | IF 1.3 | CITATIONS |
| 1298 | International Journal of Sustainable Energy, 2015, 34, 657-671. Modular Cascaded H-Bridge Multilevel PV Inverter With Distributed MPPT for Grid-Connected Applications. IEEE Transactions on Industry Applications, 2015, 51, 1722-1731. | 3.3 | 485 |
| 1299 | The importance of spatial distribution when analysing the impact of electric vehicles on voltage stability in distribution networks. Energy Systems, 2015, 6, 63-84. | 1.8 | 32 |
| 1300 | SEEDS: A Solar-Based Energy-Efficient Distributed Server Farm. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2015, 45, 143-156. | 5.9 | 15 |
| 1301 | High-Gain Resonant Switched-Capacitor Cell-Based DC/DC Converter for Offshore Wind Energy Systems. IEEE Transactions on Power Electronics, 2015, 30, 644-656. | 5.4 | 93 |
| 1302 | A Novel Control Strategy of Suppressing DC Current Injection to the Grid for Single-Phase PV Inverter. IEEE Transactions on Power Electronics, 2015, 30, 1266-1274. | 5.4 | 61 |
| 1303 | Predictive Optimal Switching Sequence Direct Power Control for Grid-Connected Power Converters. IEEE Transactions on Industrial Electronics, 2015, 62, 2010-2020. | 5.2 | 302 |
| 1304 | Double-Quadrant State-of-Charge-Based Droop Control Method for Distributed Energy Storage Systems in Autonomous DC Microgrids. IEEE Transactions on Smart Grid, 2015, 6, 147-157. | 6.2 | 282 |
| 1305 | A modular framework to enable rapid evaluation and exploration of energy management methods in smart home platforms. Energy Systems, 2016, 7, 215-235. | 1.8 | 4 |
| 1306 | Fast and Robust Maximum Power Point Tracking for Solar Photovoltaic Systems. American Journal of Engineering and Applied Sciences, 2016, 9, 755-769. | 0.3 | 4 |
| 1307 | Modelling and Control of Grid-connected Solar Photovoltaic Systems. , 2016, , . | | 8 |
| 1308 | Implementation of a modified SVPWM-based three-phase inverter with reduced switches using a single DC source for a grid-connected PV system. Turkish Journal of Electrical Engineering and Computer Sciences, 2016, 24, 3023-3035. | 0.9 | 4 |
| 1309 | Capacitor Current Feedback-Based Active Resonance Damping Strategies for Digitally-Controlled Inductive-Capacitive-Inductive-Filtered Grid-Connected Inverters. Energies, 2016, 9, 642. | 1.6 | 26 |
| 1310 | Experiment on Bidirectional Single Phase Converter Applying Model Predictive Current Controller. Energies, 2016, 9, 233. | 1.6 | 10 |
| 1311 | Feedback Linearization Controller for a Wind Energy Power System. Energies, 2016, 9, 771. | 1.6 | 12 |
| 1312 | Model Predictive Control of the Exit Part Temperature for an Austenitization Furnace. Processes, 2016, 4, 53. | 1.3 | 20 |
| 1313 | Energy storage technologies and real life applications – A state of the art review. Applied Energy, 2016, 179, 350-377. | 5.1 | 1,154 |
| 1314 | 3D FEM analysis, dynamic modeling, and performance assessment of transverse flux PMSG for smallâ€scale gearless wind energy conversion systems. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2016, 29, 592-608. | 1.2 | 1 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1315 | An isolated AC module for photovoltaic energy conversion. International Journal of Green Energy, 2016, 13, 1460-1466. | 2.1 | 3 |
| 1316 | Lifetime Monitoring of Electrolytic Capacitor to Maximize Earnings From Grid-Feeding PV System. IEEE Transactions on Industrial Electronics, 2016, 63, 7049-7058. | 5.2 | 37 |
| 1317 | Assessment of Solarâ€ŧoâ€Fuels Strategies: Photocatalysis and Electrocatalytic Reduction. Energy Technology, 2016, 4, 1369-1391. | 1.8 | 26 |
| 1318 | Grid integration of PV system using Marx multilevel inverter. , 2016, , . | | 2 |
| 1319 | A novel seamless transfer control strategy for wide range load. , 2016, , . | | 1 |
| 1320 | Global MPPT of grid connected solar PV inverter under partially shaded condition. , 2016, , . | | 4 |
| 1321 | Cost effective gate drive circuit for MLI with constant number of conducting switches. , 2016, , . | | 0 |
| 1322 | DC-DC converter for photovoltaic systems. , 2016, , . | | 2 |
| 1323 | A grey wolf optimization based MPPT for PV system under changing insolation level. , 2016, , . | | 15 |
| 1324 | Interleaved hybrid boost converter with simultaneous DC and AC outputs for micro-source applications. , 2016, , . | | 5 |
| 1325 | Performance of single stage cascaded H-bridge multilevel converter based grid interfaced PV system. , 2016, , . | | 4 |
| 1326 | Simulation of a photovoltaic panels by using Matlab/Simulink. , 2016, , . | | 5 |
| 1327 | Hybrid solar and wind power generation with grid interconnection system for improving power quality. , 2016, , . | | 12 |
| 1328 | Bi-directional bridge modular switched-capacitor-based DC-DC converter with phase-shift control. , 2016, , . | | 9 |
| 1329 | Partial power DC-DC converter for photovoltaic two-stage string inverters. , 2016, , . | | 15 |
| 1330 | Utilization of PV solar farm for Grid Voltage regulation during night; analysis & control. , 2016, , | | 11 |
| 1331 | Three-phase imbalance prediction: A hazard-based method. , 2016, , . | | 3 |
| 1332 | Power quality analysis in a grid connected PV system employing a hybrid technique based on Fractional Wavelet Transform. , 2016, , . | | Ο |

| <u> </u> | | | <u> </u> | |
|----------|------|----|----------|---|
| (11 | ΓΔΤΙ | ON | REPORT | 1 |
| \sim | | | | |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1333 | Harmonics analysis in a DC-DC converter based line frequency inverter for domestic lighting loads. , 2016, , . | | 0 |
| 1334 | Bidirectional current source converter: Design, control and performance evaluation. , 2016, , . | | 2 |
| 1335 | Frequency stabilization design for interconnected microgrid based on T-S fuzzy model with multiple time delays. , 2016, , . | | 0 |
| 1336 | Strategy for flexible operation of three-phase converters. , 2016, , . | | 0 |
| 1337 | A novel DC bus control signal using pulse frequency modulation for DC microgrids. , 2016, , . | | 1 |
| 1338 | A model predictive power control method with longer prediction horizon for distributed power generations. , 2016, , . | | 3 |
| 1339 | Terminal voltage control of a standalone SEIG using Genetic Algorithm optimized ANFIS controller. , 2016, , . | | 2 |
| 1340 | Research on control of three-phase grid-connection inverter under conditions of voltage distortion. , 2016, , . | | 2 |
| 1341 | A virtual RC active damping method in weak grid for three-level three-phase grid-connected inverters. , 2016, , . | | 5 |
| 1342 | Additive manufacturing of toroid inductor for power electronics applications. , 2016, , . | | 10 |
| 1343 | Power management in double-input DC/DC converter. , 2016, , . | | 2 |
| 1344 | Performance enhancement of wind farm with distribution static compensator. , 2016, , . | | 0 |
| 1345 | Techno-economic analysis. , 0, , 79-120. | | 0 |
| 1346 | Effective control approach for multi-PVs based resonant converter through cross-switched structure. , 2016, , . | | 0 |
| 1347 | Low voltage ride-through of a two-stage photovoltaic inverter under different types of grid faults. , 2016, , . | | 3 |
| 1348 | Low voltage ride through capability enhancement of DFIG-based wind turbine by a new topology of fault current limiter. , 2016, , . | | 1 |
| 1349 | Thermodynamic analysis of a compressed air energy storage system through advanced exergetic analysis. Journal of Renewable and Sustainable Energy, 2016, 8, . | 0.8 | 32 |
| 1350 | Robust control based on state observer applied to grid-connected converters. , 2016, , . | | 2 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1351 | Experimental Evaluation of a Back-to-Back Power Interface to Grid Integration of a Wind Turbine. , 2016, , . | | 2 |
| 1352 | Accelerated Lambda Iteration Method for solving economic dispatch with transmission line losses management. , 2016, , . | | 10 |
| 1353 | Multilevel inverter configuration for standalone photovoltaic generation system using three phase two-level inverters. , 2016, , . | | 1 |
| 1354 | Decoupled control scheme of the grid-connected split-source inverter for renewable energy sources. , 2016, , . | | 4 |
| 1355 | New six level inverter topology. , 2016, , . | | 0 |
| 1356 | Control and efficient operation of low cost multi PV-based LLC resonant microinverters. , 2016, , . | | 0 |
| 1357 | Battery energy storage systems for the electricity grid: UK research facilities. , 2016, , . | | 40 |
| 1358 | Simple and robust three-phase Phase-Locked Loop algorithm under grid voltage uncertainties. , 2016, , . | | 0 |
| 1360 | Vanadium Redox Flow Batteries: Potentials and Challenges of an Emerging Storage Technology. IEEE Industrial Electronics Magazine, 2016, 10, 20-31. | 2.3 | 61 |
| 1361 | New breed of solid-state transformer distribution tail system for flexible power conversion between medium-voltage distribution and low-voltage customer side. , 2016, , . | | 2 |
| 1362 | Stability study of large-scale photovoltaic plant containing polytype inverters. , 2016, , . | | 5 |
| 1363 | Solar energy processor based on Packed U-Cells 7-level inverter for grid applications. , 2016, , . | | 13 |
| 1364 | Wind-solar grid connected renewable energy system with series active self tuning filter. , 2016, , . | | 6 |
| 1365 | Distributed generation integration and power quality improvement of SRM drive under various loading conditions. , 2016, , . | | 1 |
| 1366 | Assessment of control methods for PV fed three phase VSI and its application to various loads. , 2016, , | | 0 |
| 1367 | Performance Analysis of Hybrid Network of Indian Traction Power System Using Renewable Energy Sources. , 2016, , . | | 4 |
| 1368 | Damping control loops for mitigating power system oscillation with wind parks support. , 2016, , . | | 0 |
| 1369 | Optimal Allocation of Reactive Power Compensators and Energy Storages in Microgrids Considering Uncertainty of Photovoltaics. Energy Procedia, 2016, 103, 165-170. | 1.8 | 10 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1370 | An improved control method to suppress DC injection to the grid for grid-connected single-phase PV inverter with less harmonic distortion. , 2016, , . | | 2 |
| 1371 | Short-term distribution system state forecast based on optimal synchrophasor sensor placement and extreme learning machine. , 2016, , . | | 16 |
| 1372 | Temporary primary frequency control support by deloaded wind power plant using input-output linearization. , 2016, , . | | 5 |
| 1373 | Implementation of multilevel topology using 4 H-bridges. , 2016, , . | | Ο |
| 1374 | Tests with a hybrid bearing for a flywheel energy storage system. Superconductor Science and Technology, 2016, 29, 095016. | 1.8 | 13 |
| 1375 | Double input Z-source inverter applicable in dual-star PMSC based wind turbine. International Journal of Electrical Power and Energy Systems, 2016, 82, 49-57. | 3.3 | 20 |
| 1376 | A new backstepping finite time sliding mode control of grid connected PV system using multivariable dynamic VSC model. International Journal of Electrical Power and Energy Systems, 2016, 82, 314-330. | 3.3 | 44 |
| 1377 | Study and Analysis of New Three-Phase Modular Multilevel Inverter. IEEE Transactions on Industrial Electronics, 2016, 63, 7804-7813. | 5.2 | 39 |
| 1378 | Reliability-Driven Assessment of GaN HEMTs and Si IGBTs in 3L-ANPC PV Inverters. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2016, 4, 956-969. | 3.7 | 29 |
| 1379 | Active Virtual Ground: Single phase grid-connected Voltage Source Inverter topology. , 2016, , . | | 4 |
| 1380 | Cycloconverter-Based Double-Ended Microinverter Topologies for Solar Photovoltaic AC Module. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2016, 4, 1354-1361. | 3.7 | 25 |
| 1381 | Contribution-Based Energy-Trading Mechanism in Microgrids for Future Smart Grid: A Game Theoretic Approach. IEEE Transactions on Industrial Electronics, 2016, 63, 4255-4265. | 5.2 | 158 |
| 1382 | Investigation of Parallel Active Filters' Limitations for Power Decoupling on Single-Stage/Single-Phase Microinverters. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2016, 4, 1096-1106. | 3.7 | 21 |
| 1383 | Design of <i>LCL</i> and <i>LLCL</i> filters for singleâ€phase grid connected converters. IET Power Electronics, 2016, 9, 1971-1978. | 1.5 | 53 |
| 1384 | The intercalation chemistry of layered iron chalcogenide superconductors. Journal of Solid State Chemistry, 2016, 242, 3-21. | 1.4 | 55 |
| 1385 | Low cost and high efficiency topology for flexible integration of multi-PV and batteries in resonant-based converters. , 2016, , . | | 0 |
| 1386 | A feedforward control based power decoupling scheme for voltage-controlled grid-tied inverters. , 2016, , . | | 3 |
| 1387 | Overshoot control of the electromagnetic torque during fault recovery for an SCIG with a STATCOM. , 2016, , . | | 1 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1388 | Future perspectives of sustainable manufacturing and applications based on research databases. International Journal of Precision Engineering and Manufacturing, 2016, 17, 1249-1263. | 1.1 | 19 |
| 1389 | Space vector pulse width modulated inverter for grid coupled Photovoltaic system at the distribution level. , 2016, , . | | 0 |
| 1390 | Grid integration and power quality issues of wind and solar energy system: A review. , 2016, , . | | 89 |
| 1391 | Power electronics for potential distribution dc power evolution: A review. , 2016, , . | | 5 |
| 1392 | Emission phenomenon of supra-harmonics caused by switching of full-power frequency converter of wind turbines generator (PMSG) in smart grid. , 2016, , . | | 2 |
| 1393 | A Comparative Study on Different Types of PV Modules and Their Optimization for Increasing the Efficiency Part-I. , 2016, , . | | 5 |
| 1394 | A survey on modeling of microgrids—From fundamental physics to phasors and voltage sources. Automatica, 2016, 74, 135-150. | 3.0 | 196 |
| 1395 | Multifractal analysis of short-term wind speed time series with different sampling frequencies. , 2016, , . | | 0 |
| 1396 | Thermodynamic analysis of a compressed carbon dioxide energy storage system using two saline aquifers at different depths as storage reservoirs. Energy Conversion and Management, 2016, 127, 149-159. | 4.4 | 125 |
| 1397 | A distributed continuous time consensus algorithm for maximize social welfare in micro grid. Journal of the Franklin Institute, 2016, 353, 3966-3984. | 1.9 | 27 |
| 1398 | Harmonics and reactive current detection in a grid interfaced PV distribution system. , 2016, , . | | 1 |
| 1399 | Hybrid Fuel Cell/Battery Rail Car: A Feasibility Study. IEEE Transactions on Transportation Electrification, 2016, 2, 493-503. | 5.3 | 22 |
| 1400 | Cascaded H-bridge multilevel PV inverter with MPPT for grid connected application. , 2016, , . | | 10 |
| 1401 | Shape optimization of the corrugated composite bipolar plate (CCBP) for vanadium redox flow batteries (VRFBs). Composite Structures, 2016, 158, 333-339. | 3.1 | 10 |
| 1402 | Structural Resemblance Between Droop Controllers and Phase-Locked Loops. IEEE Access, 2016, 4, 5733-5741. | 2.6 | 36 |
| 1403 | Periodic small-signal analysis as a tool to build transient stability models of VSC-based devices. , 2016, , . | | 3 |
| 1404 | Dual mode control of inverter to integrate solar-wind hybrid fed DC-grid with distributed AC grid. , 2016, , . | | 4 |
| 1405 | Model Predictive Control for Single-Phase NPC Converters Based on Optimal Switching Sequences. IEEE Transactions on Industrial Electronics, 2016, 63, 7533-7541. | 5.2 | 130 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1406 | Design and comparison of nineâ€level singleâ€phase inverters with a pair of coupled inductors and two dc sources. IET Power Electronics, 2016, 9, 2271-2281. | 1.5 | 10 |
| 1407 | Active and reactive power control of the doubly fed induction generator based on wind energy conversion system. Energy Reports, 2016, 2, 194-200. | 2.5 | 97 |
| 1408 | Implications of high-penetration renewables for ratepayers and utilities in the residential solar photovoltaic (PV) market. Applied Energy, 2016, 180, 37-51. | 5.1 | 64 |
| 1409 | Simulation and economic evaluation of biomass gasification with sets for heating, cooling and power production. Renewable Energy, 2016, 99, 360-368. | 4.3 | 21 |
| 1410 | Multi-source energy mixing by time rate multiple PWM for microgrids. , 2016, , . | | 5 |
| 1411 | A study on the increasing in the performance of a solar photovoltaic cell during shading condition. , 2016, , . | | 0 |
| 1412 | Cascaded multilevel inverter using series connection of novel capacitorâ€based units with minimum switch count. IET Power Electronics, 2016, 9, 2060-2075. | 1.5 | 58 |
| 1413 | Smart load distribution in AC µGrid: Operation and control. , 2016, , . | | 0 |
| 1414 | Performance prediction of a grid interfaced PV system through Matlab modelling - part-II. , 2016, , . | | 4 |
| 1415 | Push-pull based single stage PV microinverter for grid-tied modules. , 2016, , . | | 7 |
| 1416 | Output impedance control of inverter-based distributed generator for minimum circulating current in single-phase AC microgrid. , 2016, , . | | 0 |
| 1417 | Control and Analysis of Engine Governor for Improved Stability of DC Microgrid Against Load Disturbance. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2016, 4, 1247-1258. | 3.7 | 7 |
| 1418 | An advanced real time energy management system for microgrids. Energy, 2016, 114, 742-752. | 4.5 | 111 |
| 1419 | Implementation of adaptive fuzzy controller in a grid connected wind-solar hybrid energy system with power quality improvement features. , 2016, , . | | 7 |
| 1420 | Control of active and reactive power of a three phase grid connected photovoltaic system. , 2016, , . | | 6 |
| 1421 | Smart grid communication technologies- overview, research challenges and opportunities. , 2016, , . | | 49 |
| 1422 | Closed loop system of a flying capacitor multilevel inverter using POD-PWM. , 2016, , . | | 1 |
| 1423 | A survey of fault diagnosis for onshore grid-connected converter in wind energy conversion systems. Renewable and Sustainable Energy Reviews, 2016, 66, 345-359. | 8.2 | 88 |

| | CITATION | Report | |
|------|---|--------|-----------|
| # | ARTICLE | IF | CITATIONS |
| 1424 | Islanding detection method based on system identification. IET Power Electronics, 2016, 9, 2095-2102. | 1.5 | 19 |
| 1425 | Cost effective design of bidirectional energy management topology. , 2016, , . | | 0 |
| 1426 | Power Converter Schemes for Small Scale Wind Energy Conversion Systems - Review, a Systematic Classification Based on Isolation Transformer and Generator Side Rectifier. , 2016, , . | | 5 |
| 1427 | Power source buffering using a triangular modular multilevel converter with energy storage. , 2016, , | | 4 |
| 1428 | Control strategies for combined photovoltaic $\hat{a} \in$ "Energy storage systems connected to the grid. , 2016, , . | | 2 |
| 1429 | Design and simulation of a 10 MW photovoltaic power plant using MATLAB and Simulink. , 2016, , . | | 7 |
| 1430 | Small-Signal analysis of an isolated power system controlled by a virtual synchronous machine. , 2016, , . | | 6 |
| 1431 | Cascaded H bridge multilevel inverter topologies for PV application: A comparison. , 2016, , . | | 7 |
| 1432 | Additive manufacturing of planar inductor for Power Electronics applications. , 2016, , . | | 21 |
| 1433 | Three-phase PFC rectifier with high efficiency and low cost for small PM synchronous wind generators. , 2016, , . | | 5 |
| 1434 | Adaptive optimal control for parallel grid-connected inverters with LCL filters. , 2016, , . | | 0 |
| 1435 | Micro-grid islanding detection based on PQ active method. , 2016, , . | | 1 |
| 1436 | Design of a grid connected system using proteus software. , 2016, , . | | 2 |
| 1437 | Fuzzy set theory applications for FACTS devices in grid connected renewable power systems. , 2016, , . | | 4 |
| 1438 | Steady-State Dead-Time Compensation in VSI. IEEE Transactions on Industrial Electronics, 2016, 63, 5858-5866. | 5.2 | 50 |
| 1439 | Recent Progress in Electrode Materials for Sodiumâ€ion Batteries. Advanced Energy Materials, 2016, 6, 1600943. | 10.2 | 815 |
| 1440 | Modal and harmonic analysis of three-dimensional wind turbine models. Wind Engineering, 2016, 40, 518-527. | 1.1 | 15 |
| 1441 | Integral terminal Sliding Mode Control for maximum power production in grid connected PV systems. , 2016, , . | | 9 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1442 | Standalone hybrid power generation - control technique for dump power. , 2016, , . | | 1 |
| 1443 | Finite control set model predictive control-a powerful control algorithm for grid-connected power converters. , 2016, , . | | 5 |
| 1444 | Predictive direct power control for grid-connected power converters with an Extended State Observer based dc-link voltage regulator. , 2016, , . | | 3 |
| 1445 | Influence of noise of wind speed data on a wind-hydrogen system. International Journal of Hydrogen Energy, 2016, 41, 22751-22759. | 3.8 | 5 |
| 1446 | PV harmonic distribution analysis for various conditions. , 2016, , . | | 0 |
| 1449 | Amidst centralized and distributed frequency control in power systems. , 2016, , . | | 11 |
| 1450 | Performance study of common DC link connected wind and PV hybrid system. , 2016, , . | | 2 |
| 1451 | New firing scheme for a PV based hybrid CHB multi-level inverter. , 2016, , . | | 0 |
| 1452 | Comparative performance analysis of decoupled SVPWM techniques for a four $\hat{a} \in "$ level open end winding induction motor drive. , 2016, , . | | 1 |
| 1453 | Review on solar and wind power potential in India. , 2016, , . | | 4 |
| 1454 | Designing of an economically configured solar power illumination system for scarcely electrified areas. , 2016, , . | | 0 |
| 1455 | Development of 10 kW Three-Phase Grid Connected Inverter. Automatika, 2016, 57, 319-328. | 1.2 | 8 |
| 1456 | A comparative study of photovoltaic (PV) based diode clamped multilevel inverter (DCMLI). , 2016, , . | | 1 |
| 1457 | A hybrid modular multilevel converter for solar power integration. , 2016, , . | | 5 |
| 1458 | A grid-connected WECS with power limiting control. , 2016, , . | | 1 |
| 1459 | Harmonic Distortions on Grid Connected Double Fed Generator: A Review. IEEE Latin America Transactions, 2016, 14, 1745-1751. | 1.2 | 3 |
| 1460 | Impedance Coordinative Control for Cascaded Converter in Bidirectional Application. IEEE Transactions on Industry Applications, 2016, 52, 4084-4095. | 3.3 | 17 |
| 1462 | Model predictive control for the packed U-Cells 7-level grid connected inverter. , 2016, , . | | 13 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1463 | Online Monitoring Technique for Aluminum Electrolytic Capacitor in Solar PV-Based DC System. IEEE Transactions on Industrial Electronics, 2016, 63, 7059-7066. | 5.2 | 58 |
| 1464 | Stability Analysis and Robust Design of <italic>LCL</italic> With Multituned Traps Filter for Grid-Connected Converters. IEEE Transactions on Industrial Electronics, 2016, 63, 6823-6834. | 5.2 | 43 |
| 1465 | Utilization of energy from waste plants for microgrids. , 2016, , . | | 3 |
| 1466 | ZVS–ZCS High Voltage Gain Integrated Boost Converter for DC Microgrid. IEEE Transactions on Industrial Electronics, 2016, 63, 6898-6908. | 5.2 | 92 |
| 1467 | Three-phase multiple harmonic sequence detection based on Generalized Delayed Signal Superposition. , 2016, , . | | 1 |
| 1468 | Grid Synchronization Phase-Locked Loop Strategy for Unbalance and Harmonic Distortion Conditions. Journal of Control, Automation and Electrical Systems, 2016, 27, 463-471. | 1.2 | 6 |
| 1469 | Connection of Converters to a Low and Medium Power DC Network Using an Inductor Circuit. IEEE Transactions on Industrial Electronics, 2016, 63, 5461-5464. | 5.2 | 0 |
| 1470 | Embedded system for supervision analysis and control of photovoltaic power plants. Microsystem Technologies, 2016, 22, 1933-1942. | 1.2 | 2 |
| 1471 | Reactive Power Compensation in a Photovoltaic Grid Tie System, Using a Single-Phase Bidirectional High Frequency link Converter. IEEE Latin America Transactions, 2016, 14, 1816-1821. | 1.2 | 5 |
| 1472 | Sliding Mode Fixed Frequency Current Controller Design for Grid-Connected NPC Inverter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2016, 4, 1397-1405. | 3.7 | 77 |
| 1473 | Additive manufacturing of magnetic components for power electronics integration. , 2016, , . | | 12 |
| 1474 | A Highly Integrated and Reconfigurable Microgrid Testbed with Hybrid Distributed Energy Sources. IEEE Transactions on Smart Grid, 2016, 7, 451-459. | 6.2 | 85 |
| 1475 | The FCS-MPC research for a new inverter. International Journal of Electronics Letters, 2016, 4, 93-107. | 0.7 | 2 |
| 1476 | Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. IEEE Transactions on Power Electronics, 2016, 31, 292-303. | 5.4 | 259 |
| 1477 | Modeling and Analysis of a Fast and Robust Module-Integrated Analog Photovoltaic MPP Tracker. IEEE Transactions on Power Electronics, 2016, 31, 280-291. | 5.4 | 31 |
| 1478 | Power-Electronics-Based Energy Management System With Storage. IEEE Transactions on Power Electronics, 2016, 31, 452-460. | 5.4 | 49 |
| 1479 | Blade pitch control malfunction simulation in a wind energy conversion system with MPC five-level converter. Renewable Energy, 2016, 89, 339-350. | 4.3 | 14 |
| 1480 | On the Benefits of a Symmetric Redox Flow Battery. Journal of the Electrochemical Society, 2016, 163, A338-A344. | 1.3 | 141 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1481 | A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. IEEE Transactions on Power Electronics, 2016, 31, 5562-5573. | 5.4 | 35 |
| 1482 | Influence of community structure on the synchronization of power network. International Journal of Modern Physics B, 2016, 30, 1550252. | 1.0 | 2 |
| 1483 | Adaptive backstepping sliding mode control of a grid interactive PV-VSC system with LCL filter. Sustainable Energy, Grids and Networks, 2016, 6, 109-124. | 2.3 | 17 |
| 1484 | Real-Time Implementation of Model-Predictive Control on Seven-Level Packed U-Cell Inverter. IEEE Transactions on Industrial Electronics, 2016, 63, 4180-4186. | 5.2 | 119 |
| 1485 | Effective grid interfaced renewable sources with power quality improvement using dynamic active power filter. International Journal of Electrical Power and Energy Systems, 2016, 82, 150-160. | 3.3 | 31 |
| 1486 | Considering the effect of biomass energy consumption on economic growth: Fresh evidence from BRICS region. Renewable and Sustainable Energy Reviews, 2016, 60, 1442-1450. | 8.2 | 113 |
| 1487 | Statistical and Clustering Analysis for Disturbances: A Case Study of Voltage Dips in Wind Farms. IEEE Transactions on Power Delivery, 2016, 31, 2530-2537. | 2.9 | 10 |
| 1488 | Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. IEEE Transactions on Power Electronics, 2016, 31, 5524-5537. | 5.4 | 66 |
| 1489 | Energy storage systems in modern grids—Matrix of technologies and applications. Journal of Energy Storage, 2016, 6, 248-259. | 3.9 | 261 |
| 1491 | Alternate Proof for Steady-State Equivalent Circuit of a Doubly Fed Induction Machine. IEEE Transactions on Power Electronics, 2016, 31, 5378-5383. | 5.4 | 40 |
| 1492 | Synthesis of defect-rich, (001) faceted-ZnO nanorod on a FTO substrate as efficient photocatalysts for dehydrogenation of isopropanol to acetone. Journal of Physics and Chemistry of Solids, 2016, 93, 73-78. | 1.9 | 13 |
| 1493 | Control of Active and Reactive Power Ripple to Mitigate Unbalanced Grid Voltages. IEEE Transactions on Industry Applications, 2016, 52, 1660-1668. | 3.3 | 119 |
| 1494 | Performance and design of an open-delta connected grid tied bidirectional PWM converter. International Journal of Electrical Power and Energy Systems, 2016, 78, 183-193. | 3.3 | 7 |
| 1495 | On the Interplay of Distributed Power Loss Reduction and Communication in Low Voltage Microgrids. IEEE Transactions on Industrial Informatics, 2016, 12, 322-337. | 7.2 | 13 |
| 1496 | Modeling, control and analysis of cascaded inverter based grid-connected photovoltaic system. International Journal of Electrical Power and Energy Systems, 2016, 78, 165-173. | 3.3 | 33 |
| 1497 | A novel control system design to improve LVRT capability of fixed speed wind turbines using STATCOM in presence of voltage fault. International Journal of Electrical Power and Energy Systems, 2016, 77, 280-286. | 3.3 | 56 |
| 1498 | Comprehensive overview of grid interfaced wind energy generation systems. Renewable and Sustainable Energy Reviews, 2016, 57, 260-281. | 8.2 | 127 |
| 1499 | Power systems without fuel. Renewable and Sustainable Energy Reviews, 2016, 57, 1322-1336. | 8.2 | 78 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1500 | Power quality techniques research worldwide: A review. Renewable and Sustainable Energy Reviews, 2016, 54, 846-856. | 8.2 | 60 |
| 1501 | Current Zero-Crossing Duration Reduction of a Semicontrolled Open-Winding PMSG System Based on Third Harmonic Current Injection. IEEE Transactions on Industrial Electronics, 2016, 63, 750-760. | 5.2 | 12 |
| 1502 | Rectifier topologies for permanent magnet synchronous generator on wind energy conversion systems: A review. Renewable and Sustainable Energy Reviews, 2016, 54, 1334-1344. | 8.2 | 55 |
| 1503 | Sliding-Mode Control of PWM Dual Inverter-Based Grid-Connected PV System: Modeling and Performance Analysis. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2016, 4, 435-444. | 3.7 | 128 |
| 1504 | A survey on the critical issues in smart grid technologies. Renewable and Sustainable Energy Reviews, 2016, 54, 396-405. | 8.2 | 216 |
| 1505 | Photovoltaic penetration issues and impacts in distribution network – A review. Renewable and Sustainable Energy Reviews, 2016, 53, 594-605. | 8.2 | 387 |
| 1506 | Transformer-Less Unified Power-Flow Controller Using the Cascade Multilevel Inverter. IEEE Transactions on Power Electronics, 2016, 31, 5461-5472. | 5.4 | 69 |
| 1507 | Optimal allocation of microgrid considering economic dispatch based on hybrid weighted bilevel planning method and algorithm improvement. International Journal of Electrical Power and Energy Systems, 2016, 75, 28-37. | 3.3 | 19 |
| 1508 | Power Management for Improved Dispatch of Utility-Scale PV Plants. IEEE Transactions on Power Systems, 2016, 31, 2297-2306. | 4.6 | 40 |
| 1509 | DC-Bus Voltage Control Stability Affected by AC-Bus Voltage Control in VSCs Connected to Weak AC Grids. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2016, 4, 445-458. | 3.7 | 149 |
| 1510 | Modified Model Predictive Control of a Bidirectional AC–DC Converter Based on Lyapunov Function for Energy Storage Systems. IEEE Transactions on Industrial Electronics, 2016, 63, 704-715. | 5.2 | 149 |
| 1511 | Real-Time Implementation of a Seven-Level Packed U-Cell Inverter with a Low-Switching-Frequency Voltage Regulator. IEEE Transactions on Power Electronics, 2016, 31, 5967-5973. | 5.4 | 133 |
| 1512 | Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications. IEEE Transactions on Power Electronics, 2016, 31, 3289-3301. | 5.4 | 234 |
| 1513 | DC-Link Voltage Coordinated-Proportional Control for Cascaded Converter With Zero Steady-State Error and Reduced System Type. IEEE Transactions on Power Electronics, 2016, 31, 3177-3188. | 5.4 | 18 |
| 1514 | A control approach for the operation of DG units under variations of interfacing impedance in grid-connected mode. International Journal of Electrical Power and Energy Systems, 2016, 74, 1-8. | 3.3 | 12 |
| 1515 | Control of Single-Phase Power Converters Connected to Low-Voltage Distorted Power Systems With Variable Compensation Objectives. IEEE Transactions on Power Electronics, 2016, 31, 2039-2052. | 5.4 | 60 |
| 1516 | Power Balance Optimization of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. IEEE Transactions on Power Electronics, 2016, 31, 1108-1120. | 5.4 | 152 |
| 1517 | Control and Performance Analysis of a Single-Stage Utility-Scale Grid-Connected PV System. IEEE Systems Journal, 2017, 11, 1601-1611. | 2.9 | 89 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1518 | High-Precision Active Suppression of DC Bias in AC Grids by Grid-Connected Power Converters. IEEE Transactions on Industrial Electronics, 2017, 64, 857-865. | 5.2 | 17 |
| 1519 | A Stochastic Stability Enhancement Method of Grid-Connected Distributed Energy Storage Systems. IEEE Transactions on Smart Grid, 2017, 8, 2062-2070. | 6.2 | 21 |
| 1520 | A Novel Energy Function-Based Stability Evaluation and Nonlinear Control Approach for Energy Internet. IEEE Transactions on Smart Grid, 2017, 8, 1195-1210. | 6.2 | 105 |
| 1521 | DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. IEEE Transactions on Power Electronics, 2017, 32, 693-702. | 5.4 | 59 |
| 1522 | Feed-Forward-based Control in a DC–DC Converter of Asymmetric Multistage-Stacked Boost Architecture. IEEE Transactions on Power Electronics, 2017, 32, 1507-1517. | 5.4 | 13 |
| 1523 | A Medium-Frequency Transformer-Based Wind Energy Conversion System Used for Current-Source Converter-Based Offshore Wind Farm. IEEE Transactions on Power Electronics, 2017, 32, 248-259. | 5.4 | 74 |
| 1524 | Price and capacity competition in balancing markets with energy storage. Energy Systems, 2017, 8, 169-197. | 1.8 | 14 |
| 1525 | Non-linear control of the output stage of a solar microinverter. International Journal of Control, 2017, 90, 90-109. | 1.2 | 6 |
| 1527 | Loss of excitation of SMIB power system equipped with high photovoltaic penetration with constant injected voltage. Electrical Engineering, 2017, 99, 19-31. | 1.2 | 4 |
| 1528 | Stability analysis and concept extension of harmonic decoupling network for the three-phase grid synchronization systems. International Journal of Electrical Power and Energy Systems, 2017, 89, 1-10. | 3.3 | 10 |
| 1529 | Isolated AC–DC Converter Using Medium Frequency Transformer for Off-Shore Wind Turbine DC Collection Grid. IEEE Transactions on Industrial Electronics, 2017, 64, 8939-8947. | 5.2 | 38 |
| 1530 | A single switch hybrid DC/DC converter with extended static gain for photovoltaic applications. Electric Power Systems Research, 2017, 146, 228-235. | 2.1 | 39 |
| 1531 | Design and experimental investigation of digital model predictive current controller for single phase grid integrated photovoltaic systems. Renewable Energy, 2017, 108, 438-448. | 4.3 | 23 |
| 1532 | Optimizing synchronization stability of the Kuramoto model in complex networks and power grids. Physical Review E, 2017, 95, 012207. | 0.8 | 28 |
| 1533 | Hexagonal Arrays of Cylindrical Nickel Microstructures for Improved Oxygen Evolution Reaction. ACS Applied Materials & Interfaces, 2017, 9, 7036-7043. | 4.0 | 21 |
| 1534 | Optimized Settings of Droop Parameters Using Stochastic Load Modeling for Effective DC Microgrids Operation. IEEE Transactions on Industry Applications, 2017, 53, 1358-1371. | 3.3 | 44 |
| 1535 | Optimal scheduling of grid-connected PV plants with energy storage for integration in the electricity market. Solar Energy, 2017, 144, 502-516. | 2.9 | 41 |
| 1536 | Phase-change heat storage installation in combined heat and power plants for integration of renewable energy sources into power system. Energy, 2017, 124, 640-651. | 4.5 | 44 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1537 | Decoupled Control Scheme of Grid-Connected Split-Source Inverters. IEEE Transactions on Industrial Electronics, 2017, 64, 6202-6211. | 5.2 | 54 |
| 1538 | A Hybrid Diesel-WindÂPV-Based Energy Generation System With Brushless Generators. IEEE Transactions on Industrial Informatics, 2017, 13, 1714-1722. | 7.2 | 48 |
| 1539 | Gather-and-broadcast frequency control in power systems. Automatica, 2017, 79, 296-305. | 3.0 | 78 |
| 1540 | Comparative analysis of single phase transformerless inverter topologies for grid connected PV system. Solar Energy, 2017, 149, 245-271. | 2.9 | 54 |
| 1541 | Renewable energy: Present research and future scope of Artificial Intelligence. Renewable and Sustainable Energy Reviews, 2017, 77, 297-317. | 8.2 | 216 |
| 1542 | Discrete time sliding mode control of single phase LCL grid-inverter. , 2017, , . | | 9 |
| 1543 | Towards building a multi perspective policy development framework for transition into renewable energy. Sustainable Energy Technologies and Assessments, 2017, 21, 67-88. | 1.7 | 32 |
| 1544 | A dynamic model of a 100ÂkW micro gas turbine fuelled with natural gas and hydrogen blends and its application in a hybrid energy grid. Energy, 2017, 129, 299-320. | 4.5 | 62 |
| 1545 | Adaptive phase-shifted PWM for multilevel cascaded H-bridge converters with large number of power cells. , 2017, , . | | 14 |
| 1546 | Renewable energy-based power systems: models, indigeneous analyses and design approaches. , 2017, , . | | 1 |
| 1547 | Large energy density in Ba doped Pb0.97La0.02(Zr0.65Sn0.3Ti0.05)O3 antiferroelectric ceramics with improved temperature stability. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 744-748. | 1.8 | 17 |
| 1548 | Low switching stress DC-DC converter with capability of high voltage gain for low voltage energy sources. EPE Journal (European Power Electronics and Drives Journal), 2017, 27, 74-84. | 0.7 | 6 |
| 1549 | Challenges and opportunities for a European HVDC grid. Renewable and Sustainable Energy Reviews, 2017, 70, 427-456. | 8.2 | 112 |
| 1550 | Application of soft computing techniques for maximum power point tracking of SPV system. Solar Energy, 2017, 141, 182-202. | 2.9 | 60 |
| 1551 | A survey on waste heat recovery: Electric power generation and potential prospects within Pakistan. Renewable and Sustainable Energy Reviews, 2017, 75, 1142-1155. | 8.2 | 51 |
| 1552 | Performance comparison of single-phase transformerless PV inverter systems. , 2017, , . | | 20 |
| 1553 | Comparison of zeroâ€sequence injection methods in cascaded Hâ€bridge multilevel converters for largeâ€scale photovoltaic integration. IET Renewable Power Generation, 2017, 11, 603-613. | 1.7 | 62 |
| 1554 | Space-time variability of climate variables and intermittent renewable electricity production – A review. Renewable and Sustainable Energy Reviews, 2017, 79, 600-617. | 8.2 | 188 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1555 | Miniaturized design of a piezoelectric thermal sensor optimized for the integration to wide bandgap power modules operating at high temperatures. , 2017, , . | | 0 |
| 1556 | Single-stage single-phase three-level neutral-point-clamped transformerless grid-connected photovoltaic inverters: Topology review. Renewable and Sustainable Energy Reviews, 2017, 80, 197-214. | 8.2 | 46 |
| 1557 | Control strategy of switching regulators for fuelâ€cell power applications. IET Renewable Power Generation, 2017, 11, 799-805. | 1.7 | 13 |
| 1558 | Toward an approach to improve MPPT efficiency for PV system. , 2017, , . | | 4 |
| 1559 | Selective Sharing of Load Current Components Among Parallel Power Electronic Interfaces in Three-phase Four-wire Stand-alone Microgrid. Electric Power Components and Systems, 2017, 45, 864-880. | 1.0 | 4 |
| 1560 | Bridge rectifier with Cylindrical Surrounding Double-Gate MOSFET: A model for better efficiency. , 2017, , . | | 5 |
| 1561 | Selection of non-isolated DC-DC converters for solar photovoltaic system. Renewable and Sustainable Energy Reviews, 2017, 76, 1230-1247. | 8.2 | 133 |
| 1562 | Artificial Neural Network for Control and Grid Integration of Residential Solar Photovoltaic Systems. IEEE Transactions on Sustainable Energy, 2017, 8, 1484-1495. | 5.9 | 106 |
| 1563 | Evolution of PV systems in Greece and review of applicable solutions for higher penetration levels. Renewable Energy, 2017, 109, 487-499. | 4.3 | 57 |
| 1564 | Influencing factors of public support for modern coal-fired power plant projects: An empirical study from China. Energy Policy, 2017, 105, 398-406. | 4.2 | 31 |
| 1565 | Operational performance stability of grid-connected photovoltaic generator via DC–DC converter and 48-pulse voltage source inverter. International Journal of Modelling and Simulation, 2017, 37, 96-107. | 2.3 | 10 |
| 1566 | Multi-stakeholder microgrids for resilience and sustainability. Environmental Hazards, 2017, 16, 116-132. | 1.4 | 6 |
| 1567 | Non-Contact Capacitive-Coupling-Based and Magnetic-Field-Sensing-Assisted Technique for Monitoring Voltage of Overhead Power Transmission Lines. IEEE Sensors Journal, 2017, 17, 1069-1083. | 2.4 | 39 |
| 1568 | Highâ€efficiency gridâ€connected inverter topology for lowâ€power photovoltaic applications. IEEJ Transactions on Electrical and Electronic Engineering, 2017, 12, 365-371. | 0.8 | 1 |
| 1569 | The hybrid photovoltaic energy system for electric vehicle battery charger. , 2017, , . | | 3 |
| 1570 | Graphitic carbon nitride-stabilized CdS@CoS nanorods: An efficient visible-light-driven photocatalyst for hydrogen evolution with enhanced photo-corrosion resistance. International Journal of Hydrogen Energy, 2017, 42, 28183-28192. | 3.8 | 31 |
| 1571 | Surface structural analysis of a friction layer for a triboelectric nanogenerator. Nano Energy, 2017, 42, 34-42. | 8.2 | 89 |
| 1572 | A Virtual Synchronous Control for Voltage-Source Converters Utilizing Dynamics of DC-Link Capacitor to Realize Self-Synchronization. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2017, 5, 1565-1577. | 3.7 | 154 |

| | Сітаті | CITATION REPORT | |
|-----------|---|-----------------|-----------|
| # 1573 | ARTICLE Reactive Power Management for Overvoltage Prevention at High PV Penetration in a Low-Voltage Distribution System. IEEE Transactions on Industry Applications, 2017, 53, 5786-5794. | IF 3.3 | CITATIONS |
| 1574 | An overview of energy storage and its importance in Indian renewable energy sector: Part II – energy storage applications, benefits and market potential. Journal of Energy Storage, 2017, 13, 447-456. | 3.9 | 81 |
| 1575 | Design and sizing of short term energy storage for a PV system. , 2017, , . | | 3 |
| 1576 | Integrated planning of low-voltage power grids and subsidies toward a distributed generation system – Case study of the diffusion of photovoltaics in a Japanese dormitory town. Energy, 2017, 140, 779-79 | 93. 4.5 | 9 |
| 1577 | Designing and analysis of innovative solutions for harbour area smart grid. , 2017, , . | | 14 |
| 1578 | DC-BUS voltage ripple minimization of distributed DC-DC converters based on phase shifting theory. , 2017, , . | | 1 |
| 1579 | A Framework of System of Systems Design with Scenario, Multi-Agent Simulation and Robustness Assessment. Procedia CIRP, 2017, 60, 133-138. | 1.0 | 2 |
| 1580 | Self-balancing control strategy for a battery based H-bridge multilevel inverter. , 2017, , . | | 1 |
| 1581 | Overview of power electronics technology and applications in power generation transmission and distribution. Journal of Modern Power Systems and Clean Energy, 2017, 5, 499-514. | 3.3 | 57 |
| 1582 | Enhancing LVRT Capability and Smoothing Power Fluctuations of a DFIG-based Wind Farm in a DC Microgrid. Electric Power Components and Systems, 2017, 45, 1080-1090. | 1.0 | 10 |
| 1583 | Coordinate control of distributed generation and active power electronics loads in islanding microgrid. , 2017, , . | | 0 |
| 1584 | A review of the performance of VSC-HVDC and MTDC systems. , 2017, , . | | 24 |
| 1586 | A unidirectional snubber less fully soft-switched single stage three phase high frequency link DC/AC converter. , 2017, , . | | 2 |
| 1587 | Performance improvement of grid interfaced three level diode clamped inverter under various power quality events. , 2017, , . | | 2 |
| 1588 | Single — Stage three — Phase grid — Connected photovoltaic system with maximum power tracking and active and reactive power control based on nonlinear control. , 2017, , . | | 1 |
| 1589 | Asymmetric multiscale multifractal analysis of wind speed signals. International Journal of Modern Physics C, 2017, 28, 1750137. | 0.8 | 6 |
| 1591 | Active Power Control of Grid-connected Permanent Magnet Synchronous Generator-based Wind Turbines in the Presence of Voltage Sags. Electric Power Components and Systems, 2017, 45, 1512-1524 | . 1.0 | 1 |
| 1592 | Mathematical Modelling and Comparative Analysis of PWM Techniques for Photovoltaic Fed HERIC Inverter. , 2017, , . | | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1593 | Dynamic Modeling of Networks, Microgrids, and Renewable Sources in the dq0 Reference Frame: A Survey. IEEE Access, 2017, 5, 21323-21335. | 2.6 | 75 |
| 1594 | Multiple renewable energy extraction using MISOC topology for residential applications. , 2017, , . | | 3 |
| 1595 | Real Time simulation of PV System integration to the distribution grid using dynamic load model. , 2017, , . | | 2 |
| 1596 | An Implementation of Hybrid Control Strategy for Distributed Generation System Interface Using Xilinx System Generator. IEEE Transactions on Industrial Informatics, 2017, 13, 2735-2745. | 7.2 | 50 |
| 1597 | Output feedback control of a single phase voltage source inverter utilizing a variable structure observer. , 2017, , . | | 4 |
| 1598 | Big Data-Based Approach to Detect, Locate, and Enhance the Stability of an Unplanned Microgrid Islanding. Journal of Energy Engineering - ASCE, 2017, 143, . | 1.0 | 17 |
| 1599 | Finite set MPC control of two level inverter for PV/battery grid-connected system. , 2017, , . | | 4 |
| 1600 | Economic Potentials of a Carbon Market on American Oil Industry: A System Dynamics Approach. , 2017, , . | | 3 |
| 1601 | Performance analysis of compressed air energy storage systems considering dynamic characteristics of compressed air storage. Energy, 2017, 135, 876-888. | 4.5 | 58 |
| 1602 | Fault Ride Through and Grid Support Topology for the VSC-HVDC Connected Offshore Wind Farms. IEEE Transactions on Power Delivery, 2017, 32, 1592-1604. | 2.9 | 53 |
| 1603 | Effects of silicon carbide MOSFETs on the efficiency and power quality of a microgrid-connected inverter. Applied Energy, 2017, 201, 270-283. | 5.1 | 21 |
| 1604 | Overview of the Security and Privacy Issues in Smart Grids. , 2017, , 1-16. | | 20 |
| 1605 | A review of inverter topologies for single-phase grid-connected photovoltaic systems. Renewable and Sustainable Energy Reviews, 2017, 72, 1256-1270. | 8.2 | 150 |
| 1606 | Takagi–Sugeno fuzzyâ€modelâ€based control of threeâ€phase AC/DC voltage source converters using adaptive sliding mode technique. IET Control Theory and Applications, 2017, 11, 1255-1263. | 1.2 | 30 |
| 1608 | Sizing of Stand-Alone Solar PV and Storage System With Anaerobic Digestion Biogas Power Plants. IEEE Transactions on Industrial Electronics, 2017, 64, 2112-2121. | 5.2 | 90 |
| 1609 | Analysis and Design of an Electronic On-Load Tap Changer Distribution Transformer for Automatic Voltage Regulation. IEEE Transactions on Industrial Electronics, 2017, 64, 883-894. | 5.2 | 43 |
| 1610 | Novel high multilevel inverters investigated on simulation. Electrical Engineering, 2017, 99, 633-638. | 1.2 | 23 |
| 1611 | Stability Analysis and Damping Enhancement Based on Frequency-Dependent Virtual Impedance for DC Microgrids. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2017, 5, 338-350. | 3.7 | 128 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1612 | Multivariable controller for a novel topology of double-input converter applied in distributed hybrid photovoltaic/wind power system. International Transactions on Electrical Energy Systems, 2017, 27, e2261. | 1.2 | 7 |
| 1613 | Static Modeling of Microgrids for Load Flow and Fault Analysis. IEEE Transactions on Power Systems, 2017, 32, 1990-2000. | 4.6 | 24 |
| 1614 | Iterative Learning Controller With Multiple Phase-Lead Compensation for Dual-Mode Flyback Inverter. IEEE Transactions on Power Electronics, 2017, 32, 6468-6480. | 5.4 | 38 |
| 1615 | On-Site LVRT Testing Method for Full-Power Converter Wind Turbines. IEEE Transactions on Sustainable Energy, 2017, 8, 395-403. | 5.9 | 27 |
| 1616 | Predictive Control of Cascaded H-Bridge Converters Under Unbalanced Power Generation. IEEE Transactions on Industrial Electronics, 2017, 64, 4-13. | 5.2 | 59 |
| 1617 | Potential-induced degradation in photovoltaic modules: a critical review. Energy and Environmental Science, 2017, 10, 43-68. | 15.6 | 329 |
| 1618 | Optimized Power Redistribution of Offshore Wind Farms Integrated VSC-MTDC Transmissions After Onshore Converter Outage. IEEE Transactions on Industrial Electronics, 2017, 64, 8948-8958. | 5.2 | 65 |
| 1619 | Control, power and electrical components in wave energy conversion systems: A review of the technologies. Renewable and Sustainable Energy Reviews, 2017, 67, 106-115. | 8.2 | 113 |
| 1620 | A Dual-Input Central Capacitor DC/DC Converter for Distributed Photovoltaic Architectures. IEEE Transactions on Industry Applications, 2017, 53, 305-318. | 3.3 | 22 |
| 1621 | A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. IEEE Transactions on Power Electronics, 2017, 32, 5087-5108. | 5.4 | 35 |
| 1622 | A comprehensive review of Flywheel Energy Storage System technology. Renewable and Sustainable Energy Reviews, 2017, 67, 477-490. | 8.2 | 307 |
| 1623 | Extended State Observer-Based Sliding-Mode Control for Three-Phase Power Converters. IEEE Transactions on Industrial Electronics, 2017, 64, 22-31. | 5.2 | 426 |
| 1624 | Enhanced power flow control of distributed generator units by using virtual impedance scheme. , 2017, , . | | 0 |
| 1625 | Renewable energy dispatch control algorithms for a mixed-use building. , 2017, , . | | 10 |
| 1626 | IoT based street lighting and traffic management system. , 2017, , . | | 49 |
| 1627 | Multi-oscillatory current control with anti-windup for grid-connected VSCs operated under distorted grid voltage conditions. , 2017, , . | | 8 |
| 1628 | Performance analysis of different types of PV testing using MATLAB. , 2017, , . | | 13 |
| 1629 | Port-hamiltonian control of power electronic converters to achieve passivity. , 2017, , . | | 3 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1630 | Study on offshore wind farm layout optimization based on decommissioning strategy. Energy Procedia, 2017, 143, 566-571. | 1.8 | 13 |
| 1631 | Design and improvement of a soft switching high stepâ€up boost converter with voltage multiplier. IET Power Electronics, 2017, 10, 2163-2169. | 1.5 | 6 |
| 1632 | Multilevel inverter for interfacing renewable energy sources with low/medium―and highâ€voltage grids. IET Renewable Power Generation, 2017, 11, 1822-1831. | 1.7 | 75 |
| 1633 | Operation of an hybrid PV-battery system with improved harmonic performance. , 2017, , . | | 13 |
| 1634 | Efficiency analysis on DCM interleaved boost power converters. , 2017, , . | | 4 |
| 1635 | Fuel cell integrated UPQC System for power quality improvement. , 2017, , . | | 3 |
| 1636 | A novel non-isolated high DC-DC voltage based on boost converter employing coupled inductor. , 2017, , . | | 3 |
| 1637 | Advanced control strategies for convertible static transmission controller enabled dual active power filters and PV-power integration. , 2017, , . | | 2 |
| 1638 | Energy Storage and Power Electronics Technologies: A Strong Combination to Empower the Transformation to the Smart Grid. Proceedings of the IEEE, 2017, 105, 2191-2219. | 16.4 | 126 |
| 1639 | The influence of internal current loop on transient response performance of I-V droop controlled paralleled DC-DC converters. , 2017, , . | | 1 |
| 1640 | Joint Optimal Pricing and Electrical Efficiency Enforcement for Rational Agents in Microgrids. IEEE Access, 2017, 5, 19782-19798. | 2.6 | 7 |
| 1641 | Single-phase to three-phase reduced-switch-count converters applied to wind energy conversion systems using doubly-fed induction generator. , 2017, , . | | 6 |
| 1642 | Analysis and comparaison of control on power converters in photovoltaic energy. , 2017, , . | | 2 |
| 1643 | High conversion ratio DC-DC converter with isolated transformer and switched-clamp capacitor for Taiwan photon source. Journal of Instrumentation, 2017, 12, T12005-T12005. | 0.5 | 0 |
| 1644 | Distributed Design of Local Controllers for Transient Stabilization in Power Grids. IFAC-PapersOnLine, 2017, 50, 5430-5435. | 0.5 | 2 |
| 1645 | A comprehensive study on distributed energy generation integration technology. , 2017, , . | | 1 |
| 1646 | Digitally controlled bipolar converter for DC micro grids. , 2017, , . | | 1 |
| 1647 | A comprehensive review on large-scale photovoltaic system with applications of electrical energy storage. Renewable and Sustainable Energy Reviews, 2017, 78, 439-451. | 8.2 | 156 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1648 | Feedback linearization control applied to three-level boost rectifiers. , 2017, , . | | 1 |
| 1649 | Power electronic converters and control techniques in AC microgrids. , 2017, , . | | 16 |
| 1650 | Performance analysis of three-phase five-level NPC inverter by using triangular and trapezoidal triangular carrier-based modulation techniques. , 2017, , . | | 4 |
| 1651 | SIMO based inverter with MPPT technique. , 2017, , . | | 0 |
| 1652 | Chance-constrained day-ahead hourly scheduling in distribution system operation. , 2017, , . | | 2 |
| 1653 | MPPT algorithm for grid-connected photovoltaic generation systems via model predictive controller. , 2017, , . | | 10 |
| 1654 | Performance assessment of islanding detection using complex wavelet in a three-phase utility interactive inverter system. , 2017, , . | | 2 |
| 1655 | Formal validation of supervisory energy management systems for microgrids. , 2017, , . | | 10 |
| 1656 | Using consensus control for reactive power sharing of distributed electric springs. , 2017, , . | | 4 |
| 1657 | A novel filter structure to suppress harmonic currents based on the sequence of sideband harmonics. , 2017, , . | | 3 |
| 1658 | Investigating SSO risks of large \hat{s} cale photovoltaic generation with the series compensated transmission lines. Journal of Engineering, 2017, 2017, 2048-2052. | 0.6 | 5 |
| 1659 | Microgrid battery and thermal storage for improved renewable penetration and curtailment. , 2017, , . | | 12 |
| 1660 | Droop Control of Solar PV, Grid and Critical Load using Suppressing DC Current Injection Technique without Battery Storage. IOP Conference Series: Materials Science and Engineering, 2017, 225, 012245. | 0.3 | 0 |
| 1661 | Generalized predictive control of three-level boost rectifiers. , 2017, , . | | 3 |
| 1662 | Single-phase modified continuous input current switched boost inverter for high voltage gain. , 2017, | | 7 |
| 1663 | Transient stability modes of DFIG in large disturbance based on reduced-order DAE models. , 2017, , . | | 0 |
| 1664 | DC link voltage control of back-to-back converter robust to grid conditions. , 2017, , . | | 6 |
| 1665 | A reflex-charging based bidirectional DC charger for light electric vehicle and DC-microgrids. , 2017, , | | 9 |

ARTICLE

1666 Investigation of direct matrix converter working as a versatile converter (AC/AC, AC/DC, DC/AC, DC/DC) Tj ETQq0 0 0 rgBT /Oyerlock 10

| 1667 | Grid-connected power converters with distributed virtual power system inertia. , 2017, , . | | 28 |
|------|---|-----|-----|
| 1668 | Power quality improvement in a grid integrated solar PV system. , 2017, , . | | 19 |
| 1669 | Mitigation of current harmonics in wind turbine system at distribution level using shunt active filters. , 2017, , . | | 4 |
| 1670 | Z source inverter application and control for decentralized photovoltaic system. , 2017, , . | | 6 |
| 1671 | A switchable cascaded multi-dc-branch for permanent magnet synchronous generator in wide speed range on wind energy conversion system. , 2017, , . | | 3 |
| 1672 | Performance Enhancement of Wind Energy System with Distribution Static Compensator. Indian Journal of Science and Technology, 2017, 10, 1-8. | 0.5 | 3 |
| 1673 | A Wavelet-Modified ESPRIT Hybrid Method for Assessment of Spectral Components from 0 to 150 kHz. Energies, 2017, 10, 97. | 1.6 | 14 |
| 1674 | Application of Liquid Hydrogen with SMES for Efficient Use of Renewable Energy in the Energy Internet. Energies, 2017, 10, 185. | 1.6 | 13 |
| 1675 | Consideration of Reactor Installation to Mitigate Voltage Rise Caused by the Connection of a Renewable Energy Generator. Energies, 2017, 10, 344. | 1.6 | 1 |
| 1676 | Distributed Control Strategy for Autonomous Operation of Hybrid AC/DC Microgrid. Energies, 2017, 10, 373. | 1.6 | 23 |
| 1677 | Predictive Control of Power Electronics Converters in Renewable Energy Systems. Energies, 2017, 10, 515. | 1.6 | 23 |
| 1678 | Cross-Regulation Assessment of DIDO Buck-Boost Converter for Renewable Energy Application. Energies, 2017, 10, 846. | 1.6 | 4 |
| 1679 | Complementary Power Control for Doubly Fed Induction Generator-Based Tidal Stream Turbine Generation Plants. Energies, 2017, 10, 862. | 1.6 | 15 |
| 1680 | Output Impedance Control Method of Inverter-Based Distributed Generators for Autonomous Microgrid. Energies, 2017, 10, 904. | 1.6 | 6 |
| 1681 | Quantification of Forecast Error Costs of Photovoltaic Prosumers in Italy. Energies, 2017, 10, 1754. | 1.6 | 9 |
| 1682 | Lithium-Ion Battery Storage for the Grid—A Review of Stationary Battery Storage System Design Tailored for Applications in Modern Power Grids. Energies, 2017, 10, 2107. | 1.6 | 480 |
| 1683 | A modular DC DC converter with medium frequency transformer for power conversion in offshore wind farms. , 2017, , . | | 1 |

| # | Article | IF | Citations |
|------|--|-----|-----------|
| 1684 | Effect of Neutral Grounding Protection Methods for Compensated Wind/PV Grid-Connected Hybrid Power Systems. International Journal of Photoenergy, 2017, 2017, 1-9. | 1.4 | 6 |
| 1685 | MATLAB implementation of standalone hybrid wind-solar power generation with and without dump power control. , 2017, , . | | 0 |
| 1686 | Fuzzy logic controlled high step-up boost-flyback converter for an efficient photovoltaic system. , 2017, , . | | 0 |
| 1687 | Isolated PV battery management system to power home appliances. , 2017, , . | | 1 |
| 1688 | Tracking Control for Mobile Robots Considering the Dynamics of All Their Subsystems: Experimental Implementation. Complexity, 2017, 2017, 1-18. | 0.9 | 20 |
| 1689 | Control and efficient operation of low cost multi PV-based LLC resonant microinverters. , 2017, , . | | 0 |
| 1690 | Large Signal Stabilization of Hybrid AC/DC Micro-Grids Using Nonlinear Robust Controller. Energies, 2017, 10, 1985. | 1.6 | 2 |
| 1691 | Integral sliding mode current control for three phase voltage source rectifier under unbalanced input voltage conditions. , 2017, , . | | 2 |
| 1692 | Simplified hybrid nine-level stacked multiceli converter with reduced part count for grid-connected applications. , 2017, , . | | 2 |
| 1693 | Integration of Electrochemical Capacitors on Silicon Photovoltaic Modules for Rapid-Response Power Buffering. , 2017, , . | | 6 |
| 1695 | An Active Power Filter Based on a Three-Level Inverter and 3D-SVPWM for Selective Harmonic and Reactive Compensation. Energies, 2017, 10, 297. | 1.6 | 12 |
| 1696 | Overview of offshore wind farm configurations. IOP Conference Series: Earth and Environmental Science, 2017, 93, 012009. | 0.2 | 5 |
| 1697 | Simulation of Modified Rectifier System for Variable Speed High Power PMSG Wind Turbine by using Filter. , 2017, , . | | 2 |
| 1698 | Method of Electric Energy Alternative Potential Analysis Based on Particle Swarm Optimization Support Vector Machine. , 2017, , . | | 0 |
| 1699 | Solid state transformer with a LC filter for distribution network. , 2017, , . | | 2 |
| 1700 | Dynamic modeling of wind turbine based axial flux permanent magnetic synchronous generator connected to the grid with switch reduced converter. Ain Shams Engineering Journal, 2018, 9, 125-135. | 3.5 | 10 |
| 1701 | Modified efficient perturb and observe maximum power point tracking technique for grid-tied PV system. International Journal of Electrical Power and Energy Systems, 2018, 99, 192-202. | 3.3 | 108 |
| 1702 | Centralized Control Center Implementation for Synergistic Operation of Distributed Multifunctional Single-Phase Grid-Tie Inverters in a Microgrid. IEEE Transactions on Industrial Electronics, 2018, 65, 8018-8029. | 5.2 | 31 |

| | CITATION R | EPORT | |
|------|--|-------|-----------|
| # | Article | IF | Citations |
| 1703 | DC offset minimisation of threeâ€phase multilevel inverter configuration under fault and DC link voltage unbalance conditions. IET Power Electronics, 2018, 11, 293-301. | 1.5 | 11 |
| 1704 | Generalized Parametric Average-Value Model of Line-Commutated Rectifiers Considering AC Harmonics With Variable Frequency Operation. IEEE Transactions on Energy Conversion, 2018, 33, 341-353. | 3.7 | 22 |
| 1705 | Disturbance-Rejection-Based Model Predictive Control: Flexible-Mode Design With a Modulator for Three-Phase Inverters. IEEE Transactions on Industrial Electronics, 2018, 65, 2893-2903. | 5.2 | 56 |
| 1706 | Two-Layer Global Synchronous Pulse Width Modulation Method for Attenuating Circulating Leakage Current in PV Station. IEEE Transactions on Industrial Electronics, 2018, 65, 8005-8017. | 5.2 | 20 |
| 1707 | Doubly Fed Induction Generator in Wind Energy Conversion Systems. , 2018, , 461-490. | | 8 |
| 1708 | A Coordinated Frequency Regulation Framework Based on Hybrid Battery-Ultracapacitor Energy Storage Technologies. IEEE Access, 2018, 6, 7310-7320. | 2.6 | 67 |
| 1709 | Modulation, control, and performance analysis of asymmetric modular multilevel converter (Aâ€MMC). IET Power Electronics, 2018, 11, 834-843. | 1.5 | 8 |
| 1710 | Singleâ€phase highâ€voltage gain switched LC Zâ€source inverters. IET Power Electronics, 2018, 11, 796-807. | 1.5 | 20 |
| 1711 | Power quality improvement by using STATCOM control scheme in wind energy generation interface to grid. IOP Conference Series: Earth and Environmental Science, 2018, 114, 012001. | 0.2 | 5 |
| 1712 | Comparison of Different Controllers and Stability Analysis for Photovoltaic Powered Buck-Boost DC-DC Converter. Electric Power Components and Systems, 2018, 46, 149-161. | 1.0 | 23 |
| 1713 | Optimal Allocation of Flexible AC Transmission System Controllers in Electric Power Networks. INAE Letters, 2018, 3, 41-64. | 1.0 | 7 |
| 1714 | Compensation method of phaseâ€locked loop under unbalanced grid condition based on harmonic linearization. International Journal of Circuit Theory and Applications, 2018, 46, 1181-1203. | 1.3 | 5 |
| 1715 | Robust Predictive Control of Three-Level NPC Back-to-Back Power Converter PMSG Wind Turbine Systems With Revised Predictions. IEEE Transactions on Power Electronics, 2018, 33, 9588-9598. | 5.4 | 160 |
| 1716 | On Stability of Voltage Source Inverters in Weak Grids. IEEE Access, 2018, 6, 4427-4439. | 2.6 | 144 |
| 1717 | Output-Power Enhancement for Hot Spotted Polycrystalline Photovoltaic Solar Cells. IEEE Transactions on Device and Materials Reliability, 2018, 18, 37-45. | 1.5 | 52 |
| 1718 | Optimal sizing of a wind/solar/battery hybrid gridâ€connected microgrid system. IET Renewable Power Generation, 2018, 12, 72-80. | 1.7 | 233 |
| 1719 | Sliding mode voltage control of boost converters in DC microgrids. Control Engineering Practice, 2018, 73, 161-170. | 3.2 | 75 |
| 1720 | Partial series resonant coupled-inductor boost converter for high step-up DC-DC applications. EPE Journal (European Power Electronics and Drives Journal), 2018, 28, 14-27. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1721 | Sliding Mode Controller in a Multiloop Framework for a Grid-Connected VSI With LCL Filter. IEEE Transactions on Industrial Electronics, 2018, 65, 4714-4723. | 5.2 | 75 |
| 1722 | Dynamic Stabilization of DC Microgrids With Predictive Control of Point-of-Load Converters. IEEE Transactions on Power Electronics, 2018, 33, 10872-10884. | 5.4 | 122 |
| 1723 | Coupled-Inductor-Based Aalborg Inverter With Input DC Energy Regulation. IEEE Transactions on Industrial Electronics, 2018, 65, 3826-3836. | 5.2 | 29 |
| 1724 | Three-Phase Grid-Connected WECS With Mechanical Power Control. IEEE Transactions on Sustainable Energy, 2018, 9, 1508-1517. | 5.9 | 15 |
| 1725 | Participation in primary frequency regulation of wind turbines using hybrid control method. International Transactions on Electrical Energy Systems, 2018, 28, e2527. | 1.2 | 7 |
| 1726 | Advanced Architectures and Relatives of Air Electrodes in Zn–Air Batteries. Advanced Science, 2018, 5, 1700691. | 5.6 | 645 |
| 1727 | Microphone Array Principles. Springer Briefs in Electrical and Computer Engineering, 2018, , 5-22. | 0.3 | 2 |
| 1728 | Advances in Distribution System Analysis with Distributed Resources: Survey with a Case Study. Sustainable Energy, Grids and Networks, 2018, 15, 86-100. | 2.3 | 15 |
| 1729 | Solar Photovoltaic Power Plants: Necessity and Techno-Economical Development. Renewable Energy Sources & Energy Storage, 2018, , 41-69. | 0.6 | 3 |
| 1730 | Engineered Transport in Microporous Materials and Membranes for Clean Energy Technologies. Advanced Materials, 2018, 30, 1704953. | 11.1 | 85 |
| 1731 | Analysis of the energy storage technology using Hype Cycle approach. Sustainable Energy Technologies and Assessments, 2018, 25, 60-74. | 1.7 | 23 |
| 1732 | Active power reference tracking in electricity distribution grids over non-ideal communication networks. International Journal of Electrical Power and Energy Systems, 2018, 102, 122-130. | 3.3 | 2 |
| 1733 | An improved discontinuous space vector modulation scheme for the three-phase impedance source inverters. , 2018, , . | | 2 |
| 1734 | Efficient Modeling of Six-Phase PM Synchronous Machine-Rectifier Systems in State-Variable-Based Simulation Programs. IEEE Transactions on Energy Conversion, 2018, 33, 1557-1570. | 3.7 | 5 |
| 1735 | Average-Value Modeling of Diode Rectifier Systems Under Asymmetrical Operation and Internal Faults. IEEE Transactions on Energy Conversion, 2018, 33, 1895-1906. | 3.7 | 14 |
| 1736 | Stochastic dynamic simulation of a novel hybrid thermal-compressed carbon dioxide energy storage system (T-CCES) integrated with a wind farm. Energy Conversion and Management, 2018, 166, 500-511. | 4.4 | 44 |
| 1737 | Simplified transformerâ€based multilevel inverter topology and generalisations for renewable energy applications. IET Power Electronics, 2018, 11, 708-718. | 1.5 | 25 |
| 1738 | Elastic Energy Distribution of Local Area Packetized Power Networks to Mitigate Distribution Level Load Fluctuation. IEEE Access, 2018, 6, 8219-8231. | 2.6 | 9 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1739 | Inverter-Side Current Control of Grid-Connected Voltage Source Inverters With LCL Filter Based on Generalized Predictive Control. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2018, 6, 1732-1743. | 3.7 | 60 |
| 1740 | Interleaved high step-up DC-DC converter with three-winding coupled inductors for renewable energy system. , 2018, , . | | 5 |
| 1741 | Harmonics and Reactive Current Detection of a Grid-Interfaced PV Generation in a Distribution System. IEEE Transactions on Industry Applications, 2018, 54, 4786-4794. | 3.3 | 22 |
| 1742 | A new self-adjusting PI controller for power control in a wind turbine generator. World Journal of Engineering, 2018, 15, 362-372. | 1.0 | 4 |
| 1743 | Performance analysis of synchronization algorithms for grid-connected power converters under sub and inter-harmonics distortion. , 2018, , . | | 2 |
| 1744 | Single-Phase Energy Management System Operating in Islanding Mode With Repetitive Control and Active Damping. IEEE Transactions on Industry Applications, 2018, 54, 5163-5172. | 3.3 | 6 |
| 1745 | Effects of post-filtering in grid-synchronization algorithms under grid faults. Electric Power Systems Research, 2018, 161, 167-176. | 2.1 | 4 |
| 1746 | Frequency Division Based Coordinated Control of Three-Port Converter Interfaced Hybrid Energy Storage Systems in Autonomous DC Microgrids. IEEE Access, 2018, 6, 25389-25398. | 2.6 | 16 |
| 1747 | SPV grid interfaced system with reduced switch converter for power quality improvement. , 2018, , . | | 2 |
| 1748 | Regular Dimpled Nickel Surfaces for Improved Efficiency of the Oxygen Evolution Reaction. ACS Applied Energy Materials, 2018, 1, 1771-1782. | 2.5 | 23 |
| 1749 | Novel energy management method for suppressing fuel cell degradation in hydrogen and electric hybrid energy storage systems compensating renewable energy fluctuations. International Journal of Hydrogen Energy, 2018, 43, 6879-6886. | 3.8 | 31 |
| 1750 | Indirect boost matrix converter and lowâ€voltage generator for direct drive wind turbines. Journal of Engineering, 2018, 2018, 10-16. | 0.6 | 1 |
| 1751 | Suitability of representative electrochemical energy storage technologies for ramp-rate control of photovoltaic power. Journal of Power Sources, 2018, 384, 396-407. | 4.0 | 25 |
| 1752 | Design of integral sliding mode control for DC-DC converters. Materials Today: Proceedings, 2018, 5, 4290-4298. | 0.9 | 16 |
| 1753 | Dynamic Phasor Based Interface Model for EMT and Transient Stability Hybrid Simulations. IEEE Transactions on Power Systems, 2018, 33, 3930-3939. | 4.6 | 40 |
| 1754 | A Combined Energy Management Algorithm for Wind Turbine/Battery Hybrid System. Journal of Electronic Materials, 2018, 47, 4430-4436. | 1.0 | 19 |
| 1755 | Design and implementation of singleâ€phase inverter without transformer for PV applications. IET Renewable Power Generation, 2018, 12, 547-554. | 1.7 | 8 |
| 1756 | Bus Participation Factor Analysis for Harmonic Instability in Power Electronics Based Power Systems. IEEE Transactions on Power Electronics, 2018, 33, 10341-10351. | 5.4 | 48 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1757 | Voltage and Current Controllability in Multi-Microgrid Smart Distribution Systems. IEEE Transactions on Smart Grid, 2018, 9, 817-826. | 6.2 | 40 |
| 1758 | Model predictive current controller for performance enhancement of grid-integrated single-phase photovoltaic distributed generation plants. Transactions of the Institute of Measurement and Control, 2018, 40, 762-775. | 1.1 | 7 |
| 1759 | A Short-Term and High-Resolution Distribution System Load Forecasting Approach Using Support Vector Regression With Hybrid Parameters Optimization. IEEE Transactions on Smart Grid, 2018, 9, 3341-3350. | 6.2 | 176 |
| 1760 | Virtual-Impedance-Based Fault Current Limiters for Inverter Dominated AC Microgrids. IEEE Transactions on Smart Grid, 2018, 9, 1599-1612. | 6.2 | 117 |
| 1761 | Control Strategies for Microgrids With Distributed Energy Storage Systems: An Overview. IEEE Transactions on Smart Grid, 2018, 9, 3652-3666. | 6.2 | 307 |
| 1762 | Model Predictive Control with Modulated Optimal Vector for a Three-Phase Inverter with an LC Filter. IEEE Transactions on Power Electronics, 2018, 33, 2690-2703. | 5.4 | 87 |
| 1763 | Intelligent Residential Energy Management System for Dynamic Demand Response in Smart Buildings. IEEE Systems Journal, 2018, 12, 1329-1340. | 2.9 | 157 |
| 1764 | Optimal Power Dispatching for Local Area Packetized Power Network. IEEE Transactions on Smart Grid, 2018, 9, 4765-4776. | 6.2 | 37 |
| 1765 | An Enhanced Power Regulation and Seamless Operation Mode Transfer Control Through Cooperative Dual-Interfacing Converters. IEEE Transactions on Smart Grid, 2018, 9, 5576-5587. | 6.2 | 13 |
| 1766 | Small-Signal Stability Analysis of an Inverter-Based Microgrid With Internal Model-Based Controllers. IEEE Transactions on Smart Grid, 2018, 9, 5393-5402. | 6.2 | 88 |
| 1767 | Active Virtual Ground— Single-Phase Transformerless Grid-Connected Voltage Source Inverter Topology. IEEE Transactions on Power Electronics, 2018, 33, 1335-1346. | 5.4 | 42 |
| 1768 | A Decentralized Current-Sharing Controller Endows Fast Transient Response to Parallel DC–DC Converters. IEEE Transactions on Power Electronics, 2018, 33, 4362-4372. | 5.4 | 82 |
| 1769 | Constrained Near-Time-Optimal Sliding-Mode Control of Boost Converters Based on Switched Affine Model Analysis. IEEE Transactions on Industrial Electronics, 2018, 65, 887-897. | 5.2 | 28 |
| 1770 | A PLL-Based Controller for Three-Phase Grid-Connected Power Converters. IEEE Transactions on Power Electronics, 2018, 33, 911-916. | 5.4 | 32 |
| 1771 | Reduced-Order Models for Representing Converters in Power System Studies. IEEE Transactions on Power Electronics, 2018, 33, 3644-3654. | 5.4 | 109 |
| 1772 | An Enhanced State Observer for DC-Link Voltage Control of Three-Phase AC/DC Converters. IEEE Transactions on Power Electronics, 2018, 33, 936-942. | 5.4 | 65 |
| 1773 | Grid Synchronization With Selective Harmonic Detection Based on Generalized Delayed Signal Superposition. IEEE Transactions on Power Electronics, 2018, 33, 3938-3949. | 5.4 | 26 |
| 1774 | Energy management supporting high penetration of solar photovoltaic generation for smart grid using solar forecasts and pumped hydro storage system. Renewable Energy, 2018, 118, 928-946. | 4.3 | 105 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1775 | Impact of Power Quality Disturbances on Grid-Connected Double Fed Induction Generator. Lecture Notes in Electrical Engineering, 2018, , 339-345. | 0.3 | 5 |
| 1776 | Recent progress and development on power DC-DC converter topology, control, design and applications: A review. Renewable and Sustainable Energy Reviews, 2018, 81, 205-230. | 8.2 | 184 |
| 1777 | An Adaptive Virtual Impedance Control Scheme to Eliminate the Reactive-Power-Sharing Errors in an Islanding Meshed Microgrid. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2018, 6, 966-976. | 3.7 | 71 |
| 1778 | Adaptive Control Design for Autonomous Operation of Multiple Energy Storage Systems in Power Smoothing Applications. IEEE Transactions on Industrial Electronics, 2018, 65, 6612-6624. | 5.2 | 23 |
| 1779 | New breed of solid-state transformer mainly combing hybrid cascaded multilevel converter with resonant DC-DC converters. Applied Energy, 2018, 210, 724-736. | 5.1 | 21 |
| 1780 | Integration of a SMES–Battery-Based Hybrid Energy Storage System into Microgrids. Journal of Superconductivity and Novel Magnetism, 2018, 31, 1449-1457. | 0.8 | 28 |
| 1781 | High-Efficiency High Step-Up DC–DC Converter With Dual Coupled Inductors for Grid-Connected Photovoltaic Systems. IEEE Transactions on Power Electronics, 2018, 33, 5967-5982. | 5.4 | 323 |
| 1782 | An effective load shedding remedial action scheme considering wind farms generation. International Journal of Electrical Power and Energy Systems, 2018, 95, 353-363. | 3.3 | 19 |
| 1783 | Predictive Analytics for Comprehensive Energy Systems State Estimation. , 2018, , 343-376. | | 6 |
| 1784 | Optimal scheduling and its Lyapunov stability for advanced load-following energy plants with CO2 capture. Computers and Chemical Engineering, 2018, 109, 30-47. | 2.0 | 16 |
| 1785 | Stability Improvement for Three-Phase Grid-Connected Converters Through Impedance Reshaping in Quadrature-Axis. IEEE Transactions on Power Electronics, 2018, 33, 8365-8375. | 5.4 | 117 |
| 1786 | Integrating a wind- and solar-powered hybrid to the power system by coupling it with a hydroelectric power station with pumping installation. Energy, 2018, 144, 549-563. | 4.5 | 99 |
| 1787 | Resolving Practical Design Issues in a Single-Phase Grid-Connected GaN-FET-Based Differential-Mode Inverter. IEEE Transactions on Power Electronics, 2018, 33, 3734-3751. | 5.4 | 41 |
| 1788 | Composition, placement, and economics of rural microgrids for ensuring sustainable development. Sustainable Energy, Grids and Networks, 2018, 13, 1-18. | 2.3 | 60 |
| 1789 | An assessment of recent multilevel inverter topologies with reduced power electronics components for renewable applications. Renewable and Sustainable Energy Reviews, 2018, 82, 3379-3399. | 8.2 | 89 |
| 1790 | A Multifunctional GPV System Using Adaptive Observer Based Harmonic Cancellation Technique. IEEE Transactions on Industrial Electronics, 2018, 65, 1347-1357. | 5.2 | 28 |
| 1791 | Nonisolated High Gain DC–DC Converter for DC Microgrids. IEEE Transactions on Industrial Electronics, 2018, 65, 1205-1212. | 5.2 | 214 |
| 1792 | Smart operations of smart grids integrated with distributed generation: A review. Renewable and Sustainable Energy Reviews, 2018, 81, 524-535. | 8.2 | 314 |

| # | Article | IF | Citations |
|------|---|-----|-----------|
| 1793 | Operation Modes and Combination Control for Urban Multivoltage-Level DC Grid. IEEE Transactions on Power Delivery, 2018, 33, 360-370. | 2.9 | 22 |
| 1794 | Distributed Wind Energy Conversion System Interface to the Grid Using Cascaded Multi-Level Converter. IETE Journal of Research, 2018, 64, 231-240. | 1.8 | 3 |
| 1795 | Review of control strategies for wave energy conversion systems and their validation: the wave-to-wire approach. Renewable and Sustainable Energy Reviews, 2018, 81, 366-379. | 8.2 | 141 |
| 1796 | Novel Control Algorithm for V/f Control of PWAM Based Induction Motor Drive. , 2018, , . | | 2 |
| 1797 | Design and Control of Wind integrated Shunt Active Power Filter to Improve Power Quality. , 2018, , . | | 3 |
| 1798 | PV Distributed-MPP Tracking: Total-Cross-Tied configuration of MICs to extract the Maximum Power under Partial Shading conditions. , 2018, , . | | 2 |
| 1799 | A Novel Synchronous Signal Detection Method without Phase-Locked Loop Based on EEMD. , 2018, , . | | 0 |
| 1800 | Comparison and Simulation of the Level-Shifted and Phase-Shifted Modulation for a Five-Level Converter for Integration of Renewable Sources. , 2018, , . | | 5 |
| 1801 | Novel Cyclic Blade Pitching Mechanism for Wind and Tidal Energy Turbine Applications. Energies, 2018, 11, 3328. | 1.6 | 1 |
| 1802 | Generalized Predictive Control of Grid-Connected VSI with LCL Filter. , 2018, , . | | 1 |
| 1803 | Design and Implementation of a Novel Bidirectional DC-DC Converter with Coupled Inductor. , 2018, , . | | 0 |
| 1804 | Research on VSC-Based DC Collection system for Large Scale Renewable Energy Generation Clusters. , 2018, , . | | 0 |
| 1805 | Distributed Generator Based DVR Application to a LV Distribution Grid. , 2018, , . | | 1 |
| 1806 | Mitigation of DC Components Using Adaptive BP-PID Control in Transformless Three-Phase Grid-Connected Inverters. Energies, 2018, 11, 2047. | 1.6 | 6 |
| 1807 | A Review of DSTATCOM Used in Solar Photovoltaic System. , 2018, , . | | 1 |
| 1808 | Investigation of Different Balancing Methods for Modular 3-level T-type Voltage Source Converters with Distributed DC-link Capacitors. , 2018, , . | | 0 |
| 1809 | A Recommended Cascaded Structure for Multilevel Inverter with Minimum Power Electronic Components. Electric Power Components and Systems, 2018, 46, 1432-1447. | 1.0 | 1 |
| 1810 | Sliding Mode Control of Three-Phase Three-Level Two-Leg NPC Inverter with LCL Filter for Distributed Generation Systems. , 2018, , . | | 11 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1811 | Chemomechanical behaviors of layered cathode materials in alkali metal ion batteries. Journal of Materials Chemistry A, 2018, 6, 21859-21884. | 5.2 | 139 |
| 1812 | Optimization of PV System using Distributed MPPT Control. , 2018, , . | | 13 |
| 1813 | Reshaping Quadrature-Axis Impedance of Three-Phase Grid-Connected Converters for Low-Frequency Stability Improvement. , 2018, , . | | 4 |
| 1814 | A Novel High Gain Soft-Switching Interleaved LCL Integrated Fly-back Step-up Converter without An Auxiliary Switch for DC Microgrid. , 2018, , . | | 2 |
| 1815 | An Experimental Validation of single-phase AC power Generation from PV using H-bridge Inverter. , 2018, , . | | 5 |
| 1816 | Real Time Energy Management System and Control Strategy for DC Microgrid. , 2018, , . | | 1 |
| 1817 | Wavelet based Islanding Detection in a Three-Phase Grid Collaborative Inverter System using FPGA Platform. , 2018, , . | | 6 |
| 1818 | Voltage Regulation of DC Microgrid by Robust Back-stepping Control Technique of Voltage Source Converter. , 2018, , . | | 0 |
| 1819 | Implementation of Low Cost FPGA Based Digital Modulation Techniques for the Suppression of EMI and Improvement of Power Factor for Three-Phase Grid Connected P-V Inverters. , 2018, , . | | 3 |
| 1820 | Simulation & amp; Emulation platform for smart grid technologies. , 2018, , . | | 3 |
| 1821 | Simulation and modeling of high voltage DC to AC PWM inverter for electrostatic generator. MATEC Web of Conferences, 2018, 189, 11010. | 0.1 | 2 |
| 1822 | Grid Disturbance Analysis with Grid Connected Wind Energy System. , 2018, , . | | 0 |
| 1823 | A Negotiation Cloud-based Solution to Support Interoperability among Interconnected Autonomous Microgrids. , 2018, , . | | 0 |
| 1824 | Single Stage SEGS Tied to the Three Phase Grid. , 2018, , . | | 0 |
| 1825 | Efficiency analysis for a grid-connected battery energy storage system. Materials Today: Proceedings, 2018, 5, 22811-22818. | 0.9 | 5 |
| 1826 | Controller Design of Voltage Source Converter Using Nyquist Array. , 2018, , . | | 3 |
| 1827 | Harmonic Analysis of the Wind Energy Conversion System Connected with Electrical Network. , 2018, , | | 1 |
| 1828 | Control of Grid Connected Converters Under Unbalanced Grid Faults. , 2018, , . | | 5 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1829 | Improving Quality of 3 Phase Supply Generation Using MOSFET and Capacitor Combination for Driving Induction Motors. , 2018, , . | | 0 |
| 1830 | Similarities Between Virtual Oscillator Controlled and Droop Controlled Three-Phase Inverters. , 2018, , . | | 7 |
| 1831 | Short-Circuit Current Surge Following the Use of a Synchronous Compensator in Island Operation of a Static Inverter. , 2018, , . | | 0 |
| 1832 | The research of SSR which can be restrained by photovoltaic grid connected. IOP Conference Series: Earth and Environmental Science, 2018, 121, 042014. | 0.2 | 1 |
| 1833 | Modeling and Simulation of Microgrid Solar Photovoltaic System with Energy Storage. , 2018, , . | | 2 |
| 1834 | REDUX: Managing Renewable Energy in Data Centers Using Distributed UPS Systems. , 2018, , . | | 6 |
| 1835 | FNET/GridEye for Future High Renewable Power Grids $\hat{a} \in \raimedia$ Applications Overview. , 2018, , . | | 8 |
| 1836 | A Study on Reactive Power Sharing and Voltage Variation in an Inverter Dominated Islanded Microgrid. , 2018, , . | | 1 |
| 1837 | Three-Phase Grid-Connected Inverters Equipped with Nonlinear Current- Limiting Control. , 2018, , . | | 6 |
| 1838 | Fast inrush voltage and current restraining method for droop controlled inverter during grid fault clearance in distribution network. IET Generation, Transmission and Distribution, 2018, 12, 4597-4604. | 1.4 | 6 |
| 1839 | Design and analysis of improved ADRC controller for multiple grid-connected photovoltaic inverters. Modern Physics Letters B, 2018, 32, 1740103. | 1.0 | 5 |
| 1840 | Adaptive voltage control scheme for DAB based modular cascaded SST in PV application. , 2018, , . | | 5 |
| 1841 | Single phase nine level inverter using single DC source supported by capacitor voltage balancing algorithm. IET Power Electronics, 2018, 11, 2319-2329. | 1.5 | 24 |
| 1842 | A Single-Phase Common Ground Boost Inverter for Photovoltaic Applications. , 2018, , . | | 4 |
| 1843 | Grid Voltage Sensorless Control of Single Phase Grid Tied Inverter for Renewable Energy Systems Applications. Electric Power Components and Systems, 2018, 46, 1795-1807. | 1.0 | 5 |
| 1844 | How Decentral Smart Grid Control Limits Non-Gaussian Power Grid Frequency Fluctuations. , 2018, , . | | 3 |
| 1845 | Experimental Validation of a Combined Multi-Variable Filter – Dual Second Order Generalized Integrator Phase-Locked Loop Technique. , 2018, , . | | 2 |
| 1846 | Stability Assessment of a System Comprising a Single Machine and a Virtual Oscillator Controlled Inverter with Scalable Ratings. , 2018, , . | | 7 |

| | | | 2 |
|------|---|-----|-----------|
| # | Article | IF | CITATIONS |
| 1847 | Pricing Energy in the Presence of Renewables. , 2018, , . | | 1 |
| 1848 | Battery Integrated Modular Multifunction Converter for Grid Energy Storage. , 2018, , . | | 7 |
| 1849 | Open-End Winding Multilevel Unidirectional Six-Phase Rectifier With Reduced Switch Count. , 2018, , . | | 1 |
| 1850 | Review of High Voltage DC/DC Modular Multilevel Converters. , 2018, , . | | 6 |
| 1851 | Maximum Basin Stability Principle for Synchronization Stability Control of Smart Grid. Electric Power Components and Systems, 2018, 46, 1580-1591. | 1.0 | 1 |
| 1852 | Transformer-less Single Phase H2D4 Inverter with Voltage Controller for Grid-tied PV System. , 2018, , . | | 1 |
| 1853 | Control of Novel PV Inverter with ANFIS in Grid Tied PV System Under Unbalanced Grid Condition. , 2018, , . | | 1 |
| 1854 | Singleâ€phase hybridâ€H6 transformerless PV gridâ€tied inverter. IET Power Electronics, 2018, 11, 2440-2449. | 1.5 | 10 |
| 1855 | Topologies of Switched-Inductor Switched-Capacitor Based Enhanced Boost Z-Source Inverters for Renewable Energy Applications. , 2018, , . | | 3 |
| 1856 | A Low-Loss Grid Decoupling Mechanism in a Transformerless Single-Phase Interfacing Inverter. , 2018, , | | 1 |
| 1857 | Low-Voltage Ride-Through Operation of Permanent Magnet Synchronous Generator with Active and Reactive Power Injection. , 2018, , . | | 0 |
| 1858 | A Novel Interleaved Ipsilateral Coupling High Step-Up DC-DC Converter for Renewable Energy Applications. , 2018, , . | | 0 |
| 1859 | Explore the Capability of Power Electronic Converters in Providing Power System Virtual Inertia. , 2018, , . | | 10 |
| 1860 | Effective utilization of voltage control capabilities of the grid assets under the impact of renewable distributed generation. , 2018, , . | | 2 |
| 1861 | H2D4-Type Single Phase Transformer-Less Inverter with Reactive Power Control for Grid-tied PV System. , 2018, , . | | 6 |
| 1862 | Hybrid battery-supercapacitor mathematical modeling for PV application using Matlab/Simulink. , 2018, | | 13 |
| 1863 | A Fault-tolerant parallel inverter applied to micro-grid. , 2018, , . | | 0 |
| 1864 | DC-Bus Capacitor Sizing in the Back-to-Back Converter. , 2018, , . | | 0 |

| # | Article | IF | CITATIONS |
|------|--|--------------------|--------------------|
| 1865 | Dominant Role of Young's Modulus for Electric Power Generation in PVDF–BaTiO3 Composite-Based Piezoelectric Nanogenerator. Nanomaterials, 2018, 8, 777. | 1.9 | 46 |
| 1866 | Three-phase multilevel inverter for grid-connected distributed photovoltaic systems based in three three-phase two-level inverters. Solar Energy, 2018, 174, 1026-1034. | 2.9 | 44 |
| 1867 | Nowcasting, predictive control, and feedback control for temperature regulation in a novel hybrid solar-electric reactor for continuous solar-thermal chemical processing. Solar Energy, 2018, 174, 474-488. | 2.9 | 30 |
| 1868 | The Interaction Stability Analysis of a Multi-Inverter System Containing Different Types of Inverters. Energies, 2018, 11, 2244. | 1.6 | 5 |
| 1869 | Extending the Power Range of a Solar Inverter. , 2018, , . | | 1 |
| 1870 | Stabilization of Synchronous Generator based PV and Wind Farm System using SMES. , 2018, , . | | 2 |
| 1871 | Economic Evaluation of Smart PV Inverters with a Three-Operation-Phase Watt-Var Control Scheme for Enhancing PV Penetration in Distribution Systems in Taiwan. Applied Sciences (Switzerland), 2018, 8, 995. | 1.3 | 4 |
| 1872 | Design and Modelling of a 6kW Grid-Connected Photovoltaic System - AC Stage. , 2018, , . | | 2 |
| 1873 | Design of Decentralized Droop Control Structure of DC Microgrid with Constant Power Loads and Source Disturbances. , 2018, , . | | 2 |
| 1874 | DC Offset Error Compensation Algorithm for PR Current Control of a Single-Phase Grid-Tied Inverter. Energies, 2018, 11, 2308. | 1.6 | 8 |
| 1875 | Fast Frequency Control Scheme through Adaptive Virtual Inertia Emulation. , 2018, , . | | 20 |
| 1876 | Modeling, simulation, and performance analysis of PV array configurations (Series, Series-Parallel,) Tj ETQq1 1 International Journal of Green Energy, 2018, 15, 795-812. |).784314 rg 2.1 | BT /Overlock 50 |
| 1877 | A Real Multitechnology Microgrid in Venice: A Design Review. IEEE Industrial Electronics Magazine, 2018, 12, 19-31. | 2.3 | 12 |
| 1879 | Techniques to Increase the Efficiency of Small Hydro Power Plants with Induction Machine. , 2018, , . | | 3 |
| 1880 | Transient Faults in Wind Energy Conversion Systems: Analysis, Modelling Methodologies and Remedies. Energies, 2018, 11, 2249. | 1.6 | 8 |
| 1881 | A Direct-Flux-Controlled Single-phase Electricity Generation of 3-phase Squirrel Cage Induction Machine. , 2018, , . | | 0 |
| 1882 | Design and Sizing of Energy Storage for Grid Connected PV Power Plants. , 2018, , . | | 1 |
| 1883 | Interleaved High Step-Up DC-DC Converter Based on Voltage Multiplier Cell and Voltage-Stacking Techniques for Renewable Energy Applications â€. Energies, 2018, 11, 1632. | 1.6 | 14 |

| # | Article | IF | Citations |
|------|---|-----|-----------|
| 1884 | Mitigation of Distribution Level Load Fluctuation by Exploiting Elasticity of Local Area Packetized Power Networks. , 2018, , . | | 0 |
| 1885 | A systematic review of supply and demand side optimal load scheduling in a smart grid environment. Journal of Cleaner Production, 2018, 203, 757-768. | 4.6 | 61 |
| 1886 | Assimilation of Optimal Sized Hybrid Photovoltaic-Biomass System by Dragonfly Algorithm with Grid. Energies, 2018, 11, 1892. | 1.6 | 8 |
| 1887 | Control Strategy to Enhance Power Capability of Power Conditioning Unit During FRT. , 2018, , . | | 0 |
| 1888 | Design And Installation Of Grid Connected Roof Top Solar Pv System. , 2018, , . | | 2 |
| 1889 | Total-Cross-Tied Configuration of MICs for Enhancing the Performance of PV D-MPPT systems under various PSCs using P&O Algorithm. , 2018, , . | | 1 |
| 1890 | Fractional Order Controller and their Application to Current Control Technique for SPV Grid Interconnection. , 2018, , . | | 0 |
| 1891 | Performance Improvement of Distribution System Through PV Inverter. , 2018, , . | | 0 |
| 1892 | The Impacts of Rooftop Solar PV Systems on Secondary Distribution System and Advanced Net Metering. , 2018, , . | | 5 |
| 1893 | Voltage Regulation Comparison of Novel Photo Voltaic Multilevel Inverter Topology during Nonlinear PV Generation. , 2018, , . | | 1 |
| 1894 | Distributed photovoltaic architecture powering a DC bus: Impact of duty cycle and load variations on the efficiency of the generator. AIP Conference Proceedings, 2018, , . | 0.3 | 3 |
| 1895 | Design of an adaptive feed-forward control scheme for the DC bus voltage control of single phase grid connected converters. , 2018, , . | | 2 |
| 1896 | Experimentally evaluation and comparison of control methods applied to three phase four-leg inverter for stand-alone applications. , 2018, , . | | 2 |
| 1897 | Nonâ€cooperative and cooperative optimisation of battery energy storage system for energy management in multiâ€microgrid. IET Generation, Transmission and Distribution, 2018, 12, 2369-2377. | 1.4 | 48 |
| 1898 | Solid oxide fuel cell technology for sustainable development in China: An over-view. International Journal of Hydrogen Energy, 2018, 43, 12870-12891. | 3.8 | 41 |
| 1899 | Review and comparative study of single-stage inverters for a PV system. Renewable and Sustainable Energy Reviews, 2018, 91, 962-986. | 8.2 | 65 |
| 1900 | Impact of DC side fault protection on performance and operation of multi-terminal DC (MTDC) systems. , 2018, , . | | 1 |
| 1901 | Charging and discharging strategies of grid-connected super-capacitor energy storage systems. , 2018, , . | | 6 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1903 | Microwave Heating-Assisted Catalytic Dry Reforming of Methane to Syngas. Scientific Reports, 2018, 8, 8940. | 1.6 | 40 |
| 1904 | Harmony search algorithm-based airflow control of an oscillating water column-based wave generation power plants. , 2018, , . | | 0 |
| 1905 | Adaptive wide area damping control for renewable integrated system. , 2018, , . | | 3 |
| 1906 | Comparison of converter structures for residential PV system with module based maximum power point tracking. , 2018, , . | | 8 |
| 1907 | State feedback control of a back-to-back converter for microgrids applications. , 2018, , . | | 1 |
| 1908 | DC-Arcing Detection by Noise Measurement With Magnetic Sensing by TMR Sensors. IEEE Transactions on Magnetics, 2018, 54, 1-5. | 1.2 | 12 |
| 1911 | High-frequency isolated bridge inverter with ZVS switching and phase shift modulation. , 2018, , . | | 0 |
| 1912 | From the cell to the stack. A chronological walk through the techniques to manufacture the PEFCs core. Renewable and Sustainable Energy Reviews, 2018, 96, 29-45. | 8.2 | 34 |
| 1913 | Survey on Complex Optimization and Simulation for the New Power Systems Paradigm. Complexity, 2018, 2018, 1-32. | 0.9 | 44 |
| 1914 | Large scale complementary solar and wind energy sources coupled with pumped-storage hydroelectricity for Lower Silesia (Poland). Energy, 2018, 161, 183-192. | 4.5 | 76 |
| 1915 | Shunt active power filter: Current status of control techniques and its integration to renewable energy sources. Sustainable Cities and Society, 2018, 42, 574-592. | 5.1 | 64 |
| 1916 | Predictive Current Control of Boost Three-Level and T-Type Inverters Cascaded in Wind Power Generation Systems. Algorithms, 2018, 11, 92. | 1.2 | 6 |
| 1917 | Improved Finite-Control-Set Model Predictive Control for Cascaded H-Bridge Inverters. Energies, 2018, 11, 355. | 1.6 | 11 |
| 1918 | A High-Gain Reflex-Based Bidirectional DC Charger with Efficient Energy Recycling for Low-Voltage Battery Charging-Discharging Power Control. Energies, 2018, 11, 623. | 1.6 | 14 |
| 1919 | An adaptive zone-division approach for voltage control of power grid with distributed wind farms: A case study of a regional power grid in central south China. International Journal of Electrical Power and Energy Systems, 2018, 103, 652-659. | 3.3 | 15 |
| 1920 | Energy storage for electricity generation and related processes: Technologies appraisal and grid scale applications. Renewable and Sustainable Energy Reviews, 2018, 94, 804-821. | 8.2 | 314 |
| 1922 | Power Electronics for Renewable Energy Sources. , 2018, , 783-827. | | 3 |
| 1923 | Design for Reliability of Power Electronic Systems. , 2018, , 1423-1440. | | 38 |

| # 1924 | ARTICLE Performance evaluation of continuous and discontinuous pulse width modulation techniques for grid-connected PWM converter. International Transactions on Electrical Energy Systems, 2018, 28, e2609. | IF 1.2 | Citations 5 |
|-----------|---|-----------|----------------|
| 1925 | Current control strategies for single phase grid integrated inverters for photovoltaic applications-a review. Renewable and Sustainable Energy Reviews, 2018, 92, 554-569. | 8.2 | 62 |
| 1926 | Dynamic Analysis of PLL-Synchronized Power Inverter Interface for Grid-Connected PV Systems. , 2018, , | | 3 |
| 1927 | Sliding Mode Rotational Speed Control of an Oscillating Water Column-based Wave Generation Power Plants. , 2018, , . | | 4 |
| 1928 | Review of Energy Storage System Technologies in Microgrid Applications: Issues and Challenges. IEEE Access, 2018, 6, 35143-35164. | 2.6 | 434 |
| 1929 | Modelling of a microgrid for high integration of renewable sources. , 2018, , . | | 0 |
| 1930 | Overview of energy storage systems in distribution networks: Placement, sizing, operation, and power quality. Renewable and Sustainable Energy Reviews, 2018, 91, 1205-1230. | 8.2 | 398 |
| 1931 | A robust control and design of generator-side converter for a multi-megawatt hydraulic energy conversion system. , 2018, , . | | 0 |
| 1932 | Recent research trends in Li–S batteries. Journal of Materials Chemistry A, 2018, 6, 11582-11605. | 5.2 | 199 |
| 1933 | Energy Harvesting Research: The Road from Single Source to Multisource. Advanced Materials, 2018, 30, e1707271. | 11.1 | 203 |
| 1934 | Impact of DFIG on voltage stability of a network in smart grid: An analysis. , 2018, , . | | 1 |
| 1935 | High power high gain non-isolated interleaved quadratic boost converter with voltage multiplier cell. , 2018, , . | | 2 |
| 1936 | Control and operation of a solar PVâ€batteryâ€gridâ€tied system in fixed and variable power mode. IET Generation, Transmission and Distribution, 2018, 12, 2633-2641. | 1.4 | 42 |
| 1937 | Current Control Mode in PV Systems Integrated with DC-DC Converters for MPPT: An IDA-PBC Approach. , 2018, , . | | 4 |
| 1938 | Hot-spot reduction and shade loss minimization in crystalline-silicon solar panels. Journal of Renewable and Sustainable Energy, 2018, 10, . | 0.8 | 20 |
| 1939 | Performance analysis of solar PV based microgrid with and without BESS estimating the expected battery life. , 2018, , . | | 5 |
| 1940 | Numerical Weather Prediction Data Free Solar Power Forecasting with Neural Networks. , 2018, , . | | 8 |
| 1941 | Comparative study between three-leg and four-leg current-source inverter for solar PV application. , 2018, , . | | 16 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1942 | 4.14 Electromechanical Energy Conversion. , 2018, , 598-635. | | 7 |
| 1943 | A New Single DC Source Six-Level Flying Capacitor Based Converter With Wide Operating Range. IEEE Transactions on Power Electronics, 2019, 34, 2149-2158. | 5.4 | 27 |
| 1944 | Subâ€synchronous interactions in power systems with wind turbines: a review. IET Renewable Power Generation, 2019, 13, 4-15. | 1.7 | 38 |
| 1945 | Residential Load Scheduling With Renewable Generation in the Smart Grid: A Reinforcement Learning Approach. IEEE Systems Journal, 2019, 13, 3283-3294. | 2.9 | 69 |
| 1946 | Recent progress in phosphorus based anode materials for lithium/sodium ion batteries. Energy Storage Materials, 2019, 16, 290-322. | 9.5 | 221 |
| 1947 | A Unidirectional Single-Stage Three-Phase Soft-Switched Isolated DC–AC Converter. IEEE Transactions on Power Electronics, 2019, 34, 1142-1158. | 5.4 | 15 |
| 1948 | Quadratic Boost DC–DC Converter With High Voltage Gain and Reduced Voltage Stresses. IEEE Transactions on Power Electronics, 2019, 34, 2397-2404. | 5.4 | 100 |
| 1949 | Technical design aspects of harbour area grid for shore to ship power: State of the art and future solutions. International Journal of Electrical Power and Energy Systems, 2019, 104, 840-852. | 3.3 | 80 |
| 1950 | Flexible Inertia Optimization for Single-Phase Voltage Source Inverter Based on Hold Filter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2019, 7, 1300-1310. | 3.7 | 13 |
| 1951 | Design and Implementation of High Efficiency Control Scheme of Dual Active Bridge Based 10 kV/1 MW Solid State Transformer for PV Application. IEEE Transactions on Power Electronics, 2019, 34, 4223-4238. | 5.4 | 87 |
| 1952 | Accurate Power Sharing With Harmonic Power for Islanded Multibus Microgrids. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2019, 7, 1286-1299. | 3.7 | 25 |
| 1953 | Fuzzy Gain Scheduled PI-Based Airflow Control of an Oscillating Water Column in Wave Power Generation Plants. IEEE Journal of Oceanic Engineering, 2019, 44, 1058-1076. | 2.1 | 13 |
| 1954 | Modelling and analysis of an analogue MPPTâ€based PV battery charging system utilising dc–dc boost converter. IET Renewable Power Generation, 2019, 13, 1958-1967. | 1.7 | 38 |
| 1955 | Simulation of single phase photovoltaic system based on fuzzy logic control with multilevel inverter. E3S Web of Conferences, 2019, 107, 02003. | 0.2 | 1 |
| 1956 | Nonlinear Backstepping Controller for Single-Phase Grid-Connected Inverters. , 2019, , . | | 1 |
| 1957 | Revisiting Background Signals and the Electrochemical Windows of Au, Pt, and GC Electrodes in Biological Buffers. ACS Applied Energy Materials, 2019, 2, 6808-6816. | 2.5 | 15 |
| 1958 | Fault Ride-Through Capability Enhancement of Type-4 WECS in Offshore Wind Farm via Nonlinear Adaptive Control of VSC-HVDC. Processes, 2019, 7, 540. | 1.3 | 8 |
| 1959 | Cost Analysis of Electricity Transmission from Offshore Wind Farm by HVDC and Hydrogen Pipeline Systems. , 2019, , . | | 11 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1960 | Optimized Resonant Converter by Implementing Shunt Branch Element as Magnetizing Inductance of Transformer in Electric Vehicle Chargers. IEEE Transactions on Industry Applications, 2019, 55, 7471-7480. | 3.3 | 12 |
| 1961 | Adaptive superâ€ŧwisting sliding mode control of threeâ€phase power rectifiers in active front end applications. IET Control Theory and Applications, 2019, 13, 1483-1490. | 1.2 | 15 |
| 1962 | Decentralized Second Order Sliding Mode Controller For A Storage Unit In Islanded Microgrids. , 2019, , . | | 0 |
| 1963 | Hybrid Single Phase Wide Range Amplitude and Frequency Detection with Fast Reference Tracking. , 2019, , . | | 3 |
| 1964 | Low-carbon technology calls for comprehensive electricity-market redesign. Frontiers of Engineering Management, 2019, 6, 128-130. | 3.3 | 8 |
| 1965 | Isolated bidirectional DCâ€toâ€threeâ€phase AC converter for integration of renewable energy sources to electric grid. IET Power Electronics, 2019, 12, 2058-2068. | 1.5 | 4 |
| 1966 | Highâ€efficiency softâ€switching stepâ€up DC–DC converter derived from a synchronous boost converter. IET Power Electronics, 2019, 12, 1662-1669. | 1.5 | 6 |
| 1967 | An Integrated Design Approach for LCL-Type Inverter to Improve Its Adaptation in Weak Grid. Energies, 2019, 12, 2637. | 1.6 | 4 |
| 1968 | Diffusion-Based Distributed Coordination Control of Power Converters in MG for Efficiency Improvement. IEEE Access, 2019, 7, 53347-53357. | 2.6 | 2 |
| 1969 | Comparison of Virtual Oscillator and Droop Controlled Islanded Three-Phase Microgrids. IEEE Transactions on Energy Conversion, 2019, 34, 1769-1780. | 3.7 | 39 |
| 1970 | Impedance Estimation Using Power Monitoring Feature for Tuning AFE Gains. , 2019, , . | | 0 |
| 1971 | Multiple-Vector Direct Model Predictive Control for Grid-Connected Power Converters with Reduced Calculation Burden. , 2019, , . | | 2 |
| 1972 | Power variability of tidal-stream energy and implications for electricity supply. Energy, 2019, 183, 1061-1074. | 4.5 | 71 |
| 1973 | Effect of Weather Conditions on Harmonic Performance of PV Inverters. Electric Power Components and Systems, 2019, 47, 1233-1246. | 1.0 | 2 |
| 1974 | A Distributed Virtual Time System on Embedded Linux for Evaluating Cyber-Physical Systems. , 2019, , . | | 5 |
| 1975 | Optimally coordinated dispatch of combinedâ€heatâ€andâ€electrical network with demand response. IET Generation, Transmission and Distribution, 2019, 13, 2216-2225. | 1.4 | 39 |
| 1976 | Simulation of a Solar Power System with Fuel Cell backup Source for Hybrid Power System Application. , 2019, , . | | 2 |
| 1977 | A Look at DC/DC boost converter topology and balancing of DC-voltage capacitors of 3-level NPC inverter in 7MW PMSG Hydraulic Energy Conversion Chain. , 2019, , . | | 1 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1978 | An Intelligent Battery Energy Storage-Based Controller for Power Quality Improvement in Microgrids. Energies, 2019, 12, 2112. | 1.6 | 25 |
| 1980 | Optimal pooling of renewable energy sources with a risk-averse approach: Implications for US energy portfolio. Energy Policy, 2019, 132, 928-939. | 4.2 | 17 |
| 1981 | Modelling virtual oscillatorâ€controlled microgrids. IET Generation, Transmission and Distribution, 2019, 13, 2173-2181. | 1.4 | 1 |
| 1982 | Predictive direct torque control for permanent-magnet synchronous machines based on duty ratio modulation. Journal of Physics: Conference Series, 2019, 1311, 012041. | 0.3 | 2 |
| 1983 | Power converter solutions and controls for green energy. , 2019, , 357-387. | | 17 |
| 1984 | Analysis of Inertia Characteristics of Direct-Drive Permanent-Magnet Synchronous Generator in Micro-Grid. Energies, 2019, 12, 3141. | 1.6 | 7 |
| 1985 | A novel approach for reactive power compensation in hybrid wind-battery system using distribution static compensator. International Journal of Hydrogen Energy, 2019, 44, 27907-27920. | 3.8 | 10 |
| 1986 | DC Component Minimization of Transformerless LCL-Type Grid-Connected Inverter with Virtual Capacitors. , 2019, , . | | 0 |
| 1987 | Evaluation of DC-AC Single-Phase Solid-State Transformers. IEEE Latin America Transactions, 2019, 17, 708-717. | 1.2 | 1 |
| 1988 | Boost Converters' Proximate Constrained Time-Optimal Sliding Mode Control Based on Hybrid Switching Model. Complexity, 2019, 2019, 1-14. | 0.9 | 2 |
| 1990 | Trends in the protection of inverterâ€based microgrids. IET Generation, Transmission and Distribution, 2019, 13, 4511-4522. | 1.4 | 24 |
| 1991 | Internet of Things Applications as Energy Internet in Smart Grids and Smart Environments. Electronics (Switzerland), 2019, 8, 972. | 1.8 | 110 |
| 1992 | Power Quality Improvement in Microgrids Under Critical Disturbances Using an Intelligent Decoupled Control Strategy Based on Battery Energy Storage System. IEEE Access, 2019, 7, 147314-147326. | 2.6 | 34 |
| 1993 | Ancillary Services in Hybrid AC/DC Low Voltage Distribution Networks. Energies, 2019, 12, 3591. | 1.6 | 6 |
| 1994 | A Review on Transformerless Step-Up Single-Phase Inverters with Different DC-Link Voltage for Photovoltaic Applications. Energies, 2019, 12, 3626. | 1.6 | 15 |
| 1995 | Improved capacitor voltage balancing control for multimode operation of modular multilevel converter with integrated battery energy storage system. IET Power Electronics, 2019, 12, 2751-2760. | 1.5 | 20 |
| 1996 | Peer to Peer Packet Dispatching in DC Power Packetized Microgrids. , 2019, , . | | 1 |
| 1997 | A Lyapunov-Function-Based Control Strategy for Distributed Generations in Hybrid AC/DC Microgrids. , 2019, , . | | 3 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1998 | Autonomous Household Energy Management Using Deep Reinforcement Learning. , 2019, , . | | 10 |
| 1999 | Study of Physical Model of WECS with Synchronous Generator and Back-to-back Converter. , 2019, , . | | 1 |
| 2000 | High Step-Up Interleaved Converter With Three-Winding Coupled Inductors and Voltage Multiplier Cells. , 2019, , . | | 5 |
| 2001 | Vanadium redox flow batteries: A comprehensive review. Journal of Energy Storage, 2019, 25, 100844. | 3.9 | 369 |
| 2002 | A Neural-Network-Based Model Predictive Control of Three-Phase Inverter With an Output \$LC\$ Filter. IEEE Access, 2019, 7, 124737-124749. | 2.6 | 140 |
| 2003 | Islanding Detection based on Variational Mode Decomposition for Inverter based Distributed Generation Systems. IFAC-PapersOnLine, 2019, 52, 306-311. | 0.5 | 11 |
| 2004 | Effects of Climate Change in Electric Power Infrastructures. , 0, , . | | 7 |
| 2005 | Risk Identification of Power Transmission System with Renewable Energy. , 2019, , . | | 4 |
| 2006 | Design of Three Phase Solid State Transformer Deployed within Multi-Stage Power Switching Converters. Applied Sciences (Switzerland), 2019, 9, 3545. | 1.3 | 4 |
| 2007 | Representation learning with extreme learning machines and empirical mode decomposition for wind speed forecasting methods. Artificial Intelligence, 2019, 277, 103176. | 3.9 | 42 |
| 2008 | Reset Control for DC–DC Converters: An Experimental Application. IEEE Access, 2019, 7, 128487-128497. | 2.6 | 9 |
| 2009 | Demand Aware Voltage Control of Hybrid Renewable Energy Tied Uneven Multi-level Smart Inverter. Transactions on Electrical and Electronic Materials, 2019, 20, 257-268. | 1.0 | 4 |
| 2010 | Design and Analysis of Non-Isolated Three-Port SEPIC Converter for Integrating Renewable Energy Sources. Energies, 2019, 12, 221. | 1.6 | 11 |
| 2011 | PV power conditioning system using a threeâ€phase multilevel pulse width modulation inverter employing cascaded Scott transformers. IET Power Electronics, 2019, 12, 102-111. | 1.5 | 16 |
| 2012 | Direct observation of active catalyst surface phases and the effect of dynamic self-optimization in NiFe-layered double hydroxides for alkaline water splitting. Energy and Environmental Science, 2019, 12, 572-581. | 15.6 | 453 |
| 2013 | Arm Power Control of the Modular Multilevel Converter in Photovoltaic Applications. Energies, 2019, 12, 1620. | 1.6 | 17 |
| 2014 | Effect of government subsidies on renewable energy investments: The threshold effect. Energy Policy, 2019, 132, 156-166. | 4.2 | 198 |
| 2015 | PMSCâ€based VSâ€WECS for constant active power delivery to standalone load using direct matrix converterâ€based SST with BESS. IET Generation, Transmission and Distribution, 2019, 13, 1757-1767. | 1.4 | 6 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2016 | Dynamic Analysis of Grid-Connected Droop-Controlled Converters and Synchronverters. Journal of Control, Automation and Electrical Systems, 2019, 30, 741-753. | 1.2 | 16 |
| 2017 | Energy Management and Control Strategy of Photovoltaic/Battery Hybrid Distributed Power Generation Systems With an Integrated Three-Port Power Converter. IEEE Access, 2019, 7, 82838-82847. | 2.6 | 54 |
| 2018 | How to Design Hydrogen Storage Materials? Fundamentals, Synthesis, and Storage Tanks. Advanced Sustainable Systems, 2019, 3, 1900043. | 2.7 | 90 |
| 2019 | Improving solar power usage with electric vehicles: Analyzing a public-private partnership cooperation scheme based on evolutionary game theory. Journal of Cleaner Production, 2019, 233, 1284-1297. | 4.6 | 57 |
| 2020 | Nonâ€isolated buck–boost dc–dc converter with quadratic voltage gain ratio. IET Power Electronics, 2019, 12, 1425-1433. | 1.5 | 64 |
| 2021 | A Method for Solving Current Unbalance Problem of Paralleled Single-Phase Grid-Connected Unipolar-PWM Inverters With Common Dc Bus. IEEE Transactions on Industry Applications, 2019, 55, 7595-7603. | 3.3 | 9 |
| 2022 | DCâ€ŧype gridâ€connection system of PV generation and its control schemes. International Transactions on Electrical Energy Systems, 2019, 29, e12059. | 1.2 | 1 |
| 2023 | A Control Strategy of Modular Multilevel Converter with Integrated Battery Energy Storage System Based on Battery Side Capacitor Voltage Control. Energies, 2019, 12, 2151. | 1.6 | 9 |
| 2024 | MEMS-based non-contact voltage sensor with multi-mode resonance shutter. Sensors and Actuators A: Physical, 2019, 294, 25-36. | 2.0 | 9 |
| 2025 | Frequency domain analysis of wind farm on the damping characteristics of a nearby synchronous generator. IEEJ Transactions on Electrical and Electronic Engineering, 2019, 14, 1164-1171. | 0.8 | Ο |
| 2026 | Bacterial Foraging-Based Algorithm for Optimizing the Power Generation of an Isolated Microgrid. Applied Sciences (Switzerland), 2019, 9, 1261. | 1.3 | 16 |
| 2027 | Multi-Functional Model Predictive Control with Mutual Influence Elimination for Three-Phase AC/DC Converters in Energy Conversion. Energies, 2019, 12, 1616. | 1.6 | 1 |
| 2028 | Full operational regimes for SPMSG-based WECS using generation of active current references. International Journal of Electrical Power and Energy Systems, 2019, 112, 428-441. | 3.3 | 11 |
| 2029 | Control and Real-Time Validation for Convertible Static Transmission Controller Enabled Dual Active Power Filters and PV Integration. IEEE Transactions on Industry Applications, 2019, 55, 4309-4320. | 3.3 | 7 |
| 2030 | A Novel Finite-Time Control Scheme for Enhancing Smart Grid Frequency Stability and Resilience. IEEE Transactions on Smart Grid, 2019, 10, 6538-6551. | 6.2 | 17 |
| 2031 | Robustness conditions of LPV fault estimation systems for renewable microgrids. International Journal of Electrical Power and Energy Systems, 2019, 111, 325-350. | 3.3 | 9 |
| 2032 | Probabilistic Power Flow Analysis of Bulk Power System for Practical Grid Planning Application. IEEE Access, 2019, 7, 45494-45503. | 2.6 | 8 |
| 2033 | A Comprehensive VSM Control Strategy Designed for Unbalanced Grids. Energies, 2019, 12, 1169. | 1.6 | 9 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2034 | Impact of Momentary Cessation Voltage Level in Inverter-Based Resources on Increasing the Short Circuit Current. Sustainability, 2019, 11, 1153. | 1.6 | 11 |
| 2035 | Control of electric spring for frequency regulation. Journal of Engineering, 2019, 2019, 2500-2504. | 0.6 | 4 |
| 2036 | A survey on control issues in renewable energy integration and microgrid. Protection and Control of Modern Power Systems, 2019, 4, . | 4.3 | 200 |
| 2037 | Virtual RL Damping and Harmonic Suppression for Current-Source Inverter-Based Photovoltaic Systems. , 2019, , . | | 2 |
| 2038 | Performance Analysis of Distributed Energy Resource-Based LV Distribution Grid. Journal of the Institution of Engineers (India): Series B, 2019, 100, 477-488. | 1.3 | 4 |
| 2039 | A Thyristor-Based DC Fault Current Limiter With Inductor Inserting–Bypassing Capability. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2019, 7, 1748-1757. | 3.7 | 43 |
| 2040 | Optimization techniques of battery packs using re-configurability: A review. Journal of Energy Storage, 2019, 23, 404-415. | 3.9 | 19 |
| 2041 | Benchmarking the performance of controllers for power grid transient stability. Sustainable Energy, Grids and Networks, 2019, 18, 100215. | 2.3 | 3 |
| 2042 | Novel Power System With Superconducting Cable With Energy Storage Function for Large-Scale Introduction of Renewable Energies. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-4. | 1.1 | 9 |
| 2043 | Design and implementation of a virtual capacitor based DC current suppression method for grid-connected inverters. ISA Transactions, 2019, 92, 257-272. | 3.1 | 12 |
| 2044 | Smart Inverters for Microgrid Applications: A Review. Energies, 2019, 12, 840. | 1.6 | 79 |
| 2045 | High dynamic performance power quality conditioner for AC microgrids. IET Power Electronics, 2019, 12, 550-556. | 1.5 | 10 |
| 2046 | Design and Analysis of Triplen Controlled Resonant Converter for Renewable Sources to Interface DC Micro Grid. IEEE Access, 2019, 7, 15330-15339. | 2.6 | 3 |
| 2047 | Investigation into offshore wind farm repowering optimization in Hong Kong. International Journal of Low-Carbon Technologies, 2019, 14, 302-311. | 1.2 | 22 |
| 2048 | A Sensorless and Adaptive Control Strategy for a Wind Turbine Based on the Surface-Mounted Permanent Magnet Synchronous Generator and PWM-CSC. , 2019, , . | | 1 |
| 2050 | PLC Application as an Automatic Transfer Switch for on-grid PV System; Case Study Jakabaring Solar Power Plant Palembang. Journal of Physics: Conference Series, 2019, 1167, 012026. | 0.3 | 4 |
| 2051 | Minimum power of solar Panel Movement in Solar Tracker System Prototype. Journal of Physics: Conference Series, 2019, 1167, 012030. | 0.3 | 1 |
| 2052 | High-rate lithium ion energy storage to facilitate increased penetration of photovoltaic systems in electricity grids. MRS Energy & Sustainability, 2019, 6, 1. | 1.3 | 10 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2053 | Supervisory Energy-Management Systems for Microgrids: Modeling and Formal Verification. IEEE Industrial Electronics Magazine, 2019, 13, 26-37. | 2.3 | 15 |
| 2054 | Research on Selective Harmonic Elimination Technique based on Particle Swarm Optimization. , 2019, , . | | 11 |
| 2055 | Automated Post-Failure Service Restoration in Smart Grid Through Network Reconfiguration in the Presence of Energy Storage Systems. IEEE Systems Journal, 2019, 13, 3358-3367. | 2.9 | 23 |
| 2056 | Electricity infrastructure vulnerabilities due to long-term growth and extreme heat from climate change in Los Angeles County. Energy Policy, 2019, 128, 943-953. | 4.2 | 31 |
| 2057 | A Carrier Synchronization Method for Global Synchronous Pulsewidth Modulation Application Using Phase-Locked Loop. IEEE Transactions on Power Electronics, 2019, 34, 10720-10732. | 5.4 | 20 |
| 2058 | Photovoltaic Integrated Hybrid Microgrid Structured Electric Vehicle Charging Station and Its Energy Management Approach. Energies, 2019, 12, 168. | 1.6 | 84 |
| 2059 | A comparison study of different control strategies for gridâ€connected three phase twoâ€level power converters. Asian Journal of Control, 2019, 21, 2049-2059. | 1.9 | 0 |
| 2060 | Improvement of Power Quality Using Backstepping Control Strategy for a Transformerless Dual-Stage Grid-Connected Photovoltaic System. Advances in Science, Technology and Innovation, 2019, , 193-200. | 0.2 | 6 |
| 2061 | High-Efficiency Interleaved \$LC\$ Resonant Boost Topology: Analysis and Design. IEEE Transactions on Power Electronics, 2019, 34, 10759-10775. | 5.4 | 14 |
| 2062 | A Multilevel Distributed Hybrid Control Scheme for Islanded DC Microgrids. IEEE Systems Journal, 2019, 13, 4200-4207. | 2.9 | 26 |
| 2063 | Magnetic Integration Techniques of Inductors Used in a Buck Converter with EMI Filter. Journal of Electrical Engineering and Technology, 2019, 14, 201-208. | 1.2 | 2 |
| 2064 | Active Disturbance Rejection Control of Shunt Active Power Filter Based on P-Q Theory. Advances in Science, Technology and Innovation, 2019, , 173-182. | 0.2 | 2 |
| 2065 | Engineering Scale Simulation of Nonequilibrium Network Phases for Battery Electrolytes. Macromolecules, 2019, 52, 2050-2062. | 2.2 | 13 |
| 2066 | Study of Optical Configurations for Multiple Enhancement of Microalgal Biomass Production. Scientific Reports, 2019, 9, 1723. | 1.6 | 9 |
| 2067 | Comparative analysis of stability limitations in weak gridâ€connected synchronous generator, VSC, and DFIC systems considering the power flow control dynamics. IET Renewable Power Generation, 2019, 13, 94-102. | 1.7 | 7 |
| 2068 | Research on Neural Network MPPT Algorithm Based on DE and Dichotomy. IOP Conference Series: Materials Science and Engineering, 2019, 486, 012111. | 0.3 | 0 |
| 2069 | Reactive Power Control of a 3-phase Grid-Connected Building Integrated Photovoltaic System. IOP Conference Series: Materials Science and Engineering, 2019, 605, 012012. | 0.3 | 3 |
| 2070 | Isolated WECS connected SVM based Three Level NPC Fed 3-Phase Induction Motor. , 2019, , . | | Ο |

| # | Article | IF | Citations |
|------|--|-----|-----------|
| 2071 | Unidirectional isolated highâ€frequency link DC/AC converter for grid integration of DC sources. IET Renewable Power Generation, 2019, 13, 2880-2887. | 1.7 | 2 |
| 2072 | Soft-target Model Predictive Control for PMSG-based Wind Generator. , 2019, , . | | 1 |
| 2073 | Integrated design method for LCLâ€ŧype filter and current controller to improve inverter adaptability to grid impedance. IET Power Electronics, 2019, 12, 3295-3305. | 1.5 | 1 |
| 2074 | Network Attack Scenario Analysis and Threat Identification. , 2019, , . | | 0 |
| 2075 | Rotational-Inertia-and-Voltage-Stiffness Compensator to Improve Grid Voltage Dynamic. , 2019, , . | | 2 |
| 2076 | An Adaptive Passivity Based Control of Grid Connected VSC with Integral Action. , 2019, , . | | 0 |
| 2077 | Design and Implementation of Hybrid Converter for PV System for Both AC and DC Load. , 2019, , . | | 0 |
| 2078 | A New Power Prediction Accuracy Evaluation Method of Renewable Energy Plant. , 2019, , . | | 2 |
| 2079 | A Skewness Based Method for Diagnosis in Quasi-Z T-Type Grid-Connected Converters. , 2019, , . | | 4 |
| 2080 | Parallel grid-tied Converters line current harmonic reduction through decentralized interleaving PWM modulation. , 2019, , . | | 0 |
| 2081 | Integrated Control with De-loading and Virtual Inertia for DFIG Support Grid Frequency Under Cyber Uncertainty. , 2019, , . | | 4 |
| 2082 | An Islanded Microgrid with Novel Fault Tolerant Inverter. , 2019, , . | | 0 |
| 2083 | Comparison of Islanding and Synchronization for a Microgrid with Different Converter Control. , 2019, , . | | 4 |
| 2084 | Wavelet Mutation based JAYA Optimization Algorithm for Clobal Maximum Power Peak Searching for Partially Shaded Solar PV Panel Condition. , 2019, , . | | 5 |
| 2085 | Hardware-in-the-Loop Testbed Development for Validating Novel Photovoltaic Battery Energy Storage System Concepts. , 2019, , . | | 1 |
| 2086 | A Barrier Function Based-Adaptive Super-Twisting Controller for Wind Energy Conversion System. , 2019, , . | | 5 |
| 2087 | Optimal sizing and placement of ESS in distribution system with renewable energy integration using multi-objective hybrid optimization technique. , 2019, , . | | 0 |
| 2088 | Smooth Grid Synchronization in Weak AC Grid with High Wind Energy Penetration using Distribution Static Compensator. , 2019, , . | | 9 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2089 | Emergency power control strategies applied for offshore wind farms connected by HVDC system. , 2019, , . | | 0 |
| 2090 | 3-Phase Multi-Functional Grid-Tied Inverter for Compensation of Oscillating Instantaneous Power. , 2019, , . | | 1 |
| 2091 | Single Stage Quasi-Z-Source Push-Pull based Microinverter for On-Grid PV Applications. , 2019, , . | | 2 |
| 2092 | Harmonics Reduction in Microgrids using APF with Fuzzy Controller. , 2019, , . | | 2 |
| 2093 | Single-Stage Multifunction Multilevel Converter for Grid Interactive Photovoltaic System using Cascaded Two-level Inverter. , 2019, , . | | 0 |
| 2094 | Adaptive Grid-Voltage Feedforward for Three-Phase Inverters applying Perturb and Observe Algorithm to minimize Current THD. , 2019, , . | | 0 |
| 2095 | Research of Intellectual Power Supply System with Renewable Energy Sources. , 2019, , . | | 1 |
| 2096 | Improved plug–play SV with virtual inertia for enhancing the stability of high RESâ€penetrated grids. IET Smart Grid, 2019, 2, 571-580. | 1.5 | 0 |
| 2097 | A Comparative Study on HCC Method for Grid-Connected LCL Filter with Active Damping. , 2019, , . | | 4 |
| 2098 | Analysis and Control of Integrated Dual-Boost Topology for Solar-Battery Integration. , 2019, , . | | 3 |
| 2099 | Achieving Zero Steady State Error on Voltage Source Inverters with Sinusoidal References using a RST Polynomial Controller. , 2019, , . | | 0 |
| 2100 | Research on Power System Relay Protection Method Based on Machine Learning Algorithm. E3S Web of Conferences, 2019, 136, 02012. | 0.2 | 1 |
| 2101 | Simulation of a Solar Power System with Generator Set Backup Source for Hybrid Power System Application. , 2019, , . | | 1 |
| 2102 | Generalized Power and Current Control for Three-Phase Four-Wire Converter under Unbalanced Grid Conditions. , 2019, , . | | 2 |
| 2103 | High Gain DC-DC Converter using Coupled Inductors for Renewable Application. , 2019, , . | | 0 |
| 2104 | Performance Analysis of Switched-Boost DC to DC Converter for Distributed Generation system. , 2019, , . | | 0 |
| 2105 | Modulated Perturb and Observe Maximum Power Point Tracking Algorithm for Solar PV Energy Conversion System. , 2019, , . | | 14 |
| 2106 | Power Quality Control of DFIG Using Smart Neural Learning. , 2019, , . | | 0 |

| # | Article | IF | Citations |
|------|---|-----|-----------|
| 2107 | Forecasting Solar Energy Generation and Load Consumption - A Method to select the forecasting model based on data type. , 2019, , . | | 3 |
| 2108 | Implementation of Non isolated DC DC Boost Converter based on Inductor for DC Microgrid Application. , 2019, , . | | 0 |
| 2109 | A Novel Hybrid Converter Proposed for Multi-MW Wind Generator for Offshore Applications. Energies, 2019, 12, 4167. | 1.6 | 5 |
| 2110 | Implementation of a Novel Self-Balancing SevenLevel Inverter with Coupled Inductor. , 2019, , . | | 0 |
| 2111 | A Short-Time Prediction of Sun Radiation Intensity. , 2019, , . | | 0 |
| 2112 | Analysis of Grid Connected Wind Power System. , 2019, , . | | 7 |
| 2113 | Unified Power Flow Controller Based on Autotransformer Structure. Electronics (Switzerland), 2019, 8, 1542. | 1.8 | 8 |
| 2114 | Reliability Assessment of Standalone Wind-Based Energy Storage System Using Monte Carlo Simulation. , 2019, , . | | 0 |
| 2115 | Improvements on Power Flow Control of Voltage-Source-Based Grid-Supporting Converter by Using Virtual Impedance Concept. , 2019, , . | | 1 |
| 2116 | Modeling and Analysis of Multi-Input Hybrid DC-DC Converter in an Integrated System. , 2019, , . | | 0 |
| 2117 | Hybrid and Three-Level Three-Phase Rectifiers Using Interleaved DCM Boost Converters. IEEE Access, 2019, 7, 160168-160176. | 2.6 | 6 |
| 2118 | Performance Investigation of Hexagram Inverter for High Power Applications. , 2019, , . | | 1 |
| 2119 | Dealing with Energy-Generation Faults to Improve the Resilience of Microgrids: A Survey. , 2019, , . | | 1 |
| 2120 | A review of power quality compatibility of wind energy conversion systems with the South African utility grid. Renewable Energy Focus, 2019, 31, 63-72. | 2.2 | 17 |
| 2121 | Mode Conversion in DC-DC Converters with Unbalanced Busbars. , 2019, , . | | 8 |
| 2122 | Optimal 3D Space Vector Modulation for Packed-U-Cells Converter. , 2019, , . | | 1 |
| 2123 | PLL-Less Three-Phase Droop-Controlled Inverter with Inherent Current-Limiting Property. , 2019, , . | | 7 |
| 2124 | Overload Operation of LV-Side Inverter in Smart Transformer. , 2019, , . | | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2125 | Grid Tied Wind Energy Generating System Incorporating an Observer Based Nonlinear Control Exhibiting Robustness. , 2019, , . | | 0 |
| 2126 | Evaluation of Voltage Regulators for Dual-Loop Control of Voltage-Controlled VSCs. , 2019, , . | | 16 |
| 2127 | Analysis of Hybrid SiC IGBT Based Resonant Switched Capacitor Converter with Circuit Parasitics Consideration. , 2019, , . | | 1 |
| 2128 | Re-synchronization of Universal Droop Control Distributed Generation Inverter to the Grid. , 2019, , . | | 2 |
| 2129 | Analysis and Control of Grid Tied Modular Multilevel Converter under Unbalanced PV Power Generation and Unbalanced Grid Conditions. , 2019, , . | | 3 |
| 2130 | Simulation Study of DFIG Wind Turbine under Grid Fault Open-Circuit. , 2019, , . | | 2 |
| 2131 | Conceptual Systematic Stability Analysis of Power Electronics based Power Systems. , 2019, , . | | 4 |
| 2132 | Improvement of Grid Current Quality for Droop-Controlled Grid-Connected Inverters under Distorted Grid Conditions. , 2019, , . | | 3 |
| 2133 | A DC Component Suppression Technique Based on Virtual Capacitors. , 2019, , . | | 0 |
| 2134 | Improving the Performance of Low Voltage Networks by an Optimized Unbalance Operation of Three-Phase Distributed Generators. IEEE Access, 2019, 7, 177504-177516. | 2.6 | 11 |
| 2135 | Two Selective Harmonic Control Techniques Applied in 10kV Grid with Three-Level NPC Inverter. , 2019, , . | | 7 |
| 2136 | A Flexible Hybrid Selective Harmonic Elimination Transition Algorithm to Provide Variable Frequency of Output Voltage in 3L-NPC Inverter. , 2019, , . | | 3 |
| 2137 | Distributed optimal active power dispatch with energy storage units and power flow limits in smart grids. International Journal of Electrical Power and Energy Systems, 2019, 105, 420-428. | 3.3 | 20 |
| 2138 | Finite-State Model Predictive Control With Integral Action Applied to a Single-Phase Z-Source Inverter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2019, 7, 228-239. | 3.7 | 30 |
| 2139 | Interlinking Converter to Improve Power Quality in Hybrid AC–DC Microgrids With Nonlinear Loads. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2019, 7, 1959-1968. | 3.7 | 25 |
| 2141 | Model Predictive Control for Power Electronics Applications. Control Engineering, 2019, , 551-580. | 0.3 | 8 |
| 2142 | Energy Management in Wireless Sensor Networks: A State of Art. Lecture Notes on Data Engineering and Communications Technologies, 2019, , 492-499. | 0.5 | 1 |
| 2143 | Advanced Materials Enable Renewable Wind Energy Capture and Generation. , 2019, , 379-444. | | 1 |

| # | Article | IF | CITATIONS |
|------|---|---------------------|-------------|
| 2144 | An intelligent dc current minimization method for transformerless grid-connected photovoltaic inverters. ISA Transactions, 2019, 88, 268-279. | 3.1 | 13 |
| 2145 | A novel adaptive command-filtered backstepping sliding mode control for PV grid-connected system with energy storage. Solar Energy, 2019, 178, 222-230. | 2.9 | 49 |
| 2146 | Model Predictive Control of DC–DC Converters to Mitigate the Effects of Pulsed Power Loads in Naval DC Microgrids. IEEE Transactions on Industrial Electronics, 2019, 66, 5676-5685. | 5.2 | 117 |
| 2147 | Proportional Integral Control Realized in Stationary and Synchronous Reference Frames for a Single-Phase UPS Inverter System: A Comparative Study. IETE Technical Review (Institution of) Tj ETQq1 1 0.7843 | 81 4.1 gBT / | Oværlock 10 |
| 2148 | Nonlinear Sliding Mode Control of DFIG Based on Wind Turbines. Lecture Notes in Networks and Systems, 2019, , 206-215. | 0.5 | 3 |
| 2149 | Performance investigation of a hybrid PV-diesel power system for remote areas. International Journal of Energy Research, 2019, 43, 1019-1031. | 2.2 | 7 |
| 2150 | Cooperative Rotor-Side SMES and Transient Control for Improving the LVRT Capability of Grid-Connected DFIG-Based Wind Farm. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5. | 1.1 | 19 |
| 2151 | Improved Model Predictive Control by Robust Prediction and Stability-Constrained Finite States for Three-Phase Inverters With an Output \$LC\$ Filter. IEEE Access, 2019, 7, 12673-12685. | 2.6 | 25 |
| 2152 | Modular Design Methodology of DC Breaker Based on Discrete Metal Oxide Varistors With Series Power Electronic Devices for HVdc Application. IEEE Transactions on Industrial Electronics, 2019, 66, 7653-7662. | 5.2 | 63 |
| 2153 | Different Influence of Grid Impedance on Low- and High-Frequency Stability of PV Generators. IEEE Transactions on Industrial Electronics, 2019, 66, 8498-8508. | 5.2 | 31 |
| 2154 | Fuzzy scheduling of robust controllers for islanded DC microgrids applications. International Journal of Dynamics and Control, 2019, 7, 690-700. | 1.5 | 9 |
| 2155 | Enhancing voltage stability and LVRT capability of a wind-integrated power system using a fuzzy-based SVC. Engineering Science and Technology, an International Journal, 2019, 22, 827-839. | 2.0 | 28 |
| 2156 | An Auxiliary DC Circuit Breaker Utilizing an Augmented MMC. IEEE Transactions on Power Delivery, 2019, 34, 561-571. | 2.9 | 29 |
| 2157 | A New DC–DC Converter for Photovoltaic Systems: Coupled-Inductors Combined Cuk-SEPIC Converter. IEEE Transactions on Energy Conversion, 2019, 34, 191-201. | 3.7 | 118 |
| 2158 | On the Inertia of Future More-Electronics Power Systems. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2019, 7, 2130-2146. | 3.7 | 360 |
| 2159 | A Cross-Regulated Closed-Loop Control for Hybrid L-Z Source Inverter. IEEE Transactions on Industry Applications, 2019, 55, 1983-1997. | 3.3 | 9 |
| 2160 | Comprehensive exergy analysis of the dynamic process of compressed air energy storage system with low-temperature thermal energy storage. Applied Thermal Engineering, 2019, 147, 684-693. | 3.0 | 72 |
| 2161 | Voltage Sensorless Control of VIENNA Rectifier in the Input Current Oriented Reference Frame. IEEE Transactions on Power Electronics, 2019, 34, 8079-8091. | 5.4 | 33 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2162 | Decentralized nonlinear model predictive control of a multimachine power system. International Journal of Electrical Power and Energy Systems, 2019, 106, 358-372. | 3.3 | 22 |
| 2163 | Interleaved High Step-Up Converter Integrating Coupled Inductor and Switched Capacitor for Distributed Generation Systems. IEEE Transactions on Power Electronics, 2019, 34, 7617-7628. | 5.4 | 59 |
| 2164 | A Boost-Type Nine-Level Switched Capacitor Inverter. IEEE Transactions on Power Electronics, 2019, 34, 6522-6532. | 5.4 | 111 |
| 2165 | Overcurrent and its Restraining Method of PQ-Controlled Three-Phase Four-Wire Converter Under Asymmetrical Grid Fault. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2019, 7, 2057-2069. | 3.7 | 21 |
| 2166 | An Improved Virtual Inertia Control for Three-Phase Voltage Source Converters Connected to a Weak Grid. IEEE Transactions on Power Electronics, 2019, 34, 8660-8670. | 5.4 | 103 |
| 2167 | Renewable Energy Technologies for Microgrids. , 2019, , 27-67. | | 1 |
| 2168 | Trends in Islanded Microgrid Frequency Regulation – A Review. Smart Science, 2019, 7, 91-115. | 1.9 | 11 |
| 2169 | Robust multisampled capacitor voltage active damping for grid-connected power converters. International Journal of Electrical Power and Energy Systems, 2019, 105, 741-752. | 3.3 | 31 |
| 2170 | Optimal position and rating of DG in distribution networks by ABC–CS from load flow solutions illustrated by fuzzy-PSO. Neural Computing and Applications, 2019, 31, 489-507. | 3.2 | 17 |
| 2171 | Cooperative Optimization of Electric Vehicles in Microgrids Considering Across-Time-and-Space Energy Transmission. IEEE Transactions on Industrial Electronics, 2019, 66, 1532-1542. | 5.2 | 20 |
| 2172 | Control of Flywheel Energy Storage Systems in the Presence of Uncertainties. IEEE Transactions on Sustainable Energy, 2019, 10, 36-45. | 5.9 | 76 |
| 2173 | Improved virtual synchronous control for grid-connected VSCs under grid voltage unbalanced conditions. Journal of Modern Power Systems and Clean Energy, 2019, 7, 174-185. | 3.3 | 13 |
| 2174 | Asymmetric H-Bridge Single-Phase Seven-Level Inverter Topology with Proportional Resonant Controller. IETE Journal of Research, 2019, 65, 19-32. | 1.8 | 4 |
| 2175 | Efficient control of integrated power system using self-tuned fractional-order fuzzy PID controller. Neural Computing and Applications, 2019, 31, 4137-4155. | 3.2 | 30 |
| 2176 | Water cycle algorithm–based airflow control for oscillating water column–based wave energy converters. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2020, 234, 118-133. | 0.7 | 6 |
| 2177 | Grid-Connected Wind-Solar Cogeneration Using Back-to-Back Voltage-Source Converters. IEEE Transactions on Sustainable Energy, 2020, 11, 315-325. | 5.9 | 77 |
| 2178 | Comprehensive Review and Comparison of Single-Phase Grid-Tied Photovoltaic Microinverters. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2020, 8, 1310-1329. | 3.7 | 146 |
| 2179 | Delay-Dependent Fuzzy Sampled-Data Synchronization of T–S Fuzzy Complex Networks With Multiple Couplings. IEEE Transactions on Fuzzy Systems, 2020, 28, 178-189. | 6.5 | 50 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2180 | Optimum transmission policies for two hop transmission assisted by renewable energy powered amplify-and-forward relay. Wireless Networks, 2020, 26, 1823-1838. | 2.0 | 0 |
| 2181 | Three-Phase Isolated Multimodular Converter in Renewable Energy Distribution Systems. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2020, 8, 854-865. | 3.7 | 22 |
| 2182 | PV Distributed-MPP Tracking: Total-Cross-Tied Configuration of String-Integrated-Converters to Extract the Maximum Power Under Various PSCs. IEEE Systems Journal, 2020, 14, 1046-1057. | 2.9 | 49 |
| 2183 | Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. IEEE Transactions on Circuits and Systems II: Express Briefs, 2020, 67, 355-359. | 2.2 | 29 |
| 2184 | Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. IEEE Transactions on Power Electronics, 2020, 35, 319-333. | 5.4 | 35 |
| 2185 | A Practical Distributed Finite-Time Control Scheme for Power System Transient Stability. IEEE Transactions on Power Systems, 2020, 35, 3320-3331. | 4.6 | 24 |
| 2186 | Coordination optimization control of DC component and harmonics for grid-connected PV inverters. ISA Transactions, 2020, 99, 432-444. | 3.1 | 3 |
| 2187 | Resynchronization of Distributed Generation Based on the Universal Droop Controller for Seamless Transfer Between Operation Modes. IEEE Transactions on Industrial Electronics, 2020, 67, 7574-7582. | 5.2 | 39 |
| 2188 | Distributed Energy Resources and Microgrid Infrastructure. Power Systems, 2020, , 69-86. | 0.3 | 2 |
| 2189 | An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter. IEEE Transactions on Power Electronics, 2020, 35, 2737-2763. | 5.4 | 101 |
| 2190 | A Novel Mixture Solid-State Switch Based on IGCT With High Capacity and IGBT With High Turn-off Ability for Hybrid DC Breakers. IEEE Transactions on Industrial Electronics, 2020, 67, 4485-4495. | 5.2 | 39 |
| 2191 | A Harmonic Compensation System With Embedded Load Observer for Micro-Grids in the Islanded Mode of Operation. IEEE Transactions on Power Electronics, 2020, 35, 1406-1424. | 5.4 | 3 |
| 2192 | Optimal control of the power ramp rate with flicker mitigation for directly grid connected wind turbines. Simulation, 2020, 96, 141-150. | 1.1 | 6 |
| 2193 | A Model Predictive Power Control Method for PV and Energy Storage Systems With Voltage Support Capability. IEEE Transactions on Smart Grid, 2020, 11, 1018-1029. | 6.2 | 73 |
| 2194 | Technical challenges for the optimum penetration of grid-connected photovoltaic systems: Spain as a case study. Renewable Energy, 2020, 145, 2296-2305. | 4.3 | 36 |
| 2195 | LPV-MPC fault-tolerant energy management strategy for renewable microgrids. International Journal of Electrical Power and Energy Systems, 2020, 117, 105644. | 3.3 | 30 |
| 2196 | ADSIG as Gen-Former providing three port network for soft coupling of distribution feeders in addition to wind energy harvesting. International Journal of Electrical Power and Energy Systems, 2020, 117, 105573. | 3.3 | 2 |
| 2197 | Automatic Voltage Regulation of Grid Connected Photovoltaic System Using Lyapunov Based Sliding Mode Controller: A Finite — Time Approach. International Journal of Control, Automation and Systems, 2020, 18, 1550-1560. | 1.6 | 26 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2198 | Impact of Solar Panel on the Transformer Performance: A Case Study. Iranian Journal of Science and Technology - Transactions of Electrical Engineering, 2020, 44, 1197-1206. | 1.5 | 11 |
| 2199 | Cyber Security in Control of Grid-Tied Power Electronic Converters—Challenges and Vulnerabilities. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 5326-5340. | 3.7 | 90 |
| 2200 | Economic-Driven Frequency Regulation in Multi-Terminal HVDC Systems: A Cooperative Distributed Approach. IEEE Transactions on Power Systems, 2020, 35, 2245-2255. | 4.6 | 14 |
| 2201 | An effective hybrid wind-photovoltaic system including battery energy storage with reducing control loops and omitting PV converter. Journal of Energy Storage, 2020, 27, 101088. | 3.9 | 29 |
| 2202 | Reinforcement Learning Controllers for Enhancement of Low Voltage Ride Through Capability in Hybrid Power Systems. IEEE Transactions on Industrial Informatics, 2020, 16, 5023-5031. | 7.2 | 25 |
| 2203 | A review on rapid responsive energy storage technologies for frequency regulation in modern power systems. Renewable and Sustainable Energy Reviews, 2020, 120, 109626. | 8.2 | 145 |
| 2204 | Self-Supported Iridium Oxide Nanostructures for Electrocatalytic Water Oxidation in Acidic Media. Journal of Physical Chemistry C, 2020, 124, 2-8. | 1.5 | 24 |
| 2205 | Modularâ€structured resonant converter for multilevel converters in micro grids. International Journal of Circuit Theory and Applications, 2020, 48, 134-147. | 1.3 | 9 |
| 2206 | Mitigation of circulating currents for proportional current sharing and voltage stability of isolated DC microgrid. Electric Power Systems Research, 2020, 180, 106123. | 2.1 | 26 |
| 2207 | A Comprehensive Review of DC–DC Converter Topologies and Modulation Strategies with Recent Advances in Solar Photovoltaic Systems. Electronics (Switzerland), 2020, 9, 31. | 1.8 | 111 |
| 2208 | Investigation of Photovoltaic Grid System under Non-Uniform Irradiance Conditions. Electronics (Switzerland), 2020, 9, 1512. | 1.8 | 3 |
| 2209 | Wide Frequency Band Single-Phase Amplitude and Phase Angle Detection Based on Integral and Derivative Actions. Electronics (Switzerland), 2020, 9, 1578. | 1.8 | 1 |
| 2210 | Power Quality Improvement in Solar Fed Cascaded Multilevel Inverter With Output Voltage Regulation Techniques. IEEE Access, 2020, 8, 178360-178371. | 2.6 | 42 |
| 2211 | A hybrid control strategy for quadratic boost converters with inductor currents estimation. Control Engineering Practice, 2020, 103, 104602. | 3.2 | 16 |
| 2212 | Sustainability Performance Index for Ranking Energy Storage Technologies using Multi-Criteria Decision-Making Model and Hybrid Computational Method. Journal of Energy Storage, 2020, 32, 101820. | 3.9 | 25 |
| 2213 | Battery Energy Storage based Approach for Grid Voltage Regulation in Renewable Rich Distribution Networks. , 2020, , . | | 7 |
| 2214 | State-of-the-art power electronics systems for solar-to-grid integration. Solar Energy, 2020, 210, 128-148. | 2.9 | 23 |
| 2215 | Fast and Reliable Geometric-Based Controller for Three-Phase PWM Rectifiers. , 2020, , . | | 5 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2216 | Power System Stability with Power-Electronic Converter Interfaced Renewable Power Generation: Present Issues and Future Trends. Energies, 2020, 13, 3441. | 1.6 | 64 |
| 2217 | Steady-state and process modeling of a novel wind-biomass comprehensive energy system: An energy conservation, exergy and performance analysis. Energy Conversion and Management, 2020, 220, 113139. | 4.4 | 25 |
| 2218 | 23-level Single DC Source Hybrid PUC (H-PUC) Converter Topology With Reduced Number of Components: Real-Time Implementation With Model Predictive Control. IEEE Open Journal of the Industrial Electronics Society, 2020, 1, 127-137. | 4.8 | 38 |
| 2220 | Electrochemical Preparation of Lithium-Rich Graphite Anode for LiFePO4 Battery. High Energy Chemistry, 2020, 54, 441-454. | 0.2 | 7 |
| 2221 | Analysis of Multiple Droop Control Strategies in DC Microgrid. , 2020, , . | | 0 |
| 2222 | Interleaved Multistage Step-Up Topologies with Voltage Multiplier Cells. Energies, 2020, 13, 5990. | 1.6 | 4 |
| 2223 | Hybrid ANN-Linear Controller for Maximum PV Energy Harvesting in Grid-Tied Packed E-Cell Inverter. , 2020, , . | | 20 |
| 2224 | Numerical modeling of manifold design and flow uniformity analysis of an external manifold solid oxide fuel cell stack. International Journal of Hydrogen Energy, 2020, 45, 14440-14451. | 3.8 | 27 |
| 2225 | Single-Switch Bipolar Output DC-DC Converter for Photovoltaic Application. Electronics (Switzerland), 2020, 9, 1171. | 1.8 | 16 |
| 2226 | Assessing technology portfolios of clean energy-driven desalination-irrigation systems with interval-valued intuitionistic fuzzy sets. Renewable and Sustainable Energy Reviews, 2020, 132, 109950. | 8.2 | 27 |
| 2227 | Quasi-Y-Source and Quasi-Z-Source DC-DC Converter Comparison for PV Applications. , 2020, , . | | 3 |
| 2228 | Significance of demand response in light of current pilot projects in China and devising a problem solution for future advancements. Technology in Society, 2020, 63, 101374. | 4.8 | 17 |
| 2229 | Power Grids in the Midst of Rapidly Increasing Penetration of Power Electronics. , 2020, , . | | 0 |
| 2230 | Sliding mode control of Boost converter with jump flow switched system. Journal of the Franklin Institute, 2020, 357, 13734-13752. | 1.9 | 3 |
| 2231 | DC Series Arc Fault Detection Algorithm for Distributed Energy Resources Using Arc Fault Impedance Modeling. IEEE Access, 2020, 8, 179039-179046. | 2.6 | 22 |
| 2232 | A Novel MPPT Strategy with Only One Current Sensor Using Predictive Control Technique. , 2020, , . | | 0 |
| 2233 | Circuits and Systems Issues in Power Electronics Penetrated Power Grid. IEEE Open Journal of Circuits and Systems, 2020, 1, 140-156. | 1.4 | 43 |
| 2234 | Novel Improved Adaptive Neuro-Fuzzy Control of Inverter and Supervisory Energy Management System of a Microgrid. Energies, 2020, 13, 4721. | 1.6 | 6 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 2235 | Performance Improvement of PWM Control Methods for Voltage Step-Down in Series Resonant DC–DC Converters. Energies, 2020, 13, 4569. | 1.6 | 6 |
| 2236 | Nickel doped MoS2 nanoparticles as precious-metal free bifunctional electrocatalysts for glucose assisted electrolytic H2 generation. International Journal of Hydrogen Energy, 2020, 45, 32940-32948. | 3.8 | 21 |
| 2237 | A Battery Storage System for PMG-based WECSs. , 2020, , . | | 0 |
| 2238 | PLL and Additional Frequency Control Constituting an Adaptive Synchronization Mechanism for VSCs. IEEE Transactions on Power Systems, 2020, 35, 4920-4923. | 4.6 | 22 |
| 2239 | Three-Phase Three-Level Neutral Point Clamped Rectifier with Predictive Control Method without Employing Weighting Factor. Applied Sciences (Switzerland), 2020, 10, 5149. | 1.3 | 3 |
| 2240 | Grid-Connected PV System Using a T-Type qZS Inverter with an Integral Time Derivative Approach to Ensure MPP and Decoupled Current Control. , 2020, , . | | 2 |
| 2241 | An Ultra-Durable Windmill-Like Hybrid Nanogenerator for Steady and Efficient Harvesting of Low-Speed Wind Energy. Nano-Micro Letters, 2020, 12, 175. | 14.4 | 68 |
| 2242 | Powerâ€current coordinated control without sequence extraction under unbalanced voltage conditions. IET Power Electronics, 2020, 13, 2274-2280. | 1.5 | 3 |
| 2243 | NiFe-Layered Double Hydroxide Synchronously Activated by Heterojunctions and Vacancies for the Oxygen Evolution Reaction. ACS Applied Materials & Interfaces, 2020, 12, 42850-42858. | 4.0 | 105 |
| 2244 | Integration of Photovoltaic Panels with DC Grid Using High Gain DC-DC Converter. , 2020, , . | | 6 |
| 2245 | Development of an adaptive control strategy for the threeâ€phase grid side converter with wide range of parametric and load uncertainties. IET Power Electronics, 2020, 13, 2399-2412. | 1.5 | 4 |
| 2246 | Nonâ€isolated enhanced gain of <scp>DCâ€DC</scp> converter for <scp>DC</scp> microâ€grid applications. International Transactions on Electrical Energy Systems, 2020, 30, e12625. | 1.2 | 5 |
| 2247 | A Quasi Z -Source Matrix Microinverter for Grid Connected PV Applications. , 2020, , . | | 1 |
| 2248 | Review of Fuel Cell Technologies and Applications for Sustainable Microgrid Systems. Inventions, 2020, 5, 42. | 1.3 | 89 |
| 2249 | Quadratic Buck/Boost Converter in Series Connection for Photovoltaic Applications. , 2020, , . | | 1 |
| 2250 | Methodology to Evaluate Converter Structures based on 3L NPC PEBBs. , 2020, , . | | 4 |
| 2251 | Blockchain as Key Enabling Technology for Future Electric Energy Exchange: A Vision. IEEE Access, 2020, 8, 205250-205271. | 2.6 | 11 |
| 2252 | Power Oscillation Control of Grid-Feeding Converter Considering Next Generation Grid Code During Asymmetrical Faults. , 2020, , . | | 0 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2253 | Improved Adaptive Filter FLL Control Algorithm for Enhancing Performance of Islanded Microgrid Supplying Dynamic Loads. , 2020, , . | | 3 |
| 2254 | A Reactive Power Supportive PV Based Grid Tied Distributed System Meeting Ancillary Objectives. , 2020, , . | | 1 |
| 2255 | Power Quality Issues and Mitigation for Electric Grids with Wind Power Penetration. Applied Sciences (Switzerland), 2020, 10, 8852. | 1.3 | 14 |
| 2256 | A Comprehensive Study of Harmonic Pollution in Large Penetrated Grid-Connected Wind Farm. Mapan - Journal of Metrology Society of India, 2020, , 1. | 1.0 | 5 |
| 2257 | Research of Economic Operation and Control Strategy for PV-Storage-Charging Integrated Power Station. IOP Conference Series: Earth and Environmental Science, 2020, 551, 012006. | 0.2 | 1 |
| 2258 | Finding Efficient and Lower Capacitance Paths for the Transfer of Energy in a Digital Microgrid. Electronics (Switzerland), 2020, 9, 822. | 1.8 | 1 |
| 2259 | NFV-Enabled Efficient Renewable and Non-Renewable Energy Management: Requirements and Algorithms. Future Internet, 2020, 12, 171. | 2.4 | 5 |
| 2260 | Interleaved High Step-Up DC–DC Converter with Voltage-Lift and Voltage-Stack Techniques for Photovoltaic Systems. Energies, 2020, 13, 2537. | 1.6 | 7 |
| 2261 | A Novel High-Performance Predictive Control Formulation for Multilevel Inverters. IEEE Transactions on Power Electronics, 2020, 35, 11533-11543. | 5.4 | 24 |
| 2262 | A nonlinear control strategy for a grid-tie inverter that injects instantaneous complex power to the grid. , 2020, , . | | 2 |
| 2263 | Steady-State Analysis of Microgrid Distributed Control Under Denial of Service Attacks. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 5311-5325. | 3.7 | 19 |
| 2264 | Carbon catalysts, ionomer contents and operating conditions of an aqueous organic flow battery fabricated by a catalyst-coated membrane. Journal of Energy Storage, 2020, 30, 101472. | 3.9 | 3 |
| 2265 | Mapping the Academic Landscape of the Renewable Energy Field in Electrical and Electronic Disciplines. Applied Sciences (Switzerland), 2020, 10, 2879. | 1.3 | 5 |
| 2266 | Coupled Inductor based High Gain ZVS DC–DC Converter for Renewable Energy Systems. , 2020, , . | | 1 |
| 2267 | Integration of sub-gradient based coordinate for multiple renewable generators in microgrid. Materials Today: Proceedings, 2020, , . | 0.9 | 1 |
| 2268 | Optimal planning of multi-micro grids based-on networks reliability. Energy Reports, 2020, 6, 1233-1249. | 2.5 | 15 |
| 2269 | Modular Multilevel Converter for Photovoltaic Application with High Energy Yield under Uneven Irradiance. Energies, 2020, 13, 2619. | 1.6 | 4 |
| 2270 | Modified Level-Shifted PWM Technique With Active DC Capacitors Voltages Balancing for Nine-level Packed E-Cell (PEC9) Inverter. , 2020, , . | | 16 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2271 | Reduction of Reverse Power Flow Using the Appropriate Size and Installation Position of a BESS for a PV Power Plant. IEEE Access, 2020, 8, 102897-102906. | 2.6 | 17 |
| 2272 | Modeling and Energy Efficiency Analysis of Thermal Power Plant with High Temperature Thermal Energy Storage (HTTES). Journal of Thermal Science, 2020, 29, 1025-1035. | 0.9 | 7 |
| 2273 | Effects of Grid Frequency Drop on the Dynamic Performance of Full Converter Wind Turbine Generator. Journal of Physics: Conference Series, 2020, 1500, 012017. | 0.3 | 0 |
| 2274 | Data Description Technique-Based Islanding Classification for Single-Phase Grid-Connected Photovoltaic System. Sensors, 2020, 20, 3320. | 2.1 | 11 |
| 2275 | Review of Isolated Matrix Inverters: Topologies, Modulation Methods and Applications. Energies, 2020, 13, 2394. | 1.6 | 26 |
| 2276 | A Technological Review on Multilevel Matrix Converter for Wind Power Generation System. , 2020, , . | | 0 |
| 2277 | Comprehensive Review of Distributed FACTS Control Algorithms for Power Quality Enhancement in Utility Grid With Renewable Energy Penetration. IEEE Access, 2020, 8, 107614-107634. | 2.6 | 93 |
| 2278 | Improved Direct Model Predictive Control for Grid-Connected Power Converters. Energies, 2020, 13, 2597. | 1.6 | 13 |
| 2279 | Grid Integration of Small-Scale Photovoltaic Systems in Secondary Distribution Network—A Review. IEEE Transactions on Industry Applications, 2020, 56, 3178-3195. | 3.3 | 117 |
| 2280 | Two Novel Open-End Winding Multilevel Unidirectional Six-Phase Rectifiers With Reduced Switch Count. IEEE Transactions on Industry Applications, 2020, 56, 2840-2851. | 3.3 | 5 |
| 2281 | Sustainable Residential Energy Supply: A Literature Review-Based Morphological Analysis. Energies, 2020, 13, 432. | 1.6 | 6 |
| 2282 | Energy management and control strategy for DC microgrid based on DMPPT technique. IET Power Electronics, 2020, 13, 658-668. | 1.5 | 7 |
| 2283 | A Novel High Gain Soft Switched Step-Up DC-DC Converter With Coupled Inductors. , 2020, , . | | 1 |
| 2284 | Structural-Algorithmic and Parametric Synthesis of Single-Phase Voltage Source Inverters for Solar Power System. , 2020, , . | | 1 |
| 2285 | Estimating the Frequency Coupling Matrix From Network Measurements. IEEE Transactions on Control of Network Systems, 2020, 7, 724-733. | 2.4 | 0 |
| 2286 | Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. IEEE Transactions on Power Electronics, 2020, 35, 8581-8592. | 5.4 | 12 |
| 2287 | Transient response comparison of virtual oscillator controlled and droop controlled threeâ€phase inverters under load changes. IET Generation, Transmission and Distribution, 2020, 14, 1138-1147. | 1.4 | 3 |
| 2288 | Novel modified phaseâ€shift modulation strategy for isolated AC–DC power converters. IET Power Electronics, 2020, 13, 1022-1032. | 1.5 | 3 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2289 | A New Topology of Switched-Capacitor Multilevel Inverter With Eliminating Leakage Current. IEEE Access, 2020, 8, 76951-76965. | 2.6 | 39 |
| 2290 | Synchronous Voltage Controllers: Voltage-Based Emulation of Synchronous Machines for the Integration of Renewable Energy Sources. IEEE Access, 2020, 8, 49497-49508. | 2.6 | 12 |
| 2291 | A State-of-the-Art 500-kV Hybrid Circuit Breaker for a dc Grid: The World's Largest Capacity High-Voltage dc Circuit Breaker. IEEE Industrial Electronics Magazine, 2020, 14, 15-27. | 2.3 | 77 |
| 2292 | A safe Li–Se battery in an ionic liquid-based electrolyte operating at 25–70 °C by using a N,S,O tri-doped mesoporous carbon host material. Sustainable Energy and Fuels, 2020, 4, 2322-2332. | 2.5 | 15 |
| 2293 | A Genetic-Algorithm-Based DC Current Minimization Scheme for Transformless Grid-Connected Photovoltaic Inverters. Energies, 2020, 13, 746. | 1.6 | 10 |
| 2294 | Coordinated control of series compensation link and bus interface converter in the AC–DC hybrid microgrid. Journal of Power Electronics, 2020, 20, 590-600. | 0.9 | 6 |
| 2295 | An improved power conditioning system for grid integration of solar power using ANFIS based FOPID controller. Microprocessors and Microsystems, 2020, 74, 103030. | 1.8 | 6 |
| 2296 | Proposing and Evaluation of SC Techniques for Variable Speed High-Power Operation of SEIG. IEEE Access, 2020, 8, 20666-20675. | 2.6 | 5 |
| 2297 | Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. IEEE Transactions on Power Electronics, 2020, 35, 9267-9280. | 5.4 | 9 |
| 2298 | Synthesis of Bi2S3/carbon nanocomposites as anode materials for lithium-ion batteries. Journal of Materials Science and Technology, 2020, 50, 92-102. | 5.6 | 35 |
| 2299 | Activation of electrospun lignin-based carbon fibers and their performance as self-standing supercapacitor electrodes. Separation and Purification Technology, 2020, 241, 116724. | 3.9 | 67 |
| 2300 | A delta-connected MMCC-based active power conditioner for unbalanced load compensation and harmonic elimination. International Journal of Electrical Power and Energy Systems, 2020, 118, 105811. | 3.3 | 8 |
| 2301 | Performance enhancement of grid-interfaced inverter using intelligent controller. Measurement and Control, 2020, 53, 551-563. | 0.9 | 5 |
| 2302 | A New Concept of PWM Duty Cycle Computation Using the Barycentric Coordinates in a Three–Dimensional Voltage Vectors Arrangement. IEEE Access, 2020, 8, 8019-8031. | 2.6 | 2 |
| 2303 | Chance-Constrained Optimization of Energy Storage Capacity for Microgrids. IEEE Transactions on Smart Grid, 2020, 11, 2760-2770. | 6.2 | 33 |
| 2304 | Optimized Design for AC Filter and Switching Frequency of Parallel-Connected Inverters With Global Synchronous Pulsewidth Modulation. IEEE Transactions on Power Electronics, 2020, 35, 11843-11854. | 5.4 | 5 |
| 2305 | Integrated adsorption-based multigeneration systems: A critical review and future trends. International Journal of Refrigeration, 2020, 116, 129-145. | 1.8 | 28 |
| 2306 | Reactive Power Injection to Mitigate Frequency Transients Using Grid Connected PV Systems. Energies, 2020, 13, 1998. | 1.6 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2307 | Modeling and mechanism analysis of inertia and damping issues for wind turbines PMSG grid-connected system. Soft Computing, 2020, 24, 15681-15691. | 2.1 | 2 |
| 2308 | NFV/SDN Enabled Architecture for Efficient Adaptive Management of Renewable and Non-Renewable Energy. IEEE Open Journal of the Communications Society, 2020, 1, 357-380. | 4.4 | 21 |
| 2309 | Correlated power time series of individual wind turbines: A data driven model approach. Journal of Renewable and Sustainable Energy, 2020, 12, . | 0.8 | 10 |
| 2310 | Bibliometric analysis on the research of offshore wind power based on web of science. Economic Research-Ekonomska Istrazivanja, 2020, 33, 887-903. | 2.6 | 11 |
| 2311 | Energy storage usages: Engineering reactions, <scp>economicâ€ŧechnological</scp> values for electric vehicles—A technological outlook. International Transactions on Electrical Energy Systems, 2020, 30, e12422. | 1.2 | 20 |
| 2312 | 3-Phase grid-connected building integrated photovoltaic system with reactive power control capability. Renewable Energy, 2020, 154, 1065-1075. | 4.3 | 29 |
| 2313 | Current control based on limit cycle stability for photovoltaic arrays. IET Renewable Power Generation, 2020, 14, 725-733. | 1.7 | 3 |
| 2314 | Enhanced Power Decoupling Strategy for Virtual Synchronous Generator. IEEE Access, 2020, 8, 73601-73613. | 2.6 | 31 |
| 2315 | A Comprehensive State-of-the-Art Survey on Hybrid Renewable Energy System Operations and Planning. IEEE Access, 2020, 8, 75313-75346. | 2.6 | 50 |
| 2316 | Optimized Active Power Management in Solar PV-Fed Transformerless Grid-Connected System for Rural Electrified Microgrid. Journal of Circuits, Systems and Computers, 2021, 30, 2150039. | 1.0 | 9 |
| 2317 | Review of Harmonic Mitigation Methods in Microgrid: From a Hierarchical Control Perspective. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 3044-3060. | 3.7 | 36 |
| 2318 | ÂA Reduced-Order Generalized Proportional Integral Observer-Based Resonant Super-Twisting Sliding Mode Control for Grid-Connected Power Converters. IEEE Transactions on Industrial Electronics, 2021, 68, 5897-5908. | 5.2 | 49 |
| 2319 | Cosine Similarity Based Line Protection for Large-Scale Wind Farms. IEEE Transactions on Industrial Electronics, 2021, 68, 5990-5999. | 5.2 | 49 |
| 2320 | Novel High-Frequency Isolated Cascade PV Inverter Topology Based on Multibus DC Collection. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 2122-2135. | 3.7 | 6 |
| 2321 | Frequency Adaptive Multistage Harmonic Oscillator for Renewable-Based Microgrid Under Nonideal Grid Conditions. IEEE Transactions on Industrial Electronics, 2021, 68, 358-369. | 5.2 | 12 |
| 2322 | Novel Multilevel Inverters Based on AC–AC Converter for Photovoltaic Applications. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 3384-3393. | 3.7 | 4 |
| 2323 | A Decentralized SOC Balancing Method for Cascaded-Type Energy Storage Systems. IEEE Transactions on Industrial Electronics, 2021, 68, 2321-2333. | 5.2 | 26 |
| 2324 | Adaptive Control for Three-Phase Power Converters With Disturbance Rejection Performance. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2021, 51, 674-685. | 5.9 | 18 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2325 | High Gain Switched-Inductor-Double-Leg Converter With Wide Duty Range for DC Microgrid. IEEE Transactions on Industrial Electronics, 2021, 68, 9561-9573. | 5.2 | 26 |
| 2326 | Mechanical energy storage. , 2021, , 139-247. | | 9 |
| 2327 | Ringing Suppression of SiC MOSFET Using a Strongly Coupled External Resonator Through Analogy With Passive PT-Symmetry. IEEE Transactions on Power Electronics, 2021, 36, 2964-2970. | 5.4 | 6 |
| 2328 | Control and Implementation of a Multifunctional Solar PV-BES-DEGS Based Microgrid. IEEE Transactions on Industrial Electronics, 2021, 68, 8241-8252. | 5.2 | 18 |
| 2329 | Predictive Optimal Switching Sequence Direct Power Control for Grid-Tied 3L-NPC Converters. IEEE Transactions on Industrial Electronics, 2021, 68, 8561-8571. | 5.2 | 23 |
| 2330 | Reduced-Order Controllers Using Integrated Controller-Plant Dynamics Approach for Grid-Connected Inverters. IEEE Transactions on Industrial Electronics, 2021, 68, 7444-7453. | 5.2 | 8 |
| 2331 | An Optimized Capacitor Voltage Balancing Control for a Five-Level Nested Neutral Point Clamped Converter. IEEE Transactions on Power Electronics, 2021, 36, 2154-2165. | 5.4 | 11 |
| 2332 | Novel approach for the utilization of ionic liquid-based cellulose derivative biosourced polymer electrolytes in safe sodium-ion batteries. Polymer Bulletin, 2021, 78, 5355-5377. | 1.7 | 24 |
| 2333 | Control and fault analysis of multiport converters for low voltage DC distribution systems. International Journal of Electrical Power and Energy Systems, 2021, 124, 106335. | 3.3 | 8 |
| 2334 | Transmission Capability Assessment of Distributed Energy Resources Using Measurement-Based Site-Dependent Single-Port Model. IEEE Transactions on Power Systems, 2021, 36, 1515-1525. | 4.6 | 0 |
| 2335 | Characterization and electrocatalytic properties of electrospun <scp> Ptâ€IrO ₂ </scp> nanofiber catalysts for oxygen evolution reaction. International Journal of Energy Research, 2021, 45, 5841-5851. | 2.2 | 7 |
| 2336 | Variable-Speed Hydropower Generation: System Modeling, Optimal Control, and Experimental Validation. IEEE Transactions on Industrial Electronics, 2021, 68, 10902-10912. | 5.2 | 14 |
| 2337 | Synergy of adaptive super-twisting method (ASTM) and game-theory algorithm (GTA) for dynamic stability improvement of interconnected grids. Electric Power Systems Research, 2021, 192, 106919. | 2.1 | 4 |
| 2338 | Advancement in graphene-based nanocomposites as high capacity anode materials for sodium-ion batteries. Journal of Materials Chemistry A, 2021, 9, 2628-2661. | 5.2 | 39 |
| 2339 | Enhanced thermoelectric properties of carbon fiber-reinforced cement composites (CFRCs) utilizing Bi2Te3 with three doping methods. Fullerenes Nanotubes and Carbon Nanostructures, 2021, 29, 295-303. | 1.0 | 15 |
| 2340 | Holey aligned electrodes through in-situ ZIF-8-assisted-etching for high-performance aqueous redox flow batteries. Science Bulletin, 2021, 66, 904-913. | 4.3 | 32 |
| 2341 | A Minimum-Phase Dual Output Hybrid Converter for Standalone Hybrid AC/DC Supply Systems. IEEE Transactions on Industry Applications, 2021, 57, 1044-1056. | 3.3 | 4 |
| 2342 | Redesigning the cycloidal drive for innovative applications in machines for smart construction yards. World Journal of Engineering, 2021, 18, 302-315. | 1.0 | 7 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2343 | A new lower and upper bound estimation model using gradient descend training method for wind speed interval prediction. Wind Energy, 2021, 24, 290-304. | 1.9 | 18 |
| 2344 | Power quality issue simulation in solar energy. Materials Today: Proceedings, 2021, 43, 3409-3413. | 0.9 | 0 |
| 2345 | Water splitting on the mesoporous surface and oxygen vacancies of iron oxide generates electricity by hydroelectric cell. Materials Chemistry and Physics, 2021, 258, 123981. | 2.0 | 21 |
| 2346 | An efficient multilevel interconnect control algorithm in AC/DC micro-grids using hybrid energy storage system. Electric Power Systems Research, 2021, 191, 106869. | 2.1 | 23 |
| 2347 | A new compilation of the micro-grid by distributed energy sources using three phase three level space vector multilevel inverter. Journal of Intelligent and Fuzzy Systems, 2021, 40, 2647-2660. | 0.8 | 0 |
| 2348 | Performance and Stability of Brushless Induction Excited Synchronous Generator Operating in Self-Excited Mode for Wind Energy Conversion System. IEEE Transactions on Energy Conversion, 2021, 36, 919-929. | 3.7 | 4 |
| 2349 | A Dual-Boost <i>H</i> -Bridge Inverter With Common Ground for Photovoltaic Interfacing. IEEE Transactions on Industrial Electronics, 2021, 68, 9515-9526. | 5.2 | 11 |
| 2350 | Mitigation of Ground Leakage Current of Single-Phase PV Inverter Using Hybrid PWM With Soft Voltage Transition and Nonlinear Output Inductor. IEEE Transactions on Power Electronics, 2021, 36, 2932-2946. | 5.4 | 20 |
| 2351 | Optimal Filter Design for Power Converters Regulated by FCS-MPC in the MEA. IEEE Transactions on Power Electronics, 2021, 36, 3258-3268. | 5.4 | 15 |
| 2352 | A review on control strategies for microgrids with distributed energy resources, energy storage systems, and electric vehicles. International Transactions on Electrical Energy Systems, 2021, 31, . | 1.2 | 50 |
| 2353 | SEPIC-Boost CSCCC-Based SPWM Inverter with MPPT Technique. Lecture Notes in Electrical Engineering, 2021, , 365-378. | 0.3 | 0 |
| 2354 | Power Balancing in Cascaded H-Bridge and Modular Multilevel Converters Under Unbalanced Operation: A Review. IEEE Access, 2021, 9, 110525-110543. | 2.6 | 25 |
| 2355 | Hierarchical control-I. , 2021, , 139-148. | | 0 |
| 2356 | Model Predictive Control With Triple Phase Shift Modulation for a Dual Active Bridge DC-DC Converter. IEEE Access, 2021, 9, 98603-98614. | 2.6 | 16 |
| 2357 | Modeling and Experimental Evaluation of Z-Source Modular Multilevel Converter Using Reduced Inserted Cells Technique. IEEE Access, 2021, 9, 133091-133101. | 2.6 | 0 |
| 2358 | Soft-Switching Bidirectional Switched-Capacitor DC–DC Converter With Multiple Phase Shift Control Methods. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 1537-1547. | 3.7 | 3 |
| 2359 | Parallel Operation of Transformer-Based Improved Z-Source Inverter With High Boost and Interleaved Control. IEEE Transactions on Industrial Informatics, 2022, 18, 2422-2433. | 7.2 | 2 |
| 2360 | Cyber security in power electronic systems. , 2021, , 199-220. | | 1 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2361 | Synchrophasor Assisted Power Swing Detection Scheme for Wind Integrated Transmission Network. IEEE Transactions on Power Delivery, 2022, 37, 1952-1962. | 2.9 | 8 |
| 2362 | Robust Model Predictive Voltage Control of Three-phase Inverter with Output LC Filter. , 2021, , . | | 0 |
| 2363 | Intelligent Energy Management System to Reduce Total Electricity Charge in Consumer Perspective. , 2021, , . | | 0 |
| 2364 | Disturbance Observer-Based Finite-Time Control for Three-Phase AC–DC Converter. IEEE Transactions on Industrial Electronics, 2022, 69, 5637-5647. | 5.2 | 26 |
| 2365 | Cloud Energy Storage System Operation with Capacity P2P Transaction. Energies, 2021, 14, 339. | 1.6 | 10 |
| 2366 | Renewable energy: a bibliometric analysis. E3S Web of Conferences, 2021, 250, 03002. | 0.2 | 40 |
| 2367 | A Port-Hamiltonian Control Framework to Render a Power Electronic System Passive. IEEE Transactions on Automatic Control, 2022, 67, 1960-1965. | 3.6 | 5 |
| 2368 | A Local-Distributed and Global-Decentralized SoC Balancing Method for Hybrid Series-Parallel Energy Storage System. IEEE Systems Journal, 2022, 16, 2289-2299. | 2.9 | 5 |
| 2369 | Effective Design and Implementation of Three Port Hybrid Converter for Hybrid Power Sources. Journal of Physics: Conference Series, 2021, 1717, 012051. | 0.3 | 1 |
| 2370 | Generalised predictive currentâ€mode control of passive frontâ€end boostâ€type converters. IET Power Electronics, 2021, 14, 666-679. | 1.5 | 2 |
| 2371 | Design and Implementation of a Single-Phase 15-Level Inverter With Reduced Components for Solar PV Applications. IEEE Access, 2021, 9, 581-594. | 2.6 | 29 |
| 2372 | Peer-to-peer energy platforms. , 2021, , 91-105. | | 0 |
| 2373 | Insights Into Energy Indicators Analytics Towards European Green Energy Transition Using Statistics and Self-Organizing Maps. IEEE Access, 2021, 9, 64427-64444. | 2.6 | 10 |
| 2375 | Development of Controller HIL Test-bed for Solar-battery integration. , 2021, , . | | 2 |
| 2376 | Modeling and simulation of solar PV modules based inverter in MATLAB-SIMULINK for domestic cooking. Materials Today: Proceedings, 2021, 38, 3414-3423. | 0.9 | 7 |
| 2377 | A Data-Driven Automatic Design Method for Electric Machines Based on Reinforcement Learning and Evolutionary Optimization. IEEE Access, 2021, 9, 71284-71294. | 2.6 | 13 |
| 2378 | Harmonic Cancellation by Adaptive Notch Filter Based on Discrete Wavelet Packet Transform for an MMCC-STATCOM. IEEE Transactions on Power Delivery, 2022, 37, 1834-1844. | 2.9 | 4 |
| 2379 | Quadrature Voltage Compensation in the Isolated Multi-Modular Converter. Energies, 2021, 14, 529. | 1.6 | 1 |

| # 2380 | ARTICLE Challenges for the optimum penetration of photovoltaic systems. , 2021, , 411-426. | IF | CITATIONS 0 |
|-----------|---|-----|----------------|
| 2381 | A Novel Common-Ground-Type Nine-Level Dynamic Boost Inverter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 4435-4442. | 3.7 | 23 |
| 2382 | Unified Modeling and Analysis of Dynamic Power Coupling for Grid-forming Converters. IEEE Transactions on Power Electronics, 2021, , 1-1. | 5.4 | 22 |
| 2383 | Review on the Development of Solid State Transformer. Advances in Wireless Technologies and Telecommunication Book Series, 2021, , 119-126. | 0.3 | Ο |
| 2384 | Average-Value Modeling of Line-Commutated AC–DC Converters With Unbalanced AC Network. IEEE Transactions on Energy Conversion, 2021, 36, 3533-3544. | 3.7 | 3 |
| 2385 | Data-Driven Model Predictive Control of DC-to-DC Buck-Boost Converter. IEEE Access, 2021, 9, 101902-101915. | 2.6 | 12 |
| 2386 | Agent-Based Distributed Energy Resources for Supporting Intelligence at the Grid Edge. IEEE Journal of Emerging and Selected Topics in Industrial Electronics, 2022, 3, 69-78. | 3.0 | 12 |
| 2387 | Recent Progress in Extending the Cycleâ€Life of Secondary Znâ€Air Batteries. ChemNanoMat, 2021, 7, 354-367. | 1.5 | 37 |
| 2388 | Bidirectional DC–DC converter based multilevel battery storage systems for electric vehicle and largeâ€scale grid applications: A critical review considering different topologies, stateâ€ofâ€charge balancing and future trends. IET Renewable Power Generation, 2021, 15, 915-938. | 1.7 | 31 |
| 2389 | Using Grid Connected PUC Inverter With Robust Control Against Hybrid DG's Oscillation. , 2021, , . | | 1 |
| 2390 | Grid Value Investigation of Medium-Voltage Back-to-Back Converters. , 2021, , . | | 6 |
| 2391 | Solar powered Modified Coupled Inductor, Capacitor Multiplier boost converter operated threeâ€phase small power inverter. International Journal of Circuit Theory and Applications, 2021, 49, 683-703. | 1.3 | 2 |
| 2392 | Two Stage Operation Scheme for a Microgrid Including Hydrogen Production as a Part of Demand. IEEJ Transactions on Power and Energy, 2021, 141, 113-120. | 0.1 | 0 |
| 2393 | PWM rectifier impedance modelling and analysis. IOP Conference Series: Earth and Environmental Science, 2021, 675, 012064. | 0.2 | 1 |
| 2394 | The Grid Linked Split-Source Inverter Decoupled Control Scheme. International Journal for Research in Applied Science and Engineering Technology, 2021, 9, 416-420. | 0.1 | 0 |
| 2395 | Performance Analysis of a Full Order Sensorless Control Adaptive Observer for Doubly-Fed Induction Generator in Grid Connected Operation. Energies, 2021, 14, 1254. | 1.6 | 11 |
| 2396 | An Improved Hysteresis Current Controller for Grid-Connected Inverter System to Address Power Quality Issues at Reduced Switching Frequency. IEEE Transactions on Industry Applications, 2021, 57, 1892-1901. | 3.3 | 11 |
| 2397 | Maximizing the Conversion Efficiency of Smart Solar Inverter. , 2021, , . | | 2 |

| # 2398 | ARTICLE A Novel Strategy for Grid Connected Hybrid System utilizing Artificial Neural Networks. , 2021, , . | IF | CITATIONS |
|-----------|--|-----|-----------|
| 2400 | A Novel Approach for Evaluating Eddy Current Loss in Wind Turbine Generator Step-Up Transformers. Advances in Science, Technology and Engineering Systems, 2021, 6, 488-498. | 0.4 | 4 |
| 2401 | Improving output current of inductor-cell based five-level CSI using hysteresis current controller. International Journal of Power Electronics and Drive Systems, 2021, 12, 249. | 0.5 | 0 |
| 2402 | Grid interfaced solar-wind hybrid power generating systems using fuzzy-based TOGI control technique for power quality improvement. Journal of Intelligent and Fuzzy Systems, 2022, 42, 1127-1139. | 0.8 | 3 |
| 2403 | Two stage operation scheme for a microgrid including hydrogen production as a part of demand. Electrical Engineering in Japan (English Translation of Denki Gakkai Ronbunshi), 2021, 214, e23330. | 0.2 | 1 |
| 2404 | A grey wolf optimized fuzzy logic based MPPT for shaded solar photovoltaic systems in microgrids. International Journal of Hydrogen Energy, 2021, 46, 10653-10665. | 3.8 | 64 |
| 2405 | Jute fiber based micro-mesoporous carbon: A biomass derived anode material with high-performance for lithium-ion batteries. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 265, 115015. | 1.7 | 19 |
| 2406 | An Active/Reactive Power Control Strategy for Renewable Generation Systems. Electronics (Switzerland), 2021, 10, 1061. | 1.8 | 10 |
| 2407 | A New Grid-Connected Constant Frequency Three-Phase Induction Generator System under Unbalanced-Voltage Conditions. Electronics (Switzerland), 2021, 10, 938. | 1.8 | 12 |
| 2408 | Hybrid and Adaptive P&O Maximum Power Point Tracking Techniques for PV Generation Systems. Turkish Journal of Computer and Mathematics Education, 2021, 12, 1694-1707. | 0.4 | 1 |
| 2409 | Model Dependent Heuristic Dynamic Programming Approach in Virtual Inertia-Based Grid-Connected Inverters. , 2021, , . | | 0 |
| 2410 | Research on Grid Integration of Wind Power Generation with Power Quality Control Functions. , 2021, , . | | 0 |
| 2411 | Distributed Virtual Time-Based Synchronization for Simulation of Cyber-Physical Systems. ACM Transactions on Modeling and Computer Simulation, 2021, 31, 1-24. | 0.6 | 1 |
| 2412 | Seamless switching power sharing control method in a hybrid DCâ€AC microgrid by the isolated twoâ€stage converter based on SST. IET Power Electronics, 2021, 14, 1384-1396. | 1.5 | 3 |
| 2413 | Coordinate Power Control of DFIGs Based on Virtual Synchronous Machine. , 2021, , . | | 0 |
| 2414 | The Strategy of Active Grid Frequency Support for Virtual Synchronous Generator. Electronics (Switzerland), 2021, 10, 1131. | 1.8 | 2 |
| 2415 | Power Imbalance Mitigation by Grid Impedances under Multiple-Point Inertial Responses of Generations with Different Power Points. , 2021, , . | | 0 |
| 2416 | Dynamic Grid Frequency Support using a Self-Synchronising Grid-Following Inverter. , 2021, , . | | 2 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 2417 | Advances in the design and fabrication of high-performance flow battery electrodes for renewable energy storage. Advances in Applied Energy, 2021, 2, 100016. | 6.6 | 27 |
| 2418 | Energy Transmission Modes and Output Ripple Voltage of Quadratic Buck–Boost Converters with Switched Inductor Network. IETE Journal of Research, 2023, 69, 3808-3821. | 1.8 | 1 |
| 2419 | A Learning-based Optimal Market Bidding Strategy for Price-Maker Energy Storage. , 2021, , . | | 2 |
| 2420 | Generalized Space-Vector-Modulation Method for Soft-Switching Three-Phase Inverters. IEEE Transactions on Power Electronics, 2021, 36, 6030-6045. | 5.4 | 16 |
| 2422 | Phase shift control and controller area network assisted proportional resonant control for grid integration of single phase voltage source inverters. IET Power Electronics, 2021, 14, 1371-1383. | 1.5 | 3 |
| 2423 | Four Port hybrid-converter based on a photovoltaic system and the piezoelectric effect. , 2021, , . | | 1 |
| 2424 | Rational design of nanomaterials for high energy density dielectric capacitors via electrospinning. Energy Storage Materials, 2021, 37, 530-555. | 9.5 | 39 |
| 2425 | Analytical Controller Synthesis Techniques for Integral Dominant Dual-Loop Stationary Frame Voltage Regulators. , 2021, , . | | 3 |
| 2426 | Peer-to-peer energy sharing with dynamic network structures. Applied Energy, 2021, 291, 116831. | 5.1 | 23 |
| 2427 | Modular-Based PV System with Contactless Capacitive Power Transfer Interface. , 2021, , . | | 3 |
| 2428 | Resource misallocation in the Chinese wind power industry: The role of feed-in tariff policy. Energy Economics, 2021, 98, 105236. | 5.6 | 28 |
| 2429 | Multistep Finite Control Set Model Predictive Control of Photovoltaic Power Generation System with Harmonic Compensation. Complexity, 2021, 2021, 1-11. | 0.9 | 0 |
| 2430 | Investigation on Conducted EMI for Single and Parallel Connected Inverters. , 2021, , . | | 3 |
| 2431 | Model Predictive Control of a Three Phase Four Leg LC Filtered Inverter: Reduction of Manufacturing Cost and Simplification of Working Processes. , 2021, , . | | 0 |
| 2432 | Energy flow control in a modular DC-DC converter with energy recovery. , 2021, , . | | 4 |
| 2433 | Characterizations of Resonant Converters Based DC Transformers for Microgrid Application. , 2021, , . | | 2 |
| 2434 | A Comprehensive Study of PV Array Connection Strategy with effect of Temperature to Improve System Efficiency. SKIT Research Journal, 2021, 11, 24. | 0.0 | 0 |
| 2435 | Autoâ€Switching Selfâ€Powered System for Efficient Broadâ€Band Wind Energy Harvesting Based on Dualâ€Rotation Shaft Triboelectric Nanogenerator. Advanced Energy Materials, 2021, 11, 2101194. | 10.2 | 114 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2436 | Enhanced performance of <scp>PMSG</scp> wind turbines during grid disturbance at different network strengths considering fault current limiter. International Transactions on Electrical Energy Systems, 2021, 31, e12985. | 1.2 | 4 |
| 2437 | A Novel Approach for the Calculation of Steady States in Transmission Systems Using Simplified Time-Domain Simulation. , 2021, , . | | 2 |
| 2438 | Maximizing Energy Extraction from Direct Grid Coupled Permanent Magnet Synchronous Generators. , 2021, , . | | 2 |
| 2439 | Smart grid architecture model for control, optimization and data analytics of future power networks with more renewable energy. Journal of Cleaner Production, 2021, 301, 126877. | 4.6 | 92 |
| 2440 | State-Space based Current-Sensorless Finite Control Set - Modulated Model Predictive Control for a 5L-Flying Capacitor Multilevel Converter. , 2021, , . | | 3 |
| 2441 | Joint primary frequency regulation strategy for asynchronous power grids connected by a VSCâ€MTDC system. IET Renewable Power Generation, 2021, 15, 3588-3600. | 1.7 | 1 |
| 2442 | Solving the Unit Commitment and Economic Dispatch Problems by Applying a Novel Weighted Decomposition Method. Computers and Chemical Engineering, 2021, 150, 107337. | 2.0 | 1 |
| 2445 | An adaptive droop technique for load sharing in islanded DC micro grid with faulty communication. EPE Journal (European Power Electronics and Drives Journal), 0, , 1-15. | 0.7 | 2 |
| 2446 | Power Quality in Renewable Energy Microgrids Applications with Energy Storage Technologies: Issues, Challenges and Mitigations. , 0, , . | | 1 |
| 2447 | Optimal Sizing and Energy Management of Microgrids with Vehicle-to-Grid Technology: A Critical Review and Future Trends. Energies, 2021, 14, 4166. | 1.6 | 47 |
| 2448 | Comparative Performance of Multi-Period ACOPF and Multi-Period DCOPF under High Integration of Wind Power. Energies, 2021, 14, 4540. | 1.6 | 9 |
| 2449 | Design of an Energy Management System with Power Fluctuation Mitigation Capability for PV/Wind Hybrid Renewable Energy Sources. , 2021, , . | | 2 |
| 2450 | A multiâ€port MMC topology with reduced capacitor size for use in gridâ€connected PV systems. Energy Science and Engineering, 2021, 9, 2019-2035. | 1.9 | 4 |
| 2451 | Minimização de Perdas na Distribuição de Energia por meio da Injeção de Potência Reativa utilizando Geração Fotovoltaica. , 2021, , . | | 0 |
| 2452 | Shunt Active Power Filter Based on Synchronous Reference Frame Theory Connected to SPV for Power Quality Enrichment. Lecture Notes in Electrical Engineering, 2022, , 281-292. | 0.3 | 3 |
| 2454 | Experimental investigation of Harris Hawk optimizationâ€based maximum power point tracking algorithm for photovoltaic system under partial shading conditions. Optimal Control Applications and Methods, 2023, 44, 577-600. | 1.3 | 7 |
| 2455 | Transient Stability Analysis of Power Systems with the Participation of Wind Parks. , 2021, , . | | 1 |
| 2456 | Active disturbance rejection control based distributed secondary control for a low-voltage DC microgrid. Sustainable Energy, Grids and Networks, 2021, 27, 100515. | 2.3 | 4 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2457 | Thermodynamics, Energy Dissipation, and Figures of Merit of Energy Storage Systems—A Critical Review. Energies, 2021, 14, 6121. | 1.6 | 11 |
| 2458 | Thermodynamic and Economic Assessment on the Supercritical Compressed Carbon Dioxide Energy Storage System coupled with Solar Thermal Storage. Journal of Energy Storage, 2021, 41, 102959. | 3.9 | 28 |
| 2459 | A Min–Max Closed-Loop PLL-GSPWM for Circulating Leakage Currents Attenuation in PV Station. IEEE Transactions on Power Electronics, 2021, 36, 10224-10238. | 5.4 | 4 |
| 2460 | A DC–DC Converter for Green Energy Applications. Engergy Systems in Electrical Engineering, 2022, , 355-370. | 0.5 | 0 |
| 2461 | On the Optimal Selection and Integration of Batteries in DC Grids through a Mixed-Integer Quadratic Convex Formulation. Electronics (Switzerland), 2021, 10, 2339. | 1.8 | 6 |
| 2463 | Phase-Shifted Model Predictive Control to Achieve Power Balance of CHB Converters for Large-Scale Photovoltaic Integration. IEEE Transactions on Industrial Electronics, 2021, 68, 9619-9629. | 5.2 | 19 |
| 2464 | Microgrid protection: A comprehensive review. Renewable and Sustainable Energy Reviews, 2021, 149, 111401. | 8.2 | 90 |
| 2465 | Islanding Detection With Positive Feedback of Selected Frequency for DC Microgrid Systems. IEEE Transactions on Power Electronics, 2021, 36, 11800-11817. | 5.4 | 27 |
| 2466 | Model Predictive Control Based Advanced Switching Strategy for H-Bridge Converter Used in SMES Applications to Obtain Even Loss Sharing. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-6. | 1.1 | 1 |
| 2467 | Comparative economic analysis of low frequency AC transmission system for the integration of large offshore wind farms. Renewable Energy, 2021, 179, 1955-1968. | 4.3 | 21 |
| 2468 | Transmission line protection algorithm based on voltage sequence component under high penetration of inverter-based resources. Electric Power Systems Research, 2021, 201, 107504. | 2.1 | 1 |
| 2469 | Sliding mode control of a dynamic voltage restorer based on PWM AC chopper in three-phase three-wire systems. International Journal of Electrical Power and Energy Systems, 2022, 134, 107480. | 3.3 | 16 |
| 2470 | Ab initio prediction of thermoelectric performance of monolayer transition-metal nitride halides MNBr (M = Zr, Hf). Journal of Physics and Chemistry of Solids, 2022, 161, 110390. | 1.9 | 6 |
| 2471 | Sliding Mode Control for PV Grid-Connected System With Energy Storage. , 2022, , 607-634. | | 0 |
| 2472 | Distributed Event-Triggered Control for Reactive, Unbalanced, and Harmonic Power Sharing in Islanded AC Microgrids. IEEE Transactions on Industrial Electronics, 2022, 69, 1548-1560. | 5.2 | 33 |
| 2473 | A Comparative Study of Pi and Adaptive Pi Controller for SHPF with Power Efficiency Features. International Journal for Research in Applied Science and Engineering Technology, 2021, 9, 213-220. | 0.1 | 0 |
| 2474 | PSO Based Selective Harmonic Elimination PWM for Cascaded H-Bridge Multilevel Inverter. IOP Conference Series: Materials Science and Engineering, 0, 1012, 012054. | 0.3 | 2 |
| 2475 | A Quintupler Boost High Conversion Gain Soft-Switched Converter for DC Microgrid. IEEE Transactions on Circuits and Systems II: Express Briefs, 2022, 69, 1287-1291. | 2.2 | 6 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2476 | State-Space Modeling and Control of Grid-Tied Power Converters With Capacitive/Battery Energy Storage and Grid-Supportive Services. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2023, 11, 234-250. | 3.7 | 20 |
| 2477 | Reliability Importance of Renewable Energy Sources to Overall Generating Systems. IEEE Access, 2021, 9, 20450-20459. | 2.6 | 15 |
| 2478 | Wind Energy System Grid Integration and Grid Code Requirements of Wind Energy System. Green Energy and Technology, 2021, , 247-273. | 0.4 | 4 |
| 2479 | Power Quality Improvement Through Modulation Techniques. Lecture Notes in Electrical Engineering, 2021, , 461-470. | 0.3 | 0 |
| 2480 | Stability Analysis of a Grid-Tied Interlinking Converter System With the Hybrid AC/DC Admittance Model and Determinant-Based GNC. IEEE Transactions on Power Delivery, 2022, 37, 798-812. | 2.9 | 10 |
| 2481 | On the Solution of Equilibrium Points of Power Systems With Penetration of Power Electronics Considering Converter Limitation. IEEE Access, 2021, 9, 67143-67153. | 2.6 | 6 |
| 2482 | Design and Sizing Wind Energy System. , 2021, , 115-157. | | 0 |
| 2483 | Reducing Transmission Losses via Reactive Power Control. Mathematics in Industry, 2021, , 219-232. | 0.1 | 2 |
| 2484 | Impedance-Shaping-Based Stability Control of Point-of-Load Converter Integrated With EMI Filter in DC Microgrids. IEEE Access, 2022, 10, 25034-25043. | 2.6 | 2 |
| 2485 | Synchronization of Delayed Complex Networks on Time Scales via Aperiodically Intermittent Control Using Matrix-Based Convex Combination Method. IEEE Transactions on Neural Networks and Learning Systems, 2023, 34, 2938-2950. | 7.2 | 12 |
| 2486 | Renewable Generation, Integration of. , 2013, , 69-97. | | 1 |
| 2487 | A Policy Proposal for Effective Energy Management. Lecture Notes in Management and Industrial Engineering, 2019, , 297-306. | 0.3 | 1 |
| 2488 | Vortex Search Algorithm for Optimal Sizing of Distributed Generators in AC Distribution Networks with Radial Topology. Communications in Computer and Information Science, 2019, , 235-249. | 0.4 | 6 |
| 2489 | Design of Effective Grid-Connected Solar System. Lecture Notes in Networks and Systems, 2020, , 606-614. | 0.5 | 4 |
| 2490 | Platform for Embedded Systems Design in the Smart Grid Framework. Advances in Intelligent and Soft Computing, 2012, , 593-600. | 0.2 | 4 |
| 2491 | Different Types of Energy Storage Systems: A Literature Survey. Lecture Notes in Electrical Engineering, 2020, , 515-540. | 0.3 | 1 |
| 2492 | Robust Control Design for Linear Systems via Multiplicative Noise. IFAC-PapersOnLine, 2020, 53, 7392-7399. | 0.5 | 8 |
| 2493 | Grid-friendly power control for smart photovoltaic systems. Solar Energy, 2020, 210, 115-127. | 2.9 | 32 |

| ~ | | | <u> </u> | |
|----------|------|------|----------|-----|
| (11 | ΓΑΤΙ | ION. | REPO | JBT |
| <u> </u> | | | TOP I V | |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2495 | Design and prototyping of a new flywheel energy storage system. IET Electric Power Applications, 2017, 11, 1517-1526. | 1.1 | 9 |
| 2496 | Design of a robust current controller for gridâ€connected photovoltaic systems based on cascaded multilevel inverter. IET Renewable Power Generation, 2020, 14, 713-724. | 1.7 | 7 |
| 2497 | Dynamic Phasor Modeling of Single Phase Roof Top PV with Synchronverter Control. , 2020, , . | | 1 |
| 2498 | Interleaved high step-up DC-DC converter with parallel-input series-output configuration and voltage multiplier module. , 2017, , . | | 20 |
| 2499 | Weak Grid Reactive Power Improvement and Voltage Control of MT-HVDC Grid using APF. , 2020, , . | | 4 |
| 2500 | Superimposed Component based Fault Detection Scheme for Multi-port DC Microgrid. , 2020, , . | | 2 |
| 2501 | Learning Optimal Controllers for Linear Systems With Multiplicative Noise via Policy Gradient. IEEE Transactions on Automatic Control, 2021, 66, 5283-5298. | 3.6 | 29 |
| 2502 | Review—Recent Advance in Self-Supported Electrocatalysts for Rechargeable Zinc-Air Batteries. Journal of the Electrochemical Society, 2020, 167, 110564. | 1.3 | 21 |
| 2503 | Wind Energy Fed UPQC System for Power Quality Improvement. Bulletin of Electrical Engineering and Informatics, 2018, 7, 495-504. | 0.6 | 5 |
| 2504 | Theoretical and experimental analysis of photovoltaic module characteristics under different partial shading conditions. International Journal of Power Electronics and Drive Systems, 2020, 11, 1508. | 0.5 | 2 |
| 2505 | A Comparative Analysis of Integrated Boost Flyback Converter using PID and Fuzzy Controller. International Journal of Power Electronics and Drive Systems, 2015, 5, 486. | 0.5 | 3 |
| 2506 | Power Quality Improvement by Solar Photo-voltaic / Wind Energy Integrated System Using Unified Power Quality Conditioner. International Journal of Power Electronics and Drive Systems, 2017, 8, 1416. | 0.5 | 6 |
| 2508 | State-space Modelling and Digital Controller Design for DC-DC Converter. Telkomnika (Telecommunication Computing Electronics and Control), 2016, 14, 497. | 0.6 | 10 |
| 2509 | METODE SINKRONISASI INVERTER SATU FASE DENGAN JARINGAN LISTRIK YANG TERDISTORSI. Telkomnika (Telecommunication Computing Electronics and Control), 2010, 8, 49. | 0.6 | 1 |
| 2510 | Resilience Implications of Energy Storage in Urban Water Systems. Journal of Sustainable Development of Energy, Water and Environment Systems, 2018, 6, 674-693. | 0.9 | 4 |
| 2511 | Review of the Influence of Large-scale Grid-connected Photovoltaic Power Plants on Power Grid. International Journal of Grid and Distributed Computing, 2016, 9, 303-312. | 0.8 | 6 |
| 2512 | Design of a PV Module-Integrated Ćuk Converter Based Isolated Dual Boost Microinverter. Journal of Testing and Evaluation, 2016, 44, 1131-1147. | 0.4 | 13 |
| 2513 | PV Module Integrated Dual Boost Isolated dc-dc Converter Fed Three-Phase Micro-Inverter. Journal of Testing and Evaluation, 2018, 46, 1145-1157. | 0.4 | 6 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2514 | Cost Optimization and Development of Hybrid Energy Systems for Rural Areas in Ethiopia with a Balance of Their Energy Need and Resources Availability (A Case Study—On Tuludimtu). Journal of Testing and Evaluation, 2019, 47, 4141-4160. | 0.4 | 7 |
| 2515 | A 6.6-kV Transformerless Battery Energy Storage System Based on a Cascade Multilevel PWM Converter: Experimental Verification by a 200-V, 10-kW, 3.6-kWh Laboratory Model. IEEJ Transactions on Industry Applications, 2009, 129, 67-76. | 0.1 | 16 |
| 2516 | A Sliding Mode approach into Constant Switching Frequency Direct Power Control of a Grid Connected Voltage Source Converter. International Journal on Electrical Engineering and Informatics, 2015, 7, 42-58. | 0.3 | 4 |
| 2517 | Dynamic Analysis of PMSG Wind Turbine under Variable Wind Speeds and Load Conditions in the Grid Connected Mode. Indian Journal of Science and Technology, 2015, 8, . | 0.5 | 12 |
| 2518 | Comparative Analysis of Harmonic Distortion of a Solar PV Fed Cascaded H-bridge Multilevel Inverter Controlled by FPGA and Diode Clamped Inverter. Indian Journal of Science and Technology, 2015, 8, . | 0.5 | 2 |
| 2519 | Robust Design of System of Systems Using Uncertainty Assessment Based on Lattice Point Approach: Case Study of Distributed Generation System Design in a Japanese Dormitory Town. International Journal of Automation Technology, 2016, 10, 678-689. | 0.5 | 6 |
| 2522 | Fuzzy Logic-Integral Backstepping Control for PV Grid-Connected System with Energy Storage Management. International Journal of Intelligent Engineering and Systems, 2020, 13, 359-372. | 0.8 | 7 |
| 2523 | Power Electronics for Grid Integration of Wind Power Generation System. Journal of Communications Technology Electronics and Computer Science, 0, 9, 10. | 0.0 | 5 |
| 2524 | Wind energy systems and power quality: matrix versus two-level converters. Renewable Energy and Power Quality Journal, 2008, 1, 419-424. | 0.2 | 8 |
| 2525 | An Overview of Carrier-based Modulation Methods for Z-Source Inverter. Power Electronics and Drives, 2019, 4, 15-31. | 0.6 | 6 |
| 2526 | A Review of Renewable Energy Options, Applications, Facilitating Technologies and Recent Developments. European Journal of Sustainable Development Research, 2020, 4, em0138. | 0.4 | 9 |
| 2527 | Modélisation et commande d'une hydrolienne équipée d'une génératrice asynchrone double alimentation. European Journal of Electrical Engineering, 2010, 13, 161-178. | 1.1 | 3 |
| 2528 | Fuzzy PI Controller Based Grid-Connected PV System. International Journal of Soft Computing, 2011, 6, 11-15. | 0.4 | 13 |
| 2529 | Review on design and control of solid state transformer based microgrids. AIMS Energy, 2019, 7, 901-923. | 1.1 | 13 |
| 2530 | Power Management Strategies based on Multi-Agent Systems for Portable Devices Equipped with Renewable Power Sources. , 2012, , 283-302. | | 1 |
| 2531 | A Proposal for a Multi-Agent based Synchronization Method for Distributed Generators in Micro-Grid Systems. EAI Endorsed Transactions on Industrial Networks and Intelligent Systems, 2016, 3, 151160. | 1.5 | 5 |
| 2532 | A Distributed Power Allocation Scheme for Base Stations Powered by Retailers with Heterogeneous Renewable Energy Sources. ETRI Journal, 2016, 38, 746. | 1.2 | 5 |
| 2533 | A Novel Asymmetrical Single-Phase Multilevel Inverter Suitable for Hybrid Renewable Energy Sources. Circuits and Systems, 2016, 07, 932-945. | 0.1 | 5 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2534 | Power Electronics and Its Application to Solar Photovoltaic Systems in India. Energy and Power Engineering, 2016, 08, 76-91. | 0.5 | 3 |
| 2535 | Virtual Synchronous Generator Based Current Synchronous Detection Scheme for a Virtual Inertia Emulation in SmartGrids. Energy and Power Engineering, 2019, 11, 99-131. | 0.5 | 6 |
| 2536 | Smart Grid Communication Technologies. Journal of Power and Energy Engineering, 2016, 04, 1-8. | 0.3 | 30 |
| 2537 | Towards Implementation of Smart Grid: An Updated Review on Electrical Energy Storage Systems. Smart Grid and Renewable Energy, 2013, 04, 122-132. | 0.7 | 28 |
| 2538 | Five Level Cascaded H-Bridge D-STATCOM using a new Fuzzy and PI Controllers model for Wind Energy Systems. Advances in Electrical and Computer Engineering, 2017, 17, 49-58. | 0.5 | 11 |
| 2539 | On the impact of non-Gaussian wind statistics on wind turbines – an experimental approach. Wind Energy Science, 2017, 2, 1-13. | 1.2 | 29 |
| 2540 | An Optimal Design Methodology of an Interleaved Boost Converter for Fuel Cell Applications. Journal of Electrical Engineering and Technology, 2010, 5, 319-328. | 1.2 | 60 |
| 2541 | Fault Diagnosis and Fault-Tolerant Control of DC-link Voltage Sensor for Two-stage Three-Phase Grid-Connected PV Inverters. Journal of Electrical Engineering and Technology, 2013, 8, 752-759. | 1.2 | 7 |
| 2542 | Model Predictive Control of Bidirectional AC-DC Converter for Energy Storage System. Journal of Electrical Engineering and Technology, 2015, 10, 165-175. | 1.2 | 51 |
| 2543 | DC Microgrid Operational Method for Enhanced Service Reliability Using DC Bus Signaling. Journal of Electrical Engineering and Technology, 2015, 10, 452-464. | 1.2 | 18 |
| 2544 | Peak-Valley Current Mode Controlled H-Bridge Inverter with Digital Slope Compensation for Cycle-by-Cycle Current Regulation. Journal of Electrical Engineering and Technology, 2015, 10, 1989-2000. | 1.2 | 8 |
| 2545 | Comprehensive Evaluation of Impacts of Connecting Distributed Generation to the Distribution Network. Journal of Electrical Engineering and Technology, 2017, 12, 621-631. | 1.2 | 4 |
| 2546 | Lightning Protection for Buildings Energized by Renewable Energy Sources. Elektronika Ir Elektrotechnika, 2011, 112, . | 0.4 | 2 |
| 2547 | Implementation of a Smart Grid Inverter through Embedded Systems. Elektronika Ir Elektrotechnika, 2013, 19, . | 0.4 | 2 |
| 2548 | Modelling and Control Design of Pitch-Controlled Variable Speed Wind Turbines. , 0, , . | | 12 |
| 2549 | Active Frequency with a Positive Feedback Anti-Islanding Method Based on a Robust PLL Algorithm for Grid-Connected PV PCS. Journal of Power Electronics, 2011, 11, 360-368. | 0.9 | 24 |
| 2550 | Dual-Loop Power Control for Single-Phase Grid-Connected Converters with LCL Filter. Journal of Power Electronics, 2011, 11, 456-463. | 0.9 | 15 |
| 2551 | Improved LVRT Capability and Power Smoothening of DFIG Wind Turbine Systems. Journal of Power Electronics, 2011, 11, 568-575. | 0.9 | 24 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2552 | Compensation Strategy to Eliminate the Effect of Current Measurement Offsets in Grid-Connected Inverters. Journal of Power Electronics, 2014, 14, 383-391. | 0.9 | 9 |
| 2553 | Stability and Performance Investigations of Model Predictive Controlled Active-Front-End (AFE) Rectifiers for Energy Storage Systems. Journal of Power Electronics, 2015, 15, 202-215. | 0.9 | 37 |
| 2554 | Power Quality Improvement in Autonomous Microgrids Using Multi-functional Voltage Source Inverters: A Comprehensive Review. Journal of Power Electronics, 2015, 15, 1054-1065. | 0.9 | 33 |
| 2555 | Analysis and Implementation of a DC-DC Converter for Hybrid Power Supplies Systems. Journal of Power Electronics, 2015, 15, 1438-1445. | 0.9 | 5 |
| 2556 | On DC-Side Impedance Frequency Characteristics Analysis and DC Voltage Ripple Prediction under Unbalanced Conditions for MMC-HVDC System Based on Maximum Modulation Index. Journal of Power Electronics, 2016, 16, 319-328. | 0.9 | 5 |
| 2557 | A Modular Bi-Directional Power Electronic Transformer. Journal of Power Electronics, 2016, 16, 399-413. | 0.9 | 4 |
| 2558 | A Quantitative Evaluation and Comparison of Harmonic Elimination Algorithms Based on Moving Average Filter and Delayed Signal Cancellation in Phase Synchronization Applications. Journal of Power Electronics, 2016, 16, 717-730. | 0.9 | 21 |
| 2559 | A Resonant Characteristics Analysis and Suppression Strategy for Multiple Parallel Grid-connected Inverters with LCL Filter. Journal of Power Electronics, 2016, 16, 1483-1493. | 0.9 | 5 |
| 2560 | A Novel Fast Open-loop Phase Locking Scheme Based on Synchronous Reference Frame for Three-phase Non-ideal Power Grids. Journal of Power Electronics, 2016, 16, 1513-1525. | 0.9 | 31 |
| 2561 | Improved Decoupled Control and Islanding Detection of Inverter-Based Distribution in Multibus Microgrid Systems. Journal of Power Electronics, 2016, 16, 1526-1540. | 0.9 | 6 |
| 2562 | Seamless Transfer of Single-Phase Utility Interactive Inverters with a Synchronized Output Regulation Strategy. Journal of Power Electronics, 2016, 16, 1821-1832. | 0.9 | 4 |
| 2563 | First-order Generalized Integrator Based Frequency Locked Loop and Synchronization for Three-Phase Grid-connected Converters under Adverse Grid Conditions. Journal of Power Electronics, 2016, 16, 1939-1949. | 0.9 | 3 |
| 2564 | A Novel Switched Capacitor High Step-up dc/dc Converter Using a Coupled Inductor with its Generalized Structure. Journal of Power Electronics, 2017, 17, 579-589. | 0.9 | 7 |
| 2565 | An Improved Control Method for Power Conversion System under a Weak Grid by the Adoption of Virtual Resistors. Journal of Power Electronics, 2017, 17, 756-765. | 0.9 | 8 |
| 2566 | Model Predictive Control Based on System Identificationof Photovoltaic Grid Connected Inverter. International Journal of Information and Electronics Engineering, 2012, , . | 0.2 | 2 |
| 2567 | Smart Home Electricity Management in the Context of Local Power Resources and Smart Grid. Journal of Clean Energy Technologies, 0, , 73-79. | 0.1 | 4 |
| 2568 | Improving performance of DF Induction Generator SMES. IOSR Journal of Electrical and Electronics Engineering, 2014, 9, 09-18. | 0.0 | 1 |
| 2569 | Power Quality Improvement of an Isolated Wind Power Generation System. IOSR Journal of Electrical and Electronics Engineering, 2014, 9, 33-50. | 0.0 | 3 |

| ~ | | | <u> </u> | |
|------|-----|----|----------|-----|
| (15 | ГАТ | ON | REPC | TDT |
| | | | NLFC | ואנ |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2570 | Enhanced DC-Link Voltage Dynamics for Grid-Connected Converters. IEEE Transactions on Industrial Electronics, 2022, 69, 10787-10796. | 5.2 | 3 |
| 2571 | Effects of Converter Harmonic Voltages on Transformer Insulation Ageing and an Online Monitoring Method for Interlayer Insulation. IEEE Transactions on Power Electronics, 2022, 37, 3504-3514. | 5.4 | 9 |
| 2572 | An Adaptive Parameter-Based Control Technique of Virtual Synchronous Generator for Smooth Transient Between Islanded and Grid-Connected Mode of Operation. IEEE Access, 2021, 9, 137322-137337. | 2.6 | 4 |
| 2573 | Implementation of Power Balance Control Scheme for a Cascaded Matrix-Based Dual-Active-Bridge (CMB-DAB) MVAC-LVDC Converter. IEEE Transactions on Industry Applications, 2022, 58, 388-399. | 3.3 | 19 |
| 2574 | An Improved Model of Voltage Source Converters for Power System Harmonic Studies. IEEE Transactions on Power Delivery, 2022, 37, 3051-3061. | 2.9 | 9 |
| 2575 | An Improved WAMS Framework for Multi-modal Oscillation Detection in a Power Electronics Dominated Power System. , 2021, , . | | 0 |
| 2576 | Third Generation Of Flywheels: A Promising Substitute To Batteries. Eletrônica De Potência, 2008, 13, 171-176. | 0.1 | 7 |
| 2577 | EMC issues for wind turbines. Renewable Energy and Power Quality Journal, 2009, 1, 489-494. | 0.2 | 0 |
| 2578 | Three-Phase 4-Wire Isolated Wind Energy Conversion System Employing VSC with a T-Connected Transformer for Neutral Current Compensation. Journal of Electrical Engineering and Technology, 2009, 4, 211-218. | 1.2 | 1 |
| 2579 | DESIGN AND SIMULATION OF MARINE AND TIDAL CURRENT CONVERTERS USING DC-DC BOOST CONVERTER. JES Journal of Engineering Sciences, 2009, 37, 1145-1155. | 0.0 | 0 |
| 2581 | Global Optimization of Wind Farms Using Evolutive Algorithms. Green Energy and Technology, 2010, , 53-104. | 0.4 | 1 |
| 2582 | Dynamic Behaviour of an Hybrid Wind – Fuel Cell Generation System: Active and Reactive Power Control. Renewable Energy and Power Quality Journal, 2010, 1, 1038-1042. | 0.2 | 0 |
| 2583 | Modelling and Simulation of a Wind Energy System with Fractional Controllers. Renewable Energy and Power Quality Journal, 2010, 1, 153-158. | 0.2 | 2 |
| 2584 | Enhancing the Performance of the Marine and Tidal Current Converters Using DC-DC Boost Converter. The International Conference on Electrical Engineering, 2010, 7, 1-10. | 0.0 | 0 |
| 2585 | A Novel Approach Grid-Connected PV System Employing PID Controller. I-manager's Journal on Electrical Engineering, 2010, 3, 15-21. | 0.3 | 1 |
| 2586 | Energy Harvesting (Multi Harvesting Power Chip). , 2011, , 37-91. | | 1 |
| 2588 | Discrete Wavelet Transforms for Synchronization of Power Converters Connected to Electrical Grids. , 0, , . | | 0 |
| 2589 | A photovoltaic power unit providing ancillary services for smart distribution networks. Renewable Energy and Power Quality Journal, 0, , 447-452. | 0.2 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2590 | Design and Development of Hybrid Multilevel Inverter employing Dual Reference Modulation Technique for Fuel Cell Applications. International Journal of Power Electronics and Drive Systems, 2011, 1, . | 0.5 | 8 |
| 2591 | Implementation of Pmsg Based Wind Turbine Generator Using With and Without Quasi Z-Source Inverter for Application of Grid System. Indian Journal of Applied Research, 2011, 4, 171-173. | 0.0 | 0 |
| 2592 | Potential Applications and Impact of Most-Recent Silicon Carbide Power Electronics in Wind Turbine Systems. Green Energy and Technology, 2012, , 81-109. | 0.4 | 0 |
| 2593 | THD Reduction in Multilevel Inverters Using Real-Time Algorithm. IOSR Journal of Computer Engineering, 2012, 8, 01-12. | 0.1 | 4 |
| 2594 | Grid-Fault Ride-Through Control Method for a Wind Turbine Inverter. Power Systems, 2012, , 543-563. | 0.3 | 0 |
| 2595 | Desing and Implementation of PV System using Quasi Z-Source Inverter for Distributed Applications. Paripex-indian Journal of Research, 2012, 3, 64-67. | 0.0 | 0 |
| 2596 | Hybrid Damping in Higher Order Line Side Filter in Active Front-end Operation. International Journal of Computer and Electrical Engineering, 2012, , 218-222. | 0.2 | 0 |
| 2597 | An Approach to Sustainable Electric Power Allocation Using a Multi-round Multi-unit Combinatorial Auction. Lecture Notes in Computer Science, 2012, , 48-63. | 1.0 | 2 |
| 2598 | Renewable Generation, Integration of. , 2012, , 8979-9000. | | 0 |
| 2599 | Voltage Regulation and Stability Analysis of a Photovoltaic System with a Boost Converter Interface. , 2012, , . | | 0 |
| 2600 | Modeling and Simulation Analysis of Seven Level Cascaded Multi String Inverters for Grid Integrated Systems. IOSR Journal of Engineering, 2012, 02, 191-196. | 0.1 | 0 |
| 2601 | ENHANCEMENT OF FAULT RIDE THROUGH CAPABILITY OF A WIND DRIVEN DFIG CONNECTED TO THE GRID. JES Journal of Engineering Sciences, 2012, 40, 503-531. | 0.0 | 0 |
| 2602 | A Contribution to Isolated and Grid-Connected Photovoltaic Systems under Shadow Conditions. Renewable Energy and Power Quality Journal, 0, , 1112-1117. | 0.2 | 0 |
| 2603 | High Frequency Model of PV Systems for the Evaluation of Ground Currents. Renewable Energy and Power Quality Journal, 0, , 1538-1543. | 0.2 | 1 |
| 2605 | Tracking and Linkage Control Methods of Distributed Generation Based on Passivity Characteristics: Tolerance to Voltage Sag. IEEJ Transactions on Industry Applications, 2013, 133, 685-691. | 0.1 | 0 |
| 2606 | A Method to Determine Minimum DC-Link Capacitance in PWM Rectifier-Inverter Systems. IEEJ Transactions on Industry Applications, 2013, 133, 804-811. | 0.1 | 5 |
| 2607 | Study of Control Strategy of the Converter in Solar Photo-voltaic Power System. Energy and Power Engineering, 2013, 05, 205-208. | 0.5 | 0 |
| 2608 | Power Converter Topology for Permanent Magnet Wind Generator System. IOSR Journal of Engineering, 2013, 03, 43-51. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2609 | Power Quality Improvement In Grid Connected Windenergy System Using Statcom. I-manager S Journal on Circuits and Systems, 2013, 1, 22-26. | 0.1 | 0 |
| 2611 | Optimal Power Sharing of an Inverter-Based Autonomous Microgrid. Renewable Energy and Power Quality Journal, 0, 1, 116-121. | 0.2 | 1 |
| 2612 | Stability Analysis of Distributed Multi-Converter System. Renewable Energy and Power Quality Journal, 0, , 1047-1053. | 0.2 | 4 |
| 2614 | POWER QUALITY IMPROVEMENT OF GRID INTERCONNECTED DISTRIBUTION SYSTEM USING FSS-LMS ALGORITHM. International Journal of Research in Engineering and Technology, 2013, 02, 950-954. | 0.1 | 0 |
| 2615 | Simulation Models and Stability of PV Grid-Connected Power System Based on PSASP. Lecture Notes in Electrical Engineering, 2014, , 125-134. | 0.3 | 0 |
| 2616 | OPTIMAL DESIGN OF MICROGRID IN AN AUTONOMOUS MODE USING ANTCOLONY OPTIMIZATION. International Journal of Electronic Signal and Systems, 2013, , 14-18. | 0.1 | 0 |
| 2617 | Five-level Inverter Fed Five-phase Induction Motor Drive. ERJ Engineering Research Journal, 2013, 36, 217-223. | 0.1 | 0 |
| 2618 | The Modified Control Method of Boost Converter for PV System in DCM. The Transactions of the Korean Institute of Power Electronics, 2013, 18, 297-304. | 0.1 | 0 |
| 2619 | Module Integrated Converter for Photovoltaic Applications with Different Control Strategies. , 2013, , \cdot | | 0 |
| 2620 | Low-Cost Hybrid Systems of Renewable Energy. Green Energy and Technology, 2014, , 247-293. | 0.4 | 0 |
| 2621 | Reverse Voltage Multilevel Inverter for Photovoltaic System with Fuzzy logic based MPPT Controller. IOSR Journal of Electrical and Electronics Engineering, 2014, 9, 116-122. | 0.0 | 0 |
| 2622 | A Control Strategy for Single-phase Grid-Connected Inverter with Power Quality Regulatory Function. TELKOMNIKA Indonesian Journal of Electrical Engineering, 2013, 12, . | 0.1 | 3 |
| 2623 | Power Quality Improvement Strategy for Wind Energy Conversion System. Journal of Power and Energy Engineering, 2014, 02, 186-192. | 0.3 | 0 |
| 2625 | A Single-Phase Bidirectional Inverter with Two Buck/Boost MPPTs for DC- Distribution Applications. SSRG International Journal of Engineering Trends and Technology, 2014, 10, 429-434. | 0.3 | 2 |
| 2626 | Improved DPC Strategy of Grid-connected Inverters under Unbalanced and Harmonic Grid Conditions. Journal of International Conference on Electrical Machines and Systems, 2014, 3, 169-175. | 0.3 | 0 |
| 2627 | Analysis of Output DC Current Injection in Grid Connected Inverters. International Journal of Advanced Research in Electrical Electronics and Instrumentation Engineering, 2014, 03, 11905-11911. | 0.0 | 0 |
| 2628 | TRANSIENT STABILITY ANALYSIS OF DISTRIBUTED GENERATION. International Journal of Research in Engineering and Technology, 2014, 03, 94-102. | 0.1 | 2 |
| 2629 | A Low Harmonic Drive System using ZSI for a Variable Speed Wind Turbine. SSRG International Journal of Engineering Trends and Technology, 2014, 17, 315-321. | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2630 | Cascaded Dual Buck Inverter with Sensorless Current Control Method for Grid Connected Photovoltaic Systems. Lecture Notes in Electrical Engineering, 2015, , 1047-1056. | 0.3 | 1 |
| 2632 | A NOVEL High Step-Up Converter with a Voltage Multiplier Module for a Photovoltaic System. International Journal of Advanced Research in Electrical Electronics and Instrumentation Engineering, 2014, 03, 12886-12893. | 0.0 | 0 |
| 2633 | The FHA Analysis of Dual-Bridge LLC Type Resonant Converter. International Journal of Power Electronics and Drive Systems, 2014, 4, . | 0.5 | 0 |
| 2634 | Hydroelectric Power Systems: Small-Scale. , 2014, , 954-968. | | 0 |
| 2635 | Sinusoidal PWM Based Cascaded H-bridge Five Level Inverter Using Fuzzy Logic Controller. Journal of Applied Sciences, 2014, 14, 3486-3492. | 0.1 | 1 |
| 2637 | A New Robust Hâ^ž Control Power. Advances in Computational Intelligence and Robotics Book Series, 2015, , 601-623. | 0.4 | 3 |
| 2638 | MPPT ALGORITHM BASED ON PARTICLE SWARM OPTIMIZATION WITH NATURAL SELECTION. , 0, , . | | 1 |
| 2639 | Promising Topologies and Power Devices for Wind Power Converter. Research Topics in Wind Energy, 2015, , 19-29. | 0.2 | 2 |
| 2640 | Robust Fuzzy-Second Order Sliding Mode based Direct Power Control for Voltage Source Converter. International Journal of Advanced Computer Science and Applications, 2015, 6, . | 0.5 | 7 |
| 2641 | Wind Energy Conversion System Integrated with Grid under Variable Speed Scenario. International Journal of Advanced Research in Electrical Electronics and Instrumentation Engineering, 2015, 04, 547-558. | 0.0 | 2 |
| 2642 | Soft Switching Boost Converter Solution for Increase the Efficiency of Solar Energy Systems. TELKOMNIKA Indonesian Journal of Electrical Engineering, 2015, 13, . | 0.1 | 2 |
| 2643 | DESIGN AND DEVELOPMENT OF GRID TIE INVERTER WITH CLOSED LOOP SPWM SINGLE STAGE THREE SWITCH SYNCHRONIZED AND BUCK-BOOST PRINCIPLE. International Journal of Research in Engineering and Technology, 2015, 04, 561-565. | 0.1 | 0 |
| 2644 | Push-Pull Converter Fed Three-Phase Inverter for Residential and Motor Load. International Journal of Power Electronics and Drive Systems, 2015, 6, 260. | 0.5 | 0 |
| 2645 | Impedance Matching Method in Two-Stage Converters for Single Phase PV-Grid System. International Journal of Electrical and Computer Engineering, 2015, 5, 626. | 0.5 | 6 |
| 2647 | Trendy doboru materiaÅ,ów magnetycznych dla wysokoczÄ™stotliwoÅ›ciowych falowników sieciowych wspóÅ,pracujÄcych ze źródÅ,ami energii odnawialnej Przeglad Elektrotechniczny, 2015, 1, 243-248. | 0.1 | 0 |
| 2648 | An Algorithm for Even Distribution of Loss, Switching Frequency, Power of Model Predictive Control Based Cascaded H-bridge Multilevel Converter. The Transactions of the Korean Institute of Power Electronics, 2015, 20, 448-455. | 0.1 | 0 |
| 2649 | Interleaved High Voltage Gain DC/DC Converter with Diode-Capacitor Multiplier and Coupled Inductors. , 2016, , . | | 0 |
| 2650 | Micro-accounting for Optimizing and Saving Energy in Smart Buildings. Lecture Notes in Business Information Processing, 2016, , 143-154. | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2651 | Design and Implementation of ANFIS Controller Based Grid Connected Voltage Source Inverters in RTOS Environment. Circuits and Systems, 2016, 07, 2452-2466. | 0.1 | 0 |
| 2652 | Renewable Energy Investment Risk Analysis for Low-Carbon City Development in Yokohama. , 2016, , 7-35. | | 1 |
| 2653 | Analysis and Design of Single Switch Hybrid Step-Up Converter. Circuits and Systems, 2016, 07, 211-221. | 0.1 | 0 |
| 2654 | Solar PV System for Energy Conservation Incorporating an MPPT Based on Computational Intelligent Techniques Supplying Brushless DC Motor Drive. Circuits and Systems, 2016, 07, 1635-1652. | 0.1 | 5 |
| 2655 | Multi-Level Inverter with a Full-Bridge Clamp Circuit for a Single-Phase Three-Wire Grid. IEEJ Transactions on Industry Applications, 2016, 136, 944-952. | 0.1 | 0 |
| 2656 | Modulation, Harmonic Analysis, and Balancing Control for a New Modular Multilevel Converter. Journal of Power Electronics, 2016, 16, 163-172. | 0.9 | 1 |
| 2657 | Modified Diode Assisted Extended Boost Quasi Z-Source Inverter for PV Applications. Circuits and Systems, 2016, 07, 3271-3284. | 0.1 | 1 |
| 2658 | Intelligent-Based Maximum Power Extraction on Grid-Integrated Multilevel Inverter-Fed Wind-Driven Induction Generators. Circuits and Systems, 2016, 07, 2551-2567. | 0.1 | 0 |
| 2659 | Enhanced Performance of Doubly Fed Induction Generator based Grid Connected Wind Energy Conversion System. International Journal of Engineering Research & Technology, 2016, V5, . | 0.2 | 0 |
| 2660 | Aneffective Analysis between Pi and Fuzzy Controllers when Operated Through a Five Level Grid Tied Photo-Voltaic Inverter. International Journal of Electrical and Electronics Engineering, 2016, 3, 1-5. | 0.1 | 0 |
| 2661 | Experimental Verification of a Module-Integrated Isolated Coupled-Inductor-Based dc–dc Boost-Converter-Fed Micro-Inverter. Journal of Testing and Evaluation, 2017, 45, 20150451. | 0.4 | 4 |
| 2663 | High Gain Coupled Inductor-Based Dc/Dc Converter For Offshore Wind Energy Systems. International Journal of Engineering and Computer Science, 0, , . | 0.2 | 0 |
| 2664 | 4. Voltage Stability. , 2016, , 115-152. | | 0 |
| 2665 | Centralized Smart Home Framework Monitoring for Power Savings. Journal of Information Technology and Computer Science, 2017, 1, 98. | 0.2 | 0 |
| 2666 | The Simulation Study of a Restructured Residential Low-Voltage Distribution System Microgrid. Journal of Engineering Research, 2017, 13, 103. | 0.2 | 1 |
| 2667 | A New Robust Hâ^ž Control Power. , 2017, , 1695-1718. | | 1 |
| 2668 | Novel Power Converter Topologies for Permanent Magnet Synchronous Generators (PMSG) Used in Wind Energy Conversion Systems WECS. International Journal of Simulation: Systems, Science and Technology, 0, , . | 0.0 | 0 |
| 2669 | Deadbeat Controller based Transformerless Inverter for Grid Tied PV System with Reactive Power Control. International Journal of Engineering Research & Technology, 2017, V6, . | 0.2 | 0 |

| | CITATION R | EPORT | |
|-----------|---|-------|-----------|
| # 2670 | ARTICLE Analysis of the single-phase photovoltaic grid-connected cascaded H-bridge multilevel inverters. | IF | CITATIONS |
| 2670 | International Journal of Advanced Technology and Engineering Exploration, 2017, 4, 108-116. Review on Power Electronics Circuits in Renewable Energy Systems. Smart Moves Journal Ijoscience, 2017, 3, . | 0.6 | 1 |
| 2672 | Application Scenarios. , 2018, , 93-104. | | 0 |
| 2673 | Superconducting Magnetic Energy Storage, a Promising FACTS Device for Wind Energy Conversion Systems. Recent Advances in Renewable Energy, 2017, , 49-86. | 0.0 | 0 |
| 2674 | Applications of Unified Power Flow Controller in Wind Energy Conversion System. Recent Advances in Renewable Energy, 2017, , 17-48. | 0.0 | 0 |
| 2675 | Optimal Regulation of Energy Delivery for Community Microgrids Based on Constraint Satisfaction and Multi-agent System. Lecture Notes in Networks and Systems, 2018, , 162-178. | 0.5 | 1 |
| 2676 | Power Quality Improvement by Using Statcom Control Scheme in Wind Energy Generation Interface to Grid. Journal of Contemporary Urban Affairs, 2017, 1, 31-37. | 0.5 | 0 |
| 2677 | Sliding Droop Control For Distributed Generation In Microgrids. Eletrônica De Potência, 2024, 22, 429-439. | 0.1 | 2 |
| 2678 | Magnetic Inrush Current in Distributed Photovoltaic Grid Power Transformers. , 2017, , 143-149. | | 0 |
| 2679 | Fotovoltaik Panel ile Beslenen Adım Motorunun PIC Denetleyici Kullanarak Adım Açısının Kontrol Tasarım ve Uygulaması. Nevşehir Bilim Ve Teknoloji Dergisi, 2017, 6, 633-642. | 0.1 | 0 |
| 2680 | Eddy Current and Stray Loss Calculations of Distributed Photovoltaic Grid Power Transformer. , 2017, , 151-154. | | 0 |
| 2681 | Photovoltaic Array Modeling under Uniform Irradiation and Partial Shading Condition. International Journal of Applied Power Engineering (IJAPE), 2017, 6, 144. | 0.1 | 1 |
| 2682 | A review of tools, models and techniques for long-term assessment of distribution systems using OpenDSS and parallel computing. AIMS Energy, 2018, 6, 764-800. | 1.1 | 4 |
| 2683 | PERFORMACE EVALUATION OF SOLAR PHOTOVOLTAIC PUMP FOR OPERATING OF LANDSCAPE SYSTEM. Arab Universities Journal of Agricultural Sciences, 2018, 26, 171-182. | 0.0 | 0 |
| 2684 | Fuzzy Logic Controller for grid connected Wind Energy Conversion System. Indonesian Journal of Electrical Engineering and Informatics, 2018, 6, . | 0.3 | 2 |
| 2685 | Grid interconnection of renewable energy sources at distribution level with power quality improvement features. International Journal of Recent Trends in Engineering and Research, 0, , 103-108. | 0.1 | 1 |
| 2686 | Review of DC Offset Compensation Techniques for Grid Connected Inverters. International Journal of Power Electronics and Drive Systems, 2018, 9, 478. | 0.5 | 2 |
| 2687 | Particle swarm optimization of the multioscillatory LQR for a three-phase grid-tie converter. Przeglad Elektrotechniczny, 2018, 1, 45-50. | 0.1 | 2 |

| | CITATION | Report | |
|-----------|--|-----------|-----------|
| # 2688 | ARTICLE Fault Ride through Capability Improvement of DFIG Using SMES Unit during Short Circuit. | IF 0.7 | Citations |
| 2689 | International Journal of Mechanical Engineering and Robotics Research, 2019, , 443-448. Existing Enabling Technologies and Solutions for Energy Management in IoT. Studies in Systems, Decision and Control, 2019, , 19-47. | 0.8 | 1 |
| 2690 | Rudiment of energy internet: coordinated power dispatching of intra―and interâ€Iocal area packetisedâ€power networks. IET Smart Grid, 2019, 2, 214-223. | 1.5 | 3 |
| 2691 | Modeling and simulation of a grid-connected PV system under varying environmental conditions. International Journal of Energy Applications and Technologies, 2019, 6, 17-23. | 0.1 | 2 |
| 2692 | Analysis and Verification of the Stability for PV Series-Connected Power Optimizer System. , 2019, , . | | 2 |
| 2693 | DC Component Mitigation Utilizing BP-PI and Repetitive Control in Transformless Grid-Connected Inverters. , 2019, , . | | 1 |
| 2694 | A SIMPLE SELF-CLAMPED HIGH STEP-UP DC-DC CONVERTER EMPLOYING COUPLED INDUCTOR. Eletrônica De Potência, 2019, 24, 204-213. | e 0.1 | 0 |
| 2695 | Modified Instantaneous Power Theory and Fuzzy Logic Based Controller for Grid-connected Hybrid Renewable Energy System with Shunt Active Power Filter Functionality. International Journal on Electrical Engineering and Informatics, 2019, 11, 373-388. | 0.3 | 1 |
| 2696 | Power applications for fuel-cell using switching regulators. Indonesian Journal of Electrical Engineering and Computer Science, 2019, 15, 71. | 0.7 | 1 |
| 2697 | Calculation of Photovoltaic Systems Connection to the Supply Line with Distributed Load. Smart Innovation, Systems and Technologies, 2020, , 597-608. | 0.5 | 1 |
| 2698 | A Comparative Analysis of The New Excitation Controlled Synchronous Generator-Based Wind Turbine. Scientia Iranica, 2019, . | 0.3 | 0 |
| 2699 | LQR controller with an integral action for Z-source DC-DC converter. Przeglad Elektrotechniczny, 2019, 1, 91-95. | 0.1 | 0 |
| 2700 | Sliding Mode Control of Three-Phase Power Converters. Studies in Systems, Decision and Control, 2020, , 185-205. | 0.8 | 1 |
| 2701 | Power Quality Disturbance Classification Based on Using Root Sum Square. , 2019, , . | | 0 |
| 2702 | Estimating Capacitor Health Connected in Solar Power System Using Wavelet Transform. Lecture Notes in Electrical Engineering, 2020, , 239-250. | 0.3 | 0 |
| 2703 | Modified Droop Control Strategy for Load Sharing and Circulating Current Minimization in Low-Voltage Standalone DC Microgrid. Lecture Notes in Electrical Engineering, 2020, , 57-74. | 0.3 | 0 |
| 2704 | DESIGN OF WIND TURBINE SYSTEM INTEGRATED WITH BATTERY ENERGY STORAGE SYSTEM. Journal of Electrical Engineering and Automation, 2019, 1, 72-82. | 0.7 | 5 |
| 2705 | Design and Experimental Investigation of Modified Switched Coupled Inductor Quasi Z-Source Cascaded Multilevel Inverter. Gazi University Journal of Science, 2020, 33, 365-379. | 0.6 | 3 |

| | | CITATION REPORT | | |
|-----------|--|-----------------------------|-----|-----------|
| # 2706 | ARTICLE Reactive Power Control for Grid Connected PV System based on German Grid Code. , 20 | 20, , . | IF | CITATIONS |
| 2707 | A performance comparison of transformer-less grid tied PV system using diode clamped point shorted inverters. International Journal of Power Electronics and Drive Systems, 20 | and neutral 20, 11, 702. | 0.5 | 1 |
| 2708 | Indirect Power Control Strategy for PV System connected to Grid. , 2020, , . | | | 1 |
| 2709 | COMPENSATION OF OSCILLATING INSTANTANEOUS POWER IN MODERN MICROGRIDS CONSERVATIVE POWER THEORY. Eletră'nica De Potăªncia, 2020, 25, 261-271. | BASED ON THE | 0.1 | 0 |
| 2710 | Grid Voltage Modulated Direct Power Control (DPC) for Grid Connected Voltage Source with Band Pass Filter. International Journal for Research in Applied Science and Engineeri Technology, 2020, 8, 945-953. | | 0.1 | 0 |
| 2711 | THD Reduction of Inverters in Photovoltaic Power Systems. Mìkrosistemi, Elektronìk 2020, 25, 18-24. | a Ta Akustika, | 0.2 | 1 |
| 2712 | Sliding Mode Control based on Power Information of Boost Converter for Voltage Regula | ator. , 2020, | | 0 |
| 2713 | Research on Deep Belief Network of Wind Power Control Management Unit Based on At Identification. Journal of Physics: Conference Series, 2020, 1646, 012120. | tack | 0.3 | 0 |
| 2714 | Dual Operating Modes of Quasi Z-source Inverter with Seamless Transition. , 2020, , . | | | 1 |
| 2715 | A Survey on Demand Response in Smart Power Distribution Systems. , 2020, , . | | | 3 |
| 2716 | Three-Phase Split Delta-Source Inverter: Operating Principles and Modulation. , 2020, , . | | | 2 |
| 2717 | Research on Winding Methods of Multi-output Solid-State Transformer Considering the Power Electronic Converters. , 2020, , . | Impact of | | 0 |
| 2718 | Demand Response in Smart Residential Buildings. Algorithms for Intelligent Systems, 20. | 21, , 361-390. | 0.5 | 0 |
| 2719 | Implementation of Wind Energy System Using Interleaved Boost Converter and Static Sy Compensator. Journal of Computational and Theoretical Nanoscience, 2020, 17, 5307-5 | vnchronous 314. | 0.4 | 0 |
| 2720 | Hybrid Renewable Resource Power Generation using Back to Back Voltage Source Conve Output Regulation. , 2020, , 297-302. | rter with | | 0 |
| 2721 | Distributed Generators based DSTATCOM and its Harmonic Assessment. , 2020, , . | | | 0 |
| 2722 | Modeling, Simulation and Stability Analysis of Multilevel Inverter Control for Grid Connec Distributed Generation. , 2020, , 232-236. | ted | | 0 |
| 2723 | Monitoring area screening of AC system to improve embedded VSCâ€HVDC operation e Generation, Transmission and Distribution, 2021, 15, 1031-1042. | fficiency. IET | 1.4 | 1 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2724 | Optimal Voltage Regulation Scheme for PV-Rich Distribution Systems Interconnected with D-STATCOM. Electric Power Components and Systems, 2020, 48, 2130-2143. | 1.0 | 7 |
| 2725 | A Review of the Optimization and Control Strategies for Fuel Cell Power Plants in a Microgrid Environment. IEEE Access, 2021, 9, 146900-146920. | 2.6 | 13 |
| 2726 | Determining the Type and Size of Energy Storage Systems to Smooth the Power of Renewable Energy Resources. , 2020, , 29-59. | | 1 |
| 2727 | Modelling and analysis of autonomous microgrid using DlgSILENT software. AIP Conference Proceedings, 2020, , . | 0.3 | 1 |
| 2728 | Three-Switch-Based Integrated Dual-DC Boost Converter Topology for Solar-Battery Integration. , 2020, , . | | 3 |
| 2729 | The Impact of Incorporating Wind Energy in the Electric Grid. , 2020, , . | | 2 |
| 2730 | Sliding Mode Control for PV Grid-Connected System With Energy Storage. Advances in Information Security, Privacy, and Ethics Book Series, 2020, , 168-199. | 0.4 | 0 |
| 2731 | MPPT-Based Inverter Control of Grid-Connected PV–Wind Hybrid Power System. Lecture Notes in Electrical Engineering, 2020, , 43-55. | 0.3 | 0 |
| 2732 | Three-Phase Renewable Energy Inverter: Control, Real-Time Simulation and Experimental Results. Journal of Engineering and Applied Sciences, 2020, 15, 1407-1420. | 0.2 | 0 |
| 2733 | Human Metasystem Transitions. World-systems Evolution and Global Futures, 2020, , 67-81. | 0.1 | 0 |
| 2734 | An Efficient Thermoelectric Energy Harvesting System. Lecture Notes in Electrical Engineering, 2020, , 590-597. | 0.3 | 1 |
| 2735 | A Novel Interleaved Transformerless Ultra-High Step-Up DC/DC Converter. , 2021, , . | | 1 |
| 2736 | Power Electronics Application in Renewable Energy (Wind and PV) System Integration. , 2020, , 643-674. | | 0 |
| 2737 | Fast economic model predictive control for marine current turbine generator system. Renewable Energy, 2020, 166, 108-116. | 4.3 | 1 |
| 2738 | Design of Control Unit for Off-grid and Grid Connected Solar- Wind Hybrid System Suitable for Supplying Power to both AC and DC Loads. , 2021, , . | | 2 |
| 2739 | Switching Frequency Sensitivity Analysis of DC Microgrid Connected Distributed Generation Based on Dynamic Phasor Model. , 2021, , . | | 2 |
| 2740 | A review of hybrid energy technologies tenets, controls and combinational strategies. Cleaner Engineering and Technology, 2021, 5, 100340. | 2.1 | 5 |
| 2741 | A survey of technical efficiency in crane systems using POET structure. Journal of Physics: Conference Series, 2020, 1577, 012037. | 0.3 | 0 |

ARTICLE IF CITATIONS Coordinated Control Strategy for Ship Wind Power Hybrid Energy Storage., 2020,,. 0 2742 Voltage control of renewable-penetrated distribution network., 2020,,. 2743 Power Electronics and Controls in Solar Photovoltaic Systems., 0,, 68-125. 0 2744 Power Electronics and Controls in Solar Photovoltaic Systems., 0,, 2016-2072. 2745 Role of Power Electronics and Optimization Techniques in Renewable Energy Systems. Algorithms for 2746 0.5 2 Intelligent Systems, 2021, , 167-175. Realâ€time distributed economic dispatch scheme of grid onnected microgrid considering cyberattacks. IET Renewable Power Generation, 2020, 14, 2750-2758. 2748 1.7 Construction and Practice of Public Service Platform Based on Trusted Blockchain. Journal of 2749 0.3 1 Physics: Conference Series, 2020, 1626, 012046. Investigation Analysis of Dual Loop Controller for Grid Integrated Solar Photovoltaic Generation 2750 0.3 Systems. Lecture Notes in Electrical Engineering, 2021, , 153-164. 2752 Power electronics technologies for renewable energy sources., 2022, , 403-455. 0 Distributed hybrid secondary control strategy for DC microgrid group based on multi-agent system., Mitigation of Oscillations in Grid Converters Enabled Microgrids Based on Proportional Resonance 2754 1 and Model Predictive Control., 2021,,. Review on Switching Device Fault, Protection, and Fault-Tolerant Topologies of Current Source Inverter., 2021,,. Discrete Time Analysis of Dual Loop Stationary Frame Integral Dominant Voltage Regulated Inverters., 2756 2 2021,,. Event-Triggered Continuous Control Set-Model Predictive Control for Three-Phase Power Converters. , 2021, , . A Dual-Bridge Hybrid DC Circuit Breaker., 2021,,. 2758 0 Photovoltaic (PV) System Levelized Cost of Energy (LCOE) Evaluation with Grid Support Function 2759 Valuation and Service Lifetime Estimation. , 2021, , . Enhancing Distribution Grid Flexibility using Active Power Distribution Node Converter Interfaces., 2760 0 2021,,. Average-Value Modeling of Multi-Phase Machine-Converter Systems with Asymmetric Internal Faults. , 2761 2021, , .

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2762 | Modular Pod Wells Turbine Array: a Preliminary Assessment. , 2021, , . | | 0 |
| 2763 | Reactive Power Limits of Single-Phase and Three-Phase DC-Link VSC STATCOMs under Negative-Sequence Voltage and Current. , 2021, , . | | 2 |
| 2764 | Symmetries in Power Electronics. , 2021, , . | | 2 |
| 2765 | Doubly Fed Induction Generator with Multi-Vector Model Predictive Power Control. , 2021, , . | | 0 |
| 2766 | Enhanced Three-Phase Shunt Active Power Filter Interfacing a Renewable and an Energy Storage System. , 2021, , . | | 0 |
| 2767 | Utilization of Local Phasor Measurements for Interarea-Oscillation Damping with Utility-Scale PV Plant. , 2021, , . | | 2 |
| 2768 | A review on carbon nanomaterials for <scp>Kâ€ion</scp> battery anode: Progress and perspectives. International Journal of Energy Research, 2022, 46, 4033-4070. | 2.2 | 9 |
| 2770 | A survey on cooperative control strategies for DC microgrids. Neurocomputing, 2022, 486, 225-236. | 3.5 | 8 |
| 2771 | A novel algorithm of MGWO-based PI controller for a single-stage grid-connected flyback inverter with ZVS. Automatika, 2022, 63, 64-77. | 1.2 | 1 |
| 2773 | Power-Electronics-Enabled Transactive Energy Market Design for Distribution Networks. IEEE Transactions on Smart Grid, 2022, 13, 3968-3983. | 6.2 | 6 |
| 2774 | Analysis and Design of Zero-Voltage-Switching Multiphase AC/DC Converters. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 6495-6510. | 3.7 | 4 |
| 2775 | A Review on Microgrids' Challenges & Perspectives. IEEE Access, 2021, 9, 166502-166517. | 2.6 | 182 |
| 2776 | Development of Prototype Fractional Order Controller for a Grid-Tied Photovoltaic System. IEEE Transactions on Circuits and Systems II: Express Briefs, 2022, 69, 2171-2175. | 2.2 | 1 |
| 2777 | Exploiting Renewable Energy and UPS Systems to Reduce Power Consumption in Data Centers. Big Data Research, 2022, 27, 100306. | 2.6 | 13 |
| 2778 | Closed-loop Control of A Quasi Z-Source Four leg Inverter. , 2020, , . | | 1 |
| 2779 | Operation and Supervision Control in Smart Transformer-based Meshed and Hybrid Grids. , 2020, , . | | 3 |
| 2780 | Analyzing Short-Circuit Current Behavior Caused by Inverter-Interfaced Renewable Energy Sources. Effects on Distance Protection. , 2020, , . | | 4 |
| 2781 | Stability analysis of grid-connected inverter with adaptive PLL. , 2020, , . | | О |

| # | Article | IF | Citations |
|------|--|----|-----------|
| 2782 | Control of a Grid-tied Multiport Inverter for a Microgrid with Renewable Energy Sources. , 2020, , . | | 2 |
| 2783 | Region-based Stability Analysis of Resilient Distribution Systems with Hybrid Grid-forming and Grid-following Inverters. , 2020, , . | | 10 |
| 2784 | Finite Control Set Model Predictive Control of Isolated DC/DC Modular Multilevel Converter. , 2020, , | | 3 |
| 2785 | Analytical Control System Synthesis for Dual-Loop Cascaded Stationary Frame Voltage Regulators. , 2020, , . | | 3 |
| 2786 | The $\hat{a} \in \hat{c}$ Source-Network-Load $\hat{a} \in \mathbf{I}$ Interactive System and Application Under the Energy Internet. , 2020, , . | | 0 |
| 2787 | A Robust-Synchronization-Loop for Grid-Connected Distributed Generation Converters. , 2020, , . | | 3 |
| 2788 | Analysis of Balance Controllers for Cascaded Modular Solid-State Transformer during Steady-state, Transient and Fault Conditions. , 2020, , . | | 4 |
| 2789 | New Configuration of Multifunctional Dynamic Voltage Restorer with Renewable Energy Integration for Performance Improvement. , 2020, , . | | 0 |
| 2790 | A Geometric Series Based Nearest Level Modulation Scheme for Multilevel Inverter. , 2020, , . | | 0 |
| 2791 | A Seven-Level Switched Capacitor Inverter Using Series/Parallel Conversion with Reduced Number of Switches. , 2020, , . | | 0 |
| 2792 | Three-Level Polynomial Pulse Width Modulation. , 2020, , . | | 0 |
| 2793 | Grid Application and Controls Development for Medium-Voltage SiC-Based Grid Interconnects. , 2020, , | | 3 |
| 2794 | Analytical Approach-Based Reactive Power Capability Curve for DFIG Wind Power Plants. , 2020, , . | | 2 |
| 2795 | Fast-Model Predictive Control for a Grid-Tie Photovoltaic System. , 2020, , . | | 1 |
| 2796 | An Approach for Determining Frequency Deviation Coefficient Considering Different Operating Conditions in AGC System. , 2020, , . | | 0 |
| 2797 | Performance Analysis of Grid Connected Solar Photovoltaic System Under Network Faults. , 2020, , . | | 0 |
| 2798 | Single Stage Grid Tied Solar PV System with a High Gain Bi-directional Converter for Battery Management. , 2020, , . | | 2 |
| 2799 | A PV Power Grid-Connected Inverter Current Tracking Control Scheme via Data-Driven Q-Learning Algorithm. , 2020, , . | | Ο |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2800 | Efficiency Improvement of Step-Up Series Resonant DC-DC Converter in Buck Operating Mode. , 2020, , . | | 6 |
| 2801 | A novel configuration for integration of battery energy storage system into MMC. , 2020, , . | | 0 |
| 2802 | Active Power Nodes for Increased Energy Resources Availability in Distribution Networks. , 2020, , . | | 1 |
| 2803 | Two-Stage Single-Source Full-Bridge Based Three- Phase Inverter for Medium Voltage Applications. , 2020, , . | | 4 |
| 2804 | A Fibonacci Series based Nearest Level Modulation Scheme for Multilevel Inverters. , 2020, , . | | 0 |
| 2805 | Analysis of an Output Series High Voltage Gain Impedance Source Circuit Based on SiC Switch. , 2021, , . | | 0 |
| 2806 | Distributed Power Sharing Control of AC Microgrid Based on State Observer Approach. Lecture Notes in Electrical Engineering, 2022, , 4681-4695. | 0.3 | 0 |
| 2807 | Comparison of Supercapacitor and Battery Transient Response for DC-bus. , 2021, , . | | 2 |
| 2808 | Power Converter Design Based on RTDS Implementation for Interconnecting MVDC and LVDC. Journal of Electrical Engineering and Technology, 2022, 17, 1751-1760. | 1.2 | 3 |
| 2809 | FEA Based Transformer Loss Analysis for Dual Active Bridge DC–DC Converter Using Triple Phase Shift Modulation. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 4347-4360. | 3.7 | 4 |
| 2810 | A Review of Power Electronics for Nearshore Wave Energy Converter Applications. IEEE Access, 2022, 10, 16670-16680. | 2.6 | 15 |
| 2811 | Current References Limitation Method Considering Voltage and Current Maximums for STATCOMs Providing Simultaneously Reactive Power and Current Harmonics. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 2559-2575. | 3.7 | 2 |
| 2812 | Innovation in intermittent electricity and stationary energy storage in the United States and Canada: A review. Renewable and Sustainable Energy Reviews, 2022, 158, 112149. | 8.2 | 8 |
| 2813 | A Review of DC-AC Converters for Electric Vehicle Applications. Energies, 2022, 15, 1241. | 1.6 | 24 |
| 2814 | Hierarchical Operation of Electric Vehicle Charging Station in Smart Grid Integration Applications — An Overview. International Journal of Electrical Power and Energy Systems, 2022, 139, 108005. | 3.3 | 63 |
| 2815 | Maximizing Energy Extraction from Direct Grid Coupled PMSG For Wind Energy Conversion Systems. IEEE Transactions on Industry Applications, 2022, 58, 3888-3900. | 3.3 | 9 |
| 2817 | Accurate Power Sharing and Voltage Restoration in DC Microgrids With Heterogeneous Communication Time Delays. IEEE Transactions on Power Electronics, 2022, 37, 11244-11257. | 5.4 | 8 |
| 2818 | Faster Convergence Controller With Distorted Grid Conditions for Photovoltaic Grid Following Inverter System. IEEE Access, 2022, 10, 29834-29845. | 2.6 | 24 |

| # | Article | IF | Citations |
|------|--|------|-----------|
| 2819 | A Novel Approach to Implement FPPT Considering Load side Coordination Control. , 2022, , . | | 1 |
| 2820 | A New Topology and Modulation Strategy to Suppress the Leakage Current in Transformerless Cascaded H-Bridge Inverters in PV Application. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2023, 11, 1219-1229. | 3.7 | 3 |
| 2821 | Quasi-Z-Source-Fed Switched-Capacitor Multilevel Inverters Without Inrush Charging Current. IEEE Transactions on Industrial Electronics, 2023, 70, 1115-1125. | 5.2 | 5 |
| 2822 | Analysis of Energy Transition Pertaining to the Future Energy Systems. , 2022, , 1-21. | | 0 |
| 2823 | Phase Feedforward Damping Control Method for Virtual Synchronous Generators. IEEE Transactions on Power Electronics, 2022, 37, 9790-9806. | 5.4 | 23 |
| 2824 | DSTATCOM based Closed Loop Controlled Wind Power Plant with Self Excited Induction Generator for Controlling Terminal Voltage against Load Disturbances. , 2022, , . | | 1 |
| 2825 | A DFT Study on the Potential Application of Graphene-Like Pure and Doped Boron Phosphide Monolayer in Li- and Na-Ion Batteries. Russian Journal of Physical Chemistry A, 2022, 96, 125-134. | 0.1 | 1 |
| 2826 | Theoretical and Experimental Investigation of a Photoelectric-Thermoelectric Integrated Power Generator Filled by Al Layer. IEEE Transactions on Electron Devices, 2022, 69, 2462-2468. | 1.6 | 2 |
| 2827 | Power enhancement of transformer less single-phase grid connected solar-wind energy conversion system for various environmental conditions. International Journal of Emerging Electric Power Systems, 2022, . | 0.6 | 0 |
| 2828 | Design and analysis of closed loop control of power-converters for forming droop-controlled AC–DC subgrids of an islanded hybrid AC–DC microgrid. International Journal of Emerging Electric Power Systems, 2022, . | 0.6 | 0 |
| 2829 | A currentâ€limiting DC circuit breaker with power flow control capability. IET Generation, Transmission and Distribution, 2022, 16, 1877-1889. | 1.4 | 1 |
| 2830 | A Hybrid Mathematical Programming-Heuristic Algorithm for a Sustainable Power Grid Maintenance Scheduling. Journal of Korean Institute of Industrial Engineers, 2022, 48, 13-34. | 0.1 | 1 |
| 2831 | Collective nonlinear dynamics and self-organization in decentralized power grids. Reviews of Modern Physics, 2022, 94, . | 16.4 | 57 |
| 2832 | Optimal Placement of Grid-Connected Wind Farms Based on Artificial Intelligence Techniques. , 2022, , . | | 2 |
| 2835 | Analysis and Design of Inertia for Grid-Tied Electric Vehicle Chargers Operating as Virtual Synchronous Machines. Applied Sciences (Switzerland), 2022, 12, 2194. | 1.3 | 4 |
| 2836 | The Circulating Current Reduction Control Method for Asynchronous Carrier Phases of Parallel Connected Inverters. Energies, 2022, 15, 1949. | 1.6 | 2 |
| 2837 | Techno-economic analysis of battery electricity storage towards self-sufficient buildings. Energy Conversion and Management, 2022, 256, 115313. | 4.4 | 24 |
| 2838 | Efficient Fixed-Switching Modulated Finite Control Set-Model Predictive Control Based on Artificial Neural Networks. Applied Sciences (Switzerland), 2022, 12, 3134. | 1.3 | 6 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2839 | Sodium and potassium ion rich ferroelectric solid electrolytes for traditional and electrode-less structural batteries. APL Materials, 2022, 10, . | 2.2 | 7 |
| 2840 | Weak Grid Interconnection of Solar Photovoltaic Unit with Power Quality Conditioner Functionality. , 2022, , . | | 0 |
| 2841 | Power Electronics for Modern Sustainable Power Systems: Distributed Generation, Microgrids and Smart Grids—A Review. Sustainability, 2022, 14, 3597. | 1.6 | 31 |
| 2842 | Optimization-Based Capacitor Balancing Method with Customizable Switching Reduction for CHB Converters. Energies, 2022, 15, 1976. | 1.6 | 2 |
| 2843 | A nonâ€isolated high gain DCâ€DC converter with coupledâ€inductor and builtâ€in transformer for gridâ€connected photovoltaic systems. International Journal of Circuit Theory and Applications, 2022, 50, 2709-2734. | 1.3 | 9 |
| 2844 | Research on Harmonic Suppression of New Controller in Islanding Mode of Microgrid. IEEJ Transactions on Electrical and Electronic Engineering, 0, , . | 0.8 | 0 |
| 2845 | A Comparative Analysis Between PI And PID Controllers For Different Levels Of Diode Clamp Multilevel Inverter To Improve Inverter Performance. , 2022, , . | | 1 |
| 2846 | Modular Single-Stage Three-Phase Flyback Differential Inverter for Medium/High-Power Grid Integrated Applications. Sensors, 2022, 22, 2064. | 2.1 | 6 |
| 2847 | A three-dimensional dynamic mode decomposition analysis of wind farm flow aerodynamics. Renewable Energy, 2022, 191, 608-624. | 4.3 | 8 |
| 2848 | Nano-assembly hierarchical Fe–Ni–Se/Cu(OH)2 with induced interface engineering as highly efficient electrocatalyst for oxygen evolution reaction. Electrochimica Acta, 2022, 413, 140186. | 2.6 | 7 |
| 2849 | Exploration of reduced graphene oxide microparticles as electrocatalytic materials in vanadium redox flow batteries. Journal of Energy Storage, 2022, 50, 104192. | 3.9 | 4 |
| 2850 | Grid code requirements $\hat{a} \in$ A case study on the assessment for integration of offshore wind power plants in Turkey. Sustainable Energy Technologies and Assessments, 2022, 52, 102137. | 1.7 | 6 |
| 2851 | An Analysis Of PV Fed Induction Motor-Pump System. , 2021, , . | | 1 |
| 2852 | Operating Grid-Forming Control on Automotive Reversible Battery Charger. , 2021, , . | | 4 |
| 2853 | Performance Investigation of Multifunctional Hybrid Wind-Solar PV-BES-DEGS Based Microgrid System with EAF and SOGI Based Control. , 2021, , . | | 1 |
| 2854 | Efficiency and energyâ€loss analysis for hybrid <scp>AC</scp> / <scp>DC</scp> distribution systems and microgrids: A review. International Transactions on Electrical Energy Systems, 2021, 31, . | 1.2 | 15 |
| 2855 | SoC Balancing Control Strategy for Hybrid Series–Parallel Storage System. Power Systems, 2022, , 329-346. | 0.3 | 0 |
| 2856 | Solid-State Transformers: Fundamentals, Topologies, Applications, and Future Challenges. Sustainability, 2022, 14, 319. | 1.6 | 8 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2857 | Design and simulation analysis of high-temperature heat-storage combined-circulation system. Clean Energy, 2022, 6, 841-852. | 1.5 | 1 |
| 2858 | MRAS-based current estimator for DC–DC converters considering time-variant load impedance. Journal of Power Electronics, 2022, 22, 210-221. | 0.9 | 1 |
| 2859 | Mitigation of Circulating Currents for Parallel Connected Sources in a Standalone DC Microgrid. , 2021, 12, . | | 3 |
| 2860 | Coordinated Control Strategy for Photovoltaic Power Plant with Battery Energy Storage System. , 2021, , . | | 2 |
| 2861 | A Novel Fuzzy-Sliding Mode control scheme for grid connected single phase VSI. Materials Today: Proceedings, 2021, , . | 0.9 | 0 |
| 2862 | The Photovoltaic System Step-Up Converter. , 2021, , . | | 0 |
| 2863 | Optimal Placement of Grid-Connected Solar Photovoltaic Systems Using Artificial Intelligence Methods. , 2021, , . | | 3 |
| 2864 | A Load Power Distribution Optimization based on Improving Biogeography-Based Optimization. , 2021, , . | | 0 |
| 2866 | A Review on Control Strategies for Wind Power Generation with DFIG for Smart Microgrid. , 2021, , . | | 0 |
| 2867 | A <scp>Multiâ€Port Currentâ€Limiting</scp> Hybrid <scp>DC</scp> Circuit Breaker BasedÂon Thyristors. IEEJ Transactions on Electrical and Electronic Engineering, 2022, 17, 514-524. | 0.8 | 5 |
| 2868 | Evaluation for the Effects of EESS on Renewable Energy Utilization and Load Supply. , 2021, , . | | 0 |
| 2869 | Control predictivo de sistemas ciberfÃsicos. RIAI - Revista Iberoamericana De Automatica E Informatica Industrial, 2021, 19, 1-12. | 0.6 | 0 |
| 2870 | Longâ€horizon finiteâ€set model predictive control for gridâ€connected photovoltaic inverters. Optimal Control Applications and Methods, 2022, 43, 618-635. | 1.3 | 1 |
| 2871 | Robust Power Regulation for Doubly Fed Induction Generator Based Wind Turbines. , 2021, , . | | 0 |
| 2872 | A singleâ€ s witch highâ€gain DC–DC converter for photovoltaic applications. International Journal of Circuit Theory and Applications, 2022, 50, 1194-1215. | 1.3 | 15 |
| 2874 | The Design and Development of a Novel 10 kV/60 kA Hybrid DC Circuit Breaker Based on Mixed Solid-State Switches. IEEE Transactions on Industrial Electronics, 2023, 70, 2440-2449. | 5.2 | 8 |
| 2875 | Nonisolated high gain hybrid switchedâ€inductor DCâ€DC converter with common switch grounding. International Journal of Circuit Theory and Applications, 2022, 50, 2810-2828. | 1.3 | 7 |
| 2876 | Photovoltaic generator coupled on the electrical grid via an inverter. International Journal of Ambient Energy, 2022, 43, 7454-7462. | 1.4 | 0 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2880 | A Data-driven PI Control of Grid-Connected Voltage Source Inverters Interfaced with LCL Filter. , 2022, , . | | 0 |
| 2881 | Robust control of DC-DC converter supplying constant power load with Finite-Set Model Predictive Control. , 2022, , . | | 3 |
| 2882 | Day-Ahead Scheduling With Renewable Generation Considering Shared Energy Storage. , 2022, , . | | 0 |
| 2883 | Open-circuit Fault Riding Through of Receiving AC Terminal in HVDC Transmission System for Offshore Wind Farms. Journal of Physics: Conference Series, 2022, 2260, 012023. | 0.3 | 0 |
| 2884 | Advanced STATCOM Control with the Optimized FOPTID-MPC Controller. IETE Journal of Research, 2023, 69, 3431-3442. | 1.8 | 3 |
| 2885 | Frequency control challenges and potential countermeasures in future low-inertia power systems: A review. Energy Reports, 2022, 8, 6191-6219. | 2.5 | 41 |
| 2886 | Reactive power limits of Cascaded H-Bridge STATCOMs in star and delta configuration under negative-sequence current withstanding. International Journal of Electrical Power and Energy Systems, 2022, 142, 108267. | 3.3 | 2 |
| 2887 | H2 and Fuel Cells as Controlled Renewables: FC Power Electronics. , 2012, , 343-378. | | 0 |
| 2891 | Hybrid CCM-DCM Operation of High Gain Quadratic Extended-Duty-Ratio Boost Converter with Low Device Stress. , 2022, , . | | 0 |
| 2892 | The cost of photovoltaics: Re-evaluating grid parity for PV systems in China. Renewable Energy, 2022, 194, 469-481. | 4.3 | 15 |
| 2893 | A Dynamic Current Balancing Method for Paralleled SiC MOSFETs Using Monolithic Si- <i>RC</i> Snubber Based on a Dynamic Current Sharing Model. IEEE Transactions on Power Electronics, 2022, 37, 13368-13384. | 5.4 | 10 |
| 2894 | Seamless Fault-Tolerant Control for Cascaded H-bridge Converters Based Battery Energy Storage System. IEEE Transactions on Industrial Electronics, 2023, 70, 3803-3813. | 5.2 | 3 |
| 2896 | Modeling of Non-Characteristic Third Harmonics Produced by Voltage Source Converter under Unbalanced Condition. Sustainability, 2022, 14, 6449. | 1.6 | 0 |
| 2897 | Fault-Ride-Through Capability of VSG-Based Grid-Forming Converters. , 2021, , . | | 2 |
| 2898 | Voltage and Current Control for Single-Phase Inverter with LCL and LCLC filters. , 2021, , . | | 0 |
| 2899 | Distributed generating system integration: Operation and control. , 2022, , 29-66. | | 0 |
| 2900 | Analysis of Converter Topologies for Wind Energy Conversion Systems. , 2022, , . | | 1 |
| 2901 | Switching Losses Minimization Method for EV Inverter with Individual Sequential Gating of Parallel-Connected Switches. Journal of Electrical Engineering and Technology, 0, , . | 1.2 | Ο |

| # 2902 | ARTICLE Efficient Power Grid Management Using Sliced-Based Mechanism for Systematic Allocation of Solar Energy Resources: A Conceptual Framework. Frontiers in Energy Research, 0, 10, . | IF 1.2 | CITATIONS |
|-----------|---|-----------|-----------|
| 2903 | Exploring the benefits, challenges, and feasibility of integrating power electronics into c-Si solar cells. Cell Reports Physical Science, 2022, 3, 100944. | 2.8 | 1 |
| 2904 | Synergy of robust adaptive emulated- controller and enhanced mud layers optimization for microgrid dynamics improvement. Renewable and Sustainable Energy Reviews, 2022, 166, 112576. | 8.2 | 0 |
| 2905 | Evaluate DC Meter Adoption for House-Level Storage Devices. IEEE Transactions on Smart Grid, 2023, 14, 464-475. | 6.2 | 1 |
| 2906 | Artificial Intelligence Techniques Applied on Renewable Energy Systems: A Review. Lecture Notes in Networks and Systems, 2022, , 297-308. | 0.5 | 2 |
| 2907 | H ₂ /Hâ^ž Robust Observed-State Feedback Control Based on Slack LMI-LQR for LCL-Filtered Inverters. IEEE Transactions on Industrial Electronics, 2023, 70, 4785-4798. | 5.2 | 8 |
| 2908 | A Review on Switched Reluctance Generators in Wind Power Applications: Fundamentals, Control and Future Trends. IEEE Access, 2022, 10, 69412-69427. | 2.6 | 14 |
| 2909 | An Interleaved Switched-Boost Common-Ground Five-Level Inverter. , 2022, , . | | 0 |
| 2910 | Modeling and Control of a Switching Regulator with a Fuel-Cell Stack as Input Source for Power Generation. , 2022, , . | | 0 |
| 2911 | Comparative Overview of Power Balance Control for Two-stage and Single-stage Isolated MVAC-LVDC Cascaded Converters. , 2022, , . | | 4 |
| 2912 | Zero voltage switching high stepâ€up boost converter with coupled inductor for renewable energy applications. International Journal of Circuit Theory and Applications, 2022, 50, 4086-4103. | 1.3 | 1 |
| 2913 | Event-Based State Estimation for Networked Singularly Perturbed Complex Networks. Complexity, 2022, 2022, 1-11. | 0.9 | 0 |
| 2915 | Aperiodically intermittent pinning discrete-time observation control for exponential synchronization of stochastic multilayer coupled systems. Neurocomputing, 2022, 505, 203-213. | 3.5 | 6 |
| 2916 | Transmission line protection challenges influenced by inverter-based resources: a review. Protection and Control of Modern Power Systems, 2022, 7, . | 4.3 | 24 |
| 2917 | Customized design of microinverter based solar photovoltaic system for small houses in developing nations. Renewable Energy Focus, 2022, 42, 178-189. | 2.2 | 2 |
| 2918 | The France–Spain border: A case study advocating for the use of simplified time-domain simulations for steady state calculation. Electric Power Systems Research, 2022, 211, 108410. | 2.1 | 0 |
| 2919 | Impact of sector-coupling in microgrid to residual electricity demand properties. Electric Power Systems Research, 2022, 211, 108463. | 2.1 | 0 |
| 2920 | Optimization of MPP tracking algorithms for PVs with the impact of losses minimized. , 2022, , . | | 1 |

| | | 15 | C |
|------|---|-----|-----------|
| # | ARTICLE | IF | CITATIONS |
| 2921 | Nonlinear Robust Control of a Quadratic Boost Converter in a Wide Operation Range, Based on Extended Linearization Method. Electronics (Switzerland), 2022, 11, 2336. | 1.8 | 4 |
| 2922 | Space Vector Modulated Model Predictive Control for Grid-Tied Converters. IEEE Transactions on Industrial Informatics, 2023, 19, 414-425. | 7.2 | 7 |
| 2923 | Detection and Location Approach to Incipient Grounding Defect in Transformer Winding Based on Sequence Voltage Ratios at PV Inverter Switching Frequency. IEEE Transactions on Industrial Electronics, 2023, 70, 6337-6346. | 5.2 | 0 |
| 2924 | A Distributed SoC Balancing Control Method for Series-type Energy Storage System in Grid-connected Mode. , 2022, , . | | 1 |
| 2925 | Battery Management for Integrating Renewable Energy Systems to the DC Micro-grid. , 2022, , . | | 1 |
| 2926 | Minimizing the impact of losses on MPP tracking of PVs under shading conditions. , 2022, , . | | 0 |
| 2927 | Transient Interaction Characteristics and FRT Control of DFIG-Based Wind Farm Connected to Receiving-End Power Grid. , 2022, , . | | 0 |
| 2928 | Modeling and Feedback Compensator Design for Power-Hardware-in-the-Loop System for Medium-Voltage Grid-Connected Power Converters. , 2022, , . | | 0 |
| 2929 | Comparison and Analysis of Transformer-less Topologies for Grid-Connected PV Systems. , 2022, , . | | 3 |
| 2930 | Double Boost Microinverter for On-Grid PV Applications. , 2022, , . | | 0 |
| 2931 | Reduced 2 nd Harmonic Input Current Ripple Quasi Z-source Microinverter for On-Grid PV Power Conversion. , 2022, , . | | 1 |
| 2932 | MPP tracking optimization of complete PV installations attaining minimum losses. , 2022, , . | | 0 |
| 2933 | Integration of Solar Photovoltaic Systems into Power Networks: A Scientific Evolution Analysis. Sustainability, 2022, 14, 9249. | 1.6 | 9 |
| 2934 | Integer and Fractional-Order Sliding Mode Control Schemes in Wind Energy Conversion Systems: Comprehensive Review, Comparison, and Technical Insight. Fractal and Fractional, 2022, 6, 447. | 1.6 | 7 |
| 2936 | A comprehensive study of renewable energy sources: Classifications, challenges and suggestions. Energy Strategy Reviews, 2022, 43, 100939. | 3.3 | 123 |
| 2937 | A critical review of the performance evaluation and optimization of grid interactions between zero-energy buildings and power grids. Sustainable Cities and Society, 2022, 86, 104123. | 5.1 | 15 |
| 2938 | Enhancing dynamic stability performance of hybrid ac/dc power grids using decentralised model predictive control. Electric Power Systems Research, 2022, 213, 108668. | 2.1 | 0 |
| 2939 | Boost-type common-ground PV inverter based on quasi-Z-source and switched-capacitor. International Journal of Electrical Power and Energy Systems, 2023, 144, 108522. | 3.3 | 5 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2940 | Understanding Braessâ \in M Paradox in power grids. Nature Communications, 2022, 13, . | 5.8 | 11 |
| 2941 | MPC-based control strategy of PV grid connected inverter for damping power oscillations. Frontiers in Energy Research, 0, 10, . | 1.2 | 2 |
| 2942 | Battery electric vehicles: Progress, power electronic converters, strength (S), weakness (W), opportunity (O), and threats (T). International Journal of Thermofluids, 2022, 16, 100212. | 4.0 | 24 |
| 2943 | Unified Frequency-Domain Small-Signal Stability Analysis for Interconnected Converter Systems. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2023, 11, 532-544. | 3.7 | 9 |
| 2944 | A Decentralized Secondary Frequency Restoration Control with Local Current for Island Cascaded-type Microgrids. IEEE Transactions on Power Systems, 2022, , 1-10. | 4.6 | 1 |
| 2945 | Novel Quadratic High Gain Boost Converter With Adaptive Soft-Switching Scheme and Reduced Conduction Loss. IEEE Transactions on Industry Applications, 2022, 58, 7421-7431. | 3.3 | 4 |
| 2946 | Power Quality Analysis of High-Voltage Gain Switched LC Z-Source Inverters. Lecture Notes in Electrical Engineering, 2022, , 723-735. | 0.3 | 0 |
| 2947 | Modeling and Control of Variable Speed Drive Based Loads for Grid Primary Frequency Support. IEEE Transactions on Power Delivery, 2023, 38, 1219-1229. | 2.9 | 0 |
| 2948 | Fractional Order SMC Design to Enhance the Dynamic Stability of PV Systems During Unexpected Network Events. , 2022, , . | | 1 |
| 2949 | Symmetries in Power Electronics and Lattice Converters. IEEE Transactions on Power Electronics, 2023, 38, 944-955. | 5.4 | 2 |
| 2950 | Effectiveness of Virtual Ground Technique on a Single Phase Full Bridge Voltage Source Inverter using Unipolar and Bipolar Sinusoidal PWM. , 2022, , . | | 0 |
| 2951 | Grid integration and application of Battery Energy Storage Systems. , 2022, , . | | 2 |
| 2952 | Performance of a Solid Cell with a Solidâ€Liquid Electrolyte Prepared by a Microwaveâ€Assisted Sintering Technique fromÂMCMâ€41 and Ionic Liquids. ChemistrySelect, 2022, 7, . | 0.7 | 1 |
| 2954 | Assessing the Impact of Integrating Solar PV System using the Equal Area Criterion Method. Advances in Science, Technology and Engineering Systems, 2022, 7, 35-40. | 0.4 | 0 |
| 2955 | A high gain soft switched DC–DC converter for renewable applications. International Journal of Electronics, 2023, 110, 1447-1467. | 0.9 | 2 |
| 2956 | Molecular engineering of fluoroether electrolytes for lithium metal batteries. Molecular Systems Design and Engineering, 0, , . | 1.7 | 1 |
| 2957 | Novel Adaptive Control Strategies for Permanent Magnet Synchronous Generator Based Wind Power Generation. Lecture Notes in Electrical Engineering, 2022, , 583-597. | 0.3 | 1 |
| 2958 | Grid-in-the-Loop Environment for Stability Investigation of Converter-Dominated Distribution Grids. , 2022, , . | | 2 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2959 | Bipolar Bidirectional DC-DC Converter for Microgrid Applications. , 2022, , . | | 0 |
| 2960 | A New lesser Number of Components 13-Level Switched Capacitor Based Inverter. , 2022, , . | | 0 |
| 2961 | Ultra-High Step-Up Gain Interleaved Coupled Inductor DC–DC Converter with Reduced Voltage Stress and Eliminated Right Half Plane Zero. Arabian Journal for Science and Engineering, 2023, 48, 6399-6418. | 1.7 | 1 |
| 2962 | A highâ€gain lowâ€ripple DC–DC converter for microâ€grid applications. International Journal of Circuit Theory and Applications, 0, , . | 1.3 | 1 |
| 2963 | Fault Ride-Through Operation Analysis of Doubly Fed Induction Generator-Based Wind Energy Conversion Systems: A Comparative Review. Energies, 2022, 15, 8026. | 1.6 | 11 |
| 2964 | Design and Functional Test of Transistor Inverter Based on Polyvinyl Alcohol and Graphene Oxide Electrolyte. Physica Status Solidi - Rapid Research Letters, 2023, 17, . | 1.2 | 1 |
| 2965 | Hysteresis Based Quasi Fixed Frequency Current Control of Single Phase Full Bridge Grid Integrated Voltage Source Inverter. Energies, 2022, 15, 8112. | 1.6 | 4 |
| 2966 | Harmonic resonance analysis in highâ€renewableâ€energyâ€penetrated power systems considering frequency coupling. Energy Conversion and Economics, 2022, 3, 333-344. | 1.9 | 3 |
| 2967 | Generalized impedance model and interaction analysis for multiple grid-forming and grid-following converters. Electric Power Systems Research, 2023, 214, 108912. | 2.1 | 7 |
| 2968 | Converter Control During Low Voltage Ride Through Operation for Grid-Interfaced Solar PV Battery Assisted System. IEEE Transactions on Industrial Electronics, 2023, 70, 9181-9191. | 5.2 | 3 |
| 2969 | Power Balance Control Scheme for a Cascaded Matrix-Based Dual-Active-Bridge (CMB-DAB) Converter. Springer Theses, 2022, , 163-185. | 0.0 | 0 |
| 2971 | Discrimination between in-zone and out-of-zone faults during power swing condition using synchrophasor data. International Journal of Electrical Power and Energy Systems, 2023, 146, 108769. | 3.3 | 1 |
| 2972 | Coupled Inductor Based Soft-Switched Ultra High-Gain Converter with Voltage Quadrupler cell. , 2022, , . | | 0 |
| 2973 | 3-E feasibility analysis on photovoltaic/thermal application for residential buildings: a case study of Sub-Saharan Africa. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2022, 44, 9901-9919. | 1.2 | 3 |
| 2975 | A high stepâ€up softâ€switched DCâ€DC converter with reduced voltage stress for DC microâ€grid applications. International Journal of Circuit Theory and Applications, 0, , . | 1.3 | 0 |
| 2976 | Implementation and Validation for Multitasks of a Cost-Effective Scheme Based on ESS and Braking Resistors in PMSG Wind Turbine Systems. Energies, 2022, 15, 8282. | 1.6 | 1 |
| 2977 | Active switchedâ€capacitor based ultraâ€voltage gain quadratic boost DCâ€DC converters. International Journal of Circuit Theory and Applications, 0, , . | 1.3 | 3 |
| 2978 | Design and Analysis of DFIG-STATCOM Coordinated P2P Grid Connected System Using RMSProp. Sustainability, 2022, 14, 15105. | 1.6 | 2 |

| # | Article | IF | Citations |
|------|--|-----|-----------|
| 2979 | Research on The Cascaded Fast Power Control System For Renewable Generations. , 2022, , . | | 1 |
| 2980 | Analysis of Grid Current Distortion and Waveform Improvement Methods of Dual-Active-Bridge Microinverter. IEEE Transactions on Power Electronics, 2023, 38, 4345-4359. | 5.4 | 4 |
| 2981 | Experimental Validation for Artificial Data-Driven Tracking Control for Enhanced Three-Phase Grid-Connected Boost Rectifier in DC Microgrids. IEEE Transactions on Industry Applications, 2023, 59, 2563-2580. | 3.3 | 14 |
| 2982 | Mitigation of Oscillations in Three Phase <i>LCL</i> -Filtered Grid Converters Based on Proportional Resonance and Improved Model Predictive Control. IEEE Transactions on Industry Applications, 2023, 59, 2590-2602. | 3.3 | 3 |
| 2983 | State and Disturbance Observer based Current Sensor-less Control of Mismatched Buck Converter. , 2022, , . | | 0 |
| 2984 | Robust Artificial NN-based Tracking Control Implementation of Grid-Connected AC-DC Rectifier for DC Microgrids Performance Enhancement. , 2022, , . | | 7 |
| 2985 | An Improved High-Resolution Wide Bandwidth ANPC Converter using VLMM and Lyapunov Stability Theory for Grid-Connected Applications. , 2022, , . | | 3 |
| 2986 | GHG Impact Analysis on the Performance of Solar PV Output using SVM Kernel Debugging. , 2022, , . | | 1 |
| 2987 | Modeling and Stability Analysis of Grid-Connected VSCs on Interactions Between ICFF Decoupling Control and PLL. , 2022, , . | | 0 |
| 2988 | Performance Investigation of Grid Connected DFIG Based Wind Energy System. Distributed Generation and Alternative Energy Journal, 0, , . | 1.1 | Ο |
| 2989 | A comprehensive review on the advances in renewable wind power technology. Wind Engineering, 2023, 47, 442-463. | 1.1 | 2 |
| 2990 | The Combined Effect of Environmental Policies on China's Renewable Energy Development: A Multi-Perspective Study Based on Semiparametric Regression Model. International Journal of Environmental Research and Public Health, 2023, 20, 184. | 1.2 | 0 |
| 2991 | A ZVS-Based Non-Isolated High Step-Up DC–DC Converter With Low Voltage Stress for Renewable Applications. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2023, 11, 2793-2804. | 3.7 | 1 |
| 2992 | Interleaved Boost-Integrated <i>LC</i> Series Resonant Converter With Frequency-Free Designed Transformer for Wide Voltage Range Applications. IEEE Transactions on Industrial Electronics, 2023, 70, 7976-7987. | 5.2 | 0 |
| 2993 | High Penetration of Solar Photovoltaic Structure on the Grid System Disruption: An Overview of Technology Advancement. Sustainability, 2023, 15, 1174. | 1.6 | 12 |
| 2994 | A State-of-the-Art Review of Smart Energy Systems and Their Management in a Smart Grid Environment. Energies, 2023, 16, 472. | 1.6 | 12 |
| 2995 | A core drain current model for <i>β</i> -Ga ₂ O ₃ power MOSFETs based on surface potential. AIP Advances, 2023, 13, 015202. | 0.6 | 1 |
| 2996 | The Propagation of VSC Damping Effect to Exploit AC Transmission Limit. IEEE Transactions on Power Delivery, 2023, , 1-14. | 2.9 | 0 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2997 | Coordinate Transformation-Based Nonlinear Power Decoupling Control for Differential Buck Grid-Tied Inverter. IEEE Transactions on Industrial Electronics, 2023, 70, 12201-12210. | 5.2 | 2 |
| 2998 | Quad-Input Single-Resonant Tank LLC Converter for PV Applications. IEEE Transactions on Industry Applications, 2023, 59, 3438-3457. | 3.3 | 7 |
| 2999 | Accurate Small-Signal Terminal Characteristic Model and SISO Stability Analysis Approach for Parallel Grid-Forming Inverters in Islanded Microgrids. IEEE Transactions on Power Electronics, 2023, 38, 6597-6612. | 5.4 | 5 |
| 3000 | The Role of Electromobility in the Energy-Related Smart Grids. Impact of Meat Consumption on Health and Environmental Sustainability, 2023, , 44-67. | 0.4 | 0 |
| 3001 | Overview and comparative analysis of bidirectional cascaded modular isolated medium-voltage AC–low-voltage DC (MVAC-LVDC) power conversion for renewable energy rich microgrids. Renewable and Sustainable Energy Reviews, 2023, 174, 113118. | 8.2 | 5 |
| 3002 | Comparative Evaluation of SPS and EPS Based Dual Active Bridge Converter Based on Transistor-Clamped H-Bridge Inverter. , 2022, , . | | 2 |
| 3003 | An Improved System Performance Using ANN-FUZZY Logic and MSHO Control for BES-Solar PV and Wind Plant Based Micro-Grid System. , 2022, , . | | 0 |
| 3004 | Local-Area Communication Network Optimization for Secondary Control of Active Distribution System Based on MISDP Model. , 2022, , . | | 0 |
| 3005 | Performance Evaluation and Fault Detection in DC-Microgrid using HHT Analysis. , 2022, , . | | 0 |
| 3006 | Power Balancing with Zero Sequence Voltage Injection Method for Cascaded H-Bridge Inverter Fed Grid-Connected PV System. , 2022, , . | | 0 |
| 3007 | Modeling and Design of PLL-Less Current Controller for Grid Connected Inverter. , 2022, , . | | 1 |
| 3008 | Simulation of a Grid Integration With Hybrid (Solar + Wind) Energy Systems by Using SPWM Inverter. , 2022, , . | | 0 |
| 3009 | A Comprehensive Review on Common-Mode Voltage of Three-Phase Quasi-Z Source Inverters for Photovoltaic Applications. Energies, 2023, 16, 269. | 1.6 | 4 |
| 3010 | Cooperative Operation and Profit Distribution of Virtual Power Plant. Electric Power Components and Systems, 2023, 51, 71-82. | 1.0 | 2 |
| 3011 | Line impedance compensation control strategy for multiple interlinking converters in hybrid AC/DC microgrid. IET Generation, Transmission and Distribution, 0, , . | 1.4 | 3 |
| 3012 | Operation Control Strategies for Switched Reluctance Motor Driven Flywheel Energy Storage System With Switching Angle Optimazation. , 2022, , . | | 0 |
| 3013 | Simulation and economic analysis of the high-temperature heat storage system of thermal power plants oriented to the smart grid. Frontiers in Energy Research, 0, 10, . | 1.2 | 1 |
| 3014 | A Modulation Strategy with Transformer Leakage Inductance Energy Management for a Three-Phase Matrix-based Isolated AC-DC Converter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2023, , 1-1. | 3.7 | 1 |

| # | Article | IF | Citations |
|------|---|-----|-----------|
| 3015 | Synthesis and Characterization of Dense Carbon Films as Model Surfaces to Estimate Electron Transfer Kinetics on Redox Flow Battery Electrodes. Langmuir, 2023, 39, 1198-1214. | 1.6 | 4 |
| 3016 | A natural commutation current topology of hybrid HVDC circuit breaker integrated with limiting fault current. IET Generation, Transmission and Distribution, 2023, 17, 1509-1524. | 1.4 | 2 |
| 3017 | Development of an optimization model for the feasibility analysis of hydrogen application as energy storage system in microgrids. International Journal of Hydrogen Energy, 2023, 48, 16159-16175. | 3.8 | 8 |
| 3018 | Sustainable energy technologies for the Global South: challenges and solutions toward achieving SDG 7. Environmental Science Advances, 2023, 2, 570-585. | 1.0 | 4 |
| 3019 | Dynamic Modeling and Performance Analysis of an Autonomous and Non-autonomous Microgrid. , 2022, , . | | 0 |
| 3020 | Design and Analysis of MPPT using Advanced PSO based on Fuzzy Fokker Planck Solution under Partial Shading Condition. , 2022, , . | | 1 |
| 3021 | Design and analysis of EV Charging Station using PV Integrated Battery Sytsem. , 2022, , . | | 2 |
| 3022 | An Incorporated Power and Data Synchronous Transmission Method for SRG Integrated Wind Power Generation Systems. IEEE Transactions on Industrial Electronics, 2024, 71, 1319-1327. | 5.2 | 2 |
| 3023 | Applications of MOFs. Engineering Materials, 2023, , 197-305. | 0.3 | 5 |
| 3024 | Review of active power control techniques considering the impact of MPPT and FPPT during high PV penetration. Solar Energy, 2023, 251, 404-419. | 2.9 | 5 |
| 3025 | Microgrid Introduction for Stabilization of Power Grid. IEEJ Transactions on Power and Energy, 2023, 143, 157-164. | 0.1 | 0 |
| 3026 | Conditional Droop Adjustment for Reliability-Oriented Power Sharing in Microgrids. IEEE Transactions on Circuits and Systems II: Express Briefs, 2023, 70, 2465-2469. | 2.2 | 3 |
| 3027 | Processor-in-the-Loop Validation of an Observer Current-based Dead-Beat Control for a Single-Phase UPS Inverter. Engineering, Technology & Applied Science Research, 2023, 13, 10158-10164. | 0.8 | 0 |
| 3028 | Protection and Monitoring of Digital Energy Systems Operation. Power Systems, 2023, , 131-162. | 0.3 | 0 |
| 3029 | Does the current electricity grid support a just energy transition? Exploring social and economic dimensions of grid capacity for residential solar photovoltaic in Sweden. Energy Research and Social Science, 2023, 97, 102990. | 3.0 | 2 |
| 3030 | Optimization of renewable energy-based transmission system: an application of the genetic, ant colony optimization, Q-learning, and Dijkstra's algorithms. International Journal of Modelling and Simulation, 0, , 1-20. | 2.3 | 0 |
| 3031 | Characteristics of DC current component injection in grid tied H-bridge CSI with transformer. AIP Conference Proceedings, 2023, , . | 0.3 | 0 |
| 3032 | Wind Energy Conversions, Controls, and Applications: A Review for Sustainable Technologies and Directions. Sustainability, 2023, 15, 3986. | 1.6 | 19 |

| # | Article | IF | CITATIONS |
|------|--|------|-----------|
| 3033 | Power Electronic Converters for Wind Power Generation. , 2023, , . | | 6 |
| 3034 | An Innovative Converterless Solar PV Control Strategy for a Grid Connected Hybrid PV/Wind/Fuel-Cell System Coupled With Battery Energy Storage. IEEE Access, 2023, 11, 23245-23259. | 2.6 | 32 |
| 3035 | Policy Optimization Adaptive Dynamic Programming for Optimal Control of Input-Affine Discrete-Time Nonlinear Systems. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2023, 53, 4339-4350. | 5.9 | 4 |
| 3036 | Analysis and Improvement on the Small-Signal Stability of a Multimachine System with High Proportion Photovoltaic. Lecture Notes in Electrical Engineering, 2023, , 339-348. | 0.3 | 0 |
| 3037 | Power Electronics Technology for Large-Scale Renewable Energy Generation. Proceedings of the IEEE, 2023, 111, 335-355. | 16.4 | 36 |
| 3038 | Nanostructured Conducting Polymers and Their Applications in Energy Storage Devices. Polymers, 2023, 15, 1450. | 2.0 | 12 |
| 3039 | Hysteresis Based Fixed Switching Frequency Current Control of a Three Phase Grid Connected Voltage Source Inverter. , 2022, , . | | 0 |
| 3040 | Predictive discreteâ€time sliding mode based direct power control for gridâ€connected energy conversion systems. IET Control Theory and Applications, 2023, 17, 1354-1366. | 1.2 | 1 |
| 3041 | Application of Neuro-Fuzzy Techniques for Energy Scheduling in Smart Grids Integrating Photovoltaic Panels. Processes, 2023, 11, 1021. | 1.3 | 1 |
| 3042 | A Bibliometric Study on Research Trends in Hydrogen Production from Solar Sources Based on Scopus. RGSA: Revista De Gestão Social E Ambiental, 2022, 16, e03091. | 0.5 | 5 |
| 3043 | Control and Optimization of Distributed Large-scale Multi-station System Based on Model Predictive Control. , 2023, , . | | 0 |
| 3044 | Experimental Design and Development of a DFIG Wind Emulator Setup. , 2022, , . | | 0 |
| 3045 | Analysis of weather monitoring system integrated with renewable energy using IoT technology. , 2022, , . | | 0 |
| 3046 | Interleaved Boost-Integrated LC Series Resonant Converter with Pulse Frequency Modulation for Wide Voltage Range Applications. , 2022, , . | | 1 |
| 3047 | Design of HERIC Topology Based grid-tied Single Phase Transformerless Photovoltaic Inverter to Minimize Leakage Current. , 2023, , . | | 0 |
| 3048 | Superconducting Magnetic Energy Storage for Pulsed Power Magnet Applications. IEEE Transactions on Applied Superconductivity, 2023, 33, 1-6. | 1.1 | 3 |
| 3049 | Sliding Mode Control of Quadratic Boost Converters Based on Min-Type Control Strategy. IEEE Access, 2023, 11, 39176-39184. | 2.6 | 4 |
| 3056 | Machine–grid interaction of wind power systems. , 2023, , 87-145. | | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 3057 | Limited States Multi-Objective Direct Model Predictive Control of a Grid-Tied 3L-Active Neutral-Point Clamped Converter with an LCL Filter. , 2023, , . | | 0 |
| 3058 | A High-Robust Control Scheme for the DAB-based PPP Energy Storage System. , 2023, , . | | 0 |
| 3060 | Research on the Stability Characteristics of Multi-infeed HVDC Power Grid under the Hollowing of the Conventional Power Supply. , 2023, , . | | 0 |
| 3064 | Cooperative Optimization of Source Networks at Medium and Long Time Scales. , 2023, , . | | 0 |
| 3067 | Determination of the total harmonics distortion in solar system at low load center. AIP Conference Proceedings, 2023, , . | 0.3 | 0 |
| 3073 | Harmonic Performance Analysis for Different Loads with and Without PV. Lecture Notes in Electrical Engineering, 2023, , 363-373. | 0.3 | 0 |
| 3074 | Hybrid Wind, PV And Fuel Power Energy System. , 2023, , . | | 0 |
| 3077 | A Brief Review of the Conventional and Multilevel Inverters Topologies. , 2023, , . | | 2 |
| 3078 | Intelligent Control Design for Grid-Connected Voltage Source Power Converters Based on Data- Driven Approach for DC Microgrid Applications. , 2023, , . | | 2 |
| 3079 | Automatic Transient Stability Simulation and Assessment Scheme Based on RTDS. , 2022, , . | | 1 |
| 3080 | Ultra Gain Modified Quadratic DC-DC Converter with Single Switch and Common Ground Structure. , 2023, , . | | 1 |
| 3081 | PV FED 15 Level Cascaded Multilevel Inverter For Enhancement Of Power By Using ANFIS Controller. , 2022, , . | | 0 |
| 3082 | Performance Comparison of Different Multi-Carrier Based PWM Approaches for Cascaded H-Bridge Inverter-Fed Induction Motor Drives. , 2022, , . | | 0 |
| 3087 | Research on the Allocation Method of Energy Storage for Renewable Power Plant Based on Consumption Benefit Analysis. , 2023, , . | | 0 |
| 3088 | Harmonic Instability analysis using state-space modeling in Grid-Connected Inverter System with long transmission cable. , 2023, , . | | 0 |
| 3092 | Continuous Input High Gain Bidirectional DC-DC Converter for Renewable Energy Integration. , 2023, , . | | 0 |
| 3093 | A New High Step-Up DC-DC Converter for Photovoltaic Application: Switch Inductor Cell Combined with Voltage Doubler Circuit. , 2022, , . | | 1 |
| 3094 | Analysis of ship automation system based on power and energy management system. AIP Conference Proceedings, 2023, , . | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 3096 | Analysis of Energy Transition Pertaining to the Future Energy Systems. , 2023, , 1535-1555. | | 0 |
| 3098 | Designing a Control Strategy for PV-Wind-BESS based Microgrid system and Integrating it with a Weak Grid. , 2023, , . | | 0 |
| 3101 | Inverters for Power Systems with Renewable Sources: Basic Topologies and Purposes. , 2023, , . | | 0 |
| 3107 | A High-Robust Control Scheme for the Dual-Active-Bridge-Based Energy Storage Unit. Lecture Notes in Electrical Engineering, 2023, , 1281-1291. | 0.3 | 0 |
| 3109 | Improvement of power quality using variable leaky least mean square controller with adaptive shunt active filter for non linear loads. AIP Conference Proceedings, 2023, , . | 0.3 | 0 |
| 3110 | Optimal Switching Sequence Direct Power Control for AC/DC Converters with Enhanced Converter Model for Lower Switching Frequencies. , 2022, , . | | 0 |
| 3111 | A Novel Current-Shunt-Input Voltage-Series-Output High Step-Up Converter with a New Coupled-Inductor Boost Module. , 2023, , . | | 0 |
| 3113 | An Average Circuit Model of a Single-phase Grid-connected Inverter. , 2023, , . | | 0 |
| 3115 | Modelling & Analysis of GWO-Incremental MPPT Controller under Dynamic Switching Condition. , 2023, , . | | 0 |
| 3116 | Study on Magnetic Properties of Toroidal Cores Composed by Electrolytic Iron Powder with Different Shapes. , 2023, , . | | 0 |
| 3117 | Design of self-healing techniques and strategies for smart microgrids. , 2024, , 279-306. | | 0 |
| 3119 | Maximum Power Point Tracking of FC-DFIG with New Reaching Law Adaptive Sliding Mode Control. , 2023, , . | | 0 |
| 3124 | Model-Free Adaptive Control Algorithm for VSG-Controlled Inverter-Interfaced Distribution Generators. , 2023, , . | | 0 |
| 3125 | Study on Wideband Harmonic Instability of Wind Farm Based on the Vector Fitting Method. , 2023, , . | | 0 |
| 3126 | Applications of Power Electronics in Renewable Energy Systems. , 2024, , 797-843. | | 0 |
| 3127 | Artificial intelligence (AI)-based optimization of power electronic converters for improved power system stability and performance. , 2023, , . | | 1 |
| 3128 | Power-Quality and Grid Code Issues of Wind Energy Conversion System. , 2023, , 45-68. | | 0 |
| 3137 | Design and Analysis of LSTM-MPPT using PI Controller under Dynamic Loading Condition. , 2023, , . | | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 3138 | Transient Performances Analysis of Talkative Dual-Active Bridge Converter Modulated by PWM-FSK. , 2023, , . | | 0 |
| 3139 | Discrete sine area equalization PWM technique based cascaded multilevel inverter topology for harmonic minimization. AIP Conference Proceedings, 2023, , . | 0.3 | 0 |
| 3142 | A Low Cost High-Frequency Resonant DC-DC Converter for Renewable Energy Integration with Rural Microgrids. , 2023, , . | | 0 |
| 3143 | Distributed Photovoltaic/Battery Power Systems with a Three-Portpower Converter Based on Fopid Control Strategy. , 0, , . | | 0 |
| 3144 | Mho Relay Distance Protection Scheme using DWT Analysis under Symmetrical Fault Condition. , 2023, , | | 0 |
| 3150 | High-Performance Continuous Control Set-Model Predictive Control for Three-Phase Two-Level Power Converters. , 2023, , . | | 0 |
| 3153 | A 5G NB-IoT Framework for Secure Transmission and Intelligent Demand-Side Data Analysis in Smart Grids. , 2023, , . | | 0 |
| 3154 | DC to DC step down converter based on learning sliding mode controller. AIP Conference Proceedings, 2023, , . | 0.3 | 0 |
| 3156 | Grey Wolf Optimization for Maximum Power Point Tracking with Incremental Conductance Algorithm. , 2023, , . | | 0 |
| 3157 | Data-Driven Intelligent Fault Diagnosis Technology for Transmission Lines of Wind Power Renewable Energy System. , 2023, , . | | 0 |
| 3158 | Minimizing the Partial Shading Effect by Connecting a Multi-Input Converter to Three PV Submodule Strings. , 2023, , . | | 0 |
| 3159 | Artificial Intelligence (AI) Based Black-Box Modeling Algorithm for System Identification in Three-Phase Single-Stage PV Inverter Systems. , 2023, , . | | 1 |
| 3160 | Multimode Control of HF Link Universal Minimal Converters – Part II: Multiphase AC Systems. , 2023, , . | | 1 |
| 3168 | Observer-based Switched Control of the Three Level Neutral Point Clamped Rectifier. , 2023, , . | | 0 |
| 3170 | Terminal Voltage Dynamics Analysis and Stability Assessment of Gird Forming Converters with the Impact of Grid Current Feedforward Control. , 2023, , . | | 0 |
| 3171 | Performance Analysis of Quadratic Buck Boost Converters: A Comparative Study. , 2023, , . | | 0 |
| 3174 | Active Loss Balancing Scheme with Decision Chart for 3L-ANPC-VSCs with IGBTs for Bidirectional Energy Flow Operation. , 2023, , . | | 0 |
| 3176 | Applicability of SMES to Electric and Hydrogen Hybrid Energy Storage System for Large-Capacity Renewable Energy Generation. , 2023, , . | | 0 |

| Сіта | TION | RFP | ORT |
|------|------|-----|-----|

| # | Article | IF | CITATIONS |
|------|--|----|-----------|
| 3178 | Artificial Neural Network-Based Protection Algorithm for Transmission Lines Connecting DFIG-Based Wind Farms. , 2023, , . | | 0 |