

Out of the Tropics: Evolutionary Dynamics of the Latitudinal

Science

314, 102-106

DOI: [10.1126/science.1130880](https://doi.org/10.1126/science.1130880)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Biotic interactions and speciation in the tropics. , 2001, , 219-239. | | 66 |
| 2 | Temporal order of evolution of DNA replication systems inferred by comparison of cellular and viral DNA polymerases. <i>Biology Direct</i> , 2006, 1, 39. | 1.9 | 50 |
| 3 | EVOLUTION: Fossil Record Reveals Tropics as Cradle and Museum. <i>Science</i> , 2006, 314, 66-67. | 6.0 | 11 |
| 4 | Insight into Global Mosquito Biogeography from Country Species Records. <i>Journal of Medical Entomology</i> , 2007, 44, 554-567. | 0.9 | 61 |
| 5 | Origination, Extinction, and Dispersal: Integrative Models for Understanding Present-Day Diversity Gradients. <i>American Naturalist</i> , 2007, 170, S71-S85. | 1.0 | 95 |
| 6 | Do Extragalactic Cosmic Rays Induce Cycles in Fossil Diversity?. <i>Astrophysical Journal</i> , 2007, 664, 879-889. | 1.6 | 63 |
| 7 | Environmental determinants of marine benthic biodiversity dynamics through Triassic-Jurassic time. <i>Paleobiology</i> , 2007, 33, 414-434. | 1.3 | 82 |
| 8 | Geographic variation in turnover and recovery from the Late Ordovician mass extinction. <i>Paleobiology</i> , 2007, 33, 435-454. | 1.3 | 48 |
| 9 | Diversification Rates Increase With Population Size and Resource Concentration in an Unstructured Habitat. <i>Genetics</i> , 2007, 177, 2243-2250. | 1.2 | 16 |
| 10 | Explaining Latitudinal Diversity Gradients. <i>Science</i> , 2007, 317, 451-453. | 6.0 | 11 |
| 11 | Exceptionally preserved North American Paleogene metatherians: adaptations and discovery of a major gap in the opossum fossil record. <i>Biology Letters</i> , 2007, 3, 318-322. | 1.0 | 59 |
| 12 | Climate, Niche Conservatism, and the Global Bird Diversity Gradient. <i>American Naturalist</i> , 2007, 170, S16-S27. | 1.0 | 226 |
| 13 | Species Richness and Evolutionary Niche Dynamics: A Spatial Pattern-Oriented Simulation Experiment. <i>American Naturalist</i> , 2007, 170, 602-616. | 1.0 | 147 |
| 14 | Contrarian clade confirms the ubiquity of spatial origination patterns in the production of latitudinal diversity gradients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18129-18134. | 3.3 | 38 |
| 15 | The value of georeferenced collection records for predicting patterns of mosquito species richness and endemism in the Neotropics. <i>Ecological Entomology</i> , 2007, 33, 071203162814003-??? | 1.1 | 15 |
| 16 | Diseases of Tropical Perennial Crops: Challenging Problems in Diverse Environments. <i>Plant Disease</i> , 2007, 91, 644-663. | 0.7 | 69 |
| 17 | The Latitudinal Gradient in Recent Speciation and Extinction Rates of Birds and Mammals. <i>Science</i> , 2007, 315, 1574-1576. | 6.0 | 467 |
| 18 | Steady diversification of derived liverworts under Tertiary climatic fluctuations. <i>Biology Letters</i> , 2007, 3, 566-569. | 1.0 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Memoir 4: An Analysis of the History of Marine Animal Diversity. <i>Paleobiology</i> , 2007, 33, 1-55. | 1.3 | 145 |
| 20 | Genetic characterization of <i>Toxoplasma gondii</i> isolates in dogs from Vietnam suggests their South American origin. <i>Veterinary Parasitology</i> , 2007, 146, 347-351. | 0.7 | 53 |
| 21 | Origins and diversification of Indo-West Pacific marine fauna: evolutionary history and biogeography of turban shells (Gastropoda, Turbinidae). <i>Biological Journal of the Linnean Society</i> , 0, 92, 573-592. | 0.7 | 61 |
| 22 | Revisiting Jablonski (1993): cladogenesis and range expansion explain latitudinal variation in taxonomic richness. <i>Journal of Evolutionary Biology</i> , 2007, 20, 930-936. | 0.8 | 28 |
| 23 | Diversity?stability relationship varies with latitude in zooplankton. <i>Ecology Letters</i> , 2007, 10, 127-134. | 3.0 | 89 |
| 24 | Evolution and the latitudinal diversity gradient: speciation, extinction and biogeography. <i>Ecology Letters</i> , 2007, 10, 315-331. | 3.0 | 1,361 |
| 25 | One-dimensional analyses of Rapoport's rule reviewed through meta-analysis. <i>Global Ecology and Biogeography</i> , 2007, 16, 401-414. | 2.7 | 72 |
| 26 | Marine longitudinal biodiversity: causes and conservation. <i>Diversity and Distributions</i> , 2007, 13, 544-555. | 1.9 | 49 |
| 27 | DO REEFS DRIVE DIVERSIFICATION IN MARINE TELEOSTS? EVIDENCE FROM THE PUFFERFISH AND THEIR ALLIES (ORDER TETRAODONTIFORMES). <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 2104-2126. | 1.1 | 164 |
| 28 | Latitudinal gradient in species richness. <i>Current Biology</i> , 2007, 17, R574. | 1.8 | 45 |
| 29 | Vertical niche separation control of diversity and size disparity in planktonic foraminifera. <i>Marine Micropaleontology</i> , 2007, 63, 75-90. | 0.5 | 39 |
| 30 | Thermal tolerance ranges and climate variability: A comparison between bivalves from differing climates. <i>Journal of Experimental Marine Biology and Ecology</i> , 2007, 352, 200-211. | 0.7 | 147 |
| 31 | When family matters: an analysis of Thelotremaaceae (Lichenized Ascomycota: Ostropales) as bioindicators of ecological continuity in tropical forests. <i>Biodiversity and Conservation</i> , 2008, 17, 1319-1351. | 1.2 | 96 |
| 32 | Contributions on vertebrate paleontology in Venezuela Preface. <i>Palaontologische Zeitschrift</i> , 2008, 82, 103-104. | 0.8 | 1 |
| 33 | Hopping Hotspots: Global Shifts in Marine Biodiversity. <i>Science</i> , 2008, 321, 654-657. | 6.0 | 408 |
| 34 | LATITUDINAL VARIATION IN SUBSPECIFIC DIVERSIFICATION OF BIRDS. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 2775-2788. | 1.1 | 48 |
| 35 | A phylogenetic perspective on the distribution of plant diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 11549-11555. | 3.3 | 551 |
| 36 | BIOTIC INTERACTIONS AND MACROEVOLUTION: EXTENSIONS AND MISMATCHES ACROSS SCALES AND LEVELS. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 715-739. | 1.1 | 200 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Evolutionary rates do not drive latitudinal diversity gradients. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2008, 46, 82-86. | 0.6 | 25 |
| 38 | The tropics: cradle, museum or casino? A dynamic null model for latitudinal gradients of species diversity. <i>Ecology Letters</i> , 2008, 11, 653-663. | 3.0 | 48 |
| 39 | Temporal dynamics within a contemporary latitudinal diversity gradient. <i>Ecology Letters</i> , 2008, 11, 883-897. | 3.0 | 38 |
| 40 | Do Rapoport's rule, the mid-domain effect or the source-sink hypotheses predict bathymetric patterns of polychaete richness on the Pacific coast of South America?. <i>Global Ecology and Biogeography</i> , 2008, 17, 415-423. | 2.7 | 37 |
| 41 | Beyond corals and fish: the effects of climate change on noncoral benthic invertebrates of tropical reefs. <i>Global Change Biology</i> , 2008, 14, 2773-2795. | 4.2 | 240 |
| 42 | High tropical net diversification drives the New World latitudinal gradient in palm (Arecaceae) species richness. <i>Journal of Biogeography</i> , 2008, 35, 394-406. | 1.4 | 105 |
| 43 | Proterozoic (pre-Ediacaran) glaciation and the high obliquity, low-latitude ice, strong seasonality (HOLIST) hypothesis: Principles and tests. <i>Earth-Science Reviews</i> , 2008, 87, 61-93. | 4.0 | 59 |
| 44 | Population divergence in plant species reflects latitudinal biodiversity gradients. <i>Biology Letters</i> , 2008, 4, 382-384. | 1.0 | 38 |
| 45 | Macroecology: more than the division of food and space among species on continents. <i>Progress in Physical Geography</i> , 2008, 32, 115-138. | 1.4 | 48 |
| 46 | A null biogeographic model for quantifying the role of migration in shaping patterns of global taxonomic richness and differentiation diversity, with implications for Ordovician biogeography. <i>Paleobiology</i> , 2008, 34, 195-209. | 1.3 | 5 |
| 47 | Geographic differences between functional groups in patterns of bird species richness in North America. <i>Acta Oecologica</i> , 2008, 33, 253-264. | 0.5 | 31 |
| 48 | Disintegration of the Ecological Community. <i>American Naturalist</i> , 2008, 172, 741-750. | 1.0 | 464 |
| 49 | Species Selection: Theory and Data. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2008, 39, 501-524. | 3.8 | 296 |
| 50 | Biogeography Of Aquatic And Semiaquatic Heteroptera In the Grand Canyon Ecoregion, Southwestern USA. <i>Monographs of the Western North American Naturalist</i> , 2008, 4, 38-76. | 0.7 | 13 |
| 51 | Quaternary climate changes explain diversity among reptiles and amphibians. <i>Ecography</i> , 2008, 31, 8-15. | 2.1 | 345 |
| 52 | Incumbency, diversity, and latitudinal gradients. <i>Paleobiology</i> , 2008, 34, 169-178. | 1.3 | 80 |
| 53 | Extinction and the spatial dynamics of biodiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 11528-11535. | 3.3 | 171 |
| 55 | A monograph of the entomopathogenic genera <i>Hypocrella</i> , <i>Moelleriella</i> , and <i>Samuelsia</i> gen. nov. (Ascomycota, Hypocreales, Clavicipitaceae), and their aschersonia-like anamorphs in the Neotropics. <i>Studies in Mycology</i> , 2008, 60, 1-66. | 4.5 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Speciesâ€ˆgenus ratios reflect a global history of diversification and range expansion in marine bivalves. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 1117-1123. | 1.2 | 73 |
| 58 | Extinction Risk Escalates in the Tropics. <i>PLoS ONE</i> , 2008, 3, e3886. | 1.1 | 48 |
| 59 | Latitudinal variation in the asynchrony of seasons: implications for higher rates of population differentiation and speciation in the tropics. <i>Ideas in Ecology and Evolution</i> , 0, 2, . | 0.1 | 31 |
| 60 | The Red Queen and the Court Jester: Species Diversity and the Role of Biotic and Abiotic Factors Through Time. <i>Science</i> , 2009, 323, 728-732. | 6.0 | 418 |
| 61 | Temporal latitudinal-gradient dynamics and tropical instability of deep-sea species diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21717-21720. | 3.3 | 88 |
| 62 | Geographic origin of species: The temperate-tropical interchange. <i>Geology</i> , 2009, 37, 879-881. | 2.0 | 11 |
| 63 | A new lizard assemblage from the earliest eocene (Zone Wa0) of the bighorn basin, wyoming, USA: Biogeography during the warmest interval of the cenozoic. <i>Journal of Systematic Palaeontology</i> , 2009, 7, 299-358. | 0.6 | 85 |
| 64 | Congruence of morphologically-defined genera with molecular phylogenies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8262-8266. | 3.3 | 72 |
| 65 | Biogeography and biodiversity of gastropod molluscs from the eastern Brazilian continental shelf and slope. <i>Latin American Journal of Aquatic Research</i> , 2009, 37, 143-159. | 0.2 | 20 |
| 66 | Odonata Biogeography in the Grand Canyon Ecoregion, Southwestern USA. <i>Annals of the Entomological Society of America</i> , 2009, 102, 261-274. | 1.3 | 13 |
| 67 | Latitude, elevation and the tempo of molecular evolution in mammals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 3353-3359. | 1.2 | 76 |
| 68 | A macroevolutionary perspective on species range limits. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 1485-1493. | 1.2 | 74 |
| 69 | Climate as a Driver of Evolutionary Change. <i>Current Biology</i> , 2009, 19, R575-R583. | 1.8 | 157 |
| 70 | Global richness patterns of venomous snakes reveal contrasting influences of ecology and history in two different clades. <i>Oecologia</i> , 2009, 159, 617-626. | 0.9 | 27 |
| 71 | Tropical niche conservatism and the species richness gradient of North American butterflies. <i>Journal of Biogeography</i> , 2009, 36, 1698-1711. | 1.4 | 77 |
| 72 | TEMPORAL PATTERNS OF DIVERSIFICATION AND MICROENDEMISM IN EASTERN HIGHLAND ENDEMIC BARCHEEK DARTERS (PERCIDAE: ETHEOSTOMATINAE). <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 228-243. | 1.1 | 57 |
| 73 | EVOLUTIONARY AND BIOGEOGRAPHIC ORIGINS OF HIGH TROPICAL DIVERSITY IN OLD WORLD FROGS (RANIDAE). <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 1217-1231. | 1.1 | 181 |
| 74 | Evolutionary constraints on regional faunas: whom, but not how many. <i>Ecology Letters</i> , 2009, 12, 57-65. | 3.0 | 76 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 75 | Speed of expansion and extinction in experimental populations. <i>Ecology Letters</i> , 2009, 12, 772-778. | 3.0 | 16 |
| 76 | Ecological limits and diversification rate: alternative paradigms to explain the variation in species richness among clades and regions. <i>Ecology Letters</i> , 2009, 12, 735-743. | 3.0 | 410 |
| 77 | Patterns and causes of species richness: a general simulation model for macroecology. <i>Ecology Letters</i> , 2009, 12, 873-886. | 3.0 | 286 |
| 78 | The effects of rarity and abundance distributions on measurements of local morphological disparity. <i>Paleobiology</i> , 2009, 35, 175-189. | 1.3 | 22 |
| 79 | Before the ice: Biogeography of Antarctic Paleogene molluscan faunas. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 284, 191-226. | 1.0 | 58 |
| 80 | Is There a Latitudinal Gradient in the Importance of Biotic Interactions?. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2009, 40, 245-269. | 3.8 | 957 |
| 81 | Generation of Earth's First-Order Biodiversity Pattern. <i>Astrobiology</i> , 2009, 9, 113-124. | 1.5 | 80 |
| 82 | Geologic and Biologic Controls on the Evolution of Reefs. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2009, 40, 173-192. | 3.8 | 172 |
| 83 | Signature of the End-Cretaceous Mass Extinction in the Modern Biota. <i>Science</i> , 2009, 323, 767-771. | 6.0 | 71 |
| 84 | Revisiting Raup: exploring the influence of outcrop area on diversity in light of modern sample-standardization techniques. <i>Paleobiology</i> , 2009, 35, 146-167. | 1.3 | 66 |
| 85 | Assessing the role of abundance in marine bivalve extinction over the post-Paleozoic. <i>Paleobiology</i> , 2009, 35, 631-647. | 1.3 | 40 |
| 86 | The Latitudinal Diversity Gradient of Brachiopods over the Past 530 Million Years. <i>Journal of Geology</i> , 2009, 117, 585-594. | 0.7 | 47 |
| 87 | Phylogenetic Conservatism of Extinctions in Marine Bivalves. <i>Science</i> , 2009, 325, 733-737. | 6.0 | 67 |
| 88 | The Tropics as Reservoir of Otherwise Extinct Mammals: The Case of Rodents from a New Pliocene Faunal Assemblage from Northern Venezuela. <i>Journal of Mammalian Evolution</i> , 2010, 17, 265-273. | 1.0 | 36 |
| 89 | One species or at least eight? Delimitation and distribution of <i>Frullania tamarisci</i> (L.) Dumort. s. l. (Jungermanniopsida, Porellales) inferred from nuclear and chloroplast DNA markers. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 1105-1114. | 1.2 | 99 |
| 90 | Origins of marine patterns of biodiversity: some correlates and applications. <i>Palaeontology</i> , 2010, 53, 1203-1210. | 1.0 | 25 |
| 91 | Integrating ancient patterns and current dynamics of insect-plant interactions: Taxonomic and geographic variation in herbivore specialization. <i>Insect Science</i> , 2010, 17, 471-507. | 1.5 | 58 |
| 92 | RAPID SYMPATRY EXPLAINS GREATER COLOR PATTERN DIVERGENCE IN HIGH LATITUDE BIRDS. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 336-347. | 1.1 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 93 | EVOLUTIONARY BIOLOGY IN BIODIVERSITY SCIENCE, CONSERVATION, AND POLICY: A CALL TO ACTION. Evolution; International Journal of Organic Evolution, 2010, 64, 1517-28. | 1.1 | 87 |
| 94 | EVOLUTIONARY CONSTRAINT AND ECOLOGICAL CONSEQUENCES. Evolution; International Journal of Organic Evolution, 2010, 64, 1865-1884. | 1.1 | 340 |
| 95 | Latitude, solar elevation angles and gap-regenerating rain forest pioneers. Journal of Ecology, 2011, 99, 491-502. | 1.9 | 7 |
| 96 | A young clade repeating an old pattern: diversity in <i>Nothonotus</i> darters (Teleostei: Percidae) endemic to the Cumberland River. Molecular Ecology, 2010, 19, 5030-5042. | 2.0 | 16 |
| 97 | Low diversity and high host preference of ectomycorrhizal fungi in Western Amazonia, a neotropical biodiversity hotspot. ISME Journal, 2010, 4, 465-471. | 4.4 | 165 |
| 98 | Global patterns and predictors of marine biodiversity across taxa. Nature, 2010, 466, 1098-1101. | 13.7 | 1,131 |
| 99 | Multiple environmental determinants of regional species richness and effects of geographic range size. Ecography, 2010, 33, 796-808. | 2.1 | 56 |
| 100 | Malaria management. Nature Geoscience, 2010, 3, 389-389. | 5.4 | 0 |
| 101 | Eocene handfishes from Monte Bolca, with description of a new genus and species, and a phylogeny of the family Brachionichthyidae (Teleostei: Lophiiformes). Zoological Journal of the Linnean Society, 2010, 160, 621-647. | 1.0 | 22 |
| 102 | Dynamic macroecology on ecological time-scales. Global Ecology and Biogeography, 2010, 19, 1-15. | 2.7 | 67 |
| 103 | Climatic control of dispersal-ecological specialization trade-offs: a metacommunity process at the heart of the latitudinal diversity gradient?. Global Ecology and Biogeography, 2010, 19, 244-252. | 2.7 | 126 |
| 104 | Energy and the tempo of evolution in amphibians. Global Ecology and Biogeography, 2010, 19, 733-740. | 2.7 | 18 |
| 105 | Using a Macroecological Approach to Study Geographic Range, Abundance and Body Size in the Fossil Record. The Paleontological Society Papers, 2010, 16, 117-141. | 0.8 | 7 |
| 106 | The origins of modern biodiversity on land. Philosophical Transactions of the Royal Society B: Biological Sciences, 2010, 365, 3667-3679. | 1.8 | 126 |
| 107 | Evolutionary speed limited by water in arid Australia. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 2645-2653. | 1.2 | 41 |
| 108 | Genus age, provincial area and the taxonomic structure of marine faunas. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 3427-3435. | 1.2 | 21 |
| 110 | A distinct latitudinal gradient of diatom diversity is linked to resource supply. Ecology, 2010, 91, 36-41. | 1.5 | 53 |
| 111 | Quaternary origin of the inverse latitudinal diversity gradient among southern Chilean mollusks. Geology, 2010, 38, 955-958. | 2.0 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 112 | Reefs as Cradles of Evolution and Sources of Biodiversity in the Phanerozoic. <i>Science</i> , 2010, 327, 196-198. | 6.0 | 151 |
| 113 | More than just indicators: A review of tropical butterfly ecology and conservation. <i>Biological Conservation</i> , 2010, 143, 1831-1841. | 1.9 | 217 |
| 114 | Climate stability and the current patterns of terrestrial vertebrate species richness on the Brazilian Cerrado. <i>Quaternary International</i> , 2010, 222, 230-236. | 0.7 | 2 |
| 115 | A stochastic, evolutionary model for range shifts and richness on tropical elevational gradients under Quaternary glacial cycles. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2010, 365, 3695-3707. | 1.8 | 77 |
| 116 | Promoting marine origination. <i>Nature Geoscience</i> , 2010, 3, 388-389. | 5.4 | 2 |
| 117 | Seasonality, the latitudinal gradient of diversity, and Eocene insects. <i>Paleobiology</i> , 2010, 36, 374-398. | 1.3 | 127 |
| 118 | Rapid diversification and not clade age explains high diversity in neotropical <i>Adelpha</i> butterflies. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 1777-1785. | 1.2 | 59 |
| 119 | Factors influencing diversification in angiosperms: At the crossroads of intrinsic and extrinsic traits. <i>American Journal of Botany</i> , 2011, 98, 460-471. | 0.8 | 68 |
| 120 | Aquatic Biodiversity in the Amazon: Habitat Specialization and Geographic Isolation Promote Species Richness. <i>Animals</i> , 2011, 1, 205-241. | 1.0 | 38 |
| 121 | Ecological and Evolutionary Limits to Species Geographic Ranges. <i>American Naturalist</i> , 2011, 178, S1-S5. | 1.0 | 32 |
| 122 | The Causes Of Species Richness Patterns Across Space, Time, And Clades And The Role Of "Ecological Limits". <i>Quarterly Review of Biology</i> , 2011, 86, 75-96. | 0.0 | 251 |
| 123 | Limits to Speciation Inferred from Times to Secondary Sympatry and Ages of Hybridizing Species along a Latitudinal Gradient. <i>American Naturalist</i> , 2011, 177, 462-469. | 1.0 | 140 |
| 124 | Niche conservatism along an onshore-offshore gradient. <i>Paleobiology</i> , 2011, 37, 270-286. | 1.3 | 35 |
| 125 | The Antarctic region as a marine biodiversity hotspot for echinoderms: Diversity and diversification of sea cucumbers. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 264-275. | 0.6 | 56 |
| 126 | The Paleocology of Coral Reefs. , 2011, , 13-24. | | 23 |
| 127 | Pleistocene and Holocene interglacial molluscan assemblages from Patagonian and Bonaerian littoral (Argentina, SW Atlantic): Palaeobiodiversity and palaeobiogeography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 308, 277-292. | 1.0 | 38 |
| 128 | Red Queen: from populations to taxa and communities. <i>Trends in Ecology and Evolution</i> , 2011, 26, 349-358. | 4.2 | 119 |
| 129 | Treatise Online, no. 29: Part N, Revised, Volume 1, Chapter 24: Extinction in the marine Bivalvia. <i>Treatise Online</i> , 2011, . | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 130 | A Study on Biodiversity Mechanism by the Creativity Theory of Ecosystem. , 2011, , . | | 0 |
| 131 | Global climate and extinction: evidence from the fossil record. , 0, , 99-121. | | 3 |
| 132 | Integrating ecology and systematics in climate change research. , 2011, , 3-43. | | 1 |
| 133 | An inverse latitudinal gradient of diversity of peracarid crustaceans along the Pacific Coast of South America: out of the deep south. <i>Global Ecology and Biogeography</i> , 2011, 20, 437-448. | 2.7 | 41 |
| 134 | Climatic niche conservatism and the evolutionary dynamics in species range boundaries: global congruence across mammals and amphibians. <i>Journal of Biogeography</i> , 2011, 38, 2237-2247. | 1.4 | 75 |
| 135 | Species richness in a tropical biodiversity hotspot. <i>Journal of Biogeography</i> , 2011, 38, 2043-2044. | 1.4 | 7 |
| 136 | Spatial structure and the effects of host and soil environments on communities of ectomycorrhizal fungi in wooded savannas and rain forests of Continental Africa and Madagascar. <i>Molecular Ecology</i> , 2011, 20, 3071-3080. | 2.0 | 108 |
| 137 | Ectomycorrhizal fungal diversity and community structure on three co-occurring leguminous canopy tree species in a Neotropical rainforest. <i>New Phytologist</i> , 2011, 192, 699-712. | 3.5 | 133 |
| 138 | The Lusitania Province as a center of diversification: The phylogeny of the genus <i>Microlipophrys</i> (Pisces: Blenniidae). <i>Molecular Phylogenetics and Evolution</i> , 2011, 58, 409-413. | 1.2 | 14 |
| 139 | Evolution of the climatic niche in scaly tree ferns (Cyatheaceae, Polypodiopsida). <i>Botanical Journal of the Linnean Society</i> , 2011, 165, 1-19. | 0.8 | 32 |
| 140 | Thermal niche separation in two sympatric tropical intertidal <i>Laternula</i> (Bivalvia: Anomalodesmata). <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 405, 68-72. | 0.7 | 13 |
| 141 | Northward shift in faunal diversity: A general pattern of evolution of phanerozoic marine biota. <i>Biology Bulletin Reviews</i> , 2011, 1, 71-81. | 0.3 | 13 |
| 142 | A high local species richness and biodiversity within high-latitude calcareous aggregates of tube-building polychaetes. <i>Biodiversity and Conservation</i> , 2011, 20, 793-806. | 1.2 | 9 |
| 143 | Marine extinctions and conservation. <i>Marine Biology</i> , 2011, 158, 485-488. | 0.7 | 25 |
| 144 | Diversity of the arctic deep-sea benthos. <i>Marine Biodiversity</i> , 2011, 41, 87-107. | 0.3 | 90 |
| 145 | Are rates of molecular evolution in mammals substantially accelerated in warmer environments? Reply. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 1294-1297. | 1.2 | 8 |
| 146 | Natural selection and functional genetic variation in the p53 pathway. <i>Human Molecular Genetics</i> , 2011, 20, 1502-1508. | 1.4 | 23 |
| 147 | The influence of past and present climate on the biogeography of modern mammal diversity. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2011, 366, 2526-2535. | 1.8 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 148 | Determinants of Northerly Range Limits along the Himalayan Bird Diversity Gradient. <i>American Naturalist</i> , 2011, 178, S97-S108. | 1.0 | 53 |
| 149 | Climate change and the selective signature of the Late Ordovician mass extinction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6829-6834. | 3.3 | 138 |
| 150 | Evolutionary dynamics of taxonomic structure. <i>Biology Letters</i> , 2012, 8, 135-138. | 1.0 | 20 |
| 151 | Adaptive evolution of facial colour patterns in Neotropical primates. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 2204-2211. | 1.2 | 93 |
| 152 | The Impact of the Geologic History and Paleoclimate on the Diversification of East African Cichlids. <i>International Journal of Evolutionary Biology</i> , 2012, 2012, 1-20. | 1.0 | 83 |
| 153 | Eco-Evolutionary Community Dynamics: Covariation between Diversity and Invasibility across Temperature Gradients. <i>American Naturalist</i> , 2012, 180, E110-E126. | 1.0 | 9 |
| 154 | Biodiversity hotspots, evolution and coral reef biogeography:. , 2012, , 216-245. | | 59 |
| 155 | Niche conservatism and the differences in species richness at the transition of tropical and subtropical climates in South America. <i>Ecography</i> , 2012, 35, 933-943. | 2.1 | 53 |
| 156 | An asymmetry in niche conservatism contributes to the latitudinal species diversity gradient in New World vertebrates. <i>Ecology Letters</i> , 2012, 15, 1318-1325. | 3.0 | 59 |
| 157 | Diversity dynamics of echinoderms and evolution of marine communities. <i>Paleontological Journal</i> , 2012, 46, 865-876. | 0.2 | 1 |
| 158 | Phylogeny, ecology, and the origins of climateâ€“richness relationships. <i>Ecology</i> , 2012, 93, S167-S181. | 1.5 | 71 |
| 159 | Humanâ€“induced marine ecological degradation: micropaleontological perspectives. <i>Ecology and Evolution</i> , 2012, 2, 3242-3268. | 0.8 | 88 |
| 160 | Diversity and Evolution of Body Size in Fishes. <i>Evolutionary Biology</i> , 2012, 39, 324-340. | 0.5 | 29 |
| 161 | Species richness and morphological diversity of passerine birds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14482-14487. | 3.3 | 119 |
| 162 | Diversification rates and the latitudinal gradient of diversity in mammals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 4148-4155. | 1.2 | 53 |
| 163 | Biogeography of species richness gradients: linking adaptive traits, demography and diversification. <i>Biological Reviews</i> , 2012, 87, 457-479. | 4.7 | 39 |
| 164 | Ecology Needs a Paleontological Perspective. , 2012, , 23-38. | | 15 |
| 165 | Climatic forcing of Quaternary deep-sea benthic communities in the North Pacific Ocean. <i>Paleobiology</i> , 2012, 38, 162-179. | 1.3 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 166 | The Secret to Successful Deep-Sea Invasion: Does Low Temperature Hold the Key?. PLoS ONE, 2012, 7, e51219. | 1.1 | 26 |
| 167 | ECOLOGICAL LIMITS ON DIVERSIFICATION OF THE HIMALAYAN CORE CORVOIDEA. Evolution; International Journal of Organic Evolution, 2012, 66, 2599-2613. | 1.1 | 33 |
| 168 | Multiple Quaternary Refugia in the Eastern Guiana Shield Revealed by Comparative Phylogeography of 12 Frog Species. Systematic Biology, 2012, 61, 461. | 2.7 | 113 |
| 169 | Species formation and geographical range evolution in a genus of Central American cloud forest salamanders (<i>Dendrotriton</i>). Journal of Biogeography, 2012, 39, 1251-1265. | 1.4 | 23 |
| 170 | The response of benthic macroinvertebrate communities to climate change: evidence from subtropical mountain streams in Central China. International Review of Hydrobiology, 2012, 97, 200-214. | 0.5 | 21 |
| 171 | Human macroecology: linking pattern and process in big picture human ecology. Biological Reviews, 2012, 87, 194-208. | 4.7 | 69 |
| 172 | Understanding global patterns in amphibian geographic range size: does Rapoport rule?. Global Ecology and Biogeography, 2012, 21, 179-190. | 2.7 | 73 |
| 173 | Can stochastic geographical evolution re-create macroecological richness? environment correlations?. Global Ecology and Biogeography, 2012, 21, 212-223. | 2.7 | 15 |
| 174 | Phylogeography and binding evolution in <i>Arbacia</i> , a sea urchin genus with an unusual distribution. Molecular Ecology, 2012, 21, 130-144. | 2.0 | 49 |
| 175 | Testing historical explanations for gradients in species richness in heliconiine butterflies of tropical America. Biological Journal of the Linnean Society, 2012, 105, 479-497. | 0.7 | 85 |
| 176 | Different evolutionary histories underlie congruent species richness gradients of birds and mammals. Journal of Biogeography, 2012, 39, 825-841. | 1.4 | 84 |
| 177 | Climatic stability in the Brazilian Cerrado: implications for biogeographical connections of South American savannas, species richness and conservation in a biodiversity hotspot. Journal of Biogeography, 2012, 39, 1695-1706. | 1.4 | 200 |
| 178 | What's on the horizon for macroecology?. Ecography, 2012, 35, 673-683. | 2.1 | 166 |
| 179 | What causes latitudinal gradients in species diversity? Evolutionary processes and ecological constraints on swallowtail biodiversity. Ecology Letters, 2012, 15, 267-277. | 3.0 | 222 |
| 180 | Latitudinal species diversity gradient of marine zooplankton for the last three million years. Ecology Letters, 2012, 15, 1174-1179. | 3.0 | 85 |
| 181 | Latitudinal mismatches between the components of mammal flea interaction networks. Global Ecology and Biogeography, 2012, 21, 725-731. | 2.7 | 22 |
| 182 | A temperate palaeodiversity peak in Mesozoic dinosaurs and evidence for Late Cretaceous geographical partitioning. Global Ecology and Biogeography, 2012, 21, 898-908. | 2.7 | 59 |
| 183 | Patterns and processes of global riverine fish endemism. Global Ecology and Biogeography, 2012, 21, 977-987. | 2.7 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 184 | Exploring the phylogenetic history of mammal species richness. <i>Global Ecology and Biogeography</i> , 2012, 21, 1096-1105. | 2.7 | 39 |
| 185 | Elevational diversity of terrestrial rainforest herbs: when the whole is less than the sum of its parts. <i>Plant Ecology</i> , 2012, 213, 407-418. | 0.7 | 23 |
| 186 | Beyond Bergmann's rule: size–latitude relationships in marine Bivalvia worldwide. <i>Global Ecology and Biogeography</i> , 2013, 22, 173-183. | 2.7 | 85 |
| 187 | Niche conservatism constrains Australian honeyeater assemblages in stressful environments. <i>Ecology Letters</i> , 2013, 16, 1186-1194. | 3.0 | 52 |
| 188 | Heat freezes niche evolution. <i>Ecology Letters</i> , 2013, 16, 1206-1219. | 3.0 | 708 |
| 189 | Temperature change and macroinvertebrate biodiversity: assessments of organism vulnerability and potential distributions. <i>Climatic Change</i> , 2013, 119, 421-434. | 1.7 | 39 |
| 190 | Pollen assemblage richness does not reflect regional plant species richness: a cautionary tale. <i>Journal of Ecology</i> , 2013, 101, 1137-1145. | 1.9 | 51 |
| 191 | A humped latitudinal phylogenetic diversity pattern of orchid bees (Hymenoptera: Apidae: Euglossini) in western Amazonia: assessing the influence of climate and geologic history. <i>Ecography</i> , 2014, 37, 500-508. | 2.1 | 6 |
| 192 | Phylogenetic estimates of speciation and extinction rates for testing ecological and evolutionary hypotheses. <i>Trends in Ecology and Evolution</i> , 2013, 28, 729-736. | 4.2 | 101 |
| 193 | Large-scale phylogenetic analyses reveal the causes of high tropical amphibian diversity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20131622. | 1.2 | 228 |
| 194 | Transitions between Andean and Amazonian centers of endemism in the radiation of some arboreal rodents. <i>BMC Evolutionary Biology</i> , 2013, 13, 191. | 3.2 | 41 |
| 195 | Energy and spatial order in niche and community. <i>Biological Journal of the Linnean Society</i> , 2013, 110, 696-714. | 0.7 | 6 |
| 196 | Patterns of North American Fern and Lycophyte Richness at Three Taxonomic Levels. <i>American Fern Journal</i> , 2013, 103, 193-214. | 0.2 | 5 |
| 197 | High-latitude Hirnantian (latest Ordovician) brachiopods from the Eusebio Ayala Formation of Paraguay, Paraná Basin. <i>Palaeontology</i> , 2013, 56, 61-78. | 1.0 | 21 |
| 198 | The sampling and estimation of marine paleodiversity patterns: implications of a Pliocene model. <i>Paleobiology</i> , 2013, 39, 1-20. | 1.3 | 32 |
| 199 | Macroevolutionary perspectives to environmental change. <i>Ecology Letters</i> , 2013, 16, 72-85. | 3.0 | 222 |
| 200 | Regional effects as important determinants of local diversity in both marine and terrestrial systems. <i>Oikos</i> , 2013, 122, 288-297. | 1.2 | 40 |
| 201 | Genetic diversity within vertebrate species is greater at lower latitudes. <i>Evolutionary Ecology</i> , 2013, 27, 133-143. | 0.5 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 202 | Is regional species diversity bounded or unbounded?. <i>Biological Reviews</i> , 2013, 88, 140-165. | 4.7 | 97 |
| 203 | Life on a tropical planet: niche conservatism and the global diversity gradient. <i>Global Ecology and Biogeography</i> , 2013, 22, 344-350. | 2.7 | 105 |
| 204 | The problem of pattern and scale in ecology: what have we learned in 20 years?. <i>Ecology Letters</i> , 2013, 16, 4-16. | 3.0 | 336 |
| 205 | Bivalvia – A Discussion of Known Unknowns*. <i>American Malacological Bulletin</i> , 2013, 31, 123-133. | 0.2 | 29 |
| 206 | First bryozoan fauna from a tropical Cretaceous carbonate: Simsim Formation, United Arab Emirates – Oman border region. <i>Cretaceous Research</i> , 2013, 43, 80-96. | 0.6 | 10 |
| 207 | Stronger biotic resistance in tropics relative to temperate zone: effects of predation on marine invasion dynamics. <i>Ecology</i> , 2013, 94, 1370-1377. | 1.5 | 88 |
| 208 | Pattern and timing of biogeographical history in the Neotropical tribe Bignoniaceae (Bignoniaceae). <i>Botanical Journal of the Linnean Society</i> , 2013, 171, 154-170. | 0.8 | 78 |
| 209 | WHAT CAN MULTIPLE PHYLOGENIES SAY ABOUT THE LATITUDINAL DIVERSITY GRADIENT? A NEW LOOK AT THE TROPICAL CONSERVATISM, OUT OF THE TROPICS, AND DIVERSIFICATION RATE HYPOTHESES. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 1741-1755. | 1.1 | 101 |
| 210 | Molecular evolution and the latitudinal biodiversity gradient. <i>Heredity</i> , 2013, 110, 501-510. | 1.2 | 89 |
| 211 | Biogeography of the Lizard Genus <i>Tropidurus</i> Wied-Neuwied, 1825 (Squamata: Tropiduridae): Distribution, Endemism, and Area Relationships in South America. <i>PLoS ONE</i> , 2013, 8, e59736. | 1.1 | 28 |
| 212 | TESTING THE MUSEUM VERSUS CRADLE TROPICAL BIOLOGICAL DIVERSITY HYPOTHESIS: PHYLOGENY, DIVERSIFICATION, AND ANCESTRAL BIOGEOGRAPHIC RANGE EVOLUTION OF THE ANTS. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 2240-2257. | 1.1 | 290 |
| 214 | Latitudinal diversity relationships of fiddler crabs: biogeographic differences united by temperature. <i>Global Ecology and Biogeography</i> , 2013, 22, 1050-1059. | 2.7 | 16 |
| 215 | A macroevolutionary expansion of the modern synthesis and the importance of extrinsic abiotic factors. <i>Palaeontology</i> , 2013, 56, 1179-1198. | 1.0 | 28 |
| 216 | Diversity in time and space: wanted dead and alive. <i>Trends in Ecology and Evolution</i> , 2013, 28, 509-516. | 4.2 | 128 |
| 217 | Cenozoic climate change and diversification on the continental shelf and slope: evolution of gastropod diversity in the family Solariellidae (Trochoidea). <i>Ecology and Evolution</i> , 2013, 3, 887-917. | 0.8 | 28 |
| 218 | Molecular Phylogeny of the Leafy Liverwort <i>Lejeunea</i> (Porellales): Evidence for a Neotropical Origin, Uneven Distribution of Sexual Systems and Insufficient Taxonomy. <i>PLoS ONE</i> , 2013, 8, e82547. | 1.1 | 53 |
| 219 | The Species-Area Relationship in the Late Ordovician: A Test Using Neutral Theory. <i>Diversity</i> , 2013, 5, 240-262. | 0.7 | 14 |
| 220 | Profile of David Jablonski. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 10467-10469. | 3.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 221 | Out of the tropics, but how? Fossils, bridge species, and thermal ranges in the dynamics of the marine latitudinal diversity gradient. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 10487-10494. | 3.3 | 176 |
| 222 | Latitudinal Diversity of Sea Anemones (Cnidaria: Actiniaria). <i>Biological Bulletin</i> , 2013, 224, 89-98. | 0.7 | 47 |
| 223 | Treatise Online no. 61: Part N, Revised, Volume 1, Chapter 4: The early shell: Ontogeny, features, and evolution. <i>Treatise Online</i> , 2013, . | 0.6 | 5 |
| 224 | Evolutionary macroecology. <i>Frontiers of Biogeography</i> , 2013, 5, . | 0.8 | 2 |
| 225 | ACTN3 Allele Frequency in Humans Covaries with Global Latitudinal Gradient. <i>PLoS ONE</i> , 2013, 8, e52282. | 1.1 | 29 |
| 226 | Can Yeast (<i>S. cerevisiae</i>) Metabolic Volatiles Provide Polymorphic Signaling?. <i>PLoS ONE</i> , 2013, 8, e70219. | 1.1 | 30 |
| 227 | Investigating the Bivalve Tree of Life – an exemplar-based approach combining molecular and novel morphological characters. <i>Invertebrate Systematics</i> , 2014, 28, 32. | 0.5 | 198 |
| 228 | Faster Speciation and Reduced Extinction in the Tropics Contribute to the Mammalian Latitudinal Diversity Gradient. <i>PLoS Biology</i> , 2014, 12, e1001775. | 2.6 | 279 |
| 229 | On the processes generating latitudinal richness gradients: identifying diagnostic patterns and predictions. <i>Frontiers in Genetics</i> , 2014, 5, 420. | 1.1 | 27 |
| 230 | Functional trait space and the latitudinal diversity gradient. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13745-13750. | 3.3 | 319 |
| 231 | Environmental harshness, latitude and incipient speciation. <i>Molecular Ecology</i> , 2014, 23, 251-253. | 2.0 | 10 |
| 232 | Differential niche dynamics among major marine invertebrate clades. <i>Ecology Letters</i> , 2014, 17, 314-323. | 3.0 | 34 |
| 233 | Why are there so many species in the tropics?. <i>Journal of Biogeography</i> , 2014, 41, 8-22. | 1.4 | 608 |
| 234 | Climate-Driven Reshuffling of Species and Genes: Potential Conservation Roles for Species Translocations and Recombinant Hybrid Genotypes. <i>Insects</i> , 2014, 5, 1-61. | 1.0 | 18 |
| 235 | Global Distribution and Conservation of Evolutionary Distinctness in Birds. <i>Current Biology</i> , 2014, 24, 919-930. | 1.8 | 441 |
| 236 | Species richness and evolutionary speed: the influence of temperature, water and area. <i>Journal of Biogeography</i> , 2014, 41, 39-51. | 1.4 | 91 |
| 237 | Regional-scale patterns and predictors of species richness and abundance across twelve major tropical inter-reef taxa. <i>Ecography</i> , 2014, 37, 162-171. | 2.1 | 14 |
| 238 | The metabolic theory of ecology convincingly explains the latitudinal diversity gradient of Neotropical freshwater fish. <i>Ecology</i> , 2014, 95, 553-562. | 1.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 239 | Species living in harsh environments have low clade rank and are localized on former Laurasian continents: a case study of <i>Willemia</i> (Collembola). <i>Journal of Biogeography</i> , 2014, 41, 353-365. | 1.4 | 3 |
| 240 | Time rescaling and pattern formation in biological evolution. <i>BioSystems</i> , 2014, 123, 19-26. | 0.9 | 30 |
| 241 | treeNODF: nestedness to phylogenetic, functional and other tree-based diversity metrics. <i>Methods in Ecology and Evolution</i> , 2014, 5, 563-572. | 2.2 | 27 |
| 242 | Do past climate states influence diversity dynamics and the present-day latitudinal diversity gradient?. <i>Global Ecology and Biogeography</i> , 2014, 23, 530-540. | 2.7 | 19 |
| 243 | Environmental harshness is positively correlated with intraspecific divergence in mammals and birds. <i>Molecular Ecology</i> , 2014, 23, 259-268. | 2.0 | 82 |
| 244 | Diverse cryptic refuges for life during glaciation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 5452-5453. | 3.3 | 23 |
| 245 | What's missing from avian global diversification analyses?. <i>Molecular Phylogenetics and Evolution</i> , 2014, 77, 159-165. | 1.2 | 26 |
| 246 | Response of deep-sea biodiversity to abrupt deglacial and Holocene climate changes in the North Atlantic Ocean. <i>Global Ecology and Biogeography</i> , 2014, 23, 957-967. | 2.7 | 47 |
| 247 | The latitudinal species richness gradient in New World woody angiosperms is consistent with the tropical conservatism hypothesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8125-8130. | 3.3 | 198 |
| 248 | Why Marine Islands Are Farther Apart in the Tropics. <i>American Naturalist</i> , 2014, 183, 842-846. | 1.0 | 14 |
| 249 | Into and out of the tropics: the generation of the latitudinal gradient among New World passerine birds. <i>Journal of Biogeography</i> , 2014, 41, 1746-1757. | 1.4 | 53 |
| 250 | The latitudinal biodiversity gradient through deep time. <i>Trends in Ecology and Evolution</i> , 2014, 29, 42-50. | 4.2 | 250 |
| 251 | Ecological and evolutionary consequences of benthic community stasis in the very deep sea (>1500 m). <i>Journal of Biogeography</i> , 2014, 41, 1746-1757. | 1.3 | 10 |
| 252 | Inferring directions of evolution from patterns of variation: The legacy of Sergei Meyen. <i>BioSystems</i> , 2014, 123, 67-73. | 0.9 | 9 |
| 253 | Refugia within refugia - patterns in endemism and genetic divergence are linked to Late Quaternary climate stability in the Iberian Peninsula. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 13-28. | 0.7 | 86 |
| 254 | Warm water benthic foraminifera document the Pennsylvanian-Permian warming and cooling events - The record from the Western Pangea tropical shelves. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 414, 284-295. | 1.0 | 50 |
| 255 | Global biogeography of the ectomycorrhizal <i>Sebacina</i> lineage (Fungi). <i>Journal of Biogeography</i> , 2014, 41, 1746-1757. | 2.0 | 58 |
| 256 | Temperate origins of long-distance seasonal migration in New World songbirds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12115-12120. | 3.3 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 257 | The environmental structure of trilobite morphological disparity. <i>Paleobiology</i> , 2014, 40, 352-373. | 1.3 | 29 |
| 258 | A test for community saturation along the Himalayan bird diversity gradient, based on within-species geographical variation. <i>Journal of Animal Ecology</i> , 2014, 83, 628-638. | 1.3 | 24 |
| 259 | Morphological diversity at different spatial scales in a Neotropical bat assemblage. <i>Oecologia</i> , 2014, 176, 557-568. | 0.9 | 10 |
| 260 | Evolution at a Different Pace: Distinctive Phylogenetic Patterns of Cone Snails from Two Ancient Oceanic Archipelagos. <i>Systematic Biology</i> , 2014, 63, 971-987. | 2.7 | 14 |
| 261 | Temperate extinction in squamate reptiles and the roots of latitudinal diversity gradients. <i>Global Ecology and Biogeography</i> , 2014, 23, 1126-1134. | 2.7 | 56 |
| 262 | Explaining bathymetric diversity patterns in marine benthic invertebrates and demersal fishes: physiological contributions to adaptation of life at depth. <i>Biological Reviews</i> , 2014, 89, 406-426. | 4.7 | 119 |
| 263 | Historical biogeography of the neotropical Diaptomidae (Crustacea: Copepoda). <i>Frontiers in Zoology</i> , 2014, 11, 36. | 0.9 | 19 |
| 264 | Global paleobiogeography of brachiopods during the Mississippian "Response to the global tectonic reconfiguration, ocean circulation, and climate changes. <i>Gondwana Research</i> , 2014, 26, 1173-1185. | 3.0 | 40 |
| 265 | Environmental controls on geographic range size in marine animal genera. <i>Paleobiology</i> , 2014, 40, 440-458. | 1.3 | 26 |
| 266 | THE ROLE OF CLIMATIC TOLERANCES AND SEED TRAITS IN REDUCED EXTINCTION RATES OF TEMPERATE POLYGONACEAE. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 1856-1870. | 1.1 | 9 |
| 267 | A Machine Reading System for Assembling Synthetic Paleontological Databases. <i>PLoS ONE</i> , 2014, 9, e113523. | 1.1 | 75 |
| 268 | Modeling evolution of spatially distributed bacterial communities: a simulation with the haploid evolutionary constructor. <i>BMC Evolutionary Biology</i> , 2015, 15, S3. | 3.2 | 9 |
| 269 | Dispersal is a major driver of the latitudinal diversity gradient of Carnivora. <i>Global Ecology and Biogeography</i> , 2015, 24, 1059-1071. | 2.7 | 46 |
| 270 | Phylogenetic patterns in the geographic distributions of birds support the tropical conservatism hypothesis. <i>Global Ecology and Biogeography</i> , 2015, 24, 1261-1268. | 2.7 | 27 |
| 271 | The history of South American octodontoid rodents and its contribution to evolutionary generalisations. , 2015, , 139-163. | | 15 |
| 272 | Emerging patterns of genetic variation in the New Zealand endemic scallop <i>Pecten novaezelandiae</i> . <i>Molecular Ecology</i> , 2015, 24, 5379-5393. | 2.0 | 13 |
| 273 | Connectivity and vagility determine spatial richness gradients and diversification of freshwater fish in North America and Europe. <i>Biological Journal of the Linnean Society</i> , 2015, 116, 773-786. | 0.7 | 31 |
| 274 | Geographic patterns of diversification and the latitudinal gradient of richness of rocky intertidal gastropods: the "into the tropical museum" hypothesis. <i>Global Ecology and Biogeography</i> , 2015, 24, 1149-1158. | 2.7 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 275 | The age of chocolate: a diversification history of Theobroma and Malvaceae. <i>Frontiers in Ecology and Evolution</i> , 2015, 3, . | 1.1 | 48 |
| 276 | Living on the edge: timing of Rand Flora disjunctions congruent with ongoing aridification in Africa. <i>Frontiers in Genetics</i> , 2015, 6, 154. | 1.1 | 90 |
| 277 | Characterising sediments of a tropical sediment-starved shelf using cluster analysis of physical and geochemical variables. <i>Environmental Chemistry</i> , 2015, 12, 204. | 0.7 | 7 |
| 278 | Limited scope for latitudinal extension of reef corals. <i>Science</i> , 2015, 348, 1135-1138. | 6.0 | 147 |
| 279 | Do lichens show latitudinal patterns of diversity?. <i>Fungal Ecology</i> , 2015, 15, 63-72. | 0.7 | 9 |
| 280 | Oligocene niche shift, Miocene diversification – cold tolerance and accelerated speciation rates in the St. John’s Worts (<i>Hypericum</i> , <i>Hypericaceae</i>). <i>BMC Evolutionary Biology</i> , 2015, 15, 80. | 3.2 | 56 |
| 281 | Diversification and biodiversity dynamics of hot and cold spots. <i>Ecography</i> , 2015, 38, 393-401. | 2.1 | 8 |
| 282 | Do turtles follow the rules? Latitudinal gradients in species richness, body size, and geographic range area of the world’s turtles. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2015, 324, 270-294. | 0.6 | 61 |
| 283 | Aragonite-calcite seas – Quantifying the gray area. <i>Geology</i> , 2015, 43, 99-102. | 2.0 | 96 |
| 284 | Origins, bottlenecks, and present-day diversity: Patterns of morphospace occupation in marine bivalves. <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 735-746. | 1.1 | 17 |
| 285 | Origination, extinction, invasion, and extirpation components of the brachiopod latitudinal biodiversity gradient through the Phanerozoic Eon. <i>Paleobiology</i> , 2015, 41, 330-341. | 1.3 | 24 |
| 286 | Biogeography of Triassic Ammonoids. <i>Topics in Geobiology</i> , 2015, , 163-187. | 0.6 | 10 |
| 287 | Convergence, divergence, and parallelism in marine biodiversity trends: Integrating present-day and fossil data. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4903-4908. | 3.3 | 20 |
| 288 | Molecular phylogenetics and historical biogeography amid shifting continents in the cockles and giant clams (<i>Bivalvia: Cardiidae</i>). <i>Molecular Phylogenetics and Evolution</i> , 2015, 93, 94-106. | 1.2 | 35 |
| 289 | Identification guide to some Diaptomid species (Crustacea, Copepoda, Calanoida, Diaptomidae) of the Plata River Basin (South America). <i>ZooKeys</i> , 2015, 497, 1-111. | 0.5 | 21 |
| 290 | A twofold role for global energy gradients in marine biodiversity trends. <i>Journal of Biogeography</i> , 2015, 42, 997-1005. | 1.4 | 53 |
| 291 | Higher speciation and lower extinction rates influence mammal diversity gradients in Asia. <i>BMC Evolutionary Biology</i> , 2015, 15, 11. | 3.2 | 20 |
| 292 | Cenozoic latitudinal response curves: individualistic changes in the latitudinal distributions of marine bivalves and gastropods. <i>Paleobiology</i> , 2015, 41, 33-44. | 1.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 293 | An engine for global plant diversity: highest evolutionary turnover and emigration in the American tropics. <i>Frontiers in Genetics</i> , 2015, 6, 130. | 1.1 | 77 |
| 294 | A test of the integrated evolutionary speed hypothesis in a Neotropical amphibian radiation. <i>Global Ecology and Biogeography</i> , 2015, 24, 804-813. | 2.7 | 10 |
| 295 | Fighting their last stand? A global analysis of the distribution and conservation status of gymnosperms. <i>Journal of Biogeography</i> , 2015, 42, 809-820. | 1.4 | 81 |
| 296 | Historical Biogeography Using Species Geographical Ranges. <i>Systematic Biology</i> , 2015, 64, 1059-1073. | 2.7 | 46 |
| 297 | Ecological and Evolutionary Drivers of Geographic Variation in Species Diversity. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2015, 46, 369-392. | 3.8 | 328 |
| 298 | First insights into genus level diversity and biogeography of deep sea benthopelagic calanoid copepods in the South Atlantic and Southern Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2015, 105, 96-110. | 0.6 | 8 |
| 299 | A Unique Trait Associated with Increased Diversification in a Hyperdiverse Family of Tropical Lichen-Forming Fungi. <i>International Journal of Plant Sciences</i> , 2015, 176, 597-606. | 0.6 | 8 |
| 302 | Biogeography of the cosmopolitan sedges (Cyperaceae) and the area- richness correlation in plants. <i>Journal of Biogeography</i> , 2016, 43, 1893-1904. | 1.4 | 79 |
| 303 | Niche width impacts vertebrate diversification. <i>Global Ecology and Biogeography</i> , 2016, 25, 1252-1263. | 2.7 | 55 |
| 304 | Biogeography of small odontocetes in relation to wide-scale oceanographic structure in the North Pacific Ocean. <i>Fisheries Oceanography</i> , 2016, 25, 119-132. | 0.9 | 15 |
| 305 | Do tropical rain forest soils have greater nematode diversity than High Arctic tundra? A metagenetic comparison of Malaysia and Svalbard. <i>Global Ecology and Biogeography</i> , 2016, 25, 716-728. | 2.7 | 41 |
| 306 | Habitat shifts shaping the diversity of a biodiversity hotspot through time: insights from the phylogenetic structure of Caesalpinioideae in the Brazilian Cerrado. <i>Journal of Biogeography</i> , 2016, 43, 340-350. | 1.4 | 39 |
| 307 | Time best explains global variation in species richness of amphibians, birds and mammals. <i>Journal of Biogeography</i> , 2016, 43, 1069-1079. | 1.4 | 49 |
| 308 | Latitudinal gradient in niche breadth of brachyuran crabs. <i>Global Ecology and Biogeography</i> , 2016, 25, 207-217. | 2.7 | 20 |
| 309 | A neutral metabolic theory of latitudinal biodiversity. <i>Global Ecology and Biogeography</i> , 2016, 25, 630-641. | 2.7 | 32 |
| 310 | Can people change the ecological rules that appear general across space?. <i>Global Ecology and Biogeography</i> , 2016, 25, 1072-1084. | 2.7 | 18 |
| 311 | Soil microorganisms behave like macroscopic organisms: patterns in the global distribution of soil euglyphid testate amoebae. <i>Journal of Biogeography</i> , 2016, 43, 520-532. | 1.4 | 43 |
| 313 | Multi-scale taxonomic diversity of marine harpacticoids: Does it differ at high and low latitudes?. <i>Marine Biology</i> , 2016, 163, 1. | 0.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 314 | The impact of Cenozoic cooling on assemblage diversity in planktonic foraminifera. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150224. | 1.8 | 34 |
| 315 | Invasion by alligator weed, <i>Alternanthera philoxeroides</i> , is associated with decreased species diversity across the latitudinal gradient in China. <i>Journal of Plant Ecology</i> , 2016, 9, 311-319. | 1.2 | 29 |
| 316 | A phylogeny of Cephaloziaceae (Jungermanniopsida) based on nuclear and chloroplast DNA markers. <i>Organisms Diversity and Evolution</i> , 2016, 16, 727-742. | 0.7 | 18 |
| 317 | Exploring the role of economic incentives and spillover effects in biodiversity conservation policies in sub-Saharan Africa. <i>Ecological Economics</i> , 2016, 127, 185-191. | 2.9 | 13 |
| 318 | Phenotypic Novelty in EvoDevo: The Distinction Between Continuous and Discontinuous Variation and Its Importance in Evolutionary Theory. <i>Evolutionary Biology</i> , 2016, 43, 314-335. | 0.5 | 31 |
| 319 | Lifespan, growth rate, and body size across latitude in marine Bivalvia, with implications for Phanerozoic evolution. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161364. | 1.2 | 65 |
| 320 | Out of the Tropical Lowlands: Latitude versus Elevation. <i>Trends in Ecology and Evolution</i> , 2016, 31, 738-741. | 4.2 | 54 |
| 321 | A General, Synthetic Model for Predicting Biodiversity Gradients from Environmental Geometry. <i>American Naturalist</i> , 2016, 188, E85-E97. | 1.0 | 5 |
| 322 | Evolutionary processes underlying latitudinal differences in reef fish biodiversity. <i>Global Ecology and Biogeography</i> , 2016, 25, 1466-1476. | 2.7 | 38 |
| 324 | Latitudinal trends in genus richness of vascular plants in the Eocene and Oligocene of North America. <i>Plant Diversity</i> , 2016, 38, 133-141. | 1.8 | 4 |
| 325 | Elevational diversity patterns as an example for evolutionary and ecological dynamics in ferns and lycophytes. <i>Journal of Systematics and Evolution</i> , 2016, 54, 617-625. | 1.6 | 21 |
| 326 | On the measurement of occupancy in ecology and paleontology. <i>Paleobiology</i> , 2016, 42, 707-729. | 1.3 | 14 |
| 327 | Phylogenetic niche conservatism explains an inverse latitudinal diversity gradient in freshwater arthropods. <i>Scientific Reports</i> , 2016, 6, 26340. | 1.6 | 44 |
| 328 | Evolutionary dispersal drives the latitudinal diversity gradient of stony corals. <i>Ecography</i> , 2016, 39, 836-843. | 2.1 | 7 |
| 329 | Into and out of the tropics: global diversification patterns in a hyperdiverse clade of ectomycorrhizal fungi. <i>Molecular Ecology</i> , 2016, 25, 630-647. | 2.0 | 108 |
| 330 | Temperature impacts on deep-sea biodiversity. <i>Biological Reviews</i> , 2016, 91, 275-287. | 4.7 | 113 |
| 331 | Insights into the Neotropics prior to the Great American Biotic Interchange: new evidence of mammalian predators from the Miocene of Northern Colombia. <i>Journal of Vertebrate Paleontology</i> , 2016, 36, e1029581. | 0.4 | 23 |
| 332 | Speciation, Ecological Opportunity, and Latitude. <i>American Naturalist</i> , 2016, 187, 1-18. | 1.0 | 132 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 333 | The challenges to inferring the regulators of biodiversity in deep time. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150216. | 1.8 | 29 |
| 334 | Global brachiopod palaeobiogeographical evolution from Changhsingian (Late Permian) to Rhaetian (Late Triassic). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 448, 4-25. | 1.0 | 38 |
| 335 | Contrasting Phylogenetic and Diversity Patterns in Octodontoid Rodents and a New Definition of the Family Abrocomidae. <i>Journal of Mammalian Evolution</i> , 2016, 23, 93-115. | 1.0 | 50 |
| 336 | Tropical Fossil Caviomorph Rodents from the Southwestern Brazilian Amazonia in the Context of the South American Faunas: Systematics, Biochronology, and Paleobiogeography. <i>Journal of Mammalian Evolution</i> , 2017, 24, 57-70. | 1.0 | 45 |
| 337 | Spatial patterns of distribution, abundance, and species diversity of small odontocetes estimated using density surface modeling with line transect sampling. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2017, 140, 151-162. | 0.6 | 21 |
| 338 | Seasonal drought limits tree species across the Neotropics. <i>Ecography</i> , 2017, 40, 618-629. | 2.1 | 143 |
| 339 | Geographical patterns of phylogenetic beta-diversity components in terrestrial mammals. <i>Global Ecology and Biogeography</i> , 2017, 26, 573-583. | 2.7 | 39 |
| 340 | Evolution of Thermal Reaction Norms in Seasonally Varying Environments. <i>American Naturalist</i> , 2017, 189, E31-E45. | 1.0 | 25 |
| 341 | The biogeography of tropical reef fishes: endemism and provinciality through time. <i>Biological Reviews</i> , 2017, 92, 2112-2130. | 4.7 | 91 |
| 342 | Asymmetric geographic range expansion explains the latitudinal diversity gradients of four major taxa of marine plankton. <i>Paleobiology</i> , 2017, 43, 196-208. | 1.3 | 19 |
| 343 | Species diversity and environmental determinants of aquatic and terrestrial communities invaded by <i>Alternanthera philoxeroides</i> . <i>Science of the Total Environment</i> , 2017, 581-582, 666-675. | 3.9 | 33 |
| 345 | A day-flashing <i>Photinus</i> firefly (Coleoptera: Lampyridae) from central Panama: an emergent shift to predator-free space?. <i>Insect Systematics and Evolution</i> , 2017, 48, 512-531. | 0.2 | 7 |
| 346 | Diversity of Diversities: A Response to Chaudhary, Saeedi, and Costello. <i>Trends in Ecology and Evolution</i> , 2017, 32, 232-234. | 4.2 | 12 |
| 347 | Shaping the Latitudinal Diversity Gradient: New Perspectives from a Synthesis of Paleobiology and Biogeography. <i>American Naturalist</i> , 2017, 189, 1-12. | 1.0 | 106 |
| 348 | Fungal-algal association patterns in lichen symbiosis linked to macroclimate. <i>New Phytologist</i> , 2017, 214, 317-329. | 3.5 | 72 |
| 349 | Using network analysis to trace the evolution of biogeography through geologic time: A case study. <i>Geology</i> , 2017, , G38877.1. | 2.0 | 6 |
| 350 | Approaches to Macroevolution: 1. General Concepts and Origin of Variation. <i>Evolutionary Biology</i> , 2017, 44, 427-450. | 0.5 | 84 |
| 351 | A Phylogenetic, Biogeographic, and Taxonomic study of all Extant Species of <i>Anolis</i> (Squamata): Tj ETQq1 1 0.784314 rgBT /Overlock 119 | 2.7 | 119 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 352 | Phylogeny and biogeography of the scaleless scale worm <i>Pisione</i> (Sigalionidae, Annelida). <i>Ecology and Evolution</i> , 2017, 7, 2894-2915. | 0.8 | 6 |
| 353 | Can latitudinal richness gradients be measured in the terrestrial fossil record?. <i>Paleobiology</i> , 2017, 43, 479-494. | 1.3 | 14 |
| 354 | The geographical diversification of Furnariides: the role of forest versus open habitats in driving species richness gradients. <i>Journal of Biogeography</i> , 2017, 44, 1683-1693. | 1.4 | 23 |
| 355 | Late Permian (Lopingian) terrestrial ecosystems: A global comparison with new data from the low-latitude Bletterbach Biota. <i>Earth-Science Reviews</i> , 2017, 175, 18-43. | 4.0 | 59 |
| 356 | Genetic diversification of intertidal gastropoda in an archipelago: the effects of islands, oceanic currents, and ecology. <i>Marine Biology</i> , 2017, 164, 1. | 0.7 | 22 |
| 357 | Temporal coexistence mechanisms contribute to the latitudinal gradient in forest diversity. <i>Nature</i> , 2017, 550, 105-108. | 13.7 | 106 |
| 358 | How bird clades diversify in response to climatic and geographic factors. <i>Ecology Letters</i> , 2017, 20, 1129-1139. | 3.0 | 2 |
| 359 | Phylogenetic age differences in tree assemblages across the Northern Hemisphere increase with long-term climate stability in unstable regions. <i>Global Ecology and Biogeography</i> , 2017, 26, 1035-1042. | 2.7 | 13 |
| 360 | Magnetostratigraphy of the Upper Jurassic Morrison Formation at Dinosaur National Monument, Utah, and Prospects for Using Magnetostratigraphy as a Correlative Tool in the Morrison Formation. , 2017, , 279-302. | | 4 |
| 361 | Cradles and museums of Antarctic teleost biodiversity. <i>Nature Ecology and Evolution</i> , 2017, 1, 1379-1384. | 3.4 | 44 |
| 362 | Biotic interchange has structured Western Hemisphere mammal communities. <i>Global Ecology and Biogeography</i> , 2017, 26, 1408-1422. | 2.7 | 9 |
| 363 | The latitudinal diversity gradient in New World swallowtail butterflies is caused by contrasting patterns of out-of-tropics and into-tropics dispersal. <i>Global Ecology and Biogeography</i> , 2017, 26, 1447-1458. | 2.7 | 24 |
| 364 | Origin and Evolution of Regional Biotas: A Deep-Time Perspective. <i>Annual Review of Earth and Planetary Sciences</i> , 2017, 45, 471-495. | 4.6 | 15 |
| 365 | Geographical diversification and the effect of model and data inadequacies: the bat diversity gradient as a case study. <i>Biological Journal of the Linnean Society</i> , 2017, 121, 894-906. | 0.7 | 15 |
| 366 | Novel soil-inhabiting clades fill gaps in the fungal tree of life. <i>Microbiome</i> , 2017, 5, 42. | 4.9 | 152 |
| 367 | Decoupling of latitudinal gradients in species and genus geographic range size: a signature of clade range expansion. <i>Global Ecology and Biogeography</i> , 2017, 26, 288-303. | 2.7 | 21 |
| 368 | Bimodal latitudinal species richness and high endemism of razor clams (Mollusca). <i>Journal of Biogeography</i> , 2017, 44, 592-604. | 1.4 | 42 |
| 369 | Early and dynamic colonization of Central America drives speciation in Neotropical army ants. <i>Molecular Ecology</i> , 2017, 26, 859-870. | 2.0 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 370 | Age estimates of <i>Frullania</i> (Frullaniaceae, Porellales) main lineages: another example of rapid and recent diversification in liverwort evolution. <i>Systematics and Biodiversity</i> , 2017, 15, 156-165. | 0.5 | 13 |
| 371 | Does the colonization of new biogeographic regions influence the diversification and accumulation of clade richness among the Corvidae (Aves: Passeriformes)? <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 38-50. | 1.1 | 28 |
| 372 | Realized climatic niches are conserved along maximum temperatures among herpetofaunal invaders. <i>Journal of Biogeography</i> , 2017, 44, 111-121. | 1.4 | 28 |
| 373 | Latitudinal Gradients of Biodiversity $\hat{\tau}$. , 2017, , . | | 0 |
| 374 | A latitudinal phylogeographic diversity gradient in birds. <i>PLoS Biology</i> , 2017, 15, e2001073. | 2.6 | 52 |
| 375 | A new <i>Mourasuchus</i> (Alligatoroidea, Caimaninae) from the late Miocene of Venezuela, the phylogeny of Caimaninae and considerations on the feeding habits of <i>Mourasuchus</i> . <i>PeerJ</i> , 2017, 5, e3056. | 0.9 | 27 |
| 377 | Ecology I. Developments in Aquaculture and Fisheries Science, 2017, , 89-138. | 1.3 | 2 |
| 378 | A latitudinal gradient in dimensionality of biodiversity. <i>Ecography</i> , 2018, 41, 2016-2026. | 2.1 | 19 |
| 379 | Macroevolutionary Patterns of Flowering Plant Speciation and Extinction. <i>Annual Review of Plant Biology</i> , 2018, 69, 685-706. | 8.6 | 60 |
| 380 | Marine invertebrate migrations trace climate change over 450 million years. <i>Global Ecology and Biogeography</i> , 2018, 27, 704-713. | 2.7 | 24 |
| 381 | Key stages in the evolution of the Antarctic marine fauna. <i>Journal of Biogeography</i> , 2018, 45, 986-994. | 1.4 | 39 |
| 382 | Drivers and constraints on floral latitudinal diversification gradients. <i>Journal of Biogeography</i> , 2018, 45, 1408-1419. | 1.4 | 10 |
| 383 | Elevational patterns and ecological determinants of mean family age of angiosperm assemblages in temperate forests within Mount Taibai, China. <i>Journal of Plant Ecology</i> , 2018, 11, 919-927. | 1.2 | 3 |
| 384 | Detecting diversification rates in relation to preservation and tectonic history from simulated fossil records. <i>Paleobiology</i> , 2018, 44, 1-24. | 1.3 | 20 |
| 385 | Left in the cold? Evolutionary origin of <i>Laternula elliptica</i> , a keystone bivalve species of Antarctic benthos. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 360-376. | 0.7 | 6 |
| 386 | Cryptic species as a window into the paradigm shift of the species concept. <i>Molecular Ecology</i> , 2018, 27, 613-635. | 2.0 | 374 |
| 387 | Geographical range size and latitude predict population genetic structure in a global survey. <i>Biology Letters</i> , 2018, 14, 20170566. | 1.0 | 50 |
| 388 | Evolutionary time drives global tetrapod diversity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20172378. | 1.2 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 389 | Climatic and evolutionary factors shaping geographical gradients of species richness in Anolis lizards. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 615-627. | 0.7 | 16 |
| 390 | Contrasting responses of functional diversity to major losses in taxonomic diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 732-737. | 3.3 | 49 |
| 391 | Ecological Expansion and Extinction in the Late Ediacaran: Weighing the Evidence for Environmental and Biotic Drivers. <i>Integrative and Comparative Biology</i> , 2018, 58, 688-702. | 0.9 | 40 |
| 392 | Key questions and challenges in angiosperm macroevolution. <i>New Phytologist</i> , 2018, 219, 1170-1187. | 3.5 | 97 |
| 393 | Locating neighbourhood diversity in the American metropolis. <i>Urban Studies</i> , 2018, 55, 116-132. | 2.2 | 18 |
| 394 | Toward a theory for diversity gradients: the abundance–adaptation hypothesis. <i>Ecography</i> , 2018, 41, 255-264. | 2.1 | 36 |
| 395 | Ecological revolution of Oklahoma's rhynchonelliform brachiopod fauna during the Great Ordovician Biodiversification Event. <i>Lethaia</i> , 2018, 51, 277-285. | 0.6 | 8 |
| 396 | The origin and evolution of coral species richness in a marine biodiversity hotspot*. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 288-302. | 1.1 | 48 |
| 397 | Global change impacts on large-scale biogeographic patterns of marine organisms on Atlantic oceanic islands. <i>Marine Pollution Bulletin</i> , 2018, 126, 101-112. | 2.3 | 36 |
| 398 | Changes in the latitudinal diversity gradient during the Great Ordovician Biodiversification Event. <i>Geology</i> , 2018, 46, 127-130. | 2.0 | 26 |
| 400 | The latitudinal diversity gradient of epiphytic lichens in the Brazilian Atlantic Forest: does Rapoport's rule apply?. <i>Bryologist</i> , 2018, 121, 480. | 0.1 | 11 |
| 401 | Subterranean Biodiversity Patterns from Global to Regional Scales. <i>Ecological Studies</i> , 2018, , 195-227. | 0.4 | 23 |
| 402 | A hidden cradle of plant evolution in Permian tropical lowlands. <i>Science</i> , 2018, 362, 1414-1416. | 6.0 | 61 |
| 403 | Direct and indirect effects of climate on richness drive the latitudinal diversity gradient in forest trees. <i>Ecology Letters</i> , 2019, 22, 245-255. | 3.0 | 92 |
| 404 | Global geographic patterns in the colours and sizes of animal-dispersed fruits. <i>Global Ecology and Biogeography</i> , 2018, 27, 1339-1351. | 2.7 | 36 |
| 405 | The stability of coastal benthic biogeography over the last 10 million years. <i>Global Ecology and Biogeography</i> , 2018, 27, 1106-1120. | 2.7 | 13 |
| 406 | Glaciation-based isolation contributed to speciation in a Palearctic alpine biodiversity hotspot: Evidence from endemic species. <i>Molecular Phylogenetics and Evolution</i> , 2018, 129, 315-324. | 1.2 | 22 |
| 407 | Precaspian Isthmus emergence triggered the Early Sakmarian glaciation: Evidence from the Lower Permian of the Urals, Russia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 511, 403-418. | 1.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 408 | Habitat is more important than climate and animal richness at shaping latitudinal variation in plant diversity in China. <i>Biodiversity and Conservation</i> , 2018, 27, 3679-3691. | 1.2 | 5 |
| 409 | Where on Earth are the "tropics"? <i>Frontiers of Biogeography</i> , 2018, 10, . | 0.8 | 19 |
| 410 | Latitudinal Gradients of Biodiversity: Theory and Empirical Patterns. , 2018, , 13-19. | | 37 |
| 411 | An inverse latitudinal gradient in speciation rate for marine fishes. <i>Nature</i> , 2018, 559, 392-395. | 13.7 | 579 |
| 412 | Pleistocene marine fish invasions and paleoenvironmental reconstructions in the eastern Mediterranean. <i>Quaternary Science Reviews</i> , 2018, 196, 80-99. | 1.4 | 23 |
| 413 | The future of hyperdiverse tropical ecosystems. <i>Nature</i> , 2018, 559, 517-526. | 13.7 | 452 |
| 414 | Polar Regions of the Mesozoicâ€“Paleogene Greenhouse World as Refugia for Relict Plant Groups. , 2018, , 593-611. | | 17 |
| 415 | Modeling the ecology and evolution of biodiversity: Biogeographical cradles, museums, and graves. <i>Science</i> , 2018, 361, . | 6.0 | 260 |
| 416 | Roles of climate niche conservatism and range dynamics in woody plant diversity patterns through the Cenozoic. <i>Global Ecology and Biogeography</i> , 2018, 27, 865-874. | 2.7 | 21 |
| 417 | To what extents are species richness and abundance of reef fishes along a tropical coast related to latitude and other factors?. <i>Continental Shelf Research</i> , 2018, 167, 99-110. | 0.9 | 7 |
| 418 | OBSOLETE: Latitudinal Gradients of Biodiversity: Theory and Empirical Patterns. , 2018, , . | | 2 |
| 419 | Intermittent development of forest corridors in northeastern Brazil during the last deglaciation: Climatic and ecologic evidence. <i>Quaternary Science Reviews</i> , 2018, 192, 86-96. | 1.4 | 26 |
| 420 | Wilkes Land Late Pleistocene diatom age model: From bio-events to quantitative biostratigraphy. <i>Revue De Micropaleontologie</i> , 2018, 61, 81-96. | 0.8 | 3 |
| 421 | The spatial structure of phylogenetic and functional diversity in the United States and Canada: An example using the sedge family (Cyperaceae). <i>Journal of Systematics and Evolution</i> , 2018, 56, 449-465. | 1.6 | 31 |
| 422 | Marine biodiversity and the chessboard of life. <i>PLoS ONE</i> , 2018, 13, e0194006. | 1.1 | 18 |
| 423 | From the High Arctic to the Equator: Do Soil Metagenomes Differ According to Our Expectations?. <i>Microbial Ecology</i> , 2019, 77, 168-185. | 1.4 | 8 |
| 424 | Latitudinalâ€“diversity gradients can be shaped by biotic processes: new insights from an ecoâ€“evolutionary model. <i>Ecography</i> , 2019, 42, 259-271. | 2.1 | 8 |
| 425 | Biogeochemical controls on black shale deposition during the Frasnian-Famennian biotic crisis in the Illinois and Appalachian Basins, USA, inferred from stable isotopes of nitrogen and carbon. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 531, 108787. | 1.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 426 | Contrasting patterns of diversification in a bird family (Aves: Gruiformes: Rallidae) are revealed by analysis of geospatial distribution of species and phylogenetic diversity. <i>Ecography</i> , 2019, 42, 500-510. | 2.1 | 11 |
| 427 | Distribution and relative age of endemism across islands worldwide. <i>Scientific Reports</i> , 2019, 9, 11693. | 1.6 | 36 |
| 428 | Cope's Rule in a modular organism: Directional evolution without an overarching macroevolutionary trend. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 1863-1872. | 1.1 | 15 |
| 429 | Latitudinal and bathymetrical species richness patterns in the NW Pacific and adjacent Arctic Ocean. <i>Scientific Reports</i> , 2019, 9, 9303. | 1.6 | 27 |
| 430 | Accumulation over evolutionary time as a major cause of biodiversity hotspots in conifers. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20191887. | 1.2 | 23 |
| 431 | Global diversity patterns are modulated by temporal fluctuations in primary productivity. <i>Global Ecology and Biogeography</i> , 2019, 28, 1827-1838. | 2.7 | 12 |
| 432 | Latitudinal gradient of cyanobacterial diversity in tidal flats. <i>PLoS ONE</i> , 2019, 14, e0224444. | 1.1 | 4 |
| 433 | Fine-Scale Plant Richness Mapping of the Andean Páramo According to Macroclimate. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 1.1 | 12 |
| 434 | Exploring rain forest diversification using demographic model testing in the African foam-nest treefrog <i>Chiromantis rufescens</i> . <i>Journal of Biogeography</i> , 2019, 46, 2706-2721. | 1.4 | 28 |
| 435 | Benthic habitats do show a significant latitudinal diversity gradient: A comment on Kinlock et al. (2018). <i>Global Ecology and Biogeography</i> , 2019, 28, 1712-1717. | 2.7 | 11 |
| 436 | Spatio-temporal climate change contributes to latitudinal diversity gradients. <i>Nature Ecology and Evolution</i> , 2019, 3, 1419-1429. | 3.4 | 67 |
| 437 | Ecological constraints coupled with deep-time habitat dynamics predict the latitudinal diversity gradient in reef fishes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20191506. | 1.2 | 17 |
| 438 | Endemicity and community composition of marine species along the NW Pacific and the adjacent Arctic Ocean. <i>Progress in Oceanography</i> , 2019, 178, 102199. | 1.5 | 10 |
| 439 | Contrasting processes drive ophiuroid phylodiversity across shallow and deep seafloors. <i>Nature</i> , 2019, 565, 636-639. | 13.7 | 48 |
| 440 | Gradients of mammalian biodiversity through space and time. <i>Journal of Mammalogy</i> , 2019, 100, 1069-1086. | 0.6 | 18 |
| 441 | The influence of historical dispersal on the phylogenetic structure of tree communities in the tropical Andes. <i>Biotropica</i> , 2019, 51, 500-508. | 0.8 | 15 |
| 442 | Ecogeographical rules and the macroecology of food webs. <i>Global Ecology and Biogeography</i> , 2019, 28, 1204-1218. | 2.7 | 34 |
| 443 | Exceptional preservation of mid-Cretaceous marine arthropods and the evolution of novel forms via heterochrony. <i>Science Advances</i> , 2019, 5, eaav3875. | 4.7 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 444 | Understanding ecological change across large spatial, temporal and taxonomic scales: integrating data and methods in light of theory. <i>Ecography</i> , 2019, 42, 1247-1266. | 2.1 | 38 |
| 445 | Latitudinal variation in mycorrhizal diversity associated with a European orchid. <i>Journal of Biogeography</i> , 2019, 46, 968-980. | 1.4 | 28 |
| 446 | Different degrees of water-related stress affect evolutionary diversity in a seasonally dry biome. <i>Oecologia</i> , 2019, 189, 795-802. | 0.9 | 10 |
| 447 | Multiple macroevolutionary routes to becoming a biodiversity hotspot. <i>Science Advances</i> , 2019, 5, eaau8067. | 4.7 | 17 |
| 448 | Phylogenetic diversity in the Western Ghats biodiversity hotspot reflects environmental filtering and past niche diversification of trees. <i>Journal of Biogeography</i> , 2019, 46, 145-157. | 1.4 | 25 |
| 449 | Evolution of the latitudinal diversity gradient in the hyperdiverse ant genus <i>Pheidole</i> . <i>Global Ecology and Biogeography</i> , 2019, 28, 456-470. | 2.7 | 29 |
| 450 | Underestimated and cryptic diversification patterns across Afro-tropical lowland forests. <i>Journal of Biogeography</i> , 2019, 46, 381-391. | 1.4 | 22 |
| 451 | Drivers of Phylogenetic Assemblage Structure of the Furnariides, a Widespread Clade of Lowland Neotropical Birds. <i>American Naturalist</i> , 2019, 193, E41-E56. | 1.0 | 10 |
| 452 | Influence of regional environment in guiding the spatial distribution of marine bivalves along the Indian coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 163-177. | 0.4 | 8 |
| 453 | Did the evolution of the phytoplankton fuel the diversification of the marine biosphere?. <i>Lethaia</i> , 2020, 53, 5-31. | 0.6 | 26 |
| 454 | Historical biogeography of the widespread macroalga <i>Sargassum</i> (Fucales, Phaeophyceae). <i>Journal of Phycology</i> , 2020, 56, 300-309. | 1.0 | 31 |
| 455 | A 450 million years long latitudinal gradient in age-dependent extinction. <i>Ecology Letters</i> , 2020, 23, 439-446. | 3.0 | 15 |
| 456 | Large scale patterns of trematode parasite communities infecting <i>Cerastoderma edule</i> along the Atlantic coast from Portugal to Morocco. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 233, 106546. | 0.9 | 8 |
| 457 | Estimating Diversification Rates on Incompletely Sampled Phylogenies: Theoretical Concerns and Practical Solutions. <i>Systematic Biology</i> , 2020, 69, 602-611. | 2.7 | 66 |
| 458 | A deep-time perspective on the latitudinal diversity gradient. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 17479-17481. | 3.3 | 8 |
| 459 | Determinants of Delphacidae richness and endemism in China. <i>Ecological Entomology</i> , 2020, 45, 1396-1407. | 1.1 | 10 |
| 460 | Global biodiversity and biogeography of mangrove crabs: Temperature, the key driver of latitudinal gradients of species richness. <i>Journal of Thermal Biology</i> , 2020, 92, 102692. | 1.1 | 16 |
| 461 | Modeling colonization rates over time: Generating null models and testing model adequacy in phylogenetic analyses of species assemblages*. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 2605-2616. | 1.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 462 | The evolution of a tropical biodiversity hotspot. <i>Science</i> , 2020, 370, 1343-1348. | 6.0 | 179 |
| 463 | Large-scale metabarcoding analysis of epipelagic and mesopelagic copepods in the Pacific. <i>PLoS ONE</i> , 2020, 15, e0233189. | 1.1 | 23 |
| 464 | Warmer temperatures enhance beneficial mutation effects. <i>Journal of Evolutionary Biology</i> , 2020, 33, 1020-1027. | 0.8 | 9 |
| 465 | Diversification rate vs. diversification density: Decoupled consequences of plant height for diversification of Alooideae in time and space. <i>PLoS ONE</i> , 2020, 15, e0233597. | 1.1 | 10 |
| 466 | Latitudinal patterns of species diversity on South American rocky shores: Local processes lead to contrasting trends in regional and local species diversity. <i>Journal of Biogeography</i> , 2020, 47, 1966-1979. | 1.4 | 26 |
| 467 | Transgressing Wallace's Line brings hyperdiverse weevils down to earth. <i>Ecography</i> , 2020, 43, 1329-1340. | 2.1 | 11 |
| 468 | A quantitative analysis of calcareous nannofossils across a late oligocene paleolatitudinal transect of the North Atlantic Ocean. <i>Marine Micropaleontology</i> , 2020, 158, 101892. | 0.5 | 4 |
| 469 | Geological control on dinosaurs'™ rise to dominance: Late Triassic ecosystem stress by relative sea level change. <i>Terra Nova</i> , 2020, 32, 434-441. | 0.9 | 7 |
| 470 | The mathematical influence on global patterns of biodiversity. <i>Ecology and Evolution</i> , 2020, 10, 6494-6511. | 0.8 | 12 |
| 471 | The role of the Neotropics as a source of world tetrapod biodiversity. <i>Global Ecology and Biogeography</i> , 2020, 29, 1565-1578. | 2.7 | 15 |
| 472 | A comparison of latitudinal species diversity patterns between riverine and terrestrial earthworms from the North American temperate zone. <i>Journal of Biogeography</i> , 2020, 47, 1373-1382. | 1.4 | 4 |
| 473 | Ultra-high resolution multivariate record and multiscale causal analysis of Pridoli (late Silurian): Implications for global stratigraphy, turnover events, and climate-biota interactions. <i>Gondwana Research</i> , 2020, 86, 222-249. | 3.0 | 12 |
| 474 | Recent accelerated diversification in rosids occurred outside the tropics. <i>Nature Communications</i> , 2020, 11, 3333. | 5.8 | 43 |
| 475 | Flat latitudinal diversity gradient caused by the Permian-Triassic mass extinction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 17578-17583. | 3.3 | 50 |
| 476 | Latitudinal directionality in ectotherm invasion success. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20191411. | 1.2 | 10 |
| 477 | Biodiversity and distribution patterns of deep-sea fauna along the temperate NW Pacific. <i>Progress in Oceanography</i> , 2020, 183, 102296. | 1.5 | 14 |
| 478 | Seafloor biodiversity of Canada's three oceans: Patterns, hotspots and potential drivers. <i>Diversity and Distributions</i> , 2020, 26, 226-241. | 1.9 | 13 |
| 479 | Phylogenetic measures reveal eco-evolutionary drivers of biodiversity along a depth gradient. <i>Ecography</i> , 2020, 43, 689-702. | 2.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 480 | Decoupled diversity patterns in bacteria and fungi across continental forest ecosystems. <i>Soil Biology and Biochemistry</i> , 2020, 144, 107763. | 4.2 | 78 |
| 481 | Early Cenozoic evolution of the latitudinal diversity gradient. <i>Earth-Science Reviews</i> , 2020, 202, 103090. | 4.0 | 19 |
| 482 | Marine latitudinal diversity gradients, niche conservatism and out of the tropics and Arctic: Climatic sensitivity of small organisms. <i>Journal of Biogeography</i> , 2020, 47, 817-828. | 1.4 | 16 |
| 483 | The Dynamics of Bird Diversity in the New World. <i>Systematic Biology</i> , 2020, 69, 1180-1199. | 2.7 | 20 |
| 484 | From rainforest to herbland: New insights into land plant responses to the end-Permian mass extinction. <i>Earth-Science Reviews</i> , 2020, 204, 103153. | 4.0 | 72 |
| 485 | Endemism patterns are scale dependent. <i>Nature Communications</i> , 2020, 11, 2115. | 5.8 | 56 |
| 486 | Ancient tropical extinctions at high latitudes contributed to the latitudinal diversity gradient*. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 1966-1987. | 1.1 | 55 |
| 487 | Does evolutionary relatedness predict ecological similarity?. <i>Paleobiology</i> , 2021, 47, 284-300. | 1.3 | 5 |
| 488 | Phylogenetic relatedness of woody angiosperm assemblages and its environmental determinants along a subtropical elevational gradient in China. <i>Plant Diversity</i> , 2021, 43, 111-116. | 1.8 | 22 |
| 489 | The Phylogeny and Evolution of the Flashiest of the Armored Harvestmen (Arachnida: Opiliones). <i>Systematic Biology</i> , 2021, 70, 648-659. | 2.7 | 19 |
| 490 | Climatic drivers of latitudinal variation in Late Triassic tetrapod diversity. <i>Palaeontology</i> , 2021, 64, 101-117. | 1.0 | 31 |
| 491 | Historical climatic instability predicts the inverse latitudinal pattern in speciation rate of modern mammalian biota. <i>Journal of Evolutionary Biology</i> , 2021, 34, 339-351. | 0.8 | 12 |
| 492 | The Miocene: The Future of the Past. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2020PA004037. | 1.3 | 166 |
| 493 | Global biogeography and diversification of a group of brown seaweeds (Phaeophyceae) driven by clade-specific evolutionary processes. <i>Journal of Biogeography</i> , 2021, 48, 703-715. | 1.4 | 19 |
| 494 | Phylogenetic structure of European forest vegetation. <i>Journal of Biogeography</i> , 2021, 48, 903-916. | 1.4 | 8 |
| 495 | Evolutionary time best explains the latitudinal diversity gradient of living freshwater fish diversity. <i>Global Ecology and Biogeography</i> , 2021, 30, 749-763. | 2.7 | 25 |
| 496 | Planktivores as trophic drivers of global coral reef fish diversity patterns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 25 |
| 497 | Mountains, climate and niche heterogeneity explain global patterns of fern diversity. <i>Journal of Biogeography</i> , 2021, 48, 1296-1308. | 1.4 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 498 | The preservation potential of terrestrial biogeographic patterns. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20202927. | 1.2 | 8 |
| 499 | Spatial sampling heterogeneity limits the detectability of deep time latitudinal biodiversity gradients. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20202762. | 1.2 | 12 |
| 500 | Elevated temperature increases genome-wide selection on de novo mutations. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20203094. | 1.2 | 29 |
| 501 | Conserving Refugia: What Are We Protecting and Why?. <i>Diversity</i> , 2021, 13, 67. | 0.7 | 9 |
| 502 | Larger offspring associated with lower temperatures across species of <i>Microporella</i> , a widespread colonial invertebrate. <i>Marine Ecology - Progress Series</i> , 2021, 662, 1-13. | 0.9 | 1 |
| 503 | A Pliocene–Pleistocene continental biota from Venezuela. <i>Swiss Journal of Palaeontology</i> , 2021, 140, 9. | 0.7 | 11 |
| 504 | The Utility of Macroecological Rules for Microbial Biogeography. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 31 |
| 505 | Evolutionary and environmental drivers of species richness in poeciliid fishes across the Americas. <i>Global Ecology and Biogeography</i> , 2021, 30, 1245-1257. | 2.7 | 17 |
| 507 | Seagrass Structural Traits Drive Fish Assemblages in Small-Scale Fisheries. <i>Frontiers in Marine Science</i> , 2021, 8, . | 1.2 | 12 |
| 508 | Truncated bimodal latitudinal diversity gradient in early Paleozoic phytoplankton. <i>Science Advances</i> , 2021, 7, . | 4.7 | 20 |
| 509 | Fossil bivalves and the sclerochronological reawakening. <i>Paleobiology</i> , 0, , 1-23. | 1.3 | 7 |
| 510 | Evolutionary simulations clarify and reconcile biodiversity-disturbance models. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210240. | 1.2 | 6 |
| 511 | Mesoamerica is a cradle and the Atlantic Forest is a museum of Neotropical butterfly diversity: insights from the evolution and biogeography of Brassolini (Lepidoptera: Nymphalidae). <i>Biological Journal of the Linnean Society</i> , 2021, 133, 704-724. | 0.7 | 24 |
| 513 | Phylotranscriptomic insights into Asteraceae diversity, polyploidy, and morphological innovation. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1273-1293. | 4.1 | 55 |
| 514 | Out of the extratropics: the evolution of the latitudinal diversity gradient of Cenozoic marine plankton. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210545. | 1.2 | 8 |
| 515 | Editorial: Temporal Patterns and Mechanisms of Biodiversity Across Scales in East Asia. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 0 |
| 516 | Incorporating the speciation process into species delimitation. <i>PLoS Computational Biology</i> , 2021, 17, e1008924. | 1.5 | 53 |
| 517 | The Distribution Pattern of Marine Bivalve Death Assemblage From the Western Margin of Bay of Bengal and Its Oceanographic Determinants. <i>Frontiers in Marine Science</i> , 2021, 8, . | 1.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 518 | Deep-time biodiversity patterns and the dinosaurian fossil record of the Late Cretaceous Western Interior, North America. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210692. | 1.2 | 9 |
| 519 | Geographic Pattern of Bryophyte Species Richness in China: The Influence of Environment and Evolutionary History. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 3 |
| 520 | Imprints of tropical niche conservatism and historical dispersal in the radiation of Tyrannidae (Aves:). <i>Trends in Ecology and Evolution</i> , 2021, 36, 778-786. | 0.7 | 6 |
| 521 | Phenotypic and genomic diversification with isolation by environment along elevational gradients in a neotropical treefrog. <i>Molecular Ecology</i> , 2021, 30, 4062-4076. | 2.0 | 12 |
| 523 | Diversity patterns and drivers of methanotrophic gene distributions in forest soils across a large latitudinal gradient. <i>Global Ecology and Biogeography</i> , 2021, 30, 2004-2015. | 2.7 | 9 |
| 524 | Plastome-based phylogeny improves community phylogenetics of subtropical forests in China. <i>Molecular Ecology Resources</i> , 2022, 22, 319-333. | 2.2 | 6 |
| 525 | Exploring the role of climatic niche changes in the evolution of the southern South American genus <i>Baripus</i> (Coleoptera: Carabidae): optimization of non-hereditary climatic variables and phylogenetic signal measurement. <i>Cladistics</i> , 2021, 37, 816-828. | 1.5 | 1 |
| 526 | Palaeolatitudinal distribution of the Ediacaran macrobiota. <i>Journal of the Geological Society</i> , 2022, 179, . | 0.9 | 10 |
| 527 | Evolutionary Diversity Peaks at Mid-Elevations Along an Amazon-to-Andes Elevation Gradient. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 8 |
| 528 | Retiring "Cradles" and "Museums" of Biodiversity. <i>American Naturalist</i> , 2022, 199, 194-205. | 1.0 | 22 |
| 529 | The latitudinal taxonomy gradient. <i>Trends in Ecology and Evolution</i> , 2021, 36, 778-786. | 4.2 | 43 |
| 530 | Testing the causes of richness patterns in the paleotropics: time and diversification in cycads (Cycadaceae). <i>Ecography</i> , 2021, 44, 1606-1618. | 2.1 | 4 |
| 531 | Conserved ancestral tropical niche but different continental histories explain the latitudinal diversity gradient in brush-footed butterflies. <i>Nature Communications</i> , 2021, 12, 5717. | 5.8 | 33 |
| 532 | Earth history events shaped the evolution of uneven biodiversity across tropical moist forests. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 54 |
| 533 | Effect of Productivity on Community Size Explains the Latitudinal Diversity Gradient of South American Small Mammals. <i>American Naturalist</i> , 2021, 198, E111-E121. | 1.0 | 3 |
| 534 | Reconstruction of the evolutionary biogeography reveal the origins and diversification of oysters (Bivalvia: Ostreidae). <i>Molecular Phylogenetics and Evolution</i> , 2021, 164, 107268. | 1.2 | 15 |
| 535 | A stream by any other name: does β -diversity differ between Nearctic and Neotropical streams?. <i>Hydrobiologia</i> , 2021, 848, 811-823. | 1.0 | 1 |
| 536 | Evolutionary diversification in the hyper-diverse montane forests of the tropical Andes: radiation of <i>Macroparaea</i> (Gentianaceae) and the possible role of range expansion. <i>Botanical Journal of the Linnean Society</i> , 2022, 199, 53-75. | 0.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 537 | Amphibians and Reptiles at the Ometepe and La Suerte Field Sites: Toward an Overview of the Evolution, Diversity, and Natural History of Central America's Herpetofauna. , 2015, , 273-313. | | 1 |
| 538 | Neotropical Diversification: Historical Overview and Conceptual Insights. Fascinating Life Sciences, 2020, , 13-49. | 0.5 | 22 |
| 539 | Evolutionary Macroecology and the Geographical Patterns of Neotropical Diversification. Fascinating Life Sciences, 2020, , 85-101. | 0.5 | 7 |
| 540 | Climatic forcing of quaternary deep-sea benthic communities in the North Pacific Ocean. Paleobiology, 2012, 38, 162-179. | 1.3 | 35 |
| 541 | Geographic variation in turnover and recovery from the Late Ordovician mass extinction. Paleobiology, 2007, 33, 435-454. | 1.3 | 16 |
| 542 | Evolutionary diversity in tropical tree communities peaks at intermediate precipitation. Scientific Reports, 2020, 10, 1188. | 1.6 | 41 |
| 543 | The tropics as an ancient cradle of oribatid mite diversity. Acarologia, 0, 57, 309-322. | 0.2 | 16 |
| 550 | Surprising low diversity of the plant pathogen <i>Phytophthora</i> in Amazonian forests. Environmental Microbiology, 2020, 22, 5019-5032. | 1.8 | 17 |
| 551 | Energetic Constraints on Species Coexistence in Birds. PLoS Biology, 2016, 14, e1002407. | 2.6 | 42 |
| 552 | Differential Extinction and the Contrasting Structure of Polar Marine Faunas. PLoS ONE, 2010, 5, e15362. | 1.1 | 31 |
| 553 | Early Cenozoic Differentiation of Polar Marine Faunas. PLoS ONE, 2013, 8, e54139. | 1.1 | 13 |
| 554 | Is Rich and Rare the Common Share? Describing Biodiversity Patterns to Inform Conservation Practices for South American Anurans. PLoS ONE, 2013, 8, e56073. | 1.1 | 37 |
| 555 | Metabolic Rate and Climatic Fluctuations Shape Continental Wide Pattern of Genetic Divergence and Biodiversity in Fishes. PLoS ONE, 2013, 8, e70296. | 1.1 | 30 |
| 556 | Origination and Immigration Drive Latitudinal Gradients in Marine Functional Diversity. PLoS ONE, 2014, 9, e101494. | 1.1 | 30 |
| 557 | The Early Origin of the Antarctic Marine Fauna and Its Evolutionary Implications. PLoS ONE, 2014, 9, e114743. | 1.1 | 31 |
| 558 | Patterns and Variation in Benthic Biodiversity in a Large Marine Ecosystem. PLoS ONE, 2015, 10, e0135135. | 1.1 | 27 |
| 559 | An Ancient Divide in a Contiguous Rainforest: Endemic Earthworms in the Australian Wet Tropics. PLoS ONE, 2015, 10, e0136943. | 1.1 | 15 |
| 560 | Environmental Predictors of Diversity in Recent Planktonic Foraminifera as Recorded in Marine Sediments. PLoS ONE, 2016, 11, e0165522. | 1.1 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 561 | Patterns of orchid bee species diversity and turnover among forested plateaus of central Amazonia. PLoS ONE, 2017, 12, e0175884. | 1.1 | 6 |
| 563 | Insight into Global Mosquito Biogeography from Country Species Records. Journal of Medical Entomology, 2007, 44, 554-567. | 0.9 | 37 |
| 564 | Diversity Patterns of Neotropical Ferns: Revisiting Tryon's Centers of Richness and Endemism. American Fern Journal, 2020, 110, . | 0.2 | 12 |
| 565 | Systematics of the genus Auricularia with an emphasis on species from the southeastern United States.. North American Fungi, 0, , . | 0.4 | 16 |
| 566 | Consumption pressure in coastal marine environments decreases with latitude and in artificial vs. natural habitats. Marine Ecology - Progress Series, 2017, 574, 167-179. | 0.9 | 32 |
| 567 | Small is beautiful: the first phylogenetic analysis of Bryodelphax Thulin, 1928 (Heterotardigrada.) Tj ETQq1 1 0.784314 rgBT /Overlock 0.4 9 | 0.4 | 9 |
| 569 | Origination Patterns and Multilevel Processes in Macroevolution. , 2010, , 335-354. | | 10 |
| 570 | Influence of current climate, historical climate stability and topography on species richness and endemism in Mesoamerican geophyte plants. PeerJ, 2017, 5, e3932. | 0.9 | 43 |
| 571 | Conceptual and empirical advances in Neotropical biodiversity research. PeerJ, 2018, 6, e5644. | 0.9 | 107 |
| 572 | Diversity of ground-dwelling ants across three severely threatened South American subtropical forests: are diversity patterns influenced by spatial or climatic variables?. Insect Conservation and Diversity, 2022, 15, 86. | 1.4 | 0 |
| 573 | Phylogenetic niche conservatism and variations in species diversity-climate relationships. Ecography, 2021, 44, 1856-1868. | 2.1 | 8 |
| 574 | Global determinants and conservation of evolutionary and geographic rarity in land vertebrates. Science Advances, 2021, 7, eabe5582. | 4.7 | 38 |
| 575 | Late Miocene mammals from the Calchaquã-Valley (Palo Pintado Formation, northwestern Argentina): Biogeographic and paleoenvironmental implications for the southern central Andes. Journal of South American Earth Sciences, 2021, 112, 103602. | 0.6 | 6 |
| 579 | Studies on the Diversity and Shallow Waters of Echinoderms from Port Blair Bay, South Andaman Island, India. Journal of Marine Biology & Oceanography, 2014, 03, . | 0.1 | 0 |
| 581 | Geologic Time, History of Biodiversity in a~t. , 2017, , . | | 0 |
| 582 | Historical dynamics and current environmental effects explain the spatial distribution of species richness patterns of New World monkeys. PeerJ, 2017, 5, e3850. | 0.9 | 4 |
| 592 | Mollusks from Pliocene and Pleistocene seep deposits in Leyte, Philippines. Acta Palaeontologica Polonica, 0, 65, . | 0.4 | 6 |
| 593 | Global biogeography of living brachiopods: Bioregionalization patterns and possible controls. PLoS ONE, 2021, 16, e0259004. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 594 | Biogeography of curimatid fishes reveals multiple lowlandâ€“upland river transitions and differential diversification in the Neotropics (Teleostei, Curimatidae). <i>Ecology and Evolution</i> , 2021, 11, 15815-15832. | 0.8 | 8 |
| 595 | Environmental determinants of marine benthic biodiversity dynamics through Triassic-Jurassic time. <i>Paleobiology</i> , 2007, 33, 414-434. | 1.3 | 23 |
| 598 | Morphological consequences of climate change for resident birds in intact Amazonian rainforest. <i>Science Advances</i> , 2021, 7, eabk1743. | 4.7 | 51 |
| 599 | Marine diversity patterns in Australia are filtered through biogeography. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20211534. | 1.2 | 2 |
| 600 | Molecular-based approach for revealing community structure and diversity of marine zooplankton. <i>Oceanography in Japan</i> , 2021, 30, 1-13. | 0.5 | 0 |
| 601 | Genogeographic clustering to identify crossâ€“species concordance of spatial genetic patterns. <i>Diversity and Distributions</i> , 0, , . | 1.9 | 4 |
| 602 | Calibrating the temporal and spatial dynamics of the Ediacaran - Cambrian radiation of animals. <i>Earth-Science Reviews</i> , 2022, 225, 103913. | 4.0 | 39 |
| 605 | Global biogeographic patterns of avian morphological diversity. <i>Ecology Letters</i> , 2022, 25, 598-610. | 3.0 | 22 |
| 606 | Water and energy availability mediate biodiversity patterns along an elevational gradient in the tropical Andes. <i>Journal of Biogeography</i> , 2022, 49, 712-726. | 1.4 | 12 |
| 607 | The Environmental Drivers of Benthic Fauna Diversity and Community Composition. <i>Frontiers in Marine Science</i> , 2022, 9, . | 1.2 | 12 |
| 608 | Elevational patterns of phylogenetic structure of angiosperms in a biodiversity hotspot in eastern Himalaya. <i>Diversity and Distributions</i> , 2022, 28, 2534-2548. | 1.9 | 9 |
| 609 | Phylogenomic analysis of Syngnathidae reveals novel relationships, origins of endemic diversity and variable diversification rates. <i>BMC Biology</i> , 2022, 20, 75. | 1.7 | 19 |
| 610 | A colourful tropical world. <i>Nature Ecology and Evolution</i> , 2022, 6, 502-503. | 3.4 | 2 |
| 612 | Origin of the tropicalâ€“polar biodiversity contrast. <i>Global Ecology and Biogeography</i> , 2022, 31, 1207-1227. | 2.7 | 4 |
| 618 | Latitudinal Diversity Gradient in the Changing World: Retrospectives and Perspectives. <i>Diversity</i> , 2022, 14, 334. | 0.7 | 10 |
| 619 | Macroevolutionary dynamics of climatic niche space. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, . | 1.2 | 7 |
| 620 | Ecological Transitions and the Shape of the Decapod Tree of Life. <i>Integrative and Comparative Biology</i> , 2022, 62, 332-344. | 0.9 | 6 |
| 621 | Evidence for Alternate Stable States in an Ecuadorian Andean Cloud Forest. <i>Forests</i> , 2022, 13, 875. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 622 | Spatial phylogenetic patterns and conservation of threatened woody species in a transition zone of southwest China. <i>Biodiversity and Conservation</i> , 2022, 31, 2205-2225. | 1.2 | 3 |
| 623 | The thermal niche and phylogenetic assembly of evergreen tree metacommunities in a mid-to-upper tropical montane zone. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, . | 1.2 | 6 |
| 624 | Exceptions to the rule: Relative roles of time, diversification rates and regional energy in shaping the inverse latitudinal diversity gradient. <i>Global Ecology and Biogeography</i> , 2022, 31, 1794-1809. | 2.7 | 7 |
| 625 | Bridging macroecology and macroevolution in the radiation of sigmodontine rodents. <i>Evolution; International Journal of Organic Evolution</i> , 0, , . | 1.1 | 2 |
| 626 | Linking evolutionary dynamics to species extinction for flowering plants in global biodiversity hotspots. <i>Diversity and Distributions</i> , 2022, 28, 2871-2885. | 1.9 | 7 |
| 627 | Evolvability and Macroevolution: Overview and Synthesis. <i>Evolutionary Biology</i> , 2022, 49, 265-291. | 0.5 | 14 |
| 628 | Out of the temperate zone: A phylogenomic test of the biogeographical conservatism hypothesis in a contrarian clade of ants. <i>Journal of Biogeography</i> , 2022, 49, 1640-1653. | 1.4 | 7 |
| 629 | Enhancing georeferenced biodiversity inventories: automated information extraction from literature records reveal the gaps. <i>PeerJ</i> , 0, 10, e13921. | 0.9 | 0 |
| 630 | Climatic filtering and temporal instability shape the phylogenetic diversity of European alpine floras. <i>Ecography</i> , 2022, 2022, . | 2.1 | 3 |
| 631 | Genomes From Historic DNA Unveil Massive Hidden Extinction and Terminal Endangerment in a Tropical Asian Songbird Radiation. <i>Molecular Biology and Evolution</i> , 2022, 39, . | 3.5 | 5 |
| 632 | Mapping species diversification metrics in macroecology: Prospects and challenges. <i>Frontiers in Ecology and Evolution</i> , 0, 10, . | 1.1 | 3 |
| 633 | Temperate zone isolation by climate: an extension of Janzen's 1967 hypothesis. <i>American Naturalist</i> , 0, , . | 1.0 | 1 |
| 634 | Evaluation of tropical-temperate transitions: An example of climatic characterization in the Asian Palmate group of Araliaceae. <i>American Journal of Botany</i> , 2022, 109, 1488-1507. | 0.8 | 5 |
| 635 | Global Patterns of Earwig Species Richness. <i>Diversity</i> , 2022, 14, 890. | 0.7 | 3 |
| 636 | Discovering marine biodiversity in the 21st century. <i>Advances in Marine Biology</i> , 2022, , 23-115. | 0.7 | 7 |
| 637 | Marine deposits of the Chuy Formation (Late Pleistocene) and isostatic readjustments in the area of Laguna de Rocha (Uruguay). <i>Agrociencia Uruguay</i> , 2022, 26, . | 0.1 | 2 |
| 638 | Diversity-Dependent Diversification in the History of Marine Animals. <i>American Naturalist</i> , 2023, 201, 680-693. | 1.0 | 7 |
| 639 | Examining paleobotanical databases: Revisiting trends in angiosperm folivory and unlocking the paleoecological promise of propensity score matching and specification curve analysis. <i>Frontiers in Ecology and Evolution</i> , 0, 10, . | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 640 | Phylogenomics of the Ancient and Species-Depauperate Gars Tracks 150 Million Years of Continental Fragmentation in the Northern Hemisphere. <i>Systematic Biology</i> , 2023, 72, 213-227. | 2.7 | 3 |
| 641 | Taxonomic Structure and Endemism of the Bryozoan Fauna of the Arctic Region. <i>Paleontological Journal</i> , 2022, 56, 774-792. | 0.2 | 2 |
| 642 | Obligation to Enhance OBIS Data for Sea- and Shorebirds of the Americas. <i>Diversity</i> , 2022, 14, 1099. | 0.7 | 0 |
| 645 | Local and landscape-scale drivers of terrestrial herbaceous plant diversity along a tropical rainfall gradient in Western Ghats, India. <i>Journal of Ecology</i> , 2023, 111, 1021-1036. | 1.9 | 2 |
| 646 | Recent concepts and approaches for conserving groundwater biodiversity. , 2023, , 525-550. | | 3 |
| 647 | Those Nematode-Trapping Fungi That are not Everywhere: Hints Towards Soil Microbial Biogeography. <i>Journal of Microbiology</i> , 0, , . | 1.3 | 1 |
| 648 | A comprehensive phylogeny and revised taxonomy illuminate the origin and diversification of the global radiation of Papilio (Lepidoptera: Papilionidae). <i>Molecular Phylogenetics and Evolution</i> , 2023, 183, 107758. | 1.2 | 6 |
| 649 | A latitudinal gradient of deep-sea invasions for marine fishes. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 4 |
| 650 | Late Cenozoic cooling restructured global marine plankton communities. <i>Nature</i> , 2023, 614, 713-718. | 13.7 | 6 |
| 651 | Origination of the modern-style diversity gradient 15 million years ago. <i>Nature</i> , 2023, 614, 708-712. | 13.7 | 10 |
| 652 | Latitudinal Gradients of Biodiversity: Patterns, Processes, and Prospects. , 2024, , 754-772. | | 0 |
| 653 | Towards an Understanding of Large-Scale Biodiversity Patterns on Land and in the Sea. <i>Biology</i> , 2023, 12, 339. | 1.3 | 2 |
| 655 | Mountains exhibit a stronger latitudinal diversity gradient than lowland regions. <i>Journal of Biogeography</i> , 2023, 50, 1026-1036. | 1.4 | 7 |
| 656 | National Marine Sanctuaries capture enhanced abundance and diversity of the California Current Ecosystem avifauna. <i>Journal of Marine Systems</i> , 2023, 240, 103887. | 0.9 | 1 |
| 657 | Possible species discrimination of a blotched nerite <i>Nerita albicilla</i> with their distribution pattern and demographic history in the Indo-Pacific. <i>Scientific Reports</i> , 2023, 13, . | 1.6 | 0 |
| 658 | Hotspots within a hotspot: evolutionary measures unveil interesting biogeographic patterns in threatened coastal forests in Chile. <i>Botanical Journal of the Linnean Society</i> , 2023, 202, 433-448. | 0.8 | 2 |
| 659 | Late Cenozoic evolution of the latitudinal diversity gradient. <i>Journal of Biogeography</i> , 2023, 50, 1213-1220. | 1.4 | 2 |
| 660 | Variation of shell ornamentation with latitude and water depth—A case study using living brachiopods. <i>Ecology and Evolution</i> , 2023, 13, . | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 668 | Critical Habitats and Biodiversity: Inventory, Thresholds and Governance. , 2023, , 333-392. | | 0 |
| 680 | Biodiversity Generation, Overview. , 2024, , 22-33. | | 0 |
| 683 | The geography of climate governs biodiversity. Nature, 2023, 622, 463-464. | 13.7 | 0 |
| 691 | Species Richness Gradients. , 2023, , 203-249. | | 0 |