

First performance evaluation of a dual-source CT (DSCT)

European Radiology

16, 256-268

DOI: [10.1007/s00330-005-2919-2](https://doi.org/10.1007/s00330-005-2919-2)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Atomic-Scale Chemistry of Metal Surfaces. Japanese Journal of Applied Physics, 1993, 32, 1389-1393.	0.8	34
2	Trajectory Label Quantum Mechanics. Europhysics Letters, 1995, 32, 95-99.	0.7	3
3	The year in cardiac imaging. Journal of the American College of Cardiology, 2004, 44, 1937-1944.	1.2	22
4	The Year in Cardiac Imaging. Journal of the American College of Cardiology, 2005, 46, 542-551.	1.2	6
5	Pulmonary Artery CTA. Techniques in Vascular and Interventional Radiology, 2006, 9, 180-191.	0.4	20
6	Coronary CT Angiography: Insights Into Patient Preparation and Scanning. Techniques in Vascular and Interventional Radiology, 2006, 9, 205-209.	0.4	8
7	Hyperpolarized Media MR Imaging “ Expanding the Boundaries?. Academic Radiology, 2006, 13, 929-931.	1.3	18
8	X-ray computed tomography. Physics in Medicine and Biology, 2006, 51, R29-R43.	1.6	488
9	Pre-Operative Computed Tomography Coronary Angiography to Detect Significant Coronary Artery Disease in Patients Referred for Cardiac Valve Surgery. Journal of the American College of Cardiology, 2006, 48, 1658-1665.	1.2	215
10	Computed Tomography Coronary Angiography. Journal of the American College of Cardiology, 2006, 48, 1919-1928.	1.2	197
11	The Year in Cardiac Imaging. Journal of the American College of Cardiology, 2006, 48, 2324-2339.	1.2	2
12	Era of Multimodality Imaging : Where do We Stand?. Korean Circulation Journal, 2006, 36, 717.	0.7	6
13	Developments in CT. Imaging, 2006, 18, 45-61.	0.0	7
14	Micro-CT as a guide for clinical CT development. , 2006, , .		5
16	Thick Maximum Intensity Projections for the Assessment of Left Ventricular Function With 64-Slice Computed Tomography. Investigative Radiology, 2006, 41, 746-752.	3.5	1
17	Toward time resolved 4D cardiac CT imaging with patient dose reduction: estimating the global heart motion. , 2006, , .		5
18	Electrocardiogram-Independent Image Reconstruction in Cardiac Multidetector Computed Tomography Using Retrospective Motion Synchronization. Investigative Radiology, 2006, 41, 898-903.	3.5	1
19	Multislice Computer Tomography for Detection of Coronary Artery Disease. Journal of Interventional Cardiology, 2006, 19, 574-582.	0.5	14

#	ARTICLE	IF	CITATIONS
20	Clinical Implementation of Dual-Source Computed Tomography for Diagnostic Cardiovascular Angiography: Initial Experience. <i>Imaging Decisions</i> (Berlin, Germany), 2006, 10, 27-33.	0.2	2
21	Dual-source CT cardiac imaging: initial experience. <i>European Radiology</i> , 2006, 16, 1409-1415.	2.3	327
22	Accuracy of dual-source CT coronary angiography: first experience in a high pre-test probability population without heart rate control. <i>European Radiology</i> , 2006, 16, 2739-2747.	2.3	395
23	Coronary plaque imaging with multislice computed tomography: technique and clinical applications. <i>European Radiology, Supplement</i> , 2006, 16, M44-M53.	1.8	20
24	Cardiac CT: a one-stop-shop procedure?. <i>European Radiology, Supplement</i> , 2006, 16, M65-M70.	1.8	9
25	Imaging of aortopulmonary collateral arteries with high-resolution multidetector CT. <i>Pediatric Radiology</i> , 2006, 36, 502-509.	1.1	58
26	Putting "clear"™ into nuclear medicine: a decade of PET/CT development. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 857-861.	3.3	40
28	Differentiation of Recent and Chronic Myocardial Infarction by Cardiac Computed Tomography. <i>American Journal of Cardiology</i> , 2006, 98, 303-308.	0.7	112
29	Advances in the noninvasive evaluation of coronary artery disease with multislice computed tomography. <i>Expert Review of Medical Devices</i> , 2006, 3, 441-451.	1.4	4
30	Multidetector-row computed tomography for noninvasive coronary imaging. <i>Expert Review of Cardiovascular Therapy</i> , 2006, 4, 583-594.	0.6	10
31	Quantification of global left ventricular function: comparison of multidetector computed tomography and magnetic resonance imaging. a meta-analysis and review of the current literature. <i>Acta Radiologica</i> , 2006, 47, 1049-1057.	0.5	85
32	Magnetic Resonance Techniques for Assessment of Body Components. <i>Hormone Research in Paediatrics</i> , 2006, 66, 65-72.	0.8	3
33	Multithreaded cardiac CT. <i>Medical Physics</i> , 2006, 33, 2435-2447.	1.6	34
34	Relationship between Noise, Dose, and Pitch in Cardiac Multi-Detector Row CT. <i>Radiographics</i> , 2006, 26, 1785-1794.	1.4	159
36	Role of Vasa Vasorum in Arterial Disease: A Re-emerging Factor. <i>Current Cardiology Reviews</i> , 2007, 3, 43-55.	0.6	14
37	Effectiveness of Dual-Source CT Coronary Angiography for the Evaluation of Coronary Artery Disease in Patients with Atrial Fibrillation: Initial Experience. <i>Radiology</i> , 2007, 245, 703-711.	3.6	119
38	Back to the future: coronary CT angiography using prospective ECG triggering. <i>European Heart Journal</i> , 2007, 29, 153-154.	1.0	26
39	Coronary CT Angiography Without β -Blockers. <i>American Journal of Roentgenology</i> , 2007, 189, 1324-1325.	1.0	5

#	ARTICLE	IF	CITATIONS
40	SNR performance comparison of dual-layer detector and dual-kVp spectral CT. , 2007, , .		3
41	Optimal Systolic and Diastolic Reconstruction Windows for Coronary CT Angiography Using Dual-Source CT. American Journal of Roentgenology, 2007, 189, 1317-1323.	1.0	91
42	Myocardial Bridging on MDCT. American Journal of Roentgenology, 2007, 188, 1074-1080.	1.0	35
43	Evaluation of Aortocoronary Bypass Stents with Cardiac MDCT Compared with Conventional Catheter Angiography. American Journal of Roentgenology, 2007, 188, 361-369.	1.0	10
44	Dual-Source CT with Improved Temporal Resolution in Assessment of Left Ventricular Function: A Pilot Study. American Journal of Roentgenology, 2007, 189, 1064-1070.	1.0	60
45	Coronary CT Angiography. Radiology, 2007, 244, 48-63.	3.6	136
46	Chest Pain in the Emergency Department: Role of Multidetector CT. Radiology, 2007, 245, 672-681.	3.6	45
47	Physics of Cardiac Imaging with Multiple-Row Detector CT. Radiographics, 2007, 27, 1495-1509.	1.4	100
49	Intensity distribution and impact of scatter for dual-source CT. Physics in Medicine and Biology, 2007, 52, 6969-6989.	1.6	39
50	A technical solution to avoid partial scan artifacts in cardiac MDCT. Medical Physics, 2007, 34, 4726-4737.	1.6	21
51	X-ray scattering in single- and dual-source CT. Medical Physics, 2008, 35, 318-332.	1.6	65
52	Image-domain material decomposition using photon-counting CT. , 2007, 6510, 96.		22
53	Examine Thy Heart With All Diligence. Hypertension, 2007, 49, 249-256.	1.3	6
54	64-Slice CT coronary angiography in patients with non-ST elevation acute coronary syndrome. Heart, 2007, 93, 1386-1392.	1.2	95
55	Clinical Utility of Cardiac Computed Tomography. American Journal of the Medical Sciences, 2007, 334, 350-355.	0.4	5
56	Dual-Source Computed Tomography for Assessing Cardiac Function. Investigative Radiology, 2007, 42, 491-498.	3.5	34
57	Evaluation of Porcine Myocardial Microvascular Permeability and Fractional Vascular Volume Using 64-Slice Helical Computed Tomography (CT). Investigative Radiology, 2007, 42, 274-282.	3.5	37
58	Dual-Source Computed Tomography. Investigative Radiology, 2007, 42, 196-203.	3.5	62

#	ARTICLE	IF	CITATIONS
59	Image Quality and Reconstruction Intervals of Dual-Source CT Coronary Angiography. Investigative Radiology, 2007, 42, 543-549.	3.5	162
60	Assessment of Global Left and Right Ventricular Function Using Dual-Source Computed Tomography (DSCT) in Comparison to MRI. Investigative Radiology, 2007, 42, 756-764.	3.5	20
61	Dual-Energy Contrast-Enhanced Computed Tomography for the Detection of Urinary Stone Disease. Investigative Radiology, 2007, 42, 823-829.	3.5	115
62	Understanding the Heart. Journal of Thoracic Imaging, 2007, 22, 107-113.	0.8	7
63	Quantitative X-Ray Imaging of Intraplaque Hemorrhage in Aortas of ApoE ^{-/-} /LDL ^{-/-} Double Knockout Mice. Investigative Radiology, 2007, 42, 263-273.	3.5	35
64	Chasing the Heart. Journal of Thoracic Imaging, 2007, 22, 4-16.	0.8	48
65	Motion compensated reconstructions of calcified coronary plaques in cardiac CT. , 2007, , .		0
66	Evaluation of Coronary Stents and Stenoses at Different Heart Rates With Dual Source Spiral CT (DSCT). Investigative Radiology, 2007, 42, 536-541.	3.5	31
67	Diagnostic Accuracy of Dual-Source Computed Tomography in the Diagnosis of Coronary Artery Disease. Investigative Radiology, 2007, 42, 684-691.	3.5	138
68	Coronary CTA. Journal of Thoracic Imaging, 2007, 22, 22-34.	0.8	21
69	Imaging of hepatic steatosis and fatty sparing. European Journal of Radiology, 2007, 61, 33-43.	1.2	110
70	Non-compact visualization using ECG-gated dual-source CT. International Journal of Cardiology, 2007, 118, e46-e47.	0.8	11
71	Cardiac CT: State of the art for the detection of coronary arterial stenosis. Journal of Cardiovascular Computed Tomography, 2007, 1, 3-20.	0.7	77
72	Cardiac dual-source computed tomography in patients with severe coronary calcifications and a high prevalence of coronary artery disease. Journal of Cardiovascular Computed Tomography, 2007, 1, 143-151.	0.7	19
73	Evaluation of Chest Pain in a Patient With the Cardiometabolic Syndrome: Assessment by Coronary CT Angiography. Journal of the Cardiometabolic Syndrome, 2007, 2, 217-222.	1.7	0
74	Image Quality of the Aortic and Mitral Valve With CT:. Academic Radiology, 2007, 14, 613-624.	1.3	10
75	Dose Performance of a 64-Channel Dual-Source CT Scanner1. Radiology, 2007, 243, 775-784.	3.6	192
76	Role of non-invasive imaging in the management of coronary artery disease: an assessment of likely change over the next 10 years. A report from the British Cardiovascular Society Working Group. Heart, 2007, 93, 423-431.	1.2	57

#	ARTICLE	IF	CITATIONS
77	Dual-Source CT Coronary Angiography: Image Quality, Mean Heart Rate, and Heart Rate Variability. American Journal of Roentgenology, 2007, 189, 567-573.	1.0	169
78	Advances in Attenuation Correction Techniques in PET. PET Clinics, 2007, 2, 191-217.	1.5	42
79	Visualizing the Coronaries in Patients Presenting With Heart Failure of Unknown Etiology—Editorials published in the Journal of the American College of Cardiology reflect the views of the authors and do not necessarily represent the views of JACC or the American College of Cardiology.. Journal of the American College of Cardiology, 2007, 49, 2051-2052.	1.2	1
80	Reliable High-Speed Coronary Computed Tomography in Symptomatic Patients. Journal of the American College of Cardiology, 2007, 50, 786-794.	1.2	137
81	Influence of Heart Rate on the Diagnostic Accuracy of Dual-Source Computed Tomography Coronary Angiography. Journal of the American College of Cardiology, 2007, 50, 2393-2398.	1.2	230
82	CT and MRI of pericardial and cardiac neoplastic disease. Cancer Imaging, 2007, 7, 19-26.	1.2	47
83	Imaging strategies to reduce the risk of radiation in CT studies, including selective substitution with MRI. Journal of Magnetic Resonance Imaging, 2007, 25, 900-909.	1.9	184
84	Quantitative assessment of ventricular function using three-dimensional SSFP magnetic resonance angiography. Journal of Magnetic Resonance Imaging, 2007, 26, 288-295.	1.9	17
85	Applications of multislice computed tomography in coronary artery disease. Journal of Magnetic Resonance Imaging, 2007, 26, 14-22.	1.9	20
86	Comprehensive cardiac CT study: Evaluation of coronary arteries, left ventricular function, and myocardial perfusion—Is it possible?. Journal of Nuclear Cardiology, 2007, 14, 229-243.	1.4	49
89	Effects of Intrafractional Motion on Water Equivalent Pathlength in Respiratory-Gated Heavy Charged Particle Beam Radiotherapy. International Journal of Radiation Oncology Biology Physics, 2007, 69, 308-317.	0.4	29
90	Noninvasive detection of macrophages using a nanoparticulate contrast agent for computed tomography. Nature Medicine, 2007, 13, 636-641.	15.2	429
91	Usefulness of Noninvasive Cardiac Imaging Using Dual-Source Computed Tomography in an Unselected Population With High Prevalence of Coronary Artery Disease. American Journal of Cardiology, 2007, 100, 587-592.	0.7	56
92	Accuracy of 64-Slice Computed Tomography for the Preoperative Detection of Coronary Artery Disease in Patients With Chronic Aortic Regurgitation. American Journal of Cardiology, 2007, 100, 701-706.	0.7	85
93	Assessment of Myocardial Microvascular Function: New Opportunities in Fast Computed Tomography. Trends in Cardiovascular Medicine, 2007, 17, 14-19.	2.3	4
94	Spiral Multislice Computed Tomography Coronary Angiography: A Current Status Report. Clinical Cardiology, 2007, 30, 437-442.	0.7	19
95	Diagnostic value of 64-slice multi-detector row cardiac CTA in symptomatic patients. European Radiology, 2007, 17, 603-609.	2.3	74
96	Cardiac CT: coronary arteries and beyond. European Radiology, 2007, 17, 994-1008.	2.3	47

#	ARTICLE	IF	CITATIONS
97	In-vivo flow simulation in coronary arteries based on computed tomography datasets: feasibility and initial results. <i>European Radiology</i> , 2007, 17, 1291-1300.	2.3	57
98	Quantitative prediction of contrast enhancement from test bolus data in cardiac MSCT. <i>European Radiology</i> , 2007, 17, 1310-1319.	2.3	27
99	Visual and automatic grading of coronary artery stenoses with 64-slice CT angiography in reference to invasive angiography. <i>European Radiology</i> , 2007, 17, 1445-1451.	2.3	57
100	Material differentiation by dual energy CT: initial experience. <i>European Radiology</i> , 2007, 17, 1510-1517.	2.3	1,384
101	Evaluation of automated attenuation-based tube current adaptation for coronary calcium scoring in MDCT in a cohort of 262 patients. <i>European Radiology</i> , 2007, 17, 1850-1857.	2.3	16
102	Influence of convolution filtering on coronary plaque attenuation values: observations in an ex vivo model of multislice computed tomography coronary angiography. <i>European Radiology</i> , 2007, 17, 1842-1849.	2.3	62
103	Strategies for reduction of radiation dose in cardiac multislice CT. <i>European Radiology</i> , 2007, 17, 2028-2037.	2.3	155
104	Flat-detector computed tomography (FD-CT). <i>European Radiology</i> , 2007, 17, 2767-2779.	2.3	280
105	Usefulness of 40-slice multidetector row computed tomography to detect coronary disease in patients prior to cardiac valve surgery. <i>European Radiology</i> , 2007, 17, 3199-3207.	2.3	24
106	Coronary fly-through or virtual angiography using dual-source MDCT data. <i>European Radiology</i> , 2007, 17, 2852-2859.	2.3	16
107	Influence of heart rate on diagnostic accuracy and image quality of 16-slice CT coronary angiography: comparison of multisegment and halfscan reconstruction approaches. <i>European Radiology</i> , 2007, 17, 2829-2837.	2.3	37
108	Coronary artery bypass grafts and MDCT imaging: what to know and what to look for. <i>European Radiology</i> , 2007, 17, 3166-3178.	2.3	28
109	Dual-source computed tomography in patients with acute chest pain: feasibility and image quality. <i>European Radiology</i> , 2007, 17, 3179-3188.	2.3	45
110	Four-dimensional computed tomographic imaging in the wrist: proof of feasibility in a cadaveric model. <i>Skeletal Radiology</i> , 2007, 36, 1163-1169.	1.2	37
113	Current Role of Cardiac Computed Tomography. <i>Herz</i> , 2007, 32, 97-107.	0.4	33
115	The benefit of 64-MDCT prior to invasive coronary angiography in symptomatic post-CABG patients. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 369-377.	0.7	38
116	The role of coronary CT angiography (CTA) for patients presenting with acute chest pain. Defining problem-specific, evidence-based indications of a novel imaging modality. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 429-432.	0.7	4
117	New applications for noninvasive cardiac imaging: dual-source computed tomography. <i>European Radiology, Supplement</i> , 2007, 17, 16-25.	1.8	23

#	ARTICLE	IF	CITATIONS
118	Optimizing radiation dose and image quality. <i>European Radiology, Supplement</i> , 2007, 17, 26-32.	1.8	42
119	Stereolithographic reproduction of complex cardiac morphology based on high spatial resolution imaging. <i>Clinical Research in Cardiology</i> , 2007, 96, 176-185.	1.5	77
120	Nichtinvasive Untersuchung der HerzkranzgefÄÄsse mittels Mehrzeilen-Spiral-CT. <i>Clinical Research in Cardiology Supplements</i> , 2007, 2, IV90-IV98.	2.0	0
121	Use of high-resolution spiral CT for the diagnosis of coronary artery disease. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2007, 9, 29-36.	0.4	4
122	Diagnostic accuracy of 64-slice computed tomography coronary angiography in patients with low-to-intermediate risk. <i>Radiologia Medica</i> , 2007, 112, 969-981.	4.7	40
123	Cardiac imaging using 256-detector row four-dimensional CT: preliminary clinical report. <i>Radiation Medicine</i> , 2007, 25, 38-44.	0.8	68
124	Quantitative assessment of regional left ventricular wall thickness and thickening using 16 multidetector-row computed tomography: comparison with cine magnetic resonance imaging. <i>Radiation Medicine</i> , 2007, 25, 119-126.	0.8	15
125	Utility of multislice computed tomography as a strategic tool for complex percutaneous coronary intervention. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 201-210.	0.7	22
126	Calcium scoring using 64-slice MDCT, dual source CT and EBT: a comparative phantom study. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 547-556.	0.7	76
127	Quantitative plaque characterization with coronary CT angiography (CTA). <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 313-316.	0.7	9
128	Dual-energy computed tomography for the differentiation of uric acid stones: ex vivo performance evaluation. <i>Urological Research</i> , 2008, 36, 133-138.	1.5	104
129	Xenon ventilation CT using a dual-source dual-energy technique: dynamic ventilation abnormality in a child with bronchial atresia. <i>Pediatric Radiology</i> , 2008, 38, 1113-1116.	1.1	48
130	Imaging of the Coronary Venous System: Validation of Three-Dimensional Rotational Venous Angiography Against Dual-Source Computed Tomography. <i>CardioVascular and Interventional Radiology</i> , 2008, 31, 1150-1158.	0.9	14
131	An initial qualitative study of dual-energy CT in the knee ligaments. <i>Surgical and Radiologic Anatomy</i> , 2008, 30, 443-447.	0.6	61
132	64-slice computed tomography coronary angiography: diagnostic accuracy in the real world. <i>Radiologia Medica</i> , 2008, 113, 163-180.	4.7	25
133	Influence of heart rate in the selection of the optimal reconstruction window in routine clinical multislice coronary angiography. <i>Radiologia Medica</i> , 2008, 113, 644-657.	4.7	8
134	Multislice CT angiography in post-aortic stent grafting: optimization of scanning protocols for virtual intravascular endoscopy. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2008, 3, 19-26.	1.7	2
135	Developments in coronary CT angiography. <i>Current Cardiology Reports</i> , 2008, 10, 51-59.	1.3	7

#	ARTICLE	IF	CITATIONS
136	Morphology and beyond: CT of cardiac valves. <i>Current Cardiovascular Imaging Reports</i> , 2008, 1, 141-148.	0.4	1
137	Imaging of the heart with computed tomography. <i>Basic Research in Cardiology</i> , 2008, 103, 161-173.	2.5	12
138	ECG-gated chest CT angiography with 64-MDCT and tri-phasic IV contrast administration regimen in patients with acute non-specific chest pain. <i>European Radiology</i> , 2008, 18, 308-317.	2.3	55
139	Non-invasive evaluation of coronary artery stent patency with retrospectively ECG-gated 64-slice CT angiography. <i>European Radiology</i> , 2008, 18, 234-243.	2.3	51
140	Radiation dose estimates in dual-source computed tomography coronary angiography. <i>European Radiology</i> , 2008, 18, 592-599.	2.3	194
141	Dual-source CT for chest pain assessment. <i>European Radiology</i> , 2008, 18, 773-780.	2.3	86
142	Validation of a Monte Carlo tool for patient-specific dose simulations in multi-slice computed tomography. <i>European Radiology</i> , 2008, 18, 759-772.	2.3	184
143	Quantification of left ventricular function and mass in cardiac Dual-Source CT (DSCT) exams: comparison of manual and semiautomatic segmentation algorithms. <i>European Radiology</i> , 2008, 18, 939-946.	2.3	27
144	Dual-source cardiac computed tomography: image quality and dose considerations. <i>European Radiology</i> , 2008, 18, 1188-1198.	2.3	117
145	Stereological estimation of left-ventricular volumetric and functional parameters from multidetector-row computed tomography data. <i>European Radiology</i> , 2008, 18, 1338-1349.	2.3	8
146	Reference values for quantitative left ventricular and left atrial measurements in cardiac computed tomography. <i>European Radiology</i> , 2008, 18, 1625-1634.	2.3	68
147	Image quality on dual-source computed-tomographic coronary angiography. <i>European Radiology</i> , 2008, 18, 1857-1862.	2.3	21
148	Quantification of left ventricular function and mass in heart transplant recipients using dual-source CT and MRI: initial clinical experience. <i>European Radiology</i> , 2008, 18, 1784-1790.	2.3	38
149	Dual-source CT coronary imaging in heart transplant recipients: image quality and optimal reconstruction interval. <i>European Radiology</i> , 2008, 18, 1791-1799.	2.3	19
150	Coronary revascularization treatment based on dual-source computed tomography. <i>European Radiology</i> , 2008, 18, 1800-1808.	2.3	3
151	Low kilovoltage cardiac dual-source CT: attenuation, noise, and radiation dose. <i>European Radiology</i> , 2008, 18, 1809-1817.	2.3	275
152	Characterization of coronary atherosclerosis by dual-source computed tomography and HU-based color mapping: a pilot study. <i>European Radiology</i> , 2008, 18, 2466-2474.	2.3	57
153	Dual-energy CT of the heart for diagnosing coronary artery stenosis and myocardial ischemia-initial experience. <i>European Radiology</i> , 2008, 18, 2414-2424.	2.3	215

#	ARTICLE	IF	CITATIONS
154	Prevalence and morphology of coronary artery ectasia with dual-source CT coronary angiography. <i>European Radiology</i> , 2008, 18, 2776-2784.	2.3	10
155	Visualization of anomalous coronary arteries on dual-source computed tomography. <i>European Radiology</i> , 2008, 18, 2425-2432.	2.3	32
156	The Added Value of a Dedicated Cardiac CT Scanner for the Assessment of Coronary Calcium. <i>Imaging Decisions (Berlin, Germany)</i> , 2008, 12, 10-16.	0.2	0
159	Evaluation of Cardiac Function and Valves by Multidetector Row Computed Tomography. <i>Seminars in Roentgenology</i> , 2008, 43, 145-153.	0.2	16
161	An outlook on x-ray CT research and development. <i>Medical Physics</i> , 2008, 35, 1051-1064.	1.6	218
162	Randomized Comparison of 64-Slice Single- and Dual-Source Computed Tomography Coronary Angiography for the Detection of Coronary Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2008, 1, 177-186.	2.3	113
163	Moving Beyond Binary Grading of Coronary Arterial Stenoses on Coronary Computed Tomographic Angiography. <i>JACC: Cardiovascular Imaging</i> , 2008, 1, 460-471.	2.3	83
164	Quantitative Analysis of Intraventricular Dyssynchrony Using Wall Thickness by Multidetector Computed Tomography. <i>JACC: Cardiovascular Imaging</i> , 2008, 1, 772-781.	2.3	58
165	Temporally Targeted Imaging Method Applied to ECG-Gated Computed Tomography. <i>Academic Radiology</i> , 2008, 15, 93-106.	1.3	6
166	Medical Imaging Modalities in Radiotherapy. <i>Medical Radiology</i> , 0, , 625-639.	0.0	0
167	Dual Source Computed Tomography: A Novel Technique to Determine Stone Composition. <i>Urology</i> , 2008, 72, 1164-1168.	0.5	101
168	CT coronary angiography: Influence of different cardiac reconstruction intervals on image quality and diagnostic accuracy. <i>European Journal of Radiology</i> , 2008, 67, 92-99.	1.2	10
169	Diagnostic value of 64-slice CT angiography in coronary artery disease: A systematic review. <i>European Journal of Radiology</i> , 2008, 67, 78-84.	1.2	136
170	Advances of dual source, dual-energy imaging in postmortem CT. <i>European Journal of Radiology</i> , 2008, 68, 446-455.	1.2	48
171	Dual energy CT for the assessment of lung perfusion—Correlation to scintigraphy. <i>European Journal of Radiology</i> , 2008, 68, 369-374.	1.2	252
172	Technical principles of dual source CT. <i>European Journal of Radiology</i> , 2008, 68, 362-368.	1.2	389
173	Radiation dose of cardiac dual-source CT: The effect of tailoring the protocol to patient-specific parameters. <i>European Journal of Radiology</i> , 2008, 68, 385-391.	1.2	104
174	Thoracic applications of dual-source CT technology. <i>European Journal of Radiology</i> , 2008, 68, 375-384.	1.2	59

#	ARTICLE	IF	CITATIONS
175	Dual-energy CT of the heartâ€™Principles and protocols. European Journal of Radiology, 2008, 68, 423-433.	1.2	97
176	Dual-source CT coronary angiography in patients with atrial fibrillation: Comparison with single-source CT. European Journal of Radiology, 2008, 68, 434-441.	1.2	37
177	Evaluation of non-linear blending in dual-energy computed tomography. European Journal of Radiology, 2008, 68, 409-413.	1.2	107
178	Evolving CT Applications in Ischemic Heart Disease. Seminars in Thoracic and Cardiovascular Surgery, 2008, 20, 380.e1-380.e14.	0.4	4
179	Technical Advances in Cardiovascular Imaging. Seminars in Thoracic and Cardiovascular Surgery, 2008, 20, 333-339.	0.4	5
180	Technical and Clinical Aspects of Coronary Computed Tomography Angiography. Seminars in Ultrasound, CT and MRI, 2008, 29, 167-175.	0.7	8
181	Predicting success of prospective and retrospective gating with dual-source coronary computed tomography angiography: Development of selection criteria and initial experience. Journal of Cardiovascular Computed Tomography, 2008, 2, 81-90.	0.7	51
182	Image quality and artifacts in coronary CT angiography with dual-source CT: Initial clinical experience. Journal of Cardiovascular Computed Tomography, 2008, 2, 105-114.	0.7	42
183	Heart rateâ€™independent dual-source computed tomography coronary angiography: Growing experience. Journal of Cardiovascular Computed Tomography, 2008, 2, 115-116.	0.7	2
184	Current status and future directions in technical developments of cardiac computed tomography. Journal of Cardiovascular Computed Tomography, 2008, 2, 71-80.	0.7	20
185	Dual-source coronary computed tomography angiography in patients with atrial fibrillation: initial experience. Journal of Cardiovascular Computed Tomography, 2008, 2, 172-180.	0.7	20
186	Potential of dual-energy computed tomography to characterize atherosclerotic plaque: ex vivo assessment of human coronary arteries in comparison to histology. Journal of Cardiovascular Computed Tomography, 2008, 2, 234-242.	0.7	87
187	Algorithm for radiation dose reduction with helical dual source coronary computed tomography angiography in clinical practice. Journal of Cardiovascular Computed Tomography, 2008, 2, 311-322.	0.7	57
188	Effect of dual-source cardiac computed tomography on patient radiation dose in a clinical setting: Comparison to single-source imaging. Journal of Cardiovascular Computed Tomography, 2008, 2, 392-400.	0.7	19
189	Differentiation of total occlusion and high-grade stenosis in coronary CT angiography. European Radiology, 2008, 18, 2770-2775.	2.3	30
190	Analysis of Heart Rate and Heart Rate Variation During Cardiac CT Examinations. Academic Radiology, 2008, 15, 40-48.	1.3	22
191	Functional Imaging: CT and MRI. Clinics in Chest Medicine, 2008, 29, 195-216.	0.8	73
192	Cardiac CT and CT coronary angiography: technology and application. Heart, 2008, 94, 781-792.	1.2	97

#	ARTICLE	IF	CITATIONS
193	Noninvasive Coronary Artery Imaging. <i>Circulation</i> , 2008, 118, 586-606.	1.6	422
194	Low-dose CT coronary angiography in the step-and-shoot mode: diagnostic performance. <i>Heart</i> , 2008, 94, 1132-1137.	1.2	263
195	Dual-Source CT: Effect of Heart Rate, Heart Rate Variability, and Calcification on Image Quality and Diagnostic Accuracy. <i>Radiology</i> , 2008, 247, 346-355.	3.6	224
196	Physics of CT: Scanning. , 2008, , 119-123.		0
197	Cardiac CT: Indications and Limitations. <i>Journal of Nuclear Medicine Technology</i> , 2008, 36, 18-24.	0.4	23
198	Influence of Calcifications on Diagnostic Accuracy of Coronary CT Angiography Using Prospective ECG Triggering. <i>American Journal of Roentgenology</i> , 2008, 191, 1684-1689.	1.0	65
199	Quantitative imaging of chemical composition using dual-energy, dual-source CT. <i>Proceedings of SPIE</i> , 2008, , .	0.8	1
200	Does Dual-Energy CT of Lower-Extremity Tendons Incur Penalties in Patient Radiation Exposure or Reduced Multiplanar Reconstruction Image Quality?. <i>American Journal of Roentgenology</i> , 2008, 191, 1386-1390.	1.0	18
201	Innovations in imaging for chronic total occlusions: a glimpse into the future of angiography's blind-spot. <i>European Heart Journal</i> , 2008, 29, 583-593.	1.0	46
202	Endoleaks after Endovascular Abdominal Aortic Aneurysm Repair: Detection with Dual-Energy Dual-Source CT. <i>Radiology</i> , 2008, 249, 682-691.	3.6	207
203	Whole-body imaging of whole-organ, subresolution, basic functional unit (BFU) perfusion characteristics. , 2008, , .		0
204	Exact image reconstruction for triple-source cone-beam CT along saddle trajectories. , 2008, , .		1
205	Principle and applications of dual source CT. <i>Proceedings of SPIE</i> , 2008, , .	0.8	0
206	Analysis and mitigation of calcium artifacts in cardiac multidetector CT. , 2008, , .		5
207	Advanced radiation measurement techniques in diagnostic radiology and molecular imaging. <i>Radiation Protection Dosimetry</i> , 2008, 131, 136-142.	0.4	6
208	Dual source coronary computed tomography angiography for detecting in-stent restenosis. <i>Heart</i> , 2008, 94, 848-854.	1.2	105
209	Combining dual-source computed tomography coronary angiography and calcium scoring: added value for the assessment of coronary artery disease. <i>Heart</i> , 2008, 94, 1154-1161.	1.2	51
210	Automated Threshold-Based 3D Segmentation Versus Short-Axis Planimetry for Assessment of Global Left Ventricular Function with Dual-Source MDCT. <i>American Journal of Roentgenology</i> , 2008, 190, 308-314.	1.0	56

#	ARTICLE	IF	CITATIONS
211	Image reconstruction and image quality evaluation for a dual source CT scanner. Medical Physics, 2008, 35, 5882-5897.	1.6	94
212	Dual-source computed tomography coronary angiography: influence of obesity, calcium load, and heart rate on diagnostic accuracy. European Heart Journal, 2008, 29, 766-776.	1.0	161
213	Myocardial Ischemia Diagnosed by Dual-Energy Computed Tomography. Circulation, 2008, 117, 1244-1245.	1.6	79
214	Dual energy CT: How to best blend both energies in one fused image?. , 2008, , .		14
215	Dual-Energy CT Angiography of the Lung in Patients with Suspected Pulmonary Embolism: Initial Results. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2008, 180, 879-83.	0.7	74
216	Abdominal Aorta: Evaluation with Dual-Source Dual-Energy Multidetector CT after Endovascular Repair of Aneurysmsâ€”Initial Observations. Radiology, 2008, 249, 692-700.	3.6	154
217	Evaluation of Coronary Stent Patency and In-Stent Restenosis with Dual-Source CT Coronary Angiography Without Heart Rate Control. American Journal of Roentgenology, 2008, 191, 56-63.	1.0	58
219	Dual-Source CT in Step-and-Shoot Mode: Noninvasive Coronary Angiography with Low Radiation Dose¹. Radiology, 2008, 249, 71-80.	3.6	254
220	Dual-Source CT for Visualization of the Coronary Arteries in Heart Transplant Patients with High Heart Rates. American Journal of Roentgenology, 2008, 191, 448-454.	1.0	25
222	Modulation Transfer Functionâ€”based Assessment of Temporal Resolution: Validation for Single- and Dual-Source CT. Radiology, 2008, 248, 1013-1017.	3.6	13
223	Dual-Energy CT Iodine-Subtraction Virtual Unenhanced Technique to Detect Urinary Stones in an Iodine-Filled Collecting System: A Phantom Study. American Journal of Roentgenology, 2008, 190, 1169-1173.	1.0	114
224	Measurement of temporal resolution in dual source CT. Medical Physics, 2008, 35, 764-768.	1.6	34
225	Analysis of fast kV-switching in dual energy CT using a pre-reconstruction decomposition technique. Proceedings of SPIE, 2008, , .	0.8	85
226	Clinical Utility of Dual-Energy CT in the Evaluation of Solitary Pulmonary Nodules: Initial Experience. Radiology, 2008, 249, 671-681.	3.6	243
227	Diagnostic Performance of Coronary CT Angiography by Using Different Generations of Multisection Scanners: Single-Center Experience. Radiology, 2008, 246, 384-393.	3.6	65
228	Optimal Electrocardiographic Pulsing Windows and Heart Rate: Effect on Image Quality and Radiation Exposure at Dual-Source Coronary CT Angiography. Radiology, 2008, 248, 792-798.	3.6	113
229	Applications and software techniques for integrated cardiac multimodality imaging. Expert Review of Cardiovascular Therapy, 2008, 6, 27-41.	0.6	16
230	A cone beam CT scanner without moving parts. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
231	Partial scan artifact reduction (PSAR) for the assessment of cardiac perfusion in dynamic phase-correlated CT. , 2008, , .		1
232	Dual-energy CT-based material extraction for tissue segmentation in Monte Carlo dose calculations. Physics in Medicine and Biology, 2008, 53, 2439-2456.	1.6	171
233	Comparison of Myocardial Bridging by Dual-Source CT With Conventional Coronary Angiography. Circulation Journal, 2008, 72, 1079-1085.	0.7	31
234	Anatomical Investigation of the Sinus Node Artery Using Dual-Source Computed Tomography. Circulation Journal, 2008, 72, 1615-1620.	0.7	19
235	Technical Advances in MDCT for Imaging Coronary Artery Stenoses and Physiology. , 0, , 318-327.		0
236	Quantification of Coronary Plaque by 64-slice Computed Tomography: A Comparison with Quantitative Intracoronary Ultrasound. Investigative Radiology, 2008, 43, 314-321.	3.5	83
237	Functional Lung Imaging in Thoracic Cancer Radiotherapy. Cancer Control, 2008, 15, 112-119.	0.7	19
238	Dual Energy CT Characterization of Urinary Calculi: Initial In Vitro and Clinical Experience. Investigative Radiology, 2008, 43, 112-119.	3.5	317
239	Potential Uses of Computed Tomography for Management of Heart Failure Patients With Dyssynchrony. Critical Pathways in Cardiology, 2008, 7, 185-190.	0.2	12
240	Dose Reduction and Image Quality Assessment in 64-Detector Row Computed Tomography of the Coronary Arteries Using an Automatic Exposure Control System. Journal of Computer Assisted Tomography, 2008, 32, 668-678.	0.5	8
241	Cardiac Dual-Source Computed Tomography. Investigative Radiology, 2008, 43, 712-718.	3.5	26
242	Left Ventricular and Left Atrial Dimensions and Volumes. Investigative Radiology, 2008, 43, 284-289.	3.5	80
243	Mono- Versus Bisegment Reconstruction Algorithms for Dual-Source Computed Tomography Coronary Angiography. Investigative Radiology, 2008, 43, 703-711.	3.5	13
245	Effect of Heart Rate and Coronary Calcification on the Diagnostic Accuracy of the Dual-Source CT Coronary Angiography in Patients with Suspected Coronary Artery Disease. Korean Journal of Radiology, 2009, 10, 347.	1.5	56
246	Determination of the Urinary Stone Chemical Composition Using the Hounsfield Unit. Urologia, 2009, 76, 39-44.	0.3	0
247	Why do commercial CT scanners still employ traditional, filtered back-projection for image reconstruction?. Inverse Problems, 2009, 25, 123009.	1.0	417
248	A scheme for multisource interior tomography. Medical Physics, 2009, 36, 3575-3581.	1.6	49
249	A correction framework for non-ideal source switching in dual energy CT scanner. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
250	Accuracy of dual-source computed tomography coronary angiography: evaluation with a standardised protocol for cardiac surgeons. <i>European Journal of Cardio-thoracic Surgery</i> , 2009, 36, 1011-1017.	0.6	10
251	Quantification of Inflammation Within Rabbit Atherosclerotic Plaques Using the Macrophage-Specific CT Contrast Agent N1177: A Comparison with ¹⁸ F-FDG PET/CT and Histology. <i>Journal of Nuclear Medicine</i> , 2009, 50, 959-965.	2.8	115
252	Application and patient size dependent optimization of x-ray spectra for CT. <i>Medical Physics</i> , 2009, 36, 993-1007.	1.6	179
253	DUAL ENERGY COMPUTED TOMOGRAPHY FOR CHECKED BAGGAGE SCREENING. , 2009, , 645-665.		0
254	A model for quantitative correction of coronary calcium scores on multidetector, dual source, and electron beam computed tomography for influences of linear motion, calcification density, and temporal resolution: A cardiac phantom study. <i>Medical Physics</i> , 2009, 36, 5079-5088.	1.6	22
255	Accuracy of 64-Multidetector-Row Computed Tomography in the Diagnosis of Coronary Artery Disease. <i>Medical Principles and Practice</i> , 2009, 18, 323-328.	1.1	17
256	Dual energy CT via fast kVp switching spectrum estimation. <i>Proceedings of SPIE</i> , 2009, , .	0.8	51
258	Toward modeling of regional myocardial ischemia and infarction: generation of realistic coronary arterial tree for the heart model of the XCAT phantom. <i>Proceedings of SPIE</i> , 2009, , .	0.8	3
259	Preserved Diagnostic Performance of Dual-Source CT Coronary Angiography with Reduced Radiation Exposure and Cancer Risk. <i>Radiology</i> , 2009, 252, 53-60.	3.6	43
260	Cram�r-Rao lower bound of basis image noise in multiple-energy x-ray imaging. <i>Physics in Medicine and Biology</i> , 2009, 54, 1307-1318.	1.6	107
262	Dual-Source versus 64-Section CT Coronary Angiography at Lower Heart Rates: Comparison of Accuracy and Radiation Dose. <i>Radiology</i> , 2009, 253, 56-64.	3.6	51
265	Strategies for Dose-Optimized Imaging in Pediatric Cardiac Dual Source CT. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2009, 181, 339-348.	0.7	28
266	Dual-Source Versus Single-Source Cardiac CT Angiography: Comparison of Diagnostic Image Quality. <i>American Journal of Roentgenology</i> , 2009, 192, 1051-1056.	1.0	56
268	Anatomy and Terminology for the Interpretation and Reporting of Cardiac MDCT: Part 1, Structured Report, Coronary Calcium Screening, and Coronary Artery Anatomy. <i>American Journal of Roentgenology</i> , 2009, 192, 574-583.	1.0	26
269	Diffuse Liver Disease: Strategies for Hepatic CT and MR Imaging. <i>Radiographics</i> , 2009, 29, 1591-1614.	1.4	115
270	Beam hardening correction in CT myocardial perfusion measurement. <i>Physics in Medicine and Biology</i> , 2009, 54, 3031-3050.	1.6	49
271	Image quality optimization and evaluation of linearly mixed images in dual-source, dual-energy CT. <i>Medical Physics</i> , 2009, 36, 1019-1024.	1.6	147
272	Temporal resolution improvement using PICCS in MDCT cardiac imaging. <i>Medical Physics</i> , 2009, 36, 2130-2135.	1.6	76

#	ARTICLE	IF	CITATIONS
273	Accuracy of dual-source CT in the characterisation of non-calcified plaque: use of a colour-coded analysis compared with virtual histology intravascular ultrasound. <i>British Journal of Radiology</i> , 2009, 82, 805-812.	1.0	59
274	Evaluating optimal CNR as a preset criteria for nonlinear modal blending of dual energy CT data. , 2009, , .		0
275	Comparison between the image quality of multisegment and halfscan reconstructions of non-invasive CT coronary angiography. <i>British Journal of Radiology</i> , 2009, 82, 969-975.	1.0	13
276	Radiation dose exposure of computed tomography coronary angiography: comparison of dual-source, 16-slice and 64-slice CT. <i>Heart</i> , 2009, 95, 1337-1342.	1.2	44
277	Linearity between CT number and iodine concentration and application to improving accuracy of CT number in slow kV-switching dual energy CT. , 2009, , .		0
278	Inflammation Imaging in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1009-1016.	1.1	117
279	Multiphase evaluation of myocardial bridging with dual-source computed tomography. <i>Acta Radiologica</i> , 2009, 50, 775-780.	0.5	7
284	A Filtered Backprojection Algorithm for Triple-Source Helical Cone-Beam CT. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 384-393.	5.4	23
285	Coronary Computed Tomography and Magnetic Resonance Imaging. <i>Current Problems in Cardiology</i> , 2009, 34, 145-217.	1.1	11
286	Noninvasive Assessment of Coronary In-Stent Restenosis by Dual-Source Computed Tomography. <i>American Journal of Cardiology</i> , 2009, 103, 812-817.	0.7	34
287	Comparison of Dual-Energy Computed Tomography of the Heart With Single Photon Emission Computed Tomography for Assessment of Coronary Artery Stenosis and of the Myocardial Blood Supply. <i>American Journal of Cardiology</i> , 2009, 104, 318-326.	0.7	166
288	Comparison of Dual Source Computed Tomography Versus Intravascular Ultrasound for Evaluation of Coronary Arteries at Least One Year After Cardiac Transplantation. <i>American Journal of Cardiology</i> , 2009, 104, 1351-1356.	0.7	53
289	Comparison of Dual-Source Computed Tomography for the Quantification of the Aortic Valve Area in Patients With Aortic Stenosis Versus Transthoracic Echocardiography and Invasive Hemodynamic Assessment. <i>American Journal of Cardiology</i> , 2009, 104, 1561-1567.	0.7	23
290	Carotid Plaque Analysis: Comparison of Dual-Source Computed Tomography (CT) Findings and Histopathological Correlation. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 14-19.	0.8	77
292	Efficacy of computer aided analysis in detection of significant coronary artery stenosis in cardiac using dual source computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 195-203.	0.7	16
293	Radiation dose values for various coronary calcium scoring protocols in dual-source CT. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 443-451.	0.7	11
294	History of cardiac computed tomography: single to 320-detector row multislice computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 31-42.	0.7	72
295	Low kVp imaging for dose reduction in dual-source cardiac CT. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 165-175.	0.7	9

#	ARTICLE	IF	CITATIONS
296	Options for reducing patient radiation dose with cardiovascular computed tomography. International Journal of Cardiovascular Imaging, 2009, 25, 153-164.	0.7	9
297	Optimal image reconstruction phase at low and high heart rates in dual-source CT coronary angiography. International Journal of Cardiovascular Imaging, 2009, 25, 837-845.	0.7	50
298	Non-invasive coronary angiography using multi-detector computed tomography – Update 2008. Clinical Research in Cardiology Supplements, 2009, 4, 118-126.	2.0	0
299	Abklärung einer stenosierenden KHK: Stress-MRT vs. CT-Koronarographie. Clinical Research in Cardiology Supplements, 2009, 4, 135-141.	2.0	0
300	Dose reduction in spiral CT coronary angiography with dual-source equipment. Part I. A phantom study applying different prospective tube current modulation algorithms. Radiologia Medica, 2009, 114, 1037-1052.	4.7	9
301	Complementary use of CT angiography and stress tests to evaluate coronary heart disease. Current Cardiovascular Imaging Reports, 2009, 2, 396-404.	0.4	0
303	Multimodality image registration with software: state-of-the-art. European Journal of Nuclear Medicine and Molecular Imaging, 2009, 36, 44-55.	3.3	91
304	Imaging in COPD. Imaging Decisions (Berlin, Germany), 2009, 13, 11-17.	0.2	6
305	Improvement of cardiac CT reconstruction using local motion vector fields. Computerized Medical Imaging and Graphics, 2009, 33, 122-130.	3.5	14
306	Dual energy CT: preliminary observations and potential clinical applications in the abdomen. European Radiology, 2009, 19, 13-23.	2.3	484
307	ACCURATUM: improved calcium volume scoring using a mesh-based algorithm – a phantom study. European Radiology, 2009, 19, 591-598.	2.3	9
308	Comparison of MRI, 64-slice MDCT and DSCT in assessing functional cardiac parameters of a moving heart phantom. European Radiology, 2009, 19, 577-583.	2.3	20
309	Coronary CT angiography using 64 detector rows: methods and design of the multi-centre trial CORE-64. European Radiology, 2009, 19, 816-828.	2.3	110
310	Triple rule-out CT in the emergency department: protocols and spectrum of imaging findings. European Radiology, 2009, 19, 789-799.	2.3	68
311	Italian multicenter, prospective study to evaluate the negative predictive value of 16- and 64-slice MDCT imaging in patients scheduled for coronary angiography (NIMISCAD-Non Invasive Multicenter) Tj ETQq0 0 0 0 BT / Overlock 10 Tf		
312	Radiation dose of cardiac CT – what is the evidence?. European Radiology, 2009, 19, 1311-1315.	2.3	38
313	Automatic selection of optimal systolic and diastolic reconstruction windows for dual-source CT coronary angiography. European Radiology, 2009, 19, 1645-1652.	2.3	11
314	Dual-energy CT head bone and hard plaque removal for quantification of calcified carotid stenosis: utility and comparison with digital subtraction angiography. European Radiology, 2009, 19, 2060-2065.	2.3	100

#	ARTICLE	IF	CITATIONS
315	Coronary calcium score as gatekeeper for 64-slice computed tomography coronary angiography in patients with chest pain: per-segment and per-patient analysis. <i>European Radiology</i> , 2009, 19, 2127-2135.	2.3	54
316	Introduction of an individually optimized protocol for the injection of contrast medium for coronary CT angiography. <i>European Radiology</i> , 2009, 19, 2373-2382.	2.3	37
317	Cardiac spiral dual-source CT with high pitch: a feasibility study. <i>European Radiology</i> , 2009, 19, 2357-2362.	2.3	60
318	“In-house” pharmacological management for computed tomography coronary angiography: heart rate reduction, timing and safety of different drugs used during patient preparation. <i>European Radiology</i> , 2009, 19, 2931-2940.	2.3	64
319	Prospectively ECG-triggered high-pitch spiral acquisition for coronary CT angiography using dual source CT: technique and initial experience. <i>European Radiology</i> , 2009, 19, 2576-2583.	2.3	192
320	Exact image reconstruction with triple-source saddle-curve cone-beam scanning. <i>Physics in Medicine and Biology</i> , 2009, 54, 2971-2991.	1.6	5
321	Comparison of aortic valve area measured by magnetic resonance imaging and dual-source computed tomography. <i>Acta Radiologica</i> , 2009, 50, 645-651.	0.5	8
322	Dual-Energy CT for the Assessment of Contrast Material Distribution in the Pulmonary Parenchyma. <i>American Journal of Roentgenology</i> , 2009, 193, 144-149.	1.0	192
323	Dual-Energy CT in Patients Suspected of Having Renal Masses: Can Virtual Nonenhanced Images Replace True Nonenhanced Images?. <i>Radiology</i> , 2009, 252, 433-440.	3.6	380
324	Dual-Energy CTA with Bone Removal for Transcranial Arteries. <i>Academic Radiology</i> , 2009, 16, 1348-1355.	1.3	22
325	Coronary CT Angiography: Applications. <i>Radiologic Clinics of North America</i> , 2009, 47, 91-107.	0.9	8
326	Clinical evaluation of dual-energy bone removal in CT angiography of the head and neck: comparison with conventional bone-subtraction CT angiography. <i>Clinical Radiology</i> , 2009, 64, 534-541.	0.5	73
327	Dual-energy CT angiography of pelvic and lower extremity arteries: dual-energy bone subtraction versus manual bone subtraction. <i>Clinical Radiology</i> , 2009, 64, 1088-1096.	0.5	28
328	Assessment of image quality of 64-row Dual Source versus Single Source CT coronary angiography on heart rate: A phantom study. <i>European Journal of Radiology</i> , 2009, 70, 61-68.	1.2	20
329	Dose performance and image quality: Dual source CT versus single source CT in cardiac CT angiography. <i>European Journal of Radiology</i> , 2009, 72, 396-400.	1.2	21
330	Non-invasive assessment and quantification of liver steatosis by ultrasound, computed tomography and magnetic resonance. <i>Journal of Hepatology</i> , 2009, 51, 433-445.	1.8	667
331	Prognostic Value of Multislice Computed Tomography and Gated Single-Photon Emission Computed Tomography in Patients With Suspected Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2009, 53, 623-632.	1.2	308
332	Diagnostic Accuracy of Computed Tomography Angiography in Patients After Bypass Grafting. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 816-824.	2.3	100

#	ARTICLE	IF	CITATIONS
333	CT of Coronary Artery Disease. Radiology, 2009, 253, 317-338.	3.6	80
334	Optimal energy thresholds and weights for separating materials using photon counting x-ray detectors with energy discriminating capabilities. Proceedings of SPIE, 2009, , .	0.8	20
335	Improved dual-energy material discrimination for dual-source CT by means of additional spectral filtration. Medical Physics, 2009, 36, 1359-1369.	1.6	270
336	Quantitative imaging of element composition and mass fraction using dual-energy CT: Three-material decomposition. Medical Physics, 2009, 36, 1602-1609.	1.6	253
337	Radiation dose reduction in computed tomography: techniques and future perspective. Imaging in Medicine, 2009, 1, 65-84.	0.0	296
338	Dual-source spiral CT with pitch up to 3.2 and 75 ms temporal resolution: Image reconstruction and assessment of image quality. Medical Physics, 2009, 36, 5641-5653.	1.6	155
339	Multislice CT. Medical Radiology, 2009, , .	0.0	15
340	Triple Rule-Out CT in Patients with Suspicion of Acute Pulmonary Embolism. Academic Radiology, 2009, 16, 708-717.	1.3	50
341	Accurate model-based high resolution cardiac image reconstruction in dual source CT. , 2009, , .		7
342	Use of multidetector computed tomography for evaluation of global and regional left ventricular function. Journal of Cardiovascular Computed Tomography, 2009, 3, S23-S34.	0.7	30
343	Improved noninvasive coronary angiography in morbidly obese patients with dual-source computed tomography. Journal of Cardiovascular Computed Tomography, 2009, 3, 35-42.	0.7	30
344	High-pitch spiral acquisition: A new scan mode for coronary CT angiography. Journal of Cardiovascular Computed Tomography, 2009, 3, 117-121.	0.7	233
345	Cardiac CT: How much can temporal resolution, spatial resolution, and volume coverage be improved?. Journal of Cardiovascular Computed Tomography, 2009, 3, 143-152.	0.7	35
346	Feasibility of dual-source cardiac CT angiography with high-pitch scan protocols. Journal of Cardiovascular Computed Tomography, 2009, 3, 236-242.	0.7	77
347	Cardiac CT in the Assessment of Acute Chest Pain in the Emergency Department. American Journal of Roentgenology, 2009, 193, 397-409.	1.0	52
348	State of the Art Head and Neck Imaging for the Endovascular Specialist. Neuroimaging Clinics of North America, 2009, 19, 133-147.	0.5	4
349	Cardiac CT: Understanding and Adopting a New Diagnostic Modality. Cardiology Clinics, 2009, 27, 555-562.	0.9	4
350	Dual-Energy and Dual-Source CT: Is There a Role in the Abdomen and Pelvis?. Radiologic Clinics of North America, 2009, 47, 41-57.	0.9	148

#	ARTICLE	IF	CITATIONS
351	Recent Technologic Advances in Multi-Detector Row Cardiac CT. <i>Cardiology Clinics</i> , 2009, 27, 655-664.	0.9	17
352	Dual-energy CT Discrimination of Iodine and Calcium. <i>Academic Radiology</i> , 2009, 16, 160-171.	1.3	82
353	CT Technology Overview: 64-Slice and Beyond. <i>Radiologic Clinics of North America</i> , 2009, 47, 1-11.	0.9	78
354	The "Post-64" Era of Coronary CT Angiography: Understanding New Technology from Physical Principles. <i>Radiologic Clinics of North America</i> , 2009, 47, 79-90.	0.9	84
355	Dual Source CT Coronary Angiography in Severely Obese Patients. <i>Investigative Radiology</i> , 2009, 44, 720-727.	3.5	38
356	Dual-source CT in Heart Transplant Recipients. <i>Journal of Thoracic Imaging</i> , 2009, 24, 103-109.	0.8	9
357	Basic Principles and Postprocessing Techniques of Dual-Energy CT: Illustrated by Selected Congenital Abnormalities of the Thorax. <i>Journal of Thoracic Imaging</i> , 2009, 24, 152-159.	0.8	36
358	Accuracy of Noninvasive Coronary Stenosis Quantification of Different Commercially Available Dedicated Software Packages. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 505-512.	0.5	8
359	Left Ventricular Function Can Reliably be Assessed From Dual-Source CT Using ECG-Gated Tube Current Modulation. <i>Investigative Radiology</i> , 2009, 44, 384-389.	3.5	32
361	Comparison of Manual, Semi- and Fully Automated Heart Segmentation for Assessing Global Left Ventricular Function in Multidetector Computed Tomography. <i>Investigative Radiology</i> , 2009, 44, 476-482.	3.5	25
362	Mitral Annular Shape, Size, and Motion in Normals and in Patients With Cardiomyopathy. <i>Investigative Radiology</i> , 2009, 44, 218-225.	3.5	50
363	Carotid Computed Tomography Angiography With Automated Bone Suppression. <i>Investigative Radiology</i> , 2009, 44, 322-328.	3.5	46
364	Recent developments in coronary computed tomography imaging. <i>Imaging in Medicine</i> , 2009, 1, 103-114.	0.0	5
365	Elimination of blooming artifacts off stents by dual energy CT. , 2009, , .		1
366	Understanding and controlling the effect of lossy raw data compression on CT images. <i>Medical Physics</i> , 2009, 36, 3643-3653.	1.6	2
367	Detection of Relevant Coronary Artery Disease Using Dual-Source Computed Tomography in a High Probability Patient Series Comparison With Invasive Angiography. <i>Circulation Journal</i> , 2009, 73, 316-322.	0.7	37
368	Inadequate Increase in the Volume of Major Epicardial Coronary Arteries Compared With That in Left Ventricular Mass Novel Concept for Characterization of Coronary Arteries Using 64-Slice Computed Tomography. <i>Circulation Journal</i> , 2009, 73, 1448-1453.	0.7	5
369	Noninvasive Coronary Angiography Using Dual-Source Computed Tomography in Patients With Atrial Fibrillation. <i>Investigative Radiology</i> , 2009, 44, 159-167.	3.5	68

#	ARTICLE	IF	CITATIONS
370	Adaptive two-pass cone-beam artifact correction using a FOV-preserving two-source geometry: A simulation study. <i>Medical Physics</i> , 2009, 36, 4440-4450.	1.6	10
371	Partial scan artifact reduction (PSAR) for the assessment of cardiac perfusion in dynamic phase-correlated CT. <i>Medical Physics</i> , 2009, 36, 5683-5694.	1.6	24
372	An online cross-scatter correction algorithm for dual-source CT: effects on CT number accuracy and noise. <i>Proceedings of SPIE</i> , 2009, , .	0.8	2
373	Flash imaging in dual source CT (DSCT). <i>Proceedings of SPIE</i> , 2009, , .	0.8	6
374	Dual source CT (DSCT) imaging of obese patients: evaluation of CT number accuracy, uniformity, and noise. , 2009, , .		0
375	New advances in cardiac computed tomography. <i>Current Opinion in Cardiology</i> , 2009, 24, 596-603.	0.8	21
376	The Value of Dual-Energy Bone Removal in Maximum Intensity Projections of Lower Extremity Computed Tomography Angiography. <i>Investigative Radiology</i> , 2009, 44, 285-292.	3.5	72
377	Prior Image Constrained Compressed Sensing (PICCS) and Applications in X-ray Computed Tomography. <i>Current Medical Imaging</i> , 2010, 6, 119-134.	0.4	14
378	Dual-Source Dual-Energy MDCT of Pancreatic Adenocarcinoma: Initial Observations With Data Generated at 80 kVp and at Simulated Weighted-Average 120 kVp. <i>American Journal of Roentgenology</i> , 2010, 194, W27-W32.	1.0	159
379	Dual-energy Computed Tomography Characterization of Solitary Pulmonary Nodules. <i>Journal of Thoracic Imaging</i> , 2010, 25, 301-310.	0.8	83
380	Dual-Energy Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 309-315.	0.5	9
381	Single-Acquisition Dual-Energy Multidetector Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 670-677.	0.5	28
382	Reduction of X-Ray Induced DNA Double-Strand Breaks in Blood Lymphocytes During Coronary CT Angiography Using High-Pitch Spiral Data Acquisition With Prospective ECG-Triggering. <i>Investigative Radiology</i> , 2010, 45, 182-187.	3.5	41
383	Pushing the Envelope. <i>Journal of Thoracic Imaging</i> , 2010, 25, 100-111.	0.8	45
384	Integrative Computed Tomography Imaging of Ischemic Heart Disease. <i>Journal of Thoracic Imaging</i> , 2010, 25, 231-238.	0.8	5
385	Dual-Source Computed Tomographic Temporal Resolution Provides Higher Image Quality Than 64-Detector Temporal Resolution at Low Heart Rates. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 64-69.	0.5	2
386	Characterization of Urinary Stones With Dual-Energy CT. <i>Investigative Radiology</i> , 2010, 45, 1-6.	3.5	90
387	Saving Dose in Triple-Rule-Out Computed Tomography Examination Using a High-Pitch Dual Spiral Technique. <i>Investigative Radiology</i> , 2010, 45, 64-71.	3.5	90

#	ARTICLE	IF	CITATIONS
388	Accelerated and reduced-dose imaging: using undersampled acquisition and constrained reconstruction. <i>Imaging in Medicine</i> , 2010, 2, 369-373.	0.0	0
389	Dual Energy CT of the Chest. <i>Investigative Radiology</i> , 2010, 45, 347-353.	3.5	174
390	Differentiation of Urinary Calculi With Dual Energy CT. <i>Investigative Radiology</i> , 2010, 45, 393-398.	3.5	57
391	Dual Source Dual Energy MDCT. <i>Investigative Radiology</i> , 2010, 45, 413-418.	3.5	105
392	Evaluation of Cardiac Allograft Vasculopathy by Multidetector Computed Tomography and Whole-Heart Magnetic Resonance Coronary Angiography. <i>Circulation Journal</i> , 2010, 74, 946-953.	0.7	27
393	Comparison of dual-source CT angiography and MR angiography in preoperative evaluation of intra- and extracranial vessels: a pilot study. <i>European Radiology</i> , 2010, 20, 469-476.	2.3	35
394	Accuracy of dual-source computed tomography in quantitative assessment of low density coronary stenosis—a motion phantom study. <i>European Radiology</i> , 2010, 20, 542-548.	2.3	10
395	Effect of CT scan protocols on x-ray-induced DNA double-strand breaks in blood lymphocytes of patients undergoing coronary CT angiography. <i>European Radiology</i> , 2010, 20, 2917-2924.	2.3	76
396	Appropriate Patient Selection at Abdominal Dual-Energy CT Using 80 kV: Relationship between Patient Size, Image Noise, and Image Quality. <i>Radiology</i> , 2010, 257, 732-742.	3.6	136
397	In vivo identification of uric acid stones with dual-energy CT: diagnostic performance evaluation in patients. <i>Abdominal Imaging</i> , 2010, 35, 629-635.	2.0	99
399	Semi-automatic assessment of global left ventricular function and left ventricular parameters with dual-source computed tomography: comparison with invasive angiography. <i>Heart and Vessels</i> , 2010, 25, 57-62.	0.5	2
401	Assessment of the relationship between stenosis severity and distribution of coronary artery stenoses on multislice computed tomographic angiography and myocardial ischemia detected by single photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 791-802.	1.4	40
402	Dose reduction in spiral CT coronary angiography with dual source equipment. Part II. Dose surplus due to slope-up and slope-down of prospective tube current modulation in a phantom model. <i>Radiologia Medica</i> , 2010, 115, 36-50.	4.7	6
403	Radiation Dose Reduction in CT Coronary Angiography. <i>Current Cardiology Reports</i> , 2010, 12, 59-67.	1.3	14
404	Assessing the left atrial phasic volume and function with dual-source CT: comparison with 3T MRI. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 83-92.	0.7	43
405	Concept of minimal heart rate for each pitch value to avoid interpolation artifact when using dual-source CT: a phantom study. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 103-109.	0.7	3
406	ECG-gated dual-source CT for detection of left atrial appendage thrombus in patients undergoing catheter ablation for atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2010, 29, 75-81.	0.6	41
407	Fast Exact/Quasi-Exact FBP Algorithms for Triple-Source Helical Cone-Beam CT. <i>IEEE Transactions on Medical Imaging</i> , 2010, 29, 756-770.	5.4	7

#	ARTICLE	IF	CITATIONS
408	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 Expert Consensus Document on Coronary Computed Tomographic Angiography. Catheterization and Cardiovascular Interventions, 2010, 76, E1-42.	0.7	51
409	Motion-compensated reconstruction method based on rigid motion model with multi-object. Tsinghua Science and Technology, 2010, 15, 120-126.	4.1	8
410	Radiation exposure and diagnostic imaging. Journal of the American Academy of Nurse Practitioners, 2010, 22, 178-185.	1.4	7
411	Dual-Energy Computed-Tomography Cholangiography in Potential Donors for Living-Related Liver Transplantation. Investigative Radiology, 2010, 45, 406-412.	3.5	16
412	Enhanced Visualization of Lung Vessels for Diagnosis of Pulmonary Embolism Using Dual Energy CT Angiography. Investigative Radiology, 2010, 45, 341-346.	3.5	46
413	Single-Phase Dual-Energy CT Allows for Characterization of Renal Masses as Benign or Malignant. Investigative Radiology, 2010, 45, 399-405.	3.5	195
414	Coronary computed tomographic angiography (CCTA) in community hospitals: "current and emerging role". Vascular Health and Risk Management, 2010, 6, 307.	1.0	15
415	Dual-source computed tomography angiography in patients after bypass grafting " comparison with invasive coronary angiography. Postępy W Kardiologii Interwencyjnej, 2010, 1, 12-20.	0.1	1
416	Magnetic Resonance Imaging and Computed Tomography. , 2010, , 363-378.		3
417	X-ray computed tomography of the heart. British Medical Bulletin, 2010, 93, 49-67.	2.7	6
418	Experimental measurement of human head motion for high-resolution computed tomography system design. Optical Engineering, 2010, 49, 063201.	0.5	16
419	Performance study of the temporal resolution improvement using prior image constrained compressed sensing (TRI-PICCS). Proceedings of SPIE, 2010, , .	0.8	1
420	ChromAIX: a high-rate energy-resolving photon-counting ASIC for spectral computed tomography. Proceedings of SPIE, 2010, , .	0.8	20
421	Will medical visualisation tools meet medical user requirements in the future?. Radiation Protection Dosimetry, 2010, 139, 12-19.	0.4	1
422	Multislice CT angiography in cardiac imaging: prospective ECG-gating or retrospective ECG-gating?. Biomedical Imaging and Intervention Journal, 2010, 6, e4.	0.5	22
423	Detectors for the future of X-ray imaging. Radiation Protection Dosimetry, 2010, 139, 327-333.	0.4	39
424	Quantification of non-calcified coronary atherosclerotic plaques with dual-source computed tomography: comparison with intravascular ultrasound. Heart, 2010, 96, 610-615.	1.2	59
425	ChromAIX: Fast energy resolved photon-counting readout electronics for future human Computed Tomography. , 2010, , .		4

#	ARTICLE	IF	CITATIONS
426	CAD of osteoporosis in vertebrae using dual-energy CT. , 2010, , .		6
427	First Prize (Tie): Dual-Energy Computed Tomography with Advanced Postimage Acquisition Data Processing: Improved Determination of Urinary Stone Composition. Journal of Endourology, 2010, 24, 347-354.	1.1	41
428	Blooming artifact reduction for cardiac CT. , 2010, , .		5
429	Dual-energy CT revisited by multidetector ct: review of principles and clinical applications. Diagnostic and Interventional Radiology, 2010, 17, 181-94.	0.7	180
430	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 Expert Consensus Document on Coronary Computed Tomographic Angiography. Circulation, 2010, 121, 2509-2543.	1.6	247
431	Coronary computed tomography angiography with a consistent dose below 1 mSv using prospectively electrocardiogram-triggered high-pitch spiral acquisition. European Heart Journal, 2010, 31, 340-346.	1.0	542
432	Feasibility and Radiation Dose of High-Pitch Acquisition Protocols in Patients Undergoing Dual-Source Cardiac CT. American Journal of Roentgenology, 2010, 195, 1306-1312.	1.0	39
433	Practical energy response estimation of photon counting detectors for spectral X-ray imaging. , 2010, , .		2
434	Overview of multisource CT systems and methods. Proceedings of SPIE, 2010, , .	0.8	5
435	Temporal resolution improvement in cardiac CT using PICCS (TRIÊPICCS): Performance studies. Medical Physics, 2010, 37, 4377-4388.	1.6	63
436	Current noninvasive imaging techniques for detection of coronary artery disease. Expert Review of Cardiovascular Therapy, 2010, 8, 77-91.	0.6	20
437	Strategies for scatter correction in dual source CT. Medical Physics, 2010, 37, 5971-5992.	1.6	54
438	New and Evolving Concepts in the Imaging and Management of Urolithiasis: UrologistsÊTM Perspective. Radiographics, 2010, 30, 603-623.	1.4	140
440	The Present and Future of Cardiac CT in Research and Clinical Practice: Moderated Discussion and Scientific Debate with Representatives from the Four Main Vendors. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2010, 182, 313-321.	0.7	11
441	Dual-Source Dual-Energy CT With Additional Tin Filtration: Dose and Image Quality Evaluation in Phantoms and In Vivo. American Journal of Roentgenology, 2010, 195, 1164-1174.	1.0	170
442	High-Pitch Dual-Source CT Angiography of the Thoracic and Abdominal Aorta: Is Simultaneous Coronary Artery Assessment Possible?. American Journal of Roentgenology, 2010, 194, 938-944.	1.0	90
443	In Vitro Evaluation of Metallic Coronary Artery Stents With 64-MDCT Using an ECG-Gated Cardiac Phantom: Relationship Between In-Stent Visualization, Stent Type, and Heart Rate. American Journal of Roentgenology, 2010, 194, W256-W262.	1.0	11
444	Theoretical variance analysis of single- and dual-energy computed tomography methods for calculating proton stopping power ratios of biological tissues. Physics in Medicine and Biology, 2010, 55, 1343-1362.	1.6	204

#	ARTICLE	IF	CITATIONS
446	Automatic Lumen Segmentation in Calcified Plaques: Dual-Energy CT Versus Standard Reconstructions in Comparison With Digital Subtraction Angiography. <i>American Journal of Roentgenology</i> , 2010, 194, 1590-1595.	1.0	46
447	Volume Visualization of the Ascending Thoracic Aorta Using Isotropic MDCT Data: Protocol Optimization. <i>American Journal of Roentgenology</i> , 2010, 195, 1082-1087.	1.0	5
448	Feasibility of Dual-Energy CT in the Arterial Phase: Imaging After Endovascular Aortic Repair. <i>American Journal of Roentgenology</i> , 2010, 195, 486-493.	1.0	61
449	Genitourinary Applications of Dual-Energy CT. <i>American Journal of Roentgenology</i> , 2010, 194, 1434-1442.	1.0	65
450	Focal Iodine Defects on Color-Coded Iodine Perfusion Maps of Dual-Energy Pulmonary CT Angiography Images: A Potential Diagnostic Pitfall. <i>American Journal of Roentgenology</i> , 2010, 195, W325-W330.	1.0	59
451	Application of an M-line-based backprojected filtration algorithm to triple-cone-beam helical CT. <i>Physics in Medicine and Biology</i> , 2010, 55, 7317-7331.	1.6	4
452	Dual-Energy CT: Clinical Applications in Various Pulmonary Diseases. <i>Radiographics</i> , 2010, 30, 685-698.	1.4	173
453	Cardiac Computed Tomography Technology and Dose-reduction Strategies. <i>Radiologic Clinics of North America</i> , 2010, 48, 657-674.	0.9	25
454	Dual-source CT Angiography in Aortic Stent Grafting. <i>Academic Radiology</i> , 2010, 17, 884-893.	1.3	4
455	CT Angiography: Current Technology and Clinical Use. <i>Radiologic Clinics of North America</i> , 2010, 48, 213-235.	0.9	87
456	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 Expert Consensus Document on Coronary Computed Tomographic Angiography. <i>Journal of the American College of Cardiology</i> , 2010, 55, 2663-2699.	1.2	244
457	Ex vivo evaluation of coronary atherosclerotic plaques: Characterization with dual-source CT in comparison with histopathology. <i>Journal of Cardiovascular Computed Tomography</i> , 2010, 4, 301-308.	0.7	36
458	Comparison of the Extent and Severity of Myocardial Perfusion Defects Measured by CT Coronary Angiography and SPECT Myocardial Perfusion Imaging. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 1010-1019.	2.3	68
459	Dual-Energy CT for the Assessment of Chronic Myocardial Infarction in Patients With Chronic Coronary Artery Disease: Comparison With 3-T MRI. <i>American Journal of Roentgenology</i> , 2010, 195, 639-646.	1.0	74
460	Dual-Energy CT Virtual Noncalcium Technique: Detecting Posttraumatic Bone Marrow Lesions—Feasibility Study. <i>Radiology</i> , 2010, 256, 617-624.	3.6	236
461	Determination of Renal Stone Composition with Dual-Energy CT: In Vivo Analysis and Comparison with X-ray Diffraction. <i>Radiology</i> , 2010, 257, 394-401.	3.6	203
462	Diagnostic accuracy and image quality of cardiac dual-source computed tomography in patients with arrhythmia. <i>International Journal of Cardiology</i> , 2010, 143, 79-85.	0.8	26
463	Diagnostic accuracy of dual-source CT coronary angiography in a population unselected for degree of coronary artery calcification and without heart rate modification. <i>Clinical Radiology</i> , 2010, 65, 109-117.	0.5	10

#	ARTICLE	IF	CITATIONS
464	Detection of coronary artery anomalies by dual-source CT coronary angiography. <i>Clinical Radiology</i> , 2010, 65, 815-822.	0.5	27
465	Diagnostic accuracy of 64 multislice CT angiography in the assessment of coronary in-stent restenosis: A meta-analysis. <i>European Journal of Radiology</i> , 2010, 73, 266-273.	1.2	112
466	Coronary CT angiography with dual source computed tomography in 170 patients. <i>European Journal of Radiology</i> , 2010, 74, 161-165.	1.2	57
467	Automatic bone and plaque removal using dual energy CT for head and neck angiography: Feasibility and initial performance evaluation. <i>European Journal of Radiology</i> , 2010, 76, 61-67.	1.2	31
468	Diagnostic accuracy of 64-slice multidetector CT for detection of in-stent restenosis in an unselected, consecutive patient population. <i>European Journal of Radiology</i> , 2010, 76, 188-194.	1.2	23
469	Assessment of radiation exposure on a dual-source computed tomography-scanner performing coronary computed tomography-angiography. <i>European Journal of Radiology</i> , 2010, 74, e181-e185.	1.2	7
470	Compound analysis of gallstones using dual energy computed tomography—Results in a phantom model. <i>European Journal of Radiology</i> , 2010, 75, e74-e80.	1.2	18
471	Dual energy CTA of the supraaortic arteries: Technical improvements with a novel dual source CT system. <i>European Journal of Radiology</i> , 2010, 76, e6-e12.	1.2	22
472	Soft tissue discrimination ex vivo by dual energy computed tomography. <i>European Journal of Radiology</i> , 2010, 75, e124-e128.	1.2	27
473	Impact of new technologies on dose reduction in CT. <i>European Journal of Radiology</i> , 2010, 76, 28-35.	1.2	97
474	Dual-Energy Lung Perfusion Computed Tomography: A Novel Pulmonary Functional Imaging Method. <i>Seminars in Ultrasound, CT and MRI</i> , 2010, 31, 301-308.	0.7	30
475	Determination of Renal Stone Composition with Dual-Energy Computed Tomography: An Emerging Application. <i>Seminars in Ultrasound, CT and MRI</i> , 2010, 31, 315-320.	0.7	42
476	Dual-Energy Computed Tomography Imaging of the Aorta After Endovascular Repair of Abdominal Aortic Aneurysm. <i>Seminars in Ultrasound, CT and MRI</i> , 2010, 31, 292-300.	0.7	20
477	Dual-Energy Computed Tomography for Integrative Imaging of Coronary Artery Disease: Principles and Clinical Applications. <i>Seminars in Ultrasound, CT and MRI</i> , 2010, 31, 276-291.	0.7	62
478	Strategies for Radiation-dose Reduction and Image-quality Optimization in Multidetector Computed Tomographic Coronary Angiography. <i>Canadian Association of Radiologists Journal</i> , 2010, 61, 271-279.	1.1	8
479	Meta-analysis: Noninvasive Coronary Angiography Using Computed Tomography Versus Magnetic Resonance Imaging. <i>Annals of Internal Medicine</i> , 2010, 152, 167.	2.0	234
480	Image Quality of Virtual Noncontrast Images Derived from Dual-energy CT Angiography after Endovascular Aneurysm Repair. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, 315-321.	0.2	84
481	Dual-Energy Multidetector CT: How Does It Work, What Can It Tell Us, and When Can We Use It in Abdominopelvic Imaging? <i>Radiographics</i> , 2010, 30, 1037-1055.	1.4	333

#	ARTICLE	IF	CITATIONS
482	Integrative computed tomographic imaging of coronary artery disease. Expert Review of Cardiovascular Therapy, 2011, 9, 27-43.	0.6	3
483	Retrospective Gating vs. Prospective Triggering for Noninvasive Coronary Angiography. Academic Radiology, 2011, 18, 31-39.	1.3	14
484	SCCT guidelines on radiation dose and dose-optimization strategies in cardiovascular CT. Journal of Cardiovascular Computed Tomography, 2011, 5, 198-224.	0.7	424
485	CT detection of myocardial blood volume deficits: Dual-energy CT compared with single-energy CT spectra. Journal of Cardiovascular Computed Tomography, 2011, 5, 421-429.	0.7	56
486	Detection of Coronary Artery Stenoses by Low-Dose, Prospectively ECG-Triggered, High-Pitch Spiral Coronary CT Angiography. JACC: Cardiovascular Imaging, 2011, 4, 328-337.	2.3	148
487	Examination and Reconstruction. , 2011, , 73-92.		0
488	Comprehensive Cardiovascular Medicine in the Primary Care Setting. , 2011, , .		0
489	Dual-energy MDCT: Comparison of pulmonary artery enhancement on dedicated CT pulmonary angiography, routine and low contrast volume studies. European Journal of Radiology, 2011, 79, e11-e17.	1.2	51
490	Technical challenges of coronary CT angiography: Today and tomorrow. European Journal of Radiology, 2011, 79, 161-171.	1.2	45
491	Attenuation-based characterization of coronary atherosclerotic plaque: Comparison of dual source and dual energy CT with single-source CT and histopathology. European Journal of Radiology, 2011, 80, 54-59.	1.2	48
492	Dual energy CTA of the carotid bifurcation: Advantage of plaque subtraction for assessment of grade of the stenosis and morphology. European Journal of Radiology, 2011, 80, e120-e125.	1.2	40
493	Triphasic contrast injection improves evaluation of dual energy lung perfusion in pulmonary CT angiography. European Journal of Radiology, 2011, 80, e483-e487.	1.2	30
494	Systolic reconstruction in patients with low heart rate using coronary dual-source CT angiography. European Journal of Radiology, 2011, 80, 336-341.	1.2	1
495	Noninvasive Coronary Artery Imaging: Current Clinical Applications. Heart Lung and Circulation, 2011, 20, 425-437.	0.2	11
496	Diagnostic accuracy of dual-source computed tomography in the characterization of coronary atherosclerotic plaques: Comparison with intravascular optical coherence tomography. International Journal of Cardiology, 2011, 148, 313-318.	0.8	40
497	Assessment of coronary artery remodelling by dual-source CT: a head-to-head comparison with intravascular ultrasound. Heart, 2011, 97, 991-997.	1.2	79
498	In vivo CT detection of lipid-rich coronary artery atherosclerotic plaques using quantitative histogram analysis: A head to head comparison with IVUS. Atherosclerosis, 2011, 215, 110-115.	0.4	119
499	Radiation Protection in Pediatric Radiology. Deutsches Ärzteblatt International, 2011, 108, 407-14.	0.6	70

#	ARTICLE	IF	CITATIONS
500	Non-Invasive Coronary Angiography. , 2011, , .		0
501	The Diagnostic Accuracy, Image Quality and Radiation Dose of 64-Slice Dual-Source CT in Daily Practice: a Single Institution's Experience. Korean Journal of Radiology, 2011, 12, 308.	1.5	20
502	Diagnostic Value of 64-Slice Dual-Source CT Coronary Angiography in Patients with Atrial Fibrillation: Comparison with Invasive Coronary Angiography. Korean Journal of Radiology, 2011, 12, 416.	1.5	19
503	Noise Reduction and Image Quality Improvement of Low Dose and Ultra Low Dose Brain Perfusion CT by HYPR-LR Processing. PLoS ONE, 2011, 6, e17098.	1.1	18
504	Effectiveness Best R-R Reconstruction Interval Determination Software for the Evaluation of Dual-Source Coronary CT Angiography Examinations. Journal of Computer Assisted Tomography, 2011, 35, 229-234.	0.5	5
505	Dual-Energy Computed Tomography for the Detection of Late Enhancement in Reperfused Chronic Infarction. Investigative Radiology, 2011, 46, 450-456.	3.5	51
506	High-Temporal Resolution Dual-Energy Computed Tomography of the Heart Using a Novel Hybrid Image Reconstruction Algorithm. Journal of Computer Assisted Tomography, 2011, 35, 119-125.	0.5	31
507	Multicenter Comparison of High Concentration Contrast Agent Iomeprol-400 With Iso-osmolar Iodixanol-320. Investigative Radiology, 2011, 46, 457-464.	3.5	28
508	Pathophysiology of Atherosclerosis: The Role of Inflammation. Current Pharmaceutical Design, 2011, 17, 4089-4110.	0.9	96
510	Multidetector Row Computed Tomography May Accurately Estimate Plaque Vulnerability - Does MDCT Accurately Estimate Plaque Vulnerability? (Pro) -. Circulation Journal, 2011, 75, 1515-1521.	0.7	20
511	Intensive Lipid-Lowering Therapy With Rosuvastatin Stabilizes Lipid-Rich Coronary Plaques - Evaluation Using Dual-Source Computed Tomography -. Circulation Journal, 2011, 75, 2621-2627.	0.7	33
512	Virtual noncontrast renal imaging using dual-energy CT: evaluation of CT numbers of renal parenchyma and renal masses. Imaging in Medicine, 2011, 3, 501-511.	0.0	2
513	Direct visualization of regions with lowered bone mineral density in dual-energy CT images of vertebrae. , 2011, , .		1
514	Myocardial Perfusion. Medical Radiology, 2011, , 111-124.	0.0	0
515	A strategy to decrease partial scan reconstruction artifacts in myocardial perfusion CT: Phantom and <i>in vivo</i> evaluation. Medical Physics, 2011, 39, 214-223.	1.6	20
517	Coronary computed tomography - present status and future directions. International Journal of Clinical Practice, 2011, 65, 3-13.	0.8	6
518	Comparison Study of Echocardiography and Dual-Source CT in Diagnosis of Coronary Artery Aneurysm Due to Kawasaki Disease: Coronary Artery Disease. Echocardiography, 2011, 28, 1025-1034.	0.3	34
519	ChromAIX: Fast photon-counting ASIC for Spectral Computed Tomography. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 648, S211-S215.	0.7	20

#	ARTICLE	IF	CITATIONS
521	Dual-energy-CT of hypervascular liver lesions in patients with HCC: investigation of image quality and sensitivity. <i>European Radiology</i> , 2011, 21, 738-743.	2.3	105
522	Dual energy bone subtraction in computed tomography angiography of extracranial-intracranial bypass: feasibility and limitations. <i>European Radiology</i> , 2011, 21, 750-756.	2.3	6
523	Recent advances in medical physics. <i>European Radiology</i> , 2011, 21, 501-504.	2.3	12
524	Computed tomography—old ideas and new technology. <i>European Radiology</i> , 2011, 21, 510-517.	2.3	240
525	Assessment of thoracic aortic elasticity: a preliminary study using electrocardiographically gated dual-source CT. <i>European Radiology</i> , 2011, 21, 1564-1572.	2.3	26
526	Accuracy of coronary artery stenosis detection with CT versus conventional coronary angiography compared with composite findings from both tests as an enhanced reference standard. <i>European Radiology</i> , 2011, 21, 1895-1903.	2.3	24
527	Influence of coronary artery disease prevalence on predictive values of coronary CT angiography: a meta-regression analysis. <i>European Radiology</i> , 2011, 21, 1904-1913.	2.3	37
528	Coronary CT angiography: image quality, diagnostic accuracy, and potential for radiation dose reduction using a novel iterative image reconstruction technique—comparison with traditional filtered back projection. <i>European Radiology</i> , 2011, 21, 2130-2138.	2.3	250
529	Step and shoot coronary CT angiography using 256-slice CT: effect of heart rate and heart rate variability on image quality. <i>European Radiology</i> , 2011, 21, 2277-2284.	2.3	25
530	Contraindications and side effects of commonly used medications in coronary CT angiography. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 441-449.	0.7	23
531	Functional assessment of coronary artery flow using adenosine stress dual-energy CT: a preliminary study. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 471-481.	0.7	33
532	Diagnostic accuracy of first generation dual-source computed tomography in the assessment of coronary artery disease: a meta-analysis from 24 studies. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 755-771.	0.7	34
533	Impact of PVCs noted during coronary calcium scan on image quality and accuracy in subsequent coronary dual-source CT angiography. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 601-610.	0.7	3
534	Comparative Assessment of Energy-Mapping Approaches in CT-Based Attenuation Correction for PET. <i>Molecular Imaging and Biology</i> , 2011, 13, 187-198.	1.3	30
537	Coronary artery anatomy and variants. <i>Pediatric Radiology</i> , 2011, 41, 1505-1515.	1.1	12
538	Dual- and multi-energy CT: approach to functional imaging. <i>Insights Into Imaging</i> , 2011, 2, 149-159.	1.6	155
539	Dual-source CT coronary angiography: prospective versus retrospective acquisition technique. <i>Radiologia Medica</i> , 2011, 116, 178-188.	4.7	6
540	Evaluation of image quality on a per-patient, per-vessel, and per-segment basis by noninvasive coronary angiography with 64-section computed tomography: dual-source versus single-source computed tomography. <i>Japanese Journal of Radiology</i> , 2011, 29, 316-323.	1.0	4

#	ARTICLE	IF	CITATIONS
541	Multislice computed tomography angiography in the diagnosis of cardiovascular disease: 3D visualizations. <i>Frontiers of Medicine</i> , 2011, 5, 254-270.	1.5	10
543	Effect of Organ Enhancement and Habitus on Estimation of Unenhanced Attenuation at Contrast-Enhanced Dual-Energy MDCT: Concepts for Individualized and Organ-Specific Spectral Iodine Subtraction Strategies. <i>American Journal of Roentgenology</i> , 2011, 196, W558-W564.	1.0	27
544	Optimal material discrimination using spectral x-ray imaging. <i>Physics in Medicine and Biology</i> , 2011, 56, 5969-5983.	1.6	16
545	Predictors of Image Quality in High-Pitch Coronary CT Angiography. <i>American Journal of Roentgenology</i> , 2011, 197, 851-858.	1.0	37
546	Dual-Energy (Spectral) CT: Applications in Abdominal Imaging. <i>Radiographics</i> , 2011, 31, 1031-1046.	1.4	309
547	Plaque Differentiation. <i>Medical Radiology</i> , 2011, , 73-79.	0.0	0
548	Physical Background. <i>Medical Radiology</i> , 2011, , 3-9.	0.0	8
549	Anomalous origination of a coronary artery from the opposite sinus. <i>Nature Reviews Cardiology</i> , 2011, 8, 706-719.	6.1	60
550	Material separation in x-ray CT with energy resolved photon counting detectors. <i>Medical Physics</i> , 2011, 38, 1534-1546.	1.6	168
551	Objective characterization of GE Discovery CT750 HD scanner: Gemstone spectral imaging mode. <i>Medical Physics</i> , 2011, 38, 1178-1188.	1.6	182
552	Factors influencing delay time and coronary arterial density during coronary angiography with DSCT. <i>Acta Radiologica</i> , 2011, 52, 59-63.	0.5	16
553	Correlation of radiation dose and heart rate in dual-source computed tomography coronary angiography. <i>Acta Radiologica</i> , 2011, 52, 273-277.	0.5	1
554	Performance evaluation of a sub-millimeter spectrally resolved CT system on pediatric imaging tasks: a simulation. , 2011, , .		2
555	Noise reduction in dual-source CT scanning. <i>Proceedings of SPIE</i> , 2011, , .	0.8	1
556	Performance characterization of a silicon strip detector for spectral computed tomography utilizing a laser testing system. , 2011, , .		11
557	Monitoring of Structure and Function in Early Cystic Fibrosis Lung Disease. <i>Pediatric, Allergy, Immunology, and Pulmonology</i> , 2011, 24, 133-137.	0.3	1
558	Dual-Energy Dual-Source CT With Additional Spectral Filtration Can Improve the Differentiation of Non-Uric Acid Renal Stones: An Ex Vivo Phantom Study. <i>American Journal of Roentgenology</i> , 2011, 196, 1279-1287.	1.0	120
559	Dual energy CT for the assessment of reperfused chronic infarction – a feasibility study in a porcine model. <i>Acta Radiologica</i> , 2011, 52, 834-839.	0.5	20

#	ARTICLE	IF	CITATIONS
560	Screening for coronary artery disease in patients with type 2 diabetes mellitus: An evidence-based review. <i>Indian Journal of Endocrinology and Metabolism</i> , 2012, 16, 94.	0.2	16
561	Coronary CT angiography: current status and continuing challenges. <i>British Journal of Radiology</i> , 2012, 85, 495-510.	1.0	137
562	The diagnostic evaluation of dual-source CT (DSCT) in the diagnosis of coronary artery stenoses. <i>Pakistan Journal of Medical Sciences</i> , 2012, 29, 107-11.	0.3	2
563	Evaluation of virtual unenhanced CT obtained from dual-energy CT urography for detecting urinary stones. <i>British Journal of Radiology</i> , 2012, 85, e176-e181.	1.0	29
564	Advances in CT and MR Technology. <i>Perspectives in Vascular Surgery and Endovascular Therapy</i> , 2012, 24, 128-136.	0.6	3
565	Multi-Detector Row CTâ€™Recent Developments, Radiation Dose and Dose Reduction Technologies. <i>Medical Radiology</i> , 2012, , 3-19.	0.0	2
566	A correction method for dual energy liquid CT image reconstruction with metallic containers. <i>Journal of X-Ray Science and Technology</i> , 2012, 20, 301-316.	0.7	5
567	Dual-energy Computed Tomography. <i>Journal of Thoracic Imaging</i> , 2012, 27, 7-22.	0.8	64
568	Evaluation of Cartilage Invasion by Laryngeal and Hypopharyngeal Squamous Cell Carcinoma with Dual-Energy CT. <i>Radiology</i> , 2012, 265, 488-496.	3.6	94
569	Investigation of temporal resolution required for CT coronary angiography. <i>Proceedings of SPIE</i> , 2012, , .	0.8	0
570	Differentiation of Kidney Stones Using Dual-Energy CT With and Without a Tin Filter. <i>American Journal of Roentgenology</i> , 2012, 198, 1380-1386.	1.0	43
571	Quantification of Coronary Artery Calcium on the Basis of Dual-Energy Coronary CT Angiography. <i>Radiology</i> , 2012, 264, 700-707.	3.6	65
572	Dual-Energy CT for Characterization of the Incidental Adrenal Mass: Preliminary Observations. <i>American Journal of Roentgenology</i> , 2012, 198, 138-144.	1.0	78
573	Asymmetric-filter cone-beam dual-energy computed tomography. , 2012, , .		0
574	CT Imaging of Myocardial Viability: Experimental and Clinical Evidence. <i>Medical Radiology</i> , 2012, , 185-192.	0.0	0
575	Imaging properties of circular and helical interlaced source-detector CT. , 2012, , .		1
576	Clinical Applications of Cardiac CT. , 2012, , .		3
577	The Influence of Effective Energy on Computed Tomography Number Depends on Tissue Characteristics in Monoenergetic Cardiac Imaging. <i>Radiology Research and Practice</i> , 2012, 2012, 1-7.	0.6	21

#	ARTICLE	IF	CITATIONS
578	Performance evaluation of a sub-millimetre spectrally resolved CT system on high- and low-frequency imaging tasks: a simulation. <i>Physics in Medicine and Biology</i> , 2012, 57, 2373-2391.	1.6	21
579	Virtual Nonenhanced Dual-Energy CT Urography with Tin-Filter Technology: Determinants of Detection of Urinary Calculi in the Renal Collecting System. <i>Radiology</i> , 2012, 264, 119-125.	3.6	78
580	A new CT architecture with stationary x-ray sources. <i>Proceedings of SPIE</i> , 2012, , .	0.8	1
581	Radiation dose performance in the triple-source CT based on a Monte Carlo method. , 2012, , .		0
582	Completeness map evaluation demonstrated with candidate next-generation cardiac CT architectures. <i>Medical Physics</i> , 2012, 39, 2405-2416.	1.6	22
583	Optimization of Contrast Material Delivery for Dual-Energy Computed Tomography Pulmonary Angiography in Patients With Suspected Pulmonary Embolism. <i>Investigative Radiology</i> , 2012, 47, 78-84.	3.5	50
584	Virtual Monochromatic Spectral Imaging for the Evaluation of Hypovascular Hepatic Metastases. <i>Investigative Radiology</i> , 2012, 47, 292-298.	3.5	96
585	Development of optimized segmentation map in dual energy computed tomography. , 2012, , .		1
586	Efficacy of fixed filtration for rapid kVp-switching dual energy x-ray systems: experimental verification. <i>Proceedings of SPIE</i> , 2012, , .	0.8	0
587	Nonrigid registration-based coronary artery motion correction for cardiac computed tomography. <i>Medical Physics</i> , 2012, 39, 4245-4254.	1.6	45
588	Radiation dose and physical image quality in 128-section dual-source computed tomographic coronary angiography: a phantom study. <i>Journal of Applied Clinical Medical Physics</i> , 2012, 13, 252-261.	0.8	9
589	CT Evaluation of the Myocardial Blood Supply: Technical Options. <i>Medical Radiology</i> , 2012, , 57-63.	0.0	0
590	CT Evaluation of the Myocardial Blood Supply: Dual-Source Dual-Energy CT. <i>Medical Radiology</i> , 2012, , 79-102.	0.0	0
591	Ray Contribution Masks for Structure Adaptive Sinogram Filtering. <i>IEEE Transactions on Medical Imaging</i> , 2012, 31, 1228-1239.	5.4	72
592	Correlation between CT attenuation value and iodine concentration <i>in vitro</i> : Discrepancy between gemstone spectral imaging on single-source dual-energy CT and traditional polychromatic X-ray imaging. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2012, 56, 379-383.	0.9	32
593	Metallic artefact reduction with monoenergetic dual-energy CT: systematic <i>ex vivo</i> evaluation of posterior spinal fusion implants from various vendors and different spine levels. <i>European Radiology</i> , 2012, 22, 2357-2364.	2.3	146
594	Reconstructions with identical filling (RIF) of the heart: a physiological approach to image reconstruction in coronary CT angiography. <i>European Radiology</i> , 2012, 22, 2670-2678.	2.3	3
595	Applications of Dual-Energy CT in Urologic Imaging: An Update. <i>Radiologic Clinics of North America</i> , 2012, 50, 191-205.	0.9	53

#	ARTICLE	IF	CITATIONS
596	Technical Advances in Cardiac CT. <i>Cardiology Clinics</i> , 2012, 30, 1-8.	0.9	16
597	Assessment of global left ventricular function with dual-source computed tomography in patients with valvular heart disease. <i>Acta Radiologica</i> , 2012, 53, 270-277.	0.5	18
598	Radiation dose and diagnostic accuracy of multidetector computed tomography for the detection of significant coronary artery stenoses. <i>International Journal of Cardiology</i> , 2012, 160, 155-164.	0.8	24
599	State-of-the-art in CT hardware and scan modes for cardiovascular CT. <i>Journal of Cardiovascular Computed Tomography</i> , 2012, 6, 154-163.	0.7	62
600	Pancreatic dual-source dual-energy CT: Is it time to discard unenhanced imaging?. <i>Clinical Radiology</i> , 2012, 67, 334-339.	0.5	75
601	Dual-energy CT angiography of the lungs: Comparison of test bolus and bolus tracking techniques for the determination of scan delay. <i>European Journal of Radiology</i> , 2012, 81, 132-138.	1.2	48
602	Dual-energy, standard and low-kVp contrast-enhanced CT-cholangiography: A comparative analysis of image quality and radiation exposure. <i>European Journal of Radiology</i> , 2012, 81, 1405-1412.	1.2	19
603	Dual-energy CT-cholangiography in potential donors for living-related liver transplantation: Improved biliary visualization by intravenous morphine co-medication. <i>European Journal of Radiology</i> , 2012, 81, 2007-2013.	1.2	5
604	Virtual non-contrast in second-generation, dual-energy computed tomography: Reliability of attenuation values. <i>European Journal of Radiology</i> , 2012, 81, e398-e405.	1.2	138
605	Analysis of perfusion defects by causes other than acute pulmonary thromboembolism on contrast-enhanced dual-energy CT in consecutive 537 patients. <i>European Journal of Radiology</i> , 2012, 81, e647-e652.	1.2	42
606	Survey of pediatric MDCT radiation dose from university hospitals in Thailand: a preliminary for national dose survey. <i>Acta Radiologica</i> , 2012, 53, 820-826.	0.5	34
607	Dual-Energy CT of the Brain and Intracranial Vessels. <i>American Journal of Roentgenology</i> , 2012, 199, S26-S33.	1.0	60
608	Dual-energy CT and its potential use for quantitative myocardial CT perfusion. <i>Journal of Cardiovascular Computed Tomography</i> , 2012, 6, 308-317.	0.7	51
609	Split-bolus CT-urography using dual-energy CT: Feasibility, image quality and dose reduction. <i>European Journal of Radiology</i> , 2012, 81, 3160-3165.	1.2	44
610	CT and CT Angiography " Basics. , 2012, , 219-226.		0
611	Clinical Indications of Cardiac CT. , 2012, , 301-310.		1
612	Assessment of Vascular Contrast and Depiction of Stenoses in Abdominopelvic and Lower Extremity Vasculature. <i>Academic Radiology</i> , 2012, 19, 1149-1157.	1.3	26
613	Cardiac Imaging in Electrophysiology. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
614	CT Detection of Pulmonary Embolism and Aortic Dissection. <i>Cardiology Clinics</i> , 2012, 30, 103-116.	0.9	10
615	Temporal and spectral imaging with micro-CT. <i>Medical Physics</i> , 2012, 39, 4943-4958.	1.6	19
616	Dual-energy CT-based Assessment of the Trabecular Bone in Vertebrae. <i>Methods of Information in Medicine</i> , 2012, 51, 398-405.	0.7	50
617	A fully four-dimensional, iterative motion estimation and compensation method for cardiac CT. <i>Medical Physics</i> , 2012, 39, 4291-4305.	1.6	49
618	Improvement of in-stent lumen measurement accuracy with new High-Definition CT in a phantom model: comparison with conventional 64-detector row CT. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 337-342.	0.7	16
619	Magnetic resonance assessment of left ventricular diastolic dysfunction for detecting cardiac allograft vasculopathy in recipients of heart transplants. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 555-562.	0.7	12
620	Optimization of energy level for coronary angiography with dual-energy and dual-source computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 901-909.	0.7	14
621	Diagnostic accuracy of second-generation dual-source computed tomography coronary angiography with iterative reconstructions: a real-world experience. <i>Radiologia Medica</i> , 2012, 117, 725-738.	4.7	12
622	Radiation dose considerations by intra-individual Monte Carlo simulations in dual source spiral coronary computed tomography angiography with electrocardiogram-triggered tube current modulation and adaptive pitch. <i>European Radiology</i> , 2012, 22, 569-578.	2.3	8
623	Quantitative analysis of left ventricular dyssynchrony using cardiac computed tomography versus three-dimensional echocardiography. <i>European Radiology</i> , 2012, 22, 1303-1309.	2.3	8
624	Feasibility and accuracy of tissue characterization with dual source computed tomography. <i>Physica Medica</i> , 2012, 28, 25-32.	0.4	20
625	Preliminary evaluation of a silicon strip detector for photon-counting spectral CT. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2012, 677, 45-51.	0.7	43
626	Dual-energy Computed Tomography Applications in Uroradiology. <i>Current Urology Reports</i> , 2012, 13, 55-62.	1.0	6
627	Material differentiation in forensic radiology with single-source dual-energy computed tomography. <i>Forensic Science, Medicine, and Pathology</i> , 2013, 9, 163-169.	0.6	35
628	Iterative Reconstruction Techniques: What do they Mean for Cardiac CT?. <i>Current Cardiovascular Imaging Reports</i> , 2013, 6, 268-281.	0.4	19
629	Examination of the optimal temporal resolution required for computed tomography coronary angiography. <i>Radiological Physics and Technology</i> , 2013, 6, 453-460.	1.0	9
630	Monoenergetic computed tomography reconstructions reduce beam hardening artifacts from dental restorations. <i>Forensic Science, Medicine, and Pathology</i> , 2013, 9, 327-332.	0.6	55
631	Typical coronary appearance of dilated cardiomyopathy versus left ventricular concentric hypertrophy: coronary volumes measured by multislice computed tomography. <i>Heart and Vessels</i> , 2013, 28, 188-198.	0.5	5

#	ARTICLE	IF	CITATIONS
632	CT Systems. <i>Current Radiology Reports</i> , 2013, 1, 52-63.	0.4	18
633	CT dose optimisation and reduction in osteoarticular disease. <i>Diagnostic and Interventional Imaging</i> , 2013, 94, 371-388.	1.8	47
634	Coronary Computed Tomography Angiography for Stable Angina: Past, Present, and Future. <i>Canadian Journal of Cardiology</i> , 2013, 29, 266-274.	0.8	8
635	Virtual unenhanced CT images acquired from dual-energy CT urography: Accuracy of attenuation values and variation with contrast material phase. <i>Clinical Radiology</i> , 2013, 68, 264-271.	0.5	63
636	Determination of urinary stone composition using dual-energy spectral CT: Initial inÂvitro analysis. <i>Clinical Radiology</i> , 2013, 68, e370-e377.	0.5	35
637	Dual-energy CT: Principles, clinical value and potential applications in forensic imaging. <i>Journal of Forensic Radiology and Imaging</i> , 2013, 1, 180-185.	1.2	4
638	Single-source dual-energy spectral multidetector CT of pancreatic adenocarcinoma: Optimization of energy level viewing significantly increases lesion contrast. <i>Clinical Radiology</i> , 2013, 68, 148-154.	0.5	137
639	The ascending aortic image quality and the whole aortic radiation dose of high-pitch dual-source CT angiography. <i>Journal of Cardiothoracic Surgery</i> , 2013, 8, 228.	0.4	16
640	The feasibility of an inverse geometry CT system with stationary source arrays. <i>Medical Physics</i> , 2013, 40, 031904.	1.6	16
641	Computed Tomography and Magnetic Resonance Imaging. <i>Recent Results in Cancer Research</i> , 2013, 187, 3-63.	1.8	6
642	Changes in measured size of atherosclerotic plaque calcifications in dual-energy CT of ex vivo carotid endarterectomy specimens: effect of monochromatic keV image reconstructions. <i>European Radiology</i> , 2013, 23, 367-374.	2.3	23
643	Initial experience with single-source dual-energy CT abdominal angiography and comparison with single-energy CT angiography: image quality, enhancement, diagnosis and radiation dose. <i>European Radiology</i> , 2013, 23, 351-359.	2.3	108
644	A novel image optimization method for dual-energy computed tomography. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013, 722, 34-42.	0.7	12
645	Tin-filter Enhanced Dual-Energy-CT. <i>Academic Radiology</i> , 2013, 20, 596-603.	1.3	65
646	Ion range estimation by using dual energy computed tomography. <i>Zeitschrift Fur Medizinische Physik</i> , 2013, 23, 300-313.	0.6	50
647	Emerging Technologies in CT- Radiation Dose Reduction and Dual-Energy CT. <i>Seminars in Roentgenology</i> , 2013, 48, 192-202.	0.2	26
649	Analytical dual-energy microtomography: A new method for obtaining three-dimensional mineral phase images and its application to Hayabusa samples. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 116, 5-16.	1.6	55
650	Impact of Iodine Delivery Rate with Varying Flow Rates on Image Quality in Dual-Energy CT of Patients with Suspected Pulmonary Embolism. <i>Academic Radiology</i> , 2013, 20, 962-971.	1.3	23

#	ARTICLE	IF	CITATIONS
651	Factors Affecting Contrast-Detail Performance in Computed Tomography: A Review. Journal of Medical Imaging and Radiation Sciences, 2013, 44, 62-70.	0.2	16
652	Cardiac dual-source CT for the preoperative assessment of patients undergoing bariatric surgery. Clinical Radiology, 2013, 68, e154-e163.	0.5	4
653	High-Pitch Dual Spiral Cardiovascular Computed Tomography. Current Cardiovascular Imaging Reports, 2013, 6, 251-258.	0.4	3
654	High-resolution X-ray computed tomography in geosciences: A review of the current technology and applications. Earth-Science Reviews, 2013, 123, 1-17.	4.0	1,116
655	Homogeneous high attenuation renal cysts and solid masses - differentiation with single phase dual energy computed tomography. Clinical Radiology, 2013, 68, e198-e205.	0.5	15
656	Enhanced temporal resolution at cardiac CT with a novel CT image reconstruction algorithm: Initial patient experience. European Journal of Radiology, 2013, 82, 270-274.	1.2	15
657	Post-processing applications in thoracic computed tomography. Clinical Radiology, 2013, 68, 433-448.	0.5	15
658	Effect of High-Pitch Dual-Source CT to Compensate Motion Artifacts. Academic Radiology, 2013, 20, 1234-1239.	1.3	19
659	Statistical Reconstruction of Material Decomposed Data in Spectral CT. IEEE Transactions on Medical Imaging, 2013, 32, 1249-1257.	5.4	68
660	Virtual Monochromatic Reconstruction of Dual-Energy Unenhanced Head CT at 65-75 keV Maximizes Image Quality Compared with Conventional Polychromatic CT. Radiology, 2013, 266, 318-325.	3.6	146
661	Informatics in Radiology: Dual-Energy Electronic Cleansing for Fecal-Tagging CT Colonography. Radiographics, 2013, 33, 891-912.	1.4	31
662	Citation Classics in Radiology Journals: The 100 Top-Cited Articles, 1945-2012. American Journal of Roentgenology, 2013, 201, 471-481.	1.0	100
663	Stenosis Quantification of Coronary Arteries in Coronary Vessel Phantoms With Second-Generation Dual-Source CT: Influence of Measurement Parameters and Limitations. American Journal of Roentgenology, 2013, 201, W227-W234.	1.0	17
664	Dual-source CT coronary angiography: effectiveness of radiation dose reduction with lower tube voltage. Radiation Protection Dosimetry, 2013, 153, 441-447.	0.4	8
665	The Role of Imaging in Hepatocellular Carcinoma. Journal of Clinical Gastroenterology, 2013, 47, S7-S10.	1.1	20
666	Mica Dust and Pneumoconiosis. Journal of Occupational and Environmental Medicine, 2013, 55, 1469-1474.	0.9	9
667	Assessment of patient dose from CT localizer radiographs. Medical Physics, 2013, 40, 084301.	1.6	37
668	Validation of a dual energy technique using a single source multidetector computed tomography scanner. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
669	Segmentation enhances material analysis in multi-energy CT: A simulation study. , 2013, , .		2
670	Bone Marrow Edema in Vertebral Compression Fractures: Detection with Dual-Energy CT. Radiology, 2013, 269, 525-533.	3.6	150
671	Recent Advances in Cross-sectional Renal Imagingâ€™An Oncologic Perspective. Journal of Computer Assisted Tomography, 2013, 37, 962-970.	0.5	3
672	Reduction of Thoracic Aorta Motion Artifact With High-Pitch 128-Slice Dual-Source Computed Tomographic Angiography. Journal of Computer Assisted Tomography, 2013, 37, 755-759.	0.5	9
673	Computed Tomography-Based Interventional Radiology in the Musculoskeletal System. , 2013, , 497-516.		0
674	A dual cone-beam CT system for image guided radiotherapy: Initial performance characterization. Medical Physics, 2013, 40, 021912.	1.6	5
675	Scanner and kVp dependence of measured CT numbers in the ACR CT phantom. Journal of Applied Clinical Medical Physics, 2013, 14, 338-349.	0.8	86
676	Correlation analysis of dual-energy CT iodine maps with quantitative pulmonary perfusion MRI. World Journal of Radiology, 2013, 5, 202.	0.5	9
677	A Novel CT Imaging System with Adjacent Double X-Ray Sources. Computational and Mathematical Methods in Medicine, 2013, 2013, 1-6.	0.7	2
678	Computed Tomography Imaging of the Coronary Arteries. , 0, , .		2
679	Fluctuant tonus of the coronary arteries possibly documented by repeated multidetector row computed tomography. Research Reports in Clinical Cardiology, 2014, , 327.	0.2	0
680	Radiological diagnosis of hepatocellular carcinoma. Journal of Hepatocellular Carcinoma, 2014, 1, 137.	1.8	14
681	Radiological Protection of Patients and Personnel. , 2014, , 211-245.		3
683	Multi-Modality Atherosclerosis Imaging and Diagnosis. , 2014, , .		15
685	Brown Adipose Tissue in Humans. Methods in Enzymology, 2014, 537, 141-159.	0.4	56
686	Krypton-enhanced ventilation CT with dual energy technique: Experimental study for optimal krypton concentration. Experimental Lung Research, 2014, 40, 439-446.	0.5	7
687	A tensor PRISM algorithm for multi-energy CT reconstruction and comparative studies. Journal of X-Ray Science and Technology, 2014, 22, 147-163.	0.7	43
689	Iterative dual energy material decomposition from spatial mismatched raw data sets. Journal of X-Ray Science and Technology, 2014, 22, 745-762.	0.7	7

#	ARTICLE	IF	CITATIONS
690	A stationary computed tomography system with cylindrically distributed sources and detectors. Journal of X-Ray Science and Technology, 2014, 22, 707-725.	0.7	10
691	Top-level design and pilot analysis of low-end CT scanners based on linear scanning for developing countries. Journal of X-Ray Science and Technology, 2014, 22, 673-686.	0.7	8
692	A Stationary-Sources and Rotating-Detectors Computed Tomography Architecture for Higher Temporal Resolution and Lower Radiation Dose. IEEE Access, 2014, 2, 1263-1271.	2.6	12
693	Multisource X-Ray and CT: Lessons Learned and Future Outlook. IEEE Access, 2014, 2, 1568-1585.	2.6	28
694	A combined local and global motion estimation and compensation method for cardiac CT. Proceedings of SPIE, 2014, , .	0.8	0
695	A novel iterative reconstruction method for dual-energy computed tomography based on polychromatic forward-projection calibration. Insight: Non-Destructive Testing and Condition Monitoring, 2014, 56, 541-548.	0.3	5
696	Influence of trigger type, tube voltage and heart rate on calcified plaque imaging in dual source cardiac computed tomography: phantom study. BMC Medical Imaging, 2014, 14, 30.	1.4	4
697	Dual-Energy CT-based Phantomless in Vivo Three-dimensional Bone Mineral Density Assessment of the Lumbar Spine. Radiology, 2014, 271, 778-784.	3.6	62
698	A cascaded model of spectral distortions due to spectral response effects and pulse pileup effects in a photon-counting x-ray detector for CT. Medical Physics, 2014, 41, 041905.	1.6	61
699	Combined iterative reconstruction and image-domain decomposition for dual energy CT using total-variation regularization. Medical Physics, 2014, 41, 051909.	1.6	59
700	Increasing the Precision of CT Measurements with Dual-Energy Scanning. Radiology, 2014, 272, 618-621.	3.6	18
701	Stress Myocardial Perfusion: Imaging with Multidetector CT. Radiology, 2014, 270, 25-46.	3.6	160
702	Recent Improvement in Coronary Computed Tomography Angiography Diagnostic Accuracy. Clinical Cardiology, 2014, 37, 428-433.	0.7	11
703	Urinary Stones. , 2014, , 53-67.		0
704	Radiological Safety and Quality. , 2014, , .		4
705	Iterative image-domain decomposition for dual-energy CT. Medical Physics, 2014, 41, 041901.	1.6	107
706	Tissue decomposition from dual energy CT data for MC based dose calculation in particle therapy. Medical Physics, 2014, 41, 061714.	1.6	93
707	Feasibility of Single-Source Dual-Energy Computed Tomography for Urinary Stone Characterization and Value of Iterative Reconstructions. Investigative Radiology, 2014, 49, 125-130.	3.5	22

#	ARTICLE	IF	CITATIONS
708	Integrated Cardiothoracic Imaging with Computed Tomography. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2014, 35, 050-063.	0.8	1
709	Accuracy of prospectively ECG-triggered very low-dose coronary dual-source CT angiography using iterative reconstruction for the detection of coronary artery stenosis: comparison with invasive catheterization. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1238-1245.	0.5	65
710	CT calibration and dose minimization in image-based material decomposition with energy-selective detectors. , 2014, , .		5
711	Removing blooming artifacts with binarized deconvolution in cardiac CT. <i>Proceedings of SPIE</i> , 2014, , .	0.8	1
712	Accuracy of dual-energy computed tomography for the measurement of iodine concentration using cardiac CT protocols: validation in a phantom model. <i>European Radiology</i> , 2014, 24, 512-518.	2.3	74
713	Recent and Future Directions in CT Imaging. <i>Annals of Biomedical Engineering</i> , 2014, 42, 260-268.	1.3	84
714	Adenosine triphosphate stress dual-source computed tomography to identify myocardial ischemia: comparison with invasive coronary angiography. <i>SpringerPlus</i> , 2014, 3, 75.	1.2	16
715	CT Imaging of Myocardial Perfusion and Viability. <i>Medical Radiology</i> , 2014, , .	0.0	1
716	Image Fusion Technology. , 2014, , 385-398.		2
717	A stoichiometric calibration method for dual energy computed tomography. <i>Physics in Medicine and Biology</i> , 2014, 59, 2059-2088.	1.6	124
718	Can single-phase dual-energy CT reliably identify adrenal adenomas?. <i>European Radiology</i> , 2014, 24, 1636-1642.	2.3	42
719	Highly Cited Works in Radiology. <i>Academic Radiology</i> , 2014, 21, 1056-1066.	1.3	89
720	Current Readings: Radiologic Interpretation of the Part-Solid Nodule: Clinical Relevance and Novel Technologies. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2014, 26, 145-156.	0.4	4
721	Preoperative assessment of the aortic arch in children younger than 1 year with congenital heart disease: utility of low-dose high-pitch dual-source computed tomography. A single-centre, retrospective analysis of 62 cases. <i>European Journal of Cardio-thoracic Surgery</i> , 2014, 45, 1060-1065.	0.6	13
722	Impact of beta-blockade premedication on image quality of ECG-gated thoracic aorta CT angiography. <i>Acta Radiologica</i> , 2014, 55, 1180-1185.	0.5	3
723	Efficacy of fixed filtration for rapid kVp switching dual energy x-ray systems. <i>Medical Physics</i> , 2014, 41, 031914.	1.6	7
724	Dual Energy Imaging in Cardiovascular CT: Current Status and Impact on Radiation, Contrast and Accuracy. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 1.	0.4	2
725	Through-skull fluorescence imaging of the brain in a new near-infrared window. <i>Nature Photonics</i> , 2014, 8, 723-730.	15.6	829

#	ARTICLE	IF	CITATIONS
727	Dual-energy computed tomography (DECT) in emergency radiology: basic principles, techniques, and limitations. <i>Emergency Radiology</i> , 2014, 21, 391-405.	1.0	39
728	Non-linear blending of dual-energy CT data improves depiction of late iodine enhancement in chronic myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1145-1150.	0.7	14
729	Dual-energy cone-beam CT with a flat-panel detector: Effect of reconstruction algorithm on material classification. <i>Medical Physics</i> , 2014, 41, 021908.	1.6	33
730	Derivation of attenuation map for attenuation correction of PET data in the presence of nanoparticulate contrast agents using spectral CT imaging. <i>Annals of Nuclear Medicine</i> , 2014, 28, 559-570.	1.2	2
731	Primary staging of laryngeal and hypopharyngeal cancer: CT, MR imaging and dual-energy CT. <i>European Journal of Radiology</i> , 2014, 83, e23-e35.	1.2	57
732	Objective and Subjective Image Quality of Liver Parenchyma and Hepatic Metastases with Virtual Monoenergetic Dual-source Dual-energy CT Reconstructions. <i>Academic Radiology</i> , 2014, 21, 514-522.	1.3	56
733	Quantitative analysis of left ventricular strain using cardiac computed tomography. <i>European Journal of Radiology</i> , 2014, 83, e123-e130.	1.2	37
734	Emerging Role of MDCT in Planning Complex Structural Transcatheter Intervention. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 627-631.	2.3	5
735	Oncologic Applications of Dual-Energy CT in the Abdomen. <i>Radiographics</i> , 2014, 34, 589-612.	1.4	196
736	Speech MRI: Morphology and function. <i>Physica Medica</i> , 2014, 30, 604-618.	0.4	68
737	Radiology Illustrated: Pediatric Radiology. <i>Radiology Illustrated</i> , 2014, , .	0.0	8
738	Dual-source CT versus single-source 64-section CT angiography for coronary artery disease: A meta-analysis. <i>Clinical Radiology</i> , 2014, 69, 861-869.	0.5	4
740	Oncological Applications of Dual-Energy Computed Tomography Imaging. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 834-842.	0.5	15
741	Rotating and semi-stationary multi-beamline architecture study for cardiac CT imaging. , 2014, , .		1
742	Utilization of dual-source X-ray tomography for reduction of scanning time of wooden samples. <i>Journal of Instrumentation</i> , 2015, 10, C05008-C05008.	0.5	9
743	Analytic reconstruction algorithms for triple-source CT with horizontal data truncation. <i>Medical Physics</i> , 2015, 42, 6062-6073.	1.6	2
744	Accuracy of dual-energy computed tomography for the quantification of iodine in a soft tissue-mimicking phantom. <i>Journal of Applied Clinical Medical Physics</i> , 2015, 16, 418-426.	0.8	20
745	Cardiovascular Imaging. <i>Investigative Radiology</i> , 2015, 50, 557-570.	3.5	17

#	ARTICLE	IF	CITATIONS
746	Material Characterization of Dual-Energy Computed Tomographic Data Using Polar Coordinates. Journal of Computer Assisted Tomography, 2015, 39, 134-139.	0.5	1
747	Radiation doses, noise properties, and in-plane spatial resolutions for CT coronary angiography using different CT scanners: Phantom study. International Journal of Diagnostic Imaging, 2015, 2, .	0.1	0
748	Assessment of Double Outlet Right Ventricle Associated with Multiple Malformations in Pediatric Patients Using Retrospective ECG-Gated Dual-Source Computed Tomography. PLoS ONE, 2015, 10, e0130987.	1.1	17
749	Noninvasive Imaging for the Assessment of Coronary Artery Disease. , 2015, , .		2
750	Multiparametric Evaluation of Head and Neck Squamous Cell Carcinoma Using a Single-Source Dual-Energy CT with Fast kVp Switching: State of the Art. Cancers, 2015, 7, 2201-2216.	1.7	46
751	Maximizing Iodine Contrast-to-Noise Ratios in Abdominal CT Imaging through Use of Energy Domain Noise Reduction and Virtual Monoenergetic Dual-Energy CT. Radiology, 2015, 276, 562-570.	3.6	100
752	Hypodense liver lesions in patients with hepatic steatosis: do we profit from dual-energy computed tomography?. European Radiology, 2015, 25, 3567-3576.	2.3	15
753	Dose levels and image quality of second-generation 128-slice dual-source coronary CT angiography in clinical routine. Radiologia Medica, 2015, 120, 1112-1121.	4.7	4
754	New Approaches to Reduce Radiation While Maintaining Image Quality in Multi-Detector-Computed Tomography. Current Radiology Reports, 2015, 3, 1.	0.4	4
755	Coronary Plaque Characterization Using CT. American Journal of Roentgenology, 2015, 204, W249-W260.	1.0	77
756	Motion estimation and compensation for coronary artery and myocardium in cardiac CT. , 2015, , .		1
757	A new CT system architecture for high temporal resolution with applications to improved geometric dose efficiency and sparse sampling. Proceedings of SPIE, 2015, , .	0.8	1
758	Spectral CT of the extremities with a silicon strip photon counting detector. Proceedings of SPIE, 2015, 9412, .	0.8	2
759	Dual-energy computed tomography for detection of coronary artery disease. Expert Review of Cardiovascular Therapy, 2015, 13, 1345-1356.	0.6	38
760	Exact Image Reconstruction for Translation Based Tomography. , 2015, , .		0
761	Dual energy CT with photon counting and dual source systems: comparative evaluation. Physics in Medicine and Biology, 2015, 60, 8949-8975.	1.6	26
762	A phase I feasibility study of multi-modality imaging assessing rapid expansion of marrow fat and decreased bone mineral density in cancer patients. Bone, 2015, 73, 90-97.	1.4	27
763	Gold nanoparticles as contrast agents in x-ray imaging and computed tomography. Nanomedicine, 2015, 10, 321-341.	1.7	273

#	ARTICLE	IF	CITATIONS
764	Computed Tomographic Assessment of Coronary Artery Disease. Radiologic Clinics of North America, 2015, 53, 271-285.	0.9	32
765	Assessment of temporal resolution of multi-detector row computed tomography in helical acquisition mode using the impulse method. Physica Medica, 2015, 31, 374-381.	0.4	9
766	Theoretical Comparison of a Dual Energy System and Photon Counting Silicon Detector Used for Material Quantification in Spectral CT. IEEE Transactions on Medical Imaging, 2015, 34, 796-806.	5.4	19
767	New CT system architectures for high temporal resolution with applications to improved geometric dose efficiency and cardiac imaging. Medical Physics, 2015, 42, 2668-2678.	1.6	5
768	The superior aspect of the perirenal space: could it be depicted by dual-source CT<i>in vivo</i> in adults. British Journal of Radiology, 2015, 88, 20140480.	1.0	4
769	Dual-Source Dual-Energy CT Angiography of the Supra-Aortic Arteries with Tin Filter. Academic Radiology, 2015, 22, 708-713.	1.3	7
770	Dual energy computed tomography quantification of carotid plaques calcification: comparison between monochromatic and polychromatic energies with pathology correlation. European Radiology, 2015, 25, 1238-1246.	2.3	24
771	Case 15-2015. New England Journal of Medicine, 2015, 372, 1945-1952.	13.9	2
772	Dual-Energy CT: What the Neuroradiologist Should Know. Current Radiology Reports, 2015, 3, 16.	0.4	76
773	Spectral CT Modeling and Reconstruction With Hybrid Detectors in Dynamic-Threshold-Based Counting and Integrating Modes. IEEE Transactions on Medical Imaging, 2015, 34, 716-728.	5.4	53
774	An Extended Algebraic Reconstruction Technique (E-ART) for Dual Spectral CT. IEEE Transactions on Medical Imaging, 2015, 34, 761-768.	5.4	62
775	The Importance of Spectral Separation. Investigative Radiology, 2015, 50, 114-118.	3.5	126
776	Discrimination of Coronary Subtotal Occlusion and Chronic Total Occlusion by Computed Tomographic Angiography. JACC: Cardiovascular Interventions, 2015, 8, 1154-1156.	1.1	0
777	Low tube voltage dual source computed tomography to reduce contrast media doses in adult abdomen examinations: A phantom study. Medical Physics, 2015, 42, 5100-5109.	1.6	15
778	Advanced dual-energy CT for head and neck cancer imaging. Expert Review of Anticancer Therapy, 2015, 15, 1489-1501.	1.1	34
779	Feasibility of Discriminating Uric Acid From Non-Uric Acid Renal Stones Using Consecutive Spatially Registered Low- and High-Energy Scans Obtained on a Conventional CT Scanner. American Journal of Roentgenology, 2015, 204, 92-97.	1.0	37
780	State of the Art: Iterative CT Reconstruction Techniques. Radiology, 2015, 276, 339-357.	3.6	519
781	Dual-Energy CT in Cardiovascular Imaging. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
782	Performance of today's dual energy CT and future multi energy CT in virtual non-contrast imaging and in iodine quantification: A simulation study. <i>Medical Physics</i> , 2015, 42, 4349-4366.	1.6	181
783	Dual- and Multi-Energy CT: Principles, Technical Approaches, and Clinical Applications. <i>Radiology</i> , 2015, 276, 637-653.	3.6	1,092
784	Technical limitations of dual-energy CT in neuroradiology: 30-month institutional experience and review of literature. <i>Journal of NeuroInterventional Surgery</i> , 2015, 7, 596-602.	2.0	31
785	Pancreatic ductal adenocarcinoma and chronic mass-forming pancreatitis: Differentiation with dual-energy MDCT in spectral imaging mode. <i>European Journal of Radiology</i> , 2015, 84, 2470-2476.	1.2	59
786	Towards dose reduction for dual-energy CT: A non-local image improvement method and its application. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2015, 770, 211-217.	0.7	3
787	Grading of Carotid Artery Stenosis in the Presence of Extensive Calcifications: Dual-Energy CT Angiography in Comparison with Contrast-Enhanced MR Angiography. <i>Clinical Neuroradiology</i> , 2015, 25, 33-40.	1.0	21
788	Impact of dual-energy CT prior to radioembolization (RE). <i>Acta Radiologica</i> , 2015, 56, 1293-1299.	0.5	5
789	Half-dose abdominal CT with sinogram-affirmed iterative reconstruction technique in children – comparison with full-dose CT with filtered back projection. <i>Pediatric Radiology</i> , 2015, 45, 188-193.	1.1	1
790	Physics of Computed Tomography Scanning. , 2016, , 145-149.		0
791	Polychromatic Iterative Statistical Material Image Reconstruction for Photon-Counting Computed Tomography. <i>International Journal of Biomedical Imaging</i> , 2016, 2016, 1-15.	3.0	30
792	Multi-Mounted X-Ray Computed Tomography. <i>PLoS ONE</i> , 2016, 11, e0153406.	1.1	5
793	Virtual Non-Contrast CT Using Dual-Energy Spectral CT: Feasibility of Coronary Artery Calcium Scoring. <i>Korean Journal of Radiology</i> , 2016, 17, 321.	1.5	35
794	An extended simultaneous algebraic reconstruction technique (ESART) for X-ray dual spectral computed tomography. <i>Scanning</i> , 2016, 38, 599-611.	0.7	14
795	Dual-Energy Computed Tomography Angiography of the Head and Neck With Single-Source Computed Tomography. <i>Investigative Radiology</i> , 2016, 51, 618-623.	3.5	33
796	A practical material decomposition method for x-ray dual spectral computed tomography. <i>Journal of X-Ray Science and Technology</i> , 2016, 24, 407-425.	0.7	8
797	A general method to derive tissue parameters for Monte Carlo dose calculation with multi-energy CT. <i>Physics in Medicine and Biology</i> , 2016, 61, 8044-8069.	1.6	57
798	Physical Model-Based Contrast Enhancement of Computed Tomography Images: Contrast Enhancement of Computed Tomography. , 2016, , .		1
799	Multisource inverse-geometry CT. Part I. System concept and development. <i>Medical Physics</i> , 2016, 43, 4607-4616.	1.6	10

#	ARTICLE	IF	CITATIONS
800	Interventional dual-energy imaging—Feasibility of rapid kV-switching on a C-arm CT system. <i>Medical Physics</i> , 2016, 43, 5537-5546.	1.6	22
801	First Order Algorithms in Variational Image Processing. <i>Scientific Computation</i> , 2016, , 345-407.	0.2	28
802	Material decomposition and virtual non-contrast imaging in photon counting computed tomography: an animal study. , 2016, , .		1
803	Optimizing spectral CT parameters for material classification tasks. <i>Physics in Medicine and Biology</i> , 2016, 61, 4599-4622.	1.6	7
804	Evaluation of hyperdense renal lesions incidentally detected on single-phase post-contrast CT using dual-energy CT. <i>British Journal of Radiology</i> , 2016, 89, 20150860.	1.0	24
805	Investigation of cone-beam CT image quality trade-off for image-guided radiation therapy. <i>Physics in Medicine and Biology</i> , 2016, 61, 3317-3346.	1.6	6
806	Computed Tomography Angiography Before and After CABG. , 2016, , 483-496.		0
807	Quantitative image quality evaluation for cardiac CT reconstructions. <i>Proceedings of SPIE</i> , 2016, , .	0.8	0
808	Recent developments in the use of computed tomography scanners in coronary artery imaging. <i>Expert Review of Medical Devices</i> , 2016, 13, 545-553.	1.4	24
809	Recent Scientific Evidence and Technical Developments in Cardiovascular Computed Tomography. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 509-514.	0.4	7
810	Application of Dual-Source-Computed Tomography in Pediatric Cardiology in Children Within the First Year of Life. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2016, 188, 179-187.	0.7	5
811	Determining the composition of urinary tract calculi using stone-targeted dual-energy CT: evaluation of a low-dose scanning protocol in a clinical environment. <i>British Journal of Radiology</i> , 2016, 89, 20160408.	1.0	16
812	Determinants of Detection of Stones and Calcifications in the Hepatobiliary System on Virtual Nonenhanced Dual-energy CT. <i>Chinese Medical Sciences Journal</i> , 2016, 31, 76-82.	0.2	3
814	Evaluation of Functional Marrow Irradiation Based on Skeletal Marrow Composition Obtained Using Dual-Energy Computed Tomography. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 96, 679-687.	0.4	14
815	Emergency Abdominal Applications of DECT. <i>Current Radiology Reports</i> , 2016, 4, 1.	0.4	5
816	A dynamic material discrimination algorithm for dual MV energy X-ray digital radiography. <i>Applied Radiation and Isotopes</i> , 2016, 114, 188-195.	0.7	29
817	Treatment response after radioembolisation in patients with hepatocellular carcinoma—An evaluation with dual energy computed-tomography. <i>European Journal of Radiology Open</i> , 2016, 3, 230-235.	0.7	23
818	Dual-energy CT of liver metastases in patients with uveal melanoma. <i>European Journal of Radiology Open</i> , 2016, 3, 254-258.	0.7	7

#	ARTICLE	IF	CITATIONS
820	ECG-triggered high-pitch CT for simultaneous assessment of the aorta and coronary arteries. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 407-413.	0.7	10
821	Phantom-less bone mineral density (BMD) measurement using dual energy computed tomography-based 3-material decomposition. <i>Proceedings of SPIE</i> , 2016, , .	0.8	4
822	Artifacts at Cardiac CT: Physics and Solutions. <i>Radiographics</i> , 2016, 36, 2064-2083.	1.4	144
823	Radiology of renal stone disease. <i>International Journal of Surgery</i> , 2016, 36, 638-646.	1.1	21
824	Cardiac CT: A system architecture study. <i>Journal of X-Ray Science and Technology</i> , 2016, 24, 43-65.	0.7	5
825	Evaluation of energy spectrum CT for the measurement of thyroid iodine content. <i>BMC Medical Imaging</i> , 2016, 16, 47.	1.4	4
826	Simultaneous x-ray fluorescence and K-edge CT imaging with photon-counting detectors. <i>Proceedings of SPIE</i> , 2016, , .	0.8	4
827	Combination of Methods. <i>Springer Series in Materials Science</i> , 2016, , 533-609.	0.4	1
828	Evidencia científica reciente y avances técnicos en la tomografía computarizada cardiovascular. <i>Revista Española De Cardiología</i> , 2016, 69, 509-514.	0.6	12
829	Dual-Source Computed Tomography for Chronic Total Occlusion of Coronary Arteries. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 88, E117-E125.	0.7	8
830	Comparison of Virtual Unenhanced Images Derived From Dual-Energy CT With True Unenhanced Images in Evaluation of Gallstone Disease. <i>American Journal of Roentgenology</i> , 2016, 206, 74-80.	1.0	39
831	Prognostic impact of average iodine density assessed by dual-energy spectral imaging for predicting lung tumor recurrence after stereotactic body radiotherapy. <i>Journal of Radiation Research</i> , 2016, 57, 381-386.	0.8	27
832	Pitfalls in Stone Imaging. <i>Seminars in Roentgenology</i> , 2016, 51, 49-59.	0.2	2
833	Evaluation of conventional imaging performance in a research whole-body CT system with a photon-counting detector array. <i>Physics in Medicine and Biology</i> , 2016, 61, 1572-1595.	1.6	185
834	New horizons in cardiac CT. <i>Clinical Radiology</i> , 2016, 71, 758-767.	0.5	29
835	A new projection-based iterative image reconstruction algorithm for dual-energy computed tomography. <i>Inverse Problems in Science and Engineering</i> , 2016, 24, 1030-1047.	1.2	1
836	Computed Tomography Angiography. <i>Radiologic Clinics of North America</i> , 2016, 54, 1-12.	0.9	34
837	Dual-source computed tomography for evaluating pulmonary artery in pediatric patients with cyanotic congenital heart disease: Comparison with transthoracic echocardiography. <i>European Journal of Radiology</i> , 2016, 85, 187-192.	1.2	19

#	ARTICLE	IF	CITATIONS
838	The feasibility of dual-energy CT in differentiation of vertebral compression fractures. <i>British Journal of Radiology</i> , 2016, 89, 20150300.	1.0	65
839	128-slice dual-source CT coronary angiography with prospectively electrocardiography-triggered high-pitch spiral mode: radiation dose, image quality, and diagnostic acceptability. <i>Acta Radiologica</i> , 2016, 57, 25-32.	0.5	11
840	256-Slice coronary computed tomographic angiography in patients with atrial fibrillation: optimal reconstruction phase and image quality. <i>European Radiology</i> , 2016, 26, 55-63.	2.3	14
841	Dual-energy computed tomography for evaluation of pulmonary nodules with emphasis on metastatic lesions. <i>Acta Radiologica</i> , 2016, 57, 437-443.	0.5	16
842	Impact of an intra-cycle motion correction algorithm on overall evaluability and diagnostic accuracy of computed tomography coronary angiography. <i>European Radiology</i> , 2016, 26, 147-156.	2.3	34
843	Spectral detector CT-derived virtual non-contrast images: comparison of attenuation values with unenhanced CT. <i>Abdominal Radiology</i> , 2017, 42, 702-709.	1.0	96
844	Initial Experience of Using Dual-Energy CT with an Iodine Overlay Image for Hand Psoriatic Arthritis: Comparison Study with Contrast-enhanced MR Imaging. <i>Radiology</i> , 2017, 284, 134-142.	3.6	24
845	Reply to "Letter to the Editor Preoperative evaluation of coronary artery fistula using dual-source computed tomography". <i>International Journal of Cardiology</i> , 2017, 234, 118.	0.8	0
846	Noninvasive Coronary Artery Imaging. <i>Medical Radiology</i> , 2017, , 729-741.	0.0	0
847	Dual-energy CT in gout "A review of current concepts and applications. <i>Journal of Medical Radiation Sciences</i> , 2017, 64, 41-51.	0.8	85
848	Methodological accuracy of image-based electron density assessment using dual-energy computed tomography. <i>Medical Physics</i> , 2017, 44, 2429-2437.	1.6	22
849	Metal artifact reduction by dual-layer computed tomography using virtual monoenergetic images. <i>European Journal of Radiology</i> , 2017, 93, 143-148.	1.2	58
850	Design and Applications of Nanoparticles in Biomedical Imaging. , 2017, , .		15
851	The role of dual-energy computed tomography in the assessment of pulmonary function. <i>European Journal of Radiology</i> , 2017, 86, 320-334.	1.2	22
852	Dual-Energy Computed Tomography for the Characterization of Intracranial Hemorrhage and Calcification. <i>Investigative Radiology</i> , 2017, 52, 30-41.	3.5	21
853	Role of dual energy computed tomography in management of different renal stones. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2017, 48, 717-727.	0.3	6
854	Improvement of Image Quality in Unenhanced Dual-Layer CT of the Head Using Virtual Monoenergetic Images Compared With Polyenergetic Single-Energy CT. <i>Investigative Radiology</i> , 2017, 52, 470-476.	3.5	63
855	Spectral Photon-counting CT: Initial Experience with Dual-energy Contrast Agent K-Edge Colonography. <i>Radiology</i> , 2017, 283, 723-728.	3.6	111

#	ARTICLE	IF	CITATIONS
856	Improved Image Quality and Detectability of Hypovascular Liver Metastases on DECT with Different Adjusted Window Settings. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2017, 189, 228-232.	0.7	4
857	X-ray scatter correction for multi-source interior computed tomography. <i>Medical Physics</i> , 2017, 44, 71-83.	1.6	14
858	Nanoparticles for Cardiovascular Imaging with CT. , 2017, , 357-384.		0
859	Locally linear constraint based optimization model for material decomposition. <i>Physics in Medicine and Biology</i> , 2017, 62, 8314-8340.	1.6	21
860	A Feasibility Study of Low-Dose Single-Scan Dual-Energy Cone-Beam CT in Many-View Under-Sampling Framework. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 2578-2587.	5.4	31
861	Dual-energy computed tomography angiography: virtual calcified plaque subtraction in a vascular phantom. <i>Acta Radiologica Open</i> , 2017, 6, 205846011771776.	0.3	6
862	Grating Oriented Line-Wise Filtration (GOLF) for Dual-Energy X-ray CT. <i>Sensing and Imaging</i> , 2017, 18, 1.	1.0	5
863	Diagnostic Procedures. , 2017, , 87-220.		20
864	Dual-Energy Computed Tomography. <i>Neuroimaging Clinics of North America</i> , 2017, 27, 371-384.	0.5	97
865	Advanced virtual monochromatic reconstruction of dual-energy unenhanced brain computed tomography in children: comparison of image quality against standard mono-energetic images and conventional polychromatic computed tomography. <i>Pediatric Radiology</i> , 2017, 47, 1648-1658.	1.1	14
866	A Bayesian approach to solve proton stopping powers from noisy multi-energy CT data. <i>Medical Physics</i> , 2017, 44, 5293-5302.	1.6	25
867	Spectral performance of a whole-body research photon counting detector CT: quantitative accuracy in derived image sets. <i>Physics in Medicine and Biology</i> , 2017, 62, 7216-7232.	1.6	90
868	Dual Energy CT Scanning in Evaluation of the Urinary Tract. <i>Current Radiology Reports</i> , 2017, 5, 1.	0.4	2
869	A variational reconstruction method for undersampled dynamic x-ray tomography based on physical motion models. <i>Inverse Problems</i> , 2017, 33, 124008.	1.0	32
870	Image reconstruction and scan configurations enabled by optimization-based algorithms in multispectral CT. <i>Physics in Medicine and Biology</i> , 2017, 62, 8763-8793.	1.6	55
871	25th Anniversary of European Radiology. <i>European Radiology</i> , 2017, 27, 1-6.	2.3	23
872	Implementation of material decomposition using an EMCCD and CMOS-based micro-CT system. , 2017, 10137, .		2
873	Image quality evaluation of dual-layer spectral detector CT of the chest and comparison with conventional CT imaging. <i>European Journal of Radiology</i> , 2017, 93, 52-58.	1.2	53

#	ARTICLE	IF	CITATIONS
874	A beam optics study of a modular multi-source X-ray tube for novel computed tomography applications. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 868, 1-9.	0.7	13
875	Preoperative evaluation of coronary artery fistula using dual-source computed tomography. International Journal of Cardiology, 2017, 228, 80-85.	0.8	14
876	MDCT in Neurovascular Imaging. Medical Radiology, 2017, , 185-205.	0.0	0
877	Methods of chemical and phase composition analysis of gallstones. Crystallography Reports, 2017, 62, 817-830.	0.1	4
878	Algorithm-enabled single-kVp-switch scan configuration for dual-energy CT. , 2017, , .		0
879	Recent advances in cardiac computed tomography dose reduction strategies: a review of scientific evidence and technical developments. Journal of Medical Imaging, 2017, 4, 1.	0.8	18
880	Swinging multi-source industrial CT systems for aperiodic dynamic imaging. Optics Express, 2017, 25, 24215.	1.7	24
881	Imaging Tools in Clinical Research. , 2017, , 157-179.		2
882	Multispectral X-ray imaging to distinguish among dental materials. Imaging Science in Dentistry, 2017, 47, 247.	0.6	0
883	Advances in Cardiac Computed Tomography. , 0, , .		1
884	Image Quality on Dual-energy CTPA Virtual Monoenergetic Images. Academic Radiology, 2018, 25, 1075-1086.	1.3	17
885	Multi-mounted X-ray cone-beam computed tomography. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 888, 119-125.	0.7	7
886	Innovations in Cardiac CTA. , 2018, , 5-30.		0
887	Advances in Computed Tomography in Thoracic Imaging. Seminars in Roentgenology, 2018, 53, 157-170.	0.2	0
888	Quantification of Iodine Concentration Using Single-Source Dual-Energy Computed Tomography in a Calf Liver. Journal of Computer Assisted Tomography, 2018, 42, 222-229.	0.5	5
889	Technical Note: Quantitative accuracy evaluation for spectral images from a detector-based spectral CT scanner using an iodine phantom. Medical Physics, 2018, 45, 2048-2053.	1.6	12
890	Diagnostic accuracy of dual-source computed tomography angiography for the detection of coronary in-stent restenosis: A systematic review and meta-analysis. Echocardiography, 2018, 35, 541-550.	0.3	9
891	Development of a dual-energy computed tomography quality control program: Characterization of scanner response and definition of relevant parameters for a fast kVp switching dual-energy computed tomography system. Medical Physics, 2018, 45, 1444-1458.	1.6	24

#	ARTICLE	IF	CITATIONS
892	Physics Model-Based Scatter Correction in Multi-Source Interior Computed Tomography. IEEE Transactions on Medical Imaging, 2018, 37, 349-360.	5.4	6
893	Dual-energy CT: a phantom comparison of different platforms for abdominal imaging. European Radiology, 2018, 28, 2745-2755.	2.3	114
894	Comparison of MR Imaging and Dual-Energy CT for the Evaluation of Cartilage Invasion by Laryngeal and Hypopharyngeal Squamous Cell Carcinoma. American Journal of Neuroradiology, 2018, 39, 524-531.	1.2	52
895	A novel dual energy method for enhanced quantitative computed tomography. Journal of Instrumentation, 2018, 13, P01030-P01030.	0.5	2
896	3D Virtual Intravascular Endoscopy of Aortic Disease. , 2018, , 181-192.		0
897	Assessment of quantification accuracy and image quality of a full-body dual-layer spectral CT system. Journal of Applied Clinical Medical Physics, 2018, 19, 204-217.	0.8	65
898	CT metal artifacts in patients with total hip replacements: for artifact reduction monoenergetic reconstructions and post-processing algorithms are both efficient but not similar. European Radiology, 2018, 28, 4524-4533.	2.3	44
899	Current and Novel Techniques for Metal Artifact Reduction at CT: Practical Guide for Radiologists. Radiographics, 2018, 38, 450-461.	1.4	211
900	Accuracy of iodine quantification in dual-layer spectral CT: Influence of iterative reconstruction, patient habitus and tube parameters. European Journal of Radiology, 2018, 102, 83-88.	1.2	53
901	Utility of dual-source computed tomography in cardiac resynchronization therapyâ€”DIRECT study. Heart Rhythm, 2018, 15, 1206-1213.	0.3	21
902	Spectral Computed Tomography. Magnetic Resonance Imaging Clinics of North America, 2018, 26, 1-17.	0.6	21
903	Dual energy computed tomography for the head. Japanese Journal of Radiology, 2018, 36, 69-80.	1.0	23
904	Benefit and clinical significance of retrospectively obtained spectral data with a novel detector-based spectral computed tomography - Initial experiences and results. Clinical Imaging, 2018, 49, 65-72.	0.8	11
905	Poly-energetic and virtual mono-energetic images from a novel dual-layer spectral detector CT: optimization of window settings is crucial to improve subjective image quality in abdominal CT angiographies. Abdominal Radiology, 2018, 43, 742-750.	1.0	18
906	Spectral and dual-energy X-ray imaging for medical applications. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 878, 74-87.	0.7	58
908	Biomedical X-ray imaging enabled by carbon nanotube X-ray sources. Chinese Journal of Chemical Physics, 2018, 31, 529-536.	0.6	2
909	First human imaging with MARS photon-counting CT. , 2018, , .		9
910	MARS-MD: rejection based image domain material decomposition. Journal of Instrumentation, 2018, 13, P05020-P05020.	0.5	24

#	ARTICLE	IF	CITATIONS
911	Dual-layer detector CT of the head: Initial experience in visualization of intracranial hemorrhage and hypodense brain lesions using virtual monoenergetic images. <i>European Journal of Radiology</i> , 2018, 108, 177-183.	1.2	30
912	Experimental feasibility of dual-energy computed tomography based on the Thomson scattering X-ray source. <i>Journal of Synchrotron Radiation</i> , 2018, 25, 1797-1802.	1.0	8
913	Design and Simulation Study of a CNT-Based Multisource Cubical CT System for Dynamic Objects. <i>Scanning</i> , 2018, 2018, 1-15.	0.7	4
914	Clinical Feasibility of Single-Source Dual-spiral 4D Dual-Energy CT for Proton Treatment Planning Within the Thoracic Region. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 830-840.	0.4	21
915	Comparison of five one-step reconstruction algorithms for spectral CT. <i>Physics in Medicine and Biology</i> , 2018, 63, 235001.	1.6	53
916	Coronary CTA for Surveillance of Cardiac Allograft Vasculopathy. <i>Current Cardiovascular Imaging Reports</i> , 2018, 11, 26.	0.4	12
917	Multienery elementâ€resolved cone beam <scp>CT</scp> (<scp>MEER</scp>â€<scp>CBCT</scp>) realized on a conventional <scp>CBCT</scp> platform. <i>Medical Physics</i> , 2018, 45, 4461-4470.	1.6	10
918	Dual-layer spectral computed tomography: Virtual non-contrast in comparison to true non-contrast images. <i>European Journal of Radiology</i> , 2018, 104, 108-114.	1.2	83
919	On the equivalence of image-based dual-energy CT methods for the determination of electron density and effective atomic number in radiotherapy. <i>Physics and Imaging in Radiation Oncology</i> , 2018, 5, 108-110.	1.2	9
920	Acute infarction after mechanical thrombectomy is better delineable in virtual non-contrast compared to conventional images using a dual-layer spectral CT. <i>Scientific Reports</i> , 2018, 8, 9329.	1.6	16
921	Dual-Energy Computed Tomography. <i>Radiologic Clinics of North America</i> , 2018, 56, 507-520.	0.9	43
922	Advanced Musculoskeletal Applications of Dual-Energy Computed Tomography. <i>Radiologic Clinics of North America</i> , 2018, 56, 587-600.	0.9	30
923	Increased separability of K-edge nanoparticles by photon-counting detectors for spectral micro-CT. <i>Journal of X-Ray Science and Technology</i> , 2018, 26, 707-726.	0.7	8
924	Multi-slice CT: Current Technology and Future Developments. <i>Medical Radiology</i> , 2018, , 3-34.	0.0	3
925	Assessment of arterially hyper-enhancing liver lesions using virtual monoenergetic images from spectral detector CT: phantom and patient experience. <i>Abdominal Radiology</i> , 2018, 43, 2066-2074.	1.0	55
926	Material decomposition with prior knowledge aware iterative denoising (MD-PKAID). <i>Physics in Medicine and Biology</i> , 2018, 63, 195003.	1.6	39
927	First Dual MeV Energy X-ray CT for Container Inspection: Design, Algorithm, and Preliminary Experimental Results. <i>IEEE Access</i> , 2018, 6, 45534-45542.	2.6	12
928	Artifact reduction from dental implants using virtual monoenergetic reconstructions from novel spectral detector CT. <i>European Journal of Radiology</i> , 2018, 104, 136-142.	1.2	41

#	ARTICLE	IF	CITATIONS
929	Dual layer computed tomography: Reduction of metal artefacts from posterior spinal fusion using virtual monoenergetic imaging. <i>European Journal of Radiology</i> , 2018, 105, 195-203.	1.2	18
930	Digital Volume Correlation: Review of Progress and Challenges. <i>Experimental Mechanics</i> , 2018, 58, 661-708.	1.1	161
931	Dynamic material decomposition method for MeV dual-energy X-ray CT. <i>Applied Radiation and Isotopes</i> , 2018, 140, 55-62.	0.7	2
933	Development of a Dual-Energy Computed Tomography-Based Segmentation Method for Collateral Ligaments: A Porcine Knee Model. <i>Journal of Medical and Biological Engineering</i> , 2019, 39, 96-101.	1.0	2
934	The effect of tube voltage combination on image artefact and radiation dose in dual-source dual-energy CT: comparison between conventional 80/140 kV and 80/150 kV plus tin filter for gout protocol. <i>European Radiology</i> , 2019, 29, 1248-1257.	2.3	16
935	FBP-type CT reconstruction algorithms for triple-source circular trajectory with different scanning radii. <i>Journal of X-Ray Science and Technology</i> , 2019, 27, 665-684.	0.7	2
936	Noise reduction in dual-energy computed tomography virtual monoenergetic imaging. <i>Journal of Applied Clinical Medical Physics</i> , 2019, 20, 104-113.	0.8	5
937	Dual-Energy Computed Tomography to Assess Intra- and Inter-Patient Tissue Variability for Proton Treatment Planning of Patients With Brain Tumor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 504-513.	0.4	21
938	Dual-energy material decomposition for cone-beam computed tomography in image-guided radiotherapy. <i>Acta Oncologica</i> , 2019, 58, 1483-1488.	0.8	8
939	Quality evaluation of monoenergetic images generated by dual-energy computed tomography for radiotherapy: A phantom study. <i>Physica Medica</i> , 2019, 63, 48-55.	0.4	6
940	Dual-Energy CT: Lower Limits of Iodine Detection and Quantification. <i>Radiology</i> , 2019, 292, 414-419.	3.6	67
941	Virtual Monoenergetic Images from Spectral Detector CT Enable Radiation Dose Reduction in Unenhanced Cranial CT. <i>American Journal of Neuroradiology</i> , 2019, 40, 1617-1623.	1.2	5
942	Block matching frame based material reconstruction for spectral CT. <i>Physics in Medicine and Biology</i> , 2019, 64, 235011.	1.6	15
943	Iodine quantification and detectability thresholds among major dual-energy CT platforms. <i>British Journal of Radiology</i> , 2019, 92, 20190530.	1.0	9
944	User-Friendly Vendor-Specific Guideline for Pediatric Cardiothoracic Computed Tomography Provided by the Asian Society of Cardiovascular Imaging Congenital Heart Disease Study Group: Part 1. Imaging Techniques. <i>Korean Journal of Radiology</i> , 2019, 20, 190.	1.5	37
945	Computed Tomography Technology and Dose in the 21st Century. <i>Health Physics</i> , 2019, 116, 157-162.	0.3	17
946	Modulation of Allergic Reactivity in Humans Is Dependent on Schistosoma mansoni Parasite Burden, Low Levels of IL-33 or TNF- α and High Levels of IL-10 in Serum. <i>Frontiers in Immunology</i> , 2018, 9, 3158.	2.2	26
947	Virtual monoenergetic images from spectral detector CT as a surrogate for conventional CT images: Unaltered attenuation characteristics with reduced image noise. <i>European Journal of Radiology</i> , 2019, 117, 49-55.	1.2	27

#	ARTICLE	IF	CITATIONS
948	Integration of CT Data into Clinical Workflows: Role of Modern IT Infrastructure Including Cloud Technology. Contemporary Medical Imaging, 2019, , 195-201.	0.3	0
949	Future Technological Advances in Cardiac CT. Contemporary Medical Imaging, 2019, , 873-892.	0.3	3
950	Dual Energy and Spectral CT Techniques in Cardiovascular Imaging. Contemporary Medical Imaging, 2019, , 87-101.	0.3	1
951	Tracking systems for intracranial medical devices: A review. Medical Devices & Sensors, 2019, 2, e10033.	2.7	7
952	An update on advanced dual-energy CT for head and neck cancer imaging. Expert Review of Anticancer Therapy, 2019, 19, 633-644.	1.1	33
953	Quantification of contrast agent materials using a new image- domain multi material decomposition algorithm based on dual energy CT. BJR Open, 2019, 1, 20180008.	0.4	1
954	Fast kilovoltage-switching dual-energy CT offering lower x-ray dose than single-energy CT for the chest: a quantitative and qualitative comparison study of the two methods of acquisition. Diagnostic and Interventional Radiology, 2019, 25, 204-209.	0.7	2
955	Dual-source photon counting detector CT with a tin filter: a phantom study on iodine quantification performance. Physics in Medicine and Biology, 2019, 64, 115019.	1.6	18
956	Trends in radiation dose and image quality for pediatric patients with a multidetector CT and a third-generation dual-source dual-energy CT. Radiologia Medica, 2019, 124, 745-752.	4.7	37
957	Cardiac CT Platforms: State of the Art. Contemporary Medical Imaging, 2019, , 51-67.	0.3	1
958	Improvements of diagnostic accuracy and visualization of vertebral metastasis using multi-level virtual non-calcium reconstructions from dual-layer spectral detector computed tomography. European Radiology, 2019, 29, 5941-5949.	2.3	31
959	Dynamic-dual-energy spectral CT for improving multi-material decomposition in image-domain. Physics in Medicine and Biology, 2019, 64, 135006.	1.6	15
960	Diagnostic accuracy of computed tomography coronary angiography utilizing recent advances in technology in patients with high heart rates. JBI Database of Systematic Reviews and Implementation Reports, 2019, 17, 1312-1318.	1.7	3
961	Volumetric X-ray Imaging. , 2019, , 243-269.		0
962	New Imaging Techniques in the Management of Stone Disease. Urologic Clinics of North America, 2019, 46, 257-263.	0.8	10
963	Perfusion-ventilation CT via three-material differentiation in dual-layer CT: a feasibility study. Scientific Reports, 2019, 9, 5837.	1.6	8
964	Improving iodine contrast to noise ratio using virtual monoenergetic imaging and prior-knowledge-aware iterative denoising (mono-PKAID). Physics in Medicine and Biology, 2019, 64, 105014.	1.6	19
965	Differentiation between blood and iodine in a bovine brainâ€”Initial experience with Spectral Photon-Counting Computed Tomography (SPCCT). PLoS ONE, 2019, 14, e0212679.	1.1	26

#	ARTICLE	IF	CITATIONS
966	Imaging of proteoglycan and water contents in human articular cartilage with full-body CT using dual contrast technique. <i>Journal of Orthopaedic Research</i> , 2019, 37, 1059-1070.	1.2	18
967	Spectral CT Inspired Data Engineering for Colon Polyp Classification. , 2019, , .		1
968	State-of-the-Art Dual-Energy Computed Tomography in Gastrointestinal and Genitourinary Imaging. <i>Advances in Clinical Radiology</i> , 2019, 1, 1-17.	0.1	1
969	Dual-energy CT: theoretical principles and clinical applications. <i>Radiologia Medica</i> , 2019, 124, 1281-1295.	4.7	81
970	Lower energy levels and iodine-based material decomposition images increase pancreatic ductal adenocarcinoma conspicuity on rapid kV-switching dual-energy CT. <i>Abdominal Radiology</i> , 2019, 44, 568-575.	1.0	7
971	Microstructure and micropore formation in a centrifugally-cast duplex stainless steel via X-ray microtomography. <i>Materials Characterization</i> , 2019, 148, 52-62.	1.9	12
972	Metal artifacts in patients with large dental implants and bridges: combination of metal artifact reduction algorithms and virtual monoenergetic images provides an approach to handle even strongest artifacts. <i>European Radiology</i> , 2019, 29, 4228-4238.	2.3	33
973	Operative Planning in Thoracic Surgery: A Pilot Study Comparing Imaging Techniques and Three-Dimensional Printing. <i>Annals of Thoracic Surgery</i> , 2019, 107, 401-406.	0.7	18
974	Image Quality Performance of Virtual Single-Source CT Using Dual-Source Computed Tomography. <i>Academic Radiology</i> , 2019, 26, 1095-1101.	1.3	1
975	Total image constrained diffusion tensor for spectral computed tomography reconstruction. <i>Applied Mathematical Modelling</i> , 2019, 68, 487-508.	2.2	9
976	Characterization of renal stone composition by using fast kilovoltage switching dual-energy computed tomography compared to laboratory stone analysis: a pilot study. <i>Abdominal Radiology</i> , 2019, 44, 1027-1032.	1.0	15
977	Accurate Iterative FBP Reconstruction Method for Material Decomposition of Dual Energy CT. <i>IEEE Transactions on Medical Imaging</i> , 2019, 38, 802-812.	5.4	15
978	“Hepato-diaphragmatic fat interposition” and “increased right hemi-diaphragmatic thickness”: new imaging signs for early diagnosis of hepatic cirrhosis on routine CT abdomen. <i>Abdominal Radiology</i> , 2020, 45, 153-160.	1.0	0
979	3D ex-situ and in-situ X-ray CT process studies in particle technology – A perspective. <i>Advanced Powder Technology</i> , 2020, 31, 78-86.	2.0	31
980	Low dose contrast CT for transcatheter aortic valve replacement assessment: Results from the prospective SPECTACULAR study (spectral CT assessment prior to TAVR). <i>Journal of Cardiovascular Computed Tomography</i> , 2020, 14, 68-74.	0.7	19
981	Role of spectral-detector CT in reduction of artifacts from contrast media in axillary and subclavian veins: single institution study in 50 patients. <i>Acta Radiologica</i> , 2020, 61, 450-460.	0.5	8
982	In vivo radiation dosimetry and image quality of turbo-flash and retrospective dual-source CT coronary angiography. <i>Radiologia Medica</i> , 2020, 125, 117-127.	4.7	7
983	Status and innovations in pre-treatment CT imaging for proton therapy. <i>British Journal of Radiology</i> , 2020, 93, 20190590.	1.0	41

#	ARTICLE	IF	CITATIONS
984	Automatic multi-organ segmentation in dual-energy CT (DECT) with dedicated 3D fully convolutional DECT networks. <i>Medical Physics</i> , 2020, 47, 552-562.	1.6	33
985	Technological developments of X-ray computed tomography over half a century: User's influence on protocol optimization. <i>European Journal of Radiology</i> , 2020, 131, 109261.	1.2	31
986	Optimization of low-dose scan parameters in dual-energy computed tomography for displaying the anterior cruciate ligament. <i>Journal of International Medical Research</i> , 2020, 48, 030006052092787.	0.4	2
987	Performance of Dual-Source CT in Calculi Component Analysis: A Systematic Review and Meta-Analysis of 2151 Calculi. <i>Canadian Association of Radiologists Journal</i> , 2020, 72, 084653712095199.	1.1	1
988	Photon-counting CT review. <i>Physica Medica</i> , 2020, 79, 126-136.	0.4	225
989	3 Technical Basics of Diagnostic and Interventional Imaging. , 2020, , .		0
990	Material decomposition with dual- and multi-energy computed tomography. <i>MRS Communications</i> , 2020, 10, 558-565.	0.8	11
991	Health Care Monitoring and Treatment for Coronary Artery Diseases: Challenges and Issues. <i>Sensors</i> , 2020, 20, 4303.	2.1	8
992	Cardiac CT. , 2020, , .		1
993	Benefit of dual-layer spectral CT in emergency imaging of different organ systems. <i>Clinical Radiology</i> , 2020, 75, 886-902.	0.5	17
994	Dual-Energy Computed Tomography for Fat Quantification in the Liver and Bone Marrow: A Literature Review. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2020, 192, 1137-1153.	0.7	12
995	Accuracy of Dual-Energy CT Virtual Unenhanced and Material-Specific Images: A Phantom Study. <i>American Journal of Roentgenology</i> , 2020, 215, 1146-1154.	1.0	30
996	Principles and applications of dual source CT. <i>Physica Medica</i> , 2020, 79, 36-46.	0.4	34
997	Dual Energy Differential Phase Contrast CT (DE-DPC-CT) Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 3278-3289.	5.4	9
998	A direct comparison of 3T contrast-enhanced whole-heart coronary cardiovascular magnetic resonance angiography to dual-source computed tomography angiography for detection of coronary artery stenosis: a single-center experience. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 40.	1.6	10
999	Dual-Energy Computed Tomography for Stone Type Assessment: A Pilot Study of Dual-Energy Computed Tomography with Five Indices. <i>Journal of Endourology</i> , 2020, 34, 893-899.	1.1	8
1000	Multi-energy CT imaging for large patients using dual-source photon-counting detector CT. <i>Physics in Medicine and Biology</i> , 2020, 65, 17NT01.	1.6	14
1001	Principles and applications of multienergy CT: Report of AAPM Task Group 291. <i>Medical Physics</i> , 2020, 47, e881-e912.	1.6	117

#	ARTICLE	IF	CITATIONS
1002	Spectral CT Reconstruction via Low-Rank Representation and Region-Specific Texture Preserving Markov Random Field Regularization. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 2996-3007.	5.4	11
1003	Dual Energy Computed Tomography in Head and Neck Imaging. <i>Neuroimaging Clinics of North America</i> , 2020, 30, 311-323.	0.5	14
1004	CTPA with a conventional CT at 100 kVp vs. a spectral-detector CT at 120 kVp: Comparison of radiation exposure, diagnostic performance and image quality. <i>European Journal of Radiology Open</i> , 2020, 7, 100234.	0.7	10
1005	Liver lesion localisation and classification with convolutional neural networks: a comparison between conventional and spectral computed tomography. <i>Biomedical Physics and Engineering Express</i> , 2020, 6, 015038.	0.6	15
1006	The effect of heart rate, vessel angulation and acquisition protocol on the estimation accuracy of calcified artery stenosis in dual energy cardiac CT: A phantom study. <i>Physica Medica</i> , 2020, 70, 208-215.	0.4	4
1007	Iodine concentration of healthy lymph nodes of neck, axilla, and groin in dual-energy computed tomography. <i>Acta Radiologica</i> , 2020, 61, 1505-1511.	0.5	3
1008	Quantitative analysis of therapeutic response in psoriatic arthritis of digital joints with Dual-energy CT iodine maps. <i>Scientific Reports</i> , 2020, 10, 1225.	1.6	11
1009	Pre-clinical evaluation of dual-layer spectral computed tomography-based stopping power prediction for particle therapy planning at the Heidelberg Ion Beam Therapy Center. <i>Physics in Medicine and Biology</i> , 2020, 65, 095007.	1.6	16
1010	Metal artifacts from sternal wires: evaluation of virtual monoenergetic images from spectral-detector CT for artifact reduction. <i>Clinical Imaging</i> , 2020, 60, 249-256.	0.8	5
1011	Stationary computed tomography with source and detector in linear symmetric geometry: Direct filtered backprojection reconstruction. <i>Medical Physics</i> , 2020, 47, 2222-2236.	1.6	14
1012	Basic principles and clinical potential of photon-counting detector CT. <i>Chinese Journal of Academic Radiology</i> , 2020, 3, 19-34.	0.4	26
1013	Updates on Computed Tomography Imaging in Aortic Aneurysms and Dissection. <i>Annals of Vascular Diseases</i> , 2020, 13, 23-27.	0.2	2
1014	Can Dual-energy CT-based Virtual Monoenergetic Imaging Improve the Assessment of Hypodense Liver Metastases in Patients With Hepatic Steatosis?. <i>Academic Radiology</i> , 2020, 28, 769-777.	1.3	10
1015	Diagnostic Accuracy of Dual-Energy CT in Detection of Acute Pulmonary Embolism: A Systematic Review and Meta-Analysis. <i>Canadian Association of Radiologists Journal</i> , 2021, 72, 285-292.	1.1	23
1016	Quantitative positron emission tomography imaging in the presence of iodinated contrast media using electron density quantifications from dual-energy computed tomography. <i>Medical Physics</i> , 2021, 48, 273-286.	1.6	3
1017	Ultra-low-dose chest CT in adult patients with cystic fibrosis using a third-generation dual-source CT scanner. <i>Radiologia Medica</i> , 2021, 126, 544-552.	4.7	10
1018	Spectral X-ray computed micro tomography: 3-dimensional chemical imaging. <i>X-Ray Spectrometry</i> , 2021, 50, 92-105.	0.9	15
1019	Medical imaging of tissue engineering and regenerative medicine constructs. <i>Biomaterials Science</i> , 2021, 9, 301-314.	2.6	9

#	ARTICLE	IF	CITATIONS
1020	Performance of four dual-energy CT platforms for abdominal imaging: a task-based image quality assessment based on phantom data. <i>European Radiology</i> , 2021, 31, 5324-5334.	2.3	24
1021	Quantitative imaging of the spine in adolescent idiopathic scoliosis: shifting the paradigm from diagnostic to comprehensive prognostic evaluation. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 1273-1285.	0.6	2
1022	Spectral Computed Tomography: Fundamental Principles and Recent Developments. <i>Korean Journal of Radiology</i> , 2021, 22, 86.	1.5	30
1023	Spectral CT quantification stability and accuracy for pediatric patients: A phantom study. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 16-26.	0.8	6
1024	CT artifacts after contrast media injection in chest imaging: evaluation of post-processing algorithms, virtual monoenergetic images and their combination for artifact reduction. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 226-239.	1.1	7
1025	Generation of Brain Dual-Energy CT from Single-Energy CT Using Deep Learning. <i>Journal of Digital Imaging</i> , 2021, 34, 149-161.	1.6	9
1026	EXPERIMENTAL EXAMINATION OF RADIATION DOSES OF DUAL- AND SINGLE-ENERGY COMPUTED TOMOGRAPHY IN CHEST AND UPPER ABDOMEN IN A PHANTOM STUDY. <i>Radiation Protection Dosimetry</i> , 2021, 193, 237-246.	0.4	2
1027	An oblique projection modification technique (OPMT) for fast multispectral CT reconstruction. <i>Physics in Medicine and Biology</i> , 2021, 66, 065003.	1.6	10
1028	A Novel Low-Dose Dual-Energy Imaging Method for a Fast-Rotating Gantry-Type CT Scanner. <i>IEEE Transactions on Medical Imaging</i> , 2021, 40, 1007-1020.	5.4	7
1029	Dual-Layer Detector CT With Virtual Noncalcium Imaging: Diagnostic Performance in Patients With Suspected Wrist Fractures. <i>American Journal of Roentgenology</i> , 2021, 216, 1003-1013.	1.0	1
1030	Material Decomposition in Low-Energy Micro-CT Using a Dual-Threshold Photon Counting X-Ray Detector. <i>Frontiers in Physics</i> , 2021, 9, .	1.0	2
1031	Le point sur les calculs radio-transparents: imagerie, radiologie. <i>Progrès En Urologie - FMC</i> , 2021, 31, F93-F93.	0.2	0
1032	Estimating dual-energy CT imaging from single-energy CT data with material decomposition convolutional neural network. <i>Medical Image Analysis</i> , 2021, 70, 102001.	7.0	34
1033	Head and neck single- and dual-energy CT: differences in radiation dose and image quality of 2nd and 3rd generation dual-source CT. <i>British Journal of Radiology</i> , 2021, 94, 20210069.	1.0	4
1034	Urate Crystals; Beyond Joints. <i>Frontiers in Medicine</i> , 2021, 8, 649505.	1.2	10
1035	Dual-energy CT of acute bowel ischemia. <i>Abdominal Radiology</i> , 2022, 47, 1660-1683.	1.0	25
1036	High-resolution model-based material decomposition in dual-layer flat-panel CBCT. <i>Medical Physics</i> , 2021, 48, 6375-6387.	1.6	11
1037	Impact of four kVp combinations available in a dual-source CT on the spectral performance of abdominal imaging: A task-based image quality assessment on phantom data. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 243-254.	0.8	11

#	ARTICLE	IF	CITATIONS
1038	Scoring model to predict low image quality of drug-eluting stent evaluated by computed tomography coronary angiography. <i>Heart and Vessels</i> , 2022, 37, 229-238.	0.5	0
1039	Computed tomography recent history and future perspectives. <i>Journal of Medical Imaging</i> , 2021, 8, 052109.	0.8	39
1040	Invertibility of multi-energy X-ray transform. <i>Medical Physics</i> , 2021, 48, 5959-5973.	1.6	2
1041	Fast and effective single-scan dual-energy cone-beam CT reconstruction and decomposition denoising based on dual-energy vectorization. <i>Medical Physics</i> , 2021, 48, 4843-4856.	1.6	9
1042	Deep learning-based forward and cross-scatter correction in dual-source CT. <i>Medical Physics</i> , 2021, 48, 4824-4842.	1.6	9
1043	Virtual non-calcium dual-energy CT: clinical applications. <i>European Radiology Experimental</i> , 2021, 5, 38.	1.7	20
1044	Dual-energy CT in pulmonary vascular disease. <i>British Journal of Radiology</i> , 2022, 95, 20210699.	1.0	12
1045	Dual-energy CT imaging over non-overlapping, orthogonal arcs of limited-angular ranges. <i>Journal of X-Ray Science and Technology</i> , 2021, 29, 975-985.	0.7	6
1046	Quantitative dual-energy CT techniques in the abdomen. <i>Abdominal Radiology</i> , 2022, 47, 3003-3018.	1.0	12
1047	Quantitative assessment of liver steatosis using ultrasound: dual-energy CT. <i>Journal of Medical Ultrasonics (2001)</i> , 2021, 48, 507-514.	0.6	3
1048	Potential of dual-layer spectral CT for the differentiation between hemorrhage and iodinated contrast medium in the brain after endovascular treatment of ischemic stroke patients. <i>Clinical Imaging</i> , 2021, 79, 158-164.	0.8	6
1049	Dual-Energy Computed Tomography of the Liver: Uses in Clinical Practices and Applications. <i>Diagnostics</i> , 2021, 11, 161.	1.3	16
1050	Nanoparticle contrast agents for X-ray imaging applications. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2020, 12, e1642.	3.3	69
1052	Dual-Energy CT and Its Applications in the Abdomen. , 2015, , 1023-1033.		1
1053	Cardiac Computed Tomography: Description of Technology and Protocols. , 2012, , 47-61.		2
1054	Advanced X-ray Imaging Technology. <i>Recent Results in Cancer Research</i> , 2020, 216, 3-30.	1.8	16
1055	Technical Aspects of Dual Energy CT with Dual Source CT Systems. , 2015, , 11-32.		1
1056	Rapid kV Switching Dual-Energy CT Imaging. , 2015, , 45-60.		2

#	ARTICLE	IF	CITATIONS
1057	CT Technology for Imaging the Thorax: State of the Art. Medical Radiology, 2016, , 3-28.	0.0	2
1058	Multidetector-Row CT Basics, Technological Evolution, and Current Technology. , 2017, , 3-33.		3
1059	Multislice CT: Current Technology and Future Developments. Medical Radiology, 2009, , 3-23.	0.0	12
1060	MDCT in Neuro-Vascular Imaging. Medical Radiology, 2009, , 123-136.	0.0	1
1061	Dual-Energy CTâ€œTechnical Background. Medical Radiology, 2009, , 65-73.	0.0	6
1063	Cardiac Gating. Medical Radiology, 2009, , 23-36.	0.0	2
1064	Dual Source CT Technology. , 2008, , 19-33.		3
1065	Emerging Role of Multi-detector CT Imaging. , 2009, , 163-176.		1
1066	X-Ray and X-Ray-CT. , 2011, , 125-139.		5
1067	CT Imaging: Basics and New Trends. , 2012, , 883-915.		3
1068	Helical 4D CT and Comparison with Cine 4D CT. Biological and Medical Physics Series, 2013, , 25-41.	0.3	2
1069	Identification of residualâ€œrecurrent cholesteatoma in operated ears: diagnostic accuracy of dual-energy CT and MRI. Radiologia Medica, 2019, 124, 478-486.	4.7	11
1070	Recent Advances. , 2011, , 79-85.		1
1071	Surgical Management of Upper Urinary Tract Calculi. , 2012, , 1357-1410.e12.		29
1072	Rationale and design of the worldwide prospective multicenter registry on radiation dose estimates of cardiac CT angiography in daily practice in 2017 (PROTECTION VI). Journal of Cardiovascular Computed Tomography, 2018, 12, 81-85.	0.7	12
1073	Top-Ten Tips for Dual-Energy CT in MSK Radiology. Seminars in Musculoskeletal Radiology, 2019, 23, 392-404.	0.4	3
1074	New Frontiers in the Evaluation of Cardiac Patients for Noncardiac Surgery. Anesthesiology, 2007, 107, 1018-1028.	1.3	11
1075	Physical modeling and performance of spatial-spectral filters for CT material decomposition. , 2019, 10948, .		10

#	ARTICLE	IF	CITATIONS
1076	Dual-energy CT parameters in correlation to MRI-based apparent diffusion coefficient: evaluation in rectal cancer after radiochemotherapy. <i>Acta Radiologica Open</i> , 2020, 9, 205846012094531.	0.3	5
1077	Relationship between Ultrasound Backscattered Statistics and the Concentration of Fatty Droplets in Livers: An Animal Study. <i>PLoS ONE</i> , 2013, 8, e63543.	1.1	31
1078	Stomach Virtual Non-Enhanced CT with Second-Generation, Dual-Energy CT: A Preliminary Study. <i>PLoS ONE</i> , 2014, 9, e112295.	1.1	2
1079	Anti-CD24 bio Modified PEGylated Gold Nanoparticles as Targeted Computed Tomography Contrast Agent. <i>Advanced Pharmaceutical Bulletin</i> , 2018, 8, 599-607.	0.6	9
1080	Computed Tomography - its Development, Principle and Image Artifacts. <i>Acta Mechanica Slovaca</i> , 2013, 17, 40-47.	0.1	12
1081	Cardiac Multidetector Computed Tomography: Basic Physics of Image Acquisition and Clinical Applications. <i>Current Cardiology Reviews</i> , 2008, 4, 231-243.	0.6	26
1082	Role of CT Coronary Angiography in Recanalization of Chronic Total Occlusion. <i>Current Cardiology Reviews</i> , 2015, 11, 317-322.	0.6	6
1083	Low-Dose Radiation Advances in Coronary Computed Tomography Angiography in the Diagnosis of Coronary Artery Disease. <i>Current Cardiology Reviews</i> , 2019, 15, 304-315.	0.6	23
1084	Medical Imaging. , 0, , 634-712.		2
1085	Gold as a Potential Contrast Agent for Dual-Energy CT. <i>Advances in Molecular Imaging</i> , 2013, 03, 37-42.	0.3	5
1086	Feasibility of Improved Attenuation Correction for SPECT Reconstruction in the Presence of Dense Materials Using Dual-Energy Virtual Monochromatic CT: A Phantom Study. <i>Open Journal of Medical Imaging</i> , 2015, 05, 183-193.	0.1	5
1087	Endovascular stent graft repair of abdominal aortic aneurysms: Current status and future directions. <i>World Journal of Radiology</i> , 2009, 1, 63.	0.5	7
1088	Quantification of uric acid in vasculature of patients with gout using dual-energy computed tomography. <i>World Journal of Radiology</i> , 2020, 12, 184-194.	0.5	23
1089	Coronary CT angiography: Diagnostic value and clinical challenges. <i>World Journal of Cardiology</i> , 2013, 5, 473.	0.5	16
1090	Optimal reconstruction interval in dual source CT coronary angiography: a single-center experience in 285 patients. <i>Diagnostic and Interventional Radiology</i> , 2014, 20, 399-406.	0.7	1
1091	Contrast-enhanced CT- and MRI-based perfusion assessment for pulmonary diseases: basics and clinical applications. <i>Diagnostic and Interventional Radiology</i> , 2016, 22, 407-421.	0.7	29
1092	Diagnostic Accuracy of Dual-Source Computerized Tomography Coronary Angiography in Symptomatic Patients Presenting to a Referral Cardiovascular Center During Daily Clinical Practice. <i>Iranian Journal of Radiology</i> , 2016, 13, e24350.	0.1	2
1093	Dual-Source Computed Tomography Evaluation of Children with Congenital Pulmonary Valve Stenosis. <i>Iranian Journal of Radiology</i> , 2016, 13, e34399.	0.1	2

#	ARTICLE	IF	CITATIONS
1094	Projection-based dynamic tomography. <i>Physics in Medicine and Biology</i> , 2021, 66, 215018.	1.6	7
1096	Dual-Source CT: Practical Aspects of Techniques and Applications. , 2008, , 42-51.		0
1097	From Sixteen Slices to Nowadays " Cardiothoracic Imaging with CT. <i>Medical Radiology</i> , 2009, , 3-22.	0.0	0
1098	Technische Grundlagen der Herz-CT. , 2009, , 3-13.		0
1099	Temporal Resolution Assessment Using a Dedicated Edge Spread Function Approach. <i>IFMBE Proceedings</i> , 2009, , 83-86.	0.2	0
1100	Non-Invasive Coronary Imaging. <i>Medical Radiology</i> , 2009, , 99-203.	0.0	0
1101	Acquisition Protocols. <i>Medical Radiology</i> , 2009, , 79-86.	0.0	0
1102	Liver: Normal Anatomy, Imaging Techniques, and Diffuse Diseases. , 2009, , 1455-1499.		1
1103	Contrast Enhancement with Dual Energy CT for the Assessment of Atherosclerosis. <i>Informatik Aktuell</i> , 2009, , 61-65.	0.4	2
1104	A Primer on Imaging Anatomy and Physiology. , 2010, , 15-90.		3
1105	Coronary Artery Computed Tomography Angiography. , 2010, , 356-378.		0
1106	Dual Source CT Technology. , 2010, , 11-27.		0
1108	Cardiac Computed Tomography. , 2011, , 535-566.		0
1110	Diagnostic Value of 64-Slice Dual-Source CT Coronary Angiography in Patients with Atrial Fibrillation: Comparison with Invasive Coronary Angiography. <i>Korean Journal of Radiology</i> , 2011, 12, 425.	1.5	1
1111	Physical Background of Multi Detector Row Computed Tomography. <i>Medical Radiology</i> , 2011, , 1-14.	0.0	0
1115	Role of CT scan and Ultrasound Imaging in Characterization of Common Liver Diseases. <i>Indian Journal of Applied Research</i> , 2011, 4, 419-422.	0.0	1
1117	Tomodensitométrie : principes, formation de l'image. , 2013, , 119-174.		0
1118	CT Angiography of Coronary Stents. , 2013, , 115-130.		0

#	ARTICLE	IF	CITATIONS
1119	Examination and Reconstruction. , 2014, , 69-89.		0
1120	Atherosclerotic Heart Disease. , 2013, , 201-234.		0
1121	Technische Grundlagen der Herz-CT. , 2013, , 3-15.		0
1122	Advances in Technological Design to Optimize Exposure and Improve Image Quality. , 2014, , 177-202.		0
1123	Principles of CT Imaging. , 2014, , 77-105.		0
1125	First Clinical Experience with BMD Assessment in Vertebrae Using Dual-Energy CT. Lecture Notes in Computer Science, 2014, , 151-159.	1.0	0
1126	Combined Homogeneous Region Localization and Automated Evaluation of Radiation Dose Dependent Contrast-to-Noise Ratio in Dual Energy Abdominal CT. Lecture Notes in Computer Science, 2014, , 278-286.	1.0	0
1128	Comparison of diagnostic accuracy of dual-source CT and conventional angiography in detecting congenital heart diseases. Polski Przegląd Radiologii I Medycyny Nuklearnej, 2014, 79, 164-168.	1.0	4
1129	Computed Tomography Angiography: Peripheral and Visceral Vascular System. , 2014, , 1-28.		0
1131	Upper and Lower Limb Imaging. , 2015, , 129-148.		0
1132	Diagnostic Usefulness of Dual-Energy Computed Tomography in Evaluation of the Severity of Acute Pulmonary Thromboembolism. Journal of the Korean Society of Radiology, 2015, 72, 38.	0.1	1
1133	Abdominal Imaging Dual-Energy CT Applications. , 2015, , 113-128.		0
1134	Future in Dual Energy CT. , 2015, , 259-267.		0
1135	Computed Tomographic Angiography (CTA) of the Coronary, Aorta, Visceral, and Lower Extremity Arteries. , 2015, , 1225-1248.		0
1136	Comparing Cardiac Computed Tomography and Histology in Coronary Artery Stenosis. , 2015, , 1-20.		0
1137	On Sensor Technologies in CVD Diagnosis. International Journal of Materials Mechanics and Manufacturing, 0, , 303-309.	0.2	1
1138	CT Angiography of the Peripheral Arteries. , 2016, , 297-318.		0
1139	Comparing Cardiac Computed Tomography and Histology in Coronary Artery Stenosis. , 2016, , 1005-1024.		0

#	ARTICLE	IF	CITATIONS
1140	TaĖ HastalarĖnĖn ĖĖdaĖ Radyolojik YĖntemlerle DeĖYerlendirilmesi ve Ufuktaki Yeni GĖrĖntĖleme YĖntemleri. Endouroloji Bulteni, 2016, , 56-62.	0.0	0
1141	X-Ray and X-Ray-CT. , 2017, , 201-225.		0
1142	Static Myocardial Dual-Energy (DE) Perfusion and Delayed Enhancement in Detection of Chronic Myocardial Scar Tissue. Comparison with Late Gadolinium Enhancement MRI. Medical Visualization, 2017, , 10-18.	0.1	4
1143	Great Vessels Anomalies Ė“ Prenatal Echocardiography and Neonatal Angio-CT Ė“ A Pictorial Essay. Prenatal Cardiology, 2017, 7, 31-42.	0.2	0
1144	OBSOLETE: Imaging: CT Scanning of the Heart and Great Vessels. , 2018, , .		0
1145	Imaging: CT Scanning of the Heart and Great Vessels. , 2018, , 12-34.		0
1146	Tek Enerji ve HĖzli Voltaj DeĖYimli Ėift Enerji Abdomen Bilgisayarlı Tomografilerine Ait Bilgisayarlı Tomografi Doz Ėndekslerinin KarĖlaĖtırılması. Sakarya Medical Journal, 2018, 8, 41-45.	0.1	0
1147	Determination of the limit of detection for iodinated contrast agents with multi-energy computed tomography. , 2018, , .		2
1148	Use of material decomposition in the context of neurovascular intervention using standard flat panel and a high-resolution CMOS detector. , 2018, 10578, .		0
1149	Comparison of Estimated and Measured Doses of Dual-energy Computed Tomography. Bangsaseon Cisol Gwahak, 2018, 41, 405-411.	0.1	0
1150	CT dosimetry at the Australian Synchrotron for 25Ė100ĖkeV photons and 35Ė160Ėmm-diameter biological specimens. Journal of Synchrotron Radiation, 2019, 26, 517-527.	1.0	2
1151	Methods for Spectral CT Imaging. , 2020, , 223-242.		3
1152	Fan-Beam CT Systems. , 2020, , 3-10.		0
1153	Novel CT Acquisition. , 2020, , 27-43.		0
1154	Cone-Beam CT Systems. , 2020, , 11-26.		2
1155	CT in Cardiac Applications. , 2020, , 427-458.		0
1156	Computed Tomography and Magnetic Resonance Imaging. Recent Results in Cancer Research, 2020, 216, 31-110.	1.8	1
1157	Dual-layer spectral CT for proton, helium, and carbon ion beam therapy planning of brain tumors. Journal of Applied Clinical Medical Physics, 2022, 23, .	0.8	3

#	ARTICLE	IF	CITATIONS
1158	Functional Assessment of Lung Cancer and Nodules. Medical Radiology, 2021, , 259-297.	0.0	1
1159	Future of Pulmonary Functional Imaging. Medical Radiology, 2021, , 337-360.	0.0	1
1160	CT Imaging: Basics and New Trends. , 2020, , 1-43.		0
1161	Myocardial Bridging. , 2020, , 65-69.		0
1162	Tumor Diagnosis Patterns. , 2020, , 87-133.		0
1163	Design of a Monte Carlo model based on dual-source computed tomography (DSCT) scanners for dose and image quality assessment using the Monte Carlo N-Particle (MCNP5) code. Polish Journal of Medical Physics and Engineering, 2020, 26, 11-20.	0.2	2
1164	Improving radiation physics, tumor visualisation, and treatment quantification in radiotherapy with spectral or dual-energy CT. Journal of Applied Clinical Medical Physics, 2022, 23, .	0.8	21
1166	Bone Marrow Edema in Vertebral Compression Fractures: Detection with Dual-Energy CT. Radiology, 2013, 269, 525-533.	3.6	44
1167	Noninvasive Coronary Artery Imaging. Medical Radiology, 2009, , 193-205.	0.0	0
1168	Acute Chest Pain. Medical Radiology, 2009, , 233-237.	0.0	0
1169	New Indications for Cardiac CT. Medical Radiology, 2009, , 253-268.	0.0	1
1170	Dual Energy CT: Initial Description of Clinical Applications in the Abdomen. Medical Radiology, 2009, , 495-508.	0.0	0
1173	Future Technical Developments in Cardiac CT. , 2007, , 327-358.		0
1174	Vascular: Renal CTA. , 2008, , 160-169.		0
1175	Body: Obese Mode. , 2008, , 190-199.		0
1176	Dual Energy: CTA Runoff. , 2008, , 222-231.		0
1177	Dual Energy: Virtual Non-Contrast. , 2008, , 242-251.		1
1178	Dual Energy: Urography. , 2008, , 262-271.		0

#	ARTICLE	IF	CITATIONS
1179	Dual Energy: Vascular Plaque Removal/Detection. , 2008, , 272-281.		0
1180	Cardiac: Morphology. , 2008, , 90-99.		0
1182	Computed Tomography of the Liver. Medical Radiology, 2021, , 77-98.	0.0	0
1183	A diagnostic algorithm for detection of urinary tract infections in hospitalized patients with bacteriuria: The "Triple F" approach supported by Procalcitonin and paired blood and urine cultures. PLoS ONE, 2020, 15, e0240981.	1.1	1
1184	Dual-source computed tomographic coronary angiography: image quality and stenosis diagnosis in patients with high heart rates. Texas Heart Institute Journal, 2009, 36, 117-24.	0.1	1
1185	The role of coronary CT angiography in chronic total occlusion intervention. Heart Asia, 2010, 2, 122-5.	1.1	3
1186	Advances in myocardial CT perfusion imaging technology. American Journal of Translational Research (discontinued), 2016, 8, 4523-4531.	0.0	7
1187	Model-based Multi-material Decomposition using Spatial-Spectral CT Filters. , 2018, 2018, 102-105.		4
1188	Simulation on system configuration for stationary head CT using linear carbon nanotube x-ray source arrays. Journal of Medical Imaging, 2021, 8, 052114.	0.8	1
1189	Simulation on system configuration for stationary head CT using linear carbon nanotube x-ray source arrays. Journal of Medical Imaging, 2021, 8, 052114.	0.8	5
1190	Dual Energy Computed Tomography (DECT) for Determination of Renal Calculi Composition - In-Vivo Analysis and In-Vitro Comparison with Qualitative Chemical Analysis - A Prospective Comparative Study at a Single Centre at SDM Medical College and Hospital "Dharwad, Karnataka. Journal of Evidence Based Medicine and Healthcare, 2021, 8, 3534-3540.	0.0	0
1191	Reduction of clinical safety margins in proton therapy enabled by the clinical implementation of dual-energy CT for direct stopping-power prediction. Radiotherapy and Oncology, 2022, 166, 71-78.	0.3	44
1192	Imaging of the Upper Urinary Tract. , 2022, , 15-28.		0
1193	CT Imaging: Basics and New Trends. , 2021, , 1173-1215.		0
1195	Assessment of hepatic steatosis based on virtual non-contrast computed tomography: Initial experiences with a photon counting scanner approved for clinical use. European Journal of Radiology, 2022, 149, 110185.	1.2	19
1196	Imaging Information Overload: Quantifying the Burden of Interpretive and Non-Interpretive Tasks for Computed Tomography Angiography for Aortic Pathologies in Emergency Radiology. Current Problems in Diagnostic Radiology, 2022, 51, 546-551.	0.6	2
1197	Image reconstruction from data over two orthogonal arcs of limited angular ranges. Medical Physics, 2022, 49, 1468-1480.	1.6	4
1198	Image-Quality Assessment of Polyenergetic and Virtual Monoenergetic Reconstructions of Unenhanced CT Scans of the Head: Initial Experiences with the First Photon-Counting CT Approved for Clinical Use. Diagnostics, 2022, 12, 265.	1.3	13

#	ARTICLE	IF	CITATIONS
1199	Iterative dynamic dual-energy CT algorithm in reducing statistical noise in multi-energy CT imaging. <i>Physics in Medicine and Biology</i> , 2022, 67, 015003.	1.6	0
1200	Dual-Energy Computed Tomography in Diffuse Liver Diseases. <i>Journal of Gastrointestinal and Abdominal Radiology</i> , 2022, 05, 094-106.	0.2	3
1201	Fat Quantification in Dual-Layer Detector Spectral Computed Tomography. <i>Investigative Radiology</i> , 2022, 57, 463-469.	3.5	8
1202	Virtual Non-Contrast versus True Non-Contrast Computed Tomography: Initial Experiences with a Photon Counting Scanner Approved for Clinical Use. <i>Diagnostics</i> , 2021, 11, 2377.	1.3	21
1203	Comparison of Radiation Dose and Image Quality between the 2nd Generation and 3rd Generation Dual-Source Single-Energy and Dual-Source Dual-Energy CT of the Abdomen. <i>Journal of the Korean Society of Radiology</i> , 0, 83, .	0.1	0
1204	Design Optimization of Spatial-Spectral Filters for Cone-Beam CT Material Decomposition. <i>IEEE Transactions on Medical Imaging</i> , 2022, 41, 2399-2413.	5.4	1
1205	Utility of dual energy computed tomography in the evaluation of infiltrative skeletal lesions and metastasis: a literature review. <i>Skeletal Radiology</i> , 2022, 51, 1731-1741.	1.2	7
1206	Coronary calcium scores on dual-source photon-counting computed tomography: an adapted Agatston methodology aimed at radiation dose reduction. <i>European Radiology</i> , 2022, 32, 5201-5209.	2.3	13
1207	Iterative material decomposition with gradient L0-norm minimization for dual-energy CT. , 2022, , .		0
1208	Origins of and lessons from quantitative functional X-ray computed tomography of the lung. <i>British Journal of Radiology</i> , 2022, 95, 20211364.	1.0	9
1209	Quantitative assessment of motion effects in dual-source dual energy CT and dual-source photon-counting detector CT. , 2022, , .		1
1211	Potential of a Second-Generation Dual-Layer Spectral CT for Dose Calculation in Particle Therapy Treatment Planning. <i>Frontiers in Oncology</i> , 2022, 12, 853495.	1.3	5
1212	A Critical Survey on Developed Reconstruction Algorithms for Computed Tomography Imaging from a Limited Number of Projections. <i>International Journal of Image and Graphics</i> , 0, , .	1.2	1
1215	Dual-Energy: The Siemens Approach. <i>Medical Radiology</i> , 2022, , 15-27.	0.0	1
1219	New contrast injection strategies for low kV and keV imaging. , 0, , 7-11.		10
1221	Photon Counting CT Angiography of the Head and Neck: Image Quality Assessment of Polyenergetic and Virtual Monoenergetic Reconstructions. <i>Diagnostics</i> , 2022, 12, 1306.	1.3	7
1222	Real-time fiber-optic recording of acute ischemic stroke signatures. <i>Journal of Biophotonics</i> , 2022, 15, .	1.1	3
1223	Dual-Energy CT of the Abdomen: <i>Radiology</i> In Training. <i>Radiology</i> , 2022, 305, 19-27.	3.6	5

#	ARTICLE	IF	CITATIONS
1225	Sinogram interpretability based CT artefact reduction for multi-material workpieces. <i>Nondestructive Testing and Evaluation</i> , 2022, 37, 679-691.	1.1	1
1226	Design and manufacture of an X-ray generator by support vector machines. <i>Evolutionary Intelligence</i> , 2024, 17, 1235-1244.	2.3	0
1227	Three-dimensional reconstruction with dual-source computed tomography for evaluating graft deformation and bone tunnel position following reconstruction of the anterior cruciate ligament. <i>Medical Engineering and Physics</i> , 2022, , 103858.	0.8	0
1228	Impact of iodinated contrast media concentration on image quality for dual-energy CT and single-energy CT with low tube voltage settings. <i>Acta Radiologica</i> , 2023, 64, 1047-1055.	0.5	4
1229	Value of dual energy CT in post resuscitation coma. Differentiating contrast retention and ischemic brain parenchyma. <i>Radiology Case Reports</i> , 2022, 17, 3722-3726.	0.2	1
1230	Spectral computed tomography with inorganic nanomaterials: State-of-the-art. <i>Advanced Drug Delivery Reviews</i> , 2022, 189, 114524.	6.6	19
1231	Hybrid Cardiac Imaging for the Interventional Cardiologist. , 2022, , 117-127.		0
1232	Physics of computed tomography scanning. , 2022, , 159-165.		0
1233	Renal lesion characterization: clinical utility of single-phase dual-energy CT compared to MRI and dual-phase single-energy CT. <i>European Radiology</i> , 0, , .	2.3	3
1234	Preliminary study on image reconstruction for limited-angular-range dual-energy CT using two-orthogonal, overlapping arcs. , 2022, , .		0
1235	Virtual monoenergetic images by spectral detector computed tomography may improve image quality and diagnostic ability for ischemic lesions in acute ischemic stroke. <i>Acta Radiologica</i> , 2023, 64, 1631-1640.	0.5	2
1236	Dual-source photon-counting CT: consistency in spectral results at different acquisition modes and heart rates. , 2022, , .		1
1237	Value of low-keV virtual monoenergetic plus dual-energy computed tomographic imaging for detection of acute pulmonary embolism. <i>PLoS ONE</i> , 2022, 17, e0277060.	1.1	3
1238	A basic study for the molecular imaging of dual-energy CT in diagnosing anterior cruciate ligament injury of knee joint. <i>Acta Radiologica</i> , 0, , 028418512211358.	0.5	0
1239	Investigation on Accuracy of Stopping Power Ratio Prediction Based on Spectral CT. <i>Journal of Medical and Biological Engineering</i> , 2022, 42, 845-852.	1.0	0
1241	The Principle and State-of-art Applications for CT Detector. <i>Journal of Physics: Conference Series</i> , 2022, 2386, 012060.	0.3	0
1242	High-pitch, high temporal resolution, multi-energy cardiac imaging on a dual-source photon-counting detector CT. <i>Medical Physics</i> , 2023, 50, 1428-1435.	1.6	6
1243	Accurate Image Reconstruction in Dual-Energy CT with Limited-Angular-Range Data Using a Two-Step Method. <i>Bioengineering</i> , 2022, 9, 775.	1.6	1

#	ARTICLE	IF	CITATIONS
1244	DiFiRâ€CT: Distance field representation to resolve motion artifacts in computed tomography. Medical Physics, 0, , .	1.6	0
1245	Assessment of Intracardiac and Extracardiac Deformities in Patients with Various Types of Pulmonary Atresia by Dual-Source Computed Tomography. Congenital Heart Disease, 2023, 18, 113-125.	0.0	0
1246	Standardization and Quantitative Imaging With Photon-Counting Detector CT. Investigative Radiology, 2023, 58, 451-458.	3.5	9
1247	Radiation Issues. , 2013, , 431-437.		0
1248	Feasibility of Using Deep Learning to Generate Dual-Energy CT from 120-kV CT. Journal of Medical and Biological Engineering, 2023, 43, 93-101.	1.0	0
1249	<i>In Vivo</i> Deep-Brain 3- and 4-Photon Fluorescence Imaging of Subcortical Structures Labeled by Quantum Dots Excited at the 2200 nm Window. ACS Nano, 2023, 17, 3686-3695.	7.3	5
1250	Evolving Coronary Stent Technologies - A Glimpse Into the Future. Cureus, 2023, , .	0.2	0
1251	Quantitative assessment of liver steatosis using ultrasound: dual-energy CT. Choonpa Igaku, 2023, , .	0.0	0
1252	A qualityâ€checked and physicsâ€constrained deep learning method to estimate material basis images from singleâ€kV contrastâ€enhanced chest CT scans. Medical Physics, 0, , .	1.6	0
1253	Computed Tomography Angiography (Vascular). , 2013, , 121-130.		0
1254	New frontiers in oncological imaging with Computed Tomography: from morphology to function. Seminars in Ultrasound, CT and MRI, 2023, , .	0.7	0
1255	Image Quality Analysis of Photon-Counting CT Compared with Dual-Source CT: A Phantom Study for Chest CT Examinations. Diagnostics, 2023, 13, 1325.	1.3	3
1256	Dual spectral limited-angle CT imaging regularized by edge-preserving diffusion and smoothing. Journal of X-Ray Science and Technology, 2023, 31, 573-592.	0.7	1
1257	Radiography and CT in Synovial Tumors and Tumorlike Conditions. Medical Radiology, 2023, , .	0.0	0
1258	New Contrast Media for K-Edge Imaging With Photon-Counting Detector CT. Investigative Radiology, 2023, 58, 515-522.	3.5	7
1259	Utility of non-contrast Dual Energy Computed Tomography in diagnosis of differentiated thyroid cancer â€“ two case study. Cancer Imaging, 2023, 23, .	1.2	0
1260	Medical Photon-Counting CT: Status and Clinical Applications Review. , 2023, , 3-20.		0
1276	From Linear System ofâ€Equations toâ€Artificial Intelligenceâ€The Evolution Journey ofâ€Computer Tomographic Image Reconstruction Algorithms. Indian Statistical Institute Series, 2023, , 95-115.	0.1	0

#	ARTICLE	IF	CITATIONS
1288	Design and Implementation of an In-House Built Physical Phantom for Bone Density Measurements. IFMBE Proceedings, 2024, , 338-344.	0.2	0