Can we screen for pelvic organ prolapse without a phys studies?

American Journal of Obstetrics and Gynecology 195, 942-948

DOI: 10.1016/j.ajog.2006.02.050

Citation Report

#	Article	IF	CITATIONS
2	Pelvic organ prolapse symptoms in relation to POPQ, ordinal stages and ultrasound prolapse assessment. International Urogynecology Journal, 2008, 19, 1299-1302.	0.7	33
3	Pelvic organ prolapse in rural Ghana. International Journal of Gynecology and Obstetrics, 2008, 103, 121-124.	1.0	38
4	Urinary Incontinence and Pelvic Organ Prolapse: Diagnosis and Treatment for the Primary Care Physician. Medical Clinics of North America, 2008, 92, 1273-1293.	1.1	8
5	Prevalence of Symptomatic Pelvic Floor Disorders in US Women. JAMA - Journal of the American Medical Association, 2008, 300, 1311.	3.8	1,397
6	Vaginal Descent and Pelvic Floor Symptoms in Postmenopausal Women. Obstetrics and Gynecology, 2008, 111, 1148-1153.	1.2	55
7	Symptomatic Pelvic Organ Prolapse at Midlife, Quality of Life, and Risk Factors. Obstetrics and Gynecology, 2009, 113, 609-616.	1.2	133
8	A systematic review of clinical studies on dynamic magnetic resonance imaging of pelvic organ prolapse: the use of reference lines and anatomical landmarks. International Urogynecology Journal, 2009, 20, 721-729.	0.7	72
9	Prediction model and prognostic index to estimate clinically relevant pelvic organ prolapse in a general female population. International Urogynecology Journal, 2009, 20, 1013-1021.	0.7	51
10	Symptoms of pelvic floor dysfunction are poorly correlated with findings on clinical examination and dynamic MR imaging of the pelvic floor. International Urogynecology Journal, 2009, 20, 1169-1174.	0.7	42
11	Symptomatic pelvic organ prolapse and possible risk factors in a general population. American Journal of Obstetrics and Gynecology, 2009, 200, 184.e1-184.e7.	0.7	97
13	Obesity is associated with increased prevalence and severity of pelvic floor disorders in women considering bariatric surgery. Surgery for Obesity and Related Diseases, 2009, 5, 411-415.	1.0	69
15	Pelvic Organ Prolapse. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 201-203.	0.6	14
16	Functional Bowel Disorders and Pelvic Organ Prolapse. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 209-214.	0.6	8
17	Should Asymptomatic Anterior Pelvic Organ Prolapse Be Corrected to Treat Irritative Urinary Symptoms?. Current Urology Reports, 2010, 11, 338-342.	1.0	8
18	Does Metabolic Syndrome Impair Sexual Function in Middle―to Oldâ€Aged Women?. Journal of Sexual Medicine, 2011, 8, 1123-1130.	0.3	29
19	Association between metabolic syndrome and pelvic floor dysfunction in middle-aged to older Korean women. American Journal of Obstetrics and Gynecology, 2011, 205, 71.e1-71.e8.	0.7	16
20	Screening of the pelvic organ prolapse without a physical examination; (a community based study). BMC Women's Health, 2011, 11, 48.	0.8	17
21	A systematic review of clinical studies on hereditary factors in pelvic organ prolapse. International Urogynecology Journal, 2012, 23, 1327-1336.	0.7	74

#	Article	IF	Citations
22	Exploring the association between lifetime physical activity and pelvic floor disorders: Study and design challenges. Contemporary Clinical Trials, 2012, 33, 819-827.	0.8	28
23	Combined Burch urethropexy and anterior rectopexy in pelvic organ prolapse: skip the mesh. Langenbeck's Archives of Surgery, 2012, 397, 1157-1165.	0.8	1
24	Overview of pelvic floor failure and associated problems. Urogynaecologia International Journal, 2012, 26, 2.	0.2	0
25	Pelvic floor symptoms and bone mineral density in women undergoing osteoporosis evaluation. International Urogynecology Journal, 2013, 24, 1663-1669.	0.7	11
26	Pelvic floor disorders among women in Dabat district, northwest Ethiopia: a pilot study. International Urogynecology Journal, 2013, 24, 1135-1143.	0.7	57
27	Phenotyping clinical disorders: lessons learned from pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2013, 208, 360-365.	0.7	10
28	A systematic review classifies sources of bias and variation in diagnostic test accuracy studies. Journal of Clinical Epidemiology, 2013, 66, 1093-1104.	2.4	224
29	Quality of Life Questionnaires for the Assessment of Pelvic Organ Prolapse: Use in Clinical Practice. LUTS: Lower Urinary Tract Symptoms, 2013, 5, 121-128.	0.6	9
30	Overview of Pelvic Floor Disorders. , 2013, , 389-403.		1
31	Prevalence of Symptomatic Pelvic Floor Disorders Among Gynecologic Oncology Patients. Obstetrics and Gynecology, 2013, 122, 976-980.	1.2	44
32	Surgical Treatment of Vaginal Apex Prolapse. Obstetrics and Gynecology, 2013, 121, 354-374.	1.2	34
33	Does anesthetic method influence vaginal bulge symptoms and patient satisfaction after vaginal wall repair surgery?. International Urogynecology Journal, 2015, 26, 1361-1367.	0.7	1
34	Female pelvic floor dysfunctions and evidence-based physical therapy., 2015, , 131-270.		2
35	Prevalence of genital prolapse symptoms in primary care: a cross-sectional survey. International Urogynecology Journal, 2015, 26, 505-510.	0.7	24
36	Retrospective comparison between the Prolift and Elevate anterior vaginal mesh procedures: 18-month clinical outcome. International Urogynecology Journal, 2015, 26, 1815-1820.	0.7	18
37	Evidence for pelvic organ prolapse predispositionÂgenesÂon chromosomes 10 and 17. American Journal of Obstetrics and Gynecology, 2015, 212, 771.e1-771.e7.	0.7	24
38	Systemic markers of collagen metabolism and vitamin C in smokers and non-smokers with pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 184, 58-64.	0.5	6
39	Relationship between the Pelvic Organ Prolapse Quantification system (POP-Q), the Pelvic Floor Impact Questionnaire (PFIQ-7), and the Pelvic Floor Distress Inventory (PFDI-20) before and after anterior vaginal wall prolapse surgery. International Urogynecology Journal, 2015, 26, 195-200.	0.7	21

#	Article	IF	CITATIONS
40	Validation of the traditional Chinese version of the prolapse quality of life questionnaire (P-QOL) in a Mandarin-speaking Taiwanese population. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 680-685.	0.5	7
41	Symptomatic pelvic floor disorders in community-dwelling older Australian women. Maturitas, 2016, 85, 34-41.	1.0	41
42	Prevalence of, and risk factors for, symptomatic pelvic organ prolapse in Rural Bangladesh: a cross-sectional survey study. International Urogynecology Journal, 2016, 27, 1753-1759.	0.7	26
43	Pelvic Floor Symptoms and Spinal Curvature in Women. Female Pelvic Medicine and Reconstructive Surgery, 2016, 22, 219-223.	0.6	11
44	Pelvic organ prolapse. BMJ, The, 2016, 354, i3853.	3.0	117
45	The prevalence of symptomatic pelvic floor disorders in women in Bangladesh. Climacteric, 2016, 19, 558-564.	1.1	28
46	The Design of a Randomized Trial of Vaginal Surgery for Uterovaginal Prolapse: Vaginal Hysterectomy With Native Tissue Vault Suspension Versus Mesh Hysteropexy Suspension (The Study of Uterine) Tj ETQq0 0 0 182-189.	rgBT/Ove	rlock 10 Tf 50
47	Pelvic organ prolapse: prevalence and risk factors in a Brazilian population. International Urogynecology Journal, 2017, 28, 1165-1170.	0.7	24
48	Physical and cultural determinants of postpartum pelvic floor support and symptoms following vaginal delivery: a protocol for a mixed-methods prospective cohort study. BMJ Open, 2017, 7, e014252.	0.8	39
49	Is the hymen a suitable cut-off point for clinically relevant pelvic organ prolapse?. Maturitas, 2017, 99, 86-91.	1.0	3
50	Urinary incontinence and other pelvic floor disorders after radiation therapy in endometrial cancer survivors. Maturitas, 2017, 105, 83-88.	1.0	23
51	A Gartner Duct Cyst Masquerading as Anterior Vaginal Prolapse. Obstetrics and Gynecology, 2017, 130, 1039-1041.	1.2	10
52	Validation of an obstetric fistula screening questionnaire in rural Nepal: a communityâ€based crossâ€sectional and nested case–control study with clinical examination. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 955-964.	1.1	8
53	Pelvic Organ Prolapse and Urinary Incontinence in Women After Bariatric Surgery: 5-Year Follow-up. Female Pelvic Medicine and Reconstructive Surgery, 2018, 24, 120-125.	0.6	9
54	Association between vaginal bulge and anatomical pelvic organ prolapse during pregnancy and postpartum: an observational study. International Urogynecology Journal, 2018, 29, 441-448.	0.7	5
55	Factors influencing the outcome of surgery for pelvic organ prolapse. International Urogynecology Journal, 2018, 29, 81-89.	0.7	25
56	The symptom of vaginal bulging in nulliparous women aged 25–64Âyears: a national cohort study. International Urogynecology Journal, 2019, 30, 639-647.	0.7	13
57	Efficacy and safety of the Calistar and Elevate anterior vaginal mesh procedures. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 239, 30-34.	0.5	5

#	ARTICLE	IF	CITATIONS
58	Clinicopathologic characteristics and treatment patterns of pelvic organ prolapse in South Korea. Pan African Medical Journal, 2019, 34, 14.	0.3	4
59	Knowledge of Pelvic Floor Disorders in Obstetrics. Female Pelvic Medicine and Reconstructive Surgery, 2019, 25, 419-425.	0.6	11
60	A New Comorbidity in Female Patients With Ankylosing Spondylitis. Journal of Clinical Rheumatology, 2019, 25, 36-40.	0.5	0
61	Pelvic Organ Prolapse Symptoms in American Samoan Women. Female Pelvic Medicine and Reconstructive Surgery, 2020, 26, 677-681.	0.6	0
62	Long-term outcomes of a randomized controlled trial comparing trans-obturator vaginal mesh with native tissue repair in the treatment of anterior vaginal wall prolapse. International Urogynecology Journal, 2020, 31, 745-753.	0.7	14
63	Is a pelvic examination contributory in the initial evaluation of women with recurrent urinary tract infections?. International Urogynecology Journal, 2020, 31, 1209-1214.	0.7	0
64	Symptoms of pelvic organ prolapse in women who lift heavy weights for exercise: a cross-sectional survey. International Urogynecology Journal, 2020, 31, 1551-1558.	0.7	21
65	Prevalence of symptomatic urinary incontinence and pelvic organ prolapse among women in rural Nepal. International Urogynecology Journal, 2020, 31, 1851-1858.	0.7	9
66	Quality of Life in POP: Validity, Reliability and Responsiveness of the Prolapse Quality of Life Questionnaire (P-QoL) in Spanish Women. International Journal of Environmental Research and Public Health, 2020, 17, 1690.	1.2	7
67	Unilateral Anterior Sacrospinous Ligament Hysteropexy: a Single-Center Experience. SN Comprehensive Clinical Medicine, 2020, 2, 948-955.	0.3	0
68	Pelvic floor disorder symptoms and bone strength in postmenopausal women. International Urogynecology Journal, 2020, 31, 1777-1784.	0.7	10
69	Success and failure are dynamic, recurrent event states after surgical treatment for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2021, 224, 362.e1-362.e11.	0.7	15
70	Pelvic Floor Sensations After the First Vaginal Delivery: A Qualitative Study. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, e234-e246.	0.6	4
71	Pelvic Organ Prolapse. , 2021, , 125-143.		0
72	Habitus and Pelvic Floor Symptoms and Support 1 Year Postpartum. Obstetrics and Gynecology, 2021, 137, 821-830.	1.2	3
73	Effects of Oxytocin for Induction and Augmentation of Labor on Pelvic Floor Symptoms and Support in the Postpartum Period. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, 289-296.	0.6	5
74	Surgical management of pelvic organ prolapse in a highâ€volume resourceâ€limited setting. International Journal of Gynecology and Obstetrics, 2022, 156, 145-150.	1.0	2
75	Randomized trial comparing efficacy of pelvic floor muscle training with a digital therapeutic motion-based device to standard pelvic floor exercises for treatment of stress urinary incontinence (SUV trial): An all-virtual trial design. Contemporary Clinical Trials, 2021, 105, 106406.	0.8	11

#	ARTICLE	IF	CITATIONS
76	Prevalence of urinary, prolapse, and bowel symptoms in Mayer-Rokitansky-Kþster-Hauser syndrome. American Journal of Obstetrics and Gynecology, 2021, 225, 70.e1-70.e12.	0.7	4
77	Relative and Maximal Intra-abdominal Pressure and Postpartum Pelvic Floor Outcomes in Primiparas Delivered Vaginally. Female Pelvic Medicine and Reconstructive Surgery, 2022, 28, 96-103.	0.6	O
78	Pelvic Floor Disorders., 2011,, 323-335.		1
79	Do Measures of Muscular Fitness Modify the Effect of Intra-abdominal Pressure on Pelvic Floor Support in Postpartum Women?. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, e267-e276.	0.6	8
80	Immunohistochemical expression of hypoxia-inducible factor- \hat{l} t in stromal cells of vaginal tissue in post-menopausal women with pelvic organ prolapse. Indian Journal of Medical Research, 2017, 146, 63.	0.4	3
81	The impact of symptomatic urinary incontinence on female sexual function in middle- to old-aged Korean women. Korean Journal of Obstetrics & Gynecology, 2011, 54, 778.	0.1	3
82	Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. , 2010, , 439-444.		0
83	Surgical repair of pelvic organ prolapse and follow-up: An institutional multi-center experience. World Journal of Obstetrics and Gynecology, 2013, 2, 176.	0.5	O
84	Association Between Measures of Trunk Recovery 5 to 10 Weeks Postpartum and Pelvic Floor Support and Symptoms 1 Year Postpartum in Primiparas Delivered Vaginally. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, e427-e435.	0.6	2
85	Gynecological aspects as a component of comprehensive geriatric assessment: A study of self-rated symptoms of pelvic organ prolapse among community-dwelling elderly women in Japan. Maturitas, 2021, 157, 34-39.	1.0	O
86	Patient-Reported Outcomes and Pelvic Organ Prolapse. , 2021, , 555-575.		0
87	Genital prolapse: epidemiology, clinic and therapeutic at Saint Joseph hospital of Kinshasa. Pan African Medical Journal, 2020, 37, 196.	0.3	5
88	Recurrent pelvic organ prolapse (POP) following traditional vaginal hysterectomy with or without colporrhaphy in an Irish population. Ulster Medical Journal, 2014, 83, 16-21.	0.2	2
89	Factors associated with genital prolapse to Saint Joseph hospital of Kinshasa. Pan African Medical Journal, 2021, 40, 234.	0.3	3
90	Pelvic Floor Symptoms Are an Overlooked Barrier to Exercise Participation: A Cross-Sectional Online Survey of 4556 Women Who Are Symptomatic. Physical Therapy, 2022, 102, .	1.1	5
91	Rehabilitation of the Postpartum Runner: A 4-Phase Approach. Journal of Women's Health Physical Therapy, 2022, 46, 73-86.	0.5	8
92	Digital Therapeutic Device for Urinary Incontinence. Obstetrics and Gynecology, 2022, 139, 606-615.	1.2	11
93	Women's Experiences with Compliance with Pelvic Floor Home Exercise Therapy and Lifestyle Changes for Pelvic Organ Prolapse Symptoms: A Qualitative Study. Journal of Personalized Medicine, 2022, 12, 498.	1.1	5

#	Article	IF	CITATIONS
94	International Urogynecology Consultation: Patient Reported Outcome Measures (PROs) use in the evaluation of patients with pelvic organ prolapse. International Urogynecology Journal, 2022, 33, 2603-2631.	0.7	9
95	A kismedencei szervek sýllyedésének és a nÅʻi terheléses vizeletvesztésnek a konzervatÃv és seb kezelése Magyarországon Orvosi Hetilap, 2022, 163, 2072-2078.	észi 0.1	0
96	Postpartum sedentary behaviour and pelvic floor support: A prospective cohort study. Journal of Sports Sciences, 2023, 41, 141-150.	1.0	1
97	Evaluation and treatment of pelvic organ prolapse. Minerva Medica, 2023, 114, .	0.3	1
98	Patient-Reported Outcome Measures for Use in Women With Pelvic Organ Prolapse. Obstetrics and Gynecology, 2023, 141, 1098-1114.	1.2	1
102	Gynecologic and Urologic Problems in Older Women. , 2023, , 1-24.		1
105	Gynecologic and Urologic Problems in Older Women. , 2024, , 935-958.		0