

Prevalence of severe pelvic organ prolapse in relation to socioeconomic status: a multicenter cross-sectional study

International Urogynecology Journal

17, 340-345

DOI: [10.1007/s00192-005-0009-2](https://doi.org/10.1007/s00192-005-0009-2)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Familial transmission of urogenital prolapse and incontinence. <i>Current Opinion in Obstetrics and Gynecology</i> , 2007, 19, 464-468.	0.9	28
2	Biomechanical properties of prolapsed vaginal tissue in pre- and postmenopausal women. <i>International Urogynecology Journal</i> , 2007, 18, 603-607.	0.7	108
3	Vaginal pressure during lifting, floor exercises, jogging, and use of hydraulic exercise machines. <i>International Urogynecology Journal</i> , 2007, 18, 1481-1489.	0.7	40
4	It's Not All About Birth: Biomechanics Applied to Pelvic Organ Prolapse Prevention. <i>Journal of Midwifery and Women's Health</i> , 2008, 53, 28-36.	0.7	11
5	The epidemiology, social burden, and genetics of pelvic organ prolapse. <i>Current Bladder Dysfunction Reports</i> , 2008, 3, 90-94.	0.2	4
6	Intraabdominal pressure changes associated with lifting: implications for postoperative activity restrictions. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 306.e1-306.e5.	0.7	37
7	Safe manual handling: pelvic floor considerations. <i>Physiotherapy</i> , 2008, 94, 314-316.	0.2	3
8	Effect of vaginal distention on elastic fiber synthesis and matrix degradation in the vaginal wall: potential role in the pathogenesis of pelvic organ prolapse. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R1351-R1358.	0.9	46
10	Nonobstetric Risk Factors for Symptomatic Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2009, 113, 1089-1097.	1.2	107
11	The prevalence of pelvic organ prolapse symptoms and signs and their relation with bladder and bowel disorders in a general female population. <i>International Urogynecology Journal</i> , 2009, 20, 1037-1045.	0.7	199
12	Pelvic floor function is independently associated with pelvic organ prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1706-1714.	1.1	100
13	Symptomatic pelvic organ prolapse and possible risk factors in a general population. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 200, 184.e1-184.e7.	0.7	97
16	Failure of Pelvic Organ Support in Mice Deficient In Fibulin-3. <i>American Journal of Pathology</i> , 2009, 174, 206-215.	1.9	73
17	Epidemiology of Pelvic Floor Dysfunction. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009, 36, 421-443.	0.7	104
18	The Racial Distribution of Female Pelvic Floor Disorders in an Equal Access Health Care System. <i>Journal of Urology</i> , 2009, 181, 187-192.	0.2	39
19	Pathophysiology of Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 79-89.	0.6	15
20	Functional Bowel Disorders and Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 209-214.	0.6	8
22	Oestrogens for treatment or prevention of pelvic organ prolapse in postmenopausal women. <i>The Cochrane Library</i> , 2010, , CD007063.	1.5	65

#	ARTICLE	IF	CITATIONS
23	Increased expression of matrix metalloproteinase-1 in uterosacral ligament tissue from women with pelvic organ prolapse. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 832-834.	1.3	10
24	Patient Characteristics Associated With a Successful Pessary Fitting. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 249-252.	0.6	30
25	Clinical evaluation of a wireless intra-vaginal pressure transducer. <i>International Urogynecology Journal</i> , 2012, 23, 1741-1747.	0.7	23
26	Exploring the association between lifetime physical activity and pelvic floor disorders: Study and design challenges. <i>Contemporary Clinical Trials</i> , 2012, 33, 819-827.	0.8	28
27	Selection of patients in whom vaginal graft use may be appropriate. <i>International Urogynecology Journal</i> , 2012, 23, 7-14.	0.7	59
28	Can pelvic floor injury secondary to delivery be prevented?. <i>International Urogynecology Journal</i> , 2012, 23, 165-173.	0.7	34
29	Health impacts of pedestrian head-loading: A review of the evidence with particular reference to women and children in sub-Saharan Africa. <i>Social Science and Medicine</i> , 2013, 88, 90-97.	1.8	51
30	The impact of strenuous physical activity on the development of pelvic organ prolapse. <i>Journal of Obstetrics and Gynaecology</i> , 2013, 33, 115-119.	0.4	7
31	Socioeconomic status and race as predictors of treatment-seeking behavior for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 476.e1-476.e5.	0.7	21
32	Epidemiology and prevalence of pelvic organ prolapse. <i>Current Opinion in Urology</i> , 2013, 23, 293-298.	0.9	91
33	The Burden of OASIS Increases along with Socioeconomic Position – Register-Based Analysis of 980,733 Births in Finland. <i>PLoS ONE</i> , 2013, 8, e73515.	1.1	3
34	Intra-abdominal pressures during activity in women using an intra-vaginal pressure transducer. <i>Journal of Sports Sciences</i> , 2014, 32, 1176-1185.	1.0	53
35	Lifetime physical activity and pelvic organ prolapse in middle-aged women. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, 477.e1-477.e12.	0.7	27
36	Lifetime physical activity and female stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 40.e1-40.e10.	0.7	38
37	A multi-compartment 3-D finite element model of rectocele and its interaction with cystocele. <i>Journal of Biomechanics</i> , 2015, 48, 1580-1586.	0.9	39
38	A systematic review of prevalence and impact of symptoms of pelvic floor dysfunction in identified workforce groups. <i>Journal of Advanced Nursing</i> , 2016, 72, 1718-1734.	1.5	18
39	Female pelvic organ prolapse using pessaries: systematic review. <i>International Urogynecology Journal</i> , 2016, 27, 1797-1803.	0.7	57
41	Obesity and Pelvic Floor Dysfunction. <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 114-125.	0.2	26

#	ARTICLE	IF	CITATIONS
42	Prosthetic surgery versus native tissue repair of cystocele: literature review. <i>Updates in Surgery</i> , 2016, 68, 325-329.	0.9	28
43	Prevention of pelvic floor disorders: international urogynecological association research and development committee opinion. <i>International Urogynecology Journal</i> , 2016, 27, 1785-1795.	0.7	32
44	Physical activity and the pelvic floor. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 164-171.	0.7	118
45	Physical and cultural determinants of postpartum pelvic floor support and symptoms following vaginal delivery: a protocol for a mixed-methods prospective cohort study. <i>BMJ Open</i> , 2017, 7, e014252.	0.8	39
46	Association between pelvic organ prolapse and climacteric symptoms in postmenopausal women. <i>Maturitas</i> , 2017, 99, 73-78.	1.0	8
47	Pelvic floor muscle function and quality of life in postmenopausal women with and without pelvic floor dysfunction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 552-559.	1.3	18
48	Changes in the symptoms and quality of life of women with symptomatic pelvic organ prolapse fitted with a ring with support pessary. <i>Maturitas</i> , 2018, 117, 51-56.	1.0	19
49	An epidemiologic study of pelvic organ prolapse in rural Chinese women: a population-based sample in China. <i>International Urogynecology Journal</i> , 2019, 30, 1925-1932.	0.7	21
50	An epidemiologic study of pelvic organ prolapse in postmenopausal women: a population-based sample in China. <i>Climacteric</i> , 2019, 22, 79-84.	1.1	15
51	Pelvic organ prolapse in Northwest Ethiopia: a population-based study. <i>International Urogynecology Journal</i> , 2020, 31, 1873-1881.	0.7	22
52	Ultrasound imaging of the perineal body: a useful clinical tool. <i>International Urogynecology Journal</i> , 2020, 31, 1197-1202.	0.7	12
53	Load Carriage for Female Military Personnel. <i>Strength and Conditioning Journal</i> , 2020, 42, 50-58.	0.7	6
54	Role of sex steroid hormones in pelvic organ prolapse. <i>Menopause</i> , 2020, 27, 941-951.	0.8	11
55	Heavy Load Carrying and Symptoms of Pelvic Organ Prolapse among Women in Tanzania and Nepal: An Exploratory Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1279.	1.2	4
57	Pelvic Organ Prolapse in Older Adults. , 2014, , 181-206.		1
58	Epidemiology and Etiology of Pelvic Organ Prolapse. , 2021, , 547-554.		1
59	The role of GPX1 in the pathogenesis of female pelvic organ prolapse. <i>PLoS ONE</i> , 2017, 12, e0181896.	1.1	13
60	Patient Satisfaction and Symptoms Improvement in Women Using a Vginal Pessary for The Treatment of Pelvic Organ Prolapse. <i>Journal of Medicine and Life</i> , 2019, 12, 271-275.	0.4	10

#	ARTICLE	IF	CITATIONS
61	Abnormal Spinal Curvature as a Risk Factor for Pelvic Organ Prolapse. Pakistan Journal of Biological Sciences, 2007, 10, 4218-4223.	0.2	5
62	Pelvic organ prolapse and stress urinary incontinence: A review of etiological factors. Indian Journal of Urology, 2007, 23, 135.	0.2	34
63	Prevalence of Pelvic Floor Dysfunction among Married Women of Udupi Taluk, Karnataka, India. Journal of Women's Health Care, 2015, 04, .	0.2	4
64	A Simulation Analysis of Maternal Pelvic Floor Muscle. International Journal of Environmental Research and Public Health, 2021, 18, 10821.	1.2	8
65	Recurrent Pelvic Organ Prolapse. , 2009, , 113-143.		0
66	Bekkenbodem. , 2011, , 69-90.		0
68	Uterine pathologies to be considered before uterus-preserving surgery in cases of uterine prolapse. Journal of Clinical and Experimental Investigations, 2016, 6, .	0.1	0
69	Causes of Faecal Incontinence. , 2016, , 97-116.		0
70	International urogynecology consultation chapter 1 committee 2: Epidemiology of pelvic organ prolapse: prevalence, incidence, natural history, and service needs. International Urogynecology Journal, 2022, 33, 173-187.	0.7	36
72	Influence of toileting behavior on the natural course of anterior vaginal wall prolapse. BMC Women's Health, 2022, 22, 56.	0.8	2
73	Development of symptomatic pelvic organ prolapse over 10 years of mid-life follow-up is affected by occupational lifting and/or pushing for parous women. Maturitas, 2022, 164, 9-14.	1.0	0
74	Management of Rectocele with and without Obstructed Defecation. Seminars in Colon and Rectal Surgery, 2022, , 100937.	0.2	0
75	Pelvic floor dysfunction and its impact on quality of life among female health care employees. Work, 2023, , 1-5.	0.6	0
76	Low HOXA13 Expression in the Sacrouterine Ligament as A Risk Factor for Grade III-IV Uterine Prolapse. European Journal of Medical and Health Sciences, 2023, 5, 58-61.	0.1	0
77	Work-Related Factors Associated With the Pelvic Floor Dysfunction Among a Sample of Female Nurses in China. Workplace Health and Safety, 2023, 71, 282-295.	0.7	0